

VII. APPENDICES

- A. Address and Phone Directory
- B. Glossary of Meteorological Terms
- C. Smoke Management
- D. Haines Index
- E. Zones, Counties, Cities, and Weather Stations
- F. NOAA Weather Radio Network
- G. National Interagency Agreement for Meteorological Services

ADDRESS AND PHONE DIRECTORY

NATIONAL WEATHER SERVICE - U.S. Department of Commerce

Dan Luna, MIC	MIC	952-361-6670, X 642
National Weather Service	Operations	952-361-6671
1733 Lake Drive West	FAX	952-361-6668
Chanhassen, MN 55317-8581	Cell	952-247-4037

Byron Paulson, F/W Focal Point	Internet Home Page
Todd Krause, Assistant F/W Focal Point	http://weather.gov/mpx

e-mail Daniel.luna@noaa.gov
byron.paulson@noaa.gov
todd.krause@noaa.gov

Michael R. Stewart, MIC	MIC	218-729-0651 x642
National Weather Service	Operations	218-729-6572
5027 Miller Trunk Highway	FAX	218-729-0690
Duluth, MN 55811-1442		

Roman Berdes, F/W Focal Point	Internet Home Page
Vacant Assistant F/W Focal Point	http://weather.gov/dlh

e-mail michael.stewart@noaa.gov
roman.berdes@noaa.gov

Mark Frazier, MIC	MIC	701-795-5198
National Weather Service	Operations	701-795-5119
4797 Technology Circle	FAX	701-772-0751
Grand Forks, ND 58203-0600		

Al Voelker, F/W Focal Point	Internet Home Page
Vacant Assistant F/W Focal Point	http://weather.gov/fgf

e-mail mark.frazier@noaa.gov
al.voelker@noaa.gov

Glenn Lussky, MIC
National Weather Service
N2788 County Road
La Crosse, WI 54601-3038

MIC 608-784-8275 x642
Operations 608-784-8292
FAX 608-784-8238

Dave Schmidt, F/W Focal Point
Rod Swerman, Assistant F/W Focal Point

Internet Home Page
<http://weather.gov/arx>

e-mail glenn.lussky@noaa.gov
dave.schmidt@noaa.gov
rod.swerman@noaa.gov

Greg Harmon, MIC
National Weather Service
26 Weather Lane
Sioux Falls, SD 57104-0198

MIC 605-330-4247
Operations 605-330-4246
FAX 605-330-4248

Mike Fuhs, F/W Focal Point
Jeff Chapman, backup

Internet Home Page
<http://weather.gov/fsd>

e-mail greg.harmon@noaa.gov
michael.fuhs@noaa.gov
jeffrey.chapman@noaa.gov

James Scarlett, MIC
National Weather Service
825 Brown County 14
Aberdeen, SD 57401

MIC 605-225-0519
Operations 605-225-5547
FAX 605-225-7417

Stanley Keefe, F/W Focal Point
Travis Tarver, backup

Internet Home Page
<http://weather.gov/abr>

e-mail Stanley.keefe@noaa.gov
Travis.tarver@noaa.gov

Larry Van Bussum, Nat'l F/W Ops Coordinator
National Interagency Fire Center (NIFC)
3833 South Development Avenue, Bldg 3807
Boise, ID 83705-5354

Phone 208-334-9824, or 9862
Cell 208-863-2582
FAX 208-334-1660

e-mail larry.vanbussum@noaa.gov

Internet Home Page
<http://www.boi.noaa.gov/firewx.htm>

U.S. FOREST SERVICE - U.S. Department of Agriculture

Minnesota Interagency Fire Center (MIFC)

402 11th Street SE
Grand Rapids, Minnesota 55744

Tom Fastland, MIFC Coordinator 218-327-4583 tom.fastland@dnr.state.mn.us

Cell 218-244-5690

FAX 218-327-4527

MIFC Dispatch (24 hours) **218-327-4558**

Superior & Chippewa National Forest **218-327-4175** or 800-650-3392

Dispatch

FAX 218-327-4528

Brad McKelvy, Forest Dispatcher 218-327-4176 bmckelvy@fs.fed.us

Pager 877-605-9942

Cell 218-244-0307

Henry Goehle, USFS FMO 218-327-4462 hgoehle@fs.fed.us

Cell 218-244-2935

FAX 218-327-4527

Fire Cache (Bob Behrner) 218-327-4578 rbehrner@fs.fed.us

Chippewa National Forest 218-335-8600

Route 3, Box 219

Cass Lake, MN 56633

All dispatching for the 218-327-4175

Chippewa National Forest

is done at Superior Dispatch:

Eastern Area Interagency Coordination Center (EACC) (Multi-agency)

Mailing address

Eastern Area Coordination Center 612-713-7300

1 Federal Drive PO Box 29
St. Paul, MN 55111-4080 FAX 612-713-7317

Physical address

Eastern Area Coordination Center Internet Home Page
BHW Federal Bldg www.fs.fed.us/eacc
1 Federal Drive G-20 e-mail mneac@dms.nwcg.gov
Fort Snelling, MN 55111

Laura McIntyre-Kelly, Center Manager
Ann Stegmaier, Aircraft Dispatcher
Steve Marien, Meteorologist 612-713-7315 cell 612-713-7322 stephen_marien@nps.gov

Nick Gear, Fire and Emergency Operations Milwaukee Phone 414-297-3682
U S Forest Service, R9-RO Milwaukee FAX 414-297-3642
Attn AFM
310 W. Wisconsin Avenue, Suite 500
Milwaukee, WI 53203-2200

NATIONAL PARK SERVICE - U.S. Department of the Interior

Gia Wagner, Burn Boss 507-825-5464
Pipestone National Monument FAX 507-825-5466
36 Reservation Avenue e-mail Gia_Wagner@nps.gov
Pipestone, Minnesota 56164-1269

Kurt Fogelberg, Acting FMO Phone 218-283-9821
Fire Management Officer FAX 218-285-7407
National Park Service e-mail kurt_fogelberg@nps.gov
Voyageurs National Park voya_fire@nps.gov
3131 Hwy 53
International Falls, MN 56649

U. S. FISH AND WILDLIFE SERVICE - U.S. Department of the Interior

Dan Dearborn, FMO Phone 320-273-2247
U.S. Fish and Wildlife Service email dan_dearborn@fws.gov

Bigstone Nat'l Wildlife Refuge
RR1, Box 25
Odessa, MN 56276

Steve Jakala
Regional Fire Management Coordinator
U.S. Fish and Wildlife Service
Bishop Henry Whipple Federal Building
1 Federal Drive
Fort Snelling, MN 55111

BUREAU OF INDIAN AFFAIRS - U.S. Department of the Interior

Tom Remus Acting, Fire Manager Officer for Bureau of Indian Affairs
Minnesota Interagency Fire Center Phone 218-327-4793
402 SE 11th Street FAX 218-327-4528
Grand Rapids, MN 55744 email tremus@fs.fed.us

MINNESOTA DEPARTMENT OF NATURAL RESOURCES

Doug Miedtke, Fire Mgmt Specialist Phone 218-327-4445
Minnesota Dept. of Natural Resources Cell 218-360-1813
Minnesota Interagency Fire Center FAX 218-327-4527
402 11th Street SE email doug.miedtke@dnr.state.mn.us
Grand Rapids, Minnesota 55744

Olin Phillips, Fire Chief Phone 651-296-5971
Minnesota Dept. of Natural Resources FAX 651-296-5954
Division of Forestry email olin.phillips@dnr.state.mn.us
500 Lafayette Road
St. Paul, Minnesota 55155-4044

MN Wildfire Information Center Home Page <http://www.dnr.state.mn.us/forestry/fire>

Ron Stoffel (MN DNR Wildfire 218-327-4587
Suppression Supv) FAX 218-327-4527

Jean Bergerson (Information Officer) 218-327-4564
Barb Meyer (MN DNR) 218-327-4570
Diane Nygaard (Intelligence) 218-327-4566

APPENDIX B

Glossary of Meteorological Terms

ADDS - Automated Digital Data Service. An interactive web site at the NWS's Aviation Weather Center. Hourly surface maps are available which allow fire personnel to assess and track wind shifts, temperature, and dew points in a region.

Adiabatic Process - A thermodynamic process in the atmosphere involving warming or cooling of air normally when a parcel or layer of air moves up or down. Cooling of the air parcel occurs as the it moves up and expands. The parcel warms as it descends and as the surrounding air pressure increases. The dry lapse rate of 5.5° F per 1000 feet of altitude describes how unsaturated air will cool. The moist adiabatic lapse rate of 3.0 ° F per 1000 feet describes a saturated air parcel movement.

Advection - The horizontal movement of air or of a specific component of air. Warm air advection or moisture advection that occurs may change the fire behavior.

AFD - Area Forecast Discussion. An unscheduled product from the NWS used to describe the weather features and trends for a forecast period. Although somewhat technical, it does list the features which the forecaster is following. The AFD usually precedes the scheduled zone forecast product by about 2 hours.

Air Mass - An extensive body of air having the same properties of temperature and moisture in the horizontal plane.

Anemometer - An instrument for measuring wind speed.

Anticyclone - An area of high pressure with closed, clockwise circulation. Its common name is simply a High. It is designated on a surface weather chart as a blue H.

Area Forecast Discussion (AFD) - See AFD

Atmospheric Pressure - The force exerted per unit area by the weight of the air above.

ASOS - Automated Surface Observing System - An automated weather system deployed at airports nationwide. They provide hourly reports called METARs which are plotted on surface weather maps.. These systems are primarily owned by the NWS and the Federal Aviation Administration (FAA)...

ATMU – Atmospheric Theodolite Meteorological Unit – portable equipment used by NWS Incident Meteorologists (IMET) to measure wind speed and direction aloft.

AWIPS -Advanced Weather Interactive Processing System- A powerful weather processing workstation used by forecasters at NWS Weather Forecast Offices.

AWOS - Automated Weather Observing System An automated weather system deployed at airports nationwide. They provide hourly reports called METARs which are plotted on surface weather maps.. Most systems are owned by state agencies. They are similar to ASOSs.

B

Backing Winds - Winds that change direction in a counter clockwise direction with altitude in the vertical A south wind at the surface and an east wind at some point aloft would be an example of backing winds.

Barometer - An instrument for measuring atmospheric pressure.

Boundary Layer - The layer of air far enough above the surface to be free of frictional influences of the earth.

C

Chinook Wind - A foehn wind blowing down the eastern slopes of the Cascades, Rocky Mountains, and over the adjacent plains in the United States and Canada. In winter, this warm, dry wind causes snow to disappear with remarkable rapidity, and

hence it has been nicknamed the “snow eater”. In hot dry weather, Chinook winds can quickly extend fire weather conditions to the “extreme”.

Cirrus - A form of high cloud composed of ice crystals that do not obscure the sun to any great degree. They normally have a fibrous or wispy appearance.

Cold Front: The leading edge of a relatively cold air mass that displaces warmer air. The heavier cold air may cause some of the warm air to be lifted. If the lifted air contains enough moisture, the result may be cloudiness, precipitation, and thunderstorms. If both air masses are dry, no clouds may form. Following the passage of a cold front in the Northern Hemisphere, westerly or northwesterly winds of 15 to 30 or more miles per hour often continue for 12 to 24 hours.

Condensation - The atmospheric process by which water vapor changes into liquid form. This process releases heat.

Convection - As specialized in meteorology, atmospheric motions that are predominantly upward in the absence of wind (which distinguishes this process from advection), resulting in vertical mixing and transport of atmospheric properties. Convection is normally thought of as the process which initiates cumulus clouds and thunderstorms by heating the air from below.

Convergence - Net horizontal flow of air into an area associated with low pressure systems. If convergence occurs at the surface, upward vertical motion results. Consequently, areas of convergent winds are regions favorable to formation of clouds and development of rain.

Coriolis Force - An apparent force due to the rotation of the earth that causes a deflection of air to the right in the Northern Hemisphere as the air flows from high to low pressure. The Coriolis Force causes surface winds to flow across isobars at an angle. Aloft, the force results in winds flowing parallel to the lines on an upper air chart.

Cumulonimbus - The ultimate growth of a cumulus cloud into an anvil shape, with considerable vertical growth, usually fibrous ice crystal tops, and probably accompanied by lightning, thunder, hail, and strong winds.

Cumulus - A principal, low cloud type in the form of individual cauliflower-like cells of sharp nonfibrous outline and less vertical development than cumulonimbus.

Cyclone - An area of low atmospheric pressure that has closed counter clockwise circulation. Cyclones usually bring about marked changes of weather and temperature during their passage. Other name given to cyclones are “low” or “depression”.

D

Derecho - A downburst straight line wind event from a mesoscale convective systems that produces widespread damage. The Boundary Waters Canoe Area blowdown of July 4, 1999 was a derecho.

Dew Point - The temperature to which air must be cooled at constant pressure and moisture content for saturation to occur.

Dispersion - The decrease in concentration of airborne pollutants as they spread throughout an increasing volume of the atmosphere.

Dispersion Index - A numerical value computed by multiplying the transport wind times the mixing depth or height of the mixing layer. Ranges of index values are assigned descriptive terms indicating how well the atmosphere might function at spreading out or

dispersing smoke. In Minnesota and Wisconsin the following values are used in the narrative fire weather forecasts.

<13,000	Poor
13,000 - 29,999	Fair
30,000 - 59,999	Good
60,000 or greater	Excellent

Diurnal - Daily, especially pertaining to cyclic actions that are completed within a 24 hour period and which recur every 24 hours. The daily high and low temperature range is a diurnal cycle.

Divergence - The condition that exists when the distribution of winds within a given volume results in a net horizontal flow of air outward from the region. In divergence at lower levels, the resulting deficit is compensated by a downward movement of air from aloft. Divergence in upper levels of the atmosphere is often mentioned in Area Forecast Discussion products (AFD). Divergence in the wind flow aloft produces a compensating area of convergence near the surface resulting in the formation of low pressure centers or troughs. Divergence aloft can lead to the development of precipitation.

Dry bulb - An ordinary thermometer used to determine the ambient or existing air temperature. In a psychrometer both a dry bulb thermometer and a wet bulb thermometer are read in order to determine the relative humidity.

Dry Lightning Storm - A thunderstorm that produces little if any precipitation. Often virga is seen along with the lightning.

Drought Index: A number representing net effect of evaporation, transpiration, and precipitation in producing cumulative moisture depletion in deep duff or upper soil layers.

E

El Nino' - An abnormal warming of the eastern Pacific Ocean along the west coast of South America. This pattern often disrupts normal weather cycle.

Evaporation - The transformation of a liquid into a gaseous state. Heat is lost by the liquid during the process.

F

Fire Weather - Weather conditions that influence fire ignition, behavior and suppression.

Fire Weather Watch: A term used by fire weather forecasters to notify land management agencies, usually 24 to 72 hours ahead of a situation where fire weather parameters would create dangerous fire conditions.

Foehn Wind - Pronounced "Fern" A type of general wind that occurs when stable, high pressure air is forced across and then down the lee slopes of a mountain range. The descending air is warmed and dried due to adiabatic compression. In that process, wind flowing down hill warms at the rate of 5.5° per 1,000 feet. Some local names for a foehn wind are: Santa Ana, Chinook, or Mono.

Fog - A cloud at the earth's surface. Fog consists of numerous droplets of water which individually are so small that they cannot readily be distinguished by the naked eye. Three of the most common types of fog are: advection fog, radiation fog, and upslope fog.

Free Air - That portion of the atmosphere that is not modified by local surface frictional

affects.

Friction Layer - The layer of the atmosphere in which the frictional force of the earth's surface exercises an appreciable influence on winds. This is generally the air within about 1500 feet of the ground.

Front - The transition zone between two air masses of different density and temperature. Fronts emerge from a low pressure center. A cold front is the lead edge for colder and more dense air. A warm front marks the northern or eastern edge of a warmer and less dense air mass. An occluded front develops usually north of the low pressure center where a cold front meets the warm front

Frontal Inversion - An increase in temperature with height, normally near and ahead of an advancing warm front. Warm, less dense air rides up and over the retreating colder air to the north.

G

General Winds - Large scale winds caused by the pressure gradient between high and low pressure systems but generally influenced and modified in the lower atmosphere by terrain.

GOES - Geostationary Operational Environmental Satellite. Weather satellites that remain at a fixed location 22,500 miles above the earth. East GOES is at 75° W, and West GOES is at 135° W GOES satellites provide a variety of weather imagery but also handle uplink and downlink communication with various observing technologies such as RAWS.

GPS Winds - Winds aloft measured by GPS navigation equipment in an aircraft. These winds offer an alternative to PIBAL balloon measurements when an IMET is not present on the fire.

Gradient - The change in a property between two locations. Pressure gradient is the difference in air pressure between areas of high and low pressure.

Gradient Winds - winds that flow parallel to the contours on upper air charts. This usually occurs above 1500 feet above ground level. Below that point winds cross the isobars at an angle.

Gust - A sudden, brief increase in the speed of the wind.

Gust Front - The leading edge of cold dense air flowing outward from a thunderstorm. The boundary is marked by rising air above it and downward motion behind it. Winds can be quite strong and gusty. Gust fronts are sometimes visible on Doppler radar as thin circular arcs around a thunderstorm cell or complex.

H

Haines Index: An atmospheric index used to indicate the potential for wildfire growth by measuring the stability and dryness of the air over a fire.

Hazardous Weather Outlook (HWO) - An alerting tool issued by the NWS at least every morning by 730 a.m. The HWO briefly explains potential weather hazards in the seven days ahead.

Heat Index - A discomfort index used to describe the combined effects of temperature and humidity on the body's ability to cool itself.

High Clouds - Thin clouds, generally above 20,000 feet. The clouds are thin and wispy and comprised of ice crystals. Clouds in this group include: cirrus, cirrostratus, and cirrocumulus. They are often indications of an approaching low pressure area, particularly a warm front.

High Pressure (Ridge) - An area on the surface map where atmospheric pressure measured by barometers is higher than the surrounding air. High pressure results from air descending into a region. On weather maps, highs are designated with a blue H and

have closed isobars surrounding them. High pressure ridges usually are areas of cooler, subsiding air associated with quiet weather. Circulation around a high is in a clockwise direction. Over time, a subsidence inversion often forms.

HPC - Hydrometeorological Prediction Center. A part of the National Center for Environmental Prediction.. The HPC is responsible for producing surface maps every three hours, forecast surface maps for every six hours, and the quantitative precipitation forecast (QPF).

Hudson Bay High - High Pressure centered near Hudson Bay, Canada. The Hudson Bay High is a contributor to fire weather problems. The air flowing clockwise around the high emerges from a cold region. As it moves south and warms, the relative humidity falls significantly. The resulting northeast winds that flow into Minnesota and Wisconsin are dry and can increase fire behavior.

Humidity - The measure of water vapor content in the air.

I

Infrared (IR) - Radiation emitted from objects in the spectrum between visible light and microwaves. Weather satellites detect levels of IR radiation and display the data in a manner such that darker grey shades represent warm temperatures and whiter colors represent cooler temperatures. In that way satellites can locate clouds and storms at various levels as well as lakes and rivers.

Insolation - Radiation received from the sun at the earth's surface.

Instability - The state of the atmosphere in which the vertical distribution of temperature is such that an independent air parcel rising through the surrounding air, will become warmer than the surrounding air and will continue to rise. Unstable air contributes to increased fire behavior and better smoke dispersion.

Inversion - A condition in the atmosphere where temperature increases with increasing altitude rather than decreasing like it normally does. Inversions are of four types: Subsidence, Frontal, Radiation (nighttime), and Marine. Inversions inhibit smoke dispersal if low enough, and can increase fire behavior when they dissipate.

Isobar - A line of equal pressure surrounding areas of high and low pressure.

J

Jet Stream - A narrow meandering stream of high speed winds embedded in the normal prevailing westerly wind flow aloft. The jet stream is normally at about 30,000 feet but varies with seasons. Diverging air at the jet stream level often results in converging air near the earth's surface, leading to upward motion, formation clouds, and possible precipitation. There are two jet streams that cross the U.S., the polar jet, near the Canadian border, and the subtropical jet that crosses the southern tier of states.

K

Keech Byram Drought Index (KBDI): Commonly-used drought index adapted for fire management applications, with a numerical range from 0 (no moisture deficiency) to 800 (maximum drought).

L

La Nina' - The opposite of El Nino' in which abnormally cold Pacific Ocean water exists along the west coast of South America.

Lake Effect - Precipitation that occurs along the shores of the Great Lakes. The precipitation is not necessarily associated to a low pressure system but is produced by cold air moving across a relatively warmer and open lake. This unstable condition produces clouds over the relatively warmer open water. The instability can lead to

precipitation, particularly snowfall.

Lapse Rate - The change of temperature with height. Normally temperature decreases with height, but it sometimes increases. This latter condition is called a temperature inversion. Lapse rates are normally expressed in negative values for temperatures that decrease with height and as positive values for inversions. The ambient lapse rate refers to the existing temperature structure of the atmosphere. The dry adiabatic lapse rate of -5.5°F per 1,000 feet is the rate at which a rising parcel of air would cool if lifted. The moist adiabatic lapse rate of -3.0°F per 1,000 feet is the rate at which a saturated air parcel would cool as it rises. The normal lapse rate of -3.5°F per 1,000 feet is an average atmosphere lapse rate.

Lifted Index (LI) - An index used by the NWS to forecast thunderstorm development and severity.

Lightning - A sudden visible flash of energy and light caused by electrical discharges from thunderstorms.

Lightning Activity Level (LAL): A number, on a scale of 1 to 6, that reflects frequency and character of cloud-to-ground lightning. The scale is exponential, based on powers of 2 (i.e., LAL 3 indicates twice the lightning of LAL 2). An LAL of 6 refers to dry thunderstorms.

Local Winds - Small scale convective winds of local origin cause by temperature differences. Upslope winds during the day are examples of local winds.

Low Pressure Trough - An elongated area of relatively low atmospheric pressure, usually extending from the center of a low pressure system. Troughs are areas of converging and upward-moving air.

M

METAR- Meteorological Terminal Air Report - A coded weather report from ASOS and AWOS automated airport weather stations. Reports are sent at least every hour or more often if conditions change significantly. The reports are decoded and plotted on surface maps.

Middle Clouds - Clouds ranging in altitude from 6,500 to near 20,000 feet.

Miller-Holzworth Method - A technique involving the use of a thermodynamic diagram (SkewT or Stuve) to predict the height of the mid morning mixing height. The morning sounding is used. Five degrees C is added to the surface temperature. A line is extended upward, parallel to a dry adiabat. Where this line intersects the plotted sounding is the height (MSL) of the mid morning mixing height.

Millibar (Mb)- a unit of measure for atmospheric pressure. Multiplying millibars times 0.02953 yields inches of mercury. Multiplying inches of mercury times 33.86 yields millibars. Another more universal name for a millibar is a hectaPascal (hPa).

Mixed Layer - The lowest layer of the atmosphere from the surface to the base of any temperature inversion that may exist aloft. A well mixed layer has a lapse rate close to the dry adiabatic lapse rate of -5.5°F per 1,000 feet.

Mixing - The process of upward and downward motion in the atmosphere, particularly near the surface of the earth.

Mixing Height - The layer in the atmosphere from the surface to the first inversion layer. It is in this layer where vigorous mixing occurs due to convection.

NWS Spot - A web-based program for requesting and receiving spot weather forecasts.

O

Occluded Front - The front that is formed when and where a cold front overtakes a warm front or a stationary front.

Outflow - Cold, denser air that descends from the base of a thunderstorm and then spreads out in all directions. Outflow can travel several miles ahead of the thunderstorm and create gusty erratic winds unexpectedly.

Outflow Boundary - The leading edge of thunderstorm outflow. If these boundaries meet boundaries from other thunderstorms, new thunderstorm development is possible. Outflow boundaries are sometimes visible on weather radar as thin, curved lines surrounding a thunderstorm.

P

Palmer Drought Severity Index - An index used to gauge the severity of drought conditions by using a water balance equation to track water supply and demand. This index is calculated weekly by the NWS.

Pibal - Pilot balloon. A method used by an Incident Meteorologist (IMET) at a fire to measure the winds aloft. The IMET tracks the ascending balloon with a theodolite noting azimuth and elevation every few seconds. He later uses these angles to calculate the winds. Launched with equipment contained in the ATMU.

Pressure Gradient - The difference between the air pressure in one area and the air pressure in another. The difference between High and Low pressure areas can be very small and result in light winds. Or the air pressure differences can be large, resulting in strong winds flowing from the High to the Low.

Profiler - A sampling device used to measure wind speeds aloft. A network of profilers is in the Midwest. The most northern installation is at Wood Lake, Minnesota. Profiler data maps are available on the internet.

Q

QPF - Quantitative Precipitation Forecast - A forecast of the rainfall amount that would be measured in a rain gage randomly placed in an area.

R

Radiational Cooling - The net loss of heat due to infrared radiation. Radiational cooling cools the ground and the air immediately above. Over time, radiational cooling helps to develop a nocturnal inversion, and that leads to poor smoke dispersion.

Radiosonde - an instrument carried aloft by balloon and tracked by ground equipment. The instrument sends back temperature, humidity, and pressure. Ground equipment helps to calculate wind speeds.

RAOB - Radiosonde Observation. A collection of information sent back from a radiosonde instrument. The data are used to create a plotted sounding which shows the temperature, humidity, and wind structure of the air aloft. RAOBs are used as basic information for the atmospheric forecast models and for determining smoke management parameters.

Red Flag Warning - Term used by fire weather forecasters to alert forecast users to an ongoing or imminent critical fire weather pattern.

Reflectivity - The ability of a radar target to return energy; used to estimate precipitation intensity and rainfall rates. Reflectivity imagery this that most often display on NWS web sites and on TV weathercasts. Cooler blue shades usually indicate light precipitation while warmer, red hues imply stronger thunderstorms.

Relative Humidity (RH) - The ratio of the amount of moisture in the air, to the maximum amount of moisture that air would contain if it were saturated. The ratio of the actual vapor pressure to the saturated vapor pressure.

Remote Automatic Weather Station (RAWS) - An apparatus that automatically acquires, processes, and stores local weather data for later transmission to the GOES Satellite, from which the data is re-transmitted to an earth-receiving station for use in the National Fire Danger Rating System.

Ridge - An elongated area of High Pressure.

Roll Cloud.- A horizontal, tubular cloud that may be seen on the leading edge of an outflow from a thunderstorm.

RUC - Rapid Update Cycle. A short term atmospheric forecast model that uses recent surface observations (METARs), satellite-calculated winds and temperatures, Doppler radar winds, and other information from commercial aircraft.

S

Severe Weather Statement (SVS) - A text product issued by the local NWS office during severe weather as an update to a Severe Thunderstorm Warning or Tornado Warning. The SVS gives detailed information about when the leading edge of severe weather, gusty winds, hail, and rain will pass designated locations.

Sea Breeze - A local wind that flows from a large body of water toward land. The sea breeze results from the land heating up, causing the air to rise convectively. As this happens, air from the cooler water flows inland. Sea breezes are often noted along Lake Superior, especially in the spring. Sea breezes can be opposite to the established flow in the area, or it can enhance the local wind if blowing in the same direction as the local winds.

Security Weather Watch - Observers are posted at one or more strategic locations in the proximity of a fire to detect critical weather changes that might significantly affect the fire and to report those changes to fire personnel.

Short Term Forecast - Sometimes called a NOWCAST. A short text product issued by the local NWS office to supply detail on weather such as non-severe thunderstorms that is or soon will be occurring at designated locations.

Short Wave - A kink in the broad scale upper flow. The east side of short waves area areas of rising motion, while the west side are areas of downward motion. Forecasters track short waves since short waves can often help to initiate or strengthen storms..

SkewT - A special graph for plotting upper air soundings or RAOBS. Forecasters use SkewTs to determine atmospheric instability as well as to calculate smoke management parameters. The temperature axis is shifted or skewed at an angle rather than being at right angles to the other axis as is normally done. *See also Stuve.*

Slope Winds - Small scale convective winds that occur due to local heating and cooling of a natural incline of the ground.

Smoke Management: - Application of fire intensities and meteorological processes to minimize degradation of air quality during prescribed fires.

Sounding - See RAOB

SPC - Storm Prediction Center - The office that issues Severe Thunderstorm and Tornado Watches. SPC also issues a daily fire weather related message on the potential for severe fire weather conditions.

Spot Weather Forecast: - A special forecast issued to fit the time, topography, and weather of each specific fire. These forecasts are issued upon request of the user agency and are more detailed, timely, and specific than zone forecasts.

Squall line - Any non-frontal line or narrow band of active thunderstorms extending across the horizon. It is of importance to fire behavior due to accompanying strong gusty winds and the possibility of such a line passing between regular weather observation stations without being reported.

Stability - The state of the atmosphere in which the vertical distribution of temperature is such that an air parcel will resist vertical displacement from its level.

State of Weather - A brief description of current weather that expresses the amount of cloud cover, kind of precipitation, and/or restrictions to visibility being observed at a weather observation site.

Stratosphere - The layer of the atmosphere between the troposphere and the mesosphere where the air is usually stable.

Stuve Diagram - (Pronounced STOO vee) A type of graph used to plot upper air soundings or RAOBs and from which smoke management parameters can be calculated. *See also SkewT.*

Subsidence - An extensive sinking motion of air in the atmosphere, most frequently occurring in high pressure areas of polar origin. The subsiding air is warmed by compression and becomes more stable as a subsidence inversion develops. Of particular importance is the heating and drying of the air.

Subsidence Inversion - A temperature inversion that forms under high pressure. The inversion lowers with time.

Subtropical High - The semi-permanent area of high pressure centered in the south Atlantic and Caribbean areas.

Surface Wind - The wind measured at 20 feet above the average top of the local vegetation. It is often a combination of the local and general winds.

T

Thermal Belt - An area of mountainous slope (characteristically the middle third), where the top of the radiation inversion intersects the slope. That area typically experiences the least variation in diurnal temperature variation and has the highest average temperature, and thus the lowest relative humidity. Its presence is most evident during clear weather with light wind.

Thunderstorm - Localized storm characterized by one or more electrical discharges.

Transport Winds - The average wind speed and direction of the horizontal wind within the mixing layer.

Troposphere - The layer of the atmosphere from the earth's surface up to the tropopause, characterized by decreasing temperature with height (except, perhaps in thin layers, called inversions), vertical wind motion, appreciable water vapor content, and sensible weather (clouds, rain, etc.)

Trough - An elongated area of low pressure. Troughs are regions of converging air at low levels which in turn results in upward vertical motion. *See also Upper level*

disturbance, short wave.

Turbulence - Irregular motion of the atmosphere usually produced when air flows over a comparatively uneven surface such as the surface of the earth; or when two currents of air flow past or over each other in different directions or at different speeds.

U

Upper Level Disturbance - See Short Wave. A general term for any large scale or mesoscale disturbance capable of producing upward motion (lift) in the middle or upper parts of the atmosphere. Such disturbances can help initiate vertical motion or enhance existing vertical motion.

V

Vorticity - A measure of the local rotation in a fluid flow. In weather analysis and forecasting, it usually refers to the vertical component of rotation (i.e. rotation about a vertical axis) and is used most often in reference to synoptic scale or mesoscale weather systems. By convention, positive values indicate cyclonic rotation.

Veering Winds - Winds which shift in a clockwise direction with time at a given location (e.g. from southerly to westerly), or which change direction in a clockwise sense with height (e.g. southeasterly at the surface, turning to southwesterly aloft). The latter example is a form of directional shear which is important for tornado formation. Compare with backing winds.

Virga - Streaks or wisps of precipitation falling from a cloud but evaporating before reaching the ground. In certain cases, shafts of virga may precede a microburst. Virga may also be present in dry thunderstorms which produce "dry lightning".

W

Warm Front - The leading edge of a relatively warm air mass which moves in such a way so that warm air displaces colder air. Winds associated with warm frontal activity are usually light, and mixing is limited. The atmosphere is relatively stable near a warm front when compared to the air near a cold front.

Weather Information and Management System (WIMS): An interactive computer system designed to accommodate the weather information needs of all federal and state natural resource management agencies. Provides timely access to weather forecasts, current and historical weather data, the National Fire Danger Rating System (NFDRS), and the National Interagency Fire Management Integrated Database (NIFMID).

Wet Bulb Depression - The difference between the wet-bulb and dry-bulb temperatures as measured by a psychrometer. The wet bulb depression is used in conjunction with the dry-bulb temperature and psychrometric tables to calculate relative humidity.

Wet Bulb Temperature - The lowest temperature to which air can be cooled by evaporating water into it at a constant pressure when the heat required for evaporation is supplied by the cooling of the air. It is measured by the wet-bulb temperature, which usually employs a wetted wick on the bulb as a cooling device through the process of evaporation. The drier the air, the more evaporation from the wet bulb of a psychrometer can occur. The wet bulb temperature is an indicator of the water vapor in

the air.

WSR-88D - The identifier for National Weather Service Doppler radar. Weather Surveillance Radar deployed in 1988 with Doppler capability.

APPENDIX C

SMOKE MANAGEMENT


The Clean Air Act requires land management agencies to address the issue of smoke management in its prescribed burns. The goal is to burn in atmospheric conditions that would encourage smoke to rise to such a level that the smoke is dispersed as much as possible to reduce a number of health and safety risks near the fire.

A Minnesota Smoke Management Plan (SMP) was created in the year 2000 and should be considered the source document for any questions regarding the requirements or practices of smoke management in Minnesota. The Plan was updated in 2008.

The National Weather Service will support the smoke management efforts of federal, state, and local agencies as well as organizations involved in such burning. The NWS will provide three (3) parameters used in smoke management in its Fire Weather Planning Forecasts. The NWS will also include these parameters, upon request of the land agency, in spot forecasts.

The three weather parameters of smoke management forecasts are mixing layer (or depth), transport winds, and dispersion index. For smoke management purposes, the mixing layer is usually considered the lowest layers of the atmosphere bounded by the earth's surface and the bottom of any temperature inversion which may exist aloft. If a temperature inversion is based at the surface, then there is no mixing layer. A temperature inversion would serve to trap smoke at low levels or would prevent sufficient lofting of smoke to a level where winds would dilute or transport it away from the area. See Figure 16 below.

Figure 16. Three upper air temperature profiles which affect smoke dispersal differently.



a) a surface-based inversion is an absolutely stable condition that traps smoke and prevents lofting. b) An elevated inversion is unstable or neutral and allows limited smoke rise, but the smoke will stop rising at the base of the inversion aloft. c) When no inversions are present, smoke is free to rise. However, the existing (ambient) lapse rate will determine the rate of rise and the plume characteristics.

The transport wind is defined as the average wind speed and direction through the mixing layer.

In forecasts provided by the NWS, the transport wind will be provided in mph and the height of the mixed layer will be in feet agl.

The transport wind may suggest the need for surveillance or resource location at downstream areas for the purpose of minimizing the danger posed by spotting due to firebrands and to determine the impacts of smoke on a sensitive area.

The Dispersion Index is detailed in the Minnesota Smoke Management Plan (SMP) in section 4.2.2. The index is intended to serve as a single adjective index which describes how smoke will disperse on that day. The Dispersion Rate is given by the following formula as defined in the Minnesota Smoke Management Plan:

$$\text{Dispersion Index} = (\text{Mixing Height in feet}) \times (\text{Transport Wind in knots})$$

The Minnesota Smoke Management Plan (SMP) suggests the following interpretation of the values:

Dispersion Index	Dispersion Rate
< 13,000	Poor
13,000 - 29,999	Fair
30,000 - 59,999	Good
60,000 or greater	Excellent

The SMP contains guidelines for using the index and should be consulted for those details.

Most smoke management inputs to software programs and nomograms are in metric units. A table for conversion among various units is provided on the next page.

The National Weather Service uses a variety of units of measure for wind and height. To minimize

confusion and to make the conversion of units easier, the following conversion factors will prove helpful.

Multiply	By	To get
Feet	0.308	Meters
Feet	0.0152	Chains
Statute Miles	1609.34	Meters
Statute Miles	1.60934	Kilometers
Statute Miles	0.8684	Nautical Miles
Statute Miles	80	Chains
Nautical Miles	0.6080	Feet
Nautical Miles	1.152	Statute Miles
Nautical Miles	1853.25	Meters
Nautical Miles	1.85325	Kilometers
Chains	66	Feet
Chains	20.12	Meters
Chains	0.0125	Statute Miles
Meters	3.281	Feet
Meters	0.0497	Chains
Meters	0.00062	Statute Miles
Meters	0.00054	Nautical Miles
Kilometers	3280.84	Feet
Kilometers	0.6214	Statute Miles
Kilometers	0.5396	Nautical Miles
Knots	1	Nautical Miles Per Hour
Knots	1.152	Statute MPH
Knots	1.689	Feet Per Second
Knots	0.515	Meters Per Second
Knots	1.853	Kilometers Per Hour
Statute MPH	0.868	Knots
Statute MPH	1.467	Feet Per Second
Statute MPH	0.447	Meters Per Second
Statute MPH	1.609	Kilometers Per Hour
Statute MPH	88	Feet Per Minute
Kilometers Per Hour	0.278	Meters Per Second
Kilometers Per Hour	0.540	Knots
Kilometers Per Hour	0.621	Miles Per Hour
Kilometers Per Hour	0.911	Feet Per Second
Meters Per Second	3.6	Kilometers Per Hour
Meters Per Second	1.943	Knots
Meters Per Second	2.237	Miles Per Hour
Meters Per Second	3.281	Feet Per Second
Meters Per Second	196.85	Feet Per Minute

APPENDIX D

HAINES INDEX

The NWS will provide the Haines Index in Fire Weather Planning Forecasts.

What is the Haines Index?

The Haines Index combines the effects of dry air and instability to determine the potential for large fire growth. Its purpose is to identify weather conditions that may allow an existing fire to spread rapidly or exhibit extreme fire behavior. It should NOT be used to predict the potential or probability for wildfires to ignite. No such danger or wording will be conveyed in any NWS products. The Haines Index is most applicable to plume-dominated fires. The Haines Index does not account for wind.

The Haines Index contains two components, one to assess the dry air, and the other to measure the instability. Dry air affects fire behavior by lowering fuel moisture, which increases the amount of fuel available to the fire and enhances the probability of spotting. Instability is caused by warming the lower levels of the atmosphere, cooling the higher levels, or by a combination of the two processes. An unstable air mass promotes the formation of rising currents of air and thus increases the vertical extent of a smoke column. Wildfires that burn in a dry, unstable environment can become plume-dominated and are often able to generate their own strong surface winds. Ground elevation will determine which of three levels in the atmosphere will be used to compute the Haines Index. In Minnesota, the mid-level layer between 850 mb (around 5000 feet agl) and 700 mb (around 9000 feet agl) will be used.

Computing the Haines Index

Haines Index = Stability + Moisture = A + B

Stability Term = 850 MB Temperature - 700 MB Temperature

Let A equal the following values according to the temperature differences

A = 1 when stability term is 5 degrees C or less

A = 2 when stability term is 6 to 10 degrees C

A = 3 when stability term is 11 degrees C or more

Large positive values of the stability term indicate an unstable layer of the atmosphere near the earth's surface. Negative values indicate a temperature inversion.

Moisture Term = 850 MB Temperature - 850 MB Dew Point Temperature

B = 1 when moisture term is 5 degrees C or less

B = 2 when moisture term is 6 to 12 degrees C

B = 3 when moisture term is 13 degrees C or more

The greater the value of this term, the drier the air is.

Significance of the Haines Index values

- 2 or 3 Very Low
- 4 Low
- 5 Moderate
- 6 High

An example calculation

850 MB Temperature = 20 degrees C

850 MB Dew Point = 15 degrees C

700 MB Temperature = 12 degrees C

Haines Index = Stability (A) + Moisture (B)

From the tables above

850 MB Temp - 700 MB Temp = 20 - 12 = 8 Stability is between 6 and 10, so let A = 2


850 MB Temp - 850 MB Dew point = 20 - 15 = 5 Moisture is less than 6, so let B = 1

A + B = 2 + 1 = 3.

An Index value of 3 corresponds to a “Very Low” category. The conclusion is that extreme fire behavior would not be expected on this day.

Zones, Counties, Cities, and Weather Stations

Zones, County Warning Areas, Fire Weather Stations and Airport ASOS and AWOS Weather



Observation sites. A list of stations, zone names, and zone numbers is on the next page.

Zones, Counties, Cities, and Weather Stations

<u>ZONE</u>	<u>City</u>	<u>Zone Name</u>	<u>ZONE</u>	<u>City</u>	<u>Zone Name</u>
1	Crookston	West Polk	49	St. Cloud	Stearns
2	Ada	Norman	50	Sauk Rapids	Benton
3	Moorhead	Clay	51	Elk River	Sherburne
4	Hallock	Kittson	52	Cambridge	Isanti
5	Roseau/Greenbush	Roseau	53	Taylor Falls	Chisago
6	Baudette	Lake of the Woods	54	Madison	Lac Qui Parle
7	Argyle	W. Marshall	55	Benson	Swift
8	Grygla	E. Marshall	56	Montevideo	Chippewa
9	Waskish	N. Beltrami	57	Willmar	Kandiyohi
10	International Falls	Koochiching	58	Litchfield	Meeker
11	Ely	N. St. Louis	59	Buffalo	Wright
12	BWCAW	N. Cook/Lake	60	Minneapolis	Hennepin
13	Thief River Falls	Pennington	61	Anoka	Anoka
14	Red Lake Falls	Red Lake	62	St. Paul	Ramsey
15	Erskine	E. Polk	63	Stillwater	Washington
16	Clearbrook	N. Clearwater	64	Granite Falls	Yellow Medicine
17	Bemidji	S. Beltrami	65	Renville	Renville
18	Effie	N. Itasca	66	Glencoe	McLeod
19	Hibbing	C. St. Louis	67	Gaylord	Sibley
20	Finland/Two Harbors	Northshore/S. Lake	68	Waconia	Carver
21	Grand Marais/ Grand Portage	Northshore/S. Cook	69	Shakopee	Scott
22	Mahnomen	Mahnomen	70	Hastings	Dakota
23	Bagley	S. Clearwater	71	Lake Benton	Lincoln
24	Park Rapids	Hubbard	72	Marshall	Lyon
25	Cass Lake	N. Cass	73	Redwood Falls	Redwood
26	Grand Rapids	S. Itasca	74	New Ulm	Brown
27	Detroit Lakes	W. Becker	75	St. Peter	Nicollet
28	Osage	E. Becker	76	Montgomery	Le Sueur
29	Breckenridge	Wilkin	77	Faribault	Rice
30	Fergus Falls	W. Otter Tail	78	Zumbrota	Goodhue
31	Ottertail	E. Otter Tail	79	Wabasha	Wabasha
32	Wadena	Wadena	80	Slayton	Murray
33	Leech Lake	S. Cass	81	Windom	Cottonwood
34	Brainerd	Crow Wing	82	St. James	Watonwan
35	Hill City	N. Aitkin	83	Mankato	Blue Earth
36	Aitkin	S. Aitkin	84	Waseca	Waseca
37	Duluth/Cloquet	Carlton/S. St. Louis	85	Owatonna	Steele
38	Hinckley	Pine	86	Dodge Center	Dodge
39	Wheaton	Traverse	87	Rochester	Olmsted
40	Elbow Lake	Grant	88	Winona	Winona
41	Alexandria	Douglas	89	Worthington	Nobles
42	Long Prairie	Todd	90	Jackson	Jackson
43	Little Falls	Morrison	91	Fairmont	Martin
44	Onamia	Mille Lacs	92	Blue Earth	Faribault
45	Mora	Kanabec	93	Albert Lea	Freeborn
46	Ortonville	Big Stone	94	Austin	Mower
47	Morris	Stevens	95	Preston	Fillmore
48	Glenwood	Pope	96	Caledonia	Houston
			97	Pipestone	Pipestone
			98	Luverne	Rock

APPENDIX G - Interagency Agreement for Meteorological Services Among the Bureau of Land Management, Bureau of Indian Affairs, U.S. Fish and Wildlife Service, and National Park Service of the U.S. Department of Interior; the Forest Service of the U.S. Dept. of Agriculture; and the National Weather Service of the U.S. Dept. of Commerce. Can be viewed on-line at <http://www.weather.gov/directives>. See Section 10 – Operations and Services - NDS 10-4 Fire Weather Services.