

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
BAKER											
+ BAKER CITY FIRE DEPT	0	0		0	2	0	0	0	1	0	V777
BAKER RFPD	0	0		0	0	0	0	0	0	0	
BURNT RIVER FIRE & EMS DEPT	0	0		0	0	0	0	0	0	0	
# EAGLE VALLEY RFPD	0	0		0	0	0	0	0	0	0	
GREATER BOWEN VALLEY RFPD	0	0		0	0	0	0	0	0	0	
HAINES FIRE PROTECTION DIST.	0	0		0	0	0	0	0	0	0	
* HUNTINGTON FD	0	0		0	0	0	0	0	0	0	
& KEATING RFPD	0	0		0	0	0	0	0	0	0	
MEDICAL SPRINGS RFPD	0	0		0	0	0	0	0	0	0	
PINE VALLEY RFPD	0	0		0	0	0	0	0	0	0	
+ POWDER RIVER RFPD	0	0		0	0	0	0	0	0	0	
SUMPTER FD	0	0		0	0	0	0	0	0	0	
SURPRISE SPRINGS RURAL F&R	0	0		0	0	0	0	0	0	0	
BENTON											
+ ADAIR RFPD	1	1	AIM 4-600	0	2	0	0	1	0	0	CDV 700, CDV 715
& ALSEA RFPD	0	0		0	0	0	0	0	0	0	
& BLODGETT-SUMMIT RFPD	0	0		0	0	0	0	0	0	0	
+ CORVALLIS FIRE DEPT	8	10	SENSOR	0	1	0	1	10	0	1	SUPPLIED BY OSU RADIATION
+ HOSKINS-KINGS VLY RFPD	0	0		0	0	0	0	0	0	0	
+ MONROE RFPD	1	1	MSA PASSPORT	0	0	0	0	0	1	0	
& PHILOMATH FIRE AND RESCUE	0	0		0	0	0	0	0	0	0	
CLACKAMAS											
+ BORING FIRE DIST	3	1	1 AIM 3250, 2 AIM 600	1	0	0	0	1	0	3	
* CANBY RFPD	3	3	DYNA-MOTION AGM 502 & AIM	0	0	0	0	0	0	0	
+ CLACKAMAS CO FIRE DIST #1	14	14	DYNAMATION 929A/902	1	0	0	0	14	0	0	
* COLTON RFPD #70	1	0	TMX412	0	0	0	0	0	0	0	
+ ESTACADA RFD #69	1	1	DYNAMATION-COMBO 435	0	0	0	0	0	0	0	
& GLADSTONE FD	0	0		0	0	0	0	1	0	0	
* HOODLAND RFPD	1	1		0	1	0	0	0	0	1	
+ LAKE OSWEGO F&R&LIFE SAFETY	5	5	CGM	0	0	0	0	6	0	0	
* MOLALLA RFPD #73	1	1	AIMS MILLENIUM 4 GAS MONITOR	0	0	0	0	1	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
+ SANDY RFPD #72	2	1		0	0	0	0	0	4	0	
CLATSOP											
+ ASTORIA FIRE DEPT	3	3		1	1	1	1	1	0	0	
+ CANNON BEACH RFPD	1	1	AIM 600 SERIES	0	0	0	0	0	0	0	
+ ELSIE-VINEMAPLE RFPD	0	0		0	0	0	0	0	0	0	
+ GEARHART VOL FIRE DEPT	1	1	PHD LITE W/CO, O2, H2S, LEL	0	0	0	0	0	0	0	
& HAMLET VOL FD	0	0		0	0	0	0	0	0	0	
X JOHN DAY-FERNHILL RFPD	0	0		0	0	0	0	0	0	0	
* KNAPPA-SVENSEN-BURNSIDE RFPD	1	1		0	1	0	0	0	1	0	
+ LEWIS & CLARK RFPD	0	0		0	0	0	0	2	0	0	
+ OLNEY WALLUSKI F&R	0	0		0	0	0	0	0	0	0	
+ SEASIDE F&R	1	1		0	1	0	0	0	0	0	
+ WARRENTON FIRE DEPT	0	0		0	0	0	0	0	0	0	
& WESTPORT-WAUNA RFPD	0	0		0	0	0	0	0	0	0	
COLUMBIA											
# CLATSKANIE RFPD	3	3	MSA/AIM O2,CO,H2,LEL	0	0	0	0	0	0	1	
+ COLUMBIA RIVER F&R	0	0		0	0	0	0	10	0	0	
X MIST-BIRKENFELD RFPD	0	0		0	0	0	0	0	1	0	
+ SCAPPOOSE RFPD	1	3		0	0	0	0	0	3	0	
+ VERNONIA RFPD	2	3	AIM	1	1	2	0	1	0	0	
COOS											
+ BANDON RFPD #8	0	0		0	0	0	0	0	0	0	
BRIDGE VOL RFPD	0	0		0	0	0	0	0	0	0	
+ CHARLESTON RFPD	1	1	MSA	0	0	0	1	1	2	0	
+ COOS BAY F&R	2	2	AIM 3250, MSA 261	1	1	1	0	0	0	0	
+ COQUILLE FIRE DEPT	0	1	PASSPORT PERSONNEL ALARM	0	0	0	0	0	1	0	
DORA-SITKUM RFPD	0	0		0	0	0	0	0	0	0	
# FAIRVIEW RFPD	0	0		0	0	0	0	0	0	0	
+ GREENACRES RFPD	0	0		0	0	0	0	0	0	0	
* HAUSER RFPD	0	0		0	0	0	0	0	0	0	
# LAKESIDE RFPD	0	0		0	0	0	0	0	0	0	
+ MILLINGTON FIRE DIST #5	0	0		0	0	0	0	0	3	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
X MYRTLE POINT FD	0	0		0	0	0	0	0	1	0	
+ NORTH BAY RFPD	0	0		0	0	0	0	0	0	0	
+ NORTH BEND FIRE DEPT	0	0		0	0	0	0	0	1	0	
* POWERS FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ SHUTTER CREEK CORR INST	0	0		0	0	0	0	0	0	0	
\$ SUMNER RFPD	0	0		0	0	0	0	0	0	0	
CROOK											
* CROOK CO RFPD #1	1	0		0	0	0	0	0	0	0	
CURRY											
AGNESS-ILLAHE VOL	0	0		0	0	0	0	0	0	0	
+ BROOKINGS FD	1	1		0	1	1	0	1	3	0	0
CAPE FERRELO RFPD	0	0		0	0	0	0	0	0	0	
+ GOLD BEACH FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ HARBOR RFPD	0	0		0	2	0	0	0	2	1	
+ LANGLOIS RFPD	0	0		0	0	0	0	0	0	0	
\$ OPHIR RFPD	0	0		0	0	0	0	0	0	0	
* PISTOL RIVER VOL FD	0	0		0	0	0	0	0	0	0	
* PORT ORFORD FD	0	0		0	0	0	0	0	0	0	
* SIXES RFPD	0	0		0	0	0	0	0	0	0	
+ SQUAW VALLEY N BANK RFPD	0	0		0	0	0	0	0	0	0	
* WINCHUCK RFPD	0	0		0	0	0	0	0	0	0	
DESCHUTES											
* BEND FD	2	2	BIOSYSTEMS MULT GAS METER	0	2	0	0	0	0	0	STATE CIVIL DEFENSE
+ BLACK BUTTE RANCH RFPD	0	0		0	0	0	0	0	0	0	
+ CLOVERDALE RFPD	0	0		0	0	0	0	0	0	0	
* LAPINE RFPD	1	0		0	0	0	0	0	0	0	
+ REDMOND FIRE AND RESCUE	3	3	MSA +, AIM	20	5	1	1	0	0	0	CD 700, 715, VICTOREEN 190
+ SISTERS-CAMP SHERMAN RFPD	0	1	MSA	6	2	0	0	0	0	0	0
+ SUNRIVER FD	1	1	AIM 601	0	0	0	0	1	0	0	
DOUGLAS											
AZALEA VOL	0	0		0	0	0	0	0	0	0	
# CAMAS VALLEY VOL RFD	0	0		0	0	0	0	0	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
+ CANYONVILLE SOUTH UMPQUA FD	1	1		0	1	0	0	1	0	0	
\$ DAYS CREEK RFD	0	0		0	0	0	0	0	0	0	
+ DIAMOND LAKE VOL	0	0		0	0	0	0	0	0	0	
& DOUGLAS CO FIRE DIST #2	1	1	MSA 4501	0	0	0	0	0	0	0	
+ DRAIN RFPD	1	1		0	1	0	0	0	0	0	
* ELKTON RFPD	0	0		0	0	0	0	0	0	0	
* FAIR OAKS RFPD	0	0		0	0	0	0	0	0	0	
+ GARDINER RFPD	0	0		0	0	0	0	0	0	0	
\$ GLENDALE RFPD	0	0		0	1	0	0	0	0	0	
+ GLIDE RFPD	1	1	PHD 4 GAS DETECTOR	0	0	0	0	0	1	0	
+ KELLOGG RFD	0	0		0	0	0	0	0	0	0	
& LOOKINGGLASS RFD	0	0		0	0	0	0	0	0	0	
+ MILO RFPD	0	0		0	0	0	0	0	0	0	
+ MYRTLE CREEK FD	1	1		0	0	0	0	0	0	0	
+ OAKLAND RFPD	0	0		0	0	0	0	0	1	0	
# REEDSPORT VOL FIRE DEPT	0	0		0	0	1	0	0	0	0	
+ RICE HILL RFD	0	0		0	1	0	0	0	0	0	
+ RIDDLE RFPD	0	1		0	0	0	0	1	1	0	
+ ROSEBURG FIRE DEPT	3	3	AIM 4500 -1 PH D. -2	0	0	0	0	0	3	0	
& SCOTTSBURG RFD	0	0		0	0	0	0	0	0	0	
* SUTHERLIN FIRE DEPT	1	1	H2SO4	0	0	0	0	1	0	0	
+ TENMILE RFPD	0	0		0	1	0	0	0	0	0	
+ TILLER RFD	0	0		0	0	0	0	0	0	0	
+ TRI CITY FIRE DIST #4 (DOUG)	1	1	LEAKATOR 10	0	1	0	0	0	0	0	
WINCHESTER BAY RFPD	0	0		0	0	0	0	0	0	0	
+ WINSTON-DILLARD RFPD #5	1	1	AIM 4 GAS	0	1	1	0	1	1	0	CDV 777
+ YONCALLA RFPD	0	0		0	0	0	0	0	0	0	
GILLIAM											
ARLINGTON FD	0	0		0	0	0	0	0	0	0	
CONDON FD	0	0		0	0	0	0	0	0	0	
NORTH GILLIAM CO RFPD	0	0		0	0	0	0	0	0	0	
GRANT											
+ CANYON CITY FIRE DEPT	0	0		0	0	0	0	0	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
& DAYVILLE FD	0	0		0	0	0	0	0	0	0	
GRANITE CITY FD	0	0		0	0	0	0	0	0	0	
& JOHN DAY FIRE DEPT	1	1		0	0	0	0	0	0	0	
X LONG CREEK FD	0	0		0	2	0	0	0	0	0	
X MONUMENT FD	0	0		0	0	0	0	0	0	0	
* MT VERNON FD	1	1		0	4	0	0	1	0	0	
PRAIRIE CITY FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ SENECA VOL FIRE DEPT	0	0		0	0	0	0	0	0	0	
HARNEY											
& BURNS FIRE DEPT	1	1	DYNAMATION #929	0	1	0	0	0	0	0	CDV-700, CDV-715
HINES FD	0	0		0	0	0	0	0	0	0	
HOOD RIVER											
+ CASCADE LOCKS F&R	0	0		0	2	0	0	0	0	1	GEIGER & DOSIMETES KITS
* DEE RFPD	0	0		0	0	0	0	0	0	0	
+ HOOD RIVER FIRE DEPT	0	1		0	0	0	0	0	0	0	GEIGER COUNTER (CD)
+ ODELL RFPD	0	1	PHD	0	1	0	0	0	1	0	PHD
PARKDALE RFPD	0	0		0	0	0	0	0	0	0	
+ PINE GROVE RFPD	0	0		0	0	0	0	0	0	0	
+ WEST SIDE RFPD	1	1		0	1	0	0	1	0	0	AIM & 46AS
JACKSON											
* APPLGATE RFPD #9	0	0		0	0	0	0	0	0	0	
& ASHLAND F&R	2	2	CO	0	0	0	0	0	0	2	
* BUTTE FALLS VOL FD	0	0		0	0	0	0	0	0	0	
+ COLESTIN RFPD	0	0		0	0	0	0	0	0	0	
* EVANS VALLEY FIRE DIST #6	0	0		0	0	0	0	0	0	0	
* JACKSON CO FD #3	2	2	AIM 600	0	0	0	0	0	0	0	
& JACKSON CO RFPD #4	0	0		0	0	0	0	0	0	0	
* JACKSON CO RFPD #5	0	0		0	0	0	0	0	0	0	
+ JACKSONVILLE FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ LAKE CREEK RFPD #8	0	0		0	0	0	0	0	0	0	
* MEDFORD F&R	7	7	AIMS 3000, AIMS 4600	2	2	2	1	3	1	0	
+ PHOENIX VOL FIRE DEPT	0	0		0	0	0	0	0	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
\$ PROSPECT RFPD	0	0		0	0	0	0	0	0	0	
+ ROGUE RIVER RFPD	1	1		0	0	0	0	0	0	0	
+ ROGUE VALLEY INTL AIRPORT FD	0	0		0	0	0	0	0	0	0	
JEFFERSON											
+ CROOKED RIVER RANCH RFPD	0	0		0	0	0	0	0	0	0	
+ JEFFERSON CO RFPD #1	0	1	DYNAMATION	0	0	0	0	0	3	0	
* THREE RIVERS VOL FD	0	0		0	0	0	0	0	0	0	
* WARM SPRINGS FIRE SFTY	1	1		0	4	1	0	1	1	0	
JOSEPHINE											
+ GRANTS PASS DEPT PUB SFTY	4	4		0	0	1	0	3	0	0	
* GRANTS PASS RURAL FD	0	0		0	0	0	0	0	0	0	
* ILLINOIS VALLEY RFPD	0	0		0	0	0	0	3	0	0	
\$ RURAL METRO FIRE DEPT	1	0		0	0	0	0	1	0	0	
+ WILLIAMS RFPD	0	0		0	0	0	0	0	0	0	
& WOLF CREEK RFPD	0	0		0	0	0	0	0	0	0	
KLAMATH											
* BLY RFPD	0	0		0	0	0	0	0	0	0	
BONANZA RFPD	0	0		0	0	0	0	0	0	0	
+ CHEMULT RFPD	0	0		0	0	0	0	0	0	0	
+ CHILOQUIN-AGENCY LK RFPD	0	1		0	1	0	0	0	3	0	
+ CRATER LAKE NAT'L PARK FD	0	0		0	0	0	0	0	0	0	
& CRESCENT RFPD	1	1		0	1	0	0	1	0	1	
+ CRESCENT-ODELL LAKES RFPD	0	0		0	0	0	0	0	0	0	
# HARRIMAN RFPD	0	0		0	0	0	0	0	0	0	
KENO RFPD	0	0		0	0	0	0	0	0	0	
& KINGSLEY FIELD FIRE DEPT	2	2	AIM 500 SERIES	40	0	0	0	0	1	2	
KLAMATH CO FD #3	0	0		0	0	0	0	0	0	0	
* KLAMATH CO FD #4	1	0		0	1	0	0	0	0	0	
KLAMATH CO FD #5	0	0		0	0	0	0	0	0	0	
* KLAMATH CO FIRE DIST #1	6	5	A/M	30	3	1	1	5	2	0	CD-V777-1
& MALIN RFPD	0	0		0	0	0	0	0	0	0	
MERRILL FD	0	0		0	0	0	0	0	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
MERRILL RFPD	0	0		0	0	0	0	0	0	0	
SPRAGUE RIVER VOL	0	0		0	0	0	0	0	0	0	
LAKE											
# CHRISTMAS VALLEY RFPD	0	0		0	0	0	0	0	0	0	
* LAKEVIEW FIRE DEPT	0	0		0	4	0	0	0	1	0	OREGON STATE TRANSPORTAT
& NEW PINE CREEK RFPD	0	0		0	0	0	0	0	0	0	
+ PAISLEY VOL FD	0	0		0	0	0	0	0	0	0	
+ SILVER LAKE RFPD	1	1	AIM	0	0	0	0	0	0	0	
* SUMMER LAKE FIRE AND RESCUE	0	0		0	0	0	0	0	0	0	
+ THOMAS CREEK/WESTSIDE RFPD	0	0		0	0	0	0	0	0	0	
LANE											
BLUE RIVER FD	0	0		0	0	0	0	0	0	0	
+ COBURG RFPD	0	0		0	0	0	0	0	0	0	
+ COTTAGE GROVE/S LANE RURALFD	0	1		0	0	1	0	1	0	0	
* CRESWELL RFPD	0	1	MSA FIVE STAR PASSPORT	0	0	0	0	0	0	0	
+ DEADWOOD CREEK FIRE SERVICE	0	0		0	0	0	0	0	0	0	
+ DEXTER RFPD	0	0		0	0	0	0	0	0	0	
+ EUGENE FIRE & EMS	8	8	AIM 3350/MSA 26IPASSPORT	1	3	1	3	8	2	2	CD 700 & 715, VICTOREEN
+ GOSHEN RFPD	0	0		0	0	0	0	0	0	0	
* JUNCTION CITY FIRE DEPT	1	1	AIM	0	0	0	0	0	0	0	
* LAKE CREEK RFPD	0	0		0	0	0	0	0	0	0	
+ LANE CO FIRE DIST #1	1	0		0	0	0	0	0	0	0	
+ LANE RURAL F/R	1	1	AIM 3250	0	2	0	0	1	3	0	
+ LORANE RFPD	0	0		0	1	0	0	0	0	0	
+ LOWELL RFPD	1	0		0	0	0	0	0	4	0	
X MAPLETON FD	0	0		0	0	0	0	0	0	0	
+ MCKENZIE F&R	1	1	ATM	0	0	0	0	0	1	0	
+ MOHAWK VALLEY RFD	1	1	AIM	0	0	0	0	0	0	0	
+ OAKRIDGE FD	0	0		0	0	0	0	0	0	0	
+ PLEASANT HILL RFPD	0	0		0	0	0	0	0	0	2	
+ SANTA CLARA RFPD	0	0		0	0	0	0	0	0	0	
* SIUSLAW VALLEY F&R	0	0		0	0	0	0	0	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
+ SPRINGFIELD FIRE LIFE SFTY	7	7	COMBINED CG/W1&AIM DETECTOR	1	0	0	0	0	5	0	
+ SWISSHOME-DEADWOOD RFPD	0	0		0	0	0	0	0	0	2	
+ UPPER MCKENZIE RFPD	0	0		0	0	0	0	0	0	0	
+ WESTFIR FIRE DEPT	0	0		0	0	0	0	0	0	0	
LINCOLN											
* CENTRAL OREGON COAST F&R	1	1	AIM	0	1	0	0	0	1	0	
& DEPOE BAY RFPD	1	1		0	0	0	0	1	3	1	
+ NEWPORT FIRE DEPT	2	1		0	1	1	0	1	2	0	
+ NORTH LINCOLN F&R DIST #1	2	2	AIM/ MULTIGAS	0	0	0	0	0	0	1	
+ SEAL ROCK RFPD	0	0		0	0	0	0	0	1	0	
* SILETZ RFPD	0	0		0	0	0	0	0	0	0	
TOLEDO FD	0	0		0	0	0	0	0	0	0	
+ YACHATS RFPD	0	0		0	0	0	0	0	0	0	
LINN											
+ ALBANY FIRE DEPT	10	10	CO, H2S & O2	1	2	1	1	0	0	2	THERMO IMAGE CAMERAS
+ BROWNSVILLE RFD	1	1	MSA	0	1	0	0	0	0	0	STATE KIT
* HALSEY-SHEDD RFPD	1	1	AIM	0	1	1	0	1	1	2	STATE KIT
* HARRISBURG F&R	0	1		0	1	0	0	0	0	0	CIVIL DEFENSE
+ LEBANON FD	1	3		1	0	0	0	0	0	0	
+ LYONS RFPD	0	0		0	0	0	0	0	0	0	
& SCIO RFPD	0	0		0	0	0	0	0	0	0	
* SWEET HOME FIRE & AMB DIST	1	1	MSA	0	0	0	0	0	0	1	
& TANGENT RFPD	1	1	AIM 600	0	1	0	0	1	0	0	
MALHEUR											
+ ADRIAN RFPD	0	0		0	0	0	0	0	0	0	
+ JORDAN VALLEY FD	0	0		0	0	0	0	0	0	0	
# NYSSA FD	0	0		0	0	0	0	0	0	0	
* ONTARIO RFPD	0	0		0	0	0	0	0	0	0	
+ PAYETTE RFPD-OREGON	0	0		0	0	0	0	0	0	0	
* VALE FD	0	0		0	0	0	0	0	0	0	
* VALE RURAL FIRE INC	0	0		0	0	0	0	0	0	0	
+ WEISER RFPD ANNEX-OREGON	1	1		0	0	0	0	0	1	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
MARION											
& AUMSVILLE RFPD	0	1	AIM 3501	0	0	0	0	0	0	0	
+ AURORA RFPD	2	2		0	0	0	0	0	0	0	
+ DRAKES CROSSING RFPD	0	0	0	0	0	0	0	0	0	0	
+ GATES RFPD	0	0		0	0	0	0	0	0	0	
* HUBBARD RFPD	1	2	AIM 3000-3 / AIM450 CO	0	0	0	0	0	1	0	
* IDANHA-DETROIT RFPD	0	0		0	0	0	0	0	0	0	
+ JEFFERSON RFPD	0	0		0	3	0	0	0	0	0	
+ KEIZER FIRE DIST	1	1	AIM LOGIC 600 SERIES, MSA MINICO	0	1	0	0	1	1	2	CDB-700, CD-715, DOSI METERS
* MARION CO RFPD #1	2	2	0	0	2	0	0	0	0	0	KITS
+ MILL CITY RFPD	1	0		10	0	0	0	0	0	0	
+ MONITOR RFPD #58	1	1	0	0	0	0	0	0	0	0	0
+ MT ANGEL FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ SALEM FD	6	8	6 AIM 3350 & 4501, 2 MULTI-RAY	1	3	15	4	4	3	2	CVC700-DOT KIT
+ SILVERTON RFPD	1	1	AIM 650	0	0	0	0	0	0	1	
+ ST PAUL RFPD	0	1	MINI CO MSA	0	0	1	0	1	0	1	
+ STAYTON FIRE DEPT	1	1		0	0	0	0	0	0	0	
+ SUBLIMITY RFPD	1	1	CO TUBES	0	0	0	0	0	0	0	
+ TURNER FIRE DEPT	1	1		0	0	0	0	0	0	0	
+ WOODBURN FIRE DIST	1	1	AIMS	0	0	0	0	0	0	0	
MORROW											
+ BOARDMAN RFPD	0	0		0	2	0	0	0	1	0	STATE KITS
HEPPNER FD	0	0		0	0	0	0	0	0	0	
+ IONE FD	0	0		0	0	0	0	0	0	0	
* IRRIGON RFPD	0	0		0	0	0	0	0	0	0	
+ LEXINGTON FD	0	0		0	0	0	0	0	0	0	
MULTNOMAH											
+ CENPPOPPB	0	0		0	0	0	0	0	0	0	
+ GRESHAM FIRE & EMERG SRVCS	5	5	AIM 3000, MSA 261, MSA PASSPOR	1	1	0	1	9	0	1	VICTOREEN 190
\$ MULTNOMAH CO FD #8 PDX	1	0		0	2	0	1	0	1	0	
+ MULTNOMAH CO RFPD #14	1	1	AIM 600 SERIES (3 GAS)	0	0	0	0	0	1	0	
& PORTLAND ANG BASE FD	4	4	AIM, 500 & 600 SERIES AIM	0	1	1	0	2	1	0	0

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
* PORTLAND BUREAU OF F&R&EMS	0	10	MSA PASSPORT	1	30	2	2	0	0	0	YELLOW HANDLED
X SAUVIE ISLAND VOL FD	0	0		0	0	0	0	0	0	0	
POLK											
# DALLAS FD	1	1	AIM 4600	0	1	0	0	0	1	1	ICD
& FALLS CITY FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ POLK COUNTY FIRE DIST #1	0	1	AIMSAFETY CO MODEL #3/500	0	0	0	0	0	1	0	
& SPRING VALLEY RFPD	0	0		0	0	0	0	0	0	0	
# SW POLK CO RFPD	0	0		0	0	0	0	1	0	0	
SHERMAN											
+ MORO FIRE DEPT, CITY OF	0	0		0	0	0	0	0	0	0	
+ NORTH SHERMAN CO RFPD	0	0		0	1	0	0	0	0	0	GIEGER COUNTER
+ RUFUS VOL FIRE DEPT	0	0		0	0	0	0	0	0	0	
SOUTH SHERMAN FPD	0	0		0	0	0	0	0	0	0	
TILLAMOOK											
+ BAY CITY FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ GARIBALDI FD	1	1		1	1	0	0	1	0	1	
+ MANZANITA DEPT OF PUB SFTY	1	1	0	0	0	0	0	0	1	0	
+ NEHALEM VOL FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ NESTUCCA RFPD	1	0	AIMS	0	0	0	0	0	0	0	
+ NETARTS-OCEANSIDE RFPD	0	0		0	0	0	0	0	0	0	
+ ROCKAWAY FD	0	0		0	0	0	0	0	1	0	
+ TILLAMOOK FIRE DIST	1	1	MSA PASSPORT	0	2	0	0	0	0	0	
* WHEELER FD	0	0		0	0	0	0	0	0	0	
UMATILLA											
& ATHENA FD	0	0		0	0	1	0	0	0	0	
+ EAST UMATILLA CO RFPD	0	0		0	0	0	0	0	0	0	
* ECHO RFPD	0	0		0	0	0	0	0	0	0	
& HELIX RFPD	0	0		0	0	0	0	0	0	0	
* HERMISTON FIRE & EMERG SERV	2	2	AIMS/MSA	0	2	1	1	0	1	0	VICTOREEN
+ MEACHAM RFPD	0	0		0	1	0	0	0	0	0	CDV 720
+ MILTON-FREEWATER FD	1	1	BIOSYSTEMS PHD2	0	1	1	0	0	0	0	
+ MILTON-FREEWATER RURAL FD	0	0		0	3	0	0	0	1	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
+ PENDLETON FIRE & AMBULANCE	1	1	PHD LITE BIOSYSTEMS	1	0	0	0	0	0	0	
+ PILOT ROCK RFPD	0	0		0	0	0	0	0	0	0	
+ STANFIELD RFPD	0	0		0	0	0	0	0	1	0	
\$ UKIAH FD	0	0		0	0	0	0	0	0	0	
UMAPINE VOL RFPD	0	0		0	0	0	0	0	0	0	
UMATILLA CHEMICAL DEPOT FD	0	0		0	0	0	0	0	0	0	
+ UMATILLA RFPD	0	0		0	1	0	0	0	0	0	
& UMATILLA TRIBAL FD	0	2	AIM	0	1	0	0	0	0	0	
+ WALLA WALLA CO FIRE DIST #4	0	1		0	0	0	0	0	0	0	
UNION											
+ COVE RFPD	0	0		0	0	0	0	0	0	0	
* ELGIN VOL FIRE DEPT	1	1	GUSTECH	0	0	0	0	0	0	0	
+ IMBLER RFPD	0	0		0	0	0	0	0	0	0	
+ LA GRANDE FIRE DEPT	2	2	MSA 261 / AIM 3350	1	3	0	1	2	1	1	VICTOREEN, ALP PROBE
+ LA GRANDE RFPD	1	1	AIM 3250 GAS DETECTOR	0	0	0	0	0	0	0	
& NORTH POWDER FIRE DEPT	0	0		0	1	0	0	0	0	0	
# UNION EMERGENCY SERVICES	0	0		0	0	0	0	0	0	0	
WALLOWA											
* ENTERPRISE FD	0	0		0	0	0	0	0	0	3	
# JOSEPH FIRE DEPT	0	0		0	0	0	0	0	0	0	
# LOSTINE FD	0	0		0	0	1	0	0	0	0	
+ WALLOWA FD	0	0		0	0	0	0	0	0	0	
WASCO											
+ COLUMBIA RFPD	0	0		0	0	0	0	0	0	0	
# DUFUR VOL FD	0	0		0	0	0	0	0	0	0	
JUNIPER FLATS RFPD	0	0		0	0	0	0	0	0	0	
X MAUPIN FD	0	0		0	0	0	0	0	0	0	
+ MID-COLUMBIA F&R	4	4	MSA	0	3	0	0	0	0	0	2 VICTOREEN, 1 CIVIL DEFENSE 700/750
MOSIER FD	0	0		0	0	0	0	0	0	0	
+ PINE HOLLOW VOL	0	0		0	0	0	0	0	0	0	
TYGH VALLEY VOL FD	0	0		0	0	0	0	0	0	0	

TABLE D - 2002 HAZMAT DETECTION EQUIPMENT

COUNTY	OXYGEN MONITOR	COMBUST. GAS MONITOR	COMBUSTIBLE TYPE GAS MONITOR TYPE	VAPOR DETECTION EQUIP	RADIATION DETECTION EQUIP	CHLORINE DETECTION EQUIP	CHEMICAL I.D. KITS	ELECTRONIC GAS DETECTION	INFRARED DETECTION	SPECIAL DETECTION EQUIPMENT	SPECIAL DETECTION EQUIPMENT TYPE
WASHINGTON											
+ BANKS FIRE DISTRICT #13	0	0		0	0	0	0	0	0	0	
* CORNELIUS FIRE DEPT	1	1	GAS TECH GX82	0	0	0	0	0	0	0	
* FOREST GROVE F&R	3	3		0	0	1	0	3	0	0	
# GASTON RFPD	0	1	AIM 4600	0	0	0	0	0	0	0	
+ HILLSBORO FIRE DEPT	1	1	TOXIC, O2, COMBUSTIBLE	0	0	0	0	4	5	0	
+ TUALATIN VALLEY F&R	26	26	MSA 261	1	2	10	1	0	2	0	
# WASHINGTON CO FD #2	0	0		0	0	0	0	0	0	0	
WHEELER											
* FOSSIL VOL FD	0	0		0	0	0	0	0	0	0	
+ MITCHELL VOL FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ SPRAY VOL FIRE DEPT	0	0		0	0	0	0	0	0	0	
* WHEELER POINT VOL FIRE ASSOC	0	0		0	0	0	0	0	0	0	
YAMHILL											
+ AMITY FIRE DIST	0	0		0	0	0	0	0	0	0	
+ CARLTON FIRE DEPT	0	0		0	0	0	0	0	0	0	
X DAYTON FIRE DIST	1	0		0	1	0	0	0	0	0	
+ DUNDEE FIRE DEPT	0	0		0	0	0	0	0	0	0	
+ LAFAYETTE FD	0	0		0	0	0	0	0	0	0	
* MCMINNVILLE FIRE DEPT	1	1	AIM 3250	0	0	0	0	1	2	0	
+ NEWBERG FD	2	0		0	2	0	0	0	0	1	
+ SHERIDAN FD	1	1		0	0	0	0	0	0	0	
+ WILLAMINA FIRE DIST	0	0		0	0	0	0	0	0	0	
* YAMHILL FPD	0	0		0	1	0	0	0	0	0	CDV-777-2