

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|-------------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|---------------------------------|-----------------|------------|--------------|------------|-----------------|----------------|----------------------|------------------|
| BAKER | | | | | | | | | | | | | | | | | |
| + BAKER CITY FIRE DEPT | 2 | 24 | 6 | 1 | 4 | 0 | 0 | 26 | SCOTT 2.2, 3.0 | 57 | 0 | | 0 | | 0 | 0 | 0 |
| BAKER RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| BURNT RIVER FIRE & EMS DEPT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | |
| # EAGLE VALLEY RFPD | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 11 | SCOTT 2.2 SCOTT 2A | 15 | 0 | | 0 | | 0 | | 0 |
| GREATER BOWEN VALLEY RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | |
| HAINES FIRE PROTECTION DIST. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | |
| * HUNTINGTON FD | 3 | 8 | 10 | 1 | 1 | 1 | 0 | 10 | SCOTT 22, SCOTT 2A | 25 | 0 | | 0 | | 0 | 0 | 0 |
| & KEATING RFPD | 5 | 7 | 1 | 3 | 1 | 4 | 0 | 8 | SCOTTS, OTHER | 8 | 0 | | 0 | | 0 | | 0 |
| MEDICAL SPRINGS RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | |
| PINE VALLEY RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + POWDER RIVER RFPD | 1 | 0 | 6 | 0 | 0 | 0 | 0 | 8 | MSA | 16 | 0 | | 0 | | 0 | | 0 |
| SUMPTER FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| SURPRISE SPRINGS RURAL F&R | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | |
| BENTON | | | | | | | | | | | | | | | | | |
| + ADAIR RFPD | 6 | 22 | 8 | 1 | 2 | 0 | 0 | 22 | LP-MSA, BMR | 27 | 0 | | 0 | | 0 | 0 | 0 |
| & ALSEA RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| & BLODGETT-SUMMIT RFPD | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | SCOTT | 6 | 0 | | 0 | | 0 | 0 | 0 |
| + CORVALLIS FIRE DEPT | 14 | 63 | 4 | 2 | 10 | 0 | 1 | 63 | INTERSPIRO 4000 PSI | 150 | 4 | KAPPLER REFL | 10 | TY-CHEM SL, TY- | 10 | 0 | 0 |
| + HOSKINS-KINGS VLY RFPD | 4 | 6 | 4 | 0 | 0 | 4 | 0 | 6 | SCOTT | 8 | 0 | | 0 | | 0 | | 0 |
| + MONROE RFPD | 3 | 18 | 0 | 1 | 8 | 0 | 0 | 18 | HIGH PRESSURE 30MIN | 15 | 0 | | 0 | | 0 | | 0 |
| & PHILOMATH FIRE AND RESCUE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | |
| CLACKAMAS | | | | | | | | | | | | | | | | | |
| + BORING FIRE DIST | 8 | 36 | 0 | 3 | 17 | 1 | 0 | 36 | MSA PRESSURE DEMAND | 44 | 0 | | 0 | | 0 | 0 | VEC |
| * CANBY RFPD | 8 | 25 | 4 | 1 | 14 | 0 | 0 | 28 | SURVIVAIR SIGMA | 25 | 0 | | 0 | | 0 | | 0 |
| + CLACKAMAS CO FIRE DIST #1 | 15 | 120 | 50 | 15 | 35 | 0 | 0 | 150 | ISI 4500 PSI | 300 | 0 | | 0 | | 0 | | 0 |
| * COLTON RFPD #70 | 2 | 12 | 0 | 1 | 4 | 0 | 0 | 12 | INTERSPIRO | 16 | 0 | | 0 | | 0 | | 0 |
| + ESTACADA RFD #69 | 4 | 16 | 0 | 2 | 3 | 0 | 0 | 16 | MSA/ POSITIV EPRESSURE/HIGH PRE | 16 | 0 | | 0 | | 0 | | 0 |
| & GLADSTONE FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * HOODLAND RFPD | 4 | 25 | 75 | 1 | 4 | 1 | 0 | 25 | SURVIVAIR | 35 | 0 | | 0 | | 0 | | 0 |
| + LAKE OSWEGO F&R&LIFE SAFETY | 6 | 25 | 0 | 0 | 14 | 10 | 0 | 33 | SCOTT | 70 | 0 | | 0 | | 0 | | 0 |
| * MOLALLA RFPD #73 | 6 | 27 | 9 | 0 | 0 | 0 | 0 | 27 | INTERSPIRO | 37 | 0 | | 0 | | 0 | | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|--------------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|--------------------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| + SANDY RFPD #72 | 8 | 24 | 11 | 1 | 20 | 0 | 0 | 24 | HI-PRESS SURVIVAIR | 24 | 0 | | 0 | | 0 | | 12 |
| CLATSOP | | | | | | | | | | | | | | | | | |
| + ASTORIA FIRE DEPT | 3 | 6 | 6 | 1 | 5 | 0 | 1 | 17 | | 20 | 6 | TRELLEBORG | 8 | PACESETTER | 3 | | 0 |
| + CANNON BEACH RFPD | 4 | 16 | 40 | 1 | 0 | 1 | 0 | 19 | SURVIVE AIR | 32 | 0 | | 0 | | 0 | | 0 |
| + ELSIE-VINEMAPLE RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 16 | 0 | 0 | | 0 | | 0 | | 0 |
| + GEARHART VOL FIRE DEPT | 4 | 16 | 0 | 0 | 2 | 0 | 0 | 16 | ISI MAG | 21 | 0 | | 0 | | 0 | | 0 |
| & HAMLET VOL FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | HIGH PRESSURE | 5 | 0 | | 0 | | 0 | 0 | 0 |
| X JOHN DAY-FERNHILL RFPD | 1 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | SCOTTS LOW PRESSURE PACKS | 18 | 0 | | 0 | | 0 | | 0 |
| * KNAPPA-SVENSEN-BURNSIDE RFPD | 4 | 20 | 0 | 2 | 11 | 5 | 0 | 20 | ISI MAG | 20 | 0 | | 0 | | 0 | 0 | 0 |
| + LEWIS & CLARK RFPD | 3 | 10 | 0 | 1 | 4 | 0 | 0 | 13 | INTERSPIRO | 15 | 0 | | 0 | | 0 | | 0 |
| + OLNEY WALLUSKI F&R | 3 | 7 | 3 | 1 | 0 | 3 | 0 | 10 | SCOTT ZA, ISI MAGNUM | 10 | 0 | | 0 | | 0 | 0 | 0 |
| + SEASIDE F&R | 5 | 28 | 0 | 1 | 2 | 0 | 0 | 26 | ISI | 26 | 2 | | 12 | | 0 | | 0 |
| + WARRENTON FIRE DEPT | 4 | 28 | 0 | 0 | 3 | 0 | 0 | 28 | ISI & SURVIVAIR | 32 | 0 | | 0 | | 0 | | 0 |
| & WESTPORT-WAUNA RFPD | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | | 8 | 0 | | 0 | | 0 | 0 | 0 |
| COLUMBIA | | | | | | | | | | | | | | | | | |
| # CLATSKANIE RFPD | 6 | 0 | 0 | 1 | 5 | 0 | 0 | 24 | SCOTT 4.5 | 12 | 0 | | 0 | | 0 | | 0 |
| + COLUMBIA RIVER F&R | 10 | 60 | 0 | 10 | 20 | 0 | 0 | 60 | MSA/SURVIVAR | 0 | 0 | | 0 | | 0 | | 0 |
| X MIST-BIRKENFELD RFPD | 12 | 14 | 8 | 1 | 30 | 14 | 0 | 14 | LOW PRESS PP | 0 | 0 | | 0 | | 0 | | 0 |
| + SCAPPOOSE RFPD | 6 | 0 | 0 | 1 | 15 | 0 | 0 | 4 | SCOTT 2.2 | 60 | 0 | | 0 | | 0 | | 0 |
| + VERNONIA RFPD | 5 | 16 | 3 | 2 | 2 | 2 | 0 | 19 | SCOTT 45PP, SURVIVAIR | 10 | 0 | | 0 | | 0 | 0 | 0 |
| COOS | | | | | | | | | | | | | | | | | |
| + BANDON RFPD #8 | 26 | 28 | 0 | 1 | 2 | 0 | 0 | 50 | SURVIVAIR | 110 | 0 | | 0 | | 0 | 0 | 0 |
| BRIDGE VOL RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + CHARLESTON RFPD | 6 | 35 | 0 | 1 | 2 | 0 | 0 | 33 | 4500 PSI ISI POSITIVE PRESSURE | 35 | 0 | | 0 | | 0 | | 0 |
| + COOS BAY F&R | 6 | 44 | 0 | 1 | 3 | 0 | 1 | 44 | MAGNUM RANGER | 44 | 6 | TRELLBURG | 12 | GORTEX | 0 | | 0 |
| + COQUILLE FIRE DEPT | 16 | 22 | 0 | 1 | 2 | 1 | 0 | 24 | MSA - LOW PRESSURE | 20 | 0 | | 0 | | 0 | | 0 |
| DORA-SITKUM RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| # FAIRVIEW RFPD | 4 | 0 | 0 | 1 | 1 | 0 | 0 | 6 | MSA 2200 PSI | 8 | 0 | | 0 | | 1 | 0 | 0 |
| + GREENACRES RFPD | 4 | 8 | 0 | 1 | 1 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * HAUSER RFPD | 3 | 0 | 5 | 0 | 1 | 0 | 0 | 12 | SURVIVAIR MARK III | 36 | 0 | | 0 | | 0 | 0 | 0 |
| # LAKESIDE RFPD | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 12 | ISI | 35 | 0 | | 0 | | 0 | 0 | 0 |
| + MILLINGTON FIRE DIST #5 | 0 | 8 | 0 | 1 | 0 | 1 | 0 | 12 | SCOTT 2.2/4.5 & ISI 4.5 | 16 | 0 | | 0 | | 0 | | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|-----------------------------|---------------|--------------------|------------------|-------------|-----|----|------------------|------|----------------------------------|-----------------|------------|--------------|------------|----------------|----------------|----------------------|------------------|
| X MYRTLE POINT FD | 3 | 24 | 8 | 1 | 0 | 0 | 2 | 20 | MSA 2250 PSI | 22 | 0 | | 0 | | 0 | | 0 |
| + NORTH BAY RFPD | 3 | 16 | 30 | 2 | 3 | 0 | 0 | 16 | SUVIVAIR LOW PRESSURE | 20 | 0 | | 0 | | 0 | | 0 |
| + NORTH BEND FIRE DEPT | 4 | 40 | 12 | 1 | 3 | 1 | 0 | 48 | MSA/ISI | 52 | 2 | NEOPRENE | 0 | | 4 | 0 | 11 |
| * POWERS FIRE DEPT | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 8 | SCOTT II | 0 | 0 | | 0 | | 1 | 0 | 0 |
| + SHUTTER CREEK CORR INST | 0 | 16 | 20 | 0 | 0 | 0 | 0 | 16 | MSA 2216 SCOTT 5-4500 3-2216 | 0 | 0 | | 0 | | 0 | 0 | 0 |
| \$ SUMNER RFPD | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 16 | "8/SCOTT, 8/SURVIVE" | 40 | 0 | | 0 | | 0 | 0 | 0 |
| CROOK | | | | | | | | | | | | | | | | | |
| * CROOK CO RFPD #1 | 0 | 20 | 0 | 0 | 0 | 0 | 0 | 20 | SCOTT 22 | 26 | 0 | | 0 | | 0 | | 0 |
| CURRY | | | | | | | | | | | | | | | | | |
| AGNESS-ILLAHE VOL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + BROOKINGS FD | 3 | 12 | 10 | 1 | 1 | 0 | 0 | 30 | ISI HIGH PRESSURE 45 MIN | 18 | 0 | | 0 | | 36 | | 0 |
| CAPE FERRELO RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + GOLD BEACH FIRE DEPT | 1 | 0 | 14 | 0 | 0 | 0 | 0 | 19 | ISI MAGNUM | 21 | 0 | | 0 | | 0 | 0 | 0 |
| + HARBOR RFPD | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 16 | MSA | 16 | 0 | | 0 | | 0 | | 0 |
| + LANGLOIS RFPD | 4 | 10 | 0 | 0 | 0 | 0 | 0 | 9 | MSA 401 & SCOTT AIR-PAK 50 | 18 | 0 | | 0 | | 0 | | 0 |
| \$ OPHIR RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | SCOTTS 22 | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * PISTOL RIVER VOL FD | 1 | 0 | 2 | 0 | 0 | 1 | 0 | 10 | POSITIVE PRESSURE, HI PRESS | 6 | 0 | | 0 | | 0 | | 0 |
| * PORT ORFORD FD | 15 | 4 | 0 | 0 | 0 | 0 | 0 | 15 | MSA AND SCOTT | 20 | 0 | | 0 | | 0 | | 0 |
| * SIXES RFPD | 1 | 4 | 0 | 0 | 6 | 2 | 0 | 10 | MSA | 8 | 0 | | 0 | | 0 | | 0 |
| + SQUAW VALLEY N BANK RFPD | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 4 SORVIVAIR II 6 SCOTT | 5 | 0 | | 0 | | 0 | | 0 |
| * WINCHUCK RFPD | 4 | 8 | 4 | 1 | 0 | 0 | 0 | 8 | 4 MSA 2200 4 SCOTT 4500 | 7 | 0 | | 0 | | 16 | | 0 |
| DESCHUTES | | | | | | | | | | | | | | | | | |
| * BEND FD | 8 | 60 | 100 | 8 | 20 | 0 | 0 | 60 | ISI 4500 PSI | 125 | 0 | | 0 | | 0 | 0 | 0 |
| + BLACK BUTTE RANCH RFPD | 2 | 16 | 0 | 0 | 0 | 0 | 0 | 16 | SCOTT 4.5 | 16 | 0 | | 0 | | 0 | | 0 |
| + CLOVERDALE RFPD | 10 | 10 | 0 | 1 | 3 | 0 | 0 | 14 | MSA LP | 32 | 0 | | 0 | | 0 | | 0 |
| * LAPINE RFPD | 10 | 28 | 18 | 2 | 7 | 0 | 0 | 28 | SCOTT 4.5 | 48 | 0 | | 0 | | 0 | 0 | 0 |
| + REDMOND FIRE AND RESCUE | 8 | 39 | 5 | 2 | 9 | 0 | 2 | 39 | 30 MIN & SCOTT 4.5, 1 HR BOTTLES | 24 | 10 | TRELLCHEM 6, | 16 | PACESETTER | 21 | | 0 |
| + SISTERS-CAMP SHERMAN RFPD | 5 | 0 | 0 | 1 | 7 | 0 | 0 | 24 | MSA POSITIVE PRESSURE | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| + SUNRIVER FD | 8 | 15 | 10 | 1 | 8 | 0 | 0 | 15 | SCOTT 4.5 | 15 | 0 | | 4 | COVERALLS/ POL | 0 | | 0 |
| DOUGLAS | | | | | | | | | | | | | | | | | |
| AZALEA VOLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| # CAMAS VALLEY VOL RFD | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 10 | MSA | 9 | 0 | | 0 | | 0 | 0 | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|--------------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|-----------------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| + CANYONVILLE SOUTH UMPQUA FD | 3 | 12 | 8 | 2 | 4 | 2 | 0 | 14 | SCOTT 2.2 | 12 | 0 | | 0 | | 0 | | 0 |
| \$ DAYS CREEK RFD | 1 | 0 | 0 | 0 | 6 | 6 | 0 | 5 | SCOTT | 5 | 0 | | 0 | | 0 | 0 | 0 |
| + DIAMOND LAKE VOL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| & DOUGLAS CO FIRE DIST #2 | 7 | 20 | 12 | 1 | 12 | 0 | 1 | 27 | MSA 4500 PSI 30 MIN | 40 | 0 | | 0 | | 0 | 0 | 0 |
| + DRAIN RFPD | 6 | 12 | 4 | 3 | 7 | 2 | 0 | 12 | MSA | 12 | 0 | | 0 | | 0 | 0 | 0 |
| * ELKTON RFPD | 2 | 0 | 12 | 1 | 1 | 3 | 0 | 10 | SCOTT LP | 10 | 0 | | 0 | | 0 | | 0 |
| * FAIR OAKS RFPD | 1 | 0 | 4 | 1 | 0 | 0 | 0 | 7 | SCOTT 2.2 | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + GARDINER RFPD | 2 | 0 | 6 | 0 | 0 | 0 | 0 | 8 | SCOTT 2.2 | 14 | 0 | | 0 | | 0 | 0 | 0 |
| \$ GLENDALE RFPD | 8 | 0 | 2 | 1 | 7 | 0 | 0 | 12 | SCOTT | 24 | 0 | | 0 | | 0 | 0 | 0 |
| + GLIDE RFPD | 6 | 11 | 12 | 1 | 3 | 6 | 0 | 11 | 3 SCOTT, 8 MSA LOW PRESSURE | 26 | 25 | NOMAX | 0 | | 0 | | 0 |
| + KELLOGG RFD | 2 | 0 | 0 | 5 | 0 | 0 | 0 | 7 | SCOTT | 8 | 0 | | 0 | | 0 | | 0 |
| & LOOKINGGLASS RFD | 2 | 0 | 10 | 1 | 0 | 1 | 0 | 10 | MSA | 20 | 0 | | 0 | | 0 | 0 | 0 |
| + MILO RFPD | 2 | 13 | 0 | 1 | 1 | 3 | 0 | 10 | SURVIVAIR | 10 | 0 | | 0 | | 0 | | 0 |
| + MYRTLE CREEK FD | 1 | 10 | 1 | 5 | 2 | 1 | 0 | 15 | MSA-1S PRO INSPO | 20 | 0 | | 0 | | 0 | | 0 |
| + OAKLAND RFPD | 4 | 15 | 0 | 1 | 0 | 0 | 0 | 12 | SCOTT AIR PAK 50 2.2 | 25 | 0 | | 0 | | 0 | | 0 |
| # REEDSPORT VOL FIRE DEPT | 4 | 8 | 4 | 1 | 4 | 0 | 0 | 16 | MSA | 25 | 0 | | 0 | | 4 | | 0 |
| + RICE HILL RFD | 1 | 7 | 3 | 1 | 0 | 2 | 0 | 7 | SCOTT, MSA | 10 | 0 | | 0 | | 2 | 0 | 0 |
| + RIDDLE RFPD | 2 | 6 | 0 | 1 | 2 | 0 | 7 | 18 | SCOTT 1 MSA | 20 | 0 | | 0 | | 0 | 0 | 0 |
| + ROSEBURG FIRE DEPT | 6 | 34 | 12 | 1 | 8 | 0 | 1 | 18 | SCOTT 4.5 | 18 | 0 | | 0 | | 0 | | 0 |
| & SCOTTSBURG RFD | 2 | 4 | 0 | 1 | 0 | 1 | 0 | 4 | SCOTT | 10 | 0 | | 0 | | 0 | 0 | 0 |
| * SUTHERLIN FIRE DEPT | 4 | 14 | 0 | 1 | 4 | 0 | 0 | 14 | MSA | 32 | 0 | | 0 | | 0 | | 0 |
| + TENMILE RFPD | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 15 | SCOTT IIA, 2.2 | 10 | 0 | | 0 | | 0 | 0 | 0 |
| + TILLER RFD | 0 | 4 | 0 | 1 | 1 | 0 | 0 | 8 | SCOTT, MSA, SURVIVAIR | 6 | 0 | | 0 | | 0 | 0 | 0 |
| + TRI CITY FIRE DIST #4 (DOUG) | 4 | 10 | 10 | 1 | 1 | 0 | 0 | 18 | MSA | 10 | 0 | | 0 | | 0 | 0 | 0 |
| WINCHESTER BAY RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + WINSTON-DILLARD RFPD #5 | 2 | 25 | 25 | 2 | 9 | 0 | 15 | 0 | MSA | 30 | 0 | | 0 | | 0 | | 0 |
| + YONCALLA RFPD | 4 | 8 | 0 | 1 | 0 | 0 | 0 | 8 | SCOTT | 0 | 0 | | 0 | | 0 | | 0 |
| GILLIAM | | | | | | | | | | | | | | | | | |
| ARLINGTON FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| CONDON FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| NORTH GILLIAM CO RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | 0 |
| GRANT | | | | | | | | | | | | | | | | | |
| + CANYON CITY FIRE DEPT | 1 | 0 | 6 | 1 | 0 | 0 | 0 | 10 | SCOTT | 20 | 0 | | 0 | | 0 | 0 | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|-----------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|--------------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| & DAYVILLE FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | SCOTT | 8 | 0 | | 0 | | 0 | 0 | 0 |
| GRANITE CITY FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | 0 |
| & JOHN DAY FIRE DEPT | 1 | 4 | 2 | 0 | 1 | 0 | 0 | 4 | SCOTT 2A (2216 PSI) | 0 | 0 | | 0 | | 0 | | 0 |
| X LONG CREEK FD | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 6 | SCOTT | 6 | 0 | | 0 | | 0 | | 0 |
| X MONUMENT FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * MT VERNON FD | 3 | 20 | 3 | 1 | 0 | 1 | 1 | 8 | MSA/SCOTT | 11 | 0 | | 0 | | 0 | | 1 |
| PRAIRIE CITY FIRE DEPT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + SENECA VOL FIRE DEPT | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | MSA 2,214 PSI, SCOTT 2.2 | 8 | 0 | | 0 | | 0 | | 0 |
| HARNEY | | | | | | | | | | | | | | | | | |
| & BURNS FIRE DEPT | 5 | 10 | 34 | 1 | 0 | 0 | 0 | 24 | SCOTT | 14 | 0 | | 0 | | 0 | 0 | 0 |
| HINES FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| HOOD RIVER | | | | | | | | | | | | | | | | | |
| + CASCADE LOCKS F&R | 2 | 12 | 6 | 2 | 4 | 0 | 0 | 12 | ISI | 12 | 0 | | 0 | | 0 | | 0 |
| * DEE RFPD | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 10 | SCOTT BOTTLES & SCBA'S | 5 | 0 | | 0 | | 0 | 0 | 0 |
| + HOOD RIVER FIRE DEPT | 3 | 0 | 10 | 1 | 10 | 0 | 2 | 18 | ISI | 20 | 0 | | 0 | | 0 | | 0 |
| + ODELL RFPD | 3 | 15 | 0 | 1 | 0 | 0 | 0 | 15 | ISI | 10 | 0 | | 0 | | 0 | | 0 |
| PARKDALE RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + PINE GROVE RFPD | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | ISI | 10 | 0 | | 0 | | 0 | | 0 |
| + WEST SIDE RFPD | 4 | 18 | 8 | 1 | 4 | 0 | 0 | 18 | SURVIVAIR | 8 | 0 | | 0 | | 0 | | 0 |
| JACKSON | | | | | | | | | | | | | | | | | |
| * APPLGATE RFPD #9 | 13 | 32 | 12 | 1 | 4 | 0 | 0 | 32 | SCOTT 2.2 | 76 | 0 | | 0 | | 0 | | 0 |
| & ASHLAND F&R | 3 | 16 | 0 | 2 | 15 | 0 | 0 | 14 | SCOTT | 20 | 0 | | 0 | | 0 | | 0 |
| * BUTTE FALLS VOL FD | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | SCOTT 2.2 | 6 | 0 | | 0 | | 0 | | 0 |
| + COLESTIN RFPD | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 9 | SCOTT | 7 | 0 | | 0 | | 0 | | 0 |
| * EVANS VALLEY FIRE DIST #6 | 4 | 12 | 6 | 1 | 1 | 0 | 0 | 10 | SCOTT 2.2 | 9 | 0 | | 0 | | 0 | | 0 |
| * JACKSON CO FD #3 | 10 | 48 | 0 | 6 | 0 | 0 | 0 | 48 | SCOTT 2.2 | 120 | 0 | | 0 | | 0 | | 0 |
| & JACKSON CO RFPD #4 | 2 | 10 | 5 | 1 | 3 | 0 | 0 | 10 | SCOTT 2.2 | 6 | 0 | | 0 | | 0 | | 0 |
| * JACKSON CO RFPD #5 | 5 | 30 | 9 | 2 | 8 | 0 | 1 | 25 | SURVIVAIR | 50 | 8 | | 24 | | 0 | | 0 |
| + JACKSONVILLE FIRE DEPT | 4 | 0 | 0 | 0 | 1 | 0 | 1 | 11 | SURVIVAIR | 21 | 0 | | 0 | | 0 | 0 | 0 |
| + LAKE CREEK RFPD #8 | 4 | 12 | 9 | 2 | 2 | 3 | 0 | 12 | SCOTT 11A, NFPA UPGRADE | 12 | 0 | | 0 | | 0 | 0 | 0 |
| * MEDFORD F&R | 6 | 8 | 8 | 1 | 2 | 0 | 3 | 8 | SCOTT 4.5 60MIN | 16 | 6 | | 12 | | 0 | | 0 |
| + PHOENIX VOL FIRE DEPT | 4 | 12 | 11 | 1 | 3 | 0 | 1 | 11 | SURVIVAIR MARK 2 | 16 | 0 | | 0 | | 0 | | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|--------------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|--------------------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| \$ PROSPECT RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | SCOTT IIA | 6 | 0 | | 0 | | 0 | 0 | 0 |
| + ROGUE RIVER RFPD | 10 | 16 | 0 | 0 | 5 | 0 | 0 | 16 | SCOTT | 16 | 0 | | 0 | | 0 | | 0 |
| + ROGUE VALLEY INTL AIRPORT FD | 4 | 7 | 0 | 1 | 2 | 0 | 0 | 7 | SCOTT 4.5 | 11 | 0 | | 0 | | 8 | | 0 |
| JEFFERSON | | | | | | | | | | | | | | | | | |
| + CROOKED RIVER RANCH RFPD | 3 | 0 | 12 | 0 | 4 | 0 | 0 | 10 | ISI POSITIVE PRESSURE | 30 | 0 | | 0 | | 0 | 0 | 0 |
| + JEFFERSON CO RFPD #1 | 3 | 16 | 0 | 0 | 7 | 0 | 0 | 20 | ISI | 20 | 0 | | 0 | | 0 | | 0 |
| * THREE RIVERS VOL FD | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | 0 |
| * WARM SPRINGS FIRE SFTY | 24 | 15 | 0 | 2 | 5 | 4 | 0 | 23 | SCOTT IIASI | 45 | 0 | | 0 | | 0 | 0 | 0 |
| JOSEPHINE | | | | | | | | | | | | | | | | | |
| + GRANTS PASS DEPT PUB SFTY | 5 | 18 | 0 | 5 | 6 | 0 | 0 | 24 | MSA | 20 | 0 | | 0 | | 0 | 0 | 0 |
| * GRANTS PASS RURAL FD | 5 | 4 | 0 | 1 | 9 | 0 | 0 | 15 | MSA | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * ILLINOIS VALLEY RFPD | 14 | 24 | 26 | 1 | 4 | 0 | 0 | 29 | ISI | 30 | 0 | | 0 | | 0 | | 0 |
| \$ RURAL METRO FIRE DEPT | 12 | 0 | 0 | 0 | 11 | 0 | 0 | 32 | SURVIVE AIR - POSITIVE PRESSUR | 40 | 0 | | 0 | | 0 | 0 | 0 |
| + WILLIAMS RFPD | 4 | 12 | 0 | 1 | 0 | 0 | 0 | 12 | 9SWTT 2-2 | 14 | 25 | TURNOUTS | 25 | | 0 | | 'S OF |
| & WOLF CREEK RFPD | 2 | 8 | 8 | 0 | 0 | 0 | 0 | 8 | POSITIVE PRES, OPEN CIRCUIT | 4 | 0 | | 0 | | 0 | 0 | 0 |
| KLAMATH | | | | | | | | | | | | | | | | | |
| * BLY RFPD | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 7 | MSA & SCOTT | 12 | 0 | | 0 | | 0 | | 0 |
| BONANZA RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + CHEMULT RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + CHILOQUIN-AGENCY LK RFPD | 4 | 14 | 6 | 1 | 2 | 2 | 0 | 14 | SUVIVAIR (SIGMA) | 48 | 0 | | 0 | | 0 | | 0 |
| + CRATER LAKE NAT'L PARK FD | 12 | 0 | 0 | 4 | 12 | 2 | 0 | 8 | SURVIVAIR SIGMA | 16 | 0 | | 0 | | 0 | | 0 |
| & CRESCENT RFPD | 6 | 0 | 3 | 1 | 3 | 0 | 0 | 16 | MSA LOW PRESSURE | 16 | 0 | | 0 | | 0 | 0 | 0 |
| + CRESCENT-ODELL LAKES RFPD | 3 | 8 | 0 | 0 | 3 | 0 | 0 | 8 | MSA ULTRA LITE II | 8 | 0 | | 0 | | 0 | | 0 |
| # HARRIMAN RFPD | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 18 | SURVIVAIR | 18 | 0 | | 0 | | 0 | 0 | 0 |
| KENO RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| & KINGSLEY FIELD FIRE DEPT | 4 | 22 | 24 | 1 | 1 | 0 | 1 | 24 | INTERO SPIRO | 24 | 0 | | 0 | | 22 | 0 | 50 |
| KLAMATH CO FD #3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * KLAMATH CO FD #4 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 2 | SCOTT | 0 | 0 | | 0 | | 0 | 0 | 0 |
| KLAMATH CO FD #5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * KLAMATH CO FIRE DIST #1 | 1 | 8 | 2 | 1 | 2 | 0 | 1 | 8 | MSA/HIGH PRESSURE | 16 | 6 | | 33 | | 0 | 0 | 0 |
| & MALIN RFPD | 6 | 4 | 1 | 0 | 24 | 3 | 0 | 11 | SCOTT - 4/ SORVIVAIR - 7 | 19 | 0 | | 0 | | 0 | | 0 |
| MERRILL FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX | MBL CELL PH | CB | HAZMAT RESP. VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|---------------------------------|---------------|--------------------|------------------|-----|-------------|----|-------------------|------|---------------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| MERRILL RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| SPRAGUE RIVER VOL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| LAKE | | | | | | | | | | | | | | | | | |
| # CHRISTMAS VALLEY RFPD | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 9 | MSA & SCOTT | 4 | 0 | | 0 | | 0 | 0 | 0 |
| * LAKEVIEW FIRE DEPT | 1 | 0 | 0 | 1 | 2 | 1 | 0 | 22 | POSITIVE PRESSURE, SCOTT | 25 | 0 | | 0 | | 0 | 0 | 0 |
| & NEW PINE CREEK RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | SURVIVAIR | 2 | 0 | | 0 | | 0 | 0 | 0 |
| + PAISLEY VOL FD | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 16 | SCOTT 2.2/MSA-SURVIVE AIR | 16 | 0 | | 0 | | 16 | | 0 |
| + SILVER LAKE RFPD | 2 | 7 | 2 | 1 | 1 | 1 | 0 | 14 | SCOTT + CAIRNS | 14 | 0 | | 4 | | 0 | | 0 |
| * SUMMER LAKE FIRE AND RESCUE | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 4 | SURVIVE AIR | 4 | 0 | | 0 | | 0 | | 0 |
| + THOMAS CREEK/WESTSIDE RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| LANE | | | | | | | | | | | | | | | | | |
| BLUE RIVER FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + COBURG RFPD | 3 | 25 | 9 | 1 | 3 | 0 | 0 | 25 | SCOTT | 30 | 0 | | 0 | | 0 | | 0 |
| + COTTAGE GROVE/ S LANE RURALFD | 9 | 20 | 0 | 1 | 6 | 0 | 0 | 20 | SURVAIR | 30 | 0 | | 0 | | 0 | | 0 |
| * CRESWELL RFPD | 2 | 24 | 0 | 1 | 3 | 0 | 1 | 24 | MSA | 24 | 0 | | 0 | | 0 | | 0 |
| + DEADWOOD CREEK FIRE SERVICE | 1 | 8 | 1 | 0 | 0 | 6 | 0 | 6 | SCOTT | 2 | 0 | | 0 | | 0 | | 0 |
| + DEXTER RFPD | 4 | 10 | 0 | 0 | 0 | 0 | 0 | 8 | MSA MMR | 16 | 0 | | 0 | | 0 | | 0 |
| + EUGENE FIRE & EMS | 23 | 118 | 209 | 7 | 32 | 1 | 3 | 120 | SURVIVAIR | 335 | 8 | TEFLON/NOME | 18 | GORTEX | 20 | SUITS AIRPORT | 10 |
| + GOSHEN RFPD | 3 | 0 | 6 | 1 | 4 | 0 | 0 | 16 | SCOTT | 21 | 0 | | 0 | | 0 | | 0 |
| * JUNCTION CITY FIRE DEPT | 2 | 18 | 0 | 1 | 1 | 0 | 0 | 18 | MSA | 18 | 0 | | 0 | | 0 | | 0 |
| * LAKE CREEK RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | 0 |
| + LANE CO FIRE DIST #1 | 12 | 60 | 0 | 0 | 12 | 0 | 0 | 60 | MSA | 100 | 0 | | 0 | | 0 | | 0 |
| + LANE RURAL F/R | 12 | 60 | 30 | 5 | 40 | 5 | 0 | 60 | MSA | 120 | 0 | | 0 | | 0 | 0 | 0 |
| + LORANE RFPD | 4 | 10 | 0 | 1 | 1 | 0 | 0 | 10 | MSA | 16 | 0 | | 0 | | 0 | | 0 |
| + LOWELL RFPD | 5 | 30 | 12 | 1 | 11 | 2 | 0 | 21 | SURVIVAIR MARK II | 75 | 0 | | 0 | | 0 | | 0 |
| X MAPLETON FD | 2 | 0 | 0 | 1 | 4 | 2 | 0 | 12 | | 12 | 0 | | 0 | | 0 | | 0 |
| + MCKENZIE F&R | 7 | 36 | 50 | 2 | 6 | 6 | 0 | 36 | MSA | 41 | 0 | | 0 | | 0 | | 0 |
| + MOHAWK VALLEY RFD | 8 | 32 | 12 | 1 | 5 | 1 | 0 | 32 | MSA | 46 | 0 | | 0 | | 0 | | 0 |
| + OAKRIDGE FD | 5 | 0 | 0 | 0 | 4 | 3 | 0 | 8 | MSA | 12 | 0 | | 0 | | 0 | | 0 |
| + PLEASANT HILL RFPD | 1 | 18 | 8 | 1 | 1 | 0 | 0 | 18 | SCOTT LOW PRESS. | 37 | 0 | | 0 | | 0 | | 0 |
| + SANTA CLARA RFPD | 8 | 18 | 0 | 0 | 0 | 0 | 0 | 18 | LOW PRESSURE | 24 | 0 | | 0 | | 0 | | 0 |
| * SIUSLAW VALLEY F&R | 30 | 50 | 0 | 5 | 79 | 3 | 0 | 50 | SURVIVAIR | 100 | 0 | | 0 | | 0 | | 0 |
| + SPRINGFIELD FIRE LIFE SFTY | 13 | 65 | 108 | 1 | 15 | 0 | 1 | 45 | MSA 30 MIN | 55 | 0 | | 0 | | 0 | | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|------------------------------|---------------|--------------------|------------------|-------------|-----|----|------------------|------|----------------------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| + SWISSHOME-DEADWOOD RFPD | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | DEMAND/ PRESSURE DEMAND | 8 | 0 | | 0 | | 0 | | 0 |
| + UPPER MCKENZIE RFPD | 3 | 0 | 6 | 1 | 0 | 1 | 0 | 9 | ISI | 16 | 0 | | 0 | | 0 | | 0 |
| + WESTFIR FIRE DEPT | 1 | 0 | 3 | 1 | 1 | 3 | 0 | 44 | SCOTT AIR PACKS | 4 | 0 | | 0 | | 0 | | 0 |
| LINCOLN | | | | | | | | | | | | | | | | | |
| * CENTRAL OREGON COAST F&R | 5 | 8 | 8 | 1 | 7 | 0 | 0 | 19 | SURVIVAIR | 18 | 0 | | 0 | | 0 | | 0 |
| & DEPOE BAY RFPD | 11 | 12 | 0 | 1 | 0 | 10 | 0 | 15 | SCOTT | 22 | 0 | | 0 | | 0 | 0 | 0 |
| + NEWPORT FIRE DEPT | 6 | 31 | 17 | 2 | 4 | 0 | 1 | 31 | SCOTT | 39 | 6 | TYVEX | 6 | FYREPEL | 0 | | 0 |
| + NORTH LINCOLN F&R DIST #1 | 26 | 53 | 45 | 4 | 14 | 22 | 0 | 50 | INTERSPIRO | 50 | 0 | | 0 | | 0 | | 0 |
| + SEAL ROCK RFPD | 3 | 10 | 4 | 0 | 1 | 0 | 0 | 10 | INTRASPIRO | 35 | 0 | | 0 | | 0 | 0 | 0 |
| * SILETZ RFPD | 5 | 0 | 0 | 1 | 2 | 1 | 0 | 14 | SURVIVAIR | 14 | 0 | | 0 | | 0 | 0 | 0 |
| TOLEDO FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + YACHATS RFPD | 5 | 15 | 10 | 1 | 5 | 0 | 0 | 15 | MSA, SCOTT, ISI - RANGER | 24 | 0 | | 0 | | 0 | | 0 |
| LINN | | | | | | | | | | | | | | | | | |
| + ALBANY FIRE DEPT | 14 | 55 | 20 | 5 | 12 | 0 | 1 | 72 | ISI 4500 PSI | 72 | 4 | | 32 | | 0 | | 0 |
| + BROWNSVILLE RFD | 6 | 0 | 7 | 1 | 2 | 0 | 0 | 21 | MSA - MMR | 21 | 0 | | 0 | | 0 | | 0 |
| * HALSEY-SHEDD RFPD | 4 | 2 | 6 | 1 | 3 | 0 | 0 | 20 | INTERSPIRO | 20 | 0 | PBI 40 | 0 | | 0 | 0 | 0 |
| * HARRISBURG F&R | 2 | 0 | 0 | 2 | 7 | 0 | 0 | 15 | SCOTT IIA SCOTT 2.2 | 20 | 0 | | 0 | | 0 | | 0 |
| + LEBANON FD | 6 | 45 | 60 | 0 | 20 | 0 | 0 | 39 | 2216 & 3000 PSI BOTTLES | 20 | 0 | | 6 | GORE-TEX | 0 | 0 | 4 |
| + LYONS RFPD | 2 | 12 | 0 | 2 | 5 | 2 | 0 | 12 | SURVIVAIR | 16 | 0 | | 0 | | 0 | | 0 |
| & SCIO RFPD | 5 | 21 | 0 | 1 | 5 | 0 | 0 | 32 | SURVIVAIR, PANTHER | 32 | 0 | | 0 | | 0 | | 0 |
| * SWEET HOME FIRE & AMB DIST | 14 | 17 | 28 | 1 | 7 | 0 | 0 | 21 | INTERSPIRO 2216 & 4500 | 21 | 0 | | 4 | TYVECK | 0 | 0 | 0 |
| & TANGENT RFPD | 2 | 0 | 2 | 1 | 1 | 0 | 1 | 13 | SURVIVAIR - 2216 PSI | 13 | 0 | | 0 | | 0 | 0 | 0 |
| MALHEUR | | | | | | | | | | | | | | | | | |
| + ADRIAN RFPD | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | SURVIVAIRE | 6 | 0 | | 0 | | 0 | | 0 |
| + JORDAN VALLEY FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| # NYSSA FD | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 9 | SCOTT | 6 | 0 | | 0 | | 0 | | 0 |
| * ONTARIO RFPD | 5 | 9 | 40 | 2 | 6 | 0 | 1 | 9 | | 0 | 0 | | 0 | | 0 | | 0 |
| + PAYETTE RFPD-OREGON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * VALE FD | 2 | 16 | 4 | 1 | 2 | 0 | 0 | 10 | SCOTT 2.2 | 10 | 0 | | 0 | | 0 | 0 | 0 |
| * VALE RURAL FIRE INC | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 4 | SCOTT 2.2 AND 2A | 6 | 0 | | 0 | | 0 | | 0 |
| + WEISER RFPD ANNEX-OREGON | 2 | 24 | 0 | 1 | 1 | 0 | 0 | 11 | SCOTT 220 PSI SURVIVAIR 4500 PSI | 10 | 0 | | 0 | | 0 | 0 | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|------------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|-----------------------------|-----------------|------------|---------------|------------|-------------|----------------|----------------------|------------------|
| MARION | | | | | | | | | | | | | | | | | |
| & AUMSVILLE RFPD | 1 | 30 | 0 | 2 | 4 | 0 | 0 | 28 | MSA | 24 | 0 | | 0 | | 0 | 0 | 0 |
| + AURORA RFPD | 2 | 8 | 0 | 2 | 4 | 0 | 0 | 24 | SIGMA | 24 | 0 | | 0 | | 0 | 0 | 0 |
| + DRAKES CROSSING RFPD | 2 | 6 | 0 | 1 | 5 | 2 | 0 | 8 | SCOTT 2.5 | 0 | 0 | | 0 | | 0 | | 0 |
| + GATES RFPD | 3 | 10 | 16 | 1 | 1 | 0 | 0 | 12 | MSA | 12 | 0 | | 0 | | 0 | | 0 |
| * HUBBARD RFPD | 1 | 14 | 0 | 1 | 2 | 0 | 0 | 14 | MSA ULTRALITE | 22 | 0 | | 0 | | 0 | | 0 |
| * IDANHA-DETROIT RFPD | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + JEFFERSON RFPD | 6 | 6 | 0 | 1 | 5 | 0 | 1 | 24 | MSA | 30 | 0 | | 0 | | 0 | | 0 |
| + KEIZER FIRE DIST | 14 | 36 | 25 | 3 | 14 | 0 | 1 | 36 | 3,000 PSI MSA | 46 | 0 | | 0 | | 0 | | 0 |
| * MARION CO RFPD #1 | 14 | 70 | 32 | 12 | 20 | 1 | 0 | 70 | ISI | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| + MILL CITY RFPD | 1 | 12 | 0 | 1 | 0 | 0 | 0 | 12 | SCPTT IIA | 24 | 0 | | 0 | | 0 | | 0 |
| + MONITOR RFPD #58 | 5 | 18 | 0 | 1 | 1 | 0 | 0 | 18 | MSA | 18 | 0 | | 0 | | 0 | 0 | 0 |
| + MT ANGEL FIRE DEPT | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 24 | MSA HIGH PRESSURE | 32 | 0 | | 0 | | 0 | 0 | 0 |
| + SALEM FD | 20 | 80 | 134 | 10 | 32 | 0 | 2 | 80 | 151 MAGNUM | 87 | 14 | TYCHEM 10,000 | 20 | TYCHEM 9600 | 0 | | 0 |
| + SILVERTON RFPD | 10 | 50 | 0 | 6 | 4 | 0 | 0 | 50 | MSA | 50 | 0 | | 0 | | 0 | 0 | 0 |
| + ST PAUL RFPD | 1 | 0 | 5 | 1 | 2 | 0 | 1 | 13 | SCOTTS | 15 | 0 | | 0 | | 2 | | 0 |
| + STAYTON FIRE DEPT | 10 | 39 | 0 | 4 | 3 | 0 | 0 | 39 | SCOTT 2.2 | 40 | 0 | | 0 | | 0 | | 0 |
| + SUBLIMITY RFPD | 6 | 50 | 5 | 2 | 3 | 0 | 0 | 20 | MSA ULTRALITE | 28 | 0 | | 0 | | 0 | 0 | 0 |
| + TURNER FIRE DEPT | 4 | 22 | 0 | 1 | 7 | 0 | 0 | 22 | PSI, ISI, PP | 16 | 0 | | 0 | | 0 | | 0 |
| + WOODBURN FIRE DIST | 2 | 40 | 0 | 2 | 7 | 0 | 0 | 40 | MSA | 40 | 0 | | 0 | | 0 | | 0 |
| MORROW | | | | | | | | | | | | | | | | | |
| + BOARDMAN RFPD | 2 | 18 | 14 | 1 | 8 | 0 | 0 | 18 | ISI VIKING | 18 | 0 | | 0 | | 0 | | 0 |
| HEPPNER FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + IONE FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| * IRRIGON RFPD | 2 | 0 | 22 | 0 | 0 | 0 | 0 | 5 | SCOTT 2.2 | 20 | 0 | | 0 | | 0 | 0 | 0 |
| + LEXINGTON FD | 0 | 6 | 0 | 1 | 0 | 0 | 0 | 9 | SURVIVE AIR, SCOTT | 22 | 0 | | 0 | | 0 | 0 | 0 |
| MULTNOMAH | | | | | | | | | | | | | | | | | |
| + CENPPOPPB | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 4 | MSA | 0 | 0 | | 0 | | 0 | | 0 |
| + GRESHAM FIRE & EMERG SRVCS | 1 | 8 | 4 | 1 | 3 | 0 | 1 | 8 | MSA MMR 4500 | 16 | 4 | TYCHEM | 12 | DUPONT | 0 | | 0 |
| \$ MULTNOMAH CO FD #8 PDX | 4 | 28 | 15 | 1 | 4 | 0 | 0 | 15 | SCOTT | 38 | 0 | | 0 | | 0 | 0 | 0 |
| + MULTNOMAH CO RFPD #14 | 4 | 25 | 0 | 1 | 4 | 0 | 0 | 25 | CAIRNS-PIONEER LOW PRESSURE | 28 | 0 | | 0 | | 0 | | 0 |
| & PORTLAND ANG BASE FD | 2 | 36 | 36 | 1 | 1 | 0 | 0 | 32 | INTERSPRIRO | 32 | 3 | | 0 | | 24 | 0 | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|-------------------------------|---------------|--------------------|------------------|-------------|-------------|----|------------------|------|----------------------|-----------------|------------|--------------|------------|-------------|----------------|----------------------|------------------|
| * PORTLAND BUREAU OF F&R&EMS | 50 | 12 | 10 | 1 | 3 | 0 | 3 | 16 | INTERSPIRO | 16 | 32 | MULTIPLE | 32 | BATA | 0 | 0 | 0 |
| X SAUVIE ISLAND VOL FD | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 10 | MSA | 20 | 0 | | 0 | | 0 | | 0 |
| POLK | | | | | | | | | | | | | | | | | |
| # DALLAS FD | 5 | 35 | 0 | 1 | 7 | 0 | 0 | 35 | MSA4500 PSI 30 MIN | 25 | 0 | | 12 | TYVEK/SARAN | 0 | | 0 |
| & FALLS CITY FIRE DEPT | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 8 | MSA 4500 | 5 | 0 | | 0 | | 0 | | 0 |
| + POLK COUNTY FIRE DIST #1 | 6 | 46 | 0 | 0 | 6 | 0 | 0 | 41 | INTERSPIRO 2200 PASI | 41 | 0 | | 0 | | 0 | 0 | 0 |
| & SPRING VALLEY RFPD | 4 | 12 | 12 | 0 | 4 | 0 | 0 | 12 | SURVIV AIR 2200 | 12 | 0 | | 0 | | 0 | | 0 |
| # SW POLK CO RFPD | 1 | 0 | 0 | 1 | 5 | 0 | 0 | 31 | MSA 4500/30 MIN | 36 | 0 | | 0 | | 0 | | 0 |
| SHERMAN | | | | | | | | | | | | | | | | | |
| + MORO FIRE DEPT, CITY OF | 1 | 4 | 0 | 1 | 1 | 0 | 0 | 8 | SCOTTS, SURVIVAIR | 8 | 0 | | 0 | | 0 | 0 | 0 |
| + NORTH SHERMAN CO RFPD | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 6 | MSA | 12 | 0 | | 0 | | 0 | 0 | 0 |
| + RUFUS VOL FIRE DEPT | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | SURVIVAIR | 8 | 12 | | 0 | | 0 | | 0 |
| SOUTH SHERMAN FPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| TILLAMOOK | | | | | | | | | | | | | | | | | |
| + BAY CITY FIRE DEPT | 3 | 0 | 6 | 1 | 2 | 0 | 0 | 15 | POSS-PRESS MSA | 20 | 0 | | 0 | | 0 | | 0 |
| + GARIBALDI FD | 3 | 1 | 5 | 1 | 5 | 0 | 0 | 18 | 7 MSA/MMR 9 MSA | 19 | 0 | | 0 | | 0 | | 0 |
| + MANZANITA DEPT OF PUB SFTY | 4 | 12 | 0 | 1 | 1 | 4 | 0 | 12 | MSA | 12 | 0 | | 0 | | 0 | | 0 |
| + NEHALEM VOL FIRE DEPT | 1 | 0 | 0 | 1 | 1 | 3 | 0 | 22 | SIRVIVE AIR & SCOTT | 6 | 0 | | 0 | | 0 | | 0 |
| + NESTUCCA RFPD | 4 | 0 | 0 | 0 | 1 | 6 | 0 | 37 | MSA - MMR | 50 | 0 | | 0 | | 1 | 0 | 0 |
| + NETARTS-OCEANSIDE RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | 0 |
| + ROCKAWAY FD | 3 | 0 | 0 | 0 | 3 | 5 | 0 | 13 | SCOTTS/MSA | 14 | 0 | | 0 | | 0 | 0 | 0 |
| + TILLAMOOK FIRE DIST | 3 | 28 | 13 | 1 | 1 | 4 | 0 | 20 | MSA - MMR | 20 | 0 | | 0 | | 0 | | 0 |
| * WHEELER FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | SCOTT, MSA | 24 | 0 | | 0 | | 0 | 0 | 0 |
| UMATILLA | | | | | | | | | | | | | | | | | |
| & ATHENA FD | 2 | 0 | 8 | 1 | 1 | 1 | 0 | 8 | SCOTT | 16 | 0 | | 0 | | 0 | 0 | 0 |
| + EAST UMATILLA CO RFPD | 1 | 13 | 3 | 1 | 4 | 2 | 0 | 13 | SCOTT 2.2 | 20 | 0 | | 0 | | 0 | | 0 |
| * ECHO RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | | 8 | 0 | | 0 | | 0 | 0 | 0 |
| & HELIX RFPD | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 14 | SCOTT, MSA | 0 | 0 | | 0 | | 0 | | 0 |
| * HERMISTON FIRE & EMERG SERV | 1 | 10 | 20 | 2 | 5 | 0 | 1 | 25 | SCOTT 2200/4500 | 30 | 6 | TRELLBORG UP | 6 | PACESETTER | 0 | 0 | 0 |
| + MEACHAM RFPD | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | | 0 |
| + MILTON-FREEWATER FD | 4 | 0 | 0 | 1 | 2 | 0 | 0 | 24 | MSA | 55 | 0 | | 0 | | 0 | | 0 |
| + MILTON-FREEWATER RURAL FD | 4 | 29 | 6 | 3 | 11 | 6 | 0 | 28 | MSA 401/ULTRALITE II | 25 | 0 | | 0 | | 0 | | 1 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX CELL PH | MBL | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|-------------------------------|---------------|--------------------|------------------|-------------|-----|----|------------------|------|-----------------------------------|-----------------|------------|-------------|------------|----------------|----------------|----------------------|------------------|
| + PENDLETON FIRE & AMBULANCE | 4 | 22 | 0 | 0 | 2 | 0 | 0 | 28 | ISI | 28 | 0 | | 0 | | 0 | | 0 |
| + PILOT ROCK RFPD | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | MSA | 20 | 0 | | 0 | | 0 | 0 | 0 |
| + STANFIELD RFPD | 3 | 8 | 16 | 1 | 2 | 0 | 0 | 16 | SCOTT 2.2 | 38 | 0 | | 0 | | 0 | | 0 |
| \$ UKIAH FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| UMAPINE VOL RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| UMATILLA CHEMICAL DEPOT FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + UMATILLA RFPD | 5 | 0 | 0 | 0 | 3 | 0 | 0 | 25 | DRAEGER | 40 | 0 | | 0 | | 0 | 0 | 25 |
| & UMATILLA TRIBAL FD | 4 | 24 | 6 | 1 | 2 | 0 | 1 | 25 | MSA, HIGH PRESSURE, LOW PRESSU | 20 | 4 | | 24 | | 0 | 0 | 0 |
| + WALLA WALLA CO FIRE DIST #4 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 29 | SURVIVOIR PANTHER | 40 | 0 | | 0 | | 0 | 0 | 0 |
| UNION | | | | | | | | | | | | | | | | | |
| + COVE RFPD | 2 | 0 | 20 | 1 | 6 | 0 | 0 | 12 | SCOTT | 18 | 0 | | 0 | | 0 | | 0 |
| * ELGIN VOL FIRE DEPT | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | SCOTT 2.2 | 9 | 0 | | 0 | | 0 | | 0 |
| + IMBLER RFPD | 8 | 8 | 4 | 1 | 6 | 0 | 0 | 8 | SCOTT 2.2. | 21 | 0 | | 0 | | 0 | | 0 |
| + LA GRANDE FIRE DEPT | 2 | 6 | 2 | 1 | 2 | 0 | 1 | 7 | SCOTT | 9 | 6 | TRELLEBORG, | 6 | PACESETTER, GO | 0 | | 1 |
| + LA GRANDE RFPD | 3 | 17 | 30 | 1 | 1 | 0 | 0 | 20 | SCOTT 2,2, SCBA SUPPLY AIR LINE S | 53 | 0 | | 0 | | 0 | | 0 |
| & NORTH POWDER FIRE DEPT | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | SCOTT | 8 | 0 | | 0 | | 0 | | 0 |
| # UNION EMERGENCY SERVICES | 2 | 4 | 1 | 1 | 1 | 3 | 0 | 0 | | 30 | 0 | | 0 | | 0 | | 0 |
| WALLOWA | | | | | | | | | | | | | | | | | |
| * ENTERPRISE FD | 1 | 15 | 0 | 1 | 1 | 0 | 0 | 15 | SCOTT | 26 | 0 | | 0 | | 0 | 0 | 0 |
| # JOSEPH FIRE DEPT | 1 | 16 | 0 | 0 | 0 | 0 | 0 | 15 | SCOTT | 22 | 0 | | 0 | | 0 | | 0 |
| # LOSTINE FD | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 5 | DEMAND | 3 | 1 | ALUMINUM | 0 | | 0 | 0 | 0 |
| + WALLOWA FD | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | MSA PRESSURE DEMAND | 2 | 0 | | 0 | | 0 | | 0 |
| WASCO | | | | | | | | | | | | | | | | | |
| + COLUMBIA RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| # DUFUR VOL FD | 1 | 8 | 3 | 1 | 0 | 0 | 0 | 8 | SURVIVAIR | 12 | 0 | | 0 | | 0 | 0 | 0 |
| JUNIPER FLATS RFPD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| X MAUPIN FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | | 0 | 0 | | 0 | | 0 | | 0 |
| + MID-COLUMBIA F&R | 3 | 20 | 1 | 1 | 6 | 0 | 0 | 35 | ISI HIGH PRESSURE | 25 | 0 | | 0 | | 0 | | 0 |
| MOSIER FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| + PINE HOLLOW VOL | 10 | 0 | 0 | 1 | 0 | 10 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |
| TYGH VALLEY VOL FD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | 0 |

TABLE E - 2002 HAZMAT EQUIPMENT

| COUNTY | FIELD GLASSES | PERS. ALERT DEVICE | EXP. PROOF LIGHT | FAX | MBL CELL PH | CB | HAZMAT RESP VEH. | SCBA | TYPES SCBA | SCBA SPARE TANK | LEV A SUIT | TYPE FABRIC | LEV B SUIT | TYPE FABRIC | RROX ENTR SUIT | TYPES PROX ENTR SUIT | OTHER SPEC EQUIP |
|--------------------------------|---------------|--------------------|------------------|-----|-------------|----|------------------|------|----------------------|-----------------|------------|-------------|------------|-------------|----------------|----------------------|------------------|
| WASHINGTON | | | | | | | | | | | | | | | | | |
| + BANKS FIRE DISTRICT #13 | 2 | 20 | 0 | 0 | 0 | 0 | 0 | 16 | MSA | 16 | 0 | | 0 | | 0 | | |
| * CORNELIUS FIRE DEPT | 2 | 15 | 0 | 1 | 3 | 0 | 0 | 15 | 3000 PSI MSA | 12 | 0 | | 0 | | 0 | | 0 |
| * FOREST GROVE F&R | 3 | 47 | 0 | 1 | 6 | 0 | 0 | 47 | ISI MAGNUM/4500 PSI | 54 | 0 | | 16 | | 0 | | 0 |
| # GASTON RFPD | 4 | 10 | 12 | 1 | 0 | 0 | 0 | 13 | ISI MAGNUMS 2216 PSI | 12 | 0 | | 0 | | 0 | | 0 |
| + HILLSBORO FIRE DEPT | 8 | 62 | 0 | 5 | 24 | 1 | 0 | 66 | MSA | 46 | 0 | | 0 | | 0 | | 0 |
| + TUALATIN VALLEY F&R | 32 | 110 | 58 | 1 | 121 | 1 | 2 | 118 | ISI | 190 | 15 | TRELENBORG | 15 | CHETEX | 0 | | 69 |
| # WASHINGTON CO FD #2 | 0 | 36 | 28 | 3 | 6 | 1 | 0 | 36 | MSA | 31 | 0 | | 0 | | 0 | | 0 |
| WHEELER | | | | | | | | | | | | | | | | | |
| * FOSSIL VOL FD | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 10 | SCOTT | 12 | 0 | | 0 | | 0 | 0 | 0 |
| + MITCHELL VOL FIRE DEPT | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 7 | SURVIVE AIR | 32 | 0 | | 0 | | 0 | | 0 |
| + SPRAY VOL FIRE DEPT | 2 | 0 | 1 | 1 | 2 | 0 | 0 | 2 | | 8 | 0 | | 0 | | 0 | | 0 |
| * WHEELER POINT VOL FIRE ASSOC | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | SCOTT | 10 | 0 | | 0 | | 0 | | 0 |
| YAMHILL | | | | | | | | | | | | | | | | | |
| + AMITY FIRE DIST | 6 | 17 | 8 | 1 | 7 | 0 | 0 | 17 | MSA | 13 | 0 | | 0 | | 0 | | 0 |
| + CARLTON FIRE DEPT | 1 | 10 | 0 | 0 | 0 | 1 | 0 | 10 | SURVIAIR | 10 | 0 | | 0 | | 0 | | 0 |
| X DAYTON FIRE DIST | 0 | 6 | 0 | 0 | 2 | 0 | 0 | 18 | MSA | 31 | 0 | | 0 | | 0 | | 0 |
| + DUNDEE FIRE DEPT | 3 | 15 | 0 | 1 | 1 | 0 | 0 | 15 | SURVIVAIR/ISI RANGER | 18 | 0 | | 0 | | 0 | 0 | 0 |
| + LAFAYETTE FD | 2 | 10 | 21 | 0 | 0 | 0 | 0 | 10 | MSA LOW PRESSURE | 7 | 0 | | 0 | | 0 | | 0 |
| * MCMINNVILLE FIRE DEPT | 8 | 28 | 20 | 1 | 10 | 0 | 0 | 28 | POSITIVE PRESSURE | 20 | 0 | | 0 | | 0 | 0 | 0 |
| + NEWBERG FD | 6 | 45 | 0 | 1 | 9 | 0 | 0 | 45 | ISI MAGNUM | 45 | 0 | | 0 | | 0 | 0 | 0 |
| + SHERIDAN FD | 9 | 0 | 0 | 1 | 7 | 2 | 0 | 30 | POSITIVE PRESSURE | 30 | 0 | | 0 | | 0 | | 0 |
| + WILLAMINA FIRE DIST | 15 | 27 | 10 | 0 | 0 | 10 | 0 | 25 | MSA | 24 | 0 | | 0 | | 0 | 0 | 0 |
| * YAMHILL FPD | 2 | 0 | 0 | 1 | 3 | 1 | 0 | 20 | ISI | 22 | 0 | | 0 | | 0 | | 0 |