



Commandant  
United States Coast Guard

2100 Second Street, S.W.  
Washington, DC 20593-0001  
Staff Symbol: CG-11  
Phone: (202) 475-5173  
Fax: (202) 475-5909

COMDTINST M6700.6F  
02 Mar 2007

COMMANDANT INSTRUCTION M6700.6F

Subj: HEALTH SERVICES ALLOWANCE LIST, AFLOAT

1. PURPOSE. This Manual provides cutters with health services personnel assigned the required basic stock levels of health care materials. It is re-promulgated because of numerous formatting and requirement changes.
2. ACTION. Area, district, and sector commanders, commanders of maintenance and logistics commands, commanding officers of integrated support commands, commanding officers of headquarters units, assistant commandants for directorates, Judge Advocate General and special staff elements at Headquarters shall ensure compliance with the provisions of this Instruction. Internet release is authorized.
3. DIRECTIVES AFFECTED. Health Services Allowance List, Afloat, COMDTINST M6700.6E is hereby canceled.
4. SUMMARY. This Instruction indicates the minimum amount of medications and equipment required by the Health Services Technicians (HS). In order to meet the needs of the crew or the operational needs of the mission, the HS may, with the permission of their Designated Medical Officer Advisor (DMOA), carry additional equipment not on this allowance list.
5. PROCEDURE. No paper distribution will be made of this Manual. Official distribution will be via the Coast Guard Directives System CD-ROM. An electronic version will be located on the Information and Technology (CG-612) websites at <http://cgcentral.uscg.mil/> (once in CG Central, click on the resources tab then directives) and <http://www.uscg.mil/ccs/cit/cim/directives/welcome.htm>. This Manual will also be made available via the Commandant (CG-112) Publications and Directives website at <http://www.uscg.mil/hq/g-w/g-wk/wkh/pubs/index.htm>.

DISTRIBUTION – SDL No. 146

	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
A	3	2	3	2	3	2	1	1	2	1		1	1	1	1	1	1		1		3					
B	3	2	15	2	15	2	2	15	2	1	2	6	2	3	1		10	3	1	1	1	1	1	1	1	1
C	4	4	1	3	2	1	1	1	2		5	1	1	1	1	3	2	1	1	2	2	2	1	1	1	1
D	1	2	1	4			1	2			1	1		1	1	1	1			2			1			
E	2	2		1	1			1	1										1							
F																	1	1	1							
G			2	2	2																					
H																										

NON-STANDARD DISTRIBUTION:

COMDTINST M6700.6E

6. ENVIRONMENTAL ASPECT AND IMPACT CONSIDERATIONS. Environmental considerations were examined in developing this manual and are incorporated herein.
7. FORMS/REPORTS. None.

PAUL J. HIGGINS /s/  
Director of Health and Safety

## TABLE OF CONTENTS

## CHAPTER 1. HEALTH SERVICES ALLOWANCE LIST INSTRUCTIONS

A. General Information.....	1-1
B. Explanation of Class 2 Unit Categories.....	1-2
C. Obtaining References and Publications.....	1-2
D. Ordering Supplies and Equipment.....	1-7
E. Ordering Health Care Equipment (HCE).....	1-6
F. Instructions for Maintaining, Issuing, and Inventorying Health Care Supplies and Equipment.....	1-7

## CHAPTER 2. EMERGENCY MEDICAL AND MILITARY READINESS EQUIPMENT AND SUPPLIES

A. General Information.....	2-1
B. Emergency Medical Equipment and Supplies.....	2-1
C. Oxygen/Resuscitation Equipment.....	2-2
D. Litters and Stretchers.....	2-3
E. Military Readiness.....	2-4

## CHAPTER 3. CLINICAL MEDICINE

A. General Information.....	3-1
B. Required Clinical Medicine, Equipment and Supplies.....	3-1

## CHAPTER 4. PHARMACEUTICALS

A. General Information.....	4-1
B. Required Pharmaceuticals.....	4-2

## CHAPTER 5. RADIOLOGY EQUIPMENT AND SUPPLIES

A. General Information.....	5-1
B. Required Radiology Equipment and Supplies.....	5-1

## CHAPTER 6. LABORATORY EQUIPMENT AND SUPPLIES

A. General Information.....	6-1
B. Required Laboratory Equipment and Supplies.....	6-1

## CHAPTER 7. DENTAL SUPPLIES AND EQUIPMENT

A. General Information.....	7-1
B. Required Dental Equipment and Supplies.....	7-1

## CHAPTER 8. ENVIRONMENTAL HEALTH

A. General Information.....	8-1
B. Required Environmental Health Equipment and Supplies.....	8-1

This page intentionally left blank.

## CHAPTER 1. HEALTH SERVICES ALLOWANCE LIST INSTRUCTIONS

### A. General Information.

1. The information and requirements contained in this Manual apply to all vessels with health services personnel assigned (Class 2 units).
2. This Manual contains lists of required health care materials (reference books, pharmaceuticals, medical and dental equipment/ supplies, etc.) necessary for initial outfitting and ongoing operation of Class 2 Coast Guard units.
3. Health Services Allowance List (HSAL) quantities represent the minimum required inventory of equipment and supplies. Units must maintain these minimum quantities onboard at all times. In some cases (e.g. HS Formulary drugs), the afloat HS may be tasked with determining the necessary quantities based on their personal product preference and maintaining a sufficient quantity of those items. Each chapter in the manual will address specific issues regarding excess quantities allowed or the stocking of products other than those listed. Generally, a 90 day supply is the desired inventory level for all required expendable items. To carry less than the quantities listed requires a waiver. All waiver requests will be submitted through your DMOA and appropriate MLC (k) to COMDT (CG-1121). Increases to or additional items can be authorized by your DMOA.
4. Complete requisitioning instructions for the items contained herein are included in Medical Prime Vendor Program Implementation within the Coast Guard, COMDTINST M6740.2 (series). Assistance with Prime Vendor procurement can be obtained by contacting the Coast Guard clinic that supports your unit or Maintenance and Logistic Command (k). Procurement of injectable chemical, biological, radiological and nuclear medications are ordered from the Defense Supply Center Philadelphia.
5. Commandant (CG-112) will make changes to this Manual as required due to therapeutic advances, product availability changes, and mission requirement changes. To ensure timely dissemination of information, changes may be made via medical logistics messages with the changes being numerically identified. Units should reference these medical logistics messages in making “pen and ink” changes to the HSAL until a change or reissue of this directive.
6. Units and/or individuals are encouraged to provide updated supply information or suggestions for improvement to the responsible organizational point of contact listed in each chapter.
7. When modifications are made to required items, information will be given as to disposition of the deleted item. When possible, units will be notified to replace deleted items with the newly required items only when a new purchase is necessary due to expiration, contamination, or exhaustion of current supplies.

B. Explanation of Class 2 Unit Categories.

1. Coast Guard vessels with health service personnel assigned.
  - 2A Ice breakers (WAGBs)
  - 2B High Endurance Cutters (WHECs)
  - 2C Medium Endurance Cutters (WMECs)
  - 2D Seagoing Buoy Tenders (WLBs)

C. Obtaining References and Publications.

1. Most required publications are civilian-published reference books from an “open purchase” source. For each of these, a suggested source will be given. Other sources may exist to obtain the same reference book. When in doubt, contact the publisher or a local bookstore for procurement information.
2. Government publications should be requisitioned directly from the stocking point as indicated by the Routing Identifier.
3. All required Coast Guard publications may be printed from the Information and Technology Commandant (CG-612) websites at <http://cgcentral.uscg.mil/> (once in CG Central, click on the resources tab and then directives) and <http://www.uscg.mil/ccs/cit/cim/directives/welcome.htm>.

4. General required publications for Class 2 units are:

- Medical Manual, COMDTINST M6000.1(series) 1 Copy
- Health Services Allowance List, Afloat Part 2 (Vessels), COMDTINST M6700.6 (series) 1 Copy
- Medical Prime Vendor Program Implementation within the Coast Guard, COMDTINST M6740.2 1 Copy

Note: Unless otherwise indicated, all commercial references may be the current edition or a prior edition published within the last 3 years.

5. An electronic version of all books, manuals, publications, and instructions is an acceptable alternative to actual copies of the items listed in this allowance list.

**Required Clinical Medicine References.**

PUBLICATION NAME	2A	2B	2C	2D
<p>“MOSBY’S PRIMARY CARE CONSULTANT” Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a></p>	1	1	1	1
<p>“CLINICAL PROCEDURES FOR MEDICAL ASSISTANTS” Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a></p>	1	1	1	1
<p>“HEALTH &amp; PHYSICAL ASSESSMENT” Elsevier Health Science 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a></p>	1	1	1	1
<p>"DORLANDS POCKET MEDICAL DICTIONARY" Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a></p>	1	1	1	1
<p>BRADY’S “EMERGENCY CARE” Prentice Hall Ordering Department 200 Old Tappan Rd. Old Tappan, NJ 07675 Phone: 1 800 922 0579 <a href="http://vig.prenhall.com/">http://vig.prenhall.com/</a></p>	1	1	1	1
<p>“MOSBY’S EMT I” Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a></p>	1	1	1	1

**Required Clinical Medicine References (cont).**

PUBLICATION NAME	2A	2B	2C	2D
<p>“CURRENT DIAGNOSIS &amp; TREATMENT IN ORTHOPEDICS”            McGraw-Hill Order Services            Blacklick, OH 43004-0545            Phone: 1 800 262 4729  <a href="http://www.mcgraw-hill.co.uk/">http://www.mcgraw-hill.co.uk/</a></p>	1	1	1	1
<p>“ESSENTIALS OF MUSCULOSKELATAL CARE”            American Academy of Orthopaedic Surgeons            6300 North River Road            Rosemont Illinois 60018-4262            Phone: 847-823-7186  <a href="http://www.aaos.org/home.asp">http://www.aaos.org/home.asp</a></p>	1	1	1	1
<p>“MERCK MANUAL            Merck Publishing Group            Merck &amp; Co., Inc.            PO Box 2000 RY84-15            Rahway, NJ 07065            Phone: (732) 594-4600  <a href="http://www.merckbooks.com/">http://www.merckbooks.com/</a></p>	1	1	1	1
<p>“SANFORD’S GUIDE TO ANTIMICROBIAL THERAPY”            P.O. Box 276            Sperryville VA 22740            540-987-9480  <a href="http://www.sanfordguide.com/">http://www.sanfordguide.com/</a></p>	1	1	1	1
<p>RESCUE &amp; SURVIVAL SYSTEMS MANUAL,  <a href="#">COMDTINST M10470.10C</a></p>	1	1	1	1

**Required Pharmacy References.**

PUBLICATION NAME	2A	2B	2C	2D
<p>Standardized Health Services Technician            Drug Formulary COMDTINST 6570.1</p>	1	1	1	1
<p>Coast Guard Medical Logistics Messages (Three Years)</p>	1	1	1	1
<p>Coast Guard/DoD Medical Materiel Information Notices            (Drug recall and shelf life extension messages) (Three Years)</p>	1	1	1	1



**Required Pharmacy References (cont).**

PUBLICATION NAME	2A	2B	2C	2D
<p>”POISONING &amp; DRUG OVERDOSE”  Lange, Clinical Manual  McGraw-Hill Order Services  Blacklick, OH 43004-0545  Phone: 1 800 262 4729  <a href="http://www.mcgraw-hill.co.uk/">http://www.mcgraw-hill.co.uk/</a>  <b>THIS BOOK TO BE PLACED IN POISON ANTIDOTE LOCKER</b></p>	1	1	1	1
<p>MOSBY’S “NURSING DRUG REFERENCE”  Elsevier Health Sciences  11830 Westline Industrial Drive  St. Louis, MO 63146  Phone: 1-800-325-4177  Required Edition: Most current or previous years edition only.</p>	1	1	1	1

**Required Dental Reference.**

PUBLICATION NAME	2A	2B	2C	2D
<p>“DELMAR’S DENTAL ASSISTING-A COMPREHENSIVE APPROACH”  Thomson Learning  P.O. Box 6904  Florence, KY 41022  Phone: 1 800 354 9706</p>	1	1	1	1

**Required Environmental Health References.**

PUBLICATION NAME	2A	2B	2C	2D
<p><a href="#">SAFETY AND ENVIRONMENTAL HEALTH MANUAL, COMDTINST M5100.47 (series)</a></p>	1	1	1	1
<p><a href="#">FOOD SERVICE SANITATION MANUAL, COMDTINST M6240.4 (series)</a></p>	1	1	1	1
<p>WATER SUPPLY AND WASTE WATER DISPOSAL MANUAL, COMDTINST M6240.5 (series)</p>	1	1	1	1

**Required Environmental Health References (CONT)**

The following NAVMED PUBS CAN BE VIEWED AND THE ELECTRONIC COPY SAVED AT THE FOLLOWING WEB SITE: <a href="http://navymedicine.med.navy.mil/default.cfm?selmod=706435D4-8C78-A781-8663C37197B239CD&amp;seltab=Directives&amp;type=P">http://navymedicine.med.navy.mil/default.cfm?selmod=706435D4-8C78-A781-8663C37197B239CD&amp;seltab=Directives&amp;type=P</a>				
PUBLICATION NAME	2A	2B	2C	2D
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-1, FOOD SANITATION CHAPTER 1	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-2, SANITATION OF LIVING SPACES & RELATED FACILITIES CHAPTER 2	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-3, VENTILATION AND THERMAL STRESS ASHORE AND AFLOAT CHAPTER 3	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-6, WATER SUPPLY AFLOAT CHAPTER 6	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-7, SEWAGE DISPOSAL ASHORE & AFLOAT CHAPTER 7	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-8, MEDICAL ENTOMOLOGY & PEST CONTROL TECHNOLOGY CHAPTER 8	1	1	1	1
TREATMENT OF CHEMICAL AGENT CASUALTIES & CONVENTIONAL MILITARY CHEMICAL INJURIES, NAVMED P-5041	1	1	1	1
RODENT CONTROL, NAVMED P-5052-26, CHAPTER 26	1	1	1	1
“CDC Yellow Book” HEALTH INFORMATION FOR INTERNATIONAL TRAVEL <a href="HTTP://WWW.CDC.GOV/TRAVEL/YB/INDEX.HTM">HTTP://WWW.CDC.GOV/TRAVEL/YB/INDEX.HTM</a>	1	1	1	1

**Miscellaneous Publications.** The following is a list of miscellaneous publications, which are to be maintained in the unit's Medical Library

PUBLICATION NAME	2A	2B	2C	2D
THE NOAA DIVING MANUAL <a href="http://www.ntis.gov/products/bestsellers/noaadive.asp?loc=4-2-0">http://www.ntis.gov/products/bestsellers/noaadive.asp?loc=4-2-0</a>	1	0	0	1
Navy Diving Manual, (NAVSEA-0994-LP-019010 Vol.1) (For dive team equipped vessels only)	1	0	0	1

D. Ordering Supplies and Equipment.

1. After initial outfitting, funding for expendable items listed in this Manual is the unit's responsibility. For items costing more than \$500.00, units should submit a U.S. Coast Guard Health Care Equipment Request (CG-5211), to Maintenance and Logistics Command (k).
2. Units should procure expendable supplies via clinic designated by MLC. General and specific information concerning open purchase procurement should be obtained from the CG's [Financial Resource Management Manual, COMDTINST M7100.3 \(series\)](#).
3. Comprehensive procurement information may be obtained from CG Accounting Manual, COMDTINST M7300.4 and [Medical Prime Vendor Program Implementation within the Coast Guard, COMDTINST M6740.2 \(series\)](#).

E. Ordering Health Care Equipment (HCE).

1. All HCE replacements should be requested in accordance with [Medical Manual, COMDTINST M6000.1 \(series\)](#).
2. The following items are considered HCE. Information may be found on the particular items in the designated chapter of this Manual.

Exam Table:	See Chapter 3
Refrigerator:	See Chapter 3
Portable Radiology Unit:	See Chapter 5 (Class 2A Only)
Water Test Kit, Bacteriological:	See Chapter 8
Meter, Electric Heat Stress (WGBT):	See Chapter 8

F. Instructions for Maintaining, Issuing, and Inventorying Health Care Supplies and Equipment.

1. Units shall maintain an inventory system (Cardex, SAMS, CM PLUS, other software, etc.) as is consistent with good inventory management. Minimally, this system shall maintain current inventories of "bulk" stock items noting purchases, receipt of goods, and issuance to working stock. In cases where, due to small quantities, working and bulk stock are the same, records shall be kept of initial receipt of the item.
2. Inventories shall be "rotated" with older items being used first to minimize loss due to expiration or deterioration.

3. Units shall conduct and document quarterly inventories of all expendable medical supplies. During this inventory any evidence of deterioration or contamination shall be noted and the item removed from service if required.
4. Units shall strictly adhere to expiration dating of items where applicable. Unless otherwise expiration dated, expendable medical supplies (bandaging materials, etc.) shall not be used after ten years from the date of manufacture.
5. To minimize waste due to drug expiration, units must monitor results of the Department of Defense (DOD) Shelf-Life program and modify expiration dates on tested items. Procedures for this program are contained in Chapter 10 of Medical Manual COMDTINST M6000.1 (series). An attempt should be made to trade any drugs that are within four months of expiration with the unit's collateral duty pharmacy staff, thus avoiding waste due to expiration.
6. Methods used to remove or destroy expired items shall be in compliance with State and local regulations and the Medical Manual, COMDTINST M6000.1 (series), Chapter 8.
7. Units shall maintain electronic copies of all messages related to medical product recalls or quality assurance problems for three years from the date of issue. Those messages requiring action by the unit shall be printed, initialed and a note made as to any remedial action required by the message. Maintain a hard copy of these messages for three years.

## Chapter 2. EMERGENCY MEDICAL AND MILITARY READINESS EQUIPMENT AND SUPPLIES

### A. General Information.

1. Point of Contact for all information in this chapter is Commandant (CG-1121).
2. General information in this section pertains to equipment and supplies required for both emergency medical care and military readiness.
3. All required items for military readiness (Battle Dressing Stations, Portable Medical Lockers, First Aid Kits, Poison Antidote Locker etc.) and emergency medical care (EMT Kits, Oxygen, etc.) shall be inspected monthly and inventoried quarterly for tampering, rust, cleanliness, deterioration, and expiration. A log shall be maintained within sickbay to document the findings of these inspections and the remedial action taken.
4. Whenever possible, all emergency medical and military readiness kits and equipment shall be secured away from weather decks.
5. Expired medical supplies (with the exception of pharmaceuticals) may be retained for training. These items should be maintained away from other usable supplies and be marked clearly: "TRAINING ONLY - NOT FOR MEDICAL USE."
6. Many of the required items are only available from commercial sources. Units procuring these items are encouraged to check several sources for the most cost-effective source.

### B. Emergency Medical Equipment and Supplies.

1. This section includes kits, equipment, and supplies required to provide emergency medical care. Certain equipment will also be applicable to section "E" (Military Readiness) of this chapter.
2. Emergency medical equipment not listed in this publication or [Rescue and Survival Systems Manual, COMDTINST M10470.10](#) (series), and costing in excess of \$500.00 is NOT authorized for local purchase. Units may request consideration for additional emergency medical equipment via CG-5211 to Maintenance and Logistics Command (k).

**Required EMS Equipment and Supplies.**

NOMENCLATURE	U/I	2A	2B	2C	2D
Coast Guard EMT Pack with O2 Tank, Regulator and FROP valve. Use EMT Pack Allowance List is located at the CG EMT WEBSITE: <a href="http://cgweb.tcpet.uscg.mil/ems/Gear/EMT.Pack.Blue.htm">http://cgweb.tcpet.uscg.mil/ems/Gear/EMT.Pack.Blue.htm</a> .	EA	1	1	1	1
Automatic External Defibrillator (AED) (Units shall check with Commandant CG-1121 / MLC for authorized make and models to comply with aviation platforms)	EA	1	1	1	1
MEDEVAC RESCUE (SAR) LITTER	EA	4	6	3	2
LEG TRACTION DEVICE Specific Type (HARE, REEL, SAGER, #S-304) Optional	EA	1	1	1	1
PORTABLE SUCTION	EA	1	1	1	1
MASK, OXYGEN, NON-REBREATHER	EA	10	10	10	10
PRESSURE INFUSER	EA	1	1	1	1

EMS items listed in this chapter are inclusive of a ship’s overall allowance.

**C. Oxygen/Resuscitation Equipment.**

1. Oxygen cylinders must never come in contact with organic lubricant (oil, grease, etc.).  
Cylinders shall be stored in a permanently mounted rack in an upright position at all times unless in use within a portable container. All oxygen delivery and resuscitation equipment will be inspected weekly; inspection shall be documented with the kit and in the medical department log. A three part tagging system (full, in use, empty), shall be utilized to indicate status of tank. All medical oxygen containers shall be labeled “MEDICAL USE ONLY.” All cylinders shall be hydrostatically tested every five years. To clear dust particles, crack the tank valve slightly prior to applying a regulator to a new bottle. Make sure the tank valve is open before the oxygen delivery equipment (mask, etc.) is applied to the patient. Ensure that a non-ferrous wrench is used for tank manipulation.
2. A minimum of one “H” oxygen cylinder, containing a pressure regulator to deliver positive pressure oxygen, shall be mounted in all Class 2A-vessel sickbays.

**Oxygen Requirements.**

Portable Oxygen Requirements	2A	2B	2C	2D
Size “D” cylinder (Or May use Size Super D below) contains approx. 350 liters filled	24	18	12	12
OR				
Size “Super D” (Or May use Size D above) contains approx. 637 liters filled	14	10	7	7

3. Non-rebreather masks shall be used for patients in critical need of oxygen. Prior to placing non-rebreather masks on the patient, care should be taken to fully inflate the oxygen reservoir bag.

4. CG vessels (USCGC POLAR STAR, USCGC POLAR SEA, USCGC HEALY, USCGC KUKUI, USCGC SASSAFRAS, USCGC WALNUT) with permanently assigned dive teams are authorized the following additional emergency oxygen delivery equipment:

1 - Oxygen Resuscitation Set (Life-saving Systems Product (LSP), (Commercial Purchase), with a minimum of two “D” size oxygen cylinders. (Note: A Divers Alert Network (DAN) Oxygen Delivery Kit Commercial source may be substituted for the LSP Kit.)

1 - Bag Valve Resuscitator with minimum of four adult non-rebreather face masks, medium and large adult face mask for positive pressure delivery and bag valve mask unit.

1 - Life Saver Airway Set.

1 - Box of disposable gloves.

This equipment shall be for use by Dive Team Members only. The unit will be maintained in sickbay by the unit HS and used only during diving operations.

**D. Litters and Stretchers.**

1. Stokes Litter. The stokes litter (ridged or folding) is a versatile device designed to safely transport non-ambulatory personnel onboard ships and boats or for applications such as helicopter hoisting. The basic stokes litter design can be used for surface operations or reconfigured by adding the horizontal hoisting sling (National Stock Number, NSN, 1670-01-226-5300, Lifesaving Systems part number 190 only) for over the side or helicopter hoisting. Only stainless steel or titanium alloy litters are authorized. Aluminum litters are no longer authorized and shall not be used. A minimum of one stokes litter will be maintained and configured in accordance with the [Rescue and Survival Systems Manual M10470.10 \(series\)](#). This includes semi-annual load testing IAW Chapter 2, Rescue and Survival Systems Manual, COMDTINST M10470.10 (series).

a. Authorized Helicopter Hoistable Litters. In accordance with Rescue and Survival Systems Manual, COMDTINST M10470.10 (series), the only authorized litter for helicopter hoisting is the stainless or titanium stokes litter (rigid or folding). All authorized stokes litters carried

aboard shall be labeled/marked "Helicopter Hoistable" on the support slats in ½ inch white block letters and maintained in accordance with the Rescue and Survival Systems Manual, COMDTINST M10470.10 (series). **Rescue (SAR) Litters shall not be used for helicopter hoists.**

2. Medevac Rescue (SAR) Litter. Each cutter will be required to have onboard a full allowance of Medevac Rescue Litters. They are to be stored at or near the primary BDS, forward on the main deck, at or near after steering, and on the hangar deck (as applicable) and used by the stretcher bearer teams for use in in-water rescue operations such as 'Man Overboard, Small Boat Recovery' and shipboard/confined spaces operations requiring patient/victim transport. The IDHS is responsible for the care, maintenance and training in the use of the Medevac Rescue Litter. A Horizontal Hoisting Sling (Lifesaving Systems part number 190, NSN 1670-01-226-5300) and Trail Line Assembly must be purchased for over the side hoisting operations. A separate, detachable safety/handling line shall be made-up for each SAR litter on board, and is to be used IAW 'Stretcher Bearer Team' protocol in transporting patients between decks (ladderways, scuttles, hatches, or trunk spaces, etc) during rescue evolutions. This safety line shall be made of ¾" three strand nylon line at least 20 ft in length with a 4" steel carabineer 'eye-spliced' to one end (minimum of five tucks) and a 'back-spliced' bitter end. Attach the safety line for transport between decks ONLY. The safety line may be stowed in a 'heaving line' bag attached to the side of the litter when not in use.

E. Military Readiness.

1. First Aid Kit, Life Raft. Each Life Raft comes equipped with a first aid kit. The HS shall ensure one person in each raft is assigned to bring an additional first aid kit (gun bag) to the life raft in case of emergency.
2. First Aid Kits, Gun Bag. These kits shall be placed throughout the vessel for emergency use. They shall also be available for all stretcher-bearer personnel. The kits shall be inspected monthly and inventoried quarterly or immediately after use. The Gun Bag can be purchased through the stock system or commercially but it must remain consistent in shape size and color throughout the ship. The contents of these kits are listed in Figure (2-3). A minimum of one kit **shall** be placed in each of the following:
  - a. Each repair locker
  - b. Each stretcher-bearer crew
  - c. Bridge
  - d. Main Control/Engine room
  - e. Crew's Mess Deck/Galley
  - f. Radio, ET Shop and/or CIC
  - g. Flight Deck/Avionics Shop (If applicable)
  - h. Buoy Deck/Boson's Hole (If applicable)
  - i. After Steering (If applicable)
  - j. 76MM Magazine (If applicable)



- k. 50 cal Locker (If applicable)
- l. Auxiliary Space(s) (If applicable)
- m. DC Shop
- n. Armory

Note: A first aid kit should be made available for issue to deployable teams (AMIO, Law Enforcement or any other deployable teams). Supplies should be inventoried monthly and inventoried quarterly or immediately after use. A separate gun bag can be used for these occasions.

### First Aid Kit, Gun Bag.

Item	U/I	QTY
INVENTORY LIST	EA	01
POVIDINE IODINE SOL, 10%, 15 ML	BT	06
DRESSING, FIRST AID FIELD, INDIVIDUAL TROOP, 4" X 7"	EA	04
Or substitute with: ISRAELI BANDAGE MEDIUM	EA	04
BANDAGE GAUZE COMPRESSED, 2" X 6" **	EA	03
BANDAGE GAUZE COMPRESSED, 3" X 6" **	EA	05
BANDAGE MUSLIN, COMPRESSED, 37" X 52"	EA	01
DRESSING, FIRST AID FIELD, 7 ½" X 8"	EA	02
Or substitute with: ISRAELI BANDAGE LARGE	EA	02
DRESSING, FIRST AID FIELD, 11 ¾" SQUARE	EA	02
Or substitute with: ISRAELI BANDAGE X-LARGE	EA	02
COMPRESS AND SKULL CAP, HEAD DRESSING	EA	01
GAUZE, PETROLATUM, 3" X 18", 12s	PG	01
Or Substitute with ASHERMAN CHEST SEAL	PG	02
GAUZE ABSORBENT, 18" X 36", 2s	PG	04
ADHESIVE TAPE SURGICAL, 1"X5 YARDS	RL	02 **



BATTLE DRESSING STATION EQUIPMENT/SUPPLIES

PRIMARY BDS

SECONDARY BDS

Surgical Table

As installed in sickbay

Table, Mess

Surgical Lighting

As Installed in Sickbay

Temporary Mounting

Water Source

Potable Water System, and emergency water piped in, or canned/bottled (Bottled minimum 15 gal.)

Separately piped in, separately canned, or bottled water. (Minimum 10 gal.)

Storage Locker

Built in cabinets or portable lockers

Built in cabinets or portable lockers

Emergency Lighting

Four (4) Battle Lanterns with swivel brackets and four (4) electrical relays installed around the surgical light. Not required if Surgical light (Sickbay light) remains lit when power goes out.

NOTE: For both Primary and Secondary BDS, a minimum of 4 battle lanterns shall be mounted above the surgical table or mess deck operating table with swivel brackets. Lighting sources, including those in the secondary BDS shall be checked weekly.

NOTE: Bottled water need not be stored in the BDS if space is limited. The HS must ensure the water is secure and not being used for other purposes.

NOTE: Stock for the BDS should be reserve stock only and marked for "WARTIME or BDS USE ONLY". Permanently mounted emergency water supplies must be checked monthly. At least three disposable minor surgical (suture) sets shall be maintained ready for immediate use in all BDS. These surgical sets are inclusive of a ship's overall allowance. In addition, the following emergency sets shall be immediately available for use:

**BATTLE DRESSING STATION EQUIPMENT/SUPPLIES.**

Nomenclature	U/I	QTY
INVENTORY LIST	EA	01
BURN PACK, (DISPOSABLE) (per BDS)	EA	02
EXAM GLOVES NITRILE (MEDIUM)	BX	01
EXAM GLOVES NITRILE (LARGE) (ENSURE APPROPRIATE SIZE IS AVAILABLE FOR MEDICAL PERSONNEL)	BX	01
BANDAGE SCISSORS, LG	EA	02
ANESTHESIA TRAY (1 per BDS) Contents: LARYNGOSCOPE HANDLE ADULT WITH AT LEAST FOUR SIZES OF MILLER OR MCINTOSH BLADES (INCLUDE BATTERIES) ENDOTRACHEAL TUBES (VARIOUS SIZES)	EA	01
SYRINGE 10CC	EA	02
STYLETTE	EA	01
LIFESAVER@ AIRWAY SET	EA	01
BAG VALVE MASK LSP	EA	01
MASK SURGICAL	BX	01
IV SOLUTION ADMINISTRATION SET MINI-DRIP	PG	04
IV CATHETER 14 G	EA	04
IV CATHETER 16 G	EA	04
IV CATHETER 18 G	EA	04
IV CATHETER 20 G	EA	04
IV CATHETER 22 G	EA	04
IV SOLUTION ADMINISTRATION SET, 48's	PG	24 / 48

**BATTLE DRESSING STATION EQUIPMENT/SUPPLIES (cont).**

Nomenclature	U/I	QTY		
RINGERS INJ, LACTATED, 1000 ML	EA	05		
SODIUM CHLORIDE INJ 0.9%, 1000 ML	EA	05		
ASPIRIN TABLETS, 325 MG, 100s	BT	01		
EPINEPHRINE INJ, USP 1:1000, 1ML, 10s	PG	01		
MORPHINE INJ 10 MG/ML, 1 ML, 10 per Box, (EXCEPT IN WARTIME THIS ITEM MUST BE MAINTAINED IN SICKBAY SAFE WITH OTHER CONTROLLED SUBSTANCES) Ensure proper delivery device is stored with the medication. (tubex).	2A	2B	2C	2D
	5 BX	2 BX	2 BX	1 BX
HYDROGEN PEROXIDE SOLUTION, 1 PT	BT	01		
LUBRICANT SURGICAL, 4OZ	TU	02		
GENTAMICIN OPHTH OINT, 0.3 %	TU	03		
LIDOCAINE 1% WITH EPI, 20 ML	VI	01		
LIDOCAINE HCL INJ 1% PLAIN, 50 ML	BT	01		
TETRACAINE 0.5% OPHTH SOL, 15 ML	BT	01		
POVIDINE IODINE SOLUTION 10%, 15 ML	BT	20		
DRESSING FIRST AID FIELD INDIVIDUAL 4" X 7" (May substitute ISRAELI BANDAGE – MEDIUM)	EA	12		
BANDAGE MUSLIN, 37" X 52" (CRAVAT)	EA	12		
COMPRESS AND BANDAGE FIELD, 18" X 22"	EA	04		
DRESSING, FIRST AID FIELD, 7 ½" X 8" (May substitute ISRAELI BANDAGE – LARGE)	EA	06		
DRESSING FIRST AID FIELD, 11 ¾" SQ (May substitute ISRAELI BANDAGE – X-LARGE)	EA	12		

**BATTLE DRESSING STATION EQUIPMENT/SUPPLIES (cont).**

Nomenclature	U/I	QTY
COMPRESS AND SKULL CAP, HEAD DRESSING	EA	04
GAUZE PETROLATUM, 3" X 18" 12s Or Substitute with ASHERMAN CHEST SEAL	PG PG	01 2
ADHESIVE TAPE SURGICAL, 12" X 10 YDS	RO	01
BANDAGE GAUZE ELASTIC, 4 ½" X 5 YDS, 12s	PG	6 / 12
BANDAGE GAUZE ELASTIC, 3" X 5 YDS, 12s	PG	6 / 12
BANDAGE ADHESIVE SURGICAL, ¾"x 3" (Band-Aids)	BX	01
SPONGE SURGICAL GAUZE COMPRESSED, 4" X 4", 200s	PG	05
SPONGE SURGICAL GAUZE COMPRESSED, 2" X 2", 200s	PG	02
BANDAGE COTTON ELASTIC, 3" x 4 YDS	PG	01
SCALPEL, DISPOSABLE, W/NO. 10 BLADE	PG	01
SCALPEL, DISPOSABLE, W/NO. 11 BLADE	PG	01
GAUZE COVERED 2 ½" X 2 1/8" 50s (EYE PADS)	PG	01
TUBE, ENDOTRACHEAL (ASSORTED SIZES)	PG	01
GLOVES, STERILE SURGEONS (STOCK WITH APPROPRIATE SIZES FOR MEDICAL PERSONNEL: IDHS, MO, or STRETCHER BEARES) *4 PAIRS EACH	PR	04*
SCISSORS BANDAGE 5 ½"	EA	02
STETHOSCOPE, COMBINATION TYPE	EA	01
SYPHGMOMANOMETER ANEROID	EA	01
SYRINGE HYPODERMIC DISP 5ML 100s	BX	01
NEEDLE HYPODERMIC DISP 18G 1 ½"	PG	01

**BATTLE DRESSING STATION EQUIPMENT/SUPPLIES (cont).**

Nomenclature	U/I	QTY
NEEDLE HYPODERMIC DISP 23G ¾”	PG	01
SYRINGE, CARTRIDGE SLIDE/LOADING	EA	01
PAD, ISOPROPYL ALCOHOL	PG	02
CATHERTERIZATION SET, URETERAL, DISP, 16 FR W/ 10ML SYRINGE	SE	01
BRUSH SURGICAL SCRUB	EA	12
GOWN, OPERATING SURGICAL MEDIUM (DISPOSABLE)	EA	03
PIN, SAFETY, CUR, ORTHO, LT 12’S	PG	01
BASIN, WASH, CRE, 4 ¼ QT	EA	01
MINOR SURGERY SET, DISPOSABLE	EA	03
OXYGEN DELIVERY SET, (WITH REGULATOR AND CYLINDER)	EA	01
U.S. FIELD MEDICAL CARD or) (DD-138 or commercial equivalent)	BX	01

4. Portable Medical Lockers (PML).

- a. Portable medical lockers contain enough medical supplies and equipment to support a large number of casualties remote from sickbay. Each PML shall be located, one forward and one aft, at or near Damage Control Party Lockers. They are to be sealed to prevent pilferage. An inventory should be posted with expiration dates outside the locker. PMLs shall be inspected monthly and inventoried quarterly. Contents of PMLs are shown in Figure (2-5).
- b. PML Requirements: Class 2A, 2B, 2C: (2 each); Class 2D: (1 each).

**PORTABLE MEDICAL LOCKERS (PML).**

Nomenclature	U/I	QTY
U.S. FIELD MEDICAL CARD (DD-1380 or commercial equivalent)	BK	01
SAM SPLINT, UNIVERSAL	RO	04
POCKET MASK	EA	02
LIFE SAVER AIRWAY SET	SE	01
QuikClot NSN: 6510-010499-9295	PG	02
MASK SURG DISPOSABLE	BX	01
EPINEPHRINE INJ USP 1:1000 1ML 10s or equivalent quantity (ensure supplies necessary for administration are stored with the epinephrine 10 X 1 ml tuberculin syringes with 22 gauge needle.)	BX	01
HYDROGEN PEROXIDE SOLUTION, USP, PT	BT	01
DRESSING FIRST AID FIELD 4" X 7 (May substitute ISRAELI BANDAGE –MEDIUM)	EA	10
BANDAGE GAUZE ELASTIC 6PLY 4 ½" X 5 YDS	PG	01
BANDAGE GAUZE ELASTIC 6PLY 3" X 6 YDS	PG	01
BANDAGE MUSLIN 37" X 52" (CRAVATS)	EA	10
DRESSING FIRST AID FIELD 11 ¾" SQUARE (May substitute ISRAELI BANDAGE –X LARGE)	EA	10
GAUZE PETROLATUM 3" X 18" 12s (May substitute ASHERMAN CHEST SEAL)	PG	01
ADHESIVE TAPE SURGICAL 12" X 10 YDS	RO	04
BANDAGE ADHESIVE ¾" X 3" (BANDAIDS) 300s	BX	01



**PORTABLE MEDICAL LOCKERS (PML) (cont).**

Nomenclature	U/I	QTY
ACE 3" 10's	PG	01
ACE 4" 10's	PG	01
ACE 6" 10's	PG	01
SPONGE SURGICAL 4" X 4" INDIVIDUAL	PG	02
SPONGE SURGICAL 2" X 2" INDIVIDUAL	PG	02
GAUZE COVERED 2 ½" X 2 1/8" (EYE PADS)	PG	01
APPLICATOR, COTTON TIPPED 100s	PG	01
SCISSORS, BANDAGE 7 ¼"	EA	04
TOURNIQUET, NON-PNEUMATIC	EA	04
EXAM GLOVES NITRILE DISPOSABLE (APPROPRIATE SIZE FOR MEDICAL PERSONNEL)	BX	01
GLOVES, SURGEONS SIZE ( STOCK WITH APPROPRIATE SIZES FOR MEDICAL PERSONNE: IDHS, MO, or STRETCHER BEARES) *4 PAIRS EACH	PR	04*
BLANKET, BED, WOOL or MYLAR SPACE BLANKET NSN:7210-00-935-6667	EA	01
SKIN MARKER, SURG, PEN TYPE, DISPOSABLE	EA	01
DRAPE, SURG, GREEN, STERILE, 24 X 24"	EA	04
IV SOLUTION ADMINISTRATION SET MINI-DRIP	PG	04
IV CATHETER 14 G	EA	04
IV CATHETER 16 G	EA	04
IV CATHETER 18 G	EA	04
IV CATHETER 20 G	EA	04

**PORTABLE MEDICAL LOCKERS (PML) (cont).**

Nomenclature	U/I	QTY
IV CATHETER 22 G	EA	04
IV SOLUTION ADMINISTRATION SET, 48's	PG	0.5
RINGERS INJ, LACTATED, 1000 ML	EA	10
LIDOCAINE HCL INJ 1% WITH EPINEPHRINE, 20 ML	EA	1
LIDOCAINE HCL INJ 1% W/O EPI, 50 ML	EA	1
SYRINGE, HYPO, STERILE, DISP, 10CC, 100S	PG	1
NEEDLE, HYPO, DISP, STERILE, 21G, 1", 100S	PG	1
MINOR SURGERY SET, DISPOSABLE	SE	03
SUTURE, NONABSORB, NYLON, ARMED, SZ 5-0, 12S	PG	1
SUTURE, ABSORB, SURG, SZ 4-0, VICRYL, 12S	PG	1

5. Decontamination Locker (For Class 2 Vessels with CBR Requirements Only).

- a. The decontamination lockers shall be maintained at or near each saltwater decontamination station as designated in the ships design. An inventory list (figure 2-6) shall be posted outside the locker. This inventory shall include as a minimum, nomenclature, quantity, quality control data, and documented date of inspections. Decon lockers are to be inspected monthly and inventoried quarterly.
- b. Decontamination Locker Requirements: One or two per vessel as required by ships configuration.

**DECONTAMINATION LOCKER\*\***  
(CARRY ON BOARD ONLY WHEN DIRECTED BY AREA COMMANDER)

**DECON LOCKER.**

Nomenclature	U/I	QTY
WATER FOR IRRIGATION, STERILE, 1000 ML	BT	02
Nomenclature	U/I	QTY
SOAP, 2.5 OZ ANTISEPTIC	PG	200
APPLICATOR, DISP. 100'S	PG	04
BRUSH, SURGICAL SCRUB	EA	12
HYDROGEN PEROXIDE	BT	02
TOWEL, BATH, WHITE	EA	130
CLIPPERS, HAIR, AA BATTERY OPERATED	EA	01
BATTERY, SIZE AA	EA	04
CLIPPER, NAIL, 3 IN	EA	04
GLOVES, VINYL, DISP, 100's	PG	01
ALCOHOL, ISOPROPYL, 1 QT	BT	01
SPONGE, SURGICAL, GAUZE, COMPRESS, 4x4, 200s	PG	02
SKIN MARKER, SURGICAL	UN	01
SCISSORS, BANDAGE, ANGULAR, 5 IN, LISTER	EA	06
SYRINGE, HYPODERMIC, DISPOSABLE, 3 ML	EA	50
NEEDLE, HYPODERMIC, DISPOSABLE, 22 GA	EA	50
NAVMED P-5041 TX OF CHEM/CHEM AGENTS & CONVENTIONAL MILITARY INJURIES	EA	01
NAVMED P-5046 MED MGMT OF CASUALTIES IN NUCLEAR WARFARE	EA	01

The following medications shall be kept on board in a controlled access area in a separate water proof container, which shall be locked and a tamper resistant numbered seal attached. The following site contains examples of numbered seals:

<http://www.hcl-intl.com/mall/dynamic.asp?fmcategory=rb&Go=+Go%21>. The controlled medications in this container must be inventoried quarterly along with the other controlled substances. Contact your MLC or collateral duty pharmacist for additional guidance.

**DECON LOCKER MEDICATIONS.**

ATROPINE SULF INJ. 2 MG/ML, 25 ML	VI	**
ATROPINE INJ. AUTOMATIC, 2 MG	EA	03*
PRALIDOXIME INJ. AUTOMATIC	EA	03*
(In replace of the Atropine Inj. Automatic and Pralidoxime Inj. Automatic, Units may purchase <a href="#">MARK I KITS</a> )	EA	03*
CONVULSANT ANTIDOTE NERVE AGENT (CANA), (DIAZEPAM 5 MG/ML 2 ML AUTOINJECTOR SYRINGE)	EA	*02

\* INDICATES REQUIREMENT PER CREW MEMBER.

\*\* INDICATES ONE VIAL PER 4 CREWMEMBERS.

6. Poison Antidote Locker.

- a. All Class 2 Units shall maintain a properly labeled (“POISON ANTIDOTE LOCKER”) antidote locker outside sickbay. An inventory list with expiration dates shall be affixed to the outside and the locker shall be sealed in such a manner to ensure that tampering has not occurred. See (figure 2-7) for required contents.
- b. Antidote lockers shall be inspected monthly and inventoried quarterly.
- c. Class 2 units shall maintain the antidote locker contents in:  
 LOCKER, MEDICAL, FIRST AID OR POISON ANTIDOTE      U/I      EA
- d. Poison Control Center phone numbers shall be posted on the outside of the antidote locker. (Ensure this number can be reached from any area the ship is deployed to.)
- e. Each antidote locker shall have a pocket mask readily available within it.

**POISON ANTIDOTE LOCKER.**

Nomenclature	U/I	QTY
AIRWAY, PHARYNGEAL, CLEAR, LARGE ADULT	EA	01
MAALOX or MAALOX PLUS, 150 ML	BT	02
CHARCOAL 50 GM IN WATER, 240 ML	BT	02
DEPRESSOR, TONGUE, WOOD, 6" x .75", 100s	BX	0.1
DETERGENT, SKIN CLEANSING, MED	BT	01
EPSOM SALTS	CO	01
MEASURE, LIQUID	EA	01
MEAT TENDERIZER (CONTAINING "PAPAIN")	EA	01
BAKING SODA	CO	01
VINEGAR	BT	01
POCKET MASK	EA	01
"POISONING & DRUG OVERDOSE" Lange, Clinical Manual	EA	01

Note: No other First Aid supplies shall be carried in the Poison Antidote Locker.



## CHAPTER 3. CLINICAL MEDICINE

### A. General Information.

1. Point of contact for information in this chapter is Commandant (CG-1121).
2. This section contains a list of required health care materials (consumable supplies, minor and major equipment, sets, and outfits) necessary to provide initial outfitting and set minimum requirements for Coast Guard units.
3. Items that are added to this list from time-to-time shall not be requisitioned if a similar item on hand is functionally adequate to accomplish the intended purpose.
4. In some cases, items contained in this chapter are also mentioned in other chapters of this publication. **Required items need not be duplicated if they are listed in another section of the HSAL other than the BDS.**

### B. Required Clinical Medicine, Equipment and Supplies.

1. The following is the minimum requirements for medical and surgical instruments, equipment and supplies, which shall be maintained onboard.

#### MEDICAL SURGICAL SUPPLIES.

Item	U/I	Class			
		2A	2B	2C	2D
REFRIGERATOR	EA	01	01	01	01
US FIELD MEDICAL CARD, DD 1380, 50S (or commercial equivalent)	BK	04	04	04	02
LOCKER, MEDICAL, FIRST AID POISON ANTIDOTE	EA	01	01	01	01
PAD, NONADHERENT, 2 X 3", 100S	PG	06	06	04	04
GAUZE PETROLATUM 3" X 18" 12s (May substitute ASHERMAN CHEST SEAL)	EA EA	01 02	01 02	01 02	01 02
BANDAGE, GAUZE, ROLL, 1" X 6YDS, 12S	PG	20	20	12	12
INTEGRATED SPLINT MATERIAL 2"	PG	04	04	02	02
INTEGRATED SPLINT MATERIAL 4"	PG	04	04	02	02

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
BANDAGE, GAUZE, ROLL, 3" X 10YDS, 12S	PG	12	12	06	06
BANDAGE, GAUZE, TUBUL, SM FIN/TOES, 5/8 X 5 YD	RO	01	01	01	01
BANDAGE, GAUZE, TUBUL, LG FIN/TOES, 7/8 X 5 YD	RO	01	01	01	01
BANDAGE, MUSLIN, COMP, 37 X 37 X 52"	EA	48	48	24	12
BANDAGE, COMPRESS, FIELD, 18 X 22", BURN	EA	12	12	06	06
COTTON, ROLLED, PURIF, USP, 1 OZ	PG	01	01	01	01
DRESSING, FIRST AID, FLD, 11.5" SQ (May substitute ISRAELI BANDAGE –X LARGE)	EA	48	48	24	12
DRESSING, FIRST AID FIELD, 7 X 8" (May substitute ISRAELI BANDAGE –LARGE)	EA	48	48	24	12
DRESSING, FIRST AID, FIELD, 4 X 7", (May substitute ISRAELI BANDAGE – MEDIUM)	EA	100	100	50	50
COMPRESS, SKULLCAP, HEAD DRESSING	EA	12	12	06	06
ADHESIVE TAPE, SURG, 12" X 10 YDS, ASSORTED SIZE	RO	02	02	02	02
ADHESIVE TAPE, SURG, 12" X 5 YDS, MOLESKIN	RO	01	01	01	01
BANDAGE, GAUZE, ROLLED, 6-PLY, 4" X 4YDS, 12S	PG	03	03	03	03
BANDAGE, GAUZE, ROLLED, 2-PLY, 3" X 5YDS, 12S	PG	03	03	03	03
BANDAGE, ADHESIVE, (BANDAIDS), 100S	BX	06	06	02	02
SPONGE, SURG, 8-PLY, GAUZE, 4 X 4", 200S	PG	12	12	12	12
SPONGE, SURG, 12-PLY, GAUZE, 2 X 2", 200S	PG	04	04	02	02



**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
PAD, ISOPROPYL ALCOHOL IMPREG, 100S	BX	06	06	04	04
TAPE, ADHESIVE SURG, RAYON 1" X 10 YDS, 12S	PG	02	02	01	01
BANDAGE, COTTON, ELASTIC, RUBBER, 3" X 4 YDS, 12S	PG	12	12	06	06
BANDAGE, COTTON, ELASTIC, RUBBER, 6" X 4 YDS, 12S	PG	06	06	03	03
GAUZE, ABSORB, IODOFORM IMPREG, "¼ X 5 YDS, 12S	PG	01	01	01	01
GAUZE ABSORB W/O IODOFORM, ¼ X 5YDS	BT	01	01	01	01
PAD, POVIDONE-IODINE, IMPREG, 100S	PG	03	03	01	01
PAD, STERILE EYE PAD, 2 X 2", 50S	PG	01	01	01	01
SALICYLIC ACID PLASTER, 3 X 2", 25S	PG	01	01	01	01
THERMOMETER, CLINICAL, HUMAN O/R 70°-100°F	EA	03	03	03	03
THERMOMETER, CLINICAL, HUMAN ORAL	EA	03	03	03	03
THERMOMETER, CLINICAL, HUMAN RECTAL	EA	01	01	01	01
CATHETERIZATION PACK, URETHRAL, DISP 16FR	PG	03	03	02	02
SPLINT, FINGER, ALUMINUM, ¾ X 18", 12S	PG	03	03	01	01
AIRWAY, PHARYNGEAL SET	SE	03	03	03	03
ADVANCED AIRWAY COMBI and/or LMA	EA SE	02	02	02	02
CATHETER & CONNECTOR, SUCTIONS, TRACHEAL	EA	01	01	01	01
OXYGEN, NASAL CANNULA, 50s	PG	01	01	01	01

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
MASK. ORONASAL, PLAST, DISP, SEMI-RIGID, 50S	PG	01	01	01	01
MASK, ORONASAL, POCKET WITH OXYGEN INLET	EA	06	06	06	06
LARYNGOSCOPE, CHILD-ADULT, WISCONSIN	EA	01	01	01	01
MIRROR, LARYNGEAL, LONG HANDLE, SZ 3, ¾" DIA	EA	01	01	01	01
QuikClot NSN: 6510-010499-9295	PG	06	06	06	06
APPLICATOR, DISPOSABLE, STERILE, WOOD 100S	PG	12	12	12	12
TUNING FORK, C-128 VIBRATIONS	EA	01	01	01	01
GLOVES, SURGEON, PREPOWDERED, STERILE, APPROPRIATE SIZE FOR MEDICAL PERSONNEL	PR	24	24	24	24
HAMMER, REFLEX TESTING, TAYLOR, RUBBER, 8"	EA	01	01	01	01
QuikClot NSN: 6510-010499-9295	PG	06	06	06	06
SAW, FINGER-RING WITH BLADE	EA	01	01	01	01
BLADE, FINGER-RING SAW, STEEL, CARBON	EA	01	01	01	01
SCISSORS, BANDAGE, 5", (1 SHARP, 1 BLUNT END)	EA	03	03	03	03
SCISSORS, BANDAGE, 7", ANGLE, LISTER	EA	03	03	03	03
SCISSORS, GEN SURG, CRVD, MAYO, BLUNT PT, 5"	EA	03	03	03	03
SCISSORS, GEN SURG, STR, MAYO, BLUNT PT, 6-3/4"	EA	03	03	03	03
SCISSORS, IRIS, CURVED, 4"	EA	03	03	03	03
SCISSORS, IRIS, STRAIGHT, 4"	EA	03	03	03	03
SHEARS, PLASTER CUTTING, HAND, STILLE, 15"	EA	01	01	01	01

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
SPECULUM, NASAL, VIENNA, 5-3/4"	EA	01	01	01	01
SPECULUM, VAGINAL, GRAVES, PIVOT BLADE, 5"	EA	02	00	00	00
STETHOSCOPE, COMBO TYPE	EA	02	02	01	01
SUCTION APPARATUS, SURGICAL, 115 VOLT, AC/DC	EA	01	01	01	01
TOURNIQUET, NONPNEUMATIC, W/BUCKLE or EQUIVALENT	EA	02	02	02	02
SYRINGE, EAR IRRIGATING, METAL, PISTON TYPE	EA	01	01	01	01
GAUGE, EAR PLUG, SIZING, PLASTIC	EA	01	01	01	01
CASE, EAR PLUG, PLASTIC	EA	200	200	200	200
PLUG, EAR, FOAM, UNIVERSAL, 200S	BX	03	03	02	02
PLUG, EAR, PLASTIC, XSMALL, WHITE, 24S	PG	06	06	06	06
PLUG, EAR, PLASTIC, LARGE, BLUE, 24S	PG	06	06	06	06
PLUG, EAR, PLASTIC, XLRG, RED, 24S	PG	06	06	06	06
PLUG, EAR, RUBBER, TRIPLE-FLANG, ORANGE, 24S	PG	06	06	06	06
PLUG, EAR, RBR, SML, GREEN, TRIPLE-FLANG, 24S	PG	06	06	06	06
PLUG, EAR, PLASTIC, SMALL, GREEN, 24S	PG	06	06	06	06
PLUG, EAR, PLASTIC, MEDIUM, INTER ORANGE, 24S	PG	06	06	06	06
PLUG, EAR, SILICONE RBR, LARGE, BLUE, 24S	PG	06	06	06	06
STIRRUP ANKLE SPLINT	PG	02	02	02	02
KNEE IMMOBILIZER, MEDIUM	EA	01	01	01	01
KNEE IMMOBILIZER, LARGE	EA	01	01	01	01

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
HUMIDIFIER, OXYGEN, DIFFUSER, 400ML BT	EA	03	03	03	03
NIPPER, INGROWN TOENAIL, CONCAVE, 5"	EA	01	01	01	01
OTOSCOPE/OPHTHALMOSCOPE SET, BATTERY OPERATED	EA	01	01	01	01
SCALPELS, SURG, DISPOSABLE, W/NO 15 BLADE	PG	06	06	06	06
SCALPELS, SURG, DISPOSABLE, W/NO 11 BLADE	PG	06	06	06	06
SCALPELS, SURG, DISPOSABLE, W/NO 10 BLADE	PG	06	06	06	06
SYRINGE, IRRIGATING, SURG, DISP, 60ML, 60S	PG	01	01	01	01
SYRINGE, HYPO, STERILE, DISP, 20CC, 50S	PG	01	01	01	01
SYRINGE, HYPO, STERILE, DISP, 10CC, 100S	PG	01	01	01	01
SYRINGE, HYPO, STERILE, DISP, 5CC, 100S	PG	01	01	01	01
SYRINGE, HYPO, DISP, 3ML, 100S	EA	01	01	01	01
SYRINGE/NEEDLE, TUBERCULIN, PLAST, DISP, 100S	PG	02	02	02	02
NEEDLE, HYPO, DISP, STERILE, 18G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 20G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 21G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 22G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 26G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 23G, ¾", 100S	PG	01	01	01	01
NEEDLE, FILTER	EA	05	05	05	05
CANE, WALKING, 36", CURV HANDLE, W/O TIP	EA	01	01	01	01
CRUTCH, ADJUST, WOOD, 48-59"	PR	02	02	01	01

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
CUSHION, CRUTCH, AUX, SPONGE-RUBBER, 2S	PR	06	06	03	03
TUBE, DRAIN, SURG, DISP, 7/8" RUBBER, 12S	BX	01	01	01	01
FINGER COT, SURG, DISP, LARGE, 144S	PG	01	01	01	01
SPREADER, PLASTER CAST, STRYKER, 1-1/8"	EA	01	01	01	01
MASK, SURGICAL, NONWOVEN, CUPPED, DISP, 50S	PG	01	01	01	01
IV INJ SET, W/O NEEDLE, PLAS, DISP, 48S	PG	01	01	01	01
STOPCOCK, IV THERAPY, PLAST, DISP, STER, 50S	PG	01	01	01	01
EXTENSION SET, IV ADMIN	PG	01	01	01	01
CATH-NEEDLE, IV, 16G, DISP, 50S	PG	01	01	01	01
CATH-NEEDLE, IV, 18G, DISP, 50S	PG	01	01	01	01
CATH-NEEDLE, IV, 20G, DISP, 50S	PG	01	01	01	01
TIP, CANE/CRUTCH, 12S	PG	01	01	01	01
SPHYGMOMANOMETER, ANEROID, 300MM	EA	01	01	01	01
SPLINT, LEG, TRACTION	EA	02	02	02	02
PIN, SAFETY, CURV, ORTHO, LG, 12S	PG	01	01	01	01
SKIN MARKER, SURG, PEN TYPE, 100S	PG	.01	.01	.01	.01
ELECTROCARDIOGRAM, AUTO, PORTABLE, 115 V	EA	01	00	00	00
ELECTROSURGICAL APPAR, PORTABLE, 110V	EA	01	00	00	00
TUBE, STOMACH, SURG, LAVAGE, 30 FR, FNL, 60"	EA	2	00	00	00
SUCTION APPART, OROPHARYNGEAL, PORTABLE	EA	01	01	01	01
DEPRESSOR, TONGUE, 100S	PG	06	06	03	03

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
TOWEL PACK, SURGICAL, (DISPOSIBLE)	PG	01	01	01	01
BOWL, SURG, ALUM, 6" TOP DIAMETER	EA	03	03	01	01
CUSHION, RING, INFLAT, OVAL SHAPED, 18", 12S	PG	01	01	01	01
STAND, ADJUST, SURG INSTRUMENT	EA	01	01	01	01
STOOL, FOOT, STRAIGHT, 18", REVOLVING SEAT	EA	01	01	01	01
BAG, HOT WATER-ICE, STOPPERLESS, RUBBER, 2 QT	EA	02	02	02	02
BASIN, EMESIS, DISPOSABLE, KIDNEY SHAPED, 500ML	EA	12	12	12	12
BASIN, WASH, 9 QT DISPOSABLE	EA	12	12	12	12
BEDPAN, OVAL, DISPOSABLE	EA	02	02	01	01
BRUSH, SURG SCRUB, NYLON	EA	24	24	24	24
TRAY, INSTRUMENT, CRS, W/O COVER	EA	03	03	01	01
URINAL, MALE, 2 QT DISPOSABLE	EA	03	03	02	02
BLANKET, BURN RELIEF, STERILE, 50 X 72", 4S	PG	02	02	02	02
CHART SET, VISUAL ACUITY, DIST VISION	SE	01	01	01	01
WOODS LAMP (w/spare bulbs)	EA	01	01	01	01
CHART SET, VISUAL ACUITY, NEAR VISION	SE	01	01	01	01
FIRST AID KIT, GUN BAG	EA	20	20	20	15

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
SKIN CLOSURE, ADHESIVE, SURG, 1/4" X 4"	EA	100	100	100	100
SUTURE, NONABSORB, NYLON, ARMED, SZ 5-0, 12S	PG	02	02	02	01
SUTURE, ABSORB, SURG, SZ 4-0, VICRYL, 12S	DZ	02	02	01	01
SUTURE, ABSORB, POLY-ACID, ARMED, 4-0, 36S	EA	01	01	01	01
MINOR SURGERY KITS (DISPOSABLE)	EA	20	20	10	10
SUTURE REMOVAL KITS (DISPOSABLE)	EA	06	06	06	06
SKIN STAPLER (DISPOSABLE)	EA	02	02	02	02
SUTURE STAPLE REMOVAL KIT DISPOSABLE	EA	02	02	02	02
MEDEVAC RESCUE (SAR) LITTER	EA	04	06	03	02
TONOMETER, OPHTHAL, TONO PEN	EA	01	00	00	00
SCREWDRIVER SET, JEWELERS	SE	01	01	01	01
SEXUAL ASSAULT DETERM KIT (TO BE USED BY MO ONLY)	EA	01	00	00	00
SCALE, PERSON, WEIGHT, 300LBS	EA	01	01	01	01
PILLOWCASE, COTTON or DISPOSABLE	EA	06	06	02	02
PILLOW, BED, POLY, NONALLERG, 20 X 26"	EA	06	04	02	02
SHEET, BED, COTTON-POLY or DISPOSABLE	EA	06	06	02	02
TOWEL. HAND, COTTON, NONDISP, 36" X 17"	EA	12	12	12	12
INSECT REPELLENT, CLOTH & SKIN, DEET, 20Z, 12S	BT	10	10	10	10
BEDSPREAD, COTTON	EA	06	06	03	03
BLANKET, BED, WOOL	EA	12	12	06	06

**MEDICAL SURGICAL SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
BLANKET BED, SYNTHETIC	EA	12	12	12	12
BASIN, WASH, CRS, 4 QT, HAND BASIN	EA	02	02	01	01
PAIL, UTILITY, 12" HIGH, 12 QT	EA	01	01	01	01
POUCH, HUMAN REMAINS	EA	06	06	06	06



## CHAPTER 4. PHARMACEUTICALS

### A. General Information.

1. Point of contact for information related to pharmaceuticals, pharmacy supplies and references is (1) MLC (k) Regional Pharmacy Officer or (2) Commandant (CG-1122), Pharmacy Program Coordinator.
2. All medications shall be prescribed in accordance with the Coast Guard Medical Manual COMDTINST M 6000.1 (series).
3. HSs assigned to Class 2 units shall maintain drug formularies consisting of:
  - a. 90 day supply of products, based on HS preference, selected from the Standardized Health Services Technician Drug Formulary COMDTINST 6570.1 (series).
  - b. HSAL medications required by this Manual.
  - c. A limited quantity of other medications for which crewmembers have prescriptions. These medications should only be used for the crewmember with a previous prescription unless medical officer consultation directs their use for another crewmember and/or patient. Upon discontinuance of the medication or PCS of the crewmember, the medication shall be returned immediately to the CG pharmacy responsible for the vessel.
  - d. Items authorized for distribution via the Coast Guard Nonprescription Medication Program.
  - e. Other medications authorized in writing by their Designated Medical Officer Advisor or a local contract prescriber. The stocking of any other medications on Class 2 vessels is NOT authorized.
4. Pharmaceuticals are expiration dated and shall be rotated to avoid waste. It is the HS's responsibility to minimize waste by maximizing stock rotation through their collateral pharmacy officer.
5. Only the controlled substances listed are authorized for procurement by Class 2 units. Units should contact their responsible pharmacy officer for obtaining the required controlled medications. All controlled substance transaction records shall be kept for three years.
6. All pharmaceuticals are pharmacy officer-supplied items. Consult the collateral pharmacy officer responsible for your unit for procurement request and information.
7. The "Notes" Section of this list uses the following codes:
  - "C" Controlled Substance
  - "R" Refrigerated Item
8. Also enclosed in this section is the list of items authorized for use in over-the-counter programs if the unit should opt to provide this service. Other information concerning this program can be found in Medical Manual, COMDTINST M6000.1 (series).
9. Manufacturer's drug samples are not authorized and shall not be stored or used on Class 2 units.

## B. Required Pharmaceuticals

## 1. ANALGESICS.

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
ACETAMINOPHEN & CODEINE 30 MG TABS, 100s	BT	01	01	01	01	C
ISOMETHEPTENE, DICHLORALPHEN, ACET CAP, 100s	BT	01	00	00	00	C
MORPHINE SULF INJ 10MG/ML, 1 ML, 10s	BX	10	04	02	01	C
OXYCODONE HCL AND ACETAMINOPHEN TABS, 100s	BT	01	01	01	01	C
PHENAZOPYRIDINE HCL 100 MG TAB, 100s	BT	01	01	01	01	
IBUPROFEN 800 MG TABS, 500s	BT	02	01	01	01	
MEPERIDINE HCL 100 MG/ML, 1ML, 10s	BX	02	02	01	01	C

## 2. ANTIBIOTICS / ANTI-INFECTIVES.

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
ACYCLOVIR 200 MG CAPS, 100s	BT	01	01	01	01	
AMOXICILLIN 250 MG CAPS, 100s	BT	12	12	12	06	
CEFAZOLIN SOD INJ 1 GM	EA	06	04	02	02	
CEFTRIAZONE SOD INJ 1 GM, 10s	PG	01	01	01	0.5	
CEPHALEXIN 500 MG CAP, 100s	BT	01	01	01	01	
CHLOROQUINE PHOS 500MG TAB, 25s	BT	*	*	*	*	

**ANTIBIOTICS / ANTI-INFECTIVES (cont).**

CIPROFLOXACIN HCL 500 MG TABS, 100s	BT	06 **	06 **	04 **	01 **	
DOXYCYCLINE 100 MG TABS, 500s	BT	04 ***	04 ***	04 ***	04 ***	
ERYTHROMYCIN 250 MG E.C. TAB, 500s	BT	02	02	01	01	
METRONIDAZOLE 250 MG TABS, 250s	BT	01	01	01	01	
PENICILLIN VK TAB 250 MG, 100s	BT	06	06	06	03	
SULFAMETHOXAZOLE/TRIMETHOPRIM DS TAB, 250s	BT	01	01	01	01	
CLINDAMYCIN 150 MG, CAPS 100s	BT	01	01	01	01	
AMPICILLIN SOD/SULBACTAM SOD (UNASYN) 3 GM VIALS  (MO ordered only)	VI	14	04	04	04	
AZITHROMYCIN 250MG TABS 6's (Z-PACK)	EA	06	06	06	06	
AMOXICILLIN / CLAVULANATE POTASSIUM (AUGMENTIN) 875MG, 30s	BT	02	02	01	01	

- \* ITEM TO BE PROCURED ONLY WHEN ADVISED OF DEPLOYMENT TO CHLOROQUINE-SENSITIVE MALARIA AREA.
- \*\* ALLOWANCE QUANTITY IS FOR NON-CBR PURPOSES ONLY. REQUIREMENT TO INCREASE QUANTITIES FOR CBR PURPOSES IS AT THE DIRECTION OF THE AREA COMMANDER. CURRENT QUANTITY REQUIREMENT IS THIRTY 500MG TABLETS PER CREWMEMBER WHEN DEPLOYED UNDER A POTENTIAL CBR ENVIRONMENT. CONTACT COGNIZANT MLC (K) PHARMACY OFFICER TO VERIFY THAT REQUIREMENTS ARE CURRENT/VALID FOR A SPECIFIC DEPLOYMENT.
- \*\*\* ADDITIONAL QUANTITIES WILL BE REQUIRED WHEN DEPLOYING TO CHLOROQUINE-RESISTANT MALARIA AREAS.

**3. ANTI-INFLAMMATORY.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
DEXAMETHASONE SOD PHOS INJ 4 MG/ML, 5 ML	VI	02	02	01	01	
PREDNISONE 5 MG TAB, 100s	BT	05	05	03	01	
SOLU MEDROL INJ VIALS 125mg	VI	01	00	00	00	

**4. ASTHMA.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
ALBUTEROL MDI, 17 GM, 200 DOSES	PG	04	04	02	02	
ALBUTEROL SULFATE INH SOLN 0.083%, 3ML, 25s	PG	01	01	01	01	
EPINEPHRINE HCL INJ, 1:1000, 1 ML, 10s	PG	02	02	02	02	
NEBULIZER, (FOR USE WITH ALBUTEROL), 10s	PG	04	04	04	04	

**5. CARDIAC / ANTIHYPERTENSIVE.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
FUROSEMIDE 10 MG/ML INJ, 4 ML, 5s	BX	01	00	00	00	
NITROGLYCERIN TABS SL 0.4 MG, 25s	BT	04	04	04	04	
CARDIAC DRUG BOX (AS PER PROTOCOLS)	KT	01	00	00	00	

**6. CONTRACEPTIVE / GYNECOLOGICAL.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
CLOTRIMAZOLE 1% VAGINAL CREAM/APP, 45 GM	PG	12	06	06	03	
CONDOM (WITH NONOXYNOL-9), 3s x 48	PG	02	02	02	02	
CONDOM, FEMALE, 3s	PG	02	02	01	01	
CONTRACEPTIVE FOAM, 20 GM	PG	06	06	06	06	

**7. GASTROINTESTINAL.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
CHARCOAL 50 GM IN WATER, 240 ML	BT	02	02	02	02	
DOCUSATE SODIUM 100 MG CAPS, 100s	BT	03	03	01	01	
PROMETHAZINE 25 MG SUPPOSITORIES, 12s	BX	04	04	02	01	
PROMETHAZINE 25 MG/ML INJ, 1 ML, 10s	BX	02	02	02	02	
RANITIDINE 150 MG TAB, 60s	BT	02	01	01	01	
SODIUM PHOSPHATES ENEMA, DISPOSABLE, 133 ML	BT	06	06	02	02	
LOPERAMIDE HCL 2 MG CAPS, 100s	BT	01	01	01	01	

**8. IMMUNIZATIONS.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
TETANUS, REDUCED DIPHTHERIA, and ACELLULAR PERTUSSIS (Adult & Adol), Adacel 5 ML	BT	03	03	02	02	R

**9. MISCELLANEOUS.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
DEXTROSE INJ 5%, 1000 ML BAG	EA	12	12	12	12	
DIPHENHYDRAMINE 50 MG/ML INJ, 1 ML, 10s	BX	01	01	01	0.5	
LIDOCAINE 1% WITH EPINEPHRINE, 20 ML	BT	04	04	02	02	
LIDOCAINE HCL INJ 1% W/O EPI, 50 ML	BT	04	04	02	02	
CODEINE PO4/GUIA SYRUP, 4 FL.OZ	BT	12	12	12	12	C
GLUCOSE 40% GEL, 31 GM, 3s	PG	02	02	02	01	
NALOXONE HCL INJ 0.4 MG/ML, 10 ML	VI	02	02	01	01	
RINGERS INJ, LACTATED, 1000 ML BAGS	EA	24	24	12	12	
SODIUM CHLORIDE 0.9%, INJ, 1000 ML	EA	24	24	12	12	
WATER FOR INJECTION, STERILE, 5 ML, 25s	PG	01	01	01	01	

ITEMS LISTED BELOW ARE ONLY REQUIRED FOR UNITS HAVING A CBR WARFARE REQUIREMENT SEE REQUIREMENTS IN CHAPTER 2.

**CBR WARFARE**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
ATROPINE INJ, AUTOMATIC, 2 MG/0.7 ML	EA					
ATROPINE SULF INJ USP 2 MG/ML, 25 ML, (1 VIAL PER EVERY 4 PERSONNEL)	BT					
PRALIDOXIME INJ, AUTOMATIC, 300 MG/2 ML	EA					
CONVULSANT ANTIDOTE NERVE AGENT (CANA), (DIAZEPAM 5 MG/ML 2 ML AUTOINJECTOR SYRINGE)	EA					C

**10. OPHTHALMICS.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
FLUORESCEIN SODIUM OPHTH STRIPS, 1 MG, 150s	PG	01	01	01	01	
GENTAMICIN 3 MG/ML OPHTH SOL, 5 ML	BT	02	02	02	02	
GENTAMICIN OPHTH OINT 0.3 %, 1/8 OZ	TU	02	02	02	02	
TETRACAINE 0.5% OPHTH SOL, 15 ML	BT	03	02	01	01	
SULFACETAMIDE 10% OPTH SOL, 15ML (SULFAMETHOXIZOLE)	BT	03	03	03	03	
ERYTHROMYCIN OPTH SOL	BT	03	03	03	03	
ERYTHROMYCIN OPHTH OINT	TU	03	03	03	03	

**11. OTICS.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
CARBAMIDE PEROXIDE OTIC SOLN, 0.5 OZ	BT	03	03	01	01	
NEOMYCIN/POLYMYX/HYDROCORT OTIC SUSP, 10 ML	PG	06	06	03	03	
ANTIPYRINE / BENSOCAINE / GLYCERIN (AURALGAN) OTIC SOLN 10ML	BT	01	01	01	01	

**12. PSYCHOTROPICS / NEUROLOGICAL.**

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
DIAZEPAM 5 MG TAB, 100s (strip packed)	PG	01	01	01	01	C
DIAZEPAM INJ USP 5 MG/ML, 2 ML, 10s	PG	01	01	0.5	0.5	C
HALOPERIDOL INJ USP, 5 MG/ML, 1 ML, 10s	PG	0.5	0.5	0.5	0.5	

## 13. TOPICALS.

Nomenclature	U/I	Class				Notes
		2A	2B	2C	2D	
BENZOIN TINCTURE CPD, 1 PT	CN	01	01	01	01	
CLOTRIMAZOLE 1% CREAM, 15 GM	TU	06	06	03	03	
PERMETHRINS (ELIMITE) LOTION 60 ML	TU	06	06	03	03	
PERMETHRINS (NIX) SHAMPOO 60 ML	BT	08	06	04	04	
POVIDONE IODINE SKIN CLEANSER, 7.5%, 118 ML	BT	12	12	06	06	
SODIUM CHLORIDE FOR IRRIGATION, STERILE 1000 ML	BT	12	12	06	06	
POVIDONE-IODINE SOL, 10%, 15 ML	BT	50	50	50	50	
SULFADIAZINE SILVER CR 1%, 85 GM	TU	06	06	03	03	
SULFADIAZINE SILVER CR 1%, 85 GM	TU	06	06	03	03	
TRANSDERMAL SCOPALOMINE 1.5 MG PATCHES, 4s	PG	10	06	06	03	
TRIAMCINOLONE ACET CR, 0.1%, 15 GM	TU	12	12	06	06	
TRIAMCINOLONE ACET DENTAL PASTE 0.1%, 5 GM	TU	06	06	03	03	

C - Controlled item

R - Refrigerate



## CHAPTER 5. RADIOLOGY EQUIPMENT AND SUPPLIES

### A. General Information.

1. Point of contact for information concerning radiology equipment and supplies is Commandant (CG-112), Radiology Program Manager.
2. This section applies to CLASS 2A vessels only (ICEBREAKERS)
3. The following is the minimum requirements for x-ray equipment and supplies which shall be maintained onboard class 2A vessels.

### B. Required Radiology Equipment and Supplies.

#### **RADIOLOGY EQUIPMENT AND SUPPLIES.**

NOMENCLATURE	U/I	2A
CALIPER, X-RAY TECHNIQUE, 1 FIXED AND 1 SLIDING JAW, GRADUATED AT 1 CM INTERVALS FOR MEASURING THICKNESS OF BODY PARTS	EA	01
ILLUMINATOR, X-RAY FILM, FLOURESCENT ILLUMINATED, 110V, 60 CYC, AC, 30W, FOR VIEWING RADIOGRAPHICS UP TO 14 X 17 IN, WALL MOUNTED OR FREE STANDING.	EA	01
STANDARD TECHNIQUE CHART (WITH PICTURES/TUBE TILT/ANATOMICAL POSITIONS)	EA	01
GONAD SHIELD	EA	01
BLOCKER SET, X-RAY FILM IDENTIFICATION, RADIOPAQUE, CONSIST OF 4 BLOCKER SHIELDS	SE	01

**RADIOLOGY EQUIPMENT AND SUPPLIES (cont).**

POLAROID TYPE 803 8" X 10" FILM	PG	01
POLAROID PROCESSOR, PORTABLE	EA	01

## CHAPTER 6 - LABORATORY EQUIPMENT AND SUPPLIES

### A. General Information.

1. POC for information in this chapter is Commandant (CG-112), Laboratory Technical Consultant.
2. This section applies to clinical laboratory equipment and supplies for all CLASS 2 vessels.
3. The following is the minimum requirements for clinical laboratory equipment and supplies, which shall be, maintained onboard CLASS 2 vessels.

### B. Required Laboratory Equipment and Supplies.

#### LABORATORY EQUIPMENT AND SUPPLIES.

Item	U/I	Class			
		2A	2B	2C	2D
TOURNIQUET, NONPNEUMATIC, RUBBER, 14" X 1"	EA	02	02	02	02
NEEDLE, VACCUTAINER, STERILE, DISPOSABLE, 20 GA, 100S	PG	01	01	01	01
CUP, SPECIMEN DISPOSABLE, 100S	PG	01	01	01	01
DISPOSABLE CONTAINER, HYPO NEEDLE & SYRINGE, PLASTIC, 20S	PG	01	01	01	01
BAG, BIOHAZARD, DISP, 26" X 18", 200S	PG	01	01	01	01
TEST KIT, OCCULT BLOOD	E	01	01	01	01
TEST KIT, MONONUCLEOSIS DETERMINATION, 20 TESTS	EA	01	01	01	01
URINE TEST STRIPS AND COLOR CHART,	BT	02	01	01	01
TEST KIT, HUMAN CHORIONIC GONADOTROPIN, ANTIBODY DETERMINATION, 24s	EA	01	01	01	01

**LABORATORY EQUIPMENT AND SUPPLIES (cont).**

Item	U/I	Class			
		2A	2B	2C	2D
TUBE, BLOOD COLLECTING, NONSTERILE VACUUM, 7ML, W/O ANTICOAGULANT RED TOP, 100S	PG	01	01	01	01
TUBE, BLOOD COLLECTING, VACUUM, 7ML, W/ EDTA, LAVENDER TOP, 100S	PG	01	01	01	01
TUBE, BLOOD COLLECTING, VACUUM, 7ML, W/ NaF, GRAY TOP, 100S	PG	01	01	01	01
HOLDER, BLOOD COLLECTING TUBE, PLASTICS 10S	PG	01	01	01	01
RACK, TEST TUBE, FOLDING ALUMINIUM, 20 TUBES	EA	01			
STAT SITE M HGB METER	EA	01	01	01	01
HGB METER TEST CARDS and TRANSFER TUBES	PG	01	01	01	01
GLUCOMETER	EA	01	01	01	01
GLUCOMETER TEST STRIPS	PG	01	01	01	01
STREP TEST KIT	KT	01	01	01	01

## CHAPTER 7 - DENTAL SUPPLIES AND EQUIPMENT

### A. General Information.

1. Point of contact for comments/information related to dental equipment and supplies is Commandant (CG-1122), Dental Program Manager.
2. The best way to deal with dental emergencies is to prevent them. HSs must pay close attention to the dental health status of their crewmembers, ensuring that required examinations and treatment are completed before getting underway.
3. Nevertheless, the nature of sea duty is such that dental emergencies will arise periodically. While rarely serious, these emergencies can be extremely painful and can serve to debilitate any sailor. A working knowledge of the drug locker, especially antibiotic and analgesic medications, is essential in the management of dental emergencies at sea.

### B. Required Dental Equipment and Supplies.

The following are the minimum requirements for dental instruments, equipment, and supplies, which shall be maintained onboard vessels. Items needing sterilization shall be sterilized (as needed) by your supporting clinic. Disposable items are authorized and encouraged if available.

#### DENTAL EQUIPMENT AND SUPPLIES.

Nomenclature	U/I	Class			
		2A	2B	2C	2D
EUGENOL USP 1 OZ	BT	01	01	01	01
ORAL PROTECTIVE PASTE (ORABASE)	TU	01	01	01	01
GAUZE, ABSORB. IODOFOR IMPREG 25" X 5YD 12S	PG	01	01	01	01
SCISSORS, IRIS, CURVE	EA	01	01	01	01
EXPLORER, DENTAL (NO. 23)	EA	06	06	03	03
IRM	PG	01	01	01	01
PLUGGER, PLASTIC FILLING, DENTAL, SINGLE ENDED (WOODSON NO.3)	Ea	01	01	01	01
MOUTH EXAMINING MIRROR (DISPOSABLE)	EA	06	06	03	03

**DENTAL EQUIPMENT AND SUPPLIES (cont).**

Nomenclature	U/I	Class			
		2A	2B	2C	2D
FORCEPS, DRESSING, ANGULAR JAWS, TWEEZER TYPE, 6-7/4 IN (NO.17)	EA	02	02	01	01
PLUGGER, AMALGAM, DENTAL SINGLE ENDED, BLACK (NO. 2)	Ea	01	01	01	01
SPATULA, DNTL (NO. 324)	Ea	01	01	01	01
CARVER, DENTAL, AMALGAM & WAX, DOUBLE ENDED, WALLS (NO.3)	Ea	01	01	01	01
EXCAVATOR, HATCHET SHAPED BLADE DENTAL, NO. 17 AND 18	Ea	01	01	01	01
MIXING PAD, PAPER, DENTAL POLYM. 6" X 6" 10s	Ea	01	01	01	01

## CHAPTER 8. ENVIRONMENTAL HEALTH

### A. General Information.

1. Point of contact for comments/information related to environmental health equipment and supplies is Commandant (CG-1132), Environmental Health Program Manager.
2. The commanding officer is responsible for the health and readiness of the command (Medical Manual COMDTINST M6000.1B, Chapter 1). The health services department is charged with advising the commanding officer of conditions existing that may be detrimental to the health of personnel and for making appropriate recommendations for correcting such conditions. Meticulous attention to all details and aspects of preventing disease must be a continuing program. It is imperative that shipboard and station sanitation and preventive health practices be reviewed constantly in order that any disease-promoting situation may be discovered immediately and promptly eradicated.
3. Environmental health includes the following program areas:
  - a. Food service sanitation
  - b. Potable water supply
  - c. Pest control
  - d. Habitability
  - e. Wastewater treatment and disposal
  - f. Disease control
  - g. Exposure to chemical, physical, or biological agents

### B. Required Environmental Health Equipment and Supplies.

1. The following are the minimum requirements for environmental health equipment, and supplies, which shall be, maintained onboard vessels. All listed items are standard stock.

#### ENVIRONMENTAL HEALTH EQUIPMENT AND SUPPLIES.

Nomenclature	U/I	Class			
		2A	2B	2C	2D
SMART II COLORIMETER	SE	01	01	01	01
COMPARATOR SET, COLOR CHLORINE - BROMINE & PH DETERMINATION, DPD METHOD	SE	01	01	01	01
COLILERT, BACTERIOLOGICAL WATER TEST STARTER KIT (CAT. # WP600), IDEXX LABORATORIES INC., ONE IDEXX DRIVE, WESTBROOK, ME 04092 (800) 321-0207	EA	01	01	01	01
TABLE TOP INCUBATER FOR WATER TESTING (CONTACT MLC FOR PURCHASING GUIDANCE)	EA	01	01	01	01

**ENVIRONMENTAL HEALTH EQUIPMENT AND SUPPLIES (cont).**

Nomenclature	U/I	Class			
		2A	2B	2C	2D
QUESTEMP HEAT STRESS MONITOR (WBGT METER) QUEST ELECTRONICS 510 S. WORTHINGTON OCONOMOWOC, WI 53066 (414) 567-4047 *(SECOND UNIT TO BE USED AS BACKUP WHILE PRIMARY UNIT IS BEING CALIBRATED OR REPAIRED)	EA	02	02	02	02
THERMOMETER, POCKET MAX-REGISTERING (PART #07293) ADAMS-BURCH, INC. 5556 TUXEDO RD. 20781 (800) 347-8093	Ea	01	01	01	01
THERMOMETER, STICK TYPE (PART #06017) ADAMS-BURCH, INC. 5556 TUXEDO ROAD TUXEDO, MD 20781 (800) 347-8093	Ea	01	01	01	01