



COMDTNOTE 6700  
23 APR 1991

COMMANDANT NOTICE 6700

CANCELED: 23 OCT 1991

Subj: CH-1 to COMDTINST M6700.7A, Health Services Allowance List, Part 3 (Shore Units and Vessels)

1. PURPOSE. This Notice publishes revisions to Commandant Instruction M6700.7A.
2. DISCUSSION. Recent review of Health Services Allowance List, Part 3 (Shore Units and Vessels), has revealed the need for alteration due to changes in therapy and drug availability. This change is intended to minimize waste due to unnecessary procurement and loss due to expiration of medications.
3. SUMMARY OF CHANGES. The enclosed updated list contains required minimums for items in the 6505 Federal stock class (Drugs, Biologicals, and Official Reagents).
4. ACTION. Remove and insert the following pages:

Remove:

page i  
pages 2-3 to 2-4  
pages 5-1 to 5-5  
pages 11-1 to 11-2

Insert:

page i, CH-1  
pages 2-3 to 2-4, CH-1  
pages 5-1 to 5-3, CH-1

MICHAEL HUDGINS  
Chief, Office of Health and Safety

Encl: (1) CH-1 to COMDTINST M6700.7A

Non-Standard Distribution:

C:b Cape May and Chicago only (1)

C:e Less Chicago and Wilmington (1)

C:v Less Estartit, Lampedusa, Gesashi, Sellia Marina, Hokkaido, Iwo Jima, Attu, Kure Island, Marcus Island, Port Clarence, St. Paul Island, Tok, Yap, and Kargaburun (1)



Commandant (G-KMA-4)  
United States Coast Guard

MAILING ADDRESS:  
Washington, DC 20590-0001  
(202) 366-0937

COMDTINST M6700.7A

25 FEB 1987

## COMMANDANT INSTRUCTION M6700.7A

Subj: Health Services Allowance List, Part 3 (Shore Units and Vessels)

1. PURPOSE. This manual instruction provides Class 3 units with basic required stock levels of health care materials.
2. DIRECTIVES AFFECTED. The Medical Allowance List, COMDTINST M6700.7, Part 3 is hereby canceled.
3. CHANGES. Changes to this manual instruction will be promulgated by consecutively numbered changes. Additions, deletions, and other changes will also be published in Commandant Notices 6700.
4. ACTION. Unit commanding officers shall ensure that personnel concerned with procuring health care material carefully follow the instructions contained herein.

E. F. BLASSER  
Chief, Office of Health Services

### NON-STANDARD DISTRIBUTION:

- B:e USCG Standard Academy, HS "A" School (5), Superintendent (1)
- C:b Cape May and Chicago only (1)
- C:e Less Chicago and Wilmimington (1)
- C:i Less Fort Lauderdale, St. Petersburg, Key West, Sabine, Port O'Connor, Port Isabel, Eaton's Neck, and San Francisco (1)
- C:v Less Estartit, Lampedusa, Gesashi, Sellia Marina, Hokkaido, Iwo Jima, Attu, Kure Island, Marcus Island, Port Clarence, St. Paul Island, Tok, Yap, and Kargaburun (1)

TABLE OF CONTENTS

|   | <u>PAGE</u> |
|---|-------------|
| CHAPTER 1 - HEALTH SERVICES ALLOWANCE LIST INSTRUCTIONS   |             |
| A. General Instructions .....   | 1-1         |
| B. Instructions for Requisitioning Health Care Reference<br>Books and Publications .....  | 1-3         |
| C. Report of Shipment (RESHIP) .....  | 1-3         |
| D. Instructions for Reporting Unsatisfactory Shipments<br>and for Reporting Defective or Unsatisfactory<br>Health Care Material ..... | 1-4         |
| CHAPTER 2 - INSTRUCTIONS FOR MAINTAINING, ISSUING, AND<br>INVENTORYING HEALTH CARE SUPPLIES AND EQUIPMENT                             |             |
| A. General .....  | 2-1         |
| B. First Aid Kits (General Purpose, Liferaft, and<br>Individual) .....  | 2-2         |
| C. Antidote Locker .....  | 2-3         |
| CHAPTER 3 - REQUIRED HEALTH CARE PUBLICATIONS .....   | 3-1         |
| CHAPTER 4 - MISCELLANEOUS ITEMS (1000-6499) .....   | 4-1         |
| CHAPTER 5 - DRUGS, BIOLOGICALS, AND OFFICIAL REAGENTS (6505-6508)   | 5-1         |
| CHAPTER 6 - SURGICAL DRESSING MATERIALS (6510) .....  | 6-1         |
| CHAPTER 7 - SURGICAL INSTRUMENTS, EQUIPMENT, AND<br>SUPPLIES (6535-6515) .....  | 7-1         |
| CHAPTER 8 - HOSPITAL FURNITURE, EQUIPMENT, UTENSILS, AND<br>SUPPLIES (6530) .....   | 8-1         |
| CHAPTER 9 - SETS, KITS, AND OUTFITS (6545) .....  | 9-1         |
| CHAPTER 10 - ITEMS OF HEALTH CARE MATERIAL ONLY (6700-9500) .....   | 10-1        |

## CHAPTER 1. HEALTH SERVICES ALLOWANCE LIST INSTRUCTIONS

### A. General Instructions.

1. The Health Service Allowance List, COMDTINST M6700.7A is a list of health care materials (books, publications, consumable supplies, minor equipment, sets, kits, and outfits). It sets minimum requirements for Class 3 units.
2. All shore units and vessels without health services personnel assigned are designated as Class 3 as follows:  
  
Class 3A Shore units without health services personnel - ten or more personnel assigned  
  
Class 3B Shore units without health services personnel - nine or less personnel assigned  
  
Class 3C Vessels without health services personnel - ten or more personnel assigned  
  
Class 3D Vessels without health services personnel - nine or less personnel assigned
3. Group commanders, captain of the port offices, port security units, stations etc., shall provide health care support to subunits under their operational control (e.g., search and rescue small craft). This support shall include: first-aid kits and components parts, litters, splints, and other items required by Boat Outfitting Lists, this manual, and operational demands.
4. Each unit is responsible to fund the health care supplies listed in this manual. If unit funds are insufficient, a request with adequate justification for additional funding shall be submitted to the cognizant district commander.
5. Complete requisitioning instructions for the items contained herein are included in this manual and in the following publications:
  - a. Medical Manual: COMDTINST M6000.1 (series)
  - b. Comptrollers Manual.
  - c. Commandant Instructions and Notices:
  - d. Directives Publications and Reports Index COMDTNOTE 5600; and
  - e. District Instructions and Notices.

6. When health care supplies are ordered from DPSC, use advise code 2D - Advice code 2D means - Furnish exact quantity requested (i.e., do not adjust to unit pack quantity).
7. Coast Guard Reserve units shall continue to obtain health care supple support in accordance with current cognizant district instructions and notices.
8. Items that are added to this list from time-to-time shall not be requisitioned if a similar item on hand is functionally adequate to accomplish the intended purpose.
9. Units shall maintain the minimum required quantities listed herein for their respective unit.
10. Items ordered in excess of the unit's minimum required amounts shall be limited to a three month supply at normal usage rates, with the exception of overseas units which are limited to a six month supply at normal usage rates.
11. Recruiting stations and other similar units are not required to maintain the minimum required quantities of Class 3 health care materials listed in this manual. Since most of these units are located within close proximity to competent health care, supplies shall be limited to those required by operational demands (i.e., aspirin, bandaids, etc.).
12. Personnel charged with the custody of health are supplies and equipment shall observe the Defense Supply Agency's established expiration date noted in/on the package container.
13. Recommendations for additions, deletions, or other changes to the Health Services Allowance List shall be submitted, via the chain of command, to the Commandant (G-KMA).
14. The below list of "Notes" and their definitions indicate any special requirements for handling or storage of items.

| <u>NOTE</u> | <u>EXPLANATION</u>   |
|-------------|--|
| D           | Subject to deterioration in a period of 36 months or less.                                       |
| F           | Subject to damage by freezing. Shall normally be ordered during months of March through October. |
| I           | Flammable or oxidizing.  |

(cont'd)

| <u>NOTE</u> | <u>EXPLANATION</u>                            |
|-------------|---|
| P           | Item has a potency period or expiration date. |

15. The following is a list of unit of issues and an explanation of each one.

| <u>UI</u> | <u>EXPLANATION</u> |
|-----------|--------------------|
| BT        | BOTTLE             |
| BX        | BOX                |
| CN        | CAN                |
| EA        | EACH               |
| PG        | PACKAGE            |
| RO        | ROLL               |
| SL        | SPOOL              |
| TU        | TUBE               |

B. Instructions for Requisitioning Health Care Reference Books and Publications.

1. This manual contains a list of the minimum required reference books and publications for all Class 3 units.
2. Publications shall be requisitioned directly from:

| <u>Routing ID</u> | <u>Address</u>  | <u>Form</u>   |
|-------------------|---|---|
| NFZ               | Navy Publications & Form Center<br>5801 Tabor Avenue<br>Philadelphia, PA 19120-5099 | DD-1348 6 PT.<br>Requisition<br>System<br>Document<br>(Manual)Milstrip<br>or Defense<br>Automatic Addressing<br>System (DAAS) |

C. Report of Shipment (RESHIP). The requisitioner will receive a RESHIP by telephone, teletype, or message for all shipments by commercial carriers, except those to air water or terminals for movement via Defense Transportation System. The following information will be furnished:

1. Bill of Lading (BL) number;
2. document identification, i.e., Transportation Control Number (TCN); requisition number, contract or purchase order number;
3. item identification number if other than BL number, such as air bill or air express receipt number;
4. route (all participating carriers);
5. carriers identification number other than BL number, such as air bill or air express receipt number;
6. flight number, when appropriate;
7. departure time (date/hour);
8. estimated delivery time, indicated on the BL as DD;
9. deadline delivery time--date/hour (a.m. or p.m.) that must be returned to refrigeration/freezer or re-iced; and
10. a request for the requisitioner to contact the local carrier to trace and expedite delivery if not received by the estimated delivery time.

D. Instructions for Reporting Unsatisfactory Shipments and for Reporting Defective or Unsatisfactory Health Care Material.

1. Adjustments for unsatisfactory shipments and billing adjustments fall into the following categories:
  - a. Shortage in Quantity. Amount received is less than the quantity indicated on DOD Single Line Item/Release Receipt Document, DD-1348-1.
  - b. Overage in Quantity. Amount received is greater than quantity indicated on DD-1348-1.
  - c. Material Damaged. Material received in such damaged condition as to render it unusable.
  - d. Material with Latent Defects. Material received in poor condition (no fault of transportation company), such as: potency expired, material deteriorated, etc.
  - e. Lost Shipment. Follow-up reply received from Requisition Processing Point (RPP) indicates material shipped from supply source and not received at the requisitioning unit.
  - f. Duplicate Shipments. Two or more shipments received under the same document number with quantity totaling more than indicated on one document.



- g. Erroneous Shipment. Incorrect material received.
2. The following procedures shall be accomplished by the requisitioner to report one or more of the above listed defects:
- a. Defects amounting to less than \$100.00 per line item extension cost for each shipment - no action is required. The loss shall be absorbed by the unit concerned. If the total amount lost is deemed excessive by the unit and cannot be absorbed, a request with adequate justification may be submitted to the cognizant district commander for possible assistance.
  - b. When the single line item extension cost is over \$100.00 and the storage, damage, or loss is attributed to the carrier, the requisitioner shall prepare and submit a Discrepancy in Shipment Report (SF-361) along with a copy of the Bill of Lading to:  
  
DPSC (Defense Personnel Support Center)  
ASCI Section  
2800 South 20th Street  
Philadelphia, PA 19101
  - c. When the single line item extension cost is over \$100.00 and the material is received with latent defects, the requisitioner shall Submit a Report of Item Discrepancy (SF-364) to the above address.
3. Defective or unsatisfactory health care material is classified as follows:
- a. Type 1. Material determined by use or test to be harmful or defective to the extent that use has caused or may cause death or illness.
  - b. Type 2. Material suspected of being harmful, defective, deteriorated, or otherwise unsuitable for use.
  - c. Type 3. Equipment determined to be unsatisfactory because of malfunction, design, defects (attributable to faulty material, workmanship and/or quality inspection), or performance.
4. Report defective or unsatisfactory health care material in accordance with instructions contained herein. However, prior to submitting the report, have the inadequacy or undesirability of the item thoroughly evaluated by professional, supply, or maintenance personnel where practical. Report only those items that are injurious or unsatisfactory due to inherent characteristics. Do not report items involving idiosyncrasies or sensitivities of individual patients.

5. When an item is suspected or determined to be Type 1 Type 2 defective or unsatisfactory, immediately suspend the entire quantity on hand from issue and use. To protect patients from possible accidental use of suspected defective material, all suspected/suspended items regardless of location shall be segregated and conspicuously marked to prevent issue or use pending receipt of disposition instructions.
6. If required, samples of material reported as defective or unsatisfactory will be requested from the reporting unit. Samples of material furnished shall, unless otherwise indicated, be expended from the records and accounted for as a loss by survey referencing this manual as authority.
7. Reports of defective or unsatisfactory material shall indicate at the beginning whether they are Type 1, Type 2, or Type 3 complaints. Reports of each type shall be submitted in accordance with the instructions specified below:
  - a. Type 1 Complaint.
    - (1) Submit by PRIORITY MESSAGE to DPSC Philadelphia, PA/Medical.
    - (2) Information addressees include:
      - (a) Commandant (G-KOM);
      - (b) Defense Medical Standardization Board (DMSB), Ft.Dietrich, MD;
      - (c) NAVMEDMATSUPPCOM, Ft. Dietrich, MD; and
      - (d) Cognizant District or Area Commander.
    - (3) Information required:
      - (a) NATO Stock Number - item name (report all stock numbers appearing on the unit containers);
      - (b) lot number/control number/manufacturer's serial number/model number, as appropriate;
      - (c) name of manufacturer, date of manufacture, date packed, and expiration date;
      - (d) contract number and name of contractor of other than manufacturer (use extreme care when attempting to determine the contract or purchase order number when defects are the contractor's responsibility);

- (e) source from which material was received;
- (f) cause of complaint, defect, or malfunction;
- (g) total number of reactions of any type;
- (h) the number of severe or unusual reactions;
- (i) number of adverse reactions requiring hospitalization and length of hospitalization;
- (j) describe in detail the nature of adverse reactions (fever, symptoms, etc.) including the age, sex, and other significant data concerning each patient to whom the material was administered;
- (k) total number of persons to whom the material was administered or number of incidents wherein the failure of equipment to function properly caused untoward patient reactions;
- (l) complete details of circumstances under which the material was administered and the technique used;
- (m) quantity suspended, if equipment, quantity unfit for issue; and
- (n) name and telephone number of personnel most familiar with the case.

b. Type 2 and 3 Complaints.

- (1) Submit a letter report, original and four (4) copies, to:

Commander  
Defense Personnel Support Center  
Directorate of Medical Material (Code ATQ)  
2800 South 20th Street  
Philadelphia, PA 19101

- (2) Provide additional copies to:

- (a) Commandant (G-KOM)  
U. S. Coast Guard  
Washington, DC 20590-0001
- (b) Naval Medical Material Support Command  
Bureau of Medicine and Surgery  
3500 South Broad Street  
Philadelphia, PA 19145

(3) Information required:

- (a) National Stock Number and item identification (Report all stock numbers appearing on the unit containers);
- (b) lot number/control number/manufacturer's serial number/model number, as appropriate;
- (c) name of manufacturer, date of manufacture, date packed, and expiration date;
- (d) contract number and name of contractor if other than manufacturer (use extreme care in attempting to determine the contract or purchase order number when defects are the contractor's responsibility);
- (e) source from which the material was received;
- (f) cause of complaint, defect, or malfunction;
- (g) quantity suspended - if equipment, quantity unfit for issue;
- (h) annexes - photographs and drawings of equipment, when they will help describe or substantiate the complaint; and
- (i) a statement covering the hazards inherent in the continued use of the material. (The statement of inadequacy or undesirability should be specific regarding the characteristics or performance features which are the subject of the complaint, and in the case of electronics, electrical, or electro-mechanical equipment, furnish the detailed identification of specific parts, components, or circuits.)

8. Material complaints are processed as follows:

- a. The Defense Personnel Support Center (in coordination with the Defense Medical Material Board for Type 1 complaints) will evaluate all reports of defective or unsatisfactory material, and will notify Commandant (G-KOM) of the findings. The units that initially submitted the reports will be notified of DPSC's findings by Commandant (G-KOM).
- b. Material that is to be suspended from issue and use at all Coast Guard activities shall be listed in Instructions or Notices by Commandant (G-KMA). If the suspension action is a result of a Type 1 complaint, Commandant (G-KOM) will issue an ALDIST to that effect.
- c. When the reported material is not to be suspended from issue and use, but is nevertheless to be surveyed and destroyed, such instructions will be issued by Commandant (G-KOM).

## CHAPTER 2. INSTRUCTIONS FOR MAINTAINING , ISSUING, AND INVENTORYING HEALTH CARE SUPPLIES AND EQUIPMENT

### A. General.

1. All Class 3 units must maintain the minimum quantities of material as listed in this manual. In addition, all units shall maintain an operating level of consumable supplies that will allow sufficient lead time for routine requisitions.
2. In order to maintain the requirements of paragraph 1, an inventory of all consumable supplies and equipment shall be accomplished at least once every six (6) months. During this inventory, a careful inspection must be made for any signs of deterioration which may render the item harmful, or otherwise unfit, even though not expired. To properly document the inventory, Stock Record Card (NAVSUP Form 766) may be used.
3. The necessity for issuing the oldest stocks first cannot be over emphasized. Class 3 units shall maintain a "First in/First out" dispensing/issuing system for all health care supplies and equipment, unless potency or shelf life periods for the new materials are less than that of the stock on hand.
4. Personnel charged with the custody of health care supplies and equipment shall observe the established potency periods. Potency dated material is material having a definite storage period (expiration date). When an expiration date is given as month and year only, the material expires on the last day of the month.
5. All consumable materials aged beyond the established potency date, as noted in this manual and on the package container, regardless of physical condition, shall be destroyed by burning or flushing down the drain and in accordance with the provisions of the Medical Manual, COMDTINST M6000.1. In addition, any consumables showing signs of deterioration or suspected of being not fit for health care purposes, shall be disposed of in the above manner.
6. Antidote Lockers shall be inspected quarterly to ensure an adequate and full inventory. Expired or deteriorated supplies shall be destroyed and replaced.

7. Bandages, battle dressings, and other health care supplies of this nature, which are expired may be used for training or other non-medical uses. They shall be clearly marked "NOT FOR MEDICAL USE."

B. First Aid Kits (General Purpose, Liferaft, and Individual).

1. All units must be supplied with first aid materials. First aid kits are to be provided in all areas of personnel concentrations consistent with the number of personnel assigned in a given area or battle station.
2. First Aid Kits shall be colored green and marked with a white cross (each bar to be 2 inches by 6 inches). The words: FOR EMERGENCY USE ONLY shall appear above the white cross. Routinely advise unit personnel that these supplies are for emergencies only and are not for routine use.
3. First Aid Kit, General Purpose (NSN 6545-00-116-1410). Quantities of these first aid kits shall be maintained as required by individual class designations and shall be located throughout the unit (galley, radio room, bridge, engine rooms, repair lockers, etc.,) for emergency. See FIGURE 2-1 for a list of components.
4. First Aid Kit, Liferaft (NSN 6545-00-168-6893). These first aid kits shall be used in liferafts, lifeboats, motorboats, whaleboats, aircraft and other small watercraft. See FIGURE 2-2 for a list of components.
5. First Aid Kit, Individual (NSN 6545-00-823-8165). Quantities of these first aid kits shall be maintained as required by individual class designations. Custody receipts will be obtained and maintained on file for these kits which are issued to individuals. See FIGURE 2-3 for a list of components.
6. Inspection.
  - a. First aid kits (Liferaft, and General Purpose) shall be inspected once a quarter to ensure adequate and full inventory.
  - b. First aid kits which are located in inflatable liferafts shall be inspected in connection with the regular preventive maintenance service of the liferaft which is conducted normally every six (6) months.

7. Maintenance and security of supplies. Supplies included in the first aid kits must be protected from weather and pilferage. The Bag, Plastic, Polyethylene, Heat Seal Closure, 16 8105-00-104-9893) shall be used to contain the supplies in kits throughout. Expired or deteriorated supplies shall be destroyed and replaced. All kits shall be sealed with a easily breakable seal that can be broken with little effort. Hinges and hasps of first aid kits shall be inspected monthly to ensure that they are free from rust, corrosion, or excessive paint.
- C. Antidote Locker. A properly marked antidote locker shall be located in a readily accessible area. Required items are listed in Chapter 5.

FIGURE 2-1  
FIRST AID KIT, GENERAL PURPOSE

1. The following is a list of components contained in the First Aid Kit, General Purpose (NSN 6545-00-116-1410). All items are standard stock.

| <u>FSN</u>       | <u>NOTES</u> | <u>DESCRIPTION</u>  | <u>U/I</u> | <u>QTY REQ</u> |
|------------------|--------------|---|------------|----------------|
| 5335-00-373-2800 |              | WIRE FABRIC, 5-1/4 by 36 IN   | RO         | 1              |
| 6505-00-100-9985 | P            | ASPIRIN TABLETS, USP, 0.324GM, 100's                                    | BT         | 1              |
| 6505-00-491-7557 | DF           | DETERGENT, SURGICAL, 7-1/2%,<br>POVIDONE-IODINE, 4 FL OZ (118 ML)       | BT         | 2              |
| 6505-00-914-3593 | P            | POVIDONE-IODINE SOLUTION, USP,<br>10%, 1/2 FL OZ (14.8 ML), 50's        | BX         | 2/50 **        |
| 6505-00-926-2111 | P            | MECLIZINE HYDROCHLORIDE TABLETS,<br>USP, CHEWABLE, 25 MG, 100's         | BT         | 1              |
| 6505-01-121-2336 | P            | SUNSCREEN PREPARATION, 10%, 4 FL OZ                                     | BT         | 1              |
| 6508-00-116-1473 |              | LIPSTICK, ANTICHAP, HOT CLIMATE,<br>3.7 GM, 100's                       | PG         | 3/100 **       |
| 6510-00-159-4883 |              | DRESSING, FIRST AID, FIELD, INDIVIDUAL<br>TROOP, CAMOUFLAGED, 4 by 7 IN | EA         | 2              |
| 6510-00-200-3080 |              | COMPRESS & BANDAGE, CAMOUFLAGED,<br>4 by 4 IN                           | EA         | 2              |
| 6510-00-200-3180 |              | BANDAGE, GAUZE, COMPRESSED,<br>CAMOUFLAGED, 2 IN by 6 YDS               | EA         | 2              |
| 6510-00-200-3190 |              | BANDAGE, GAUZE, COMPRESSED,<br>CAMOUFLAGED, 4 IN by 6 YDS               | EA         | 2              |
| 6510-00-201-1755 |              | BANDAGE, MUSLIN, COMPRESSED,<br>CAMOUFLAGED, 37 by 37 by 52 IN          | EA         | 2              |
| 6510-00-201-3000 |              | COTTON, PURIFIED, USP, 1 OZ   | PG         | 1              |
| 6510-00-201-7680 |              | COMPRESS AND SKULLCAP, HEAD DRESSING                                    | EA         | 3              |
| 6510-00-202-0800 |              | GAUZE, PETROLATUM, 3 by 18 IN, 12's                                     | PG         | 1              |
| 6510-01-060-1639 | P            | ADHESIVE TAPE, SURGICAL,  | BX         | 3/100 **       |
| 6510-00-913-7909 | D            | BANDAGE, ADHESIVE, 3/4 by<br>3 IN, 300's                                | BX         | 3/100 **       |
| 6510-00-926-9082 |              | SPONGE, SURGICAL, GAUZE,<br>COMPRESSED, 2 by 2 IN, 150's                | PG         | 20/150 **      |
| 6510-01-060-1639 |              | ADHESIVE TAPE, SURGICAL, 1 IN by<br>1 1/2 YARDS, 100's                  | BX         | 3/100 **       |
| 6515-00-299-8748 |              | AIRWAY, PHARYNGEAL, RUBBER, CHILD                                       | EA         | 1              |
| 6515-00-300-2900 |              | AIRWAY, PHARYNGEAL, RUBBER, ADULT                                       | EA         | 1              |
| 6515-00-935-6592 |              | SPLINT, ARM, PNEUMATIC,<br>ADULT, ZIPPER CLOSURE                        | EA         | 1              |
| 6515-00-935-6593 |              | SPLINT, LEG, PNEUMATIC,<br>ADULT, ZIPPER CLOSURE                        | EA         | 1              |
| 6515-00-935-7138 |              | SCISSORS, BANDAGE, ANGULAR,<br>7-1/4 IN                                 | EA         | 1              |

\*\*The quantity required is less than packaged quantity.



FIGURE 2-1 (cont'd)  
FIRST AID KIT, GENERAL PURPOSE

| <u>FSN</u>         | <u>NOTES</u> | <u>DESCRIPTION</u>   | <u>U/I</u> | <u>QTY REQ</u> |
|--------------------|--------------|--|------------|----------------|
| * 6530-00-043-1015 |              | BOTTLE, SNAP-ON CAP, PLASTIC LIGHT<br>RESISTANT, TABLET AND CAPSULE,<br>ROUND 5 DRAM (19 ml), 144's              | PG         | 3/144 **       |
| 6545-00-131-6992   |              | CASE, MEDICAL INSTRUMENT AND SUPPLY<br>SET, PLASTIC RIGID, SIZE B,<br>9-1/2 IN LONG BY 9 IN WIDE BY<br>7 IN HIGH | EA         | 1              |
| 6545-00-853-6309   |              | FIRST AID KIT, EYE DRESSING  | EA         | 1              |
| 6840-00-753-4963   |              | INSECT REPELLENT   | BT         | 2              |
| 6850-00-985-7166   | D            | WATER PURIFICATION TABLET, IODINE,<br>8 MG., 50's  | BT         | 1              |
| 8315-00-787-8000   |              | PIN, SAFETY, 1-1/2 IN LONG, 12's   | PG         | 1              |
|                    |              | INSTRUCTION CARD, ARTIFICIAL<br>RESPIRATION, MOUTH-TO-MOUTH<br>RESUSCITATION                                     | EA         | 1              |
|                    |              | INSTRUCTION SHEET, FIRST AID   | EA         | 1              |

\*The empty bottles in this kit may be used for additional medications as required for operational missions.

\*\*The quantity required is less than the packaged quantity.

FIGURE 2-2  
FIRST AID KIT, LIFERAFT

1. The following is a list of components contained in FIRST AID KIT, LIFERAFT (NSN 6545-00-168-6893). All items are standard stock.

| <u>FSN</u>       | <u>NOTES</u> | <u>DESCRIPTION</u>   | <u>U/I</u> | <u>QTY REQ</u> |
|------------------|--------------|--|------------|----------------|
| 5335-00-373-2800 |              | WIRE FABRIC, 5-1/4 by 36 IN  | RO         | 1              |
| 6505-00-307-5404 |              | AMINOBENZOIC ACID LOTION (SUNSCREEN)   | EA         | 1              |
| 6505-00-914-3593 | P            | POVIDONE-IODINE SOLUTION, USP,<br>10%, 1/2 FL OZ (14.8 ML), 50's                                       | BX         | 2/50 **        |
| 6505-00-926-2111 | P            | MECLIZINE HYDROCHLORIDE TABLETS,<br>USP, CHEWABLE, 25 MG, 100's  | BT         | 1              |
| 6508-00-116-1473 |              | LIPSTICK, ANTICHAP, HOT CLIMATE,<br>3.7 GM, 100's  | PG         | 3/100 **       |
| 6510-00-159-4883 |              | DRESSING, FIRST AID, FIELD, INDIVIDUAL<br>TROOP, CAMOUFLAGED, 4 by 7 IN                                | EA         | 2              |
| 6510-00-200-3080 |              | COMPRESS & BANDAGE, CAMOUFLAGED,<br>4 by 4 IN  | EA         | 2              |
| 6510-00-200-3180 |              | BANDAGE, GAUZE, COMPRESSED,<br>CAMOUFLAGED, 2 IN by 6 YDS  | EA         | 2              |
| 6510-00-200-3190 |              | BANDAGE, GAUZE, COMPRESSED,<br>CAMOUFLAGED, 4 IN by 6 YDS  | EA         | 2              |
| 6510-00-201-1755 |              | BANDAGE, MUSLIN, COMPRESSED,<br>CAMOUFLAGED, 37 by 37 by 52 IN   | EA         | 2              |
| 6510-00-202-0800 |              | GAUZE, PETROLATUM, 3 by 18 IN, 12s   | PG         | 2              |
| 6510-00-913-7909 | D            | BANDAGE, ADHESIVE, 3/4 by 3 IN,<br>300's (BANDAIDS)  | BX         | 18/300 **      |
| 6510-00-926-9082 |              | SPONGE, SURGICAL, GAUZE, COMPRESSED,<br>2 by 2 IN, 150's   | PG         | 20/150 **      |
| 6515-00-935-7138 |              | SCISSORS, BANDAGE, ANGULAR, 7-1/4 IN   | EA         | 1              |
| 6545-00-853-6309 |              | FIRST AID KIT, EYE DRESSING  | EA         | 1              |
| 6545-00-912-9900 |              | CHEST, MEDICAL INSTRUMENT & SUPPLY<br>SET, RIGID NO. 3, 9 IN LONG by<br>8-7/8 IN WIDE by 2-1/2 IN DEEP | EA         | 1              |
|                  |              | INSTRUCTION SHEET, FIRST AID   | EA         | 1              |
|                  |              | INSTRUCTION CARD, ARTIFICIAL<br>RESPIRATION, MOUTH-TO-MOUTH<br>RESUSCITATION                           | EA         | 1              |

\*\*The quantity required is less than the packaged quantity.

FIGURE 2-3  
FIRST AID KIT, INDIVIDUAL

1. The following is a list of components contained in the FIRST AID KIT, INDIVIDUAL (NSN 6545-00-823-8165). All items are standard stock.

| <u>FSN</u>         | <u>NOTES</u> | <u>DESCRIPTION</u>  | <u>U/I</u> | <u>QTY REQ</u> |
|--------------------|--------------|---|------------|----------------|
| 6505-00-914-3593   | P            | POVIDONE-IODINE SOLUTION, USP,<br>10%, 1/2 FL OZ (14.8 ML), 50's  | BX         | 1/50 **        |
| 6508-00-116-1473   |              | LIPSTICK, ANTICHAP, HOT CLIMATE,<br>3.7 GM, 100's   | PG         | 1/100 **       |
| 6510-00-159-4883   |              | DRESSING, FIRST AID, FIELD,<br>INDIVIDUAL TROOP, CAMOUFLAGED,<br>4 by 7 IN  | EA         | 2              |
| 6510-00-200-3180   |              | BANDAGE, GAUZE, COMPRESSED,<br>CAMOUFLAGED, 2 IN by 6 YDS   | EA         | 1              |
| 6510-00-201-1755   |              | BANDAGE, MUSLIN, COMPRESSED,<br>CAMOUFLAGED, 37 by 37 by 52 IN  | EA         | 1              |
| 6510-00-913-7909   | D            | BANDAGE, ADHESIVE, 3/4 by 3 IN,<br>300's (BANDAIDS)   | BX         | 18/300 **      |
| * 6530-00-042-8416 |              | BOTTLE, SAFETY CAP, PLASTIC, LIGHT-<br>RESISTANT, TABLET & CAPSULE,<br>ROUND, 4 DRAM (15 ML), 200's                       | BX         | 3/200 **       |
| 6545-00-125-5527   |              | INSERT, FIRST AID KIT CASE, PLASTIC,<br>OLIVE DRAB, 4-3/4 IN LONG by<br>2-3/8 IN by 4-1/2 HIGH: WITH<br>ATTACHED COVER    | EA         | 1              |
| 6545-00-180-6239   |              | CASE, MEDICAL INSTRUMENT AND SUPPLY<br>SET, NYLON, NONRIGID, NO. 8,<br>4-3/4 IN HIGH by 2-3/8 IN WIDE<br>by 4-1/2 IN HIGH | EA         | 1              |
| 6545-00-853-6309   |              | FIRST AID KIT, EYE DRESSING   | EA         | 1              |
| 6850-00-985-7166   | P            | WATER PURIFICATION TABLET, IODINE,<br>8 MG, 50's  | BT         | 1              |
|                    |              | INSTRUCTION CARD, ARTIFICIAL<br>RESPIRATION, MOUTH-TO-MOUTH<br>RESUSCITATION  | EA         | 1              |

\* The empty plastic bottles in this kit may be used for additional medications as required for operational missions.

\*\* The quantity required is less than the packaged quantity.

### CHAPTER 3. REQUIRED HEALTH CARE PUBLICATIONS

- A. The following is a list of required medical books and publications that must be maintained onboard the unit. All items are standard stock.

| <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>   | <u>MINIMUM REQUIRED FOR CLASS 3</u> |          |          |          |          |
|----------------|--|-------------------------------------|----------|----------|----------|----------|
|                |  | <u>U/I</u>                          | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| NFZ            | 0510-00-097-0000<br>POISONS, OVERDOSE, AND<br>ANTIDOTES, NAVMED P-5095 | EA                                  | 1        | 1        | 1        | 1        |
| NFZ            | 0510-00-097-0080<br>POISONOUS SNAKES OF THE<br>WORLD, NAVMED P-5099    | EA                                  | 1        | 1        | 1        | 1        |

CHAPTER 4. MISCELLANEOUS ITEMS (1000-6499)

A. The following is the minimum requirement for miscellaneous items that are required onboard shore units and vessels. All items are standard stock.

| <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>   | MINIMUM REQUIRED FOR CLASS 3 |          |          |          |          |
|----------------|--|------------------------------|----------|----------|----------|----------|
|                |  | <u>U/I</u>                   | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| S9G            | 2090-00-368-4792<br>LOCKER MEDICAL FIRST AID<br>OR POISON ANTIDOTE,<br>WATERTIGHT ALUMINUM, 2<br>SHELVES, 6 IN DEEP TURNED<br>UP 1 IN ON FRONT EDGE,<br>DOOR FASTENS AT SIDE WITH<br>CLIPS FOR BULKHEAD<br>SECURING, OUTSIDE<br>DIMENSIONS 20 X 16-1/2 X<br>8-1/4 IN | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 5335-00-373-2800<br>WIRE FABRIC, 5-1/4 X 36<br>IN WIRE MESH SPLINT, USE<br>WITH PADDING FOR<br>IMMOBILIZATION OF FRACTURES<br>OR SPRAINS   | RO                           | 1        | 1        | 1        | 1        |

## CHAPTER 5. DRUGS, BIOLOGICAL AND OFFICIAL REAGENTS (6505)

- A. The following are minimum requirements for drugs and biologicals which shall be maintained. All items are standard federal stock items and available from the Defense Personnel Support Center (DPSC Advice Acquisition Code "D").
- B. To minimize waste, items with the shortest expiration date must be used first. Units should order medications using advice code "2G" to receive the most recently dated items.
- C. Items which will not be used prior to expiration will, when feasible, be rotated to health care facilities for use prior to expiration.
- D. Drug items required to maintain an Antidote Locker, as required in Chapter 2-C, are included on this list.
- E. Prescription drugs, other than those contained herein, must be labeled for the individual for which they are prescribed and left in the container in which they are received from the pharmacy.
- F. Page 5-2 provides a cross reference for identifying the required drugs by generic/NSN nomenclature and the commonly used brand name.

## MINIMUM REQUIRED FOR CLASS 3:

| NOMENCLATURE                                   | NSN              | U/I | 3A  | 3B   | 3C  | 3D   |
|--|------------------|-----|-----|------|-----|------|
| ACETAMINOPHEN TABS 325 MG USP, 50s             | 6505-01-017-1625 | BT  | 8   | 4    | 8   | 2    |
| AL/MC HYDROX W SIMETH DS CHEWABLE TAB, 60s     | 6505-00-388-8772 | BX  | 1   | 1    | 2   | 1    |
| ASPIRIN TABS 325 MG USP, 100s                  | 6505-00-100-9985 | BT  | 1   | 1    | 1   | 1    |
| BACITRACIN OINT USP, 15 GM, 12s                | 6505-00-159-6625 | PG  | 0.5 | 3/12 | 0.5 | 3/12 |
| CALAMINE LOTION USP, 118 ML                    | 6505-00-687-4534 | BT  | 4   | 2    | 4   | 1    |
| CETYLPRIDIUM AND BENZOCAINE LOZ, 324s          | 6505-01-171-6051 | PG  | 1   | 0.5  | 1   | 0.5  |
| CHARCOAL, ACTIVATED, 15 GM                     | 6505-00-135-2881 | BT  | 2   | 2    | 2   | 2    |
| DIBUCAINE OINT 1%, 30 GM W APPLICATOR          | 6505-00-299-9535 | PG  | 1   | 1    | 1   | 1    |
| GUAIFENESIN SYRUP WITH DEXTROMETHORPHAN, 4 OZ  | 6505-00-926-8985 | BT  | 4   | 2    | 4   | 2    |
| HYDROGEN PEROXIDE SOL USP, 1 PT                | 6505-00-153-8480 | BT  | 1   | 1    | 1   | 1    |
| IPECAC SYRUP, USP, 7%, 30 ML                   | 6505-00-926-9197 | BT  | 4   | 4    | 4   | 4    |
| LIPSTICK, ANTICHAP 4.2 GM, 100s                | 6508-01-265-0079 | PG  | 1   | 0.1  | 1   | 0.1  |
| MECLIZINE HCL 25 MG TABS CHEWABLE, 100s        | 6505-00-926-2111 | BT  | 2   | 1    | 2   | 1    |
| PETROLATUM JELLY, WHITE USP, 30 GM             | 6505-00-254-5527 | TU  | 1   | 1    | 1   | 1    |
| POVIDONE IODINE SKIN CLEANSE USP, 7.5%, 118 ML | 6505-00-491-7557 | BT  | 1   | 1    | 1   | 1    |
| PSEUDOEPHEDRINE & TRIPROLIDINE TABS, 24s       | 6505-01-142-5595 | PG  | 6   | 2    | 6   | 2    |
| PSEUDOEPHEDRINE 30 MG TABS, 24s                | 6505-00-149-0098 | CO  | 12  | 2    | 8   | 2    |
| SUNSCREEN PREP LOTION, 4 OZ                    | 6505-01-121-2336 | BT  | 6   | 6    | 6   | 3    |
| TOLNAFTATE TOPICAL SOL USP, 10 ML              | 6505-00-926-2241 | BT  | 3   | 2    | 3   | 0    |

## POISON ANTIDOTE LOCKER FOR UNITS WITHOUT HEALTH CARE PERSONNEL ASSIGNED

| NOMENCLATURE  | U/I | QTY |
|---|-----|-----|
| CHARCOAL, ACTIVATED, 15 GM                              | BT  | 2   |
| IPECAC SYRUP, USP, 7%, 30 ML                            | BT  | 4   |
| POISON CONTROL TELEPHONE NUMBER                         |     |     |
| PAPER CUPS  | EA  | 4   |
| HANDBOOK OF POISONINGS AND ANTIDOTES<br>(NAVMED P-5095) | EA  | 1   |

GENERIC - BRAND NAME CROSS-REFERENCE GUIDE

NOMENCLATURE

|  | BRAND                                   |
|--|---|
| ACETAMINOPHEN TABS 325 MG USP, 50s             | TYLENOL 325 MG TABS, 50s                |
| AL/MG HYDROX W SIMETH DS CHEWABLE TAB, 60s     | MYLANTA II CHEWABLE TABS, 60s           |
| ASPIRIN TABS 325 MG USP, 100s                  | ASPIRIN TABS 325 MG, 100s               |
| BACITRACIN OINT USP, 15 GM, 12s                | BACITRACIN OINT, 15 GM, 12s             |
| CALAMINE LOTION USP, 118 ML                    | CALAMINE LOTION USP, 118 ML             |
| CETYLPRIDIUM AND BENZOCAINE LOZ, 324s          | CEPACOL LOZENGES WITH BENZOCAINE, 324s  |
| CHARCOAL, ACTIVATED, 15 GM                     | CHARCOAL, ACTIVATED, 15 GM              |
| DIBUCAINE OINT 1%, 30 GM W APPLICATOR          | NUPERCAINAL OINT 1%, 30 GM W APPLICATOR |
| GUAIFENESIN SYRUP WITH DEXTROMETHORPHAN, 4 OZ  | ROBITUSSIN DM, 4 OZ                     |
| HYDROGEN PEROXIDE SOL USP, 1 PT                | HYDROGEN PEROXIDE SOL 1 PT              |
| IPECAC SYRUP, USP, 7%, 30 ML                   | IPECAC SYRUP 7%, 30 ML                  |
| LIPSTICK, ANTICHAP 4.2 GM, 100s                | CHAPSTICK, 4.2 GM, 100s                 |
| MECLIZINE HCL 25 MG TABS CHEWABLE, 100s        | ANTIVERT 25 MG TAB CHEWABLE, 100s       |
| PETROLATUM JELLY, WHITE USP, 30 GM             | VASELINE PETROLEUM JELLY, 30 GM         |
| POVIDONE IODINE SKIN CLEANSE USP, 7.5%, 118 ML | BETADINE SCRUB 7.5%, 118 ML             |
| PSEUDOEPHEDRINE & TRIPROLIDINE TABS, 24s       | ACTIFED TABLETS, 24s                    |
| PSEUDOEPHEDRINE 30 MG TABS, 24s                | SUDAFED 30 MG TABS, 24s                 |
| SUNSCREEN PREP LOTION, 4 OZ                    | PRESUN LOTION, 4 OZ                     |
| TOLNAFTATE TOPICAL SOL USP, 10 ML              | TINACTIN SOL, 10 ML                     |



CHAPTER 6. SURGICAL DRESSING MATERIALS (6510)

A. The following is the minimum requirement for surgical dressing materials which are required onboard shore units and vessels. All items are standard stock.

| <u>NOTES</u> | <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>   | <u>MINIMUM REQUIRED FOR CLASS 3</u> |          |          |          |          |
|--------------|----------------|--|-------------------------------------|----------|----------|----------|----------|
|              |                |  | <u>U/I</u>                          | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| D            | FSC            | 6510-00-111-0708<br>PAD, NONADHERENT, STERILE<br>IN INDIVIDUALLY SEALED<br>ENVELOPES DRY DRESSING<br>MATEIALS FOR WOUNDS 3X4<br>INCHES 100's   | PG                                  | 1        | 1        | 1        | 1        |
|              | FSC            | 6510-00-159-4883<br>DRESSING, FIRST AID FIELD,<br>INDIVIDUAL TROOP CAMOUFLAGED<br>4 X 7 IN SECURED BY SLITS AT<br>EACH END FOR TYING OFF, USE<br>FOR COMPRESS AND DRESSING<br>WOUNDS | EA                                  | 3        | 2        | 3        | 2        |
|              | FSC            | 6510-00-200-3075<br>COMPRESS AND BANDAGE,<br>CAMOUFLAGED CONSISTS OF<br>2 X 2 IN PAD AFFIXED TO<br>48 INCH LONG BANDAGE  | PG                                  | 1        | 1        | 1        | 1        |
|              | FSC            | 6510-00-200-3185<br>BANDAGE, GAUZE, COMPRESSED,<br>CAMOUFLAGED 3 IN X 6 YD,<br>USE FOR BANDAGING WOUNDS<br>IN THE FIELD  | EA                                  | 2        | 2        | 2        | 2        |
|              | FSC            | 6510-00-201-1755<br>BANDAGE MUSLIN, 37 X 37<br>X 52 IN CAMOUFLAGED<br>TRIANGULAR, WITH 2 SAFETY<br>PINS  | PG                                  | 2        | 1        | 2        | 1        |
|              | FSC            | 6510-00-201-3000<br>COTTON, PURIFIED USP 1 OZ  | PG                                  | 1        | 1        | 1        | 1        |
|              | FSC            | 6510-00-201-7425<br>DRESSING, FIRST AID, FIELD,<br>11-3/4 IN SQ., CAMOUFLAGED,<br>SECURED BY 4 SAFETY PINS.<br>USE FOR DRESSING LARGE<br>WOUNDS OF ABDOMEN, CHEST,<br>AND BACK       | EA                                  | 1        | 1        | 1        | 1        |

(cont'd)

| <u>NOTES</u> | <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>   | <u>MINIMUM REQUIRED FOR CLASS 3</u> |          |          |          |          |
|--------------|----------------|--|-------------------------------------|----------|----------|----------|----------|
|              |                |  | <u>U/I</u>                          | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
|              | FSC            | 6510-00-201-7430<br>DRESSING, FIRST AID, FIELD,<br>7 1/2 X 8 IN CAMOUFLAGED,<br>SECURED BY 4 SAFETY PINS<br>USE FOR DRESSING WOUNDS IN<br>THE FIELD  | EA                                  | 1        | 1        | 1        | 1        |
| D            | FSC            | 6510-00-526-0162<br>ADHESIVE TAPE, SURGICAL,<br>CAMOUFLAGED, 1 IN X 5 YD   | SL                                  | 1        | 1        | 1        | 1        |
|              | FSC            | 6510-00-582-7993<br>BANDAGE GAUGE, ELASTIC,<br>STERILE, 6 PLY, INDIVIDUALLY<br>WRAPPED, 3 X 180 INCHES   | PG                                  |          |          |          |          |
| D            | FSC            | 6510-00-782-6426<br>ADHESIVE TAPE, SURGICAL,<br>CAMOUFLAGED 1 IN X 1 YD  | BX                                  | 1        | 1        | 1        | 1        |
| D            | FSC            | 6520-00-913-7909<br>BANDAGE, ADHESIVE,<br>3/4 X 3 IN, 6s, BANDAIDS,<br>EACH BANDAGE IN INDIVIDUAL<br>ENVELOPE, 6 ENVELOPES<br>IN A SEALED PLASTIC BAG,<br>50 BAGS IN A BOX, FOR USE<br>ONLY AS A COMPONENT OF OR A<br>REPLACEMENT IN MEDICAL FIELD<br>ASSEMBLIES | PG                                  | 5        | 3        | 5        | 3        |
|              | FSC            | 6510-00-935-5820<br>BANDAGE, COTTON ELASTIC<br>2 IN X 5 1/2 YD<br>12's SECURE BY FASTENING<br>CLIPS, USED FOR PRESSURE<br>BANDAGE, SUPPORT, OR BINDER  | PG                                  | 1        | 1        | 1        | 1        |
|              | FSC            | 6510-00-935-5821<br>BANDAGE, COTTON ELASTIC<br>3 IN X 5 1/2 YD 12's<br>SECURE BY FASTENING<br>CLIPS, USED FOR PRESSURE<br>BANDAGE, SUPPORT, OR BINDER  | PG                                  | 1        | 1        | 1        | 1        |

CHAPTER 7. SURGICAL INSTRUMENTS, EQUIPMENT, AND SUPPLIES (5335-6515)

A. The following is the minimum requirement for medical and surgical instruments, equipment and supplies which are required onboard shore units and vessels. All items are standard stock.

| <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>   | MINIMUM REQUIRED FOR CLASS 3 |          |          |          |          |
|----------------|--|------------------------------|----------|----------|----------|----------|
|                |  | <u>U/I</u>                   | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| FSC            | 5335-00-373-2800<br>WIRE FABRIC, SELVAGED AND<br>UNFINISHED EDGE, STEEL,<br>5 1/8 X 36 INCHES  | RO                           |          |          |          |          |
| FSC            | 6515-00-137-6345<br>PLUG, EAR, VINYL, FORM<br>400'S DISPOSABLE   | PG                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-300-2900<br>AIRWAY, PHARYNGEAL, RUBBER<br>LARGE, ADULT   | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-300-2910<br>AIRWAY, PHARYNGEAL, RUBBER<br>SMALL, ADULT   | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-303-8200<br>APPLICATOR, DISPOSABLE,<br>WOOD OR PLASTIC COTTON<br>TIP END, STERILE,<br>1/12 X 6 IN, 100'S                     | PG                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-337-2400<br>FORCEPS, SPLINTER,<br>TWEEZERS, 3 1/2 IN<br>USE TO REMOVE SPLINTERS OR<br>OTHER FOREIGN BODIES FROM<br>THE SKIN. | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-363-8840<br>SCISSORS, BANDAGE, LISTER<br>ANGULAR, 7 1/4 IN   | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-372-2150<br>SPLINT, HAND, ALUMINUM   | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-374-2220<br>STETHOSCOPE, COMBINATION<br>TYPE   | EA                           | 1        | 1        | 1        | 1        |

(cont'd)

| <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>  | MINIMUM REQUIRED FOR CLASS 3 |          |          |          |          |
|----------------|---|------------------------------|----------|----------|----------|----------|
|                |   | <u>U/I</u>                   | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| FSC            | 6515-00-383-0565<br>TOURNIQUET, NON-PNEUMATIC<br>WITH BUCKLE, CAMOUFLAGED<br>1 1/2 X 42 INC. USE AS A<br>LAST RESORT TO CONTROL<br>SERIOUS BLEEDING. APPLY<br>TOURNIQUET WHERE READILY<br>VISIBLE, 2 TO 4 INCHES<br>ABOVE WOUND, BETWEEN THE<br>WOUND AND HEART. TIGHTEN<br>JUST TIGHT ENOUGH TO CONTROL<br>BLEEDING. DO NOT COVER<br>TOURNIQUET WITH ANY<br>MATERIALS. DO NOT LOOSEN<br>OR REMOVE UNTIL MEDICAL AID<br>ARRIVES. USE TOURNIQUET ON<br>EXTREMITIES ONLY. | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-935-6592<br>SPLINT, ARM, PNEUMATIC,<br>ADULT, ZIPPER CLOSURE<br>TRANSPARENT DOUBLE-WALLED<br>TUBE, INFLATABLE BY MOUTH<br>USE FOR ARM IMMOBILIZATION<br>FOR SPRAINS AND FRACTURES.<br><u>CAUTION: OVER INFLATION</u><br>WILL CAUSE LOSS OF<br>CIRCULATION TO PART   | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-00-935-6593<br>SPLINT, LEG PNEUMATIC,<br>ADULT, ZIPPER CLOSURE,<br>TRANSPARENT DOUBLE-WALLED<br>TUBE, INFLATABLE BY MOUTH.<br>USE FOR LEG IMMOBILIZATION<br>FOR SPRAINS AND FRACTURES.<br><u>CAUTION: OVERINFLATION</u><br>WILL CAUSE LOSS OF<br>CIRCULATION TO PART   | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6515-01-039-4884<br>SPHYGMOMANOMETER, ANEROID<br>(BLOOD PRESSURE CUFF)<br>REPLACEMENT CUFF<br>6515-00-904-5630<br>BAG 6515-00-926-1491<br>BULB 6515-00-762-2110   | EA                           | 1        | 1        | 1        | 1        |

CHAPTER 8. HOSPITAL FURNITURE, EQUIPMENT, UTENSILS, AND SUPPLIES (6530)

A. The following is the minimum requirement for hospital furniture, equipment, utensils, and supplies which are required onboard shore units and vessels. All items are standard stock.

| <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>  | MINIMUM REQUIRED FOR CLASS 3 |          |          |          |          |
|----------------|---|------------------------------|----------|----------|----------|----------|
|                |   | <u>U/I</u>                   | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| FSC            | 6530-00-181-7767<br>LITTER, RIGID, STOKES,<br>STEEL FOR<br>REPLACEMENT STRAPS<br>ORDER 6530-00-784-4315<br>FOR REPLACEMENT BASKET<br>ORDER 6530-00-926-2278 | EA                           |          |          | 1        | 1        |
| FSC            | 6530-00-770-6425<br>BAG, HOT WATER/ICE,<br>STOPPERLESS, 2 QUART.<br>USE TO APPLY HOT OR COLD<br>PACKS AS NECESSARY.   | EA                           | 1        |          | 1        |          |
| FSC            | 6530-00-783-7600<br>LITTER, SEMIRIGID, POLELESS:<br>NEIL-ROBERTSON STRETCHER  | EA                           |          |          | 1        | 1        |
| FSC            | 6530-00-783-7905<br>LITTER, FOLDING, RIGID<br>POLE  | EA                           | 1        | 1        |          |          |
| FSC            | 6530-00-784-1250<br>COVER LITTER, COTTON DUCK,<br>REPLACEMENT FOR<br>6530-00-783-7905   | EA                           |          |          |          |          |
| FSC            | 6530-00-784-2010<br>HANDLE, LITTER POLE, WOOD,<br>REPLACEMENT FOR<br>6530-00-783-7905   | EA                           |          |          |          |          |
| FSC            | 6530-00-784-3450<br>SPREADER, BAR AND STIRRUPS,<br>LITTER, REPLACEMENT FOR<br>6530-00-783-7905  | EA                           |          |          |          |          |
| FSC            | 6530-00-784-4315<br>STRAP, PATIENT SECURING,<br>WEB, STOKES LITTER USE<br>W 6530-00-042-8131<br>MINIMUM REQUIRED 4 FOR<br>EACH STOKES LITTER                | EA                           |          |          | 4        | 4        |

(cont'd)

| <u>ROUTE-ID</u> | <u>NSN/DESCRIPTION</u>   | MINIMUM REQUIRED FOR CLASS 3 |          |          |          |          |
|-----------------|--|------------------------------|----------|----------|----------|----------|
|                 |  | <u>U/I</u>                   | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| FSC             | 6530-00-784-4335<br>STRAP, WEBBING W BUCKLE,<br>PATIENT SECURING FOR RIGID<br>POLE LITTER<br>6530-00-783-7905        | EA                           | 3        | 3        |          |          |
| FSC             | 6530-00-926-2278<br>BASKET, STOKES LITTER,<br>WIRE MESH 81 X 20 X 5 IN<br>REPLACEMENT BASKET FOR<br>6530-00-042-8131 | EA                           |          |          | 1        | 1        |
| FSC             | 6530-01-199-1969<br>SPLINT/LITTER,<br>MILLER FULL BODY<br>AUTHORIZED REPLACEMENT<br>FOR 6530-00-783-7600             | EA                           |          |          | 1        | 1        |

CHAPTER 9. SETS, KITS, AND OUTFITS (6545)

A. The following is the minimum requirement for medical sets, kits and outfits which are required onboard shore units and vessels. All items are standard stock.

| <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>   | MINIMUM REQUIRED FOR CLASS 3 |          |          |          |          |
|----------------|--|------------------------------|----------|----------|----------|----------|
|                |  | <u>U/I</u>                   | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| FSC            | 6545-00-116-1410<br>FIRST AID KIT, GENERAL<br>PURPOSE PACKED IN<br>WATERTIGHT RIGID, SEA<br>WATER CORROSION-RESISTING<br>CASE FOR USE IN LIFE RAFT,<br>AIRBORNE LIFEBOAT, LARGE<br>AIRCRAFT, AND SMALL<br>WATERCRAFT | EA                           | 3        | 2        | 3        | 2        |
| FSC            | 6545-00-168-6893<br>FIRST AID KIT, LIFERAFT,<br>PACKED IN CHEST. USE IN<br>LIFERAFTS, AIRBORNE<br>LIFEBOATS, AND SMALL<br>WATERCRAFT   | EA                           | 3        | 2        | 3        | 2        |
| FSC            | 6545-00-853-6893<br>FIRST AID KIT<br>EYE DRESSING  | EA                           | 1        | 1        | 1        | 1        |
| FSC            | 6545-00-853-8165<br>FIRST AID KIT, INDIVIDUAL,<br>PACKED IN CASE   | EA                           | 2        | 2        | 2        | 2        |

CHAPTER 10. ITEMS OF HEALTH CARE MATERIAL ONLY (6700-9500)

A. The following is the minimum requirement for items of medical material (chemicals, household materials, office supplies, etc.) which are required onboard shore units and vessels. All items are standard stock.

| <u>NOTES</u> | <u>ROUT-ID</u> | <u>NSN/DESCRIPTION</u>  | <u>MINIMUM REQUIRED FOR CLASS 3</u> |          |          |          |          |
|--------------|----------------|---|-------------------------------------|----------|----------|----------|----------|
|              |                |   | <u>U/I</u>                          | <u>A</u> | <u>B</u> | <u>C</u> | <u>D</u> |
| D            | FSC            | 6850-00-985-7166<br>WATER PURIFICATION TABLET,<br>IODINE 8 MG 50'S<br>USE FOR PURIFICATION OF<br>EMERGENCY DRINKING WATER   | BT                                  | 1        |          | 1        |          |
|              | ZNB            | 7690-00-G00-1538<br>DECAL BATTLE DRESSING<br>STATION, ARROW CAN BE USED<br>IN EITHER DIRECTION,<br>3 X 12 IN, RED CROSS<br>ARROW CAN BE CUT OFF AND<br>DISCARDED AND RED CROSS<br>DECAL APPLIED TO IDENTIFY<br>FIRST AID KITS AND LOCKERS | EA                                  | 1        | 1        | 1        | 1        |




U.S. Department  
of Transportation  
**United States  
Coast Guard**



---

# HEALTH SERVICES ALLOWANCE LIST

## PART 3 SHORE UNITS AND VESSELS



COMDTINST M6700.7A