U.S. DEPARTMENT OF HOMELAND SECURITY

UNITED STATES COAST GUARD AUXILIARY

INITIAL (NEW) REPORT
REINSPECTION

U.S. COAST GUA	U.S. COAST GUARD RADIO FACILITY INSPECTION REINSPECTION											
CG 2736A (Rev. 6-04) AND OFFER FOR USE FORM												
SECTION I - DATA												
MEMBER NUMBER (1-1)	0)		LAST NAME	(14 - 25)				FIRST NA	ME AND IN	TIAL (Do no	t Key Punch)	
FAC STATUS (26-30) FAC	ILITY IDENTIFI	(11-13) 0 3 B	FAC. INSP DA	TE (39-44)	Ш	Ш				I OLD	ID # (45-52)	ш
			1 1 1						ONE CURREN FICATION NU	ILY	1 1 1	1 1 1
P R DESCRIPTION OF STATION LOCATION RECORDED, LIST OLD RADIO IDENTIFICATION NUMBER DESCRIPTION OF STATION LOCATION							1 1					
STREET ADDRESS OF STATION (SAME AS SECTION III) CITY STATE ZIP CODE												
NAME AND ADDRESS OF	PROPERTY	OWNER WHERE	STATION	SLOCATE)	(SAME A	AS SECTIO	ON III)			
		•	SECTION	N II - RA	DIO	FACILI	TY DA	ATA				
1. TYPE STATION		MITTER/TRAN				QUIPME	NT)					
FIXED LAND	TYPE		MAKE AI	ND MODE	L						OUTPUT (W	ATTS)
RDF STATION	 	IF - AM / SSB										
LAND MOBILE	VHF -	FM AM / SSB										
3. GOVERNMENT FR									4 FMFR	GENCY PO	WER AVAIL	ΔRI F
2182 KHz	CH 16 (15		122.0	9 MHz	Г	_		1	DESCRIE			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2670 KHz	╡ `	157.1 MHz)	=	1 MHz	L [=						
	╡ `	157.17 WHz)	=	28 MHz	L T	-						
<u></u>	╡ `	,	143.2	20 IVII 12	L	╡—						
5. RDF DATA (Complete if facility has RDF Capability) 6. ANTENNA INFORMATION (Fixed Land Only)												
E DDE DATA (Coron			h:1:4\		Ĺ		I c . A.		INICODMA	TION (Five	al Land Only)	
5. RDF DATA (Comp		has RDF Capa	•			<u></u>	6. AN	TENNA	INFORMA	TION (Fixe		T ABOVE
MANUFACTURER: _		has RDF Capa M	IODEL NO:			<u></u>	MAKE	/MODEL	GAIN	FREQ		T ABOVE SEA
MANUFACTURER: _ BASIC TYPE: MANU	AL	has RDF Capa M AUTOMATIC	IODEL NO:		ADDI EI	<u> </u>	MAKE	MODEL ENERIC			HEIGHT GROUND LEVEL	SEA LEVEL
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT	IAL	has RDF Capa M AUTOMATIC	IODEL NO:		PPLE		MAKE OR GE	MODEL ENERIC	GAIN	FREQ RANGE	HEIGHT GROUND	SEA LEVEL
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT	IAL	has RDF Capa M AUTOMATIC	IODEL NO:		PPLE		MAKE OR GE	MODEL ENERIC	GAIN	FREQ RANGE	HEIGHT GROUND LEVEL	SEA LEVEL
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH	IAL ATABLE DIF HER: SCRIBE:	has RDF Capa M AUTOMATIC RECTIONAL AN	NTENNA		PPLEF		MAKE OR GE	MODEL ENERIC	GAIN	FREQ RANGE	HEIGHT GROUND LEVEL	SEA LEVEL
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY:	AL ATABLE DIF HER: SCRIBE: AUDIBLE	has RDF Capa M AUTOMATIC RECTIONAL AN	NTENNA		PPLE		MAKE OR GE TYPE	E/MODEL ENERIC	GAIN (db)	FREQ RANGE (MHz)	HEIGHT GROUND LEVEL (METERS)	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH	AL ATABLE DIF HER: SCRIBE: AUDIBLE	has RDF Capa M AUTOMATIC RECTIONAL AN	NTENNA)PPLEI	₹ 🗍	MAKE OR GE TYPE	MODEL ENERIC	GAIN (db)	FREQ RANGE (MHz)	HEIGHT GROUND LEVEL (METERS)	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY (YES NO 1. RADIO	AL ATABLE DIF	has RDF Capa M AUTOMATIC RECTIONAL AN VISUA T	ODEL NO: NTENNA [DC			MAKE OR GE TYPE	MODEL ENERIC	GAIN (db)	FREQ RANGE (MHz)	HEIGHT GROUND LEVEL (METERS)	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY OF THE PROPERTY	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST	has RDF Capa M AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good	ODEL NO: NTENNA [AL Condition,	DC Properly C)riented		MAKEOR GETYPE 8. EN AN LAT.	MODEL ENERIC	GAIN (db)	FREQ RANGE (MHz) DNGITUDE Ns, Tenths	GROUND LEVEL (METERS)	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY OF THE PROPERTY	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQUALINA INSTALLI	Has RDF Capa M AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good K MADE ON AN	ODEL NO: NTENNA [AL Condition, /AILABLE	Properly C)riented		MAKEOR GETYPE 8. EN AN LAT.	MODEL ENERIC	GAIN (db)	FREQ RANGE (MHz) DNGITUDE Ns, Tenths LONG.	GROUND LEVEL (METERS)	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY OF THE PROPERTY	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL HATE CHECK EETS CRITE	has RDF Capa M AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good	Condition, //AILABLE	Properly C FREQUEN 6798.3)riented		MAKEOR GETYPE 8. EN AN LAT.	MODEL ENERIC TER LA NTENNA	GAIN (db)	FREQ RANGE (MHz) DNGITUDE Ns, Tenths LONG.	HEIGHT GROUND LEVEL (METERS) OF FIXED L	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY (YES NO	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL HATE CHECK EETS CRITE	Has RDF Capa AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good K MADE ON AVERIA OF COMD	Condition, //AILABLE	Properly C FREQUEN 6798.3)riented		MAKEOR GETYPE 8. EN AN LAT.	MODEL ENERIC TER LA NTENNA	GAIN (db)	FREQ RANGE (MHz) ONGITUDE Ns, Tenths LONG. ACILITY C	HEIGHT GROUND LEVEL (METERS) OF FIXED L	SEA LEVEL (METERS)
MANUFACTURER: _ BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY (YES NO	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQUA NA INSTALL HATE CHECK EETS CRITE	Has RDF Capa AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good K MADE ON AVERIA OF COMD	Condition, //AILABLE	Properly C FREQUEN 6798.3)riented		MAKEOR GETYPE 8. EN AN LAT.	MODEL ENERIC TER LA NTENNA	GAIN (db)	FREQ RANGE (MHz) DNGITUDE Ns, Tenths LONG. ACILITY C	HEIGHT GROUND LEVEL (METERS) OF FIXED L	SEA LEVEL (METERS)
MANUFACTURER: BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY O YES NO	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL ATE CHECK EETS CRITE RNO CTOR	Has RDF Capa M AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good K MADE ON AN ERIA OF COMD INSPECTOR	Condition, /AILABLE TINST M1	Properly C FREQUEN 6798.3 ME	Oriented		8. EN AN LAT.	MODEL ENERIC	GAIN (db) TITUDE/LC (DEGS, MI Y RADIO F CTOR'S FIRS	FREQ RANGE (MHz) DNGITUDE Ns, Tenths LONG. ACILITY C	GROUND LEVEL (METERS) OF FIXED L DINITIAL	SEA LEVEL (METERS)
MANUFACTURER: BASIC TYPE: MANU DESIGN TYPE: ROT OTH DES BEARING DISPLAY: 7. RADIO FACILITY O YES NO	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL ATE CHECK EETS CRITE RNO CTOR	Has RDF Capa AUTOMATIC RECTIONAL AN VISUA T UATE LATION: Good K MADE ON AVERIA OF COMD	Condition, /AILABLE TINST M1	Properly C FREQUEN 6798.3 ME	Oriented	SS, ST	8. EN AN LAT.	MODEL ENERIC	GAIN (db) TITUDE/LC (DEGS, MI Y RADIO F CTOR'S FIRS DATE S OFFER	FREQ RANGE (MHz) DNGITUDE Ns, Tenths LONG. ACILITY C	GROUND LEVEL (METERS) OF FIXED L DINITIAL	SEA LEVEL (METERS)
MANUFACTURER: BASIC TYPE: MANU DESIGN TYPE: ROT OTH DESIGN TYPE: ROT	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL HATE CHECK EETS CRITE RNO. SECTION	WATE LATION: Good K MADE ON AVERIA OF COMD INSPECTOR INSPECTOR IT INSPECTOR IT INSPECTOR IT INSPECTOR IT INSPECTOR	Condition, /AILABLE ITINST M1 S LAST NAI R'S MAIL	Properly CFREQUEN 6798.3 ME	Driented NCIES	SS, ST	8. EN AN LAT. 9. AI	ITER LANTENNA UXILIAR INSPEC	GAIN (db) TITUDE/LC (DEGS, MI Y RADIO F CTOR'S FIRS DATE S OFFER STA	FREQ RANGE (MHz) ONGITUDE Ns, Tenths LONG. FACILITY C ST NAME AN IGNED FOR US TE ZIP COL	OF FIXED L OINITIAL DINITIAL E E	SEA LEVEL (METERS) AND
MANUFACTURER:BASIC TYPE: MANU DESIGN TYPE: ROT OTH DESIGN TYPE: ROT O	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL HATE CHECK EETS CRITE RNO. SECTION	WATE LATION: Good K MADE ON AVERIA OF COMD INSPECTOR INSPECTOR IT INSPECTOR IT INSPECTOR IT INSPECTOR IT INSPECTOR	Condition, /AILABLE ITINST M1 S LAST NAI R'S MAIL	Properly CFREQUEN 6798.3 ME	Driented NCIES	SS, ST	8. EN AN LAT. 9. AI	ITER LANTENNA UXILIAR INSPEC	GAIN (db) TITUDE/LC (DEGS, MI Y RADIO F CTOR'S FIRS DATE S OFFER STA	FREQ RANGE (MHz) ONGITUDE Ns, Tenths LONG. FACILITY C ST NAME AN IGNED FOR US TE ZIP COL This Facil	OF FIXED L OINITIAL DINITIAL E E	SEA LEVEL (METERS) AND
MANUFACTURER: BASIC TYPE: MANU DESIGN TYPE: ROT OTH DESIGN TYPE: ROT	ATABLE DIF HER: SCRIBE: AUDIBLE CHECK LIST LOG ADEQU NA INSTALL HATE CHECK EETS CRITE RNO. SECTION	WATE LATION: Good K MADE ON AVERIA OF COMD INSPECTOR INSPECTOR THE INSPE	Condition, /AILABLE ITINST M1 S LAST NAI R'S MAIL	Properly CFREQUEN 6798.3 ME	DRES agree	SS, ST to notify	8. EN AN LAT. 9. AI	ITER LANTENNA UXILIAR INSPEC	GAIN (db) TITUDE/LC (DEGS, MI Y RADIO F CTOR'S FIRS DATE S STA Try changes DATE S	FREQ RANGE (MHz) ONGITUDE Ns, Tenths LONG. FACILITY C ST NAME AN IGNED FOR US TE ZIP COL This Facil	OF FIXED L OINITIAL DINITIAL E E	SEA LEVEL (METERS) AND
MANUFACTURER: BASIC TYPE: MANU DESIGN TYPE: ROT OTH DESIGN TYPE: ROT	ATABLE DIF HER: SCRIBE:	Has RDF Capa M AUTOMATIC RECTIONAL AN VISUA I UATE LATION: Good K MADE ON AVERIA OF COMD INSPECTOR III - OWNER The inspector as with current Cost SECTION SECTION MADE ON AVERIA OF COMD INSPECTOR The inspector as with current Cost SECTION SECTION SECTION MADE ON AVERIA OF COMD III - OWNER The inspector as with current Cost SECTION SECTION SECTION MADE ON AVERNMENT OF COST SECTION SECTION SECTION MADE ON AVERNMENT OF COST SECTION SECTI	Condition, /AILABLE ITINST M1 SLAST NAIL R'S MAIL s set forth a ast Guard I	Properly CFREQUEN 6798.3 ME	DRES agree s.	SS, ST to notify	8. EN AN LAT. 9. AI	INSPEC	GAIN (db) TITUDE/LC (DEGS, MI Y RADIO F CTOR'S FIRS DATE S STA Ty changes DATE S	FREQ RANGE (MHz) ONGITUDE Ns, Tenths LONG. FACILITY C ST NAME AN IGNED FOR US TE ZIP COL This Facil	HEIGHT GROUND LEVEL (METERS) OF FIXED L ALLSIGN D INITIAL E ity is offered to the second	SEA LEVEL (METERS) AND

AUXILIARY RADIO FACILITY INSPECTION REPORT AND OFFER FOR USE FORM

This form is used to report a radio Facility Inspection and Offer for Use. This form is also used to report changes in the status of an authorized facility. Radio facility inspections are valid for a period of three years and expire on 31 Dec. of

TYPE OF REPORT - Check block to indicate initial, reinspection, or change report.

SECTION I - DATA

MEMBER NUMBER - (Block 1-10) Beginning in block 1, enter your Auxiliary member number.

LAST NAME - (Blocks 14-25) Beginning in block 14, enter your last name.

FIRST NAME AND INITIAL - Enter your first name and initial.

FAC. STATUS - FACILITY IDENTIFICATION NUMBER - (Blocks 26-38) Beginning in block 28, enter the facility status & ID number if known; otherwise leave blank for entry by the Director.

FAC. INSPECTION DATE - (Blocks 39-44) Enter month, day and year of inspection. (July 4, 1995 = 070495)

PREVIOUS FACILITY ID NUMBER - (Blocks 45-52) Enter old ID number ONLY if this facility replaces one currently

PERCENT OF OWNERSHIP - Indicate your percent of ownership. If less than 100% (i.e., multiple ownership), then submit the information required for Multiple Ownership (see sample in Appendix D in Operations Manual) with CG-2736A. If owned by a corporation, omit owner's member number and name, then insert the word "corporation" in blocks 1-10 and the name of the corporation in blocks 14-25. Also, submit information required for Corporate-owned Facility and the Corporate Resolution (see sample in Appendixes B and C in the Operations Policy Manual).

DESCRIPTION OF STATION LOCATION - Indicate type of property where the station is housed (i.e., truck, car, house, marina yacht club, trailer, etc.) If transportable, enter "Transportable Facility."

STREET ADDRESS OF STATION - If same as section III, check box; otherwise, indicate address. If transportable, enter "Transportable Facility."

NAME AND ADDRESS OF PROPERTY OWNER WHERE STATION LOCATED - If same as Section III, check box; otherwise, indicate name and address. If transportable, enter "Transportable Facility."

SECTION II - RADIO FACILITY DATA

- TYPE STATION Check appropriate box. (Check only one box.)
- TRANSMITTER/TRANSCEIVER Enter make, model and output power equipment used. ADDITIIONAL EQUIPMENT (scanners, etc., especially in LAND MOBILES) may be entered in this area.
- GOVERNMENT FREQUENCIES AVAILABLE Check those available. If not listed, enter in blank space. For VHF-FM marine transceivers with all channels, check "ALL 156-158 MHz."
- 4. EMERGENCY POWER AVAILABLE Describe emergency power (e.g., generator 300 watt, 1kw, 5kw, battery;
- 5. RADIO DIRECTION FINDING DATA Complete this section if the facility has RDF capabilities. Conduct the required tests, enter the test results below and forward this page with the completed inspection report.

A. Operation Test Results: (Minimum of	two LOPs obtained).	
# 1 Station used	. Observed LOP	Actual LOP
# 2 Station used	. Observed LOP	Actual LOP
# 3 Station used	. Observed LOP	Actual LOP
B. Estimated usable range	NM.	VOLID MEMBER NUMBER
C. Total time to obtain bearing	Seconds	YOUR MEMBER NUMBER
D. Repeatability of bearing, within	·	

- ANTENNA INFORMATION Complete for Fixed Land Facilities Only. Enter antenna make (Antenna Specialists, Shakespeare, etc.) and model number or generic type (dipole, yagi, etc.). Enter the rated gain factor in decibels (db) (3 db, 6 db, etc.) and the frequency range of the antenna (2-30 MHz, 156-158 MHz, etc.). Enter two heights; above ground level which includes all supporting structures like buildings, masts, etc.; and above sea level which is the first height plus the height of local area above sea level. Enter in meters (39.37 in =1 meter).
- 7. RADIO FACILITY CHECKLIST To be completed by the inspector. All items must be checked except number 4, which is for RDF only.
- 8. ENTER LATTITUDE AND LONGITUDE OF FIXED LAND ANTENNA (use degrees, minutes, and tenths). If it is a transportable facility enter "TRANSPORTABLE FACILITY."
- AUXILIARY RADIO FACILITY CALL SIGN Enter assigned Auxiliary call sign or, if initial inspection, the desired call sign (Call signs are subject to approval by the Director.).

INSPECTOR INFORMATION - Enter INSPECTOR's member number, last name, and first name. Inspector must

complete Section II, number 7, and sign and date the form.

SECTION III - OWNER'S MAILING ADDRESS, STATEMENT, & OFFER FOR USE Enter Owner's mailing address. Owner must sign and date the form to indicate information is correct (notify Director of any changes), the facility is offered for use, and it will be operated per current directives. The primary changes that must be reported are changes in frequencies available, antenna height, station location, or call sign.

SECTION IV - ENDORSEMENT BY DIRECTOR This section will be completed by the director who will check the appropriate box, write in the expiration year on the line after "31 DEC" and then sign and date the form.

PRIVACY ACT STATEMENT

1. Authority: 14USC 821 and 632

2. Principal Purpose: To provide a means of selection of and accepting U.S. Coast

Guard Auxiliary Radio Stations to operate under U.S.Coast

Guard Authorization.

3. Routine Uses: Retained by directors of Auxiliary and cognizant USCG group

commanders as a record of which radio facilities have been

accepted by the director.

4. Disclosure: Voluntary, however, the detailed information requested on this

form enables the Coast Guard to select qualified facilities to operate under authorization. Failure by the member to provide all or part of the information will prevent the acceptance of the

radio facility by the director.