

WAUS41 KPCI 232045
WA1T
BOST WA 232045
AIRMET TANGO UPDT 3 FOR TURB VALID UNTIL 240300

.
AIRMET TURB...MD VA NC AND CSTL WTRS
FROM SBY TO 160SE SIE TO 190ESE ECG TO 140SSE ILM TO ILM TO SBY
MOD TURB BLW 100. CONDS CONTG BYD 03Z THRU 09Z.

.
AIRMET TURB...ME NH MA RI CT NY NJ PA MD DC DE VA NC SC AND CSTL
WTRS
FROM 40W YSJ TO 90SSW YSJ TO 140ESE ACK TO 150SE SIE TO 130SSE
ILM TO CHS TO GSO TO EMI TO 40W YSJ
MOD TURB BTN FL210 AND FL410. CONDS CONTG BYD 03Z THRU 09Z.

....
WAUS41 KPCI 232045
WA1S
BOSS WA 232045
AIRMET SIERRA UPDT 4 FOR IFR VALID UNTIL 240300

.
NO SGFNT IFR EXP OUTSIDE OF CNVTV ACT.

.
OTLK VALID 0300-0900Z...IFR ME NH VT MA CT NY
BOUNDED BY PLB-ENE-BDL-60ENE SYR-PLB
CIG BLW 010/VIS BLW 3SM BR/FG. CONDS DVLPG 06Z-09Z.

....
WAUS41 KPCI 232045
WA1Z
BOSZ WA 232045
AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 240300

.
NO SGFNT ICE EXP OUTSIDE OF CNVTV ACT.

.
FRZLVL...RANGING FROM 035-130 ACRS AREA
MULT FRZLVL 080-110 BOUNDED BY 40NW MLT-40W YSJ-130S YSJ-60S
BGR-60W BGR-40NW MLT
080 ALG 30NE YSC-50ESE YSC-110SSW YSJ
120 ALG 20SW DXO-20SE DCA-120SSE HTO-190SSE ACK

....
WAUS41 KPCI 240245
WA1Z
BOSZ WA 240245
AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 240900

.
NO SGFNT ICE EXP OUTSIDE OF CNVTV ACT.

.
FRZLVL...RANGING FROM 015-140 ACRS AREA
040 ALG 50E YQB-20NNW MLT-40ESE HUL
080 ALG 20NE YSC-30WSW BGR-100SSW YSJ
120 ALG 30NE FWA-30NNE ROD-30ENE APE-30S CON-40S ENE-70NE ACK-
110E ACK-140E ACK

....
WAUS41 KPCI 240245

WALT
BOST WA 240245
AIRMET TANGO FOR TURB VALID UNTIL 240900

.
AIRMET TURB...VA NC AND CSTL WTRS
FROM 160SE SIE TO 190ESE ECG TO 130SSE ILM TO ILM TO ORF TO
160SE SIE
MOD TURB BLW 060. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET TURB...ME NH MA RI NY NJ MD DE VA AND CSTL WTRS
FROM 110SE BGR TO 160ESE ACK TO 160SE SIE TO ORF TO CYN TO 110SE
BGR
MOD TURB BTN FL270 AND FL390. CONDS CONTG BYD 09Z THRU 15Z.

....

WAUS41 KKCI 240245
WALS
BOSS WA 240245
AIRMET SIERRA FOR IFR VALID UNTIL 240900

.
AIRMET IFR...PA OH WV MD VA NC GA
FROM SLT TO HAR TO CSN TO LYH TO 20NNE SPA TO 30E GQO TO HMV TO
HNN TO 40NE EWC TO SLT
VIS BLW 3SM BR/FG. CONDS DVLPG 06-09Z. CONDS CONTG BYD 09Z..ENDG
13-14Z.

.
OTLK VALID 0900-1500Z...IFR NH VT MA
BOUNDED BY 70SSE YSC-30WSW BOS-30SE ALB-MPV-70SSE YSC
VIS BLW 3SM BR/FG. CONDS DVLPG 09-11Z..ENDG 13-14Z.

....