

WAUS43 KKCI 232045
WA3S
CHIS WA 232045
AIRMET SIERRA UPDT 4 FOR IFR VALID UNTIL 240300

.
NO SGFNT IFR EXP OUTSIDE OF CNVTV ACT.

....

WAUS43 KKCI 232045
WA3Z
CHIZ WA 232045
AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 240300

.
AIRMET ICE...ND
FROM 70NE MOT TO 20E BIS TO 70SW DIK TO 50NNW ISN TO 70NE MOT
MOD ICE BTN FRZLVL AND 170. FRZLVL 070-090. CONDS ENDG SRN ND-SD
00-02Z ELSW CONTG BYD 03Z ENDG RMNDR 04-06Z.

.
FRZLVL...RANGING FROM 065-145 ACRS AREA
080 ALG 70SW DIK-30ESE BIS-40WSW GFK-60SSW YWG
120 ALG 20SSE BFF-60W FOD-40NW EAU-40W YQT
120 ALG 20WNW SSM-40WNW MBS-20SW DXO

....

WAUS43 KKCI 232045
WA3T
CHIT WA 232045
AIRMET TANGO UPDT 3 FOR TURB VALID UNTIL 240300

.
AIRMET TURB...MN IA WI LM LS MI LH
FROM INL TO 30SSW YQT TO SSM TO 30SW TVC TO 30SSE RHI TO 50SSE
MCW TO 30NW FOD TO INL
MOD TURB BLW 120. CONDS ENDG 01-03Z.

.
AIRMET TURB...ND SD NE KS MN IA
FROM 50NW INL TO 30E INL TO 40SSE OBH TO 50W LBL TO GLD TO BFF
TO 50NNW ISN TO 50NW INL
MOD TURB BTN FL220 AND FL400. CONDS CONTG BYD 03Z THRU 09Z.

.
OTLK VALID 0300-0900Z...TURB SD NE MN IA MO WI LS
BOUNDED BY 30E INL-30SSW YQT-20ENE DSM-40S OVR-40E OBH-30E INL
MOD TURB BTN FL220 AND FL400. CONDS CONTG THRU 09Z.

....

WAUS43 KKCI 240105 AAA
WA3S
CHIS WA 240105 AMD
AIRMET SIERRA UPDT 5 FOR IFR VALID UNTIL 240300

.
AIRMET IFR...MN WI LS...UPDT
FROM 20E INL TO 30SSW YQT TO 40S DLH TO 40NW EAU TO 40NW MSP TO
20E INL
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 09Z.

....

WAUS43 KKCI 240117 AAA
WA3T

CHIT WA 240117 AMD
AIRMET TANGO UPDT 4 FOR TURB VALID UNTIL 240300

.
AIRMET TURB...MN IA WI LM LS MI LH
FROM INL TO 30SSW YQT TO SSM TO 30SW TVC TO 30SSE RHI TO 50SSE
MCW TO 30NW FOD TO INL
MOD TURB BLW 120. CONDS ENDG 01-03Z.

.
AIRMET TURB...ND SD NE KS MN IA...UPDT
FROM 70WNW INL TO 30E INL TO 40SSE OBH TO 60NW END TO 50W LBL TO
GLD TO BFF TO 50NNW ISN TO 70WNW INL
MOD TURB BTN FL220 AND FL400. CONDS CONTG BYD 03Z THRU 09Z.

.
OTLK VALID 0300-0900Z...TURB SD NE MN IA MO WI LS
BOUNDED BY 30E INL-30SSW YQT-20ENE DSM-40S OVR-40E OBH-30E INL
MOD TURB BTN FL220 AND FL400. CONDS CONTG THRU 09Z.

....

WAUS43 KKCI 240245
WA3S
CHIS WA 240245
AIRMET SIERRA FOR IFR VALID UNTIL 240900

.
AIRMET IFR...MN WI LS MI
FROM 60WNW INL TO 30SSW YQT TO 50W GRB TO 40NW MSP TO 60WNW INL
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS DVLPG WI 04Z-06Z AND
CONTG BYD 09Z ENDG 13Z-14Z.

.
AIRMET IFR...KS MO IL KY OK AR TN MS
FROM 30S DEC TO 70SW PXV TO 50WSW SQS TO 40W FSM TO 20ESE OSW TO
20NNW STL TO 30S DEC
CIG BLW 010/VIS BLW 3SM BR/FG. CONDS DVLPG SERN MO SRN IL 04Z-
06Z. CONDS ELSW DVLPG 06Z-08Z. CONDS CONTG BYD 09Z ENDG 12Z-14Z.

....

WAUS43 KKCI 240245
WA3Z
CHIZ WA 240245
AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 240900

.
NO SGFNT ICE EXP OUTSIDE OF CNVTV ACT.

.
FRZLVL...RANGING FROM 065-145 ACRS AREA
080 ALG 70SSW ISN-40ESE BIS-30SW BJI-30NNW INL
120 ALG 20NNW BFF-30N DSM-30ENE DLL-30NE FWA

....

WAUS43 KKCI 240245
WA3T
CHIT WA 240245
AIRMET TANGO FOR TURB VALID UNTIL 240900

.
AIRMET TURB...ND SD NE KS MN IA MO WI LS MI OK TX AR
FROM 50NW INL TO 30SSW YQT TO 20N IOW TO 20SE RZC TO TXO TO 50W
LBL TO GLD TO BFF TO 50NNW ISN TO 50NW INL
MOD TURB BTN FL280 AND FL410. CONDS CONTG BYD 09Z ENDG NE KS WRN
OK W TX 12Z. CONDS RMNDR CONTG THRU 15Z.

.
OTLK VALID 0900-1500Z...TURB MN WI LM LS MI LH
BOUNDED BY 70WNW INL-20SW YQT-70NNE SAW-20NNW SSM-50SE TVC-50SE
EAU-50SSW BRD-70WNW INL
MOD TURB BLW 080. CONDS DVLPG 12Z-14Z AND CONTG THRU 15Z.

.....