PACKET OVERVIEW

The OYA conducts a mental health/substance abuse survey every two years on all offenders in OYA custody. The resulting data is analyzed to detect gaps in youth services and is used to advocate for services during the budget process.

This year's survey was completed by OYA parole and probation officers for youth in the community and by treatment managers for youth in the facilities for all youth in custody on March 1, 2006. The information was collected by data entry into a FileMaker Pro database.

The questions on the form were answered using youth assessments such as mental health, drug and/or alcohol and/or other assessments and evaluations from the youth's case file.

TABLE OF CONTENTS

- Mental Health Gap Survey and Instructions
- Question and Answer Summary by Location and Gender
- Gap Summary for OYA Males and Females by Location and Ethnicity
- 2000 2006 Mental Health GAP Survey Statewide Summary
- 2000 2006 Mental Health GAP Statewide Survey: Percent of All OYA Youth with Four Most Common Psychiatric Disorders Diagnosed (excluding conduct disorder)
- Alcohol and Other Drugs (AOD) History: Comparison of OYA Youth 2004 and 2006
- Alcohol and Other Drugs (AOD) History and AOD with Co-Occurring Disorder History 2004 and 2006 Comparison
- Females in OYA Facilities with Co-Occurring Disorders: Alcohol and Other Drugs (AOD) History with an Axis I Diagnosis (excluding conduct disorder)
- 2006 Mental Health GAP Statewide Survey: Percent of All OYA Youth with an Axis I Psychiatric Diagnosis (excluding conduct disorder)
- Youth with an Axis I Diagnosis and taking Psychotropic Medications by Gender and Location
- PowerPoint Presentation: Mental Health/Substance Abuse Gap Assessment: March 1, 2006



2006 HIGHLIGHTS

Females in OYA Facilities with Co-Occurring Disorders: Alcohol and Other Drugs (AOD) History with an Axis I Diagnosis, excluding Conduct Disorder

• 82.2% of females in facilities with a drug & alcohol abuse or dependence history also had an Axis I diagnosis (excluding conduct disorder) on March 1, 2006.


PowerPoint Presentation: Mental Health/Substance Abuse Gap Assessment: March 1, 2006

On March 1, 2006......

- 69% of youth in facilities had an Axis I diagnosis (excluding conduct disorder).
- 64% of youth in the community had an Axis I diagnosis (excluding conduct disorder).
- 49% of youth in facilities with an Axis I diagnosis (excluding conduct disorder) were also on psychotropic medication (a percent of the 69% with Axis I).
- 38% of youth in the community with an Axis I diagnosis (excluding conduct disorder) were also on psychotropic medication (a percent of the 64% with Axis I).
- 59% of youth in facilities were diagnosed with conduct disorder.
- 48% of youth in the community were diagnosed with conduct disorder.
- 34% of eligible youth statewide (age 12 to 21) were on an IEP.
- 99% of youth in facilities were engaged in school, work or vocational training.
- 85% of youth in the community were engaged in school, work or vocational training.



2006 Mental Health & Other Services Gap Survey											
Youth Name (Last, First)	Date										
Youth JJIS Number Person	completing form (Last, First)										
I	MENTAL HEALTH										
 1. Suicide Attempt History (Check one) O No Suicide Attempts in last 3 years O One Suicide Attempt in last 3 years O Multiple Suicide Attempts in last 3 years 	 2. Psychotropic Medications (Check one) O Currently taking psychotropic medications. O NOT currently taking psychotropic medications. 										
3. Previous Psychiatric Hospitalizations (Check O No Previous Psychiatric Hospitalizations O Previous Psychiatric Hospitalization within 12 m O Previous Psychiatric Hospitalization within 24 m O Previous Psychiatric Hospitalization more than	(Check one) nonths O Parent(s) has a psychiatric history. nonths O Parent(s) does NOT have a psychiatic history.										
 5. Abuse History (Check all that apply) No Abuse History Sexual Abuse History Physical Abuse History Emotional Abuse History 7. IQ - Intelligence Quotient (Check one) IQ Over 80 IQ 70 - 80 IQ Below 70 	6. Neurological Functioning (Check all that apply) Ormal Neurological Function Neurological Impairment (e.g., Tourettes) Pervasive Development Disorder (e.g., autism, Aspergers) FAS/FAE Other Neurological Disorder * * Specify Type:										
8. Conduct Disorder (Check one) O The youth has been diagnosed with a conduct O The youth has NOT been diagnosed with a cor											
 9. Axis I Diagnosis, excluding Conduct Disorder (For Substance Abuse, see Question 11.) O The youth has an Axis I Diagnosis, excluding O O The youth does NOT have an Axis I Diagnosis 	Conduct Disorder.										
 10. If the youth has an Axis I Diagnosis, excludin (For Substance Abuse, see Question 11.) PTSD (Post Traumatic Stress Disorder) Oppositional Defiant Disorder Anxiety Disorder Major Depression 	ag Conduct Disorder, check all that apply:										
☐ Dysthymia ☐ Bi-Polar	 Other MH Diagnosis not listed above * * Specify Type:										



2006 Mental Health (MH) & Other Services Gap Survey INSTRUCTIONS

The MH Gap Survey for 2006 combines field and facility questions onto one form. There are no demographic questions this year, as they will be answered by combining the completed MH Gap survey file with a JJIS file. Accurate completion by staff is essential for the agency to continue to develop and advocate for mental health services in the upcoming budget cycle. To ensure you complete the survey in the same way as other staff, please read and follow the instructions closely.

Who should fill out the forms?

Parole and probation officers must complete a form for each youth on their case load who is on parole or probation on **March 1, 2006.** Treatment Managers will be responsible for ensuring forms are filled out for all youth in close custody on **March 1, 2006.** Staff will use a JJIS-generated list to track their youth assignments, which will be sent to you by e-mail on Monday, March 6th.

What date should I use as the basis to complete the forms?

All staff should use **March 1, 2006** as the snapshot in time in responding to all questions on the form. Even if you complete the form on March 20th, responses should reflect information on the youth as of March 1.

What if I need help?

If you need assistance in completing the forms (after you have read the directions and scenarios) because you cannot decide what to mark, contact either Phil Cox at 503-373-7531, or Judy Satrum at 503-373-7387 in OYA's Program Office. If you need assistance with the FileMaker Pro 6 software, you may contact the Help Desk at 503-378-4333, Judy at 503-373-7387, or your region's executive support assistant or information systems staff.

When do I need to have the forms completed?

In order for the Program Office to analyze aggregate data and prepare recommendations to the Director's Office, **you must have all forms completed by March 31, 2006.** Remember, forms should be done for all youth on your list using information on March 1 as the snapshot in time, regardless of their location before or after that date. Be sure to answer every question on the form for each youth on your list.

What resources should I use to fill out the forms?

Questions on the form should be answered using youth assessments such as mental health, drug and/or alcohol and/or other assessments and evaluations from the youth's case file.

OPERATIONAL DEFINITIONS OF QUESTIONS ON THE FORM

Most questions on the form are self-explanatory. Some may need further definition to ensure all staff are answering the questions in the same manner. Please review the following operational definitions below <u>before</u> you complete the forms. If you have any further questions, see **What if I need help?** section above.

Question 4. Parent(s) Psychiatric History: Answer this question based on documentation available from the youth's case file, such as youth's psychosocial evaluation.

Question 7. IQ (Intelligence Quotient): The majority of our youth have an IQ between 85-105. Unless you have documented evidence otherwise, assume an IQ over 80.

Question 11. Diagnosed Drug and/or Alcohol History of Youth: Answer this question based on documentation available from the youth's drug and/or alcohol assessment or the youth's psychological evaluation.

Question 12. Parent(s) Drug and/or Alcohol History: Answer this question based on information available from the youth's Risk/Needs Assessment or from other documentation in the youth's case file, such as youth's psychosocial evaluation.

Question 16. Vocational Training: Vocational Training is defined as any training the youth is engaged in to obtain job skills.

END

Mental Health Gap March 1, 2006 Question and Answer Summary by Location and Gender

	I		FACILIT	Y n=826				C	оммилі	TY n=112	29		1	s	TATEWI	DE N=19	55	
1. Suicide Attempt History	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
No Suicide Attempts in last 3 years	41	71.9%	693	90.1%	734	88.9%	177	88.1%	871	93.9%	1,048	92.8%	218	84.5%	1,564	92.2%	1,782	91.2%
One Suicide Attempt in last 3 years	5	8.8%	52	6.8%	57	6.9%	15	7.5%	42	4.5%	57	5.0%	20	7.8%	94	5.5%	114	5.8%
Multiple Suicide Attempts in last 3 years	11	19.3%	24	3.1%	35	4.2%	9	4.5%	15	1.6%	24	2.1%	20	7.8%	39	2.3%	59	3.0%
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.0%
2. Psychotropic Medications	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Taking psychotropic medications	33	57.9%	266	34.6%	299	36.2%	73	36.3%	247	26.6%	320	28.3%	106	41.1%	513	30.2%	619	31.7%
Not taking psychotropic medications	24	42.1%	503	65.4%	527	63.8%	128	63.7%	681	73.4%	809	71.7%	152	58.9%	1,184	69.8%	1,336	68.3%
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	
3. Previous Psychiatric Hospitalizations	F	% of F	М	% of M	Total	% of n	F	% of F	м	% of M	Total	% of n	F	% of F	м	% of M	Total	% of N
None	. 41		701	91.2%	742	89.8%	. 177		864	93.1%	1.041	92.2%	. 218		1,565	92.2%	1,783	91.2%
Within 12 months	7	12.3%	701	0.9%	14	1.7%	8		20	2.2%	28	2.5%	15		27	1.6%	42	
Within 12 months	1	5.3%	11	1.4%	14	1.7%	5	2.5%	13	1.4%	18	1.6%	13	3.1%	24	1.4%	32	
	3	5.3% 10.5%	50	6.5%	56	6.8%	11		31	3.3%	42	3.7%	17		81	4.8%		
More than 2 years ago Total	57		769		826	0.8%	201	100.0%	928		1,129	3.7% 100.0%	258		1,697	4.8%		
i otai	57	100.0%	709	100.0%	020	100.0%	201	100.0%	920	100.0%	1,129	100.0%	200	100.0%	1,097	100.0%	1,955	100.07
4. Biological Parents Psychiatric History	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Parent(s) has a psychiatric history.	23	40.4%	180	23.4%	203	24.6%	52	25.9%	217	23.4%	269	23.8%	75	29.1%	397	23.4%	472	24.1%
Parent(s) does not have a psychiatic history.	34	59.6%	589	76.6%	623	75.4%	149	74.1%	711	76.6%	860	76.2%	183	70.9%	1,300	76.6%	1,483	75.9%
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258		1,697	100.0%		
5. Abuse History **	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
No Abuse History	6	10.5%	256	33.3%	262	31.7%	41	20.4%	308	33.2%	349	30.9%	47	18.2%	564	33.2%	611	31.3%
Sexual Abuse History	38	66.7%	265	34.5%	303	36.7%	110	54.7%	259	27.9%	369	32.7%	148		524	30.9%	672	34.4%
Physical Abuse History	39		347	45.1%	386	46.7%	81	40.3%	345	37.2%	426	37.7%	120	46.5%	692	40.8%	812	
Emotional Abuse History	42		373	48.5%	415	50.2%	118		496		614	54.4%	160		869	51.2%	1,029	52.6%
**Not Mutually Exclusive					-						-						,	
6. Normal Neurological Function **	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Normal Neurological Function	. 53		716	93.1%	769	93.1%	194	96.5%	869	93.6%	1,063	94.2%	. 247	95.7%	1,585	93.4%	1,832	93.7%
Neurological Impairment (e.g., Tourettes)	0	0.0%	3	0.4%	3	0.4%	3	1.5%	13	1.4%	1,000	1.4%		1.2%	1,000	0.9%	1,002	1.0%
Pervasive Development Disorder (e.g., autism,	0	0.0%	16	2.1%	16	1.9%	1	0.5%	10	1.1%	11	1.0%	1	0.4%	26	1.5%		1.4%
Aspergers) FAS/FAE	2	3.5%	27	3.5%	29	3.5%	2	1.0%	23	2.5%	25	2.2%	4	1.6%	50	2.9%	54	2.8%
Other Neurological Disorder	2	3.5%	15	2.0%	17	2.1%	2	1.0%	21	2.3%	23	2.0%	4	1.6%	36	2.1%	40	2.0%
**Not Mutually Exclusive			-								-	-						
7. IQ	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
IQ Below 70	1	3.5%	18	2.3%	19	2.3%	2	1.0%	25	2.7%	27	2.4%	3		43	2.5%	46	
IQ 70 - 80	4	7.0%	63	8.2%	67	8.1%	21	10.4%	111	12.0%	132	11.7%	25		174	10.3%	199	10.2%
IQ Over 80	52	91.2%	688	89.5%	740	89.6%	178		792	85.3%	970	85.9%	230		1,480	87.2%	1,710	87.5%
Total	57		769		826		201	100.0%	928		1,129	100.0%	258		1,400	100.0%		
10141	1 31	100.0 /0	109	100.076	020	100.070	201	100.0 /0	JZO	100.0 /0	1,129	100.0 /0	230	100.0%	1,037	100.0%	1,500	100.07

Mental Health Gap March 1, 2006 Question and Answer Summary by Location and Gender

			FACILIT	'Y n=826				С	OMMUNI	TY n=112	29			S	TATEWI	DE N=195	5	
8. Conduct Disorder	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Youth has been diagnosed with a conduct	44	77.2%	440	57.2%	484	58.6%	82	40.8%	464	50.0%	546	48.4%	126	48.8%	904	53.3%	1,030	52.7%
disorder.	10	22.00/	329	40.00/	342	44 40/	110	50.00/	464		500	51.6%	122	E1 00/	702	46 70/	0.05	47.20
No conduct disorder.	13 57		329 769	42.8%	342 826	41.4% 100.0%	119 201		464 928	50.0%	583 1.129	51.6% 100.0%	132	51.2% 100.0%	793	46.7%	925	
Total	57	100.0%	769	100.0%	020	100.0%	201	100.0%	920	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.07
9. Axis I, excluding Conduct Disorder	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Axis I Diagnosis, excluding Conduct Disorder.	44	77.2%	527	68.5%	571	69.1%	151	75.1%	568	61.2%	719	63.7%	195	75.6%	1,095	64.5%	1,290	66.0%
No Axis I Diagnosis, excl. Conduct Disorder.	13	22.8%	242	31.5%	255	30.9%	50	24.9%	360	38.8%	410	36.3%	63	24.4%	602	35.5%	665	34.0%
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.0%
10. Type of Axis I Diagnosis **	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Attention Deficit Disorder	. 7	12.3%	271	35.2%	278	33.7%	32		268	28.9%	300	26.6%	39	15.1%	539	31.8%	578	
Other MH Diagnosis not listed above	12		149	19.4%	161	19.5%	37		167	18.0%	204	18.1%	49	19.0%	316	18.6%	365	
PTSD (Post Traumatic Stress Disorder)	22		103	13.4%	125		51		121	13.0%	172	15.2%	73	28.3%	224	13.2%	297	
Oppositional Defiant Disorder	8	14.0%	75	9.8%	83	10.0%	39		161	17.3%	200	17.7%	47	18.2%	236	13.9%	283	
Major Depression	17		102	13.3%	119		50		87	9.4%	137	12.1%	67	26.0%	189	11.1%	256	
Dysthymia	8	14.0%	101	13.1%	109		13		94	10.1%	107	9.5%	21	8.1%	195	11.5%	216	
Anxiety Disorder	2	3.5%	66	8.6%	68	8.2%	23	11.4%	77	8.3%	100	8.9%	25	9.7%	143	8.4%	168	8.6%
Bi-Polar	4	7.0%	33	4.3%	37	4.5%	19		30	3.2%	49	4.3%	23	8.9%	63	3.7%	86	4.4%
Obsessive Compulsive Disorder	0	0.0%	18	2.3%	18	2.2%	4	2.0%	14	1.5%	18	1.6%	4	1.6%	32	1.9%	36	1.8%
Other Psychotic Disorder	0	0.0%	14	1.8%	14	1.7%	6	3.0%	10	1.1%	16	1.4%	6	2.3%	24	1.4%	30	1.5%
Schizophrenia	1	1.8%	9	1.2%	10	1.2%	3	1.5%	2	0.2%	5	0.4%	4	1.6%	11	0.6%	15	0.8%
**Not Mutually Exclusive																		
11. Drug and Alcohol History	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
No D&A History	5	8.8%	169	22.0%	174	21.1%	13		250	26.9%	263	23.3%	18	7.0%	419	24.7%	437	
Drug and/or Alcohol Use	7	12.3%	138	17.9%	145	17.6%	52	25.9%	262	28.2%	314	27.8%	59	22.9%	400	23.6%	459	23.5%
Drug and/or Alcohol Abuse	24	42.1%	199	25.9%	223	27.0%	70		259	27.9%	329	29.1%	94	36.4%	458	27.0%	552	28.2%
Drug and/or Alcohol Dependence	21	36.8%	263	34.2%	284	34.4%	66	32.8%	157	16.9%	223	19.8%	87	33.7%	420	24.7%	507	25.9%
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.0%
12. Parents Drug and Alcohol History	F	% of F	М	% of M	Total	% of n	F	% of F	м	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Parent(s) has a history of D&A Abuse.	. 44		498	64.8%	542		159		642		801	70.9%	203	78.7%	1,140	67.2%	1,343	
Parent(s) does not have a history of D&A Abuse.	13		271	35.2%	284	34.4%	42	20.9%	286	30.8%	328	29.1%	55	21.3%	557	32.8%	612	
Total	57		769	100.0%	826		201		928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	
	_	0/ . (F		04 . 4 .	T . (.)	01 - 1 -		0/ . (F		04 . 4 .	Tatal	01 - 1 -		0/ ./ F		04 . 4 .	T . (.)	04 - 41
13. School Attendance	F	% of F	M	% of M	Total	% of n	F	% of F	M	% of M	Total	% of n	F	% of F	M	% of M	Total	% of N
Attending Full Time	47	82.5%	607	78.9%	654	79.2%	124		551	59.4%	675	59.8%	171	66.3%	1,158	68.2%	1,329	
Attending Part Time	6	10.5%	71	9.2%	77		12		81	8.7%	93	8.2%	18	7.0%	152	9.0%	170	
Not Attending	4	7.0%	91	11.8%	95		65		296		361	32.0%	69	26.7%	387	22.8%	456	
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.0%

Mental Health Gap March 1, 2006 Question and Answer Summary by Location and Gender

			FACILIT	'Y n=826			I	с	OMMUNI	TY n=112	9	I		s	TATEWI	DE N=195	55	
14. If attending school, youth is working	F	% of F	М	% of M	Total	% of n	F	% of F	м	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
towards: **																		
High School Diploma	38		565	73.5%	603		112		541	58.3%	653		150		1,106		1,256	
GED	19		30		49		32		139		171	15.1%	51	19.8%	169	10.0%	220	11.3%
College Degree	6	10.5%	68	8.8%	74	9.0%	8	4.0%	24	2.6%	32	2.8%	14	5.4%	92	5.4%	106	5.4%
Certificate	0	0.0%	18	2.3%	18	2.2%	1	0.5%	12	1.3%	13	1.2%	1	0.4%	30	1.8%	31	1.6%
**Not Mutually Exclusive																		
15. IEP	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Youth is on an IEP.	24		259	33.7%	283		50		323	34.8%	373		74	28.7%	582		656	
Youth is not on an IEP.	33	57.9%	510	66.3%	543	65.7%	151	75.1%	605	65.2%	756	67.0%	184	71.3%	1,115	65.7%	1,299	66.4%
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.0%
40 Meantianal Training	F	0/ -4 5		% of M	Tetal	0/ -6 -	F	% of F	м	0/ -6 M	Tatal	% of n	F	% of F	М	0/ -6 M	Tatal	0/ -f N
16. Vocational Training		% of F	M		Total	% of n				% of M	Total 226					% of M	Total	% of N
Youth is engaged in vocational training.	17		330	42.9%	347	42.0%	39		187	20.2%	-		56		517		573	
Youth is not engaged in vocational training.	40	70.2%	439	57.1%	479		162		741	79.8%	903	80.0%	202	78.3%	1,180	69.5%	1,382	
Total	57	100.0%	769	100.0%	826	100.0%	201	100.0%	928	100.0%	1,129	100.0%	258	100.0%	1,697	100.0%	1,955	100.0%
17. Completion of Education/Training **	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
No Education/Training Completed	45	78.9%	559	72.7%	604	73.1%	166	82.6%	697	75.1%	863	76.4%	211	81.8%	1,256	74.0%	1,467	75.0%
High School Diploma Completed	8	14.0%	172	22.4%	180	21.8%	9	4.5%	128	13.8%	137	12.1%	17	6.6%	300	17.7%	317	16.2%
GED Completed	5	8.8%	43	5.6%	48	5.8%	25	12.4%	99	10.7%	124	11.0%	30	11.6%	142	8.4%	172	8.8%
Vocational Training Completed	0	0.0%	1	0.1%	1	0.1%	1	0.5%	12	1.3%	13	1.2%	1	0.4%	13	0.8%	14	0.7%
Certificate Completed	0	0.0%	13	1.7%	13	1.6%	0	0.0%	1	0.1%	1	0.1%	0	0.0%	14	0.8%	14	0.7%
College Degree Completed	0	0.0%	2	0.3%	2	0.2%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	2	0.1%
**Not Mutually Exclusive																		
18. Employment **	F	% of F	М	% of M	Total	% of n	F	% of F	м	% of M	Total	% of n	F	% of F	М	% of M	Total	% of N
Not Employed	42	73.7%	573	74.5%	615		138		596		734	65.0%	180	69.8%	1,169		1,349	69.0%
Employed Part Time	13		119		132		27	13.4%	117	12.6%	144	12.8%	40	15.5%	236		276	14.1%
Employed Full Time	2	3.5%	73	9.5%	75		12		131	14.1%	143		14	5.4%	200	12.0%	218	11.2%
Seeking Employment	2	3.5%		0.5%	6		24	11.9%	107	11.5%	131		26		111	6.5%	137	7.0%
**Not Mutually Exclusive	2	5.570	4	0.070	0	0.770	24	11.370	107	11.570	131	11.070	20	10.170		0.070	137	1.070
NOT MUTUALLY EXCLUSIVE		I I		I			1	I	I	I I			I				I	I

	Statewi		
Ethnicity	F	М	Total
African American	18	131	149
Asian	3	25	28
Caucasian	185	1185	1370

32

14

6

258

268

63

25

1697

300

77

31

1955

Statewide N = 1955 Number of Youth Statewide by Ethnicity Group

1. Suicide Attempt History	Ethnicity	F	% *	М	% *	Total	% *
None in last 3 years	African American	15	83.3%	123	93.9%	138	92.6%
	Asian	3	100.0%	22	88.0%	25	89.3%
	Caucasian	150	81.1%	1081	91.2%	1231	89.9%
	Hispanic	32	100.0%	256	95.5%	288	96.0%
	Native American	13	92.9%	58	92.1%	71	92.2%
	Other/Unknown	5	83.3%	24	96.0%	29	93.5%
None in last 3 years Total		218		1564		1782	
One or more in last 3 years	African American	3	16.7%	8	6.1%	11	7.4%
	Asian	0	0.0%	3	12.0%	3	10.7%
	Caucasian	35	18.9%	104	8.8%	139	10.1%
	Hispanic	0	0.0%	12	4.5%	12	4.0%
	Native American	1	7.1%	5	7.9%	6	7.8%
	Other/Unknown	1	16.7%	1	4.0%	2	6.5%
One or more in last 3 years Total		40		133		173	
Total		258		1697		1955	

Hispanic

Total

Native American

Other/Unknown

2. Taking Psychotropic Medications	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	7	38.9%	17	13.0%	24	16.1%
	Asian	2	66.7%	5	20.0%	7	25.0%
	Caucasian	80	43.2%	409	34.5%	489	35.7%
	Hispanic	10	31.3%	53	19.8%	63	21.0%
	Native American	4	28.6%	22	34.9%	26	33.8%
	Other/Unknown	3	50.0%	7	28.0%	10	32.3%
Yes Total		106		513		619	
No	African American	11	61.1%	114	87.0%	125	83.9%
	Asian	1	33.3%	20	80.0%	21	75.0%
	Caucasian	105	56.8%	776	65.5%	881	64.3%
	Hispanic	22	68.8%	215	80.2%	237	79.0%
	Native American	10	71.4%	41	65.1%	51	66.2%
	Other/Unknown	3	50.0%	18	72.0%	21	67.7%
No Total		152		1184		1336	
Total		258		1697		1955	

3. Previous Psychiatric Hospitalizations	Ethnicity	F	% *	Μ	% *	Total	% *
Yes	African American	2	11.1%	9	6.9%	11	7.4%
	Asian	0	0.0%	0	0.0%	0	0.0%
	Caucasian	35	18.9%	112	9.5%	147	10.7%
	Hispanic	1	3.1%	8	3.0%	9	3.0%
	Native American	2	14.3%	3	4.8%	5	6.5%
	Other/Unknown	0	0.0%	0	0.0%	0	0.0%
Yes Total		40		132		172	
No	African American	16	88.9%	122	93.1%	138	92.6%
	Asian	3	100.0%	25	100.0%	28	100.0%
	Caucasian	150	81.1%	1073	90.5%	1223	89.3%
	Hispanic	31	96.9%	260	97.0%	291	97.0%
	Native American	12	85.7%	60	95.2%	72	93.5%
	Other/Unknown	6	100.0%	25	100.0%	31	100.0%
No Total		218		1565		1783	
Total		258		1697		1955	
1 Devente Develietnie History	Ethers in iter	-	0/ *	8.4	0/ +	Tatal	0/ +

4. Parents Psychiatric History	Ethnicity	F	% *	Μ	% *	Total	% *
Yes	African American	3	16.7%	24	18.3%	27	18.1%
	Asian	1	33.3%	1	4.0%	2	7.1%
	Caucasian	63	34.1%	317	26.8%	380	27.7%
	Hispanic	6	18.8%	35	13.1%	41	13.7%
	Native American	1	7.1%	17	27.0%	18	23.4%
	Other/Unknown	1	16.7%	3	12.0%	4	12.9%
Yes Total		75		397		472	
No	African American	15	83.3%	107	81.7%	122	81.9%
	Asian	2	66.7%	24	96.0%	26	92.9%
	Caucasian	122	65.9%	868	73.2%	990	72.3%
	Hispanic	26	81.3%	233	86.9%	259	86.3%
	Native American	13	92.9%	46	73.0%	59	76.6%
	Other/Unknown	5	83.3%	22	88.0%	27	87.1%
No Total		183		1300		1483	
Total		258		1697		1955	

5. Previous Abuse History							
Not Mutually Exclusive	Ethnicity	F	% *	М	% *	Total	% *
No Abuse History	African American	5	27.8%	53	40.5%	58	38.9%
	Asian	0	0.0%	12	48.0%	12	42.9%
	Caucasian	31	16.8%	344	29.0%	375	27.4%
	Hispanic	9	28.1%	132	49.3%	141	47.0%
	Native American	1	7.1%	18	28.6%	19	24.7%
	Other/Unknown	1	16.7%	5	20.0%	6	19.4%
No Abuse History Total		47		564		611	
						-	
	Ethnicity	F	% *	М	% *	Total	% *
Sexual Abuse History	African American	9	50.0%	28	21.4%	37	24.8%
	Asian	2	66.7%	3	12.0%	5	17.9%
	Caucasian	112	60.5%	415	35.0%	527	38.5%
	Hispanic	17	53.1%	47	17.5%	64	21.3%
	Native American	7	50.0%	23	36.5%	30	39.0%
		4	40 70/	0	22.00/		20.00/
	Other/Unknown	1	16.7%	8	32.0%	9	29.0%

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

	Ethnicity	F	% *	М	% *	Total	% *
Physical Abuse History	African American	8	44.4%	44	33.6%	52	34.9%
	Asian	2	66.7%	9	36.0%	11	39.3%
	Caucasian	84	45.4%	514	43.4%	598	43.6%
	Hispanic	14	43.8%	75	28.0%	89	29.7%
	Native American	11	78.6%	38	60.3%	49	63.6%
	Other/Unknown	1	16.7%	12	48.0%	13	41.9%
Physical Abuse History Total		120		692		812	
	Ethnicity	F	% *	Μ	% *	Total	% *
Emotional Abuse History	African American	13	72.2%	61	46.6%	74	49.7%
	Asian	3	100.0%	12	48.0%	15	53.6%
	Caucasian	114	61.6%	646	54.5%	760	55.5%
	Hispanic	17	53.1%	99	36.9%	116	38.7%
	Native American	9	64.3%	38	60.3%	47	61.0%
	Other/Unknown	4	66.7%	13	52.0%	17	54.8%
Emotional Abuse History Total		160		869		1029	
7. IQ	Ethnicity	F	% *	М	% *	Total	% *
IQ Below 70	African American	1	5.6%	7	5.3%	8	5.4%
	Asian	0	0.0%	2	8.0%	2	7.1%
	Caucasian	2	1.1%	28	2.4%	30	2.2%
	Hispanic	0	0.0%	6	2.2%	6	2.0%
	Native American	0	0.0%	0	0.0%	0	0.0%
	Other/Unknown	0	0.0%	0	0.0%	0	0.0%
IQ Below 70 Total		3		43		46	
IQ 70 - 80	African American	3	16.7%	14	10.7%	17	11.4%
	Asian	0	0.0%	1	4.0%	1	3.6%
	Caucasian	13	7.0%	109	9.2%	122	8.9%
	Hispanic	7	21.9%	43	16.0%	50	16.7%
	Native American	1	7.1%	6	9.5%	7	9.1%
	Other/Unknown	1	16.7%	1	4.0%	2	6.5%
IQ 70 - 80 Total		25		174		199	
IQ Over 80	African American	14	77.8%	110	84.0%	124	83.2%
	Asian	3	100.0%	22	88.0%	25	89.3%
	Caucasian	170	91.9%	1048	88.4%	1218	88.9%
	Hispanic	25	78.1%	219	81.7%	244	81.3%
	Native American	13	92.9%	57	90.5%	70	90.9%
	Other/Unknown	5	83.3%	24	96.0%	29	93.5%
IQ Over 80 Total		230		1480		1710	
Total		258		1697		1955	

8. Conduct Disorder	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	13	72.2%	63	48.1%	76	51.0%
	Asian	1	33.3%	14	56.0%	15	53.6%
	Caucasian	84	45.4%	650	54.9%	734	53.6%
	Hispanic	21	65.6%	121	45.1%	142	47.3%
	Native American	6	42.9%	44	69.8%	50	64.9%
	Other/Unknown	1	16.7%	12	48.0%	13	41.9%
Yes Total		126		904		1030	
No	African American	5	27.8%	68	51.9%	73	49.0%
	Asian	2	66.7%	11	44.0%	13	46.4%
	Caucasian	101	54.6%	535	45.1%	636	46.4%
	Hispanic	11	34.4%	147	54.9%	158	52.7%
	Native American	8	57.1%	19	30.2%	27	35.1%
	Other/Unknown	5	83.3%	13	52.0%	18	58.1%
No Total		132		793		925	
Total		258		1697		1955	

9. Axis I Diagnosis	Ethnicity	F	% *	Μ	% *	Total	% *
Yes	African American	12	66.7%	68	51.9%	80	53.7%
	Asian	2	66.7%	13	52.0%	15	53.6%
	Caucasian	145	78.4%	839	70.8%	984	71.8%
	Hispanic	22	68.8%	114	42.5%	136	45.3%
	Native American	9	64.3%	45	71.4%	54	70.1%
	Other/Unknown	5	83.3%	16	64.0%	21	67.7%
Yes Total		195		1095		1290	
No	African American	6	33.3%	63	48.1%	69	46.3%
	Asian	1	33.3%	12	48.0%	13	46.4%
	Caucasian	40	21.6%	346	29.2%	386	28.2%
	Hispanic	10	31.3%	154	57.5%	164	54.7%
	Native American	5	35.7%	18	28.6%	23	29.9%
	Other/Unknown	1	16.7%	9	36.0%	10	32.3%
No Total		63		602		665	
Total		258		1697		1955	

10. Four Most Common Axis I Diagno	ses						
Not Mutually Exclusive	Ethnicity	F	% *	Μ	% *	Total	% *
Attention Deficit Disorder	African American	1	5.6%	33	25.2%	34	22.8%
	Asian	0	0.0%	3	12.0%	3	10.7%
	Caucasian	31	16.8%	438	37.0%	469	34.2%
	Hispanic	4	12.5%	38	14.2%	42	14.0%
	Native American	2	14.3%	21	33.3%	23	29.9%
	Other/Unknown	1	16.7%	6	24.0%	7	22.6%
			1011 /0	0	211070	,	22.070
Attention Deficit Disorder Total		39	1011 /0	539	2 110 / 0	578	221070
Attention Deficit Disorder Total	Outor, Children	39	1011 / 0	-	211070	-	221070
Attention Deficit Disorder Total	Ethnicity	39 F		-	2	-	% *
Attention Deficit Disorder Total Depressive Disorder			11.1%	539	16.0%	578	
	Ethnicity	F		539 M		578 Total	% *
	Ethnicity African American	F	11.1%	539 M 21	16.0%	578 Total 23	% * 15.4%
	Ethnicity African American Asian	F 2 1	11.1% 33.3%	539 M 21 5	16.0% 20.0%	578 Total 23 6	<mark>%</mark> * 15.4% 21.4%

0

85

0.0%

6

369

Other/Unknown

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

Depressive Disorder Total

OYA Research and Evaluation May 17, 2006 Page 4

6

454

19.4%

24.0%

	Ethnicity	F		М		Total	% *
Post Traumatic Stress Disorder	African American	6	33.3%	20	15.3%	26	17.4%
	Asian	1	33.3%	3	12.0%	4	14.3%
	Caucasian	52	28.1%	167	14.1%	219	16.0%
	Hispanic	9	28.1%	22	8.2%	31	10.3%
	Native American	5	35.7%	10	15.9%	15	19.5%
	Other/Unknown	0	0.0%	2	8.0%	2	6.5%
Post Traumatic Stress Disorder Total		73	0.070	224	0.070	297	0.070
	Ethnicity	F		М		Total	% *
Oppositional Defiant Disorder	African American	3	16.7%	14	10.7%	17	11.4%
	Asian	0	0.0%	2	8.0%	2	7.1%
	Caucasian	34	18.4%	189	15.9%	223	16.3%
	Hispanic	4	12.5%	21	7.8%	25	8.3%
	Native American	3	21.4%	7	11.1%	10	13.0%
	Other/Unknown	3	50.0%	3	12.0%	6	19.4%
Oppositional Defiant Disorder Total		47		236		283	
11. D&A History	Ethnicity	F	% *	М	% *	Total	% *
No Drug and/or Alcohol History	African American	4	22.2%	20	15.3%	24	16.1%
	Asian	0	0.0%	4	16.0%	4	14.3%
	Caucasian	12	6.5%	344	29.0%	356	26.0%
	Hispanic	1	3.1%	33	12.3%	34	11.3%
	Native American	0	0.0%	12	19.0%	12	15.6%
	Other/Unknown	1	16.7%	6	24.0%	7	22.6%
No Drug and/or Alcohol History Total		18		419		437	
Drug and/or Alcohol Use	African American	3	16.7%	45	34.4%	48	32.2%
	Asian	0	0.0%	8	32.0%	8	28.6%
	Caucasian	47	25.4%	262	22.1%	309	22.6%
	Hispanic	6	18.8%	64	23.9%	70	23.3%
	Native American	0	0.0%	15	23.8%	15	19.5%
	Other/Unknown	3	50.0%	6	24.0%	9	29.0%
Drug and/or Alcohol Use Total		59		400		459	
Drug and/or Alcohol Abuse	African American	8	44.4%	38	29.0%	46	30.9%
	Asian	2	66.7%	8	32.0%	10	35.7%
	Caucasian	64	34.6%	287	24.2%	351	25.6%
	Hispanic	13	40.6%	101	37.7%	114	38.0%
	Native American	7	50.0%	17	27.0%	24	31.2%
	Other/Unknown	0	0.0%	7	28.0%	7	22.6%
Drug and/or Alcohol Abuse Total		94		458		552	
Drug and/or Alcohol Dependence	African American	3	16.7%	28	21.4%	31	20.8%
	Asian	1	33.3%	5	20.0%	6	21.4%
	Caucasian	62	33.5%	292	24.6%	354	25.8%
	Hispanic	12	37.5%	70	26.1%	82	27.3%
	Native American	7	50.0%	19	30.2%	26	33.8%
	Other/Unknown	2	33.3%	6	24.0%	8	25.8%
Drug and/or Alcohol Dependence Total		87		420		507	
Total		258		1697		1955	

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

Facility N = 826	
Number of Youth in Facility by Ethnicity G	roup

Ethnicity	F	Μ	Total
African American	10	64	74
Asian	0	11	11
Caucasian	39	534	573
Hispanic	5	118	123
Native American	3	32	35
Other/Unknown	0	10	10
Total	57	769	826

1. Suicide Attempt History	Ethnicity	F	% *	М	% *	Total	% *
None in last 3 years	African American	9	90.0%	60	93.8%	69	93.2%
	Asian	0	0% *	11	100.0%	11	100.0%
	Caucasian	25	64.1%	474	88.8%	499	87.1%
	Hispanic	5	100.0%	110	93.2%	115	93.5%
	Native American	2	66.7%	29	90.6%	31	88.6%
	Other/Unknown	0	0% *	9	90.0%	9	90.0%
None in last 3 years Total		41		693		734	
One or more in last 3 years	African American	1	10.0%	4	6.3%	5	6.8%
	Asian	0	0% *	0	0.0%	0	0.0%
	Caucasian	14	35.9%	60	11.2%	74	12.9%
	Hispanic	0	0.0%	8	6.8%	8	6.5%
	Native American	1	33.3%	3	9.4%	4	11.4%
	Other/Unknown	0	0% *	1	10.0%	1	10.0%
One or more in last 3 years Total		16		76		92	
Total		57		769		826	

2. Taking Psychotropic Medications	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	5	50.0%	9	14.1%	14	18.9%
	Asian	0	0% *	2	18.2%	2	18.2%
	Caucasian	24	61.5%	213	39.9%	237	41.4%
	Hispanic	2	40.0%	24	20.3%	26	21.1%
	Native American	2	66.7%	15	46.9%	17	48.6%
	Other/Unknown	0	0% *	3	30.0%	3	30.0%
Yes Total		33		266		299	
No	African American	5	50.0%	55	85.9%	60	81.1%
	Asian	0	0% *	9	81.8%	9	81.8%
	Caucasian	15	38.5%	321	60.1%	336	58.6%
	Hispanic	3	60.0%	94	79.7%	97	78.9%
	Native American	1	33.3%	17	53.1%	18	51.4%
	Other/Unknown	0	0% *	7	70.0%	7	70.0%
No Total		24		503		527	
Total		57		769		826	

3. Previous Psychiatric Hospitalizations	Ethnicity	F	% *	Μ	% *	Total	% *
Yes	African American	2	20.0%	5	7.8%	7	9.5%
	Asian	0	0% *	0	0.0%	0	0.0%
	Caucasian	12	30.8%	56	10.5%	68	11.9%
	Hispanic	1	20.0%	4	3.4%	5	4.1%
	Native American	1	33.3%	3	9.4%	4	11.4%
	Other/Unknown	0	0% *	0	0.0%	0	0.0%
Yes Total		16		68		84	
No	African American	8	80.0%	59	92.2%	67	90.5%
	Asian	0	0% *	11	100.0%	11	100.0%
	Caucasian	27	69.2%	478	89.5%	505	88.1%
	Hispanic	4	80.0%	114	96.6%	118	95.9%
	Native American	2	66.7%	29	90.6%	31	88.6%
	Other/Unknown	0	0% *	10	100.0%	10	100.0%
No Total		41		701		742	
Total		57		769		826	

4. Parents Psychiatric History	Ethnicity	F	% *	Μ	% *	Total	% *
Yes	African American	3	30.0%	8	12.5%	11	14.9%
	Asian	0	0% *	0	0.0%	0	0.0%
	Caucasian	18	46.2%	145	27.2%	163	28.4%
	Hispanic	2	40.0%	16	13.6%	18	14.6%
	Native American	0	0.0%	10	31.3%	10	28.6%
	Other/Unknown	0	0% *	1	10.0%	1	10.0%
Yes Total		23		180		203	
No	African American	7	70.0%	56	87.5%	63	85.1%
	Asian	0	0% *	11	100.0%	11	100.0%
	Caucasian	21	53.8%	389	72.8%	410	71.6%
	Hispanic	3	60.0%	102	86.4%	105	85.4%
	Native American	3	100.0%	22	68.8%	25	71.4%
	Other/Unknown	0	0% *	9	90.0%	9	90.0%
No Total		34		589		623	
Total		57		769		826	

5. Previous Abuse History							
Not Mutually Exclusive	Ethnicity	F	% *	Μ	% *	Total	% *
No Abuse History	African American	2	20.0%	35	54.7%	37	50.0%
	Asian	0	0% *	5	45.5%	5	45.5%
	Caucasian	2	5.1%	147	27.5%	149	26.0%
	Hispanic	2	40.0%	59	50.0%	61	49.6%
	Native American	0	0.0%	9	28.1%	9	25.7%
	Other/Unknown	0	0% *	1	10.0%	1	10.0%
No Abuse History Total	·	6		256		262	
	Ethnicity	F	% *	Μ	% *	Total	% *
Sexual Abuse History	African American	5	50.0%	7	10.9%	12	16.2%
	Asian	0	0% *	1	9.1%	1	9.1%
	Caucasian	30	76.9%	214	40.1%	244	42.6%
	Hispanic	2	40.0%	26	22.0%	28	22.8%
	Native American	1	33.3%	14	43.8%	15	42.9%
	Other/Unknown	0	0% *	3	30.0%	3	30.0%
Sexual Abuse History Total	-	38		265		303	

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

	Ethnicity	F	% *	М	% *	Total	% *
Physical Abuse History	African American	4	40.0%	18	28.1%	22	29.7%
	Asian	0	0% *	4	36.4%	4	36.4%
	Caucasian	29	74.4%	265	49.6%	294	51.3%
	Hispanic	3	60.0%	33	28.0%	36	29.3%
	Native American	3	100.0%	21	65.6%	24	68.6%
	Other/Unknown	0	0% *	6	60.0%	6	60.0%
Physical Abuse History Total		39		347		386	
	Ethnicity	F	% *	Μ	% *	Total	% *
Emotional Abuse History	African American	8	80.0%	21	32.8%	29	39.2%
	Asian	0	0% *	6	54.5%	6	54.5%
	Caucasian	29	74.4%	279	52.2%	308	53.8%
	Hispanic	3	60.0%	42	35.6%	45	36.6%
	Native American	2	66.7%	19	59.4%	21	60.0%
	Other/Unknown	0	0% *	6	60.0%	6	60.0%
Emotional Abuse History Total		42		373		415	
7. IQ	Ethnicity	F	% *	М	% *	Total	% *
IQ Below 70	African American	1	10.0%	1	1.6%	2	2.7%
	Asian	0	0% *	0	0.0%	0	0.0%
	Caucasian	0	0.0%	14	2.6%	14	2.4%
	Hispanic	0	0.0%	3	2.5%	3	2.4%
	Native American	0	0.0%	0	0.0%	0	0.0%
	Other/Unknown	0	0% *	0	0.0%	0	0.0%
IQ Below 70 Total		1	40.004	18	4 = 0 (19	- 101
IQ 70 - 80	African American	1	10.0%	3	4.7%	4	5.4%
	Asian	0	0% *	1	9.1%	1	9.1%
	Caucasian	3	7.7%	47	8.8%	50	8.7%
	Hispanic	0	0.0%	10	8.5%	10	8.1%
	Native American	0	0.0%	2	6.3%	2	5.7%
	Other/Unknown	0 4	0% *	0	0.0%	0 67	0.0%
IQ 70 - 80 Total IQ Over 80	African American	<u>4</u> 8	80.0%	63 60	93.8%	67	91.9%
	Ancan American Asian	8 0	80.0% 0% *	60 10	93.8% 90.9%	68 10	91.9% 90.9%
	Caucasian	0 36	0% 92.3%	473	90.9% 88.6%	509	90.9% 88.8%
	Hispanic	36 5	92.3% 100.0%	473 105	88.6% 89.0%	509 110	88.8% 89.4%
	Native American	5 3	100.0%	30	89.0% 93.8%	33	89.4% 94.3%
	Other/Unknown	3 0	100.0% 0% *	30 10	93.8% 100.0%	33 10	94.3% 100.0%
IQ Over 80 Total	Other/Onknown	52	U%	688	100.0%	740	100.0%
		52 57		769		740 826	
Total		J/		109		070	

8. Conduct Disorder	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	9	90.0%	27	42.2%	36	48.6%
	Asian	0	0% *	5	45.5%	5	45.5%
	Caucasian	30	76.9%	326	61.0%	356	62.1%
	Hispanic	4	80.0%	53	44.9%	57	46.3%
	Native American	1	33.3%	23	71.9%	24	68.6%
	Other/Unknown	0	0% *	6	60.0%	6	60.0%
Yes Total		44		440		484	
No	African American	1	10.0%	37	57.8%	38	51.4%
	Asian	0	0% *	6	54.5%	6	54.5%
	Caucasian	9	23.1%	208	39.0%	217	37.9%
	Hispanic	1	20.0%	65	55.1%	66	53.7%
	Native American	2	66.7%	9	28.1%	11	31.4%
	Other/Unknown	0	0% *	4	40.0%	4	40.0%
No Total		13		329		342	
Total		57		769		826	

9. Axis I Diagnosis	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	6	60.0%	32	50.0%	38	51.4%
	Asian	0	0% *	5	45.5%	5	45.5%
	Caucasian	33	84.6%	406	76.0%	439	76.6%
	Hispanic	3	60.0%	49	41.5%	52	42.3%
	Native American	2	66.7%	26	81.3%	28	80.0%
	Other/Unknown	0	0% *	9	90.0%	9	90.0%
Yes Total		44		527		571	
No	African American	4	40.0%	32	50.0%	36	48.6%
	Asian	0	0% *	6	54.5%	6	54.5%
	Caucasian	6	15.4%	128	24.0%	134	23.4%
	Hispanic	2	40.0%	69	58.5%	71	57.7%
	Native American	1	33.3%	6	18.8%	7	20.0%
	Other/Unknown	0	0% *	1	10.0%	1	10.0%
No Total		13		242		255	
Total		57		769		826	

10. Four Most Common Axis I Diagno	oses						
Not Mutually Exclusive	Ethnicity	F	% *	М	% *	Total	% *
Attention Deficit Disorder	African American	1	10.0%	13	20.3%	14	18.9%
	Asian	0	0% *	1	9.1%	1	9.1%
	Caucasian	6	15.4%	223	41.8%	229	40.0%
	Hispanic	0	0.0%	17	14.4%	17	13.8%
	Native American	0	0.0%	13	40.6%	13	37.1%
	Other/Unknown	0	0% *	4	40.0%	4	40.0%
Attention Deficit Disorder Total		7		271		278	
	Ethnicity	F	% *	М	% *	Total	% *
Depressive Disorder	African American	1	10.0%	9	14.1%	10	13.5%

Depressive Disorder Total		24		199		223	
	Other/Unknown	0	0% *	4	40.0%	4	40.0%
	Native American	2	66.7%	7	21.9%	9	25.7%
	Hispanic	1	20.0%	18	15.3%	19	15.4%
	Caucasian	20	51.3%	158	29.6%	178	31.1%
	Asian	0	0% *	3	27.3%	3	27.3%
Depressive Disoluel	Anican Aniencan		10.070	9	14.170	10	13.370

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

	Ethnicity	F	% *	М	% *	Total	% *
Post Traumatic Stress Disorder	African American	3	30.0%	8	12.5%	11	14.9%
	Asian	0	0% *	0	0.0%	0	0.0%
	Caucasian	17	43.6%	79	14.8%	96	16.8%
	Hispanic	1	20.0%	8	6.8%	9	7.3%
	Native American	1	33.3%	6	18.8%	7	20.0%
	Other/Unknown	0	0% *	2	20.0%	2	20.0%
Post Traumatic Stress Disorder Total		22	0,10	103	20.070	125	_0.070
	Ethnicity	F	% *	М	% *	Total	% *
Oppositional Defiant Disorder	African American	1	10.0%	2	3.1%	3	4.1%
	Asian	0	0% *	0	0.0%	0	0.0%
	Caucasian	5	12.8%	66	12.4%	71	12.4%
	Hispanic	1	20.0%	2	1.7%	3	2.4%
	Native American	1	33.3%	2	6.3%	3	8.6%
	Other/Unknown	0	0% *	3	30.0%	3	30.0%
Oppositional Defiant Disorder Total		8		75		83	
11. D&A History	Ethnicity	F	% *	М	% *	Total	% *
No Drug and/or Alcohol History	African American	3	30.0%	8	12.5%	11	14.9%
	Asian	0	0% *	1	9.1%	1	9.1%
	Caucasian	2	5.1%	142	26.6%	144	25.1%
	Hispanic	0	0.0%	12	10.2%	12	9.8%
	Native American	0	0.0%	5	15.6%	5	14.3%
	Other/Unknown	0	0% *	1	10.0%	1	10.0%
No Drug and/or Alcohol History Total		5		169		174	
Drug and/or Alcohol Use	African American	0	0.0%	20	31.3%	20	27.0%
	Asian	0	0% *	3	27.3%	3	27.3%
	Caucasian	7	17.9%	92	17.2%	99	17.3%
	Hispanic	0	0.0%	18	15.3%	18	14.6%
	Native American	0	0.0%	3	9.4%	3	8.6%
	Other/Unknown	0	0% *	2	20.0%	2	20.0%
Drug and/or Alcohol Use Total		7		138		145	
Drug and/or Alcohol Abuse	African American	5	50.0%	20	31.3%	25	33.8%
	Asian	0	0% *	3	27.3%	3	27.3%
	Caucasian	13	33.3%	124	23.2%	137	23.9%
	Hispanic	4	80.0%	39	33.1%	43	35.0%
	Native American	2	66.7%	9	28.1%	11	31.4%
	Other/Unknown	0	0% *	4	40.0%	4	40.0%
Drug and/or Alcohol Abuse Total		24		199		223	
Drug and/or Alcohol Dependence	African American	2	20.0%	16	25.0%	18	24.3%
	Asian	0	0% *	4	36.4%	4	36.4%
	Caucasian	17	43.6%	176	33.0%	193	33.7%
	Hispanic	1	20.0%	49	41.5%	50	40.7%
	Native American	1	33.3%	15	46.9%	16	45.7%
	Other/Unknown	0	0% *	3	30.0%	3	30.0%
Drug and/or Alcohol Dependence Total		21		263		284	
Total		57		769		826	

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

Community N = 1129 Number of Youth in Community by Ethnicity Group

Ethnicity	F	Μ	Total
African American	8	67	75
Asian	3	14	17
Caucasian	146	651	797
Hispanic	27	150	177
Native American	11	31	42
Other/Unknown	6	15	21
Total	201	928	1129

1. Suicide Attempt History	Ethnicity	F	% *	М	% *	Total	% *
None in last 3 years	African American	6	75.0%	63	94.0%	69	92.0%
	Asian	3	100.0%	11	78.6%	14	82.4%
	Caucasian	125	85.6%	607	93.2%	732	91.8%
	Hispanic	27	100.0%	146	97.3%	173	97.7%
	Native American	11	100.0%	29	93.5%	40	95.2%
	Other/Unknown	5	83.3%	15	100.0%	20	95.2%
None in last 3 years Total		177		871		1048	
One or more in last 3 years	African American	2	25.0%	4	6.0%	6	8.0%
	Asian	0	0.0%	3	21.4%	3	17.6%
	Caucasian	21	14.4%	44	6.8%	65	8.2%
	Hispanic	0	0.0%	4	2.7%	4	2.3%
	Native American	0	0.0%	2	6.5%	2	4.8%
	Other/Unknown	1	16.7%	0	0.0%	1	4.8%
One or more in last 3 years Total		24		57		81	
Total		201		928		1129	

2. Taking Psychotropic Medications	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	2	25.0%	8	11.9%	10	13.3%
	Asian	2	66.7%	3	21.4%	5	29.4%
	Caucasian	56	38.4%	196	30.1%	252	31.6%
	Hispanic	8	29.6%	29	19.3%	37	20.9%
	Native American	2	18.2%	7	22.6%	9	21.4%
	Other/Unknown	3	50.0%	4	26.7%	7	33.3%
Yes Total		73		247		320	
No	African American	6	75.0%	59	88.1%	65	86.7%
	Asian	1	33.3%	11	78.6%	12	70.6%
	Caucasian	90	61.6%	455	69.9%	545	68.4%
	Hispanic	19	70.4%	121	80.7%	140	79.1%
	Native American	9	81.8%	24	77.4%	33	78.6%
	Other/Unknown	3	50.0%	11	73.3%	14	66.7%
No Total		128		681		809	
Total		201		928		1129	

3. Previous Psychiatric Hospitalizations	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	0	0.0%	4	6.0%	4	5.3%
	Asian	0	0.0%	0	0.0%	0	0.0%
	Caucasian	23	15.8%	56	8.6%	79	9.9%
	Hispanic	0	0.0%	4	2.7%	4	2.3%
	Native American	1	9.1%	0	0.0%	1	2.4%
	Other/Unknown	0	0.0%	0	0.0%	0	0.0%
Yes Total		24		64		88	
No	African American	8	100.0%	63	94.0%	71	94.7%
	Asian	3	100.0%	14	100.0%	17	100.0%
	Caucasian	123	84.2%	595	91.4%	718	90.1%
	Hispanic	27	100.0%	146	97.3%	173	97.7%
	Native American	10	90.9%	31	100.0%	41	97.6%
	Other/Unknown	6	100.0%	15	100.0%	21	100.0%
No Total		177		864		1041	
Total		201		928		1129	

4. Parents Psychiatric History	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	0	0.0%	16	23.9%	16	21.3%
	Asian	1	33.3%	1	7.1%	2	11.8%
	Caucasian	45	30.8%	172	26.4%	217	27.2%
	Hispanic	4	14.8%	19	12.7%	23	13.0%
	Native American	1	9.1%	7	22.6%	8	19.0%
	Other/Unknown	1	16.7%	2	13.3%	3	14.3%
Yes Total		52		217		269	
No	African American	8	100.0%	51	76.1%	59	78.7%
	Asian	2	66.7%	13	92.9%	15	88.2%
	Caucasian	101	69.2%	479	73.6%	580	72.8%
	Hispanic	23	85.2%	131	87.3%	154	87.0%
	Native American	10	90.9%	24	77.4%	34	81.0%
	Other/Unknown	5	83.3%	13	86.7%	18	85.7%
No Total		149		711		860	
Total		201		928		1129	

5. Previous Abuse History							
Not Mutually Exclusive	Ethnicity	F	% *	Μ	% *	Total	% *
No Abuse History	African American	3	37.5%	18	26.9%	21	28.0%
	Asian	0	0.0%	7	50.0%	7	41.2%
	Caucasian	29	19.9%	197	30.3%	226	28.4%
	Hispanic	7	25.9%	73	48.7%	80	45.2%
	Native American	1	9.1%	9	29.0%	10	23.8%
	Other/Unknown	1	16.7%	4	26.7%	5	23.8%
No Abuse History Total	·	41		308		349	
-							
	Ethnicity	F	% *	Μ	% *	Total	% *
Sexual Abuse History	African American	4	50.0%	21	31.3%	25	33.3%
	Asian	2	66.7%	2	14.3%	4	23.5%
	Caucasian	82	56.2%	201	30.9%	283	35.5%
	Hispanic	15	55.6%	21	14.0%	36	20.3%
	Native American	6	54.5%	9	29.0%	15	35.7%
	Other/Unknown	1	16.7%	5	33.3%	6	28.6%
Sexual Abuse History Total	-	110		259		369	

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

	Ethnicity	F	% *	М	% *	Total	% *
Physical Abuse History	African American	4	50.0%	26	38.8%	30	40.0%
	Asian	2	66.7%	5	35.7%	7	41.2%
	Caucasian	55	37.7%	249	38.2%	304	38.1%
	Hispanic	11	40.7%	42	28.0%	53	29.9%
	Native American	8	72.7%	17	54.8%	25	59.5%
	Other/Unknown	1	16.7%	6	40.0%	7	33.3%
Physical Abuse History Total		81		345		426	
	Ethnicity	F	% *	М	% *	Total	% *
Emotional Abuse History	African American	5	62.5%	40	59.7%	45	60.0%
	Asian	3	100.0%	6	42.9%	9	52.9%
	Caucasian	85	58.2%	367	56.4%	452	56.7%
	Hispanic	14	51.9%	57	38.0%	71	40.1%
	Native American	7	63.6%	19	61.3%	26	61.9%
	Other/Unknown	4	66.7%	7	46.7%	11	52.4%
Emotional Abuse History Total		118		496		614	
7. IQ	Ethnicity	F	% *	М	% *	Total	% *
IQ Below 70	African American	0	0.0%	6	9.0%	6	8.0%
	Asian	0	0.0%	2	14.3%	2	11.8%
	Caucasian	2	1.4%	14	2.2%	16	2.0%
	Hispanic	0	0.0%	3	2.0%	3	1.7%
	Native American	0	0.0%	0	0.0%	0	0.0%
	Other/Unknown	0	0.0%	0	0.0%	0	0.0%
IQ Below 70 Total		2		25		27	
IQ 70 - 80	African American	2	25.0%	11	16.4%	13	17.3%
	Asian	0	0.0%	0	0.0%	0	0.0%
	Caucasian	10	6.8%	62	9.5%	72	9.0%
	Hispanic	7	25.9%	33	22.0%	40	22.6%
	Native American	1	9.1%	4	12.9%	5	11.9%
	Other/Unknown	1	16.7%	1	6.7%	2	9.5%
IQ 70 - 80 Total		21		111		132	
IQ Over 80	African American	6	75.0%	50	74.6%	56	74.7%
	Asian	3	100.0%	12	85.7%	15	88.2%
	Caucasian	134	91.8%	575	88.3%	709	89.0%
	Hispanic	20	74.1%	114	76.0%	134	75.7%
	Native American	10	90.9%	27	87.1%	37	88.1%
	Other/Unknown	5	83.3%	14	93.3%	19	90.5%
IQ Over 80 Total		178		792		970	
Total		201		928		1129	

8. Conduct Disorder	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	4	50.0%	36	53.7%	40	53.3%
	Asian	1	33.3%	9	64.3%	10	58.8%
	Caucasian	54	37.0%	324	49.8%	378	47.4%
	Hispanic	17	63.0%	68	45.3%	85	48.0%
	Native American	5	45.5%	21	67.7%	26	61.9%
	Other/Unknown	1	16.7%	6	40.0%	7	33.3%
Yes Total		82		464		546	
No	African American	4	50.0%	31	46.3%	35	46.7%
	Asian	2	66.7%	5	35.7%	7	41.2%
	Caucasian	92	63.0%	327	50.2%	419	52.6%
	Hispanic	10	37.0%	82	54.7%	92	52.0%
	Native American	6	54.5%	10	32.3%	16	38.1%
	Other/Unknown	5	83.3%	9	60.0%	14	66.7%
No Total		119		464		583	
Total		201		928		1129	

9. Axis I Diagnosis	Ethnicity	F	% *	М	% *	Total	% *
Yes	African American	6	75.0%	36	53.7%	42	56.0%
	Asian	2	66.7%	8	57.1%	10	58.8%
	Caucasian	112	76.7%	433	66.5%	545	68.4%
	Hispanic	19	70.4%	65	43.3%	84	47.5%
	Native American	7	63.6%	19	61.3%	26	61.9%
	Other/Unknown	5	83.3%	7	46.7%	12	57.1%
Yes Total		151		568		719	
No	African American	2	25.0%	31	46.3%	33	44.0%
	Asian	1	33.3%	6	42.9%	7	41.2%
	Caucasian	34	23.3%	218	33.5%	252	31.6%
	Hispanic	8	29.6%	85	56.7%	93	52.5%
	Native American	4	36.4%	12	38.7%	16	38.1%
	Other/Unknown	1	16.7%	8	53.3%	9	42.9%
No Total		50		360		410	
Total		201		928		1129	

10. Four Most Common Axis I Diagn	oses						
Not Mutually Exclusive	Ethnicity	F	% *	Μ	% *	Total	% *
Attention Deficit Disorder	African American	0	0.0%	20	29.9%	20	26.7%
	Asian	0	0.0%	2	14.3%	2	11.8%
	Caucasian	25	17.1%	215	33.0%	240	30.1%
	Hispanic	4	14.8%	21	14.0%	25	14.1%
	Native American	2	18.2%	8	25.8%	10	23.8%
	Other/Unknown	1	16.7%	2	13.3%	3	14.3%
Attention Deficit Disorder Total		32		268		300	
	Ethnicity	F	% *	М	% *	Total	% *

	Ethnicity	F	% *	Μ	% *	Total	% *
Depressive Disorder	African American	1	12.5%	12	17.9%	13	17.3%
	Asian	1	33.3%	2	14.3%	3	17.6%
	Caucasian	50	34.2%	126	19.4%	176	22.1%
	Hispanic	7	25.9%	22	14.7%	29	16.4%
	Native American	2	18.2%	6	19.4%	8	19.0%
	Other/Unknown	0	0.0%	2	13.3%	2	9.5%
Depressive Disorder Total		61		170		231	

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

	Ethnicity	F	% *	М	% *	Total	% *
Post Traumatic Stress Disorder	African American	3	37.5%	12	17.9%	15	20.0%
	Asian	1	33.3%	3	21.4%	4	23.5%
	Caucasian	35	24.0%	88	13.5%	123	15.4%
	Hispanic	8	29.6%	14	9.3%	22	12.4%
	Native American	4	36.4%	4	12.9%	8	19.0%
	Other/Unknown	0	0.0%	0	0.0%	0	0.0%
Post Traumatic Stress Disorder Total		51	0.070	121	0.070	172	0.070
		•.					
	Ethnicity	F	% *	М	% *	Total	% *
Oppositional Defiant Disorder	African American	2	25.0%	12	17.9%	14	18.7%
	Asian	0	0.0%	2	14.3%	2	11.8%
	Caucasian	29	19.9%	123	18.9%	152	19.1%
	Hispanic	3	11.1%	19	12.7%	22	12.4%
	Native American	2	18.2%	5	16.1%	7	16.7%
	Other/Unknown	3	50.0%	0	0.0%	3	14.3%
Oppositional Defiant Disorder Total	ouloi, oliuloiii	39	001070	161	0.070	200	1 110 / 0
11. D&A History	Ethnicity	F	% *	М	% *	Total	% *
No Drug and/or Alcohol History	African American	1	12.5%	12	17.9%	13	17.3%
	Asian	0	0.0%	3	21.4%	3	17.6%
	Caucasian	10	6.8%	202	31.0%	212	26.6%
	Hispanic	1	3.7%	21	14.0%	22	12.4%
	Native American	0	0.0%	7	22.6%	7	16.7%
	Other/Unknown	1	16.7%	5	33.3%	6	28.6%
No Drug and/or Alcohol History Total		13		250		263	
Drug and/or Alcohol Use	African American	3	37.5%	25	37.3%	28	37.3%
-	Asian	0	0.0%	5	35.7%	5	29.4%
	Caucasian	40	27.4%	170	26.1%	210	26.3%
	Hispanic	6	22.2%	46	30.7%	52	29.4%
	Native American	0	0.0%	12	38.7%	12	28.6%
	Other/Unknown	3	50.0%	4	26.7%	7	33.3%
Drug and/or Alcohol Use Total		52		262		314	
Drug and/or Alcohol Abuse	African American	3	37.5%	18	26.9%	21	28.0%
-	Asian	2	66.7%	5	35.7%	7	41.2%
	Caucasian	51	34.9%	163	25.0%	214	26.9%
	Hispanic	9	33.3%	62	41.3%	71	40.1%
	Native American	5	45.5%	8	25.8%	13	31.0%
	Other/Unknown	0	0.0%	3	20.0%	3	14.3%
Drug and/or Alcohol Abuse Total		70		259		329	
Drug and/or Alcohol Dependence	African American	1	12.5%	12	17.9%	13	17.3%
	Asian	1	33.3%	1	7.1%	2	11.8%
	Caucasian	45	30.8%	116	17.8%	161	20.2%
	Hispanic	11	40.7%	21	14.0%	32	18.1%
	Native American	6	54.5%	4	12.9%	10	23.8%
	Other/Unknown	2	33.3%	3	20.0%	5	23.8%
Drug and/or Alcohol Dependence Total	66	20.070	157	_0.070	223	_2.375	

* Percents are based on the Number of Youth in each location by Ethnicity Group Mental Health/Substance Abuse Gap Assessment March 1, 2006

Population	-	2000		2002	-	2004		2006
Facility	1105	44.0%	1070	45.4%	871	42.2%	826	42.3%
Community	1409	56.0%	1289	54.6%	1191	57.8%	1129	57.7%
Statewide	2514	100.0%	2359	100.0%	2062	100.0%	1955	100.0%
Facility	2000	n=1105	2002	2 n=1070	2004	4 n=871	200	6 n=826
Axis I (excluding conduct disorder)	767	69.4%	667	62.3%	536	61.5%	571	69.1%
Axis I (excluding conduct disorder) on Psychotropic Medication	356	32.2%	378	35.3%	333	38.2%	278	33.7%
AOD ² History (includes Use, Abuse & Dependence) ¹	na	na	873	81.6%	708	81.3%	652	78.9%
AOD ² Diagnosis (includes Abuse & Dependence) ¹	518	46.9%	671	62.7%	485	55.7%	507	61.4%
Co-Occurring Disorders (AOD ² Diagnosis with Axis I ³) ¹	475	43.0%	401	37.5%	297	34.1%	343	41.5%
Facility		0 n=767	200	2 n=667	2004	4 n=536	200	6 n=571
Percent of Axis I ³ on Psychotropic Medication	356	46.4%	378	56.7%	333	62.1%	278	48.7%
	-				-			
Community		n=1409		2 n=1289		n=1191	+	n=1129
Axis I (excluding conduct disorder)	604	42.9%	649	50.3%	668	56.1%	719	63.7%
Axis I (excluding conduct disorder) on Psychotropic Medication	186	13.2%	250	19.4%	276	23.2%	271	24.0%
AOD ² History (includes Use, Abuse & Dependence) ¹	na	na	1055	81.8%	967	81.2%	866	76.7%
AOD ² Diagnosis (includes Abuse & Dependence) ¹	248	17.6%	673	52.2%	606	50.9%	552	48.9%
Co-Occurring Disorders (AOD ² Diagnosis with Axis I ³) ¹	234	16.6%	352	27.3%	352	29.6%	349	30.9%
Community	200	0 n=604	200	2 n=649	200	4 n=668	200	6 n=719
Percent of Axis I ³ on Psychotropic Medication	186	30.8%	250	38.5%	276	41.3%	271	37.7%
	•							
Statewide		n=2514		2 n=2359	2004	n=2062	2006	n=1955
Axis I (excluding conduct disorder)	1371	54.5%	1316	55.8%	1204	58.4%	1290	66.0%
Axis I (excluding conduct disorder) on Psychotropic Medication	542	21.6%	628	26.6%	609	29.5%	549	28.1%
AOD ² History (includes Use, Abuse & Dependence) ¹	na	na	1928	81.7%	1675	81.2%	1518	77.6%
AOD ² Diagnosis (includes Abuse & Dependence) ¹	766	30.5%	1344	57.0%	1091	52.9%	1059	54.2%
Co-Occurring Disorders (AOD ² Diagnosis with Axis I ³) ¹	709	28.2%	753	31.9%	649	31.5%	692	35.4%
Statewide	2000	n=1371	2002	2 n=1316	2004	n=1204	2006	n=1290
Percent of Axis I ³ on Psychotropic Medication	542	39.5%	628	47.7%	609	50.6%	549	42.6%

2000 - 2006 Mental Health GAP Survey Statewide Summary

¹ 2000 used a different method to gather Substance Abuse data and should not be compared to 2002, 2004 & 2006 ² AOD: Alcohol & Other Drugs, ³ (excluding conduct disorder) Source: Mental Health/Substance Abuse Gap Assessment: 2000, 2002, 2004 & 2006



Oregon Youth Authority Information Systems Research and Evaluation

June 1, 2006 Mental Health/Substance Abuse Gap Assessment: March 1, 2006

2000 - 2006 Mental Health GAP Survey Statewide Summary: Type of Crime

Population	2000		2002		2004		2006	
Facility	1105	44.0%	1070	45.4%	871	42.2%	826	42.3%
Community	1409	56.0%	1289	54.6%	1191	57.8%	1129	57.7%
Statewide	2514	100.0%	2359	100.0%	2062	100.0%	1955	100.0%

Facility		2000		2002		2004		2006
Property	250	22.6%	240	22.4%	210	24.1%	138	16.7%
Person to Person	310	28.1%	289	27.0%	174	20.0%	229	27.7%
Sex Offenses	397	35.9%	440	41.1%	438	50.3%	386	46.7%
Arson	30	2.7%	26	2.4%	21	2.4%	17	2.1%
Drugs	27	2.4%	29	2.7%	18	2.1%	20	2.4%
Weapons	27	2.4%	29	2.7%	8	0.9%	19	2.3%
Behavioral	31	2.8%	17	1.6%	2	0.2%	17	2.1%
Unknown	33	3.0%	0	0.0%	0	0.0%	0	0.0%
Total Facility	1105	100.0%	1070	100.0%	871	100.0%	826	100.0%

Community	2000			2002		2004	2006		
Property	701	49.8%	622	48.3%	554	46.5%	454	40.2%	
Person to Person	315	22.4%	241	18.7%	213	17.9%	200	17.7%	
Sex Offenses	214	15.2%	265	20.6%	314	26.4%	313	27.7%	
Arson	32	2.3%	32	2.5%	30	2.5%	25	2.2%	
Drugs	50	3.5%	61	4.7%	55	4.6%	66	5.8%	
Weapons	46	3.3%	36	2.8%	21	1.8%	27	2.4%	
Behavioral	36	2.6%	32	2.5%	4	0.3%	44	3.9%	
Unknown	15	1.1%	0	0.0%	0	0.0%	0	0.0%	
Total Community	1409	100.0%	1289	100.0%	1191	100.0%	1129	100.0%	


Statewide		2000		2002		2004	2006		
Property	951	37.8%	862	36.5%	764	37.1%	592	30.3%	
Person to Person	625	24.9%	530	22.5%	387	18.8%	429	21.9%	
Sex Offenses	611	24.3%	705	29.9%	752	36.5%	699	35.8%	
Arson	62	2.5%	58	2.5%	51	2.5%	42	2.1%	
Drugs	77	3.1%	90	3.8%	73	3.5%	86	4.4%	
Weapons	73	2.9%	65	2.8%	29	1.4%	46	2.4%	
Behavioral	67	2.7%	49	2.1%	6	0.3%	61	3.1%	
Unknown	48	1.9%	0	0.0%	0	0.0%	0	0.0%	
Total Statewide	2514	100.0%	2359	100.0%	2062	100.0%	1955	100.0%	


Source: Mental Health/Substance Abuse Gap Assessment: 2000, 2002, 2004 & 2006



Oregon Youth Authority

2000 - 2006 Mental Health GAP Statewide Survey: Percent of All OYA Youth with Four Most Common Psychiatric Disorders Diagnosed (excluding conduct disorder)









Alcohol and Other Drugs (AOD) History: Comparison of OYA Youth – 2004 and 2006

2006



2004



Source: Mental Health/Substance Abuse Gap Assessment April 1, 2004 and March 1, 2006



Oregon Youth Authority

Alcohol and Other Drugs (AOD) History and AOD with Co-Occurring Disorder History 2004 and 2006 Comparison

AOD History of	Offend	ders in O`	YA Cus	stody	•	ng con	Axis I Di duct disc History	-	is
	2	004	2	006			2004		2006
COMMUNITY	N=	1181	N=	:1129	COMMUNITY	N	=668	N	=719
		% of N		% of N			% of N		% of N
No History	214	18.1%	263	23.3%	No History	130	19.5%	185	25.7%
AOD Use	361	30.6%	314	27.8%	AOD Use	186	27.8%	185	25.7%
AOD Abuse	447	37.8%	329	29.1%	AOD Abuse	257	38.5%	197	27.4%
AOD Dependent	159	13.5%	223	19.8%	AOD Dependent	95	14.2%	152	21.1%
FACILITY	N=	=871	N	=826	FACILITY	N	=536	N	=571
		% of N		% of N			% of N		% of N
No History	163	18.7%	174	21.1%	No History	111	20.7%	132	23.1%
AOD Use	223	25.6%	145	17.6%	AOD Use	128	23.9%	96	16.8%
AOD Abuse	218	25.0%	223	27.0%	AOD Abuse	122	22.8%	146	25.6%
AOD Dependent	267	30.7%	284	34.4%	AOD Dependent	175	32.6%	197	34.5%
STATEWIDE	N=	2052	N=	1955	STATEWIDE	N=	=1204	N	=1290
		% of N	% of N			% of N		% of N	
No History	377	18.4%	437	22.4%	No History	241	20.0%	317	24.6%
AOD Use	584	28.5%	459	23.5%	AOD Use	314	26.1%	281	21.8%
AOD Abuse	665	32.4%	552	28.2%	AOD Abuse	379	31.5%	343	26.6%
AOD Dependent	426	20.8%	507	25.9%	AOD Dependent	270	22.4%	349	27.1%

Source: Mental Health/Substance Abuse Service Availability/Gap Assessment April 1, 2004; Mental Health/Substance Abuse Gap Assessment March 1, 2006



Females in OYA Facilities with Co-Occurring Disorders Alcohol and Other Drugs (AOD) History with an Axis I Diagnosis, excluding Conduct Disorder

Drug & Alcohol History of Corvallis	The y	outh has an Ax	is I Diagno	osis, excluding	Conduct D)isorder.
House & Hillcrest Females N=57	No	% of row	Yes	% of row	Total	% of row
No Drug and/or Alcohol History	3	60.0%	2	40.0%	5	100.0%
Drug and/or Alcohol Use	2	28.6%	5	71.4%	7	100.0%
Drug and/or Alcohol Abuse	5	20.8%	19	79.2%	24	100.0%
Drug and/or Alcohol Dependence	3	14.3%	18	85.7%	21	100.0%
Grand Total	13	22.8%	44	77.2%	57	100.0%
Abuse + Dependence	8	17.8%	37	82.2%	45	100.0%
Drug & Alcohol History of Corvallis	The y	outh has an Ax	is I Diagno	osis, excluding	J Conduct D)isorder.

Drug & Alcohol History of Corvallis	The youth has an Axis I Diagnosis, excluding Conduct Disorder.									
House Females n=11	No	% of row	Yes	% of row	Total	% of row				
No Drug and/or Alcohol History	0	0.0%	0	0.0%	0	100.0%				
Drug and/or Alcohol Use	0	0.0%	2	100.0%	2	100.0%				
Drug and/or Alcohol Abuse	0	0.0%	1	100.0%	1	100.0%				
Drug and/or Alcohol Dependence	1	12.5%	7	87.5%	8	100.0%				
Grand Total	1	9.1%	10	90.9%	11	100.0%				


Abuse + Dependence	1	11.1%	8	88.9%	9	100.0%
	•	,•	•	00.070	ů	


Drug & Alcohol History of Hillcrest Females n=46	The youth has an Axis I Diagnosis, excluding Conduct Disorder.							
	No	% of row	Yes	% of row	Total	% of row		
No Drug and/or Alcohol History	3	60.0%	2	40.0%	5	100.0%		
Drug and/or Alcohol Use	2	40.0%	3	60.0%	5	100.0%		
Drug and/or Alcohol Abuse	5	21.7%	18	78.3%	23	100.0%		
Drug and/or Alcohol Dependence	2	15.4%	11	84.6%	13	100.0%		
Grand Total	12	26.1%	34	73.9%	46	100.0%		
Abuse + Dependence	7	19.4%	29	80.6%	36	100.0%		



Oregon Youth Authority

2006 Mental Health GAP Statewide Survey: Percent of All OYA Youth with an Axis I Psychiatric Diagnosis (excluding conduct disorder)







Oregon Youth Authority

Youth with an Axis I Diagnosis and taking Psychotropic Medications by Gender and Location

Youth with an Axis I Diagnosis	Facility		Community		Statewide	
Female						
Taking psychotropic medications.	30	68.2%	67	44.4%	97	49.7%
Not taking psychotropic medications.	14	31.8%	84	55.6%	98	50.3%
Female Total	44	100.0%	151	100.0%	195	100.0%
Male						
Taking psychotropic medications.	248	47.1%	204	35.9%	452	41.3%
Not taking psychotropic medications.	279	52.9%	364	64.1%	643	58.7%
Male Total	527	100.0%	568	100.0%	1095	100.0%
All (Female + Male)						
Taking psychotropic medications.	278	48.7%	271	37.7%	549	42.6%
Not taking psychotropic medications.	293	51.3%	448	62.3%	741	57.4%
Statewide Total	571	100.0%	719	100.0%	1290	100.0%

Source: Mental Health/Substance Abuse Gap Assessment March 1, 2006

