

**ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION**

010	Primary tuberculous infection
-----	-------------------------------

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

010.0 Primary tuberculous infection

[0-6]

010.1 Tuberculous pleurisy in primary progressive tuberculosis

[0-6]

010.8 Other primary progressive tuberculosis

[0-6]

010.9 Primary tuberculous infection, unspecified

[0-6]

011	Pulmonary tuberculosis
-----	------------------------

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

011.0 Tuberculosis of lung, infiltrative

[0-6]

011.1 Tuberculosis of lung, nodular

[0-6]

011.2 Tuberculosis of lung with cavitation

[0-6]

011.3 Tuberculosis of bronchus

[0-6]

011.4 Tuberculous fibrosis of lung

[0-6]

011.5 Tuberculous bronchiectasis

[0-6]

011.6 Tuberculous pneumonia [any form]

[0-6]

011.7 Tuberculous pneumothorax

[0-6]

011.8 Other specified pulmonary tuberculosis

[0-6]

011.9 Pulmonary tuberculosis, unspecified

[0-6]

012 Other respiratory tuberculosis

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

- 012.0 Tuberculous pleurisy
[0-6]
- 012.1 Tuberculosis of intrathoracic lymph nodes
[0-6]
- 012.2 Isolated tracheal or bronchial tuberculosis
[0-6]
- 012.3 Tuberculous laryngitis
[0-6]
- 012.8 Other specified respiratory tuberculosis
[0-6]

013 Tuberculosis of meninges and central nervous system

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

- 013.0 Tuberculous meningitis
[0-6]
- 013.1 Tuberculoma of meninges
[0-6]
- 013.2 Tuberculoma of brain
[0-6]
- 013.3 Tuberculous abscess of brain
[0-6]
- 013.4 Tuberculoma of spinal cord
[0-6]
- 013.5 Tuberculous abscess of spinal cord
[0-6]
- 013.6 Tuberculous encephalitis or myelitis
[0-6]
- 013.8 Other specified tuberculosis of central nervous system
[0-6]
- 013.9 Unspecified tuberculosis of central nervous system
[0-6]

014 Tuberculosis of intestines, peritoneum, and mesenteric glands

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

- 014.0 Tuberculous peritonitis
[0-6]
- 014.8 Other
[0-6]

015 Tuberculosis of bones and joints

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

015.0 Vertebral column

[0-6]

015.1 Hip

[0-6]

015.2 Knee

[0-6]

015.5 Limb bones

[0-6]

015.6 Mastoid

[0-6]

015.7 Other specified bone

[0-6]

015.8 Other specified joint

[0-6]

015.9 Tuberculosis of unspecified bones and joints

[0-6]

016 Tuberculosis of genitourinary system

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

016.0 Kidney

[0-6]

016.1 Bladder

[0-6]

016.2 Ureter

[0-6]

016.3 Other urinary organs

[0-6]

016.4 Epididymis

[0-6]

016.5 Other male genital organs

[0-6]

016.6 Tuberculous oophoritis and salpingitis

[0-6]

016.7 Other female genital organs

[0-6]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

016.9 Genitourinary tuberculosis, unspecified
[0-6]

017 Tuberculosis of other organs

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

017.0 Skin and subcutaneous cellular tissue
[0-6]

017.1 Erythema nodosum with hypersensitivity reaction in tuberculosis
[0-6]

017.2 Peripheral lymph nodes
[0-6]

017.3 Eye
[0-6]

017.4 Ear
[0-6]

017.5 Thyroid gland
[0-6]

017.6 Adrenal glands
[0-6]

017.7 Spleen
[0-6]

017.8 Esophagus
[0-6]

017.9 Other specified organs
[0-6]

018 Miliary tuberculosis

Requires fifth digit. See beginning of section 010-018 for codes and definitions.

018.0 Acute miliary tuberculosis
[0-6]

018.8 Other specified miliary tuberculosis
[0-6]

018.9 Miliary tuberculosis, unspecified
[0-6]

045 Acute poliomyelitis

The following fifth-digit subclassification is for use with category 045:

045.0 Acute paralytic poliomyelitis specified as bulbar
[0-3]

045.1 Acute poliomyelitis with other paralysis
[0-3]

045.2 Acute nonparalytic poliomyelitis
[0-3]

045.9 Acute poliomyelitis, unspecified
[0-3]

070	Viral hepatitis
-----	-----------------

The following fifth-digit subclassification is for use with categories 070.2 and 070.3:

070.2 Viral hepatitis B with hepatic coma
[0-3]

070.3 Viral hepatitis B without mention of hepatic coma
[0-3]

115	Histoplasmosis
-----	----------------

The following fifth-digit subclassification is for use with category 115:

115.0 Infection by *Histoplasma capsulatum*
[0-5,9]

115.1 Infection by *Histoplasma duboisii*
[0-5,9]

115.9 Histoplasmosis, unspecified
[0-5,9]

MALIGNANT NEOPLASM OF LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)

The following fifth-digit subclassification is for use with categories 200-202:

200	Lymphosarcoma and reticulosarcoma and other specified malignant tumors of lymphatic tissue
-----	--------------------------------------------------------------------------------------------

Requires fifth digit. See note before section 200 for codes and definitions.

200.0 Reticulosarcoma
[0-8]

200.1 Lymphosarcoma
[0-8]

200.2 Burkitt's tumor or lymphoma
[0-8]

200.3 Marginal zone lymphoma
[0-8]

200.4 Mantle cell lymphoma
[0-8]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

200.5 Primary central nervous system lymphoma

[0-8]

200.6 Anaplastic large cell lymphoma

[0-8]

200.7 Large cell lymphoma

[0-8]

200.8 Other named variants

[0-8]

201	Hodgkin's disease
-----	-------------------

Requires fifth digit. See note before section 200 for codes and definitions.

201.0 Hodgkin's paraganuloma

[0-8]

201.1 Hodgkin's granuloma

[0-8]

201.2 Hodgkin's sarcoma

[0-8]

201.4 Lymphocytic-histiocytic predominance

[0-8]

201.5 Nodular sclerosis

[0-8]

201.6 Mixed cellularity

[0-8]

201.7 Lymphocytic depletion

[0-8]

201.9 Hodgkin's disease, unspecified

[0-8]

202	Other malignant neoplasms of lymphoid and histiocytic tissue
-----	--------------------------------------------------------------

Requires fifth digit. See note before section 200 for codes and definitions.

202.0 Nodular lymphoma

[0-8]

202.1 Mycosis fungoides

[0-8]

202.2 Sézary's disease

[0-8]

202.3 Malignant histiocytosis

[0-8]

202.4 Leukemic reticuloendotheliosis

[0-8]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

202.5 Letterer-Siwe disease

[0-8]

202.6 Malignant mast cell tumors

[0-8]

202.7 Peripheral T cell lymphoma

[0-8]

202.8 Other lymphomas

[0-8]

202.9 Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue

[0-8]

203 Multiple myeloma and immunoproliferative neoplasms

The following fifth-digit subclassification is for use with category 203:

203.0 Multiple myeloma

[0-2]

203.1 Plasma cell leukemia

[0-2]

203.8 Other immunoproliferative neoplasms

[0-2]

204 Lymphoid leukemia

The following fifth-digit subclassification is for use with category 204:

204.0 Acute

[0-2]

204.1 Chronic

[0-2]

204.2 Subacute

[0-2]

204.8 Other lymphoid leukemia

[0-2]

204.9 Unspecified lymphoid leukemia

[0-2]

205 Myeloid leukemia

The following fifth-digit subclassification is for use with category 205:

205.0 Acute

[0-2]

205.1 Chronic

[0-2]

205.2 Subacute

[0-2]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

205.3 Myeloid sarcoma

[0-2]

205.8 Other myeloid leukemia

[0-2]

205.9 Unspecified myeloid leukemia

[0-2]

206	Monocytic leukemia
-----	--------------------

The following fifth-digit subclassification is for use with category 206:

206.0 Acute

[0-2]

206.1 Chronic

[0-2]

206.2 Subacute

[0-2]

206.8 Other monocytic leukemia

[0-2]

206.9 Unspecified monocytic leukemia

[0-2]

207	Other specified leukemia
-----	--------------------------

The following fifth-digit subclassification is for use with category 207:

207.0 Acute erythremia and erythroleukemia

[0-2]

207.1 Chronic erythremia

[0-2]

207.2 Megakaryocytic leukemia

[0-2]

207.8 Other specified leukemia

[0-2]

208	Leukemia of unspecified cell type
-----	-----------------------------------

The following fifth-digit subclassification is for use with category 208:

208.0 Acute

[0-2]

208.1 Chronic

[0-2]

208.2 Subacute

[0-2]

208.8 Other leukemia of unspecified cell type

[0-2]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

208.9 Unspecified leukemia
[0-2]

242 Thyrotoxicosis with or without goiter

The following fifth-digit subclassification is for use with category 242:

242.0 Toxic diffuse goiter
[0-1]

242.1 Toxic uninodular goiter
[0-1]

242.2 Toxic multinodular goiter
[0-1]

242.3 Toxic nodular goiter, unspecified
[0-1]

242.4 Thyrotoxicosis from ectopic thyroid nodule
[0-1]

242.8 Thyrotoxicosis of other specified origin
[0-1]

242.9 Thyrotoxicosis without mention of goiter or other cause
[0-1]

250 Diabetes mellitus

The following fifth-digit subclassification is for use with category 250:

250.0 Diabetes mellitus without mention of complication
[0-3]

250.1 Diabetes with ketoacidosis
[0-3]

250.2 Diabetes with hyperosmolarity
[0-3]

250.3 Diabetes with other coma
[0-3]

250.4 Diabetes with renal manifestations
[0-3]

250.5 Diabetes with ophthalmic manifestations
[0-3]

250.6 Diabetes with neurological manifestations
[0-3]

250.7 Diabetes with peripheral circulatory disorders
[0-3]

250.8 Diabetes with other specified manifestations
[0-3]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

250.9 Diabetes with unspecified complication
[0-3]

295	Schizophrenic disorders
-----	-------------------------

The following fifth-digit subclassification is for use with category 295:

295.0 Simple type
[0-5]

295.1 Disorganized type
[0-5]

295.2 Catatonic type
[0-5]

295.3 Paranoid type
[0-5]

295.4 Schizophreniform disorder
[0-5]

295.5 Latent schizophrenia
[0-5]

295.6 Residual type
[0-5]

295.7 Schizoaffective disorder
[0-5]

295.8 Other specified types of schizophrenia
[0-5]

295.9 Unspecified schizophrenia
[0-5]

296	Episodic mood disorders
-----	-------------------------

The following fifth-digit subclassification is for use with categories 296.0-296.6:

- 0 unspecified
- 1 mild
- 2 moderate
- 3 severe, without mention of psychotic behavior
- 4 severe, specified as with psychotic behavior
- 5 in partial or unspecified remission
- 6 in full remission

296.0 Bipolar I disorder, single manic episode
[0-6]

296.1 Manic disorder, recurrent episode
[0-6]

296.2 Major depressive disorder, single episode
[0-6]

296.3 Major depressive disorder, recurrent episode
[0-6]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

296.4 Bipolar I disorder, most recent episode (or current) manic

[0-6]

296.5 Bipolar I disorder, most recent episode (or current) depressed

[0-6]

296.6 Bipolar I disorder, most recent episode (or current) mixed

[0-6]

299	Pervasive developmental disorders
-----	-----------------------------------

The following fifth-digit subclassification is for use with category 299:

0 current or active state

1 residual state

299.0 Autistic disorder

[0-1]

299.1 Childhood disintegrative disorder

[0-1]

299.8 Other specified pervasive developmental disorders

[0-1]

299.9 Unspecified pervasive developmental disorder

[0-1]

303	Alcohol dependence syndrome
-----	-----------------------------

The following fifth-digit subclassification is for use with category 303:

0 unspecified

1 continuous

2 episodic

3 in remission

303.0 Acute alcoholic intoxication

[0-3]

303.9 Other and unspecified alcohol dependence

[0-3]

304	Drug dependence
-----	-----------------

The following fifth-digit subclassification is for use with category 304:

0 unspecified

1 continuous

2 episodic

3 in remission

304.0 Opioid type dependence

[0-3]

304.1 Sedative, hypnotic or anxiolytic dependence

[0-3]

304.2 Cocaine dependence

[0-3]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 304.3 Cannabis dependence
[0-3]
- 304.4 Amphetamine and other psychostimulant dependence
[0-3]
- 304.5 Hallucinogen dependence
[0-3]
- 304.6 Other specified drug dependence
[0-3]
- 304.7 Combinations of opioid type drug with any other
[0-3]
- 304.8 Combinations of drug dependence excluding opioid type drug
[0-3]
- 304.9 Unspecified drug dependence
[0-3]

305 Nondependent abuse of drugs

The following fifth-digit subclassification is for use with codes 305.0, 305.2-305.9

- 0 unspecified
 - 1 continuous
 - 2 episodic
 - 3 in remission
- 305.0 Alcohol abuse
[0-3]
 - 305.1 Tobacco use disorder
[0-3]
 - 305.2 Cannabis abuse
[0-3]
 - 305.3 Hallucinogen abuse
[0-3]
 - 305.4 Sedative, hypnotic or anxiolytic abuse
[0-3]
 - 305.5 Opioid abuse
[0-3]
 - 305.6 Cocaine abuse
[0-3]
 - 305.7 Amphetamine or related acting sympathomimetic abuse
[0-3]
 - 305.8 Antidepressant type abuse
[0-3]
 - 305.9 Other, mixed, or unspecified drug abuse
[0-3]

312 Disturbance of conduct, not elsewhere classified

The following fifth-digit subclassification is for use with categories 312.0-312.2:

- 0 unspecified
- 1 mild
- 2 moderate
- 3 severe

312.0 Undersocialized conduct disorder, aggressive type

[0-3]

312.1 Undersocialized conduct disorder, unaggressive type

[0-3]

312.2 Socialized conduct disorder

[0-3]

342 Hemiplegia and hemiparesis

The following fifth-digits are for use with codes 342.0-342.9

- 0 affecting unspecified side
- 1 affecting dominant side
- 2 affecting nondominant side

342.0 Flaccid hemiplegia

[0-2]

342.1 Spastic hemiplegia

[0-2]

342.8 Other specified hemiplegia

[0-2]

342.9 Hemiplegia, unspecified

[0-2]

345 Epilepsy and recurrent seizures

The following fifth-digit subclassification is for use with categories 345.0, .1, .4-.9:

- 0 without mention of intractable epilepsy
- 1 with intractable epilepsy

345.0 Generalized nonconvulsive epilepsy

[0-1]

345.1 Generalized convulsive epilepsy

[0-1]

345.4 Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures

[0-1]

345.5 Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures

[0-1]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

345.6 Infantile spasms

[0-1]

345.7 Epilepsia partialis continua

[0-1]

345.8 Other forms of epilepsy and recurrent seizures

[0-1]

345.9 Epilepsy, unspecified

[0-1]

346	Migraine
-----	----------

The following fifth-digit subclassification is for use with category 346:

0 without mention of intractable **migraine without mention of status migrainosus**

1 with intractable migraine, so stated **migraine without mention of status migrainosus**

2 without mention of intractable migraine with status migrainosus

3 with intractable migraine, so stated, with status migrainosus

346.0 Classical migraine

[0-3]

346.1 Common migraine

[0-3]

346.2 Variants of migraine

[0-3]

346.8 Other forms of migraine

[0-3]

346.9 Migraine, unspecified

[0-3]

403	Hypertensive chronic kidney disease
-----	-------------------------------------

The following fifth-digit subclassification is for use with category 403:

0 with chronic kidney disease stage I through stage IV, or unspecified

Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)

1 with chronic kidney disease stage V or end stage renal disease

Use additional code to identify the stage of chronic kidney disease (585.5, 585.6)

403.0 Malignant

[0-1]

403.1 Benign

[0-1]

403.9 Unspecified

[0-1]

404 Hypertensive heart and chronic kidney disease

The following fifth-digit subclassification is for use with category 404:

0 without heart failure and with chronic kidney disease stage I through stage IV, or unspecified

Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)

1 with heart failure and with chronic kidney disease stage I through stage IV, or unspecified

Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)

2 without heart failure and with chronic kidney disease stage V or end stage renal disease

Use additional code to identify the stage of chronic kidney disease (585.5, 585.6)

3 with heart failure and chronic kidney disease stage V or end stage renal disease

Use additional code to identify the stage of chronic kidney disease (585.5, 585.6)

404.0 Malignant

[0-3]

404.1 Benign

[0-3]

404.9 Unspecified

[0-3]

410 Acute myocardial infarction

The following fifth-digit subclassification is for use with category 410:

0 episode of care unspecified

Use when the source document does not contain sufficient information for the assignment of fifth-digit 1 or 2.

1 initial episode of care

Use fifth-digit 1 to designate the first episode of care (regardless of facility site) for a newly diagnosed myocardial infarction. The fifth-digit 1 is assigned regardless of the number of times a patient may be transferred during the initial episode of care.

2 subsequent episode of care

Use fifth-digit 2 to designate an episode of care following the initial episode when the patient is admitted for further observation, evaluation or treatment for a myocardial infarction that has received initial treatment, but is still less than 8 weeks old.

410.0 Of anterolateral wall

[0-2]

410.1 Of other anterior wall

[0-2]

410.2 Of inferolateral wall

[0-2]

410.3 Of inferoposterior wall

[0-2]

410.4 Of other inferior wall

[0-2]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 410.5 Of other lateral wall
[0-2]
- 410.6 True posterior wall infarction
[0-2]
- 410.7 Subendocardial infarction
[0-2]
- 410.8 Of other specified sites
[0-2]
- 410.9 Unspecified site
[0-2]

433 Occlusion and stenosis of precerebral arteries

The following fifth-digit subclassification is for use with category 433:

- 0 without mention of cerebral infarction
- 1 with cerebral infarction

- 433.0 Basilar artery
[0-1]
- 433.1 Carotid artery
[0-1]
- 433.2 Vertebral artery
[0-1]
- 433.3 Multiple and bilateral
[0-1]
- 433.8 Other specified precerebral artery
[0-1]
- 433.9 Unspecified precerebral artery
[0-1]

434 Occlusion of cerebral arteries

The following fifth-digit subclassification is for use with category 434:

- 0 without mention of cerebral infarction
- 1 with cerebral infarction

- 434.0 Cerebral thrombosis
[0-1]
- 434.1 Cerebral embolism
[0-1]
- 434.9 Cerebral artery occlusion, unspecified
[0-1]

493 Asthma

The following fifth-digit subclassification is for use with category 493.0-493.2, 493.9:

- 0 unspecified

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 1 with status asthmaticus
- 2 with (acute) exacerbation

493.0 Extrinsic asthma

[0-2]

493.1 Intrinsic asthma

[0-2]

493.2 Chronic obstructive asthma

[0-2]

493.9 Asthma, unspecified

[0-2]

531	Gastric ulcer
-----	---------------

The following fifth-digit subclassification is for use with category 531:

- 0 without mention of obstruction
- 1 with obstruction

531.0 Acute with hemorrhage

[0-1]

531.1 Acute with perforation

[0-1]

531.2 Acute with hemorrhage and perforation

[0-1]

531.3 Acute without mention of hemorrhage or perforation

[0-1]

531.4 Chronic or unspecified with hemorrhage

[0-1]

531.5 Chronic or unspecified with perforation

[0-1]

531.6 Chronic or unspecified with hemorrhage and perforation

[0-1]

531.7 Chronic without mention of hemorrhage or perforation

[0-1]

531.9 Unspecified as acute or chronic, without mention of hemorrhage or perforation

[0-1]

532	Duodenal ulcer
-----	----------------

The following fifth-digit subclassification is for use with category 532:

- 0 without mention of obstruction
- 1 with obstruction

532.0 Acute with hemorrhage

[0-1]

532.1 Acute with perforation

[0-1]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 532.2 Acute with hemorrhage and perforation
[0-1]
- 532.3 Acute without mention of hemorrhage or perforation
[0-1]
- 532.4 Chronic or unspecified with hemorrhage
[0-1]
- 532.5 Chronic or unspecified with perforation
[0-1]
- 532.6 Chronic or unspecified with hemorrhage and perforation
[0-1]
- 532.7 Chronic without mention of hemorrhage or perforation
[0-1]
- 532.9 Unspecified as acute or chronic, without mention of hemorrhage or perforation
[0-1]

533 Peptic ulcer, site unspecified

The following fifth-digit subclassification is for use with category 533:

- 0 without mention of obstruction
- 1 with obstruction

- 533.0 Acute with hemorrhage
[0-1]
- 533.1 Acute with perforation
[0-1]
- 533.2 Acute with hemorrhage and perforation
[0-1]
- 533.3 Acute without mention of hemorrhage and perforation
[0-1]
- 533.4 Chronic or unspecified with hemorrhage
[0-1]
- 533.5 Chronic or unspecified with perforation
[0-1]
- 533.6 Chronic or unspecified with hemorrhage and perforation
[0-1]
- 533.7 Chronic without mention of hemorrhage or perforation
[0-1]
- 533.9 Unspecified as acute or chronic, without mention of hemorrhage or perforation
[0-1]

534 Gastrojejunal ulcer

The following fifth-digit subclassification is for use with category 534:

- 0 without mention of obstruction
- 1 with obstruction

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 534.0 Acute with hemorrhage
[0-1]
- 534.1 Acute with perforation
[0-1]
- 534.2 Acute with hemorrhage and perforation
[0-1]
- 534.3 Acute without mention of hemorrhage or perforation
[0-1]
- 534.4 Chronic or unspecified with hemorrhage
[0-1]
- 534.5 Chronic or unspecified with perforation
[0-1]
- 534.6 Chronic or unspecified with hemorrhage and perforation
[0-1]
- 534.7 Chronic without mention of hemorrhage or perforation
[0-1]
- 534.9 Unspecified as acute or chronic, without mention of hemorrhage or perforation
[0-1]

535 Gastritis and duodenitis

The following fifth-digit subclassification is for use with category 535:

- 0 without mention of hemorrhage
- 1 with hemorrhage

- 535.0 Acute gastritis
[0-1]
- 535.1 Atrophic gastritis
[0-1]
- 535.2 Gastric mucosal hypertrophy
[0-1]
- 535.3 Alcoholic gastritis
[0-1]
- 535.4 Other specified gastritis
[0-1]
- 535.5 Unspecified gastritis and gastroduodenitis
[0-1]
- 535.6 Duodenitis
[0-1]

550 Inguinal hernia

The following fifth-digit subclassification is for use with category 550:

- 0 unilateral or unspecified (not specified as recurrent)
- Unilateral NOS

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 1 unilateral or unspecified, recurrent
- 2 bilateral (not specified as recurrent)
- Bilateral NOS
- 3 bilateral, recurrent

550.0 Inguinal hernia, with gangrene

[0-3]

550.1 Inguinal hernia, with obstruction, without mention of gangrene

[0-3]

550.9 Inguinal hernia, without mention of obstruction or gangrene

[0-3]

574	Cholelithiasis
-----	----------------

The following fifth-digit subclassification is for use with category 574:

0 without mention of obstruction

1 with obstruction

574.0 Calculus of gallbladder with acute cholecystitis

[0-1]

574.1 Calculus of gallbladder with other cholecystitis

[0-1]

574.2 Calculus of gallbladder without mention of cholecystitis

[0-1]

574.3 Calculus of bile duct with acute cholecystitis

[0-1]

574.4 Calculus of bile duct with other cholecystitis

[0-1]

574.5 Calculus of bile duct without mention of cholecystitis

[0-1]

574.6 Calculus of gallbladder and bile duct with acute cholecystitis

[0-1]

574.7 Calculus of gallbladder and bile duct with other cholecystitis

[0-1]

574.8 Calculus of gallbladder and bile duct with acute and chronic cholecystitis

[0-1]

574.9 Calculus of gallbladder and bile duct without cholecystitis

[0-1]

634	Spontaneous abortion
-----	----------------------

Requires fifth digit to identify stage:

0 unspecified

1 incomplete

2 complete

634.0 Complicated by genital tract and pelvic infection

[0-2]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 634.1 Complicated by delayed or excessive hemorrhage
[0-2]
- 634.2 Complicated by damage to pelvic organs or tissues
[0-2]
- 634.3 Complicated by renal failure
[0-2]
- 634.4 Complicated by metabolic disorder
[0-2]
- 634.5 Complicated by shock
[0-2]
- 634.6 Complicated by embolism
[0-2]
- 634.7 With other specified complications
[0-2]
- 634.8 With unspecified complication
[0-2]
- 634.9 Without mention of complication
[0-2]

635	Legally induced abortion
-----	--------------------------

Requires fifth digit to identify stage:

- 0 unspecified
- 1 incomplete
- 2 complete

- 635.0 Complicated by genital tract and pelvic infection
[0-2]
- 635.1 Complicated by delayed or excessive hemorrhage
[0-2]
- 635.2 Complicated by damage to pelvic organs or tissues
[0-2]
- 635.3 Complicated by renal failure
[0-2]
- 635.4 Complicated by metabolic disorder
[0-2]
- 635.5 Complicated by shock
[0-2]
- 635.6 Complicated by embolism
[0-2]
- 635.7 With other specified complications
[0-2]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

635.8 With unspecified complication

[0-2]

635.9 Without mention of complication

[0-2]

636	Illegally induced abortion
-----	----------------------------

Requires fifth digit to identify stage:

0 unspecified

1 incomplete

2 complete

636.0 Complicated by genital tract and pelvic infection

[0-2]

636.1 Complicated by delayed or excessive hemorrhage

[0-2]

636.2 Complicated by damage to pelvic organs or tissues

[0-2]

636.3 Complicated by renal failure

[0-2]

636.4 Complicated by metabolic disorder

[0-2]

636.5 Complicated by shock

[0-2]

636.6 Complicated by embolism

[0-2]

636.7 With other specified complications

[0-2]

636.8 With unspecified complication

[0-2]

636.9 Without mention of complication

[0-2]

637	Unspecified abortion
-----	----------------------

Requires following fifth digit to identify stage:

0 unspecified

1 incomplete

2 complete

637.0 Complicated by genital tract and pelvic infection

[0-2]

637.1 Complicated by delayed or excessive hemorrhage

[0-2]

637.2 Complicated by damage to pelvic organs or tissues

[0-2]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 637.3 Complicated by renal failure
[0-2]
- 637.4 Complicated by metabolic disorder
[0-2]
- 637.5 Complicated by shock
[0-2]
- 637.6 Complicated by embolism
[0-2]
- 637.7 With other specified complications
[0-2]
- 637.8 With unspecified complication
[0-2]
- 637.9 Without mention of complication
[0-2]

741 Spina bifida

The following fifth-digit subclassification is for use with category 741:

- 0 unspecified region
- 1 cervical region
- 2 dorsal (thoracic) region
- 3 lumbar region

- 741.0 With hydrocephalus
[0-3]
- 741.9 Without mention of hydrocephalus
[0-3]

764 Slow fetal growth and fetal malnutrition

Requires fifth digit. See beginning of section 764-779 for codes and definitions.

- 764.0 "Light-for-dates" without mention of fetal malnutrition
[0-9]
- 764.1 "Light-for-dates" with signs of fetal malnutrition
[0-9]
- 764.2 Fetal malnutrition without mention of "light-for-dates"
[0-9]
- 764.9 Fetal growth retardation, unspecified
[0-9]

765 Disorders relating to short gestation and low birthweight

Requires fifth digit. See beginning of section 764-779 for codes and definitions.

- 765.0 Extreme immaturity
[0-9]
- 765.1 Other preterm infants
[0-9]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

789.0 Abdominal pain

[0-7,9]

789.3 Abdominal or pelvic swelling, mass, or lump

[0-7,9]

789.4 Abdominal rigidity

[0-7,9]

789.6 Abdominal tenderness

[0-7,9]

800	Fracture of vault of skull
-----	----------------------------

Requires fifth digit. See beginning of section 800-804 for codes and definitions.

800.0 Closed without mention of intracranial injury

[0-6,9]

800.1 Closed with cerebral laceration and contusion

[0-6,9]

800.2 Closed with subarachnoid, subdural, and extradural hemorrhage

[0-6,9]

800.3 Closed with other and unspecified intracranial hemorrhage

[0-6,9]

800.4 Closed with intracranial injury of other and unspecified nature

[0-6,9]

800.5 Open without mention of intracranial injury

[0-6,9]

800.6 Open with cerebral laceration and contusion

[0-6,9]

800.7 Open with subarachnoid, subdural, and extradural hemorrhage

[0-6,9]

800.8 Open with other and unspecified intracranial hemorrhage

[0-6,9]

800.9 Open with intracranial injury of other and unspecified nature

[0-6,9]

801	Fracture of base of skull
-----	---------------------------

Requires fifth digit. See beginning of section 800-804 for codes and definitions.

801.0 Closed without mention of intracranial injury

[0-6,9]

801.1 Closed with cerebral laceration and contusion

[0-6,9]

801.2 Closed with subarachnoid, subdural, and extradural hemorrhage

[0-6,9]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 801.3 Closed with other and unspecified intracranial hemorrhage
[0-6,9]
- 801.4 Closed with intracranial injury of other and unspecified nature
[0-6,9]
- 801.5 Open without mention of intracranial injury
[0-6,9]
- 801.6 Open with cerebral laceration and contusion
[0-6,9]
- 801.7 Open with subarachnoid, subdural, and extradural hemorrhage
[0-6,9]
- 801.8 Open with other and unspecified intracranial hemorrhage
[0-6,9]
- 801.9 Open with intracranial injury of other and unspecified nature
[0-6,9]

803 Other and unqualified skull fractures

Requires fifth digit. See beginning of section 800-804 for codes and definitions.

- 803.0 Closed without mention of intracranial injury
[0-6,9]
- 803.1 Closed with cerebral laceration and contusion
[0-6,9]
- 803.2 Closed with subarachnoid, subdural, and extradural hemorrhage
[0-6,9]
- 803.3 Closed with other and unspecified intracranial hemorrhage
[0-6,9]
- 803.4 Closed with intracranial injury of other and unspecified nature
[0-6,9]
- 803.5 Open without mention of intracranial injury
[0-6,9]
- 803.6 Open with cerebral laceration and contusion
[0-6,9]
- 803.7 Open with subarachnoid, subdural, and extradural hemorrhage
[0-6,9]
- 803.8 Open with other and unspecified intracranial hemorrhage
[0-6,9]
- 803.9 Open with intracranial injury of other and unspecified nature
[0-6,9]

804 Multiple fractures involving skull or face with other bones

Requires fifth digit. See beginning of section 800-804 for codes and definitions.

804.0 Closed without mention of intracranial injury

[0-6,9]

804.1 Closed with cerebral laceration and contusion

[0-6,9]

804.2 Closed with subarachnoid, subdural, and extradural hemorrhage

[0-6,9]

804.3 Closed with other and unspecified intracranial hemorrhage

[0-6,9]

804.4 Closed with intracranial injury of other and unspecified nature

[0-6,9]

804.5 Open without mention of intracranial injury

[0-6,9]

804.6 Open with cerebral laceration and contusion

[0-6,9]

804.7 Open with subarachnoid, subdural, and extradural hemorrhage

[0-6,9]

804.8 Open with other and unspecified intracranial hemorrhage

[0-6,9]

804.9 Open with intracranial injury of other and unspecified nature

[0-6,9]

FRACTURE OF NECK AND TRUNK (805-809)

805 Fracture of vertebral column without mention of spinal cord injury

The following fifth-digit subclassification is for use with codes 805.0-805.1:

0 cervical vertebra, unspecified level

1 first cervical vertebra

2 second cervical vertebra

3 third cervical vertebra

4 fourth cervical vertebra

5 fifth cervical vertebra

6 sixth cervical vertebra

7 seventh cervical vertebra

8 multiple cervical vertebrae

805.0 Cervical, closed

[0-8]

805.1 Cervical, open

[0-8]

807 Fracture of rib(s), sternum, larynx, and trachea

The following fifth-digit subclassification is for use with codes 807.0-807.1:

- 0 rib(s), unspecified
- 1 one rib
- 2 two ribs
- 3 three ribs
- 4 four ribs
- 5 five ribs
- 6 six ribs
- 7 seven ribs
- 8 eight or more ribs
- 9 multiple ribs, unspecified

807.0 Rib(s), closed

[0-9]

807.1 Rib(s), open

[0-9]

810 Fracture of clavicle

The following fifth-digit subclassification is for use with category 810:

- 0 unspecified part
 - Clavicle NOS
- 1 sternal end of clavicle
- 2 shaft of clavicle
- 3 acromial end of clavicle

810.0 Closed

[0-3]

810.1 Open

[0-3]

811 Fracture of scapula

The following fifth-digit subclassification is for use with category 811:

- 0 unspecified part
- 1 acromial process
 - Acromion (process)
- 2 coracoid process
- 3 glenoid cavity and neck of scapula
- 9 other

811.0 Closed

[0-3,9]

811.1 Open

[0-3,9]

814 Fracture of carpal bone(s)

The following fifth-digit subclassification is for use with category 814:

- 0 carpal bone, unspecified
 - Wrist NOS
- 1 navicular [scaphoid] of wrist

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 2 lunate [semilunar] bone of wrist
- 3 triquetral [cuneiform] bone of wrist
- 4 pisiform
- 5 trapezium bone [larger multangular]
- 6 trapezoid bone [smaller multangular]
- 7 capitate bone [os magnum]
- 8 hamate [unciform] bone
- 9 other

814.0 Closed

[0-9]

814.1 Open

[0-9]

815	Fracture of metacarpal bone(s)
-----	--------------------------------

The following fifth-digit subclassification is for use with category 815:

- 0 metacarpal bone(s), site unspecified
- 1 base of thumb [first] metacarpal
Bennett's fracture
- 2 base of other metacarpal bone(s)
- 3 shaft of metacarpal bone(s)
- 4 neck of metacarpal bone(s)
- 9 multiple sites of metacarpus

815.0 Closed

[0-4,9]

815.1 Open

[0-4,9]

816	Fracture of one or more phalanges of hand
-----	-------------------------------------------

The following fifth-digit subclassification is for use with category 816:

- 0 phalanx or phalanges, unspecified
- 1 middle or proximal phalanx or phalanges
- 2 distal phalanx or phalanges
- 3 multiple sites

816.0 Closed

[0-3]

816.1 Open

[0-3]

823	Fracture of tibia and fibula
-----	------------------------------

The following fifth-digit subclassification is for use with category 823:

- 0 tibia alone
- 1 fibula alone
- 2 fibula with tibia

823.0 Upper end, closed

[0-2]

823.1 Upper end, open

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

[0-2]

823.2 Shaft, closed

[0-2]

823.3 Shaft, open

[0-2]

823.4 Torus fracture

[0-2]

823.8 Unspecified part, closed

[0-2]

823.9 Unspecified part, open

[0-2]

831 Dislocation of shoulder

The following fifth-digit subclassification is for use with category 831:

- 0 shoulder, unspecified
 - Humerus NOS
 - 1 anterior dislocation of humerus
 - 2 posterior dislocation of humerus
 - 3 inferior dislocation of humerus
 - 4 acromioclavicular (joint)
 - Clavicle
 - 9 other
 - Scapula

831.0 Closed dislocation

[0-4,9]

831.1 Open dislocation

[0-4,9]

832 Dislocation of elbow

The following fifth-digit subclassification is for use with category 832:

- 0 elbow unspecified
- 1 anterior dislocation of elbow
- 2 posterior dislocation of elbow
- 3 medial dislocation of elbow
- 4 lateral dislocation of elbow
- 9 other

832.0 Closed dislocation

[0-4,9]

832.1 Open dislocation

[0-4,9]

833 Dislocation of wrist

The following fifth-digit subclassification is for use with category 833:

- 0 wrist, unspecified part
 - Carpal (bone)
 - Radius, distal end
- 1 radioulnar (joint), distal
- 2 radiocarpal (joint)
- 3 midcarpal (joint)
- 4 carpometacarpal (joint)
- 5 metacarpal (bone), proximal end
- 9 other
 - Ulna, distal end

833.0 Closed dislocation

[0-5,9]

833.1 Open dislocation

[0-5,9]

834 Dislocation of finger

The following fifth-digit subclassification is for use with category 834:

- 0 finger, unspecified part
- 1 metacarpophalangeal (joint)
 - Metacarpal (bone), distal end
- 2 interphalangeal (joint), hand

834.0 Closed dislocation

[0-2]

834.1 Open dislocation

[0-2]

835 Dislocation of hip

The following fifth-digit subclassification is for use with category 835:

- 0 dislocation of hip, unspecified
- 1 posterior dislocation
- 2 obturator dislocation
- 3 other anterior dislocation

835.0 Closed dislocation

[0-3]

835.1 Open dislocation

[0-3]

838 Dislocation of foot

The following fifth-digit subclassification is for use with category 838:

- 0 foot, unspecified
- 1 tarsal (bone), joint unspecified
- 2 midtarsal (joint)
- 3 tarsometatarsal (joint)
- 4 metatarsal (bone), joint unspecified
- 5 metatarsophalangeal (joint)

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

6 interphalangeal (joint), foot
9 other
 Phalanx of foot
 Toe(s)

838.0 Closed dislocation

[0-6,9]

838.1 Open dislocation

[0-6,9]

851	Cerebral laceration and contusion
-----	-----------------------------------

Requires fifth digit. See beginning of section 850-854 for codes and definitions.

851.0 Cortex (cerebral) contusion without mention of open intracranial wound

[0-6,9]

851.1 Cortex (cerebral) contusion with open intracranial wound

[0-6,9]

851.2 Cortex (cerebral) laceration without mention of open intracranial wound

[0-6,9]

851.3 Cortex (cerebral) laceration with open intracranial wound

[0-6,9]

851.4 Cerebellar or brain stem contusion without mention of open intracranial wound

[0-6,9]

851.5 Cerebellar or brain stem contusion with open intracranial wound

[0-6,9]

851.6 Cerebellar or brain stem laceration without mention of open intracranial wound

[0-6,9]

851.7 Cerebellar or brain stem laceration with open intracranial wound

[0-6,9]

851.8 Other and unspecified cerebral laceration and contusion, without mention of open intracranial wound

[0-6,9]

851.9 Other and unspecified cerebral laceration and contusion, with open intracranial wound

[0-6,9]

852	Subarachnoid, subdural, and extradural hemorrhage, following injury
-----	---------------------------------------------------------------------

Requires fifth digit. See beginning of section 850-854 for codes and definitions.

852.0 Subarachnoid hemorrhage following injury without mention of open intracranial wound

[0-6,9]

852.1 Subarachnoid hemorrhage following injury with open intracranial wound

[0-6,9]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

852.2 Subdural hemorrhage following injury without mention of open intracranial wound
[0-6,9]

852.3 Subdural hemorrhage following injury with open intracranial wound
[0-6,9]

852.4 Extradural hemorrhage following injury without mention of open intracranial
wound
[0-6,9]

852.5 Extradural hemorrhage following injury with open intracranial wound
[0-6,9]

853 Other and unspecified intracranial hemorrhage following injury

Requires fifth digit. See beginning of section 850-854 for codes and definitions.

853.0 Without mention of open intracranial wound
[0-6,9]

853.1 With open intracranial wound
[0-6,9]

854 Intracranial injury of other and unspecified nature

Requires fifth digit. See beginning of section 850-854 for codes and definitions.

854.0 Without mention of open intracranial wound
[0-6,9]

854.1 With open intracranial wound
[0-6,9]

864 Injury to liver

The following fifth-digit subclassification is for use with category 864:

- 0 unspecified injury
- 1 hematoma and contusion
- 2 laceration, minor
 - Laceration involving capsule only, or without significant involvement of hepatic parenchyma [i.e., less than 1 cm deep]
- 3 laceration, moderate
 - Laceration involving parenchyma but without major disruption of parenchyma [i.e., less than 10 cm long and less than 3 cm deep]
- 4 laceration, major
 - Laceration with significant disruption of hepatic parenchyma [i.e., 10 cm long and 3 cm deep]
 - Multiple moderate lacerations, with or without hematoma
 - Stellate lacerations of liver
- 5 laceration, unspecified
- 9 other

864.0 Without mention of open wound into cavity
[0-5,9]

864.1 With open wound into cavity
[0-5,9]

865 Injury to spleen

The following fifth-digit subclassification is for use with category 865:

- 0 unspecified injury
- 1 hematoma without rupture of capsule
- 2 capsular tears, without major disruption of parenchyma
- 3 laceration extending into parenchyma
- 4 massive parenchymal disruption
- 9 other

865.0 Without mention of open wound into cavity

[0-4,9]

865.1 With open wound into cavity

[0-4,9]

866 Injury to kidney

The following fifth-digit subclassification is for use with category 866:

- 0 unspecified injury
- 1 hematoma without rupture of capsule
- 2 laceration
- 3 complete disruption of kidney parenchyma

866.0 Without mention of open wound into cavity

[0-3]

866.1 With open wound into cavity

[0-3]

941 Burn of face, head, and neck

The following fifth-digit subclassification is for use with category 941:

- 0 face and head, unspecified site
- 1 ear [any part]
- 2 eye (with other parts of face, head, and neck)
- 3 lip(s)
- 4 chin
- 5 nose (septum)
- 6 scalp [any part]
 - Temple (region)
- 7 forehead and cheek
- 8 neck
- 9 multiple sites [except with eye] of face, head, and neck

941.0 Unspecified degree

[0-9]

941.1 Erythema [first degree]

[0-9]

941.2 Blisters, epidermal loss [second degree]

[0-9]

941.3 Full-thickness skin loss [third degree NOS]

[0-9]

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

941.4 Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part

[0-9]

941.5 Deep necrosis of underlying tissues [deep third degree] with loss of a body part

[0-9]

942	Burn of trunk
-----	---------------

The following fifth-digit subclassification is for use with category 942:

- 0 trunk, unspecified site
- 1 breast
- 2 chest wall, excluding breast and nipple
- 3 abdominal wall
 - Flank
 - Groin
- 4 back [any part]
 - Buttock
 - Interscapular region
- 5 genitalia
 - Labium (majus) (minus)
 - Penis
 - Perineum
 - Scrotum
 - Testis
 - Vulva
- 9 other and multiple sites of trunk

942.0 Unspecified degree

[0-5,9]

942.1 Erythema [first degree]

[0-5,9]

942.2 Blisters, epidermal loss [second degree]

[0-5,9]

942.3 Full-thickness skin loss [third degree NOS]

[0-5,9]

942.4 Deep necrosis of underlying tissues [deep third degree] without mention of loss of a body part

[0-5,9]

942.5 Deep necrosis of underlying tissues [deep third degree] with loss of a body part

[0-5,9]

943	Burn of upper limb, except wrist and hand
-----	-------------------------------------------

The following fifth-digit subclassification is for use with category 943:

- 0 upper limb, unspecified site
- 1 forearm
- 2 elbow
- 3 upper arm
- 4 axilla
- 5 shoulder
- 6 scapular region

9 multiple sites of upper limb, except wrist and hand

943.0 Unspecified degree

[0-6,9]

943.1 Erythema [first degree]

[0-6,9]

943.2 Blisters, epidermal loss [second degree]

[0-6,9]

943.3 Full-thickness skin loss [third degree NOS]

[0-6,9]

943.4 Deep necrosis of underlying tissues [deep third degree] without mention of loss
of a body part

[0-6,9]

943.5 Deep necrosis of underlying tissues [deep third degree] with loss of a body part

[0-6,9]

944	Burn of wrist(s) and hand(s)
-----	------------------------------

The following fifth-digit subclassification is for use with category 944:

- 0 hand, unspecified site
- 1 single digit [finger (nail)] other than thumb
- 2 thumb (nail)
- 3 two or more digits, not including thumb
- 4 two or more digits including thumb
- 5 palm
- 6 back of hand
- 7 wrist
- 8 multiple sites of wrist(s) and hand(s)

944.0 Unspecified degree

[0-8]

944.1 Erythema [first degree]

[0-8]

944.2 Blisters, epidermal loss [second degree]

[0-8]

944.3 Full-thickness skin loss [third degree NOS]

[0-8]

944.4 Deep necrosis of underlying tissues [deep third degree] without mention of loss
of a body part

[0-8]

944.5 Deep necrosis of underlying tissues [deep third degree] with loss of a body part

[0-8]

945	Burn of lower limb(s)
-----	-----------------------

The following fifth-digit subclassification is for use with category 945:

- 0 lower limb [leg], unspecified site
- 1 toe(s) (nail)

ICD-9-CM ADDENDA 10/01/2008 (FY09)
SUPPLEMENT VALID 5th DIGIT NOTATION

- 2 foot
- 3 ankle
- 4 lower leg
- 5 knee
- 6 thigh [any part]
- 9 multiple sites of lower limb(s)

945.0 Unspecified degree

[0-8]

945.1 Erythema [first degree]

[0-8]

945.2 Blisters, epidermal loss [second degree]

[0-8]

945.3 Full-thickness skin loss [third degree NOS]

[0-8]

945.4 Deep necrosis of underlying tissues [deep third degree] without mention of loss
of a body part

[0-8]

945.5 Deep necrosis of underlying tissues [deep third degree] with loss of a body part

[0-8]