Oregon DHS NPI Companion Document for 837 Fee-For-Service Professional Claim and 837 Transaction Coordination of Benefits - Examples for Fee-For-Service

The NPI is a single identification number that will be assigned to all covered health care providers. It is intended to improve the efficiency of the health care system and help to reduce fraud and abuse. The intent of the NPI is to eliminate the need for payers and providers to keep numerous identifiers and in turn simplify transaction processing between these entities. This companion guide is meant to be used as a technical reference guide for NPI usage in Oregon.

The objectives of this document are:

*To clarify what information is needed by the Oregon Dept. of Human Services (OR-DHS) where the guide indicates that the choice is dependent on the Payer.

*To point out preferred selections for data elements where multiple alternatives exist.

This Companion Guide supplements the 837 Professional Claim Implementation Guide Version 004010X098A1.

In order to create an OR-DHS HIPAA compliant transaction, you must first meet the requirements of the Implementation Guide and then incorporate the payer (OR-DHS) specific requirements.

OR-DHS processes all alpha characters in upper case (except data reported in the ISA06 and GS02). Do not use special characters.

To properly process 837 transactions, OR-DHS requires only ONE transaction type in each transmission file beginning with the ISA and ending with the ISE envelope segments. For example if the submitter sends Reportable/Encounter 837 transaction data for Professional, Dental and Institutional, there would be a separate file for each transaction (e.g. one containing only the 837P professional data, one containing only 837l institutional data and one file containing only 837D dental data.)

For faster adjudication, OR-DHS requires one rendering (performing) provider/billing provider per claim to avoid conflict between claim and line level data.

Every effort has been made to prevent errors in this document. However, if there is a discrepancy between this document and the Implementation Guide, the Implementation Guide is the final authority.

In the examples given in this Companion Guide, a lowercase "b" denotes a blank space.

IMPORTANT NOTE: When determining the delimiters to use/send, please take data content, communication protocols, and industry standards into account. If transmission or transaction errors can be traced to the choice of a delimiter, trading partners will be notified, and the use of that delimiter will be prohibited. For example: When the EBCDIC character for <new line> is used as a delimiter, and it is converted to ASCII, it becomes two characters - <carriage return> and line feed>. Systems using ASCII characters encounter extra, non-conforming characters and reject the transmission.

Page 1 of 13

ISA - Interchange Control Header - Page B3

Usage: Required

Segment Max Use within Transaction: 1

				ATTRIB	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
ISA01	Authorization Information Qualifier	R	2/2	ID	00	
ISA03	Security Information Qualifier	R	2/2	ID	00	
ISA05	Sender Interchange ID Qualifier	R	2/2	ID	ZZ	
ISA06	Interchange Sender ID	R	15/15	AN		The sender's trading partner (mailbox) number assigned at the beginning of Business-to-Business (B2B) testing, used for testing and production purposes. The letters "tp" should be in lower-case (i.e., tp######). Insert spaces after data to meet 15-byte requirement.
10407	l (0.40	ID	77	insert spaces and data to meet 15 byte requirement.
ISA07	Interchange Receiver ID Qualifier	R	2/2	ID	ZZ	
ISA08	Interchange Receiver ID	R	15/15	AN	ORDHSOMAP	Insert spaces after data to meet 15-byte requirement.

GS - Functional Group Header - Page B8

Usage: Required

Segment Max Use within Transmission: >1

Example: GS*HC*tn123456*ORDHSOMAP*20031016*1452*1215*X*004010X098A1~

				ATTRIBUTES		Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
GS02	Application Senders Code	R	2/15			The sender's trading partner (mailbox) number assigned at the beginning of Business-to-Business (B2B) testing, used for testing and production purposes. The letters "tp" should be in lower-case (i.e., tp######).
GS03	Application Receiver's Code	R	2/15		ORDHSOMAP	

ST -- Transaction Set Header - Page 62

Usage: Required

Segment Max Use within Transaction: 1

Loop ID: None

Example: ST*837*987654~

Note: In order to ensure this unique number is returned on your 997, do not use this number more than once a day.

	are to enemie and and and	misor to retained on your cor, do not doo the name misor than once a day.								
				ATTRIBUTES		Comments				
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values					
ST01	Transaction Identification Code	R	2/2	ID	00	In order to ensure this unique number is returned on your 997, it is recommended this number not repeat for 180 days.				
ST02	Transaction Set Control Number	R	1/30	AN		The unique number that will be returned on your 997.				

Page 2 of 13 10/24/2007 Version 1.53

BHT -- Beginning of Hierarchical Transaction- Page 63

Usage: Required

Segment Max Use within Transaction: 1

Loop ID: None

Example: BHT*0019*00*0123*19970618*0932*CH~

				ATTRIBUTES		Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
BHT02	Transaction Set Purpose Code	R	2/2	ID	00	
BHT03	Originator Application Transaction Identifier	R	1/30	AN		This identifier <u>must</u> be unique across all submitted data files, and may or may not be the same as ST02.
BHT06	Claim or Encounter Identifier	R	2/2	ID	СН	

NM1 -- Submitter Name - Page 67

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 1000A

Example: NM1*41*2*ACME****46*PROVIDER~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
NM109	Submitter Identifier	R	2/80	AN	PROVIDER	

NM1 -- Receiver Name - Page 74

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 1000B

Example: NM1*40*2*OREGON DHS OMAP****46*ORDHSOMAP~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
NM103	Receiver Name	R	1/35	AN	OREGON DHS OMAP	
NM109	Receiver Primary Identifier	R	2/80	AN	ORDHSOMAP	

10/24/2007

PRV -- Billing/Pay-To-Provider Specialty - Page 79

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2000A

Example: PRV*BI*ZZ*207R00000X~

NOTE: Per the CMS feedback page,"... the guide [IG] is therefore inconsistent with the enumeration of providers allowed by the NPI final rule. In order to define a sub-part or component that is not enumerated with a distinct NPI, the Billing Provider field - 2000A PRV - may be used."

				ATTRIE	BUTES	NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
PRV02	Reference Identification Qualifier	R	2/3	AN	ZZ	Mutually Defined	As defined by Implementation Guide
PRV03	Reference Identification	R	1/30	ID		Provider Taxonomy Code http://www.wpc-edi.com/codes/taxonomy	As defined by Implementation Guide

NM1 -- Billing Provider Name - Page 84

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 2010AA

Example: NM1*85*1*WELBY*MARCUS*W**JR*XX*4443322220~

				ATTRIE	BUTES	NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
NM108	Identification Code Qualifier	R	1/2	ID	XX	Health Care Financing Administration National	As defined by Implementation Guide
						Provider Identifier	
NM109	Identification Code	R	1/30	AN		Enter the Appropriate 10 Digit National Provider	As defined by Implementation Guide
						ID (NPI)	

REF -- Billing Provider Secondary Identification Number - Page 91

Usage: Situational

Segment Max Use within Loop: 8

Loop ID: 2010AA

Example: REF*EI*123456789~

NOTE: OR-DHS required in addition to data sent on NM109 (Billing Provider Identifier).

				ATTRIE	BUTES	NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
REF01	Reference Identification Qualifier	R	2/3	ID	EI/SY	EI - Employers Identification Number SY- Social Security Number	OR-DHS required element. OR-DHS currently accepts only the following: 1C - Medicare Provider Number 1D - Medicaid Provider Number (OR-DHS assigned number is preferable) 1G - Provider UPIN number Only 1 occurrence per unique qualifier.
REF02	Billing Provider Additional Identifier	R	1/30	AN		Employer's Identification Number or Social Security Number	OR-DHS required field.

HL -- Subscriber Hierarchical Level - Page 108

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 2000B Example: HL*2*1*22*0~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
HL04	Hierarchical Child Code	R	1/1	ID	0	

SBR -- Subscriber Information - Page 110

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 2000B

Example: SBR*P**GRP01020102******MC~

			ATTRIBUTES			Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
SBR09	Claim Filing Indicator Code	S	1/2	ID	MC	

NM1 -- Subscriber Name - Page 117

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 2010BA

Example: NM1*IL*1*DOE*JOHN*T**JR*MI*12345678~

				ATTRIBUTES		Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
NM103	Subscriber Last Name	R	1/35			Patient's last name as it appears on the OMAP medical care identification card. Do not use special characters.
NM104	Subscriber First Name	S	1/25	AN		Patient's first name as it appears on the OMAP medical care identification card. Do not use special characters. Cannot be blank.
NM108	Identification Code Qualifier	R	1/2	ID	MI	
NM109	Subscriber Primary Identifier	R	2/80	AN		Patient's 8-character Prime I.D. as it appears on the OMAP medical care identification card.

Version 1.53 Page 5 of 13 10/24/2007

NM1 -- Payer Name - Page 130

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 2010BB

Example: NM1*PR*2*OREGON DHS OMAP*****PI*ORDHSOMAPFFS~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
NM103	Payer Name	R	1/35	AN	OREGON DHS OMAP	
NM108	Identification Code Qualifier	R	1/2	ID	PI	
NM109	Payer Identifier	R	2/80	AN	ORDHSOMAPFFS	

N3 -- Payer Address - Page 134

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2010BB

Example: N3*500 SUMMER STREET NE~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
N301	Payer Address Line	R	1/55	AN	500 SUMMER	
					STREET NE	

N4 -- Payer City/State/Zip - Page 135

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2010BB

Example: N4*SALEM*OR*973010315~

				ATTRIBUTES		Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
N401	Payer City Name	R	2/30	AN	SALEM	
N402	Payer State Code	R	2/2	ID	OR	
N403	Payer Postal Zone or Zip Code	R	3/15	ID	973010315	

Version 1.53 Page 6 of 13 10/24/2007

CLM -- Claim Information - Page 170

Usage: Required

Segment Max Use within Loop: 99

Loop ID: 2300

Example: CLM*0131930000001*500***11::1*Y*A*Y*Y**AA:EM:OA~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
CLM01	Patient Account Number	R	1/38	AN		The 'Patient Account Number' is returned in the 'Patient Control Number' (Element CLP01) on the outbound 835 transaction.
						Although the X-12 standard allows for 38 characters, the HIPAA standard allows only up to 20. Therefore, OR-DHS will truncate any data after the 20th character, and report same.
CLM02	Total Claim Charge Amount	R	1/18	R		Amount must not exceed \$999,999.99.
CLM05-1	Facility Type Code	R	1/2	AN		CLM05-1 applies to all service lines unless it is overwritten at the line level.
CLM05-3	Claim Frequency Code	R	1/1	AN	1	OR-DHS required field. OR-DHS currently accepts only the following: 1 - Original claim submission
CLM11-1	Related Causes Code	R	2/3	ID		Values used by OR-DHS: AA - Auto Accident EM - Employment OA - Other Accident
CLM11-2	Related Causes Code	S	2/3	ID		Same as CLM 11-1 if needed
CLM11-3	Related Causes Code	S	2/3	ID	_	Same as CLM 11-1 if needed

HI - HealthCare Diagnosis Code - Page 265

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2300

Example: HI*BK:8901*BF:87200*BF:5559~

				ATTRIBUTES		Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
HI01-2	Diagnosis Code	R	1/30	AN		Submit the Principle Diagnosis Code to the highest level of specificity for the date of service.
_	Health Care Code Information	S				OR-DHS processes four diagnosis codes (including the principle diagnosis) for Fee-for-Service claims. The last four codes may not be considered for processing.

Version 1.53 Page 7 of 13 10/24/2007

NM1 -- Referring Provider Name-Page-282

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2310A

Example: NM1*DN*1*DOE*JOHN****XX*0123456789~

NOTE: OR-DHS required if there is a referral on the claim. OR-DHS processes only the first occurrence. OR-DHS uses only one referring provider per claim.

				ATTRIE	BUTES	NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
NM108	Identification Code Qualifier	R	1/2	ID	XX	Health Care Financing Administration National Provider Identifier	As defined by Implementation Guide
NM109	Identification Code	R	2/80	AN		Enter the Appropriate 10 Digit National Provider ID (NPI)	As defined by Implementation Guide

NM1 -- Rendering Provider Name-Page-290

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2310B

Example: NM1*82*1*DOE*JOHN****XX*0123456789~

NOTE: OR-DHS required if NM109 Rendering Provider Primary Identifier in 2310B is used, OR-DHS will process up to 3 repeats.

				ATTRIE	BUTES	NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
NM108	Identification Code Qualifier	R	1/2	ID	XX	Health Care Financing Administration National Provider Identifier	As defined by Implementation Guide
NM109	Subscriber Primary Identifier	R	2/80	AN		Enter the Appropriate 10 Digit National Provider ID (NPI)	As defined by Implementation Guide

PRV -- Rendering Provider Specialty - Page 293

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2310B

Example: PRV*PE*ZZ*207R00000X~

				ATTRIE	BUTES	NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
PRV02	Reference Identification Qualifier	R	2/3	AN	ZZ	Mutually Defined	As defined by Implementation Guide
PRV03	Reference Identification	R	1/30	ID		Provider Taxonomy Code http://www.wpc-edi.com/codes/taxonomy	As defined by Implementation Guide

LX - Service Line - Page 398

Usage: Required

Segment Max Use within Loop: 50

Loop ID: 2400 Example: LX*1~

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
LX01	Assigned Number	R	1/6	N		OR-DHS' system processes only the first 28 service lines.

SV1 - Professional Service - Page 400

Usage: Required

Segment Max Use within Loop: 1

Loop ID: 2400

Example: SV1*HC:99211:25*12.25*UN*1*11**1:2:3**N~

NOTE: OR-DHS processes only the first Procedure Code and the first 2 modifiers. The last two modifiers may not be considered for adjudication and payment determination.

				ATTRIBUTES		Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
SV101-1	Product or Service ID Qualifier	R	2/2	ID	HC	
SV102	Line Item Charge Amount	R	1/18	R		Amount must not exceed \$99,999.99. Only enter '0' if the service is generally rendered at no cost.
SV104	Service Unit Count	R	1/15	R		Not to exceed 9999.9.
SV105	Place of Service Code	S	1/2	AN		Used to report the place of service for this line if the value is different than the value carried in CLM05 in loop ID 2300.

AMT - Approved Amount - Page 485

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2400

Example: AMT*AAE*125~

NOTE: Required if Medicare is a previous payer and the service is covered, whether Medicare pays the claim or not.

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
AMT02	Approved Amount	R	1/18	R		Amount must not exceed \$99,999.99.

Version 1.53 Page 9 of 13 10/24/2007

LIN - Drug Identification, CTP - Drug Pricing, & REF - Prescription Number - 4010A1 Pages 71-78

Usage: Situational Loop ID: 2410

NOTE: OR-DHS does not process Loop 2410 on the 837 transaction. For drugs administered by the prescribing practitioner in the office, clinic, hospital or home setting, use HCPC Drug Code Series J0000-J8999 in the Loop 2400. SV101-2 element.

				ATTRIE	BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
LIN03	Product/Service ID	R	1/48	AN		

NM1 -- Rendering Provider Name-Page-501

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2420A

Example: NM1*82*1*DOE*JOHN****XX*0123456789~

NOTE: OR-DHS uses only 1 rendering provider per claim at the 2300 level. If the 2300 level is not used, OR-DHS will only use the rendering provider information from the first service

line, OR-DHS required if NM109 Rendering Provider Identifier in 2310B is not used.

			ATTRIBUTES			NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
NM108	Identification Code Qualifier	R	1/2	ID	XX	Health Care Financing Administration National Provider Identifier	As defined by Implementation Guide
NM109	Subscriber Primary Identifier	R	2/80	AN		Enter the Appropriate 10 Digit National Provider ID (NPI)	As defined by Implementation Guide

REF - Rendering Provider Secondary Identification - Page 507

(Formerly called "Performing Provider")

Usage: Situational

Segment Max Use within Loop: 5

Loop ID: 2420A

Example: REF*EI*123456789~

NOTE: OR-DHS uses only 1 rendering provider per claim at the 2300 level. If the 2300 level is not used, OR-DHS will only use the rendering provider information from the first service

line containing a rendering provider. OR-DHS required if NM109 Rendering Provider Identifier in 2310B is not used.

				ATTRIE	BUTES	NEW	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Value	Comments	
REF01	Reference Identification Qualifier	S	2/3	ID	EI/SY	SY- Social Security Number EI - Employers Identification Number	OR-DHS required element. OR-DHS currently accepts only the following: 1D - Medicaid Provider Number (OR-DHS assigned number is preferable) 1G - Provider UPIN number Only 1 occurrence per unique qualifier.
REF02	Rendering Provider Secondary Identifier	R	1/30	AN		Employer's Identification Number or Social Security Number	Use 999999 with 1D qualifier when there is no valid OR-DHS or UPIN number. Use 111111 for out-of-state ambulance providers. Mental Health Providers who do not have an OR-DHS number and are outside of the State of Oregon may use 222222.

Version 1.53 Page 10 of 13 10/24/2007

NM1 - Referring Provider Name - Page 541

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2420F

Example: NM1*DN*1*WELBY*MARCUS*W**JR*34*444332222~

NOTE: OR-DHS uses only 1 rendering provider per claim at the 2300 level. If the 2300 level is not used, OR-DHS will only use the rendering provider information from the first service line. OR-DHS required if NM109 Rendering Provider Identifier in 2310B is not used.

			ATTRIBUTES			NEW	OLD (Previously Allowed Values)
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments	Comments
NM108	Identification Code Qualifier	R	1/2	ID	XX	Health Care Financing Administration National Provider Identifier	As defined by Implementation Guide
NM109	Identification Code	R	2/80	AN		Enter the Appropriate 10 Digit National Provider ID (NPI)	As defined by Implementation Guide

SVD - Line Adjudication Information - Page-554

Usage: Situational

Segment Max Use within Loop: 1

Loop ID: 2430

Example: SVD*NR002*50.5**0305*1~

			ATTRIBUTES		BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
SVD01	Payer Identifier	R	2/80	AN		Used to match with other payer identifier in 2330B.

CAS - Line Adjustment - Page 558

Usage: Situational

Segment Max Use within Loop: 50

Loop ID: 2430

Example: CAS*PR*1*7.93~

NOTE: OR-DHS processes five times within loop. Business Rules relating to HIPAA Adjustment Reason Codes.

			ATTRIBUTES		BUTES	Comments
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	
CAS02	Adjustment Reason Code	R	1/5	ID		Use one Claim Adjustment Reason Code only when payment/service is denied/not accepted. OR-DHS will cross-walk code to the Encounter Disposition Reason Codes. Line Level.

837 Transaction Coordination of Benefits Examples for **Fee-For-Service**

Note: These are examples only and are not intended to show all situations that could potentially occur. This is only DHS' expectation of the data for the situations most commonly found for Medicaid claims.

Loop 2000B-Subscriber Hierarchical Level is a required loop and thus is always expected.

SBR01-Payer Responsibility Sequence Number is expected to be one of the following:

- * "P" when Medicaid is the only medical coverage the client has.
- * "S" when the client has Medicaid coverage and medical coverage by ONE of the following:

Medicare Part A Medicare Part B Private Medical Insurance

* "T" when the client has Medicaid coverage and medical coverage by MORE THAN ONE of the following:

Medicare Part A

Medicare Part B

Private Medical Insurance

SBR09-Claim Filing Indicator must be MC (Medicaid) indicating Medicaid as the payer receiving this information and has the current responsibility for adjudication.

When the client has no insurance coverage other than Medicaid, the following information is expected:

* When DHS is the Primary Payer, do not use: 2320-Other Subscriber Information loop 2330B-Other Payer Name loop 2430-Line Adjudication loop.

When the client has Medicaid and another medical coverage, the following information is expected:

* The other coverage could be ONE of the following:

Medicare Part A Medicare Part B Private Medical Insurance

- * Since Loop 2320-Other Subscriber Information repeats for each known payer, there is one 2320-Other Subscriber Information loop with the SBR01-Payer Responsibility Sequence Number Code of "P" (primary) showing Medicare or the medical coverage as the Primary payer.
- * If any service line is not paid, or the payment is other than the service line billed amount, you must use a 2430-Line Adjudication loop. When there is a 2430-Line Adjudication loop, you must also use a 2330B-Other Payer Name loop with the NM109-Other Payer Primary Identifier, which must match the SVD01-Other Payer Primary Identifier in the 2430-Line Adjudication loop.

When the client has Medical insurance coverage A, B and Medicaid coverage, the following information is expected:

* Coverage A or B could be any combination of the following:

Medicare Part A Medicare Part B Private Medical Insurance

Loop 2320-Other Subscriber Information repeats for each known payer. Examples are:

- * One 2320-Other Subscriber Information loop with the SBR01-Payer Responsibility Sequence Number Code of "P" (primary) showing Medicare or the medical coverage as the Primary payer.
- * If any service line is not paid, or the payment is other than the service line billed amount, use a 2430-Line Adjudication loop. When there is a 2430-Line Adjudication loop, also use a 2330B-Other Payer Name loop with the NM109-Other Payer Primary Identifier, which must match the SVD01-Other Payer Primary Identifier in the 2430-Line Adjudication loop.

AND

- * You should use a 2320-Other Subscriber Information loop with the SBR01-Payer Responsibility Sequence Number Code of "S" (secondary) for the Secondary payer.
- * If any service line is not paid, or the payment is other than the service line billed amount, use a 2430-Line Adjudication loop, also use a 2330B-Other Payer Name loop with the NM109-Other Payer Primary Identifier, which must match the SVD01-Other Payer Primary Identifier in the 2430-Line Adjudication loop.

AND

- * You should use a 2320-Other Subscriber Information loop with the SBR01-Payer Responsibility Sequence Number Code of "T" (tertiary) for the Tertiary payer.
- * If any service line is not paid, or the payment is other than the service line billed amount, use a 2430-Line Adjudication loop. If there is a 2430-Line Adjudication loop, also use a 2330B-Other Payer Name loop with the NM109-Other Payer Primary Identifier, which must match the SVD01-Other Payer Primary Identifier in the 2430-Line Adjudication loop.