FIREFIGHTER I

5-1 GENERAL REQUIREMENTS5-1.1.2 GENERAL SKILL REQUIREMENTSStandard Area: General Skill Requirements

Candidate:

10	ARD: 5-1.1.2TASK: Don personal protective clothing within protective clothing and prepare for reuse.		one (1) minute: doff personal				
	RMANCE OUTCOME: The candidate on all protective clothing for reuse.	shall be able to properly don personal protective	clothing in	one minu	te and to p	prepare	
CONDIT the abili		othing (boots, pants, coat, hood, gloves, and helm	et), the can	didate sha	all demons	strate	
No			FIRST	TEST	RET	TEST	
No.	D. TASK STEPS		Pass	Fail	Pass	Fail	
	DONNING						
1.	Don pants and boots properly – including suspenders in place						
2.	Don hood						
3.	Don coat – including storm flap closed and collar up and secured						
4.	Don helmet						
5.	Don gloves						
6.	Complete above correctly within a	ne minute					
	Doffing						
7.	Place all equipment in a ready stat	e for reuse					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date

Evaluation Sheet: 5-1.1.2A

Date:

FIREFIGHTER I

5-1 GENERAL REQUIREMENTS5-1.1.2 GENERAL SKILL REQUIREMENTSStandard Area: General Skill Requirements

Candidate:

	ARD: 5-1.1.2TASK: Tie six of the seven following knots: Bowline knot, Clove hitch, Figure of eight on a bight, Half hitch, Becket/sheet bend, Safety knots(s), and Agency spec knot.						
	PERFORMANCE OUTCOME: The candidate, while operating on a simulated fire ground, shall be able to tie knots used in fire service.						
	FIONS: Given appropriate and adeq of the six of the knots the evaluator s	uate rope(s) and in full personal protective clothing, elects from the following:	the candi-	date shall	demonstr	rate the	
No			FIRST TEST		RET	FEST	
No.	TASK STEPS	Pass	Fail	Pass	Fail		
1.	Bowline knot						
2.	Clove hitch						
3.	Figure of eight on a bight						
4.	Half hitch						
5.	Becket or sheet bend						
6.	Safety knot(s)						
7.	Agency specific knot						

Evaluator/Candidate Comments:

Evaluator (**Print & Sign**)

Date

Candidate

Date

Date:

Evaluation Sheet: 5-1.1.2B

FIREFIGHTER I

5-1 GENERAL REQUIREMENTS5-1.1.2 GENERAL SKILL REQUIREMENTSStandard Area: General Skill Requirements

Candidate:

	ARD: 5-1.1.2 .001, 2002 Edition	ing the correct knot(s)				
		e, while operating on a simulated fire ground, shall b pment to a designated height, as specified by evalua		tie an app	proved kno	ot and
CONDIT	1 1	uate rope(s), a tool or equipment and in full protectiv		g, the car	ndidate sh	all
No.		They Corport	FIRST	TEST	RET	TEST
		TASK STEPS	Pass	Fail	Pass	Fail
1.	Tie a secure appropriate knot(s) for the tool or equipment selected					
2.	Utilize a safety knot for additional support					
3.	Hoist or have hoisted a tool and/or piece of equipment to a designated height					
4.	Untie the knot(s) without difficult					
	Circle tool and/or piece of equip	ment selected by evaluator:				
	forcible entry tool pike pole	ground ladder hose line				
	appliance other					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

Date

Date:

Evaluation Sheet: 5-1.1.2C

FIREFIGHTER I

5-2 FIRE DEPARTMENT COMMUNICATION 5-2.1 INITIATE RESPONSE TO A REPORTED EMERGENCY Standard Area: Fire Department Communications

Evaluation Sheet: 5-2.1

Date:

	ARD: 5-2.1 1001, 2002 Edition	/.					
	PERFORMANCE OUTCOME: The candidate shall be able to initiate a response to a reported emergency according to his/her department standard operation procedures, using the department's communications equipment.						
CONDITIONS: Given a scenario of a reported alarm, the candidate shall demonstrate the ability to:							
No.		TASK STEPS	FIRST TEST		RET	TEST	
			Pass	Fail	Pass	Fail	
1.	Verbalize how the alarm is receive	ed					
2.	Write the proper address and nature of the emergency						
3.	Prepare to respond by donning personal protective clothing						
4.	Acknowledge by radio receiving t	he alarm and responding					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

FIREFIGHTER I

5-2.2 USE OF TELEPHONE

Evaluation Sheet: 5-2.2

Date:

Standard Area: Fire Department Communications

Candidate:

	ARD: 5-2.2 1001, 2002 Edition	TASK: Receive a business or personal telephone call.						
PERFORMANCE OUTCOME: The candidate shall be able to properly answer a fire department business phone, ensuring that the								
	proper procedures for answering a department telephone are used and the caller's information is relayed.							
CONDITIONS: Given a telephone and other necessary equipment and a real or simulated call from the evaluator, the candidate shall demonstrate the ability to:								
No	TASK STEPS	FIRST TEST		RETEST				
No.		Pass	Fail	Pass	Fail			
1.	Answer the call promptly							
2.	Identify himself/herself and the de							
3.	Ensure paper and pencils (or pen) are available							
4.	Take an appropriate message (e.g. person taking call)	; date, time, caller, caller's phone number, and						
5.	End the call courteously and in tin	nely manner						
6.	Deliver a message or transfer the c	all to the appropriate person						

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date
--------------------------	------	-----------	------

FIREFIGHTER I

5-2.3 TRANSMIT AND RECEIVE RADIO MESSAGES Standard Area: Fire Department Communications

Evaluation Sheet: 5-2.3

Candi	ndidate: Dat					
	TASK: Transmit and receive messages via the fire department radio.					
NFPA 1001, 2002 Edition PASK. Transmit and receive messages via the fire department radio. PERFORMANCE OUTCOME: The candidate, while operating on a simulated fire ground, shall be able to transmit and receive messages via a fire department radio so that the information is promptly relayed and is accurate, complete, and clear.						
CONDITIONS: Given a fire department mobile or portable radio, a scripted message and in full protective clothing (SCBA and mask at evaluator option), the candidate shall be able to:						
No		TASK STEPS	FIRST TEST		Ret	TEST
No.		IASK SIEPS		Fail	Pass	Fail
1.	Use department's operating procedures and/or codes					
2.	Determine air is clear before transmitting (unless emergency traffic)					
3.	Have microphone within 1 – 2 inches of mouth (or speaking device of SCBA)					
4.	Speak calmly, clearly, distinctly, a	nd at a medium speed				
5.	Transmit a message that is brief, a	ccurate, and to the point				
6.	Identify who the message is addre	ssed to				
7.	Identify the person or unit transmi	tting				

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

FIREFIGHTER I

5-3 FIRE GROUND OPERATIONS 5-3.1 USE SCBA DURING EMERGENCY OPERATIONS **Standard Area: Fire Ground Operations**

Candidate:

	ARD: 5-3.1 1001, 2002 Edition	correctly	don and a	ctivate th	e SCBA				
	PERFORMANCE OUTCOME: The candidate, while operating at a simulated fire scene or cab of apparatus, and in full protective								
clothing, shall be able to correctly don and activate the SCBA in one minute.									
CONDITIONS: Given SCBA and full protective clothing, the candidate shall be able to:									
(Time will begin when SCBA donning starts and ends when the SCBA is correctly donned with all protective clothing correctly in place and candidate is on air.)									
•		· · · · · · · · · · · · · · · · · · ·		FIRST TEST		TEST			
No.	TASK STEPS		Pass	Fail	Pass	Fail			
1.	Correctly don SCBA including checking amount of air in cylinder and operation of low air alarm								
2.	Correctly don face piece including checking seal and operation of exhalation valve								
3.	Activate and check PASS device								
4.	Have all personal protective clothi	ng correctly in place							

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

Date

Evaluation Sheet: 5-3.1A

Date: _____

FIREFIGHTER I

5-3 FIRE GROUND OPERATIONS 5-3.1 USE SCBA DURING EMERGENCY OPERATIONS Standard Area: Fire Ground Operations

Candidate:

STANDARD: 5-3.1 TASK: Use of SCBA during emergency operation: perform conservation of air and NFPA 1001, 2002 Edition emergency procedures. PERFORMANCE OUTCOME: The candidate while operating in a simulated hazardous environment shall be able to use controlled breathing techniques and perform emergency procedures in event of SCBA failure. **CONDITIONS:** Given personal protective clothing and SCBA with blacked out face piece, the candidate shall be able to perform the following: (Note: The evaluator will select at least one procedure from conservation of air, one procedure from SCBA failure, and one procedure from depletion of air supply. FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail I. **CONSERVATION OF AIR: Demonstrate controlled breathing** 1. (e.g.: Inhale through the nose, exhale through the mouth, and control rate of breathing) Demonstrate skip breathing 2. (e.g.: Take a regular breath and hold, take another breath, exhale, and repeat) II. SCBA FAILURE **Regulator failure**: Close mainline, if present Open bypass slowly 1. Close bypass after each breath Open bypass for next breath Exit hazardous area rapidly Face piece failure: Breath directly from low pressure hose or regulator 2. Make tight seal around hose or regulator with mouth Breath through mouth and exhale through nose Exit hazardous area rapidly III. **DEPLETION OF AIR SUPPLY:** Out of air with no air resupply available Activate pass device 1. Establish filter breathing while staying as low as possible Exit hazardous area rapidly Out of air – full cylinder available Doff backpack Close cylinder valve and release pressure Disconnect hose from cylinder 2. Remove depleted cylinder Replace with cylinder containing air Connect hose to cylinder Turn on cylinder Redon back pack Out of air – transfill available 3. Attach transfill hose to both SCBA units; exit hazardous area rapidly

8

Evaluation Sheet: 5-3.1B

Date:

5-3 FIRE GROUND OPERATIONS

Evaluator/Candidate Comments:

Candidate **Evaluator (Print & Sign)** Date Date

5-3 FIRE GROUND OPERATIONS5-3.1 USE SCBA DURING EMERGENCY OPERATIONSStandard Area: Fire Ground Operations

Evaluation Sheet: 5-3.1C

Candidate: Date: **STANDARD:** 5-3.1 **TASK:** Use SCBA during emergency operation: exit hazardous area before air supply NFPA 1001, 2002 Edition depletion. PERFORMANCE OUTCOME: The candidate, while operating as a member of a team at a simulated fire scene, shall be able to operate in a hazardous environment, keeping track of his/her air supply so that the hazardous area is exited prior to depletion of the air supply. CONDITIONS: Given SCBA, hand light, assortment of forcible entry tools, team member, scenario with hazardous environment, and in full protective clothing, the candidate shall be able to: FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail 1. Determine air supply available when entering hazardous atmosphere 2. Monitor the air supply available while in hazardous atmosphere 3. Make decision to leave hazardous atmosphere before depletion of air supply 4. Exit hazardous atmosphere before depletion of air supply

Evaluator/Candidate Comments:

Evaluator (**Print & Sign**)

Date

Candidate

5-3.2 RESPOND ON AN APPARATUS TO AN EMERGENCY SCENE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.2

Candi	date:	Dat	e:					
	ANDARD: 5-3.2 PA 1001, 2002 Edition TASK: Respond on an apparatus to an emergency scene.							
	PERFORMANCE OUTCOME: The candidate shall be able to prepare to respond safely in a fire department apparatus and to safely dismount at the emergency scene.							
	CONDITIONS: Given personal protective clothing and other necessary personal protective equipment, the candidate shall demonstrate the ability to:							
No.	. Task Steps			TEST	RET			
			Pass	Fail	Pass	Fail		
	MOUNTING							
1.	Properly don personal protective clothing							
2.	State that the vehicle is not in motion							
3.	Mount fire apparatus using handrails							
4.	Close door, safety bar, gate to cab or compartment							
5.	Sit and fasten seat belt							
6.	Correctly use any other personal p	protective equipment furnished						
	DISMOUNTING							
7.	Wait for order(s) before leaving a	pparatus						
8.	State that vehicle is completely st	opped before leaving apparatus						
9.	Look for hazards before stepping	off vehicle						
10.	Safely step from vehicle using ha	ndrails						

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.3 FORCE ENTRY INTO A STRUCTURE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.3A

Candidate: Date: **STANDARD:** 5-3.3 TASK: Force entry into a structure through a door. NFPA 1001, 2002 Edition PERFORMANCE OUTCOME: The candidate shall be able to properly force entry into a structure through a locked door using one or more of the provided forcible entry tools. CONDITIONS: Given a selection of forcible entry tools, an entry door, and in full protective clothing, the candidate shall demonstrate the ability to: FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail 1. Select the correct tool(s) 2. Safely carry the selected tool(s) to the door Try the door to make sure locked before forcing 3. 4. Correctly size up the door 5. Choose the appropriate technique Use hand and eye protection 6. 7. Clear opening of obstacles

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.3 FORCE ENTRY INTO A STRUCTURE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.3B

Candidate: Date: **STANDARD:** 5-3.3 **TASK:** Force entry into a structure through a window. NFPA 1001, 2002 Edition **PERFORMANCE OUTCOME:** The candidate shall be able to properly force entry into a structure through a locked window using one or more of the provided forcible entry tools. CONDITIONS: Given a selection of forcible entry tools, a window, and in full protective clothing, the candidate shall demonstrate the ability to: FIRST TEST RETEST No. TASK STEPS Pass Pass Fail Fail 1. Select the correct tool(s) 2. Safely carry the selected tool(s) to the window 3. Try the window to make sure locked before forcing 4. Correctly size up the window 5. Choose the appropriate technique 6. Use hand and eye protection 7. Keep hands above the point of impact or at an angle to the impact 8. Clear opening of obstacles

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date

5-3.3 FORCE ENTRY INTO A STRUCTURE **Standard Area: Fire Ground Operations**

Evaluation Sheet: 5-3.3C

RETEST

Fail

Pass

Candidate: Date: **STANDARD:** 5-3.3 TASK: Force entry into a structure through a wall. NFPA 1001, 2002 Edition **PERFORMANCE OUTCOME:** The candidate shall be able to properly force entry into a structure through a wall using one or more of the provided forcible entry tools. **CONDITIONS:** Given a selection of forcible entry tools, a wall, and in full protective clothing, the candidate shall demonstrate the ability to: FIRST TEST No. TASK STEPS Fail Pass 1. Correctly size up the wall to be breached

			1
2.	Identify breaching hazards		
3.	Select the correct tool(s) for the type of wall		
4.	Sound for studs, if appropriate		
5.	Make an appropriate sized opening		
6.	Clear the opening of obstacles		

Evaluator/Candidate Comments:

Evaluator	(Print	&	Sign)	
L' MIGHTON	(~		

Date

Candidate

5-3.4 EXIT A HAZARDOUS AREA AS A TEAM Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.4

Candi	date:	Date	•			
	NDARD: 5-3.4TASK: Exit a hazardous, vision-obscured area to a safe haven while operating and maintaining team integrity, before the air supply is exhausted.					
	PERFORMANCE OUTCOME: The candidate shall be able to identify the need to exit a hazardous area, develop a plan of egress, communicate the plan to supervisor and subordinate, and exit the hazardous area.					
	TIONS: Given an area of obscured v ull protective equipment, the candid	isibility, a team member, hand light, assortment of f ate shall demonstrate the ability to:	orcible er	ntry tools,	portable	adio,
No.	TASK STEPS		FIRST	TEST	Ret	TEST
110.			Pass	Fail	Pass	Fail
1.	Identify the need to exit the hazard	lous environment				
2.	Communicate and coordinate egre	ss with team member				
3.	Communicate with immediate sup	ervisor				
4.	Follow guideline or hose line to po	bint of egress				
5.	Maintain team integrity					
6.	Exit area before air supply is exha	usted				

Evaluator/Candidate Comments:

Evaluator	(Print	&	Sign)	
L' MIGHTON	(~	~	

Date

Candidate

5-3.5 SET UP GROUND LADDERS Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.5

Candi	date:	Date	:					
	ARD: 5-3.5 1001, 2002 Edition	TASK: Set up ground ladders.						
ground	TORMANCE OUTCOME: The candidate, while operating on a simulated fire ground, will be able to select and properly set up a and ladder for various tasks. DITIONS: Given a straight ladder and several different length extension ladders, a scripted scenario, a location adequate to							
meet th	bet the provisions of the scenario, and in full protective clothing (SCBA and mask evaluator option), the candidate, as team der, shall demonstrate the ability to:							
No.	· · · · · · · · · · · · · · · · · · ·	TASK STEPS		FIRST TEST RETEST				
1101			Pass	Fail	Pass	Fail		
1.	Select the proper length ladder for	the designated task						
2.	Lift/carry the ladder from the desi	gnated area or apparatus						
3.	Visually check work area for haza	rds and state if area is safe or if hazards exist						
4.	Raise the ladder upright							
5.	Extend and secure fly section (if u	sing an extension ladder)						
6.	Lower ladder against stable wall o	r surface						
7.	Adjust for proper climbing angle							
8.	Position ladder correctly for task g	ziven						
	Circle Task:							
	Window Ventilation: Placed alo or above top of window	ng side to windward (upwind) side, with tip even						
		trough window: Placed slightly below sill or 2-3 ide enough to allow room beside ladder to rescue						
	Work with hose with no entry: flames from window or at sill if flames flames from window or at sill if flames from window or at sill if flames flames from window or at sill if flames flam	Tip placed on wall above window opening if no ames out window						
	Access roof: Placed against roof	with 5-4 rungs above roof						
	OPTIONAL							
1.	Lower ladder to ground (reversing	raising procedures)						
2.	Lift/carry ladder to designated site	e or apparatus						

5-3.5 SET UP GROUND LADDERS

Evaluator/Candidate Comments:

Evaluator (Print & Sign) Candidate Date Date

5-3.6 ATTACK A PASSENGER VEHICLE FIRE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.6

Candidate: Date: **STANDARD:** 5-3.6 TASK: Attack a passenger vehicle fire operating as a member of a team. NFPA 1001, 2002 Edition **PERFORMANCE OUTCOME:** The candidate, while operating as a member of a team at a simulated vehicle fire, shall properly attack and extinguish the fire. CONDITIONS: Given a simulated vehicle fire, attack line(s), hand tools, a team, a dedicated safety line with personnel, and in full personal protective equipment, the candidate shall demonstrate the ability to: FIRST TEST RETEST TASK STEPS No. Pass Fail Pass Fail 1. Properly wear full protective clothing and SCBA on air 2. Attack from upwind and uphill (if on hill) 3. Protect exposures, if present 4. Select at least a 1 ¹/₂ inch hoseline, bleed line, and adjust nozzle Approach vehicle from side (never placing crew in front of bumpers till cooled) 5. using nozzle setting for team protection Extinguish ground fires around and under the vehicle, attack the remaining fire in 6. the vehicle (gaining any access needed), then extinguish the fire

Evaluator/Candidate Comments:

Overhaul the fire scene

7.

Evaluator (Print & Sign)

Date

Candidate

5-3.7 EXTINGUISH CLASS A EXTERIOR FIRES Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.7A

Candi	date:	Date	:			
	STANDARD: 5-3.7TASK: Extinguish fires in exterior Class A materials: Stacked or piled Class A material in an exterior setting.					
	RMANCE OUTCOME: The candidate materials, shall properly attack and	e, while operating as a member of a team at a simula extinguish the fire.	ted exteri	or fire inv	olving sta	acks of
		ire involving stacks of Class A material, attack line(ctive equipment, the candidate shall demonstrate the			am, a dedi	cated
No.		TASK STEPS	FIRST TEST		RETEST	
110.	NO. IAS		Pass	Fail	Pass	Fail
1.	Properly wear full protective cloth	ing and SCBA on air				
2.	Properly bleed attack line and adju	ist nozzle				
3.	Attack from upwind and/or flanks,	if possible				
4.	Protect exposures					
5.	Extinguish the fire					
6.	Overhaul fire scene while protectin present	ng and preserving signs of cause or origin, if				

Evaluator/Candidate Comments:

Evaluator (**Print & Sign**)

Date

Candidate

5-3.7 EXTINGUISH CLASS A EXTERIOR FIRES Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.7B

Candidate: Date: **STANDARD:** 5-3.7 TASK: Extinguish fires in exterior Class A materials: Storage containers or NFPA 1001, 2002 Edition unattached structures. **PERFORMANCE OUTCOME:** The candidate, while operating as a member of a team at a simulated exterior fire involving a storage container or unattached structure, shall properly attack and extinguish the fire. **CONDITIONS:** Given a simulated exterior fire of Class A material in an unattached structure or storage container, attack line(s), hand tools, a team, a dedicated safety line with personnel, and in full protective equipment, the candidate shall demonstrate the ability to: FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail 1. Properly wear full protective clothing and SCBA on air 2. Properly bleed attack line and adjust nozzle 3. Protect exposures 4. Protect team member opening lid of container or door with hose line 5. Extinguish the fire 6. Overhaul fire scene while protecting and preserving signs of cause origin, if present

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.8 CONDUCT A SEARCH AND RESCUE IN A STRUCTURE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.8

Candidate:

Date:

 STANDARD: 5-3.8 NFPA 1001, 2002 Edition
 TASK: Conduct and complete a primary search of a obscured visibility area, locating and removing all victim(s), while operating as a member of a two-person team and using an attack line.

 PERFORMANCE OUTCOME: The candidate shall demonstrate the necessary skills to conduct a primary search, covering as wide of a narea as quickly as possible; removing the victim(s) to designated safe havens, and maintaining team integrity and communication.

 CONDITIONS: Given a search and rescue scenario, an area of obscured visibility, a team member, an assortment of forcible entry tools(s), a hose line, hand light, portable radio, and in full protective equipment, the candidate shall demonstrate the ability to:

No.	TASK STEPS	FIRST	TEST	Ret	TEST
NO.	IASK SIEPS		Fail	Pass	Fail
1.	Size up the problem and select the appropriate tool(s) and equipment				
2.	Correctly open all doors (feeling for heat and opening slowly, keeping control of the door)				
3.	Establish and maintain an effective search pattern				
4.	Search in a body position appropriate for conditions (e.g., crawling, walking)				
5.	Maintain team communication and integrity				
6.	Use hose line effectively				
7.	Find and correctly remove all victims				
8.	Complete the search				

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.9 ATTACK AN INTERIOR STRUCTURE FIRE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.9A

Candi	idate:	Date	:			
	TASK: Attack an interior structure fire operating as a member of a team. (Note:A 1001, 2002 EditionGround-level structure fire.)					
Class A	materials, shall properly attack and					
	FIONS: Given a simulated interior so protective equipment, the candidate s	tructure fire, attack line, hand tools, a team, a dedica shall demonstrate the ability to:	ated safety	line with	n personne	l, and
No.		TASK STEPS	FIRST	TEST	RET	TEST
INO.		TASK STEPS	Pass	Fail	Pass	Fail
1.	Properly wear full protective cloth	ing and SCBA on air				
2.	Properly bleed attack line and adju	ist nozzle				
3.	Check door before entering					
4.	Stay low on entering and approach	ing fire				
5.	Correctly extinguish the fire using	the attack pattern directed to use				
6.	Overhaul fire scene while protecting present	ng and preserving signs of cause or origin, if				
	Circle attack pattern(s) directed	to use				
	DIRECT INDIRECT	COMBINATION				

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.9 ATTACK AN INTERIOR STRUCTURE FIRE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.9B

Candi	idate:	Date	:				
	ARD: 5-3.9 1001, 2002 Edition	TASK: Attack an interior structure fire operating as a member of a team. (Note: Structure fire above ground level.)					
	RMANCE OUTCOME: The candidate olving Class A materials, shall prop	e, while operating as a member of a team at a simula erly attack and extinguish the fire.	ited above	-ground i	nterior str	ructure	
		ound level interior structure fire, attack line, hand to ment, the candidate shall demonstrate the ability to:		n, a dedic	ated safet	ty line	
No.		TASK STEPS	FIRST TEST RETES			FEST	
110.		TASK STEPS	Pass	Fail	Pass	Fail	
1.	Properly wear full protective cloth	ing and SCBA on air					
2.	Place ladder or ensure ladder place	ed to fire floor, if reachable					
3.		e to standpipe and advance to the doorway of the ray going to upper floor (if present)					
4.	Properly bleed attack line and adju	ıst nozzle					
5.	Check door before entering						
6.	Stay low on entering and approach	ing fire					
7.	Correctly extinguish the fire using	the attack pattern directed to use					
8.	Overhaul fire scene while protec present						
	Circle attack pattern(s) directed	to use					
	DIRECT INDIRECT	COMBINATION					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.9 ATTACK AN INTERIOR STRUCTURE FIRE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.9C

Candi	idate:	Date	:			
	ARD: 5-3.9 1001, 2002 Edition	TASK: Attack an interior structure fire operating a Below-ground level structure fire.)	is a memb	per of a te	am. (Note	e:
PERFO	RMANCE OUTCOME: The candidate	e, while operating as a member of a team at a simula hall properly attack and extinguish the fire.	ted interio	or below-	ground lev	vel
		elow-ground level structure fire, attack line, hand to ment, the candidate shall demonstrate the ability to:		n, a dedic	ated safet	ty line
No.		TASK STEPS	FIRST	TEST	RET	TEST
INO.		TASK STEPS	Pass	Fail	Pass	Fail
1.	Properly wear full protective cloth	ing and SCBA on air				
2.	Properly bleed attack line and adju	ist nozzle				
3.	Ventilate or call for ventilation abo	ove fire, if possible				
4.	Descend stairs when ventilation ac	ccomplished				
5.	Descend stairs quickly using wide	angle fog pattern				
6.	At bottom of stairs, search for and evaluator or officer calls for	correctly extinguish the fire using the pattern				
7.	Overhaul fire scene while protecting and preserving signs of cause or origin, if present Image: Comparison of the scene while protecting and preserving signs of the scene of the sc					
	Circle attack pattern(s) directed	<u>to use</u>				
	DIRECT INDIRECT	COMBINATION				

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.10 PERFORM HORIZONTAL VENTILATION ON A STRUCTURE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.10

Candi	idate:	Date	:				
	ARD: 5-3.10 1001, 2002 Edition	TASK: While operating as part of a team, perform	horizonta	al ventilat	ion on a s	tructure.	
to perfo	orm horizontal ventilation by breaking	e, while operating as a member of a team during a sing glass in a window or door and to set up forced ve	ntilation.				
		location adequate to meet provisions of the scenario ve with SCBA, the candidate, as team leader, shall d				ient,	
	F F F F F	TASK STEPS FIRST TEST RI					
No.		TASK STEPS	Pass	Fail	Pass	Fail	
	Break Window or Door Glas	s for Ventilation					
1.	Place ladder, if necessary						
2.	Choose proper tool for task						
3.	Carry tool safely						
4.	Assume proper position						
5.	Break glass						
6.	Clean glass from frame						
7.	Remove any remaining window o	bstruction					
	Set up Type of Forced Ventil	ation Called for: Circle One Used					
	Positive Pressure Ventilation						
8.	Properly place fan so cone of air c	overs entry point					
9.	Have exit point no larger than entr direction	y point or in accordance with fan manufacturer's					
	Negative Pressure Ventilation						
10.	Properly place fan in exhaust oper	ning to pull smoke out					
11.	Remove objects that might be dra	wn into fan (curtains, draperies, etc.)					
	Hydraulic Ventilation						
12.	Have fog pattern cover 85-90% of	opening					
13.	Have nozzle at least 2 feet back fr	om opening					

5-3.10 PERFORM HORIZONTAL VENTILATION ON A STRUCTURE Evaluation Sheet: 5-3.10 (Continued)

Evaluator/Candidate Comments:			
-			
Evaluator (Print & Sign)	Date	Candidate	Date

5-3.11 PERFORM VERTICAL VENTILATION ON A STRUCTURE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.11

Candi	idate:	Date	:			
	TANDARD: 5-3.11 TASK: While operating as part of a team, perform vertical ventilation on a structure.					cture.
properly	y perform vertical ventilation on a s					
		ith suitable location, necessary tools and equipment, on air when on roof), the candidate, as team leader,				
No.	O. TASK STEPS		FIRST	TEST	RET	TEST
		TASK STEPS		Fail	Pass	Fail
1.	Collect and organize necessary equ	upment and tools				
2.	Locate position for opening at highest point on roof above fire					
3.	Properly place ladder to roof					
4.	Correctly carry roof ladder while ascending ground ladder and place in position on roof, making sure it is upwind from intended ventilation					
5.	Move tools (after starting power tools on ground) to roof utilizing teamwork					
6.	Have charged hoseline present when anyone is working on roof					
7.	Locate roof joists and rafters by so	ounding				
8.	Remove built-up material, if present					
9.	Make an opening at least 4x4 feet in size					
10.	Remove appropriate roof material	after cuts				
11.	Push ceiling through					
12.	Have team exit roof immediately a	Ifter performing ventilation				

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.12 OVERHAUL A FIRE SCENE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.12

Candi	andidate: Date:						
	GTANDARD: 5-3.12 TASK: Overhaul a fire scene.NFPA 1001, 2002 Edition						
	PERFORMANCE OUTCOME: The candidate, while operating at the scene of a simulated structure fire, shall properly perform overhaul so that hidden fires are discovered and extinguished with any evidence present preserved.						
	TONS: Given a scenario, attack line monstrate the ability to:	, water fire extinguisher, hand tools, and in full prot	ective equ	ipment, 1	he candid	late	
No			FIRST	TEST	RETEST		
No.		TASK STEPS		Fail			
1.	Properly wear full protective cloth	ing and SCBA (on air)					
2.	Select proper equipment and extinguishing source for the overhaul called for						
3.	Demonstrate locating hidden fires by sight, touch, sound, or electronic sensor						
4.	Expose hidden fires in ceiling, wal	ls, and/or floors					
5.	Remove or extinguish burning objects						
6.	Preserve evidence or signs of cause and origin						
7.	Delay thorough salvage or overhau	I until cause and origin are determined					
8.	Handle or dispose of debris approp	priately					

Evaluator/Candidate Comments:

Evaluator	(Print	& Sign)
-----------	--------	---------

Date

Candidate

5-3.13 CONSERVE PROPERTY AS A MEMBER OF A TEAM Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.13

Candidate: Date: **STANDARD:** 5-3.13 TASK: Conserve property as a member of a team. NFPA 1001, 2002 Edition **PERFORMANCE OUTCOME:** The candidate, while operating as a member of a team at a simulated fire scene, shall properly perform salvage operations. CONDITIONS: Given salvage tools and equipment, a scenario, team members, and in full protective clothing (SCBA at option of evaluator), the candidate as team leader shall demonstrate the ability to: FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail 1. Arrange furnishing in a close pile(s) and raised off the floor, if possible 2. Cover the pile with a salvage cover using two different spreads (circle spreads used): One firefighter throw One firefighter spread Two firefighter spread Two firefighter balloon throw Other: Construct or perform one of the below called for in the scenario (circle one used): 3. Water Catch-All Water Chute Stop Activated Sprinkler Fold salvage cover used in above as rolled salvage cover and/or a folded salvage 4. cover

Evaluator/Candidate Comments:

Evaluator (**Print & Sign**)

Date

Candidate

5-3.14 CONNECT A FIRE DEPARTMENT PUMPER TO A WATER SUPPLY

Evaluation Sheet: 5-3.14A

Standard Area: Fire Ground Operations

Candidate:

Date: _____

	ARD: 5-3.14 1001, 2002 Edition	TASK: Connect a fire department pumper to a water supply. (Note: Hydrant)					
PERFOR	RMANCE OUTCOME: The candidate	e, while operating at a simulated fire scene, shall be	able to pr	operly co	nnect a su	pply	
hose to	a hydrant and furnish water to a pur	nper.					
CONDITIONS: Given a hydrant, supply hose, hydrant tools, hose tools, and in full protective clothing (SCBA evaluator option), the candidate shall demonstrate the ability to:							
No				FIRST TEST		RETEST	
No.		TASK STEPS	Pass	Fail Pass	Fail		
1.	Connect supply hose to hydrant						
2.	Connect supply hose to pump intake						
3.	Remove kinks from hose						
4.	Fully open hydrant						
5.	At end of operation, fully close the	e hydrant					
6.	Place all equipment and hydrant in	a ready condition					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.14 CONNECT A FIRE DEPARTMENT PUMPER TO A WATER SUPPLY

Evaluation Sheet: 5-3.14B

Standard Area: Fire Ground Operations

Candidate:

Date:

STANDA	ARD: 5-3.14	TASK: Connect a fire department pumper to a water supply. (Note: Static water				
NFPA 1	.001, 2002 Edition	source.)				
		e, while operating at simulated fire scene, shall be at $\frac{1}{2}$	ole to prop	erly conr	nect a supp	ply hose
	ic water source and furnish water to		1. 6		1.1.	1 .1
	TONS: Given a static water source, ag as team leader, the candidate shal	hard suction hose, adequate utility rope, hose tools, l demonstrate the ability to:	and in fu	II protecti	ve clothin	g, while
No		The are Compa	FIRST TEST		RETEST	
NO. TASK STEPS		Pass	Fail	Pass	Fail	
1.	Check gaskets on the hard suction	hose for dirt, gravel, or defects				
2.	Connect strainer to hose					
3.	Fasten rope to strainer to aid in handling the hose					
4.	Couple two (2) section of hard suction hose					
5.	Connect hard suction hose to pump	per				
6.	Use rubber mallet to ensure air-tig	ht connections				
7.	Lower hose and strainer into static	water source				
8.	Signal pump operator to start draft	ing procedure				

Evaluator/Candidate Comments:

Evaluator	(Print	&	Sign)
------------------	--------	---	-------

Date

Candidate

5-3.15 EXTINGUISHER INCIPIENT CLASS A, B, AND C FIRES WITH PORTABLE FIRE EXTINGUISHERS Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.15A

Candidate: Date: **STANDARD:** 5-3.15 TASK: Extinguish incipient Class A fire with appropriate fire extinguisher. NFPA 1001, 2002 Edition PERFORMANCE OUTCOME: The candidate, while at the scene of a small Class A fire, shall be able to select an appropriate fire extinguisher and to properly extinguish the fire. CONDITIONS: Given a selection of fire extinguishers, a small Class A fire, and in full protective equipment, the candidate, the candidate shall demonstrate the ability to: FIRST TEST RETEST NO. TASK STEPS Pass Fail Pass Fail 1. Correctly identify the class of fire 2. Select an extinguisher suitable for Class A fires 3. Properly activate the extinguisher (pulls pin and/or punctures cartridge) 4. Test operation of the extinguisher by a brief discharge of agent Approach to an effective distance for discharge of the selected extinguisher (Water 5. 30-40 ft. maximum, AFFF 25-ft. maximum, Dry chemical 20-ft. maximum) 6. Discharge extinguishing agent on the base of the fires and sweep over the fire area 7. Advance on the remaining burning material while continuing to extinguish hot spots 8. Extinguish the fire and check for remaining hot spots

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.15 EXTINGUISHER INCIPIENT CLASS A, B, AND C FIRES WITH PORTABLE FIRE EXTINGUISHERS Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.15B

Candidate: Date: **STANDARD:** 5-3.15 TASK: Extinguish incipient Class B fire with appropriate fire extinguisher. NFPA 1001, 2002 Edition PERFORMANCE OUTCOME: The candidate, while at the scene of a small class B fire, shall be able to select an appropriate fire extinguisher and to properly extinguish the fire. **CONDITIONS:** Given a selection of fire extinguishers, a small Class B fire, and in full protective equipment, the candidate shall demonstrate the ability to: FIRST TEST RETEST NO. TASK STEPS Pass Fail Pass Fail 1. Correctly identify the class of fire 2. Select an extinguisher suitable for Class B fires 3. Properly activate the extinguisher (pulls pin and/or punctures cartridge) 4. Test operation of the extinguisher by a brief discharge of agent Approach to an effective distance for discharge of the selected extinguisher (AFFF 5. 25-ft. maximum, Dry chemical 20-ft. maximum, CO2 8-ft. maximum) 6. Discharge extinguishing agent on the base of the fire and sweep over the fire area Advance on the remaining burning material while continuing to extinguish burning 7. fuel Extinguish the fire and watch for reflash of flammable liquids 8.

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.15 EXTINGUISHER INCIPIENT CLASS A, B, AND C FIRES WITH PORTABLE FIRE EXTINGUISHERS Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.15C

Candidate: Date: **STANDARD:** 5-3.15 TASK: Extinguish incipient Class C fire with appropriate fire extinguisher. NFPA 1001, 2002 Edition PERFORMANCE OUTCOME: The candidate, while at the scene of a small Class C fire, shall be able to select an appropriate fire extinguisher and to properly extinguish the fire. **CONDITIONS:** Given a selection of fire extinguishers, a small Class C fire, and in full protective equipment, the candidate shall demonstrate the ability to: FIRST TEST RETEST NO. TASK STEPS Pass Fail Pass Fail 1. Correctly identify the class of fire 2. Select an extinguisher suitable for Class C fires 3. Properly activate the extinguisher (pulls pin and/or punctures cartridge) 4. Test operation of the extinguisher by a brief discharge of agent Approach to an effective distance for discharge of the selected extinguisher (AFFF 5. 25-ft. maximum, Dry chemical 20-ft. maximum, CO2 8-ft. maximum) 6. Discharge extinguishing agent on the base of the fire and sweep over the fire area 7. Advance on the remaining burning material while continuing to extinguish hot spots 8. Extinguish the fire and check for remaining hot spots

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.16 ILLUMINATE THE EMERGENCY SCENE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.16

Candi	date:	Date	:				
	DARD: 5-3.16 TASK: Illuminate the emergency scene.A 1001, 2002 Edition						
		e, while operating on a simulated fire ground, shall b ent is operated within manufacturer's safety precauti		properly a	and safely	r	
		quipment (portable or mounted power supply, lights (SCBA evaluator option), the candidate shall demo				und fault	
No.		TASK STEPS	FIRST	TEST	RETEST		
NO.		TASK STEPS	Pass	ate the ability to: FIRST TEST RETEST	Fail		
1.	Lift equipment safely						
2.	Locate power plant in a remote and well-vented location						
3.	Arrange power cords neatly to minimize trip hazards						
4.	Organize lights in a useful position to illuminate the area sufficiently						
5.	Start power plant						
6.	Plug cords into power unit or junct	tion box and furnish illumination					
7.	Shut down equipment when told to	o do so					
8.	Allow equipment to cool before re do so	eturning to service or verbally explain the need to					
9.	Clean equipment, check oil, and re	efuel power plant or verbally explain the need to					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.17 TURN OFF BUILDING UTILITIES Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.17

Candi	didate: Date:						
	DARD: 5-3.17 TASK: Turn off building utilities.						
the utili	PERFORMANCE OUTCOME: The candidate, while operating on a simulated fire ground, shall be able to locate and properly turn off the utilities to a structure.						
		structure location adequate to meet the provisions of option), the candidate shall demonstrate the ability		ctives or	simulation	is, and	
No.			FIRST TEST		RETEST		
1101			Pass	Fail	Pass	Fail	
	LOCATE UTILITY SERVICE	BOXES					
1.	Electrical - main panel						
2.	Natural gas - meter						
3.	LPG/CNG - storage tank/cylinder						
4.	Water - meter box						
	SHUT OFF UTILITY						
5.	Electrical - breakers to "off"						
6.	Natural gas - gas cock to "off"						
7.	LPG/CNG - turn valve clockwise	to close					
8.	Water - turn valve clockwise to clo	ose or water valve cross way to direction of flow					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-3.18 COMBAT A GROUND COVER FIRE Standard Area: Fire Ground Operations

Evaluation Sheet: 5-3.18

Candidate: Date: **STANDARD:** 5-3.18 TASK: Combat a ground cover fire operating as a member of a team. NFPA 1001, 2002 Edition **PERFORMANCE OUTCOME:** The candidate, as a member of a team at a simulated ground cover fire, shall be able to properly assess the incident, demonstrate exposure protection, different fire attacks, and escape routes. CONDITIONS: Given a diagram of a ground cover fire, a scenario, and a series of questions, the candidate shall demonstrate the ability to (this may be simulated): FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail Do or describe what personal protective clothing should be worn and what tools and 1. equipment should be available Perform an assessment of the incident with respect to type of fuel, topography, 2. weather conditions, and exposures 3. Do or describe the exposures present and what protection is needed 4. Do or describe a direct attack on the fire and where it would be made 5. Do or describe an indirect attack and where it could be made 6. Identify escape routes

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE 5-5.1 PERFORM A FIRE SAFETY SURVEY IN A PRIVATE DWELLING Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.1

Candidate: Date: STANDARD: 5-5.1 TASK: Perform a fire safety survey in a private dwelling. NFPA 1001, 2002 Edition PERFORMANCE OUTCOME: Using local procedures and forms, the candidate will perform a fire safety survey in a private dwelling. **CONDITIONS:** Using a local procedures and form, the candidate will perform a fire safety survey in a local private dwelling FIRST TEST RETEST NO. TASK STEPS Pass Fail Pass Fail 1. Proper introduction to homeowner 2. Check for common fire hazards (electrical, cooking, storage of flammables, etc.) 3. Check smoke detector and Exit Drill Procedure 4. Check heating system(s) (including fire place) 5. Check for structural hazards (chimney, disrepair, etc.) 6. Check for combustible waste removal (trash, sawdust, paper, etc.) 7. Thank owner

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date

5-5.2 PRESENT FIRE SAFETY INFORMATION Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.2

Candidate: Date: _____ **SS#:** STANDARD: 5-5.2 TASK: Present fire safety information to station visitors or small groups. NFPA 1001, 2002 Edition **PERFORMANCE OUTCOME:** Using local procedures or lesson plans, the candidate shall present fire safety information to small groups or conduct a fire station tour. **CONDITIONS:** Using local procedures or lesson plans, the candidate will present a fire safety lesson or conduct a station tour. FIRST TEST RETEST No. TASK STEPS Pass Fail Pass Fail Lesson title of subject taught: _____ 1. Or: Station tour: Partial or Complete 2. 3. Number of participants: 4. Age group: _____ 5. Was lesson successfully taught 6. Or: Was station tour presented well 7. Course evaluation sheet filled out

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date

Instruction Sheet:

NFPA 1001, 5-5.2: Present a prepared program to an identified audience, given a lesson plan, time allotment, and instructional materials. Suggested topics:

- a. Stop, drop, and roll
- b. Crawl low in smoke

c. Escape planning

- d. Alerting others
- e. Calling the fire department f. Fire station tour
- g. Residential smoke detector placement and maintenance
- h. Other fire prevention lesson

DIRECTIONS: This objective requires the firefighter to teach a public fire education/prevention class. The intended audience is the general public. This lesson may be taught to a wide variety of audiences. A partial list of possible audiences are: school children, adults, church groups, public service groups or other members of the general public, day care centers, nursing homes, and Sunday schools.

Lesson plans for this presentation can be found in the NFPA Learn Not To Burn Curriculum and the Kids Safe Fire Safety Program. Many individual fire department fire prevention programs also have lesson plans that can be used.

After teaching this lesson, complete the form. The form will document the necessary information for you to receive credit for the activity.

5-5.3 CLEAN AND CHECKING EQUIPMENT Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.3A

Candi	didate: Date:							
	STANDARD: 5-5.3TASK: Clean and visually check ladders.NFPA 1001, 2002 EditionTask: Clean and visually check ladders.							
Perfoi	PERFORMANCE OUTCOME: The candidate shall be able to properly clean and visually check a fire department ladder.							
	TIONS: Given a fire department extended to the ability to:	ension ladder, cleaning supplies, marker, and proper	lubricant	, the cand	idate shal	l		
No.		TACZ STEDS	FIRST	TEST	Ret	TEST		
NO.	O. TASK STEPS		Pass	Fail	Pass	Fail		
1.	Remove dirt with brush and running							
2.	Use approved solvents to remove a	any oily and greasy residue						
3.	Wipe dry							
4.	Examine all beams, guides, halyar welds, heat indicator, and movable	d, cables, pawls, pulleys, rails, rungs, bolts, rivets, e parts						
5.	Check lubrication of moveable par	ts and lubricate, if necessary						
6.	Mark defects when found in accor	dance with manufacturer or department guidelines						

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-5.3 CLEAN AND CHECKING EQUIPMENT Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.3B

Candi	adidate: Date:							
	STANDARD: 5-5.3TASK: Clean and check ropes.NFPA 1001, 2002 EditionTask: Clean and check ropes.							
Perfoi	PERFORMANCE OUTCOME: The candidate shall be able to properly clean and check fire department rope(s).							
CONDIT	TIONS: Given a fire department rop	e(s) and cleaning supplies, the candidate shall demo	nstrate the	e ability to	0:			
No	NO. TASK STEPS		FIRST TEST		RETEST			
NO.			Pass	Fail	Pass	Fail		
1.	Examine the entire surface of the n	ope for cuts, abrasions, stains, odor, or fraying						
2.	Examine the inner component by t thinness	wisting the rope or feeling for bunching and						
3.	Verbally explain how to tag and re	move damaged rope from service						
4.	Clean rope using clear water							
5.	Allow rope to dry completely, or s	tate rope must be allowed to dry completely						
6.	Perform additional inspection afte	drying						
7.	Properly store rope using coil met	nod or rope bag storage						

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

5-5.3 CLEAN AND CHECKING EQUIPMENT Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.3C

Cand	idate:	Date:					
	TANDARD: 5-5.3TASK: Clean and check SCBA.FPA 1001, 2002 EditionTask: Clean and check SCBA.						
Perfo	RMANCE OUTCOME: The candidate	shall be able to properly clean and check fire depa	artment SC	BA.			
Condi	FIONS: Given a Fire Department SC	BA and proper cleaning supplies, the candidate sh	all demons	strate the	ability to:		
No.		TASK STEPS	FIRST	1	RET	TEST	
			Pass	Fail	Pass	Fail	
	CLEANING AND SANITIZING	7 <u>7</u>					
1.		e, and exhalation valve with department's pletely with clear water and air dry					
2.	Clean SCBA with damp cloth or a	ccording to department policies					
	CHECK SCBA						
3.	Check straps and backpack assem	bly					
4.	Check condition and hydrostatic to	est date of cylinder					
5.	Turn the cylinder valve on fully						
6.		are within 100 PSI of each other with low of each other with high pressure SCBA					
7.	Check face piece, hose, and exhale	ation valve by inhaling and exhaling					
8.	Check regulator operation by conn	ecting to face piece and breathing					
9.	Check by-pass operation and ensu	re by-pass is in the off position after testing					
10.	Check low pressure alarm while b	leeding the air line					
11.	Return all straps, valves, and com	ponents back to ready state					
12.	Check the air cylinder is in off pos	ition and for adequate air pressure (90% - full)					
13.	Candidate state will notify supervi	sor of any irregularities found					

5-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE

Evaluator/Candidate Comments:			
Evaluator (Print & Sign)	Date	Candidate	Date

S:\FSAB\FORMS\Skills Sheets\Current\FFI Skill Sheets.DOC

5-5.3 CLEAN AND CHECKING EQUIPMENT Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.3D

Candi	Candidate: Date:						
10	STANDARD: 5-5.3TASK: Clean and check salvage equipment.NFPA 1001, 2002 EditionTask: Clean and check salvage equipment.						
PERFO	RMANCE OUTCOME: The candidate	shall be able to properly clean and check fire depar	tment sal	vage equi	pment.		
CONDIT ability t	U	pment and/or a salvage cover and cleaning supplies,	the candi	idate shal	l demonst	rate the	
		TASK STEPS	FIRST	TEST	RET	TEST	
No.		TASK STEPS		Fail	Pass	Fail	
1.	Clean provided salvage equipment						
2.	Inspect equipment and identify da						
	SALVAGE COVER IF PROVI						
3.	Spread the salvage cover out flat f	or cleaning					
4.	Scrub the cover with detergent sol	ution and a brush					
5.	Rinse cover thoroughly						
6.	State cover should be thoroughly of	lried before returning to service					
7.	Check the cover thoroughly for da heads while looking for holes or te	mage by having assistants hold the cover above ears					
8.	Use department procedure for indi	cating repair needed					

Evaluator/Candidate Comments:

Evaluator (Print & Sign)

Date

Candidate

Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.3E

Candidate:		Date:						
	STANDARD: 5-5.3 TASK: Clean and check fire department forcible entry and ventilation hand tools. NFPA 1001, 2002 Edition Task: Clean and check fire department forcible entry and ventilation hand tools.							
PERFO	RMANCE OUTCOME: The candida	te shall be able to properly clean and check fire depa	artment har	nd tools.				
CONDI' the abil		nent hand tools and cleaning, and maintenance supp	lies, the ca	ndidate sl	hall demoi	nstrate		
No.		TASK STEPS	FIRST	TEST	RET	TEST		
		LASK STELS	Pass	Fail	Pass	Fail		
	WOODEN HANDLES							
1.	Check for cracks, blisters, or spli	nters						
2.	Sand wooden handles, if needed							
3.	Clean with soapy water, rinse, an	d dry after use						
4.	Apply coat of boiled linseed oil t	o the handle						
5.	Check to ensure head is on tight							
	FIBERGLASS HANDLES							
6.	Wash with warm, soapy water							
7.	Dry with soft, dry cloth							
8.	Check to ensure head is on tight							
	CUTTING EDGES							
9.	Check to ensure cutting edge is f	ree of nicks or tears						
10.	File the edges by hand							
	PLATED SURFACES							
11.	Inspect for damage							
12.	Wipe plated surface clean or was	h with soap and water						
	UNPROTECTED METAL SU	RFACES						
13.	Keep clean of rust							
14.	Keep oiled when not in use (Ligh	t machine oil will work)						
15.	Check to ensure not painted as th	is may hide cracks						

5-5 PREVENTION, PREPAREDNESS, AND MAINTENANCE

Evaluation Sheet: 5-5.3E (Continued)

16.	Check that metal surfaces are free of burred or sharp edges; file off if found		
	POWER EQUIPMENT		
17.	Check starting		
18.	Check blades for sharpness and equipment for completeness and readiness		
19.	Check electric cords for cut and frays		
20.	Check that appropriate guards are in place		

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date

5-5.4 CLEAN, INSPECT, AND RETURN FIRE HOSE TO SERVICE Standard Area: Prevention, Preparedness, and Maintenance

Evaluation Sheet: 5-5.4

Cand	andidate: Date:						
	STANDARD: 5-5.4TASK: Clean, inspect, and return fire hose to serveNFPA 1001, 2002 Edition						
PERFO	RMANCE OUTCOME: The candidate	e shall be able to proper	ly clean and inspect fire ho	se and retur	rn it to se	rvice.	
	TIONS: Given fire hose, cleaning su ve clothing, the candidate shall derr worn)						
No.		TASK STEPS		FIRST	TEST	RET	EST
NO.		TASK STEPS		Pass	Fail	Pass	Fail
	CLEAN HOSE						
1.	Clean hose using water and scrub	brush (mild detergent n	nay be used)				
2.	Clean couplings by removing gash gaskets (replacing if defective)	xets, wash with warm so	papy water, and reinstall				
3.	Dry hose						
	INSPECT HOSE						
4.	Check for signs of mechanical dar	nage					
5.	Check for dirt and debris						
6.	Check for loose couplings						
7.	Check for damaged male or femal	e threads					
8.	Check swivel operates freely						
9.	Place damaged hose out of service	until repaired					
	RETURN HOSE TO SERVICE						
	Roll hose by two different rolls se	lected by candidate (cir	cle rolls)				
10.	STRAIGHT DONU	T TWIN DON	UT				
	SELE-LOCKIN	G TWIN DONUT					
	Load hose by a supply line load ar selected by the candidate)		d (circle loads that are				
11.	Supply Line – ACCORDION	HORSESHOE	FLAT				
	Preconnect – FLAT	TRIPLE	NIMUTEMAN				

5-5.4 CLEAN, INSPECT, AND RETURN FIRE HOSE TO SERVICE

Evaluator/Candidate Comments:			
Evaluator (Print & Sign)	Date	Candidate	Date

 $S:\FSAB\FORMS\Skills\Sheets\Current\FFI\Skill\Sheets.DOC$