

## NMML Acquisitions: November 1998

This list is for informational purposes only, indicating volumes currently in the NMML Library collection. This is a searchable PDF file. Press Ctrl+F and type the keyword you are searching for.

---

- Anders, P.J. 1998. Conservation aquaculture and endangered species. *Fisheries* **23**, 28-31.
- Appenzeller, C., Stocker, T.F. & Anklin, M. 1998. North Atlantic Oscillation dynamics recorded in Greenland ice cores. *Science* **282**, 446-449.
- Baker, C.S., Medrano-Gonzalez, L., Calambokidis, J., Perry, A., Pichler, F., Rosenbaum, H., Straley, J.M., Urban-Ramirez, J., Yamaguchi, M. & Von Ziegesar, O. 1998. Population structure of nuclear and mitochondrial DNA variation among humpback whales in the North Pacific. *Molecular Ecology* **7**, 695-707.
- Bedrosian, L. 1998. Deep impact: fisherman are using federal law to make NMFS take into account the economic impact of its decisions. *Natl. Fisherman* **79**, 24-25.
- Bickham, J.W., Rowe, G.T., Palatnikov, G., Mekhtiev, A., Mekhtiev, M., Kasimov, R.Y., Hauschultz, D.W., Wickliffe, J.K. & Rogers, W.J. 1998. Acute and genotoxic effects of Baku Harbor sediment on Russian sturgeon, {*Acipenser guildensteidti*}. *Bull. Environ. Contam. Toxicol.* **61**, 512-518.
- Bickham, J.W., Mazet, J.A., Black, J., Smolen, M.J., Lou, Y. & Ballachey, B.E. 1998. Flow cytometric determination of genotoxic effects of exposure to petroleum in mink and sea otter. *Ecotoxicol.* **7**, 191-199.
- Birkhead, T.R. 1998. Cryptic female choice: criteria for establishing female sperm choice. *Evol.* **52**, 1212-1218.
- Both, C. 1998. Density dependence of clutch size: habitat heterogeneity or individual adjustment? *J. Anim. Ecol.* **67**, 659-666.
- Both, C. 1998. Experimental evidence for density dependence of reproduction of great tits. *J. Anim. Ecol.* **67**, 667-674.
- Br\*utigam, Amie .1989. Inclusion of {*Callorhinus ursinus*} in Appendix II, United States of America, pp. 99-102 *In*: Amie Br\*utigam and T. R. A. F. I. C. World Conservation Monitoring Centre. IUCN Species Survival Commission Trade Specialist Group, editors. Gland, Switzerland, IUCN.
- Cathey, J.C., Bickham, J.W. & Patton, J.C. 1998. Introgressive hybridization and nonconcordant evolutionary history of maternal and paternal lineages in North American deer. *Evol.* **52**, 1224-1229.
- Chambers, S. 1998. Catch accounting: Is it good enough? [West Coast groundfish stock decline]. *Pacific Fishing* **11**, 77-80, 115.
- Charrassin, J.-B., Bost, C.A., P\*tz, K., Lage, J., Dahier, T., Zorn, T. & Le Maho, Y. 1998. Foraging strategies of incubating and brooding king penguins {*Aptenodytes patagonicus*}. *Oecologia* **114**, 194-201.
- Commission, Pacific Salmon. 1998. *Pacific Salmon Commission. Annual Report, Thirteenth, 1997/98*. Vancouver, BC, Pacific Salmon Commission. 128p. SH323 .P1S3a 1997/98
- Cox, T.M., Read, A.J., Barco, S., Evans, J., Gannon, D.P., Koopman, H.N., McLellan, W.A., Murray, K., Nicolas, J., Pabst, D.A., Potter, C.W., Swingle, W.M., Thayer, V.G., Touhey, K.M. & Westgate, A.J. 1998. Documenting the bycatch of harbor porpoises, {*Phocoena phocoena*}, in coastal gillnet fisheries from stranded carcasses. *Fish. Bull.* **96**, 727-734.
- Cunningham, C.W., Zhu, H. & Hillis, D.M. 1998. Best-fit maximum-likelihood models for phylogenetic inference: empirical tests with known phylogenies. *Evol.* **52**, 978-987.

- Dalebout, M.L., Van Helden, A., Van Waerebeek, K. & Baker, C.S. 1998. Molecular genetic identification of southern hemisphere beaked whales (Cetacea: Ziphiidae). *Molecular Ecology* **7**, 687-694.
- Dallas, J.F. & Piertney, S.B. 1998. Microsatellite primers for the Eurasian otter. *Molecular Ecology* **7**, 1247-1263.
- Davis, A.J., Lawton, J.H., Shorrocks, B. & Jenkinson, L.S. 1998. Individualistic species responses invalidate simple physiological models of community dynamics under global environmental change. *J. Anim. Ecol.* **67**, 600-612.
- Dawkins, M.S. 1998. Evolution and animal welfare. *Q. Rev. Biol.* **73**, 305-328.
- De Blasio, F.V. 1998. Diversity variation in isolated environments: species-area effects from a stochastic model. *Ecol. Model.* **111**, 93-98.
- De Boer, J. & Smedes, F. 1997. Effects of storage conditions of biological materials on the contents of organochlorine compounds and mercury. *Mar. Pollut. Bull.* **35**, 93-108.
- de Geus, H.-J., Baycan-Keller, R., Oehme, M., de Boer, J. & Brinkman, U.A.T. 1998. Determination of enantiomer ratios of bornane congeners in biological samples using heart-cut multidimensional gas chromatography. *J. High Resol. Chromatogr.* **21**, 39-46.
- De Koeijer, A., Diekmann, O. & Reijnders, P. 1998. Modelling the spread of phocine distemper virus among harbour seals. *Bull. Math. Biol.* **60**, 585-596.
- DeMaster, Douglas, Wayne Perryman, Lloyd Lowry, Willie Goodwin, Debbie Blaesing, Tom Blaesing and Dave Weintraub. 1998. *Beluga Whale Surveys in the Eastern Chukchi Sea, July 1998*. Fairbanks, AK, Alaska Beluga Whale Committee. (Alaska Beluga Whale Committee Report 98-2) 16p.
- Dexter, Margaret H. 1998. *Status of Wildlife Populations, Fall 1998 (Including 1985-1997 Hunting and Trapping Harvest Statistics)*. St. Paul, MN, Minnesota Department of Natural Resources. 170p. QL752 .M66 D527 1998
- di Prisco, G., E. Pisano and A. Clarke. 1998. *Fishes of Antarctica: a Biological Overview*. Milano, New York, Springer. 363p. QL637.2 .F56 1998
- Diefenbach, D.R. & Alt, G.L. 1998. Modeling and evaluation of ear tag loss in black bears. *Journal of Wildlife Management* **62**, 1292-1300.
- Discover 1997. Dolphin monikers. *Discover* **18**, 33.
- Dragoo, Donald E. and G. Vernon Byrd. 1998. *Seabird, Marine Mammal and Oceanography Coordinated Investigations in the Pribilof Islands, Alaska, July 1997 (SMMOCI 97-3)*. Homer, AK, U.S. Fish and Wildlife Service, Alaska Maritime National Wildlife Refuge. (U.S. Fish and Wildlife Service Report, AMNWR 98/06) 65p. SK367 .A41 A569 no. 98/06
- Endter-Wada, J., Blahna, D., Krannich, R. & Brunson, M. 1998. A framework for understanding social science contributions to ecosystem management. *Ecological Applications* **8**, 891-904.
- Evans, M. 1998. Human genes help unlock genetic code of dolphins. *Texas Shores* **31**, 24.
- Fertl, D., Schiro, A.J., Collier, S. & Worthy, G.A.J. 1997. Stranding of a Cuvier's beaked whale (*Ziphius cavirostris*) in southern Texas, with comments on stomach contents. *Gulf Mexico Sci.* **1997**, 92-93.
- Fitzsimmons, N.N. 1998. Single paternity of clutches and sperm storage in the promiscuous green turtle (*Chelonia mydas*). *Molecular Ecology* **7**, 575-584.
- Fogg, G. E. 1998. *The Biology of Polar Habitats*. Oxford, New York, Oxford University Press. (Biology of habitats) 263p. QH541.5 .P6 F64 1998

- Francis, R.C. & Hare, S.R. 1994. Decadal-scale regime shifts in the large marine ecosystems of the North-east Pacific: a case for historical science. *Fish. Oceanogr.* **3**, 279-291.
- Francis, R.C., Hare, S.R., Hollowed, A.B. & Wooster, W.S. 1998. Effects of interdecadal climate variability on the oceanic ecosystems of the NE Pacific. *Fish. Oceanogr.* **7**, 1-21.
- Frost, Kathryn J. 1998. *Harvest Report: Statewide Summary for the Eastern Bering Sea Beluga Population, 1995-97*. Fairbanks, AK, Alaska Beluga Whale Committee. (Alaska Beluga Whale Committee Report 98-1) 15p.
- Garthe, S. & H\*ppop, O. 1998. Possible biases in experiments evaluating the consumption of discards by seabirds in the North Sea. *Mar. Biol.* **131**, 735-741.
- Giese, M. 1998. Guidelines for people approaching breeding groups of Ad\*lie penguins (*Pygoscelis adeliae*). *Polar Rec.* **34**, 287-292.
- Gjertz, I. & Scheie, J.O. 1998. Human casualties and polar bears killed in Svalbard, 1993-1997. *Polar Rec.* **34**, 337-340.
- Golet, G.H., Irons, D.B. & Estes, J.A. 1998. Survival costs of chick rearing in black-legged kittiwakes. *J. Anim. Ecol.* **67**, 827-841.
- Gordon, A.N., Pople, A.R. & Ng, J. 1998. Trace metal concentrations in livers and kidneys of sea turtles from south-eastern Queensland, Australia. *Mar. Freshwater Res.* **49**, 409-414.
- Grace, M. & Henwood, T. 1997. Assessment of the distribution and abundance of coastal sharks in the U.S. Gulf of Mexico and eastern seaboard, 1995 and 1996. *Mar. Fish. Rev.* **59**, 23-32.
- Griffiths, R., Double, M.C., Orr, K. & Dawson, R.J.G. 1998. A DNA test to sex most birds. *Molecular Ecology* **7**, 1071-1075.
- Hall, James D., Peter A. Bisson and Robert E. Gresswell. 1997. *Sea-Run Cutthroat Trout: Biology, Management and Future Conservation: Proceedings of a Symposium, Reedsport, Oregon, October 12-14, 1995*. Corvallis, OR, Oregon Chapter of the American Fisheries Society. 183p. QL638 .S2 S4 1997
- Hansen, C. 1998. Gorton's bid to save dams would harm salmon. *Pacific Fishing* **11**, 36-37.
- Hanson, M.B. & Baird, R.W. 1998. Dall's porpoise reactions to tagging attempts using a remotely-deployed suction-cup tag. *Mar. Tech. Soc. J.* **32**, 18-23.
- Harshyne, W.A., Diefenbach, D.R., Alt, G.L. & Matson, G.M. 1998. Analysis of error from cementum-annuli age estimates of known-age Pennsylvania black bears. *Journal of Wildlife Management* **62**, 1281-1291.
- Hartt, L. & Haefner, J.W. 1998. How phenotypic variation and life history trait correlation enhance mean fitness in prey populations. *Theoret. Popul. Biol.* **54**, 50-61.
- Hastings, K.K. & Testa, J.W. 1998. Maternal and birth colony effects on survival of Weddell seal offspring from McMurdo Sound, Antarctica. *J. Anim. Ecol.* **67**, 722-740.
- Hebert, C.E. 1998. Winter severity affects migration and contaminant accumulation in northern Great Lakes herring gulls. *Ecological Applications* **8**, 669-679.
- Hill, P. S. and DeMaster, D. P. Draft Alaska marine mammal stock assessments 1998. 97. Draft report to National Marine Mammal Laboratory, November 25, 1997, 163p.
- Hucke-Gaete, R., Torres N, D. & Vallejos M, V. 1997. Entanglement of Antarctic fur seals, (*Arctocephalus gazella*), by marine debris at Cape Shirreff and San Telmo Islets, Livingston Island, Antarctica: 1988-1997. *Ser. Cient. INACH* **47**, 123-135.

- Huxel, G.R. & Hastings, A. 1998. Population size dependence, competitive coexistence and habitat destruction. *J. Anim. Ecol.* **67**, 446-453.
- Ikeya, M., Komatsu, T., Kinoshita, Y., Teramoto, K., Inoue, K., Gondou, M. & Yamamoto, T. 1997. Pulsed electric field before Kobe and Izu earthquakes from seismically-induced anomalous animal behavior (SAAB) [sea lion, hippopotamus and crocodile SAAB]. *Episodes* **20**, 253-260.
- Irion, R. 1998. Whale of an appetite: orcas are preying on the sea otters of the Aleutians. *New Sci.* **160**, 25.
- Jackson, G.D. & Wadley, V.A. 1998. Age, growth, and reproduction of the tropical squid (*Nototodarus hawaiiensis*) (Cephalopoda: Ommastrephidae) off the north west slope of Australia. *Fish. Bull.* **96**, 779-787.
- Jordan, W.C. & Bruford, M.W. 1998. New perspectives on mate choice and the MHC. *Heredity* **81**, 127-133.
- Kage, T., Nakayama, I., Araki, K., Asai, Y., Oike, T., Asai, C., Hasegawa, K. & Kawamura, A. 1998. Paternity test for finless porpoise and Larga seal by DNA fingerprinting used oligonucleotide probe (GGAT). *Nippon Suisan Gakkaishi* **64**, 286-287.
- Kaiser, J. 1998. Sea otter declines blamed on hungry killers. *Science* **282**, 390-391.
- Kannan, K., Senthilkumar, K., Elliott, J.E., Feyk, L.A. & Giesy, J.P. 1998. Occurrence of butyltin compounds in tissues of water birds and seaducks from the United States and Canada. *Arch. Environ. Contam. Toxicol.* **35**, 64-69.
- Kannan, K., Guruge, K.S., Thomas, N.J., Tanabe, S. & Giesy, J.P. 1998. Butyltin residues in southern sea otters (*Enhydra lutris nereis*) found dead along California coastal waters. *Environ. Sci. Technol.* **32**, 1169-1175.
- Kannan, K., Imagawa, T., Blankenship, A.L. & Giesy, J.P. 1998. Isomer-specific analysis and toxic evaluation of polychlorinated naphthalenes in soil, sediment, and biota collected near the site of a former chlor-alkali plant. *Environ. Sci. Technol.* **32**, 2507-2514.
- Kannan, K., Nakata, H., Stafford, R., Masson, G.R., Tanabe, S. & Giesy, J.P. 1998. Bioaccumulation and toxic potential of extremely hydrophobic polychlorinated biphenyl congeners in biota collected at a superfund site contaminated with Aroclor 1268. *Environ. Sci. Technol.* **32**, 1214-1221.
- Katayama, S., Omori, M. & Radtke, R.L. 1998. Analyses of growth processes of pond smelt, (*Hypomesus nipponensis*), in Lake Ogawara, Japan, through the use of daily otolith increments. *Environ. Biol. Fishes* **52**, 313-319.
- Kawakami, Y., Mochioka, N., Morishita, K., Tajima, T., Nakagawa, H., Toh, H. & Nakazono, A. 1998. Factors influencing otolith strontium/calcium ratios in (*Anguilla japonica*) elvers. *Environ. Biol. Fishes* **52**, 299-303.
- Kendall, A.W.Jr. & Duker, G.J. 1998. The development of recruitment fisheries oceanography in the United States. *Fish. Ocean.* **7**, 69-88.
- Kendall, B.E. & Fox, G.A. 1998. Spatial structure, environmental heterogeneity, and population dynamics: analysis of the coupled logistic map. *Theoret. Popul. Biol.* **54**, 11-37.
- Kirsch, P.E., Iverson, S.J., Bowen, W.D., Kerr, S.R. & Ackman, R.G. 1998. Dietary effects on the fatty acid signature of whole Atlantic cod (*Gadus morhua*). *Can. J. Fish. Aquat. Sci.* **55**, 1378-1386.
- Kokko, H. & Lindström, J. 1998. Seasonal density dependence, timing of mortality, and sustainable harvesting. *Ecol. Model.* **110**, 293-304.
- Kokko, H. & Sutherland, W.J. 1998. Optimal floating and queuing strategies: consequences for density dependence and habitat loss. *American Naturalist* **152**, 354-366.
- Kronman, M. 1998. Agreement may increase funds to breach dams. *Natl. Fisherman* **79**, 15.

- Kronman, M. 1998. "Eco-bullies" vow to thwart tribal hunt of gray whales. *Natl. Fisherman* **79**, 11.
- Lanthier, C., Dupuis, J. & Par\*, J. 1998. Agenesis of a radius in a polar bear cub (*Ursus maritimus*). *J. Zoo & Wildl. Med.* **29**, 65-67.
- Laptikhovskii, V.V. 1998. Ornithological observations in a round-the-world cruise of *Kruzenshtern* from Vladivostok to Kalingrad. *Russ. J. Mar. Biol.* **24**, 187-189.
- Larsson, K., van der Jeugd, H.P., van der Veen, I.T. & Forslund, P. 1998. Body size declines despite positive directional selection on heritable size traits in a barnacle goose population. *Evol.* **52**, 1169-1184.
- Letcher, R.J., Norstrom, R.J. & Muir, D.C.G. 1998. Biotransformation versus bioaccumulation: sources of methyl sulfone PCB and 4,4'-DDE metabolites in the polar bear food chain. *Environ. Sci. Technol.* **32**, 1656-1661.
- Lowry, Lloyd, Kathryn Frost, Tom Blaesing, Debbie Blaesing and Sandy Kennedy. 1998. *Alaska Beluga Whale Committee Surveys of Beluga Whales in Bristol Bay, Alaska, 1993-1994*. Fairbanks, AK, Alaska Beluga Whale Committee. (Alaska Beluga Whale Committee Report 98-3) 13p.
- Martin, G.R. 1998. Eye structure and amphibious foraging in albatrosses. *Proc. R. Soc. Lond. B* **265**, 665-671.
- Menges, C.H., Hill, G.J.E. & Ahmad, W. 1998. Landsat TM data and potential feeding grounds for threatened marine turtle species in northern Australia. *Int. J. Remote Sensing* **19**, 1207-1221.
- Merchant, A.R. & Barila, T.R. 1998. Improving salmon passage on the Columbia River. *Hydro Rev.* **17**, 22-30. Messmer, T.A., Dixon, C.E., Shields, W., Barras, S.C. & Schroeder, S.A. 1998. Cooperative Wildlife Management Units: achieving hunter, landowner, and wildlife management agency objectives. *Wildlife Society Bulletin* **26**, 325-332.
- Miller, L.A., Johns, B.E. & Elias, D.J. 1998. Immunocontraception as a wildlife management tool: some perspectives. *Wildlife Society Bulletin* **26**, 237-243.
- Millsbaugh, J.J., Skalski, J.R., Kernohan, B.J., Raedeke, K.J., Brundige, G.C. & Cooper, A.B. 1998. Some comments on spatial independence in studies of resource selection. *Wildlife Society Bulletin* **26**, 232-236.
- Moreno, J., de León, A., Fargallo, J.A. & Moreno, E. 1998. Breeding time, health and immune response in the chinstrap penguin (*Pygoscelis antarctica*). *Oecologia* **115**, 312-319.
- Moreno, J., Barbosa, A., Potti, J. & Merino, S. 1997. The effects of hatching date and parental quality on chick growth and creching age in the chinstrap penguin (*Pygoscelis antarctica*): a field experiment. *Auk* **114**, 47-54.
- Moreno, J., Carrascal, L.M. & Sanz, J.J. 1996. Parent-offspring interactions and feeding chases in the chinstrap penguin (*Pygoscelis antarctica*). *Bird Behav.* **11**, 31-34.
- Moreno, J., ViPuela, J., Belliure, J. & Ferrer, M. 1998. Effect of brood size on growth in the chinstrap penguin: a field experiment. *J. Field. Ornithol.* **69**, 269-275.
- Morison, A.K., Robertson, S.G. & Smith, D.C. 1998. An integrated system for production fish aging: image analysis and quality assurance. *North American Journal of Fisheries Management* **18**, 587-598.
- Nadis, S. 1998. An ear to the fathoms: to protect marine mammals, Darlene Ketten says it is important to understand what and how they hear. *Woods Hole Currents* **7**, 6-7.
- Nadis, S. 1998. Listening to the sea: for 40 years, oceanographer William Watkins has traveled the oceans worldwide, studying the sounds of marine mammals. *Woods Hole Currents* **7**, 3-5.
- Nadis, S. 1998. A noisy silent spring: Peter Tyack evaluates the threat to marine mammals from human produced noise. *Woods Hole Currents* **7**, 8-10.

- Nadis, S. 1998. What's wrong with the right? Biologist Michael Moore seeks causes of infertility among endangered northern right whales. *Woods Hole Currents* **7**, 11-13.
- Naess, A., Haug, T. & Nilssen, E.M. 1998. Seasonal variation in body condition and muscular lipid contents in northeast Atlantic minke whale {*Balaenoptera acutorostrata*}. *Sarsia* **83**, 211-218.
- Nevins, Hannahrose M. and Joshua Adams. 1999. *Seabird Monitoring in the Semidi Islands, Gulf of Alaska, 1995 and 1998*. Homer, AK, U.S. Fish and Wildlife Service. (U.S. Fish and Wildlife Service Report, AMNWR 98/17) 44p. SK367 .A41 A569 no. 98/17
- Nicholls, K.H. 1998. El Niño, ice cover, and Great Lakes phosphorous: implications for climate warming. *Limnol. Oceanogr.* **43**, 715-719.
- Norman, A.P., Teagle, L. & Jones, G. 1998. A method for the synchronization and control of ultrasound recording and stereophotogrammetry in the reconstruction of animal flight. *Bioacoustics* **9**, 207-212.
- O'Reilly, John E. and Christine Zetlin. 1998. *Seasonal, Horizontal, and Vertical Distribution of Phytoplankton Chlorophyll {Ia} in the Northeast U.S. Continental Shelf Ecosystem*. Seattle, WA, U.S. Department of Commerce. (NOAA Technical Report NMFS 139) 120p. SH11 .A336 no.139
- Oelschl\*ger, H.H.A. 1998. Ontogenesis of the sperm whale brain. *Journal of Comparative Neurology* **399**, 210-228.
- Oksanen, A., Tryland, M., Johnsen, K. & Dubey, J.P. 1998. Serosurvey of *Toxoplasma gondii* in North Atlantic marine mammals by the use of agglutination test employing whole tachyzoites and dithiothreitol. *Comp. Immunol. Microbiol. Infect. Dis.* **21**, 107-114.
- Orr, Anthony James. 1998. Foraging Characteristics and Activity Patterns of the California Sea Lion ({*Zalophus Californianus Californianus*}) in the Bay of La Paz, Baja California Sur, Mexico. Thesis, California State Orr, H.A. 1998. The population genetics of adaptation: the distribution of factors fixed during adaptive evolution. *Evol.* **52**, 935-949.
- Papa, Rebecca S. and Paul R. Becker. 1998. *Alaska Harbor Seal ({Phoca Vitulina}) Contaminants: a Review With Annotated Bibliography*. Charleston, SC, U.S. Department of Commerce. (NISTIR 6211) 249p.
- Paradis, E., Baillie, S.R., Sutherland, W.J. & Gregory, R.D. 1998. Patterns of natal and breeding dispersal in birds. *J. Anim. Ecol.* **67**, 518-536.
- Parrish, J.K., Lemberg, N. & South-Oryshchyn, L. 1998. Effects of colony location and nekton abundance on the at-sea distribution of four seabird species. *Fish. Ocean.* **7**, 126-135.
- Payan, P., Borelli, G., Boeuf, G. & Mayer-Gostan, N. 1998. Relationship between otolith and somatic growth: consequence of starvation on acid-base balance in plasma and endolymph in the rainbow trout {*Oncorhynchus mykiss*}. *Fish Physiol. Biochem.* **19**, 35-41.
- Pearce, F. 1998. Thrown a lifeline: ocean birds may soon be protected from lethal fishing practices. *New Sci.* **160**, 13.
- Pearson, D.L. & Carroll, S.S. 1998. Global patterns of species richness: spatial models for conservation planning using bioindicator and precipitation data. *Conserv. Biol.* **12**, 809-821.
- Pence, D.B. & Wright, S.D. 1998. {*Ichelonacarus elongatus*} N. Gen., N. Sp. (Acari: Cloacaridae) from the cloaca of the green turtle {*Chelonia mydas*} (Cheloniidae). *J. Parasitol.* **84**, 835-839.
- Petit, R.J., El Mousadik, A. & Pons, O. 1998. Identifying populations for conservation on the basis of genetic markers. *Conserv. Biol.* **12**, 844-855.
- Pleschner, D.B. 1998. Sea otters on the move: fishermen urge feds to obey law. *Pacific Fishing* **11**, 43.

- Poole, K.G., Elkin, B.T. & Bethke, R.W. 1998. Organochlorine and heavy metal contaminants in wild mink in western Northwest Territories, Canada. *Arch. Environ. Contam. Toxicol.* **34**, 406-413.
- Price, A.R.G., Jobbins, G., Dawson Shepherd, A.R. & Ormond, R.F.G. 1998. An integrated environmental assessment of the Red Sea coast of Saudi Arabia. *Environ. Conserv.* **25**, 65-76.
- Proctor, C.H. & Thresher, R.E. 1998. Effects of specimen handling and otolith preparation on concentration of elements in fish otoliths. *Mar. Biol.* **131**, 681-694.
- Raum-Suryan, K.L. & Harbey, J.T. 1998. Distribution and abundance of and habitat use by harbor porpoise, {*IPhocoena phocoena*}, off the northern San Juan Islands, Washington. *Fish. Bull.* **96**, 808-822.
- Reed, J.M., Murphy, D.D. & Brussard, P.F. 1998. Efficacy of population viability analysis. *Wildlife Society Bulletin* **26**, 244-251.
- Reidarson, T.H., McBain, J., House, C., King, D.P., Stott, J., Krafft, A., Taubenberger, J.K., Heyning, J. & Lipscomb, T.P. 1998. Morbillivirus infection in stranded common dolphins from the Pacific Ocean. *J. Wildl. Dis.* **34**, 771-776.
- Root, K.V. 1998. Evaluating the effects of habitat quality, connectivity, and catastrophes on a threatened species. *Ecological Applications* **8**, 854-865.
- Santos, C.P. & Lodi, L. 1998. Occurrence of {*IAnisakis physeteris*} Baylis, 1923 and {*IPseudoterranova*} sp. (Nematoda) in pygmy sperm whale {*IKogia breviceps*} (De Blainville, 1838) (Physeteridae) in northeastern coast of Brazil. *Mem. Inst. Oswaldo Cruz* **93**, 187-188.
- Schwarcz, H.P., Gao, Y., Campana, S., Browne, D., Knyf, M. & Brand, U. 1998. Stable carbon isotope variations in otoliths of Atlantic cod ({*IGadus morhua*}). *Can. J. Fish. Aquat. Sci.* **55**, 1798-1806.
- Small, Robert J. Principal Investigator., P. Becker, P. Boveng, M. Castellini, S. Crowley, R. Daniel, L. Jemison, B. Kelly, K. Laidre, G. O'Corry-Crowe, R. Papa, G. Pendleton, R. Small, J. Thomason, S. Trumble and K. Wynne. 1998. *Harbor Seal Investigations in Alaska: Annual Report NOAA Grant NA57FX0367*. Anchorage, AK, Alaska Department of Fish and Game. 190p. QL737 .P64 H214 1998
- Soto-Gamboa, M. & Nespolo, R.F. 1997. Post-eclosional homeothermy development in chicks of two Antarctic birds species: {*IPygoscelis papua*} and {*IDaption capense*} in Ardley peninsula, King George Island. *Ser. Cient. INACH* **47**, 31-37.
- Stamps, J.A., Mangel, M. & Phillips, J.A. 1998. A new look at relationships between size at maturity and asymptotic size. *American Naturalist* **152**, 470-479.
- Stevens, B. G., J. A. Haaga and R. A. MacIntosh. 1998. *Report to Industry on the 1998 Eastern Bering Sea Crab Survey*. Seattle, WA and Kodiak, AK, U.S. Department of Commerce. (AFSC Processed Report 98-07) 54p. SH11 .A36 no.377
- Storelli, M.M., Ceci, E. & Marcotrigiano, G.O. 1998. Distribution of heavy metal residues in some tissues of {*ICaretta caretta*} (Linnaeus) specimen beached along the Adriatic Sea (Italy). *Bull. Environ. Contam. Toxicol.* **60**, 546-552.
- Swinton, J. 1998. Extinction times and phase transitions for spatially structured closed epidemics. *Bull. Math. Biol.* **60**, 215-230.
- Theodorakis, C.W., Bickham, J.W., Elbl, T., Shugart, L.R. & Chesser, R.K. 1998. Genetics of radionuclide-contaminated mosquitofish populations and homology between {*IGambusia affinis*} and {*IG. holbrooki*}. *Environ. Toxicol. Chem.* **17**, 1992-1998.
- Thorel, M.-F., Karoui, C., Varnerot, A., Fleury, C. & Vincent, V. 1998. Isolation of {*IMycobacterium bovis*} from baboons, leopards and a sea-lion. *Vet. Res.* **29**, 207-212.

Thrush, S.F., Hewitt, J.E., Cummings, V.J., Dayton, P.K., Cryer, M., Turner, S.J., Funnell, G.A., Budd, R.G., Milburn, C.J. & Wilkinson, M.R. 1998. Disturbance of the marine benthic habitat by commercial fishing: impacts at the scale of the fishery. *Ecological Applications* **8**, 866-879.

Tveraa, T., Saether, B.-E., Aanes, R. & Erikstad, K.E. 1998. Regulation of food provisioning in the Antarctic petrel: the importance of parental body condition and chick body mass. *J. Anim. Ecol.* **67**, 699-704.

U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service and Nicole R. Editor. Le Boeuf. 1998. *Marine Mammal Protection Act of 1972 Annual Report January 1, 1997 to December 31, 1997*. Silver Spring, MD, U.S. Department of Commerce. 141 + appendicesp. QL713.2 .U54an 1997

Urian, K., Hohn, A. & Hansen, L. 1998. NMFS centralized mid-Atlantic bottlenose dolphin photo-identification catalog. *Mar. Mammal Soc. Newsl.* **6**, 8-9.

Valencia, J., P\*rez, C. & Maino, M. 1997. Experimental use of passive induction transponders for field identification in Gentoo penguins. *Ser. Cient. INACH* **47**, 151-156.

van den Brink, N.W., van Franeker, J.A. & de Ruiter-Duikman, E.M. 1998. Fluctuating concentrations of organochlorine pollutants during a breeding season in two Antarctic seabirds: Ad\*lie penguin and southern fulmar. *Environ. Toxicol. Chem.* **17**, 702-709.

Van Rietbergen, B., Odgaard, A., Kabel, J. & Huiskes, R. 1998. Relationships between bone morphology and bone elastic properties can be accurately quantified using high-resolution computer reconstructions. *J. Orthopaedic Res.* **16**, 23-28.

Van Zile, D. 1998. Whale whompers: tour boats ram humpback, minke: NMFS pondering speed limits for tourist-carrying vessels following incidents off Cape Cod. *Natl. Fisherman* **79**, 12.

Vandermeer, J. & Maruca, S. 1998. Indirect effects with a keystone predator: coexistence and chaos. *Theoret. Popul. Biol.* **54**, 38-43.

Waite, J. 1998. Northern right whale sighted off Alaska. *Mar. Mammal Soc. Newsl.* **6**, 7.

Walters, Gary, Pamela Compilers. Goddard, Claire Armistead, Robert McConnaughey, Daniel Nichol and Terrance Sample. 1998. *1995 Bottom Trawl Survey of the Eastern Bering Sea Continental Shelf*. Seattle, WA, U.S. Department of Commerce. (AFSC Processed Report 98-08) 170p. SH11 .A36 no.378

Wang, C.-H. & Tzeng, W.-N. 1998. Interpretation of geographic variation in size of American eel {*Anguilla rostrata*} elvers on the Atlantic coast of North America using their life history and otolith ageing. *Marine Ecology Progress Series* **168**, 35-43.

Warheit, Kenneth I., Craig S. Harrison and George J. Divoky. 1997. {*Exxon Valdez*} *Oil Spill Seabird Restoration Workshop*. Seattle, Pacific Seabird Group. (Pacific Seabird Group Technical Publication No. 1) 171p. QL683 .P371 no.1 1997

Whittaker, D. & Knight, R.L. 1998. Understanding wildlife responses to humans. *Wildlife Society Bulletin* **26**, 312-317.

Wiberg, K., Letcher, R., Sandau, C., Duffe, J., Norstrom, R., Haglund, P. & Bidleman, T. 1998. Enantioselective gas chromatography/mass spectrometry of methylsulfonyl PCBs with application to Arctic marine mammals. *Anal. Chem.* **70**, 3845-3852.

Wiegand, T., Moloney, K.A. & Milton, S.J. 1998. Population dynamics, disturbance, and pattern evolution: identifying the fundamental scales of organization in a model ecosystem. *American Naturalist* **153**, 321-337.

Wiig, O., Derocher, A.E., Cronin, M.M. & Skaare, J.U. 1998. Female pseudohermaphrodite polar bears at Svalbard. *J. Wildl. Dis.* **34**, 792-796.



- Wilden, I., Herzel, H., Peters, G. & Tembrock, G. 1998. Subharmonics, biphonation, and deterministic chaos in mammal vocalization. *Bioacoustics* **9**, 171-196.
- Williams, D. 1998. Study eyes seal populations, predation rates. *Northwest Indian Fish. Comm. News* **18**, 8.
- Williams, T. 1998. Back from the brink [endangered species]. *Audubon* **100**, 70-77.
- Wiwchar, D. 1998. Regime shifts: Can we predict them? *Pacific Fishing* **11**, 89-92.
- Wright, J., Both, C., Cotton, P.A. & Bryant, D. 1998. Quality vs. quantity: energetic and nutritional trade-offs in parental provisioning strategies. *J. Anim. Ecol.* **67**, 620-634.
- Wyllie-Echeverria, T. & Wooster, W.S. 1998. Year-to-year variations in Bering Sea ice cover and some consequences for fish distributions. *Fish. Ocean.* **7**, 159-170.
- Yodzis, P. 1998. Local trophodynamics and the interaction of marine mammals and fisheries in the Benguela ecosystem. *J. Anim. Ecol.* **67**, 635-658.
- York, A. 1998. Dangerous liaisons: teaching great white sharks to link people with food is a recipe for disaster. *New Sci.* **160**, 4.