

50 SIGNS OF VISIBLE INTOXICATION

Serving alcohol to a visibly intoxicated person (VIP) is against the law. If you can tell on sight that a person has been drinking or using other drugs, the person is visibly intoxicated. Servers are not expected to know a customer's blood alcohol content (BAC) as determined by a blood, breath, or urine test, but they are required to recognize visible intoxication.

Here are some common signs of visible intoxication. If a person shows just one or two of these signs, that does not necessarily mean the person is intoxicated. But if a person shows a <u>combination</u> of several signs, or has a sudden <u>change</u> in behavior, that could be a strong indication that the person is intoxicated. Remember that intoxication can result from the use of drugs other than alcohol. *If you're not sure, don't serve*.

<u>Appearance</u>

- 1. Bloodshot, glassy eyes
- 2. Flushed face
- 3. Droopy eyelids
- 4. Dazed look
- 5. Body tremors
- 6. Blank stare
- 7. Disheveled clothing

Speech

- 8. Thick, slurred speech
- 9. Loud, noisy speech
- 10. Speaking loudly, then quietly
- 11. Rambling train of thought
- 12. Slow response to questions or comments
- 13. Bravado, boasting
- 14. Making irrational statements

Attitude

- 15. Annoying other guests and employees
- 16. Argumentative
- 17. Aggressive or belligerent
- 18. Obnoxious or mean
- 19. Inappropriate sexual advances
- Overly friendly to other guests or employees
- 21. Boisterous

Behavior

- 22. Swaying, staggering, or stumbling
- 23. Unable to sit straight

Behavior (cont.)

- 24. Careless with money
- 25. Difficulty making change
- 26. Restless
- 27. Depressed or sullen
- 28. Crying or moody
- 29. Extreme or sudden change in behavior
- 30. Overly animated or entertaining
- 31. Crude, inappropriate speech or gestures
- 32. Drowsiness
- 33. Lack of focus and eye contact
- 34. Difficulty standing up
- 35. Unusual walk
- 36. Falling off of chair
- 37. Falling asleep
- 38. Can't find mouth with glass
- 39. Falling down
- 40. Difficulty lighting cigarettes
- 41. Lighting more than one cigarette
- 42. Clumsy
- 43. Difficulty remembering
- 44. Spilling drinks
- 45. Disoriented
- 46. Agitated, anxious
- 47. Grinding teeth

Oth<u>er</u>

- 48. Odor of alcohol, marijuana or chemicals
- 49. Excessive perspiration
- 50. Repeated trips to rest room or outside area

Oregon Liquor Control Commission

9079 SE McLoughlin Blvd • Portland, OR 97222-7355 Phone (503) 872-5070 • Fax (503) 872-5266 • Toll free (800) 452-6522

www.oregon.gov/olcc

Promoting Responsible Alcohol Sales and Service