


# Comanche Peak 2 3Q/2002 Performance Summary



### Performance Indicators

Unplanned Scrams (G)	Emergency AC Power System Unavailability (G)	Reactor Coolant System Activity (G)	Drill/Exercise Performance (G)	Occupational Exposure Control Effectiveness (G)	RETS/ODCM Radiological Effluent (G)	Protected Area Equipment (G)
Scrams With Loss of Normal Heat Removal (G)	High Pressure Injection System Unavailability (G)	Reactor Coolant System Leakage (G)	ERD Drill Participation (G)			Personnel Screening Program (G)
Unplanned Power Changes (G)	Heat Removal System Unavailability (G)		Alert and Notification System (G)			FFD/Personnel Reliability Program (G)
	Residual Heat Removal System Unavailability (G)					
	Safety System Functional Failures (G)					

Legend: R=Red Y=Yellow W=White G=Green T=Thresholds under development I=Insufficient data to calculate PI N=Not Applicable U=Unique Design



**Most Significant Inspection Findings**

Quarter	Initiating Events	Mitigating Systems	Barrier Integrity	Emergency Preparedness	Occupational Radiation Safety	Public Radiation Safety	Physical Protection
3Q/2002	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter
2Q/2002	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	G	Findings without color designation	No findings this quarter
1Q/2002	No findings this quarter	G	No findings this quarter	No findings this quarter	Findings without color designation	No findings this quarter	No findings this quarter
4Q/2001	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	G	W (1)	G

Miscellaneous findings

**Additional Inspection & Assessment Information**

◆ Assessment Reports/Inspection Plans:

- 3Q/2002
- 2Q/2002
- 1Q/2002
- 4Q/2001

◆ List of Inspection Reports

◆ List of Assessment Letters/Inspection Plans

◆ Cross Reference Of Assessment Reports

