


# Cooper 2Q/2003 Performance Summary





**Performance Indicators**

Unplanned Sorams (G)	Emergency AC Power System Unavailability (G)	Reactor Coolant System Activity (G)	Drill/Exercise Performance (G)	Occupational Exposure Control Effectiveness (G)	RETS/ODCM Radiological Effluent (G)	Protected Area Equipment (G)
Sorams With Loss of Normal Heat Removal (G)	High Pressure Injection System Unavailability (G)	Reactor Coolant System Leakage (G)	ERO Drill Participation (G)			Personnel Screening Program (G)
Unplanned Power Changes (G)	Heat Removal System Unavailability (G)		Alert and Notification System (G)			FFD/Personnel Reliability Program (G)
	Residual Heat Removal System Unavailability (G)					
	Safety System Functional Failures (G)					

Last Modified: July 22, 2003

**Legend:** R=Red    W=White    T=Thresholds under development    N=Not Applicable  
 Y=Yellow    G=Green    I=Insufficient data to calculate PI    U=Unique Design



**Most Significant Inspection Findings**

Quarter	Initiating Events	Mitigating Systems	Barrier Integrity	Emergency Preparedness	Occupational Radiation Safety	Public Radiation Safety	Physical Protection
2Q/2003	No findings this quarter	G	G	No findings this quarter	G	No findings this quarter	No findings this quarter
1Q/2003	G	G	No findings this quarter	G	No findings this quarter	No findings this quarter	No findings this quarter
4Q/2002	G	G	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	G
3Q/2002	No findings this quarter	G	No findings this quarter	W (3)	No findings this quarter	No findings this quarter	G

Miscellaneous findings

**Additional Inspection & Assessment Information**

◆ **Assessment Reports/Inspection Plans:**

- 2Q/2003
- 1Q/2003
- 4Q/2002
- 3Q/2002

◆ **Cross Reference Of Assessment Reports**

◆ **List of Inspection Reports**

◆ **List of Assessment Letters/Inspection Plans**

Last Modified: September 4, 2003

[Action Matrix Summary](#) | [Inspection Findings Summary](#) | [PI Summary](#) | [Reactor Oversight Process](#)