CRUISE REPORT

Cruise Number: MF-02-01, Leg 1 and Leg 2

FOCI Number: 1MF02

Ship: NOAA Ship *Miller Freeman*

Area of Operations: Gulf of Alaska

Itinerary:

Date depart/port: January 28, 2002/Seattle, WA

Date arrive/port: February 3, 2002/Kodiak, AK (end Leg 1)

Date depart/port: February 3, 2002/Kodiak, AK

Date arrive/port: February 9, 2002/Sand Point, AK (end Leg 2)

Participating organizations:

NOAA - Alaska Fisheries Science Center (AFSC)

NOAA - Pacific Marine Environmental Laboratory (PMEL)

Chief Scientists:

Floering, William (Leg 1) M/USA NOAA/PMEL

(206) 526-6480

William.Floering@noaa.gov

Morgan S. Busby (Leg 2) M/USA NOAA/AFSC

(206) 526 - 4113

Morgan.Busby@noaa.gov

Personnel (Leg 1):

Floering, William M/USA NOAA/PMEL

Personnel (Leg 2):

Blood, Deborah	F/USA	NOAA/AFSC
Busby, Morgan	M/USA	NOAA/AFSC
Cartwright, Rachael	F/USA	NOAA/AFSC
Floering, William	M/USA	NOAA/PMEL
Matarese, Ann	F/USA	NOAA/AFSC
Stark, James	M/USA	NOAA/AFSC
Stevenson, Duane	M/USA	NOAA/AFSC

Cruise Objectives:

The primary objectives of this cruise were to retrieve and deploy oceanographic moorings around Kodiak Island and in Shelikof Strait, and to conduct bottom trawl sampling on the outer continental shelf and upper slope in the Gulf of Alaska west of Kodiak Island. Bottom trawls were conducted to collect adult arrowtooth flounder (ATF) for sexual maturity and spawning studies. This work was needed to document the appearance of arrowtooth flounder eggs so they can be identified with confidence in plankton samples. Data (CTD) on physical characteristics of water in the area were also collected.

Summary of Operations:

<u>Operation</u>	<u>Tally</u>
CTD casts	19
Mooring recoveries	7
Mooring deployments	4
Nor'eastern bottom trawls	20

Samples Collected:

ATF lengths	541	
ATF otoliths	518	
ATF maturities	540	
ATF gonads	350	
Juvenile walleye pollock	12	(frozen for otoliths)

Summary of Cruise:

Table 1 contains a cruise summary for MF-02-01 (FOCI 1MF02).

Days Lost to Equipment Failure: 0.75 (Starboard crane)

Narrative:

After departure from Seattle at 1000 hrs on January 28, the *Miller Freeman* steamed north through the inside passage and into the Gulf of Alaska through Dixon Entrance and arrived

at the first station (56° 37.9' N, 151° 4.2' W) at approximately 0830 hrs on February 2 where a marine mammal haurophone mooring was recovered in 2635 m depth water (Figure 1). We then proceeded to Barnabus Canyon and arrived at 1400 hrs where two oceanographic moorings were recovered and paired with CTD casts. On February 3, operations in Chiniak Bay began at 0800 hrs and included CTD casts that preceded and followed recovery and deployment of a crab mooring. Upon completion, the ship proceeded to Kodiak, AK to pick up scientists for Leg 2.

The additional scientists participating on Leg 2 embarked at 1530 hrs on February 3 and the *Miller Freeman* was underway shortly afterward. We steamed around the north end of Afognak Island and arrived at Line 8 in Shelikof Strait at 1400 hrs on February 4. Three oceanographic moorings were recovered, ending at approximately 1950 hrs. A line of 7 CTD casts was then accomplished, ending at about 0200 hrs. Before the CTD line began, it was determined that the port crane was not functioning due to a hydraulic leak. When the CTD line was completed, we were informed that repairs on the port crane would not commence until daylight. At 1200 hrs on February 5, repairs on the port crane were not yet complete, so it was decided that the three remaining oceanographic mooring deployments would be accomplished using the starboard crane. These deployments were completed by 1645 hrs.

After steaming south approximately 100 nm, we arrived at station ATF-1 on the outer continental shelf at approximately 0300 hrs on February 6 and deployed the first bottom trawl at a target depth of 200 m and another at ATF-2 (400 m). At station ATF-3, the trawl gear performance was questionable, as it was found upon recovery that the footrope and roller gear on the net was twisted around the mouth, thus constricting the opening. The catch in the tow was smaller than expected. The same incident occurred on the first haul at station ATF-4. A second haul at this station also failed as the trawl doors and cables became crossed during the tow. Additional operations at station ATF-4 were suspended at 2300 hrs on February 6. On February 7, successful tows were conducted at stations ATF-5 and 6. The first haul at station ATF-7 (400 m) failed, as a very large rock was caught in the net. The tow was successfully repeated. Three apparently ripe female ATF were removed from the catch and placed in the live tank as potential sources of eggs. After completion of processing the catch from the tow at station ATF-8 (500 m) on February 7, 1915 hrs, we fertilized eggs stripped from a female ATF (81 cm FL) collected at the previous station (ATF-7) with milt from 8 males (41-47 cm FL) collected in this haul. This procedure was repeated on February 8, 2230 hrs with two females (55, 69 cm FL) from station ATF-7 haul 2 and 14 males from station ATF-8. Eggs stripped from one female caught in the second haul at ATF-8 on February 9 were fertilized with milt from 18 males from the same tow. After one final CTD cast near station ATF-7, we began the steam to Sand Point, AK at approximately 0200 hrs on February 9 and arrived at 1200 hrs.

Acknowledgments:

The scientific party would like to acknowledge the hard work and support of the Officers and crews of the Survey, Deck, and Stewards departments of the Miller Freeman who performed their duties under difficult conditions. Because of their diligence, the primary objectives of the cruise were accomplished.

Attachments:

Table 1. Cruise Summary MF-01-02 (Legs 1 and 2)

Figure 1. Station map

Table 1. Cruise Summary for MF-02-01 (FOCI 1MF02).

HaulComments	Marine mammal haurophone recovery. Depth in MOA (224.4 m) is incorrect.	CTD (Barnabus Canyon).	Mooring Recovery (Barnabus Canyon)	Moring Becovery (Barnabus Canyon)	CTD before recovery of crab mooring (Chiniak Bay).	Crab mooring recovery (Chiniak Bay).	Crab mooring deployment (Chiniak Bay).	CTD after crab mooring deployment (Chiniak Bav)	Mooring recovery, line 8.	Mooring recovery, line 8. Position given is release point, recovery location not in MOA.	Mooring recovery, line 8.	CTD, line 8.	Mooring deployment, line 8.	CTD paired with mooring deployment station 15 haul 1, line 8.	Mooring Deployment, line 8.	Mooring deployment, line 8.	Trawl aborted-needed to repair shackle on net lines (not loaged on MOA).	ATE SLIDVEV Hould	CTD	ATF SURVEY – NO FURUNO	correctly used wire out as a guide, fished longer than 15 minutes, 4.3-4.4 degrees C	CTD	ATF SURVEY, see furuno temperatures, very	small sample, questionable net opening. Roller gear was wisted around net opening.	ATF SURVEY. Roller Gear twisted around net opening (again). Only one fish in net.	والإصلام المعادية المسائد والمائد المائدة						
SamplesCollected	Recovery	CTD	Kecovery	200	CTD	Recovery	Deploy	стр	Recovery	Recovery	Recovery	CTD	Deploy	СТD	Deploy	Deploy	Discard	OOOM tdp/// Oto A-Mydb I-A	A-Lengini, A-Oto, A-Wgini, MWOCD CTD	A-Length, A-Oto, A-Wght		CTD	A-Length, A-Oto, A-Wght		Discard							
Gear	Moor	CTD:	Moor	ב ב ב ב	CTD	Moor	Moor	СТД	Moor	Moor	Moor	CID	CTO	CTD	CTO	CTD	CTD	CTD	Moor	СТО	Moor	Moor	Eastern	Foetorn	CTD	Eastern		CTD	Eastern		Eastern	
Longitude	151 04.88 W	152 35.94 W	36.12	152 25.27 W	18.28	152 17.66 W	17.66	152 17.82 W	154 48.46 W	25.98		16.28	11.21	04.29	155 00.72 W	52.28	47.18	42.30	48.44	154 48.14 W	155 04.39 W	12.21	155 18.93 W	20 01	155 19.18 W	18.94		155 19.70 W	155 18.51 W		157 02.53 W	
Latitude	56 37.78N	56 48.76N	56 49.04N 56 54 23N	56 54 75N	57 43.17N	57 43.33N	57 43.33N	57 43.32N	57 29.09N	57 39.89N	57 39.58N	57 43.10N	57 40.79N	57 38.52N	57 36.47N	57 33.20N	57 30.90N	57 28.65N	57 29.02N	57 28.87N	57 37.13N	57 41.11N	55 41.81N	55 11 81NI	55 41.64N	55 38.70N		55 38.52N	55 36.88N		55 06.73N	
Depth (m)	2635	123	128 145	140	162	186	186	181	197	249	299	115	292	255	238	229	210	2	194	185	248	294	186	186	190	411		406	623		207	
Alternat Station	HS2	CTD001	01BCZA CTD002	BCD1A	CTD003	02CB-1A	02CB-1A	CTD004	01SSP3A	01SSP2A	01SSP1A	C1D005	CTD006	C1D007	CTD008	CTD009	CTD010	CTD011	02SSP3B	CTD012	02SSP2A	02SSP1A		ATE.1	CTD013	ATF-2		CTD014	ATF-3		ATF-4	
FOCI Grid																																
Han	-	← (N -	- c	1 ←	7	က	4	_	_	-	-	.	_	-	_	-	-	_	7	_	-	_	c	ν ω	-		7	-		_	
Statio	-	7	۸ در	י כ	9 4	4	4	4	2	9	7	∞	ර ්	10	7	12	13	4	15	15	16	17	18	ά	<u> </u>	19		19	20		21	
Time (GMT)	17:44	23:07	0:09	1.5.1	17:00	18:38	19:50	20:19	23:19	1:52	3:50	2:00	5:53	6:48	7:36	8:29	9:17	9:26	22:06	22:23	0:11	1:34	11:00	10.37	14:31	16:29		18:05	19:13		2:00	
Date (GMT)	02-Feb-02	02-Feb-02	03-Feb-02	03-1 eD-02	03-Feb-02	03-Feb-02	03-Feb-02	03-Feb-02	04-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	05-Feb-02	06-Feb-02	06-Feb-02	06-Feb-02	06-Eob-02	06-Feb-02	06-Feb-02		06-Feb-02	06-Feb-02		07-Feb-02	

Page 1of 2 Thursday, February 14, 2002

Table 1 (continued). Cruise Summary for MF-02-01 (FOCI 1MF02).

	Samples Collected Discard	A-Length, A-Oto, A-Wght A-Length, A-Oto, A-Wght	Discard	A-Length, A-Oto, A-Wght	A-Length, A-Oto, A-Wght	CTD Discard CTD Discard	A-Length, A-Oto, A-Wght CTD A-Length, A-Oto, A-Wght A-Length, A-Oto, A-Wght CTD Discard A-Length, A-Oto, A-Wght	Discard	A-Length, A-Oto, A-Wght	СТБ
: `	Gear Eastern	Eastern Eastern	Eastern	Eastern	Eastern	CTD Eastern CTD Eastern	Eastern CTD Eastern Eastern CTD Eastern	Eastern	Eastern	CTD
	Longitud 157 02.35 W	157 02.88 W 157 04.73 W	158 46.34 W	158 46.76 W	158 50.66 W	158 51.52 W 158 54.50 W 158 55.11 W 158 50.94 W	158 52.37 W 158 53.40 W 159 03.69 W 158 46.21 W 158 46.40 W 158 46.78 W 158 46.77 W	158 51.81 W	158 50.75 W	158 46.87 W
	Latitude 55 07.49N	55 02.83N 55 00.91N	54 31.02N	54 30.88N	54 28.99N	54 28.90N 54 27.92N 54 27.82N 54 29.33N	54 29.21N 54 29.27N 54 27.71N 54 34.41N 54 30.99N 54 31.31N	54 29.13N	54 29.04N	54 31.25N
<u>.</u>	(m)	404 623	399	403	507	506 630 701 475	468 449 452 194 192 391 369	482	511	377
Depth	Station ATF-4	ATF-5 ATF-6	ATF-7	ATF-7	ATF-8	CTD015 ATF-9 CTD016 ATF-10	ATF-10 CTD017 ATF-11 ATF-12 CTD018 ATF-7	ATF-8	ATF-8	CTD019
)) 	Grid									
Alternat	Hau 2		_	7	_	0 - 0 -	0 0 0 - 0	_	8	_
FOCI	<u>.0</u>	23 23	24	24	25	25 26 27	24 28 29 30 30 30	31	31	32
Time F	Ē	8:44 12:07	20:24	20:24	2:33	5:16 7:13 9:57 11:26	13:15 15:15 17:48 21:19 22:54 0:06	6:02	9:29	11:26
Date Til	~ 50	07-Feb-02 07-Feb-02	07-Feb-02	07-Feb-02	08-Feb-02	08-Feb-02 08-Feb-02 08-Feb-02 08-Feb-02	08-Feb-02 08-Feb-02 08-Feb-02 08-Feb-02 09-Feb-02	09-Feb-02	09-Feb-02	09-Feb-02

HaulComments

Doors crossed, tow failed, species composition was noted.

ATF SURVEY - NO FURUNO
ATF SURVEY - FURUNO WORKING - TEMP PROFILE RECORDED

PROFILE RECORDED
ATF SURVEY - TOW FAILED DUE TO A
LARGE ROCK IN NET.
ATF SURVEY - Furuno working well. Three
apparently gravid female ATF placed in live

ATE SURVET - Futurio Working well. Titled apparently gravid female ATF placed in live tank.

ATF SURVEY. HAULBACK STOPPED DUE TO HYDRAULIC LEAK FOR 5 MINUTES 0305-0310. Eggs from one female ATF (81 cm FL) from st. 24 haul 2 fertilized with milt from 8 males (41-47 cm FL) from this haul.

ATF SURVEY

ATF SURVEY- TRAWL ABORTED, NO FURUNO (GEAR DEPTH APPROX.)

ATF SURVEY

ATF SURVEY ATF SURVEY DOORS CROSSED, TOW FAILED ATF SURVEY. Several apparently gravid female ATF placen in live tank.

ATF SURVEY - Catch not processed. Eggs from two female ATF (55, 69 cm FL) from st. 30 haul 2 fertilized with milt from 14 males (43-50 cm FL) collected in this trawl. ATF SURVEY. Eggs from one gravid female ATF (72 cm FL) fertilized with milt from 18 males. Both sexes collected in this tow.




Figure 1. Station map for MF-02-01.