

---

*1998*

---

*Assisted*

---

*Reproductive*

---

*Technology*

---

*Success Rates*

---

NATIONAL SUMMARY AND  
FERTILITY CLINIC REPORTS



Updates to this report will be posted on the CDC Web site at the following address:  
<http://www.cdc.gov/nccdphp/drh/art.htm>

1998

**ASSISTED REPRODUCTIVE  
TECHNOLOGY SUCCESS RATES**

**NATIONAL SUMMARY AND FERTILITY CLINIC REPORTS**

Centers for Disease Control and Prevention  
National Center for Chronic Disease Prevention and Health Promotion  
Division of Reproductive Health  
Atlanta, Georgia

American Society for Reproductive Medicine  
Society for Assisted Reproductive Technology  
Birmingham, Alabama

RESOLVE: The National Infertility Association  
Somerville, Massachusetts

December 2000

U.S. Department of Health and Human Services  
Centers for Disease Control and Prevention

This publication was developed and produced by the National Center for Chronic Disease Prevention and Health Promotion of the Centers for Disease Control and Prevention in collaboration with the American Society for Reproductive Medicine, the Society for Assisted Reproductive Technology, and RESOLVE: The National Infertility Association.

**Centers for Disease Control and Prevention**

National Center for Chronic Disease  
Prevention and Health Promotion

James S. Marks, M.D., M.P.H.,  
Director

Division of Reproductive Health

Lynne S. Wilcox, M.D., M.P.H.,  
Director

Women’s Health and Fertility Branch

Christopher S. Parker, M.P.A., M.P.H.,  
Acting Branch Chief  
Laura A. Schieve, Ph.D.  
Lilith Tatham, D.V.M., M.P.H.  
Gary Jeng, Ph.D.  
Robert A. Cicatello  
Nancy M. Burnett

Technical Information and Editorial  
Services Branch

Christine Fralish, M.L.I.S.,  
Branch Chief  
Linda Elsner  
Phyllis Moir, M.A.

**American Society for Reproductive Medicine**

J. Benjamin Younger, M.D.,  
Executive Director

**Society for Assisted Reproductive Technology**

Philip I. McNamee, M.D.,  
President  
David I. Hoffman, M.D.  
Jacob F. Mayer, Ph.D.  
Joyce G. Zeitz

Registry Committee

James P. Toner, M.D., Ph.D.,  
Chairman  
Dale W. Stovall, M.D.  
Michael P. Steinkampf, M.D.

The November Group, Inc.

C. Martin Beard

Redshift Technology, Inc.

Matthew V. Scott

**RESOLVE: The National Infertility Association**

Margaret R. Hollister, J.D.,  
Executive Director  
Diane Clapp

Publication support was provided by Palladian Partners under Contract No. 200-98-0415 for the National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

# Table of Contents

---

<b>Preface</b> .....	1
<b>Commonly Asked Questions About This Report</b> .....	3
<b>1998 National Report</b> .....	7
Introduction to the 1998 National Report .....	9
Section 1: Overview .....	10
Section 2: ART Cycles Using Fresh, Nondonor Eggs or Embryos .....	12
Section 3: ART Cycles Using Only Frozen Embryos .....	31
Section 4: ART Cycles Using Donor Eggs .....	32
<b>1998 Fertility Clinic Tables</b> .....	35
Introduction to Fertility Clinic Tables .....	37
Important Factors to Consider When Using These Tables to Assess a Clinic .....	37
How to Read a Fertility Clinic Table .....	41
1998 National Summary Table .....	47
Alabama .....	49
Arizona .....	53
Arkansas .....	61
California .....	63
Colorado .....	114
Connecticut .....	121
Delaware .....	126
District of Columbia .....	128
Florida .....	131
Georgia .....	153
Hawaii .....	156
Illinois .....	158
Indiana .....	179
Iowa .....	187
Kansas .....	190
Kentucky .....	194
Louisiana .....	198
Maryland .....	204
Massachusetts .....	212
Michigan .....	221
Minnesota .....	235
Mississippi .....	239

---

Missouri . . . . .	.240
Nebraska . . . . .	.247
Nevada . . . . .	.249
New Hampshire . . . . .	.251
New Jersey . . . . .	.252
New Mexico . . . . .	.268
New York . . . . .	.270
North Carolina . . . . .	.299
North Dakota . . . . .	.306
Ohio . . . . .	.307
Oklahoma . . . . .	.321
Oregon . . . . .	.324
Pennsylvania . . . . .	.326
Puerto Rico . . . . .	.345
Rhode Island . . . . .	.346
South Carolina . . . . .	.347
South Dakota . . . . .	.349
Tennessee . . . . .	.350
Texas . . . . .	.356
Utah . . . . .	.379
Vermont . . . . .	.382
Virginia . . . . .	.383
Washington . . . . .	.391
West Virginia . . . . .	.399
Wisconsin . . . . .	.400
<b>Appendices . . . . .</b>	<b>.409</b>
Appendix A: How to Interpret a Confidence Interval . . . . .	.409
Appendix B: Glossary of Terms Used in This Report . . . . .	.413
Appendix C: ART Clinics That Reported 1998 Data for Publication, by State . . . . .	.419
Nonreporting ART Clinics for 1998, by State . . . . .	.445

# Preface

---

For many people who want to start a family, the dream of having a child is not easily realized; about 15% of women of childbearing age in the United States have received an infertility service. Assisted reproductive technology (ART) has been used in the United States since 1981 to help women become pregnant, most commonly through the transfer of fertilized human eggs into a woman's uterus. However, for many people, deciding whether to undergo this expensive and time-consuming treatment can be difficult.

The goal of this report is to help potential ART users make informed decisions about ART by providing some of the information needed to answer the following questions:

- What are my chances of having a child by using ART?
- Where can I go to get this treatment?

The Society for Assisted Reproductive Technology (SART), an organization of ART providers affiliated with the American Society for Reproductive Medicine (ASRM), has been collecting data and publishing annual reports of pregnancy success rates for fertility clinics in the United States and Canada since 1989. In 1992, the U.S. Congress passed the Fertility Clinic Success Rate and Certification Act, which requires the Centers for Disease Control and Prevention (CDC) to publish pregnancy success rates for ART in fertility clinics in the United States. Since 1995, SART and CDC have worked together to report ART success rates.

The 1998 report of pregnancy success rates is the fourth to be issued under the law. It is coauthored by CDC, SART/ASRM, and RESOLVE: The National Infertility Association. This report is based on the latest available data collected by SART on the type, number, and outcome of ART cycles performed in U.S. clinics.

In addition to a brief question-and-answer section that follows this preface, the 1998 ART report has three major sections:

- **A national report:** The national report section presents overall success rates and shows how they are affected by certain patient and treatment characteristics. Because the national report contains data from all 360 fertility clinics that reported, it can give people considering ART a good idea of the average chances of having a child by using ART.
- **Fertility clinic tables:** Success also is related to the expertise of a particular clinic's staff and the quality of its laboratory. The fertility clinic table section displays results of ART success rates for individual U.S. fertility clinics in 1998.

- **Appendices:**

**Appendix A** is a guide to interpreting reliability ranges (called 95% confidence intervals).

**Appendix B** is a glossary that provides definitions for technical and medical terms used throughout the report.

**Appendix C** includes the names and addresses of all reporting clinics along with a list of clinics known to be in operation in 1998 that did not report their success rate data to CDC as required.

Success rates can be reported in a variety of ways, and the statistical aspects of these rates can be difficult to interpret. As a result, presenting information about ART success rates is a complex task. This report is intended for the general public, and the emphasis is on presenting the information in an easily understandable form. CDC, SART/ASRM, and RESOLVE hope that this report is informative and helpful to people considering an ART procedure. We welcome any suggestions for improving the report and making it easier to use.



# Commonly Asked Questions About This Report

---

## **What is assisted reproductive technology (ART)?**

Although various definitions have been used for ART, the definition used in this report is based on the 1992 law that requires CDC to publish this report. According to this definition, ART includes all fertility treatments in which both egg and sperm are handled. In general, ART procedures involve surgically removing eggs from a woman's ovaries, combining them with sperm in the laboratory, and returning them to the woman's body or donating them to another woman. They do NOT include treatments in which only sperm are handled (i.e., artificial insemination or intrauterine insemination) or procedures in which a woman takes drugs only to stimulate egg production without the intention of having eggs retrieved.

The types of ART include

- IVF (in vitro fertilization).
- GIFT (gamete intrafallopian transfer).
- ZIFT (zygote intrafallopian transfer).

These terms are explained in Figure 2 on page 11 and in the glossary, which begins on page 413.

In addition, ART often is categorized according to whether the procedure used a woman's own eggs (nondonor) or eggs from another woman (donor) and according to whether the embryos used were newly fertilized (fresh) or previously fertilized, frozen, and then thawed (frozen).

## **How many people in the United States have infertility problems?**

The latest data on infertility available to CDC are from the 1995 National Survey of Family Growth.

- Of the approximately 60 million women of reproductive age in 1995, about 1.2 million, or 2%, had had an infertility-related medical appointment within the previous year and an additional 13% had received infertility services at some time in their lives. (Infertility services include medical tests to diagnose infertility, medical advice and treatments to help a woman become pregnant, and services other than routine prenatal care to prevent miscarriage.)
- Additionally, 7% of married couples in which the woman was of reproductive age (2.1 million couples) reported they had not used contraception for 12 months and the woman had not become pregnant.

## **Why doesn't the report contain specific medical information about ART?**

As mandated by law, the report describes a woman's average chances of success using ART and presents the success rates of individual U.S. fertility clinics in a particular year. Although the report provides some information about factors, such as age and primary infertility diagnosis, that may affect success with ART, it doesn't address specific medical problems. A physician in clinical practice should be consulted for the individual evaluation that will help a woman or couple understand their specific medical situation and their chances of success using ART.

In addition, The American Society for Reproductive Medicine (ASRM) and the Society for Assisted Reproductive Technology (SART) issue guidelines dealing with specific ART practice

issues, such as the number of embryos to be transferred in an ART procedure. Further information can be obtained from ASRM or SART (telephone 205-978-5000 or Web site <http://www.asrm.org>).

### **Why is the report of 1998 success rates being published in 2000?**

Before success rates based on live births can be calculated, every ART pregnancy must be followed up to determine if a birth occurred. Thus the earliest that clinics can report annual data is late in the year *after* ART treatment was initiated (nine months past year-end, when all the births have occurred). Accordingly, the results of all the cycles initiated in 1998 were not known until October 1999. After ART outcomes were known, the following steps had to be completed before the report could be published:

- Clinics entered their data into an electronic data collection system and verified the data's accuracy before sending the data to SART.
- SART compiled a national data set from the data submitted by individual clinics.
- CDC randomly selected a percentage of the reporting clinics for on-site quality control visits by SART validation teams, who checked the submitted data against the information in the medical records to be sure they matched.
- CDC data analysts did comprehensive checks of the numbers reported for every clinic.
- Clinic tables, national figures, and accompanying text in both the printed and Web site versions were compiled and laid out.
- CDC, SART/ASRM, and RESOLVE reviewed and approved the report.

These steps are time-consuming but essential for ensuring that the report provides the public with correct information and does not misrepresent any clinic's success rates.

### **Which clinics are represented in this report?**

The data in both the national report and the individual fertility clinic reports come from 360 fertility clinics that provided and verified information about the outcomes of the ART cycles started in their clinics in 1998. For current information on SART member clinics, contact SART (205-978-5000, extension 109).

Although we believe that almost all clinics that provided ART services in the United States throughout 1998 are represented in this report, data for a few clinics or practitioners have not been included in this report because they either were not in operation throughout 1998 or did not report as required. Clinics and practitioners known to have been in operation throughout 1998 that did not report and verify their data are listed in this report as nonreporters, as required by law. (See Appendix C, Nonreporting ART Clinics for 1998, by State.) We will continue to make every effort to include all clinics and practitioners providing ART services in future reports.

## **What quality control steps are used to ensure data accuracy?**

To have their success rates published in this annual report, clinics have to submit their data in time for analysis and the clinics' medical directors have to verify that the tabulated success rates are accurate. After the data have been verified, a quality control process called validation begins. This year, 29 of the 360 reporting clinics were selected for site visits. Two members of the SART Validation Committee visited these clinics and compared medical record data on 50 randomly selected cycles with the data submitted for the report. In almost all cases, data on pregnancies and births in the medical records were consistent with reported data. Validation primarily helps to ensure that clinics are being careful to submit accurate data. It also serves to identify any systematic problems that could cause data collection to be inconsistent or incomplete.

Although SART compares medical records with data submitted for this report, the validation process does not include any assessment of clinical practice or overall record keeping.

## **Does this report include all ART cycles performed by the reporting clinics?**

A small number of ART cycles are not included in the national data. All of these cycles are in one of the following two categories:

- Surrogate or gestational carrier cycles, in which a woman receives the embryo transfer and carries the developing fetus for another woman. The gestational carrier usually has a contractual obligation to return the infant to its intended parents. In 1998, 809 such cycles were reported to CDC; the overall success rate of cycles using gestational carriers was 29.2%.
- Cycles in which a new treatment procedure (e.g., preimplantation genetic diagnosis or cytoplasmic egg transfer) was being evaluated. Only 25 ART cycles fell into this category in 1998.

## **If a woman has had more than one ART treatment cycle, how is the success rate calculated?**

As required by law, this report presents ART success rates in terms of cycles started each year rather than in terms of women. (A cycle starts when a woman begins taking fertility drugs or having her ovaries monitored for follicle production.) Therefore, women who had more than one ART cycle started in 1998 are represented in multiple cycles. Success rates cannot be calculated on a "per woman" basis because women's names are not reported to SART and CDC.

## **Does CDC have any information on the age, race, income, and education levels of women who donate eggs?**

CDC does not collect information on egg donors beyond what is presented in this report. Success rates for cycles using donor eggs or using embryos derived from donor eggs are broken down by the age of the woman who received the eggs or embryos.

## **What is CDC doing to ensure that the report is helpful to the public?**

In 1999, CDC held focus groups of people who were either considering or undergoing ART in four cities in different areas of the country. The groups generally were satisfied with both the format and content of the report. They suggested specific ways to improve the report and additional information to include. Because of our publication schedule, we were able to use only some of the suggestions in last year's report; additional changes were incorporated this year, and other improvements are being considered for future years.

## **How can I get information about costs and insurance coverage of ART?**

RESOLVE, a major national consumer group supporting people dealing with infertility, provides current information on insurance coverage in each state and guidance on paying for treatment. This information is available on RESOLVE's Web site (<http://www.resolve.org>) and from its national help line (617-623-0744).

## **What information should I ask for when I go to an ART clinic?**

For a list of some of the questions you may want to ask when you meet with an ART practitioner, visit RESOLVE's Web site at <http://www.resolve.org> or contact its help line at 617-623-0744.

## **Where can I get additional information on U.S. fertility clinics?**

For further information on specific clinics, contact the clinic directly. In addition, SART can provide general information on its member clinics (telephone 205-978-5000, extension 109).

---

*1998*

---

*National*

---

*Report*

---

# Introduction to the 1998 National Report

---

Data provided by U.S. clinics that use assisted reproductive technology (ART) to treat infertility are a rich source of information about the factors that contribute to a successful ART treatment, the delivery of a live-born infant. Pooling the data from all reporting clinics provides an overall national picture that could not be obtained by examining data from an individual clinic.

A woman's chances of having a pregnancy and a live birth by using ART are influenced by many factors, some of which (e.g., the woman's age and the cause of infertility) are outside a clinic's control. Because the national data set includes information on many of these factors, it can give potential ART users an idea of their average chances of success. Average chances, however, do not necessarily apply to a particular individual or couple. People considering ART should consult their physician to discuss all the factors that apply in their particular case.

The data for this national report come from the 360 fertility clinics in operation in 1998 that provided and verified data on the outcomes of all ART cycles started in their clinics. ART cycles performed at the reporting clinics in 1998 resulted in 19,891 deliveries of one or more living infants (live births) and 28,500 babies.

The national report consists of graphs and charts that use 1998 data to answer specific questions related to ART success rates. These figures are organized according to the type of ART procedure used. Some ART procedures use a woman's own eggs, and others use donated eggs or embryos. (Although sperm used to create an embryo also may be either from a woman's partner or from a sperm donor, information in this report is presented according to the source of the egg.) In some procedures, the embryos that develop are transferred back to the woman (fresh embryo transfer); in others, the embryos are frozen (cryopreserved) for transfer at a later date. This report includes data on frozen embryos that were thawed and transferred in 1998.

The national report has four sections:

- Section 1 (Figures 1 and 2) presents information from all ART procedures reported.
- Section 2 (Figures 3 through 21) presents information on the 61,650 ART cycles that used only fresh embryos from nondonor eggs or, in a few cases, a mixture of fresh and frozen embryos from nondonor eggs.
- Section 3 (Figure 22) presents information on the ART cycles that used only frozen embryos (11,228 cycles resulting in 10,058 transfers).
- Section 4 (Figures 23 and 24) presents information on the ART cycles that used only donated eggs or embryos (7,756 cycles resulting in 7,065 transfers).


The 1998 national summary table, which is based on data from all clinics included in this report, is on page 47, immediately preceding the individual clinic tables. An explanation of how to read these tables is on page 41.

## SECTION 1: OVERVIEW

### Where are U.S. ART clinics located, how many ART cycles did they perform in 1998, and how many infants were born?

Although ART clinics are located throughout the United States, the greatest number of clinics is in the eastern United States. Most clinics are in or near major cities. Figure 1 shows the locations of the 360 reporting clinics. The fertility clinic section of this report, arranged in alphabetical order by state, city, and clinic, provides specific information on each of these clinics.

The number of clinics, cycles performed, live-birth deliveries, and live babies born as a result of ART all have increased steadily since CDC began collecting this information in 1995. Because in some cases more than one infant is born during a live-birth delivery (e.g., twins), the total number of live babies born is greater than the number of live-birth deliveries. In 1998, approximately 0.7% of all live babies born in the United States were the result of ART procedures.




Number of ART clinics in the United States in 1998:	390
Number of U.S. ART clinics that submitted data in 1998:	360
Number of ART cycles reported for 1998:	80,634
Number of live-birth deliveries resulting from ART cycles started in 1998:	19,891
Number of live babies born as a result of ART cycles carried out in 1998:	28,500

## What types of ART procedures were used in the United States in 1998?

The 80,634 ART cycles carried out in 1998 used one of the following procedures:

- **IVF (in vitro fertilization)** involves extracting a woman's eggs, fertilizing the eggs in the laboratory, and then transferring the resulting embryo(s) into the woman's uterus through the cervix.
- **GIFT (gamete intrafallopian transfer)** involves using a fiber-optic instrument called a laparoscope to guide the transfer of unfertilized eggs and sperm (gametes) into the woman's fallopian tubes through small incisions in her abdomen.
- **ZIFT (zygote intrafallopian transfer)** involves fertilizing a woman's eggs in the laboratory and then using a laparoscope to guide the transfer of the fertilized eggs (zygotes) into her fallopian tubes.

Most IVF, GIFT, and ZIFT cycles used fresh, nondonor eggs or embryos.





## SECTION 2: ART CYCLES USING FRESH, NONDONOR EGGS OR EMBRYOS

The results of all ART (IVF, GIFT, and ZIFT) cycles that used fresh, nondonor eggs or embryos are presented together throughout this report, except where indicated in Figure 19, because the numbers of ZIFT and GIFT procedures are relatively small.

### What are the steps for an ART procedure using fresh, nondonor eggs or embryos?

Figure 3 presents the steps for an ART cycle using fresh, nondonor eggs or embryos and shows how ART users in 1998 progressed through these stages toward pregnancy and live birth.

An ART **cycle is started** when a woman begins taking medication to stimulate the ovaries to develop eggs or, if no drugs are given, when the woman begins having her ovaries monitored (using ultrasound or blood tests) for natural egg production.


If eggs are produced, the cycle then progresses to **egg retrieval**, a surgical procedure in which eggs are collected from a woman's ovaries.

Once retrieved, eggs are combined with sperm in the laboratory. If fertilization is successful, one or more of the resulting embryos are selected for **transfer**, most often into a woman's uterus through the cervix (IVF).

If one or more of the transferred embryos implants within the woman's uterus, the cycle then progresses to clinical **pregnancy**.

Finally, the pregnancy may progress to a **live birth**, the delivery of one or more live-born infants. (The birth of twins, triplets, or more is counted as *one* live birth.)


A cycle may be discontinued at any step for specific medical reasons (e.g., no eggs are produced or the embryo transfer was not successful) or by patient choice.



## How is the success of an ART procedure measured?

Figure 4 shows ART success rates using four different measures, each providing slightly different information about this complex process. All of these rates have increased slightly each year since CDC began monitoring them in 1995; for example, the live birth per cycle rate was 19.6% in 1995 and 24.9% in 1998. Age-specific success rates using each of these measures are shown in the National Table on page 47.


- **Pregnancy per cycle rate:** the percentage of ART cycles started that produced a pregnancy. This rate is higher than the live birth per cycle rate because some pregnancies end in miscarriage, therapeutic abortion, or stillbirth (see Figure 6, p. 15).
- **Live birth per cycle rate:** the percentage of ART cycles started that resulted in a live birth (a delivery of one or more living babies). This rate is the one many people are most interested in because it represents the average chances of having a live-born infant by using ART. **Throughout this report, live birth rate means live birth per cycle rate unless otherwise specified.**
- **Live birth per egg retrieval rate:** the percentage of ART cycles in which eggs were retrieved that resulted in a live birth. It is generally higher than the live birth per cycle rate because it excludes those cycles that were canceled before eggs were retrieved. In 1998, about 14% of all cycles using fresh, nondonor eggs or embryos were canceled for a variety of reasons.
- **Live birth per transfer rate:** includes only those ART cycles in which an embryo or egg and sperm were transferred back to the woman. This rate generally is the highest of these four measures of ART success.



## What percentage of ART cycles results in a clinical pregnancy?

Figure 5 shows the results of the 1998 ART cycles that used fresh, nondonor eggs or embryos. Most of these cycles (68.9%) did not produce a pregnancy, while a very small proportion (0.6%) resulted in an ectopic pregnancy (the embryo implanted outside the uterus). Clinical pregnancy was achieved in 30.5% of these ART cycles. More specifically,


- 18.7% resulted in a single-fetus pregnancy.
- 11.8% resulted in a multiple-fetus pregnancy.



## What percentage of pregnancies results in live births?

Figure 6 shows the outcomes of pregnancies resulting from ART cycles in 1998 (see Figure 5). Approximately 82% of the pregnancies resulted in a live birth (50.9% in a singleton birth and 30.9% in multiple-infant births). Approximately 18% of pregnancies resulted in an adverse outcome (miscarriage, induced abortion, or stillbirth).

Although the birth of more than one baby is counted as one live birth, multiple-infant births are presented here as a separate category because they often are associated with problems for both mothers and infants. Infant deaths and birth defects are not included as adverse outcomes because the available information for these outcomes is incomplete.




## Using ART, what is the risk of having a multiple-fetus pregnancy or multiple-infant birth?

Multiple-infant births are associated with greater problems for both mothers and infants. These include higher rates of caesarean section, prematurity, low birth weight, and infant death and disability.

Part A of Figure 7 shows that among the 18,800 pregnancies that resulted from ART cycles using fresh, nondonor eggs or embryos, 61% were singleton pregnancies, 28% were twin pregnancies, and 11% were triplet or greater pregnancies. Thus, overall, about 39% of the pregnancies included more than one fetus.


In 1998, 3,433 pregnancies ended in either miscarriage, stillbirth, or induced abortion. The remaining 15,367 pregnancies resulted in live births. Part B of Figure 7 shows that about 38% of these live births produced more than one infant (32% twins and 6% triplets or more). This compares with a multiple-infant birth rate of less than 3% in the general U.S. population.

Although the total rates for multiples were similar between pregnancies and live births, there were almost twice as many triplet pregnancies as triplet births. Triplet (or more) pregnancies may be reduced to twins or singletons by the time of birth. This can happen naturally (e.g., fetal death), or a woman and her doctor may decide to reduce the number of fetuses using a procedure called multifetal pregnancy reduction. Information on medical multifetal pregnancy reductions is incomplete and therefore is not provided here.




## What are the ages of women who have an ART procedure?

Figure 8 presents 1998 ART cycles using fresh, nondonor eggs or embryos according to the age of the woman who had the procedure. About 70% of these cycles were among women aged 30–39. Because very few women younger than age 22 used ART and very few women older than age 47 used ART with their own eggs, those cycles are not included in the figure.



## Do ART success rates differ among women of different ages?


A woman's age is the most important factor affecting the chances of a live birth when her own eggs are used. Figure 9 shows both the pregnancy and live birth rates for women of different ages who had ART procedures in 1998. Among women in their twenties, both pregnancy and live birth rates were relatively stable; however, both rates declined sharply from the mid-thirties onward as fertility declined with age. For additional detail on success rates among women aged 40 years and older, see Figure 10.



## How do ART success rates differ for women aged 40 years or older?

Success rates decline from the mid-thirties onward and are particularly low for women 40 and older. Figure 10 shows pregnancy and live birth rates for women 40 or older. The average chance for pregnancy was 21.6% for women aged 40; the live birth rate for this age was 15.1%. This rate dropped steadily with each one-year increase in age. The live birth rate was approximately 6% for women aged 43, and 3% for women older than 43.

**Figure 10**  
**Pregnancy and Live Birth Rates for ART Cycles Using Fresh, Nondonor Eggs or Embryos Among Women Age 40 and Older, 1998**






## How do miscarriage rates vary among women of different ages undergoing ART?

A woman's age not only affects the chance for pregnancy when her own eggs are used, but also affects her risk for miscarriage. Figure 11 shows miscarriage rates for women of different ages who became pregnant using ART procedures in 1998. Miscarriage rates generally were near or below 15% among women younger than 35. The rates began to increase among women in their mid- to late-30s and continued to increase with age, reaching 26% at age 40 and 35% at age 42.

The miscarriage rates observed among women undergoing ART procedures appear to be similar to those reported previously in various studies of women who were either pregnant or attempting to conceive.

**Figure 11**  
**Miscarriage Rates Among Women Who Had ART Cycles Using Fresh, Nondonor Eggs or Embryos, by Age of Woman, 1998**



## How does a woman's age affect her chances of progressing through the various stages of ART?


In 1998, a total of 61,650 cycles using fresh, nondonor eggs or embryos were started:

- 27,858 among women younger than 35.
- 14,146 among women 35–37.
- 12,037 among women 38–40.
- 7,609 among women older than 40.

Figure 12 shows that a woman's chance of progressing from the beginning of ART to pregnancy and live birth (using her own eggs) *decreases* at **every stage** of ART as her age *increases*.

- As women get older, the likelihood of a successful response to ovarian stimulation and progression to **egg retrieval** decreases.
- As women get older, cycles that have progressed to egg retrieval are slightly less likely to reach **transfer**.
- The percentage of cycles that progress from transfer to **pregnancy** also decreases as women get older.
- As women get older, cycles that have progressed to pregnancy are less likely to result in a **live birth** because the risk for miscarriage is increased (see Figure 11).


Overall, 32% of cycles started in 1998 among women younger than 35 resulted in live births. This percentage decreased to 26% among women aged 35–37, 18% among women aged 38–40, and 8% among women older than 40.



## What are the causes of infertility among couples who use ART?


Figure 13 shows the primary diagnoses reported for infertility among couples who had an ART procedure in 1998. Although some couples have more than one cause of infertility, only one is reported as primary. In addition, diagnostic procedures and categories may vary from one clinic to another, so the categorization may be inexact.

- **Tubal factor** usually means that the woman’s fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.
- **Male factor** usually refers to a low sperm count or problems with sperm function that make it difficult for a sperm to fertilize an egg under normal conditions.
- **Endometriosis** involves the presence of tissue similar to the uterine lining in abnormal locations. This condition can affect both fertilization of the egg and embryo implantation.
- **Ovulatory dysfunction** means that the ovaries are not producing eggs normally or that egg production has diminished with age.
- **Uterine factor** means a disorder of the uterus that results in reduced fertility.
- **Unexplained cause** means that no cause of infertility was found in either the woman or the man.
- **Other causes** of infertility include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.




## Does the cause of infertility affect the chances of success using ART?

Figure 14 shows the percentage of live births after an ART procedure according to the primary cause of infertility. (See the glossary in Appendix B or Figure 13 for an explanation of the diagnoses.) The success rates varied little among most of the different diagnoses; most were near the overall national success rate of 24.9%. However, the use of these diagnostic categories may vary from clinic to clinic, and the definitions are imprecise.




## How many women who used ART have previously given birth?

Figure 15 shows the number of children born previously to women who had an ART procedure in 1998. Most of these women (77%) had no previous births although they may have had a pregnancy that resulted in a miscarriage or a therapeutic abortion. Seventeen percent reported one previous birth, and 6% reported two or more. However, we do not know how many of these children were conceived naturally and how many by an ART procedure. These data nonetheless point out that women who have previously had children can still face infertility problems, including the infertility of a new partner.




## How do the chances of success using ART compare for women who have previously given birth and women who have not?

Figure 16 shows the relationship between the success of an ART cycle performed in 1998 and the history of previous births to the woman who had the treatment. Previous live-born infants were conceived naturally in some cases and through ART in others. In all age groups, women who had not had a previous live birth were less likely to have a live birth by using ART.



## How many embryos were transferred in ART procedures?

Figure 17 shows that approximately 80% of ART cycles that progressed to the embryo transfer stage in 1998 involved the transfer of three or more embryos, 47% of cycles involved the transfer of four or more, and 19% of cycles involved the transfer of five or more embryos.




## Is an ART cycle more likely to be successful when more embryos are transferred?

Figure 18 shows the relationship between the number of embryos transferred during an ART procedure in 1998 and the number of infants born alive as a result of that procedure. In general, transferring multiple embryos during an ART cycle improves the chances for a live birth but also increases the possibility of a multiple-infant birth. Multiple-infant births cause concern because of the additional health risks they create for both the mother and infants.

The relationships between number of embryos transferred, success rates, and multiple-infant births are complicated by several factors, such as age and embryo quality. Thus, the relationships shown in this figure do not hold for all women. A more detailed CDC report that discusses how various factors may affect the relationship between the number of embryos transferred, live birth rates, and multiple-infant birth rates was published in *JAMA* in 1999 (Vol. 282, No. 19, pages 1832–1838).


**Figure 18**  
**Live Birth and Multiple-Infant Birth Rates for**  
**ART Cycles Using Fresh, Nondonor Eggs or Embryos,**  
**by Number of Embryos Transferred, 1998**





## What are the live birth rates for different types of ART procedures?


Figure 19 shows the percentage of egg retrievals in 1998 that used a particular type of ART procedure and resulted in a live birth. Because the same patterns were seen among all age groups, results are given for all age groups combined. In 1998, success rates for IVF, GIFT, and ZIFT were very similar. Some women with tubal infertility are not suitable candidates for GIFT and ZIFT. In addition, GIFT and ZIFT are more invasive procedures than IVF because they involve inserting a laparoscope into a woman’s abdomen to transfer the embryos or gametes into the fallopian tubes. In contrast, IVF involves transferring embryos into a woman’s uterus through the cervix without surgery.



## Is an ART cycle more likely to be successful for couples with male factor infertility when ICSI is used?

In 1998, approximately 40% of ART cycles using fresh, nondonor eggs or embryos used ICSI (intracytoplasmic sperm injection, a procedure in which a single sperm is injected directly into an egg), most often to overcome problems with sperm function or motility. Figure 20 compares the success rates for ART procedures involving ICSI with those not involving ICSI among couples with male factor as the primary diagnosis. Because ICSI can be performed only when at least one egg has been retrieved, only the live birth per retrieval rate and the live birth per transfer rate are compared. In 1998, success rates per retrieval were slightly higher when ICSI was used, indicating that ICSI may improve the chances of fertilization among couples with male factor infertility. The similarity in success rates for live births per transfer with and without ICSI shows that once the egg was fertilized, ICSI did not affect the success rate.


**Figure 20**  
**Success Rates for ART Cycles Using Fresh, Nondonor Eggs or Embryos, Including and Not Including ICSI Among Couples With Male Factor Infertility,\* 1998**



\*As the primary diagnosis; cycles using donor sperm are excluded.

## Does the size of the clinic affect its success rate?


The number of ART procedures carried out every year varies among fertility clinics in the United States. In 1998, success rates tended to be slightly higher among clinics that performed more cycles. In Figure 21, clinics are divided into four *equal* groups (called quartiles) based on the size of the clinic as determined by the number of cycles it carried out. The percentage for each quartile represents the average success rate for clinics in that quartile. For the exact number of cycles and success rates at an individual clinic, refer to the clinic table section of this report.



## SECTION 3: ART CYCLES USING ONLY FROZEN EMBRYOS

### What are the success rates for ART using frozen embryos?

Approximately 14% of all ART cycles performed in 1998, or 11,228 cycles, used only frozen embryos. Figure 22 compares the success rates for frozen embryos with the rate for fresh embryos. Some embryos do not survive the freezing or thawing process. Thus, the live birth per thaw rate, which takes into account all embryos frozen, is usually lower than the live birth per transfer rate. In 1998, the live birth per thaw and live birth per transfer rates for frozen embryos were lower than the live birth per transfer rate for fresh embryos. However, cycles that use frozen embryos are both less expensive and less invasive than fresh embryo cycles because the woman does not have to go through the fertility drug stimulation and egg retrieval process again.




## SECTION 4: ART CYCLES USING DONOR EGGS

### Are older women more likely to have ART using donor eggs?

As shown in Figures 9, 10, and 11, eggs produced by women in older age groups form embryos that are less likely to implant and more likely to spontaneously abort if they do implant. As a result, ART using donor eggs is much more common among older women than among younger women. Donor eggs were used in approximately 10% of all ART cycles carried out in 1998, or 7,756 cycles. Figure 23 shows the percentage of ART cycles using donor eggs in 1998 according to the woman's age. Donor eggs were used in less than 5% of cycles among women younger than age 37. The percentage of cycles carried out with donor eggs then increased sharply. Among women older than age 46, more than 70% of all ART cycles used donor eggs.


**Figure 23**  
**Percentage of ART Cycles Using Donor Eggs,**  
**by Age of Recipient, 1998**



## What are the success rates for ART when donor eggs are used?

Figure 24 compares success rates for ART using donor eggs with those for ART using a woman's own eggs among women of different ages. The likelihood of a fertilized egg implanting is related to the age of the woman who produced the egg. Egg donors are typically in their twenties or early thirties. Thus, the live birth per transfer rate for cycles using embryos from donor eggs varies only slightly across all age groups. In contrast, this rate for cycles using embryos from the woman's own eggs declines steadily as women get older.

**Figure 24**  
**Live Births per Transfer for Fresh Embryos From Own and Donor Eggs, by Age of Recipient, 1998**



---

*1998*

---

*Fertility*

---

*Clinic*

---

*Tables*

---

# Introduction to Fertility Clinic Tables

---

In this section, each clinic's data are presented in a one-page table that includes the types of ART used, patient diagnoses, success rates that each clinic reported and verified for 1998, and individual program characteristics. Clinics are listed in alphabetical order by state, city, and clinic. The first table in this section is the national summary of combined data from all clinics.

Many people considering ART will want to use this report to find the "best" clinic. However, comparisons between clinics must be made with caution. Many factors contribute to the success of an ART procedure. Some factors are related to the training and experience of the ART clinic and laboratory professionals and the quality of services they provide. Other factors are related to the patients themselves, such as their age and the cause of their infertility. Some clinics may be more willing than others to accept patients with low chances of success or may specialize in different ART treatments that attract particular types of patients. These and other factors to consider when interpreting clinic data are discussed below.

## **Important Factors to Consider When Using These Tables to Assess a Clinic**

- *These statistics are for 1998.* Data for cycles started in 1998 could not be published until 2000 because the final outcomes of pregnancies conceived in December 1998 were not known until October 1999. Additional time was then required to collect and analyze the data and prepare the report. Many factors that contribute to a clinic's success rate may have changed, for better or for worse, in the two years since these procedures were performed. Personnel may be different. Equipment and training may or may not have been updated. As a result, success rates for 1998 may differ from current rates.
- *No reported success rate is absolute.* A clinic's success rates will vary from year to year even if all determining factors remain the same. However, the more cycles that a clinic carries out, the less the rate is likely to vary. Conversely, clinics that carry out fewer cycles are likely to have more variability in success rates from year to year. As an extreme example, if a clinic reports only one ART cycle in a given category, as is sometimes the case in the data presented here, the clinic's success rate in that category would be either 0% or 100%. For further detail, see the explanation of reliability ranges (confidence intervals) on page 44.
- *Some clinics see more than the average number of patients with difficult infertility problems.* Some clinics are willing to offer ART to most potential users, even those who have a low probability of success. Others discourage such patients or encourage them to use donor eggs, a practice that results in higher success rates among older women. Clinics that accept a higher percentage of women who previously have had multiple unsuccessful ART cycles will generally have lower success rates than clinics that do not. In contrast, clinics that offer ART procedures to patients who might have become pregnant with less technologically advanced treatment will have higher success rates than clinics that do not.

A related issue is that success rates shown in this report are presented in terms of cycles, as required by law, rather than in terms of women. As a result, women who had more than one ART cycle in 1998 are represented in multiple cycles. If a woman who underwent several ART cycles at a given clinic either never had a successful cycle or had a successful cycle only after numerous attempts, the clinic's success rates would be lowered.



- *Cancellation rates affect a clinic's success rate.* Some clinics are more likely than others to cancel a cycle if a woman produces only a small number of eggs. Cancellation rates for cycles using fresh, nondonor eggs or embryos vary among clinics from less than 1% to approximately 35%. A high cancellation rate tends to lower the live birth per cycle rate but may increase the live birth per retrieval and live birth per transfer rates.
- *Success rates for unstimulated (or "natural") cycles are included with those for stimulated cycles.* In an unstimulated cycle, the woman ovulates naturally rather than through the daily injections required by stimulated cycles. Unstimulated cycles are less expensive because they require no daily injections and fewer ultrasounds and blood tests. However, women who use natural or mild stimulation produce only one or two follicles, thus reducing the potential number of embryos for transfer. As a result, unstimulated cycles have lower success rates, and clinics that carry out a relatively high proportion of unstimulated cycles will have lower success rates than those that do not. Nationally, fewer than 1% of ART cycles in 1998 were unstimulated. However, in a very few clinics, more than 25% of cycles were unstimulated.
- *Live births resulting from extra embryos from a stimulated cycle that were frozen and transferred at a later date are counted only once under "cycles using frozen embryos."* Clinics that have very good live birth rates with frozen embryos would have higher ART success rates if live births from frozen embryos were included as a success for the original stimulated cycle. Consumers should look at rates for both cycles using fresh embryos and those using frozen embryos when assessing a clinic's success rates.
- *The number of embryos transferred varies from clinic to clinic.* In 1998, the average number of fresh, nondonor embryos that a clinic transferred to women younger than 35 years old ranged from 1.0 to 5.9. The American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology discourage the transfer of a large number of embryos because it increases the likelihood of multiple gestations. Multiple gestations, in turn, increase both the probability of premature birth and its related problems and the need for multifetal pregnancy reductions.

In addition, success rates can be affected by many other factors, including

- the quality of eggs.
- the quality of sperm (including motility and ability to penetrate the egg).
- the skill and competence of the treatment team.
- the general health of the woman.
- genetic factors.

We encourage consumers considering ART to contact clinics to discuss their specific medical situation and their potential for success using ART. Because clinics did not have the opportunity to provide a narrative to explain their data, such a conversation could provide additional information to help people decide whether or not to use ART.

Although ART offers important options for the treatment of infertility, the decision to use ART involves many factors in addition to success rates. Going through repeated ART cycles requires substantial commitments of time, effort, money, and emotional energy. Therefore, consumers should carefully examine all related financial, psychological, and medical issues before beginning treatment. They also will want to consider the location of the clinic, the counseling and support services available, and the rapport that staff have with their patients.

An explanation of how to read a fertility clinic table begins on page 41.

## Sample Clinic Table

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

1 Type of ART <sup>a</sup>				2 Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	1%
GIFT	0%			Male factor	25%	Other factors	13%
ZIFT	0%	With ICSI	66%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

### 4 1998 PREGNANCY SUCCESS RATES

3 Data verified by X.Y. Zee, M.D.

Type of Cycle	5 Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>4A Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	161	45	27	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.6	29.2	26.7	2/5
Percentage of cycles resulting in live births <sup>b, c</sup>	22.4	20.0	14.8	1/5
6 (Reliability Range)	(15.9 - 28.8)	(8.3 - 31.7)	(1.4 - 28.2)	
Percentage of retrievals resulting in live births <sup>b, c</sup>	25.2	23.1	20.0	1/4
Percentage of transfers resulting in live births <sup>b, c</sup>	25.2	25.0	4/18	1/4
Percentage of cancellations <sup>b</sup>	11.2	13.3	25.9	1/5
Average number of embryos transferred	3.1	3.5	3.7	4.3
Percentage of pregnancies with twins <sup>b</sup>	48.9	3/12	1/8	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	8.5	2/12	1/8	0/2
Percentage of live births having multiple infants <sup>b, c</sup>	58.3	4/9	2/4	0/1
<b>4B Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	3	3	1
Percentage of transfers resulting in live births <sup>b, c</sup>	2/17	1/3	1/3	0/1
Average number of embryos transferred	2.4	2.7	2.0	1.0
<b>4C Donor Eggs</b>				
Number of fresh embryo transfers	5	1	5	2
Percentage of fresh transfers resulting in live births <sup>b, c</sup>	1/5	1/1	2/5	1/2
Average number of fresh embryos transferred	3.0	4.0	3.4	3.0
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births <sup>b, c</sup>	0/2			1/1
Average number of frozen embryos transferred	3.0			5.0

### 7 CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** ART Clinic of the United States

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# How to Read a Fertility Clinic Table

---

This section is provided to help consumers understand the information presented in the fertility clinic tables. The number before each heading refers to the number of the corresponding section in the example clinic table on the opposite page. Technical terms are defined in the glossary in Appendix B.

## 1. Type of ART Used

This section gives the breakdown of ART cycle types that each clinic performed using fresh, nondonor eggs or embryos. It also lists the percentage of procedures that involved intracytoplasmic sperm injection (ICSI), which was not performed by all clinics in 1998, and the percentage of cycles that were unstimulated. (See Glossary for definitions of IVF, GIFT, ZIFT, and ICSI.)

## 2. ART Patient Diagnosis

Consumers may want to know what percentage of a particular clinic's patients have the same diagnosis as they do. (See glossary for definitions of diagnoses.) In addition, patients' diagnoses may affect a clinic's success rates. However, the use of these diagnostic categories may vary from clinic to clinic, and the definitions are imprecise. Thus, these statistics should be applied with caution.

## 3. Verification

To have success rates published in the annual report, a clinic's medical director must verify the accuracy of the tabulated success rates. The name of the individual who verified the clinic's data is shown.

## 4. Success Rates by Type of Cycle

Success rates are given for the three categories of cycles described in 4A-C below: cycles using fresh embryos from nondonor eggs, cycles using frozen embryos from nondonor eggs, and cycles using donor eggs. The ART success rates shown were calculated based on data from all ART cycle types (IVF, GIFT, and ZIFT). Data from these procedures were combined because the percentages of GIFT and ZIFT cycles are generally small.

The success rates indicate the average chance of success for the given procedure at the clinic in 1998 for each of four age groups. Success rates are calculated as the percentage of cycles started, egg retrievals, or embryo transfers that resulted in either pregnancies or live births at the ART clinic in 1998. For example, if a clinic started a total of 50 cycles in 1998 and 15 live births resulted, the average success rate for cycles started at that clinic would be

$$15 \text{ (births)} \div 50 \text{ (cycles)} = .3 \text{ or } 30\%.$$

Thus, the success rate for 1998 is 30%, meaning that 30% of cycles started that year resulted in a live birth.

When fewer than 20 cycles are reported in a given category, the rates are shown as fractions rather than percentages. For example, the sample clinic carried out only two fresh embryo cycles using donor eggs among women older than age 40. Of these two cycles, one—or 50%—was successful. However, because of the small number of cycles, 50% is not a reliable success rate, so the success rate is presented as 1/2, meaning one out of two.

## 4A. Cycles Using Fresh Embryos From Nondonor Eggs

This section includes IVF, GIFT, and ZIFT cycles that used a woman's own eggs. Cycles that used frozen embryos or donor eggs or embryos are not included here.

- **Percentage of cycles resulting in pregnancies**

(Number of pregnancies divided by number of cycles started, expressed as a percentage of cycles)

A stimulated cycle is started when a woman begins taking fertility drugs; an unstimulated cycle is started when egg production begins being monitored. The number of cycles that a clinic starts is not the same as the number of patients that it treats because some women start more than one cycle in a year. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, this rate is usually higher than the live birth rate.

- **Percentage of cycles resulting in live births**

(Number of live births divided by number of cycles started, expressed as a percentage of cycles)

This number represents the cycles that resulted in a live birth out of all ART cycles started. One live birth may include one or more children born alive, i.e., a multiple-infant birth is counted as one live birth.

- **Percentage of retrievals resulting in live births**

(Number of live births divided by number of egg retrievals, expressed as a percentage of retrievals)

This number represents the cycles that resulted in a live birth out of all cycles in which an egg retrieval was performed. The number of egg retrievals a clinic performs often is smaller than the number of cycles started because some cycles are canceled before the woman has an egg retrieved. As a result, this rate is usually higher than the live births per cycle started rate.

- **Percentage of transfers resulting in live births**

(Number of live births divided by number of embryo transfers, expressed as a percentage of transfers)

This number represents the cycles that resulted in a live birth out of all cycles in which one or more embryos were transferred into the woman's uterus or, in the case of GIFT and ZIFT, egg and sperm or embryos were transferred into the woman's fallopian tubes. A clinic may carry out more egg retrievals than embryo transfers because not every retrieval results in egg fertilization and embryo transfer. For this reason, live birth rates based on transfers generally will be higher than those reported for egg retrievals and for cycles started.

- **Percentage of cancellations**

(Number of cycles canceled divided by the total number of cycles, expressed as a percentage of cycles)

This number refers to the cycles that were stopped before an egg was retrieved. A cycle may be canceled if a woman's ovaries do not respond to fertility medications and thus do not produce a sufficient number of follicles. Cycles also may be canceled because of illness or other medical or personal reasons.

- **Average number of embryos transferred**

(Average number of embryos per embryo transfer procedure)

The average number of embryos transferred varies from clinic to clinic. The American Society for Reproductive Medicine and the Society for Reproductive Technology have practice guidelines that address this issue.

- **Percentage of pregnancies with twins**

(Number of pregnancies with two fetuses divided by the total number of pregnancies, expressed as a percentage of pregnancies)

A pregnancy with two or more fetuses is counted as one pregnancy.

- **Percentage of pregnancies with triplets or more**

(Number of pregnancies with three or more fetuses divided by the total number of pregnancies, expressed as a percentage of pregnancies)

Pregnancies with multiple fetuses can be associated with increased risk for mothers and babies (e.g., higher rates of caesarean section, prematurity, low birth weight) and the possibility of multifetal reduction.

A gestation with two or more fetuses is counted as one pregnancy.

- **Percentage of live births having multiple infants**

(Number of deliveries resulting in a birth of more than one living baby divided by the number of live births, expressed as a percentage of live births)

A delivery of one or more living babies is counted as one live birth.

## **4B. Cycles Using Frozen Embryos From Nondonor Eggs**

Frozen (cryopreserved) embryo cycles are those in which previously frozen embryos are thawed and then transferred. Because frozen embryo cycles use embryos formed from a previous stimulated cycle, no stimulation or retrieval is involved. As a result, these cycles usually are less expensive and less invasive than cycles using fresh embryos. In addition, freezing some of the embryos from a retrieval procedure may increase a woman's overall chances of having a child from a single retrieval.

## **4C. Cycles Using Donor Eggs**

Success rates are presented separately for cycles using fresh donor eggs or embryos and those using frozen donor embryos. Older women, women with premature ovarian failure (early menopause), women whose ovaries have been removed, and women with a genetic concern about using their own eggs may consider using eggs that are donated by a young, healthy

woman. Embryos donated by couples who previously had ART also may be available. Many clinics provide services for donor egg and embryo cycles. Live birth rates do not vary much by the recipient's age when donor eggs or embryos are used. (See Figure 24 on page 33.)

## 5. Age of Woman

Because a woman's fertility declines with age, clinics report lower success rates for older women attempting to become pregnant with their own eggs. For this reason, rates are reported separately for women younger than age 35, for women aged 35–37 years, for women aged 38–40 years, and for women older than age 40. This example illustrates the decline in ART success rates among older women: 22.4% of cycles started in women younger than age 35 resulted in live births, whereas only 1 out of 5 cycles started in women older than age 40 resulted in live births.

## 6. Reliability Range

The tables show a range, also called the 95% confidence interval, that tells us how reliable a clinic's demonstrated success rate is. This range is calculated only if 20 or more cycles are reported in an age category. In general, the more cycles that a clinic performs, the narrower the range. A narrow range means we are more confident that a clinic would have a similar success rate if it treated other similar groups of patients under similar clinical conditions. On the other hand, a wide range tells us that a clinic's success rate is more likely to vary under similar circumstances because we had less information (fewer cycles) on which to base our estimates.

Even though one clinic's success rate may appear higher than another's based on the confidence intervals, **these reliability ranges are only one indication that the success rate may be better. Other factors also must be considered** when comparing rates from two clinics. For example, some clinics see more than the average number of patients with difficult infertility problems, while others discourage patients with a low probability of success. For further information on important factors to consider when using the tables to assess a clinic, refer to pages 37 to 39.

For a more detailed explanation and examples of confidence intervals, see page 411 in the Appendix.

## 7. Clinic Services and Profile

- **Current name.** This name reflects name changes that may have occurred since 1998, while the clinic name at the top of the table was the name of the ART clinic as it existed in 1998. Some clinics not only have changed their names but reorganized as well. Reorganization is defined as a change in ownership or affiliation or a change in two of the three key staff positions (practice director, medical director, or laboratory director). In such cases, no current name will be listed, but a statement will be included that the clinic has undergone reorganization since 1998. Also, in such cases, no current clinic services or profile will be listed.
- **Donor egg program.** Some clinics have programs for ART using donor eggs. Donor eggs are eggs that have been retrieved from one woman (the donor) and then transferred to another woman who is unable to conceive with her own eggs (the recipient). Policies regarding sharing of donor eggs vary from clinic to clinic, and many women ask about them when considering whether to use donor eggs.



- **Donor embryo.** These are embryos that were donated by another couple who previously underwent ART treatment and had extra embryos available.
- **Single women.** Clinics have varying policies regarding ART services for single (unmarried) women.
- **Gestational carriers.** A gestational carrier is a woman who carries a child for another woman; sometimes such women are referred to as gestational surrogates. Policies regarding ART services using gestational carriers vary from clinic to clinic. Some states do not permit clinics to offer this service.
- **Cryopreservation.** This item refers to whether or not the clinic has a program for freezing extra embryos that may be available from a couple's ART cycle.
- **SART member.** For 1998, 332 of the 360 clinics reporting data are SART members.
- **Verified lab accreditation.** If "yes" appears next to this item, the ART clinic uses an embryo laboratory accredited by one of the following organizations:
  - College of American Pathologists (CAP), Reproductive Laboratory Accreditation Program
  - Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
  - New York State

If "pending" appears here, it means that the clinic has submitted an application for accreditation to one of the above organizations and has provided proof of such application to SART.

"No" indicates that the embryo laboratory has not been accredited by any of these three organizations.

CDC provides this information as a public service. Please note that CDC does not oversee any of these accreditation programs. They are all nonfederal programs. To become certified, laboratories must have in place systems and processes that comply with the accrediting organization's standards. Depending on the organization, standards may include those for personnel, quality control and quality assurance, specimen tracking, results reporting, and the performance of technical procedures. Compliance with these standards is confirmed by documentation provided by the laboratory and by on-site inspections. For further information, consumers may contact the accrediting organizations directly, as follows:

CAP, Reproductive Laboratory Accreditation Program: For a list of accredited laboratories, call 800-323-4040 and ask for Laboratory Accreditation.

JCAHO: Call 630-792-5000 to inquire about the status of individual laboratories.

New York State: Call 518-485-5341 to find out which laboratories are certified under the tissue bank regulations.

Further information on laboratory accreditation is provided in Appendix C.



## 1998 National Summary

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	96%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	2%
GIFT	2%			Male factor	24%	Other factors	12%
ZIFT	2%	With ICSI	40%	Ovulatory dysfunction	15%	Unexplained	8%
Combination	<1%	Unstimulated	<1%	Endometriosis	14%		

### 1998 PREGNANCY SUCCESS RATES

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>c</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	27,858	14,146	12,037	7,609
Percentage of cycles resulting in pregnancies	37.2	31.9	24.2	13.4
Percentage of cycles resulting in live births <sup>b</sup>	32.0	26.0	17.9	8.2
Percentage of retrievals resulting in live births <sup>b</sup>	35.2	30.2	21.9	10.7
Percentage of transfers resulting in live births <sup>b</sup>	37.3	32.0	23.5	11.8
Percentage of cancellations	9.3	13.8	18.1	23.3
Average number of embryos transferred	3.4	3.6	3.7	3.9
Percentage of pregnancies with twins	30.6	26.6	22.2	13.9
Percentage of pregnancies with triplets or more	12.5	10.3	6.8	4.1
Percentage of live births having multiple infants <sup>b</sup>	42.0	36.5	27.8	18.3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5,299	2,369	1,516	874
Percentage of transfers resulting in live births <sup>b</sup>	21.0	18.7	17.8	12.8
Average number of embryos transferred	3.2	3.3	3.3	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	592	558	982	3,173
Percentage of fresh transfers resulting in live births <sup>b</sup>	42.2	44.3	40.0	40.6
Average number of fresh embryos transferred	3.3	3.3	3.4	3.4
Number of frozen embryo transfers	223	165	289	1,083
Percentage of frozen transfers resulting in live births <sup>b</sup>	27.4	21.2	23.9	22.5
Average number of frozen embryos transferred	3.3	3.2	3.4	3.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Total number of reporting clinics:** 360

#### Services Offered:

Donor egg?	83%	Gestational carriers?	61%
Donor embryo?	50%	Cryopreservation?	90%
Single women?	81%		

#### Clinic Profile:

SART member?	92%
Verified lab accreditation?	
Yes	67%
No	25%
Pending	8%

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> A multiple-infant birth is counted as one live birth.

<sup>c</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ART PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	25%	Uterine factor	1%		
GIFT	0%		Male factor	25%	Other factors	13%		
ZIFT	0%		With ICSI	66%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Kathryn L. Honea, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	161	45	27	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.2	26.7	29.6	2/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.4 (15.9 - 28.8)	20.0 (8.3 - 31.7)	14.8 (1.4 - 28.2)	1/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.2	23.1	20.0	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	25.2	25.0	4/18	1/4
Percentage of cancellations <sup>b</sup>	11.2	13.3	25.9	1/5
Average number of embryos transferred	3.1	3.5	3.7	4.3
Percentage of pregnancies with twins <sup>b</sup>	48.9	3/12	1/8	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	8.5	2/12	1/8	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	58.3	4/9	2/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	3	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/17	1/3	1/3	0/1
Average number of embryos transferred	2.4	2.7	2.0	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	1	5	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/5	1/1	2/5	1/2
Average number of fresh embryos transferred	3.0	4.0	3.4	3.0
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2			1/1
Average number of frozen embryos transferred	3.0			5.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** ART Program of Alabama

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM  
BIRMINGHAM, ALABAMA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	74%	<b>Procedural factors:</b>	Tubal factor	33%	Uterine factor	2%
GIFT	26%		Male factor	16%	Other factors	2%
ZIFT	0%		With ICSI	13%	Ovulatory dysfunction	20%
Combination	0%		Unstimulated	0%	Endometriosis	18%
					Unexplained	9%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael P. Steinkampf, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	98	42	23	13
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.5	28.6	13.0	3/13
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.5 (16.0 - 33.0)	23.8 (10.9 - 36.7)	13.0 (0.0 - 26.8)	0/13
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.5	27.0	3/18	0/12
Percentage of transfers resulting in live births <sup>b,c</sup>	25.5	28.6	3/17	0/12
Percentage of cancellations <sup>b</sup>	4.1	11.9	21.7	1/13
Average number of embryos transferred	4.9	5.3	5.2	7.9
Percentage of pregnancies with twins <sup>b</sup>	23.1	2/12	1/3	2/3
Percentage of pregnancies with triplets or more <sup>b</sup>	19.2	1/12	0/3	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	45.8	3/10	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1		0/2
Average number of embryos transferred	1.0	1.0		1.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	3	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	1/1	0/3	0/4
Average number of fresh embryos transferred	5.0	4.0	5.3	5.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Alabama at Birmingham

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	2%
GIFT	0%			Male factor	30%	Other factors	4%
ZIFT	0%	With ICSI	45%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	26%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by George T. Koulianos, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	52	15	8	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.1	5/15	1/8	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	40.4 (27.0 - 53.7)	3/15	1/8	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.7	3/14	1/5	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	46.7	3/14	1/5	0/2
Percentage of cancellations <sup>b</sup>	13.5	1/15	3/8	1/3
Average number of embryos transferred	3.3	3.1	3.6	5.5
Percentage of pregnancies with twins <sup>b</sup>	4.0	2/5	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	28.0	0/5	1/1	
Percentage of live births having multiple infants <sup>b,c</sup>	33.3	1/3	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/4	0/1		
Average number of embryos transferred	4.5	2.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			1/4
Average number of fresh embryos transferred	4.0			2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF SOUTH ALABAMA  
MOBILE, ALABAMA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	38%	Uterine factor	3%		
GIFT	0%		Male factor	14%	Other factors	3%		
ZIFT	0%		With ICSI	89%	Ovulatory dysfunction	17%	Unexplained	2%
Combination	0%		Unstimulated	0%	Endometriosis	23%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Botros R.M. Rizk, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	26	6	11	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.8	3/6	1/11	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	19.2 (4.1 - 34.4)	3/6	1/11	1/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.0	3/6	1/11	1/3
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	3/6	1/10	1/3
Percentage of cancellations <sup>b</sup>	3.8	0/6	0/11	0/3
Average number of embryos transferred	4.5	4.3	3.1	3.7
Percentage of pregnancies with twins <sup>b</sup>	0/8	1/3	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/8	1/3	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/5	2/3	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5	0/2	0/1	
Average number of embryos transferred	3.6	5.5	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		0/2
Average number of fresh embryos transferred		3.0		4.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of South Alabama

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY TREATMENT CENTER CHANDLER, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	30%	Uterine factor	<1%		
GIFT	0%		Male factor	22%	Other factors	2%		
ZIFT	0%		With ICSI	28%	Ovulatory dysfunction	29%	Unexplained	<1%
Combination	0%		Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by H. Randall Craig, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	48	21	26	15
Percentage of cycles resulting in pregnancies <sup>b</sup>	18.8	9.5	26.9	4/15
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	18.8 (7.7 - 29.8)	4.8 (0.0 - 13.9)	23.1 (6.9 - 39.3)	3/15
Percentage of retrievals resulting in live births <sup>b,c</sup>	21.4	1/13	26.1	3/14
Percentage of transfers resulting in live births <sup>b,c</sup>	22.0	1/13	26.1	3/13
Percentage of cancellations <sup>b</sup>	12.5	38.1	11.5	1/15
Average number of embryos transferred	3.5	3.8	3.6	4.3
Percentage of pregnancies with twins <sup>b</sup>	2/9	0/2	1/7	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	1/9	0/2	2/7	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	3/9	0/1	2/6	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	14	15	6
Percentage of transfers resulting in live births <sup>b,c</sup>	8.7	3/14	2/15	0/6
Average number of embryos transferred	4.0	4.8	3.9	3.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	4	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	1/2	3/4	2/9
Average number of fresh embryos transferred	3.5	3.0	2.8	3.3
Number of frozen embryo transfers	2	0	0	7
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2			1/7
Average number of frozen embryos transferred	5.0			3.9

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Treatment Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## WEST VALLEY FERTILITY CENTER GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	63%	Uterine factor	2%
GIFT	0%		Male factor	23%	Other factors	2%
ZIFT	0%		With ICSI	44%	Ovulatory dysfunction	2%
Combination	0%		Unstimulated	0%	Endometriosis	2%
					Unexplained	6%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Vladimir Troche, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	21	11	9	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	3/11	3/9	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.3 (13.2 - 53.5)	3/11	2/9	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	3/9	2/9	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	3/9	2/9	0/4
Percentage of cancellations <sup>b</sup>	0.0	2/11	0/9	0/4
Average number of embryos transferred	5.2	4.7	5.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	3/7	2/3	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/7	0/3	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	4/7	2/3	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/3	1/2		
Average number of embryos transferred	4.3	6.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** West Valley Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## IVF PHOENIX PHOENIX, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	83%	<b>Procedural factors:</b>	Tubal factor	22%	Uterine factor	3%		
GIFT	10%		Male factor	18%	Other factors	0%		
ZIFT	7%		With ICSI	29%	Ovulatory dysfunction	24%	Unexplained	33%
Combination	0%		Unstimulated	0%	Endometriosis	0%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by John L. Couvaras, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	11	6	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	6/19	7/11	1/6	1/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/19	7/11	0/6	1/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/19	7/11	0/6	1/6
Percentage of transfers resulting in live births <sup>b,c</sup>	6/17	7/9	0/6	1/6
Percentage of cancellations <sup>b</sup>	0/19	0/11	0/6	0/6
Average number of embryos transferred	2.8	3.3	3.2	5.2
Percentage of pregnancies with twins <sup>b</sup>	3/6	2/7	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/6	0/7	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/6	2/7		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7	0/1	0/1	
Average number of embryos transferred	3.6	3.0	2.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		2/5
Average number of fresh embryos transferred		5.0		3.8
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/2
Average number of frozen embryos transferred				4.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** IVF Phoenix

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## SAMARITAN INSTITUTE OF REPRODUCTIVE MEDICINE PHOENIX, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	96%	<b>Procedural factors:</b>	Tubal factor	29%	Uterine factor	0%
GIFT	2%		Male factor	32%	Other factors	21%
ZIFT	0%	With ICSI	Ovulatory dysfunction	4%	Unexplained	8%
Combination	2%	Unstimulated	Endometriosis	6%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Drew Moffitt, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	62	24	20	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.7	25.0	15.0	1/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.1 (25.1 - 49.1)	25.0 (7.7 - 42.3)	15.0 (0.0 - 30.6)	1/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.6	6/18	3/14	1/2
Percentage of transfers resulting in live births <sup>b,c</sup>	44.2	6/17	3/14	1/2
Percentage of cancellations <sup>b</sup>	12.9	25.0	30.0	5/7
Average number of embryos transferred	3.1	3.4	3.7	2.5
Percentage of pregnancies with twins <sup>b</sup>	54.2	1/6	0/3	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	4.2	1/6	0/3	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	52.2	2/6	0/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	21	8	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	23.8	0/8	0/1	0/1
Average number of embryos transferred	3.0	3.1	3.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	4	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	2/4	0/5
Average number of fresh embryos transferred		3.0	3.0	3.0
Number of frozen embryo transfers	0	0	1	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/1	0/2
Average number of frozen embryos transferred			3.0	2.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Arizona Reproductive Medicine Specialists

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	5%		
GIFT	0%		Male factor	13%	Other factors	2%		
ZIFT	0%		With ICSI	16%	Ovulatory dysfunction	16%	Unexplained	5%
Combination	0%		Unstimulated	0%	Endometriosis	39%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Sujatha Gunnala, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	4	4	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	8/19	0/4	1/4	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	7/19	0/4	1/4	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	7/19	0/4	1/4	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	7/19	0/4	1/4	0/5
Percentage of cancellations <sup>b</sup>	0/19	0/4	0/4	0/5
Average number of embryos transferred	4.4	4.0	4.3	4.4
Percentage of pregnancies with twins <sup>b</sup>	1/8		0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/8		0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/7		0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	2	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>		1/2	0/2	0/1
Average number of embryos transferred		4.0	4.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	1	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	0/1	1/1	0/3
Average number of fresh embryos transferred	5.0	5.0	5.0	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Southwest Fertility Center

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ARIZONA CENTER FOR FERTILITY STUDIES  
SCOTTSDALE, ARIZONA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	11%	<b>Procedural factors:</b>	Tubal factor	52%	Uterine factor	0%	
GIFT	62%		Male factor	16%	Other factors	12%	
ZIFT	26%	With ICSI	20%	Ovulatory dysfunction	3%	Unexplained	8%
Combination	1%	Unstimulated	0%	Endometriosis	9%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jay S. Nemiro, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	94	40	38	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.4	37.5	15.8	25.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.0 (23.5 - 42.5)	25.0 (11.6 - 38.4)	15.8 (4.2 - 27.4)	10.0 (0.0 - 23.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.7	25.6	16.7	2/16
Percentage of transfers resulting in live births <sup>b,c</sup>	38.3	29.4	20.7	2/11
Percentage of cancellations <sup>b</sup>	2.1	2.5	5.3	20.0
Average number of embryos transferred	5.0	4.5	4.6	4.0
Percentage of pregnancies with twins <sup>b</sup>	26.3	2/15	2/6	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	10.5	1/15	1/6	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	38.7	3/10	2/6	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1	1/3		
Average number of embryos transferred	6.0	4.3		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	4	4	11
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/3	1/4	2/4	3/11
Average number of fresh embryos transferred	4.3	3.3	5.8	4.9
Number of frozen embryo transfers	0	0	2	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/2	0/2
Average number of frozen embryos transferred			5.0	4.5

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Arizona Center for Fertility Studies

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MAYO CLINIC SCOTTSDALE SCOTTSDALE, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	11%	Uterine factor	3%		
GIFT	0%		Male factor	50%	Other factors	3%		
ZIFT	0%		With ICSI	63%	Ovulatory dysfunction	12%	Unexplained	5%
Combination	0%		Unstimulated	0%	Endometriosis	16%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Anita P. Singh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	22	14	7	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	2/14	2/7	3/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	50.0 (29.1 - 70.9)	2/14	1/7	2/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	55.0	2/12	1/7	2/5
Percentage of transfers resulting in live births <sup>b,c</sup>	55.0	2/11	1/7	2/5
Percentage of cancellations <sup>b</sup>	9.1	2/14	0/7	0/5
Average number of embryos transferred	3.3	3.6	4.1	3.4
Percentage of pregnancies with twins <sup>b</sup>	4/11	1/2	1/2	1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	1/2	0/2	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	5/11	1/2	1/1	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	1	2	3
Percentage of transfers resulting in live births <sup>b,c</sup>	5/9	0/1	0/2	1/3
Average number of embryos transferred	3.9	4.0	4.0	4.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				3/3
Average number of fresh embryos transferred				2.7
Number of frozen embryo transfers	0	0	0	5
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/5
Average number of frozen embryos transferred				4.4

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Mayo Clinic Scottsdale

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## UNIVERSITY OF ARIZONA PROGRAM OF ART TUCSON, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	97%	<b>Procedural factors:</b>	Tubal factor	21%	Uterine factor	5%		
GIFT	<1%		Male factor	23%	Other factors	1%		
ZIFT	0%		With ICSI	23%	Ovulatory dysfunction	31%	Unexplained	8%
Combination	2%		Unstimulated	0%	Endometriosis	11%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Timothy Gelety, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	64	44	29	34
Percentage of cycles resulting in pregnancies <sup>b</sup>	20.3	18.2	3.4	0.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	18.8 (9.2 - 28.3)	13.6 (3.5 - 23.8)	3.4 (0.0 - 10.1)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	21.4	16.2	4.5	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	23.5	17.1	4.5	0.0
Percentage of cancellations <sup>b</sup>	12.5	15.9	24.1	29.4
Average number of embryos transferred	4.9	4.1	4.0	4.6
Percentage of pregnancies with twins <sup>b</sup>	5/13	2/8	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/13	2/8	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	5/12	4/6	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	35	20	8	9
Percentage of transfers resulting in live births <sup>b,c</sup>	8.6	10.0	1/8	0/9
Average number of embryos transferred	4.2	4.5	4.4	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	5	3	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/5	1/3	2/8
Average number of fresh embryos transferred	5.0	5.0	5.0	5.4
Number of frozen embryo transfers	2	1	2	14
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	0/1	0/2	3/14
Average number of frozen embryos transferred	3.0	5.0	6.0	5.4

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Arizona Center for Reproductive Endocrinology and Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## INTRAVAGINAL CULTURE FERTILIZATION PROGRAM LITTLE ROCK, ARKANSAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	52%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	11%	Unexplained	15%
Combination	0%	Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Francisco Batres, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	15	12	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/15	4/12		
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/15	1/12		
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/13	1/10		
Percentage of transfers resulting in live births <sup>b,c</sup>	3/13	1/10		
Percentage of cancellations <sup>b</sup>	2/15	2/12		
Average number of embryos transferred	2.6	2.7		
Percentage of pregnancies with twins <sup>b</sup>	0/3	0/4		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/4		
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Intravaginal Culture Fertilization Program

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**UNIVERSITY OF ARKANSAS FOR MEDICAL SCIENCES IVF  
LITTLE ROCK, ARKANSAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	32%	Uterine factor	1%
GIFT	0%			Male factor	11%	Other factors	14%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	15%	Unexplained	8%
Combination	0%	Unstimulated	<1%	Endometriosis	19%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Dean M. Moutos, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	122	33	19	18
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.2	36.4	3/19	2/18
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	32.0 (23.7 - 40.2)	30.3 (14.6 - 46.0)	3/19	1/18
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.1	35.7	3/14	1/9
Percentage of transfers resulting in live births <sup>b,c</sup>	36.4	38.5	3/12	1/9
Percentage of cancellations <sup>b</sup>	9.0	15.2	5/19	9/18
Average number of embryos transferred	3.1	3.4	3.1	3.4
Percentage of pregnancies with twins <sup>b</sup>	25.6	4/12	1/3	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	7.0	0/12	0/3	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	28.2	3/10	1/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	44	10	3	5
Percentage of transfers resulting in live births <sup>b,c</sup>	13.6	1/10	0/3	0/5
Average number of embryos transferred	3.2	3.3	4.3	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	0/6
Average number of fresh embryos transferred	3.0		3.0	3.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Arkansas for Medical Sciences IVF

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**GIL N. MILEIKOWSKY, M.D.**  
**BEL AIR, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	5%
GIFT	0%			Male factor	21%	Other factors	37%
ZIFT	0%	With ICSI	11%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Gil N. Mileikowsky, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	5	1	3	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/5	0/1	2/3	0/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/5	0/1	1/3	0/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/5	0/1	1/3	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/1	1/3	0/4
Percentage of cancellations <sup>b</sup>	0/5	0/1	0/3	3/9
Average number of embryos transferred	4.6	5.0	3.7	3.8
Percentage of pregnancies with twins <sup>b</sup>	0/2		0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2		0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	0/2		0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				6.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Gil N. Mileikowsky, M.D.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	98%	<b>Procedural factors:</b>	Tubal factor	13%	Uterine factor	8%
GIFT	1%		Male factor	28%	Other factors	3%
ZIFT	0%		With ICSI	33%	Ovulatory dysfunction	28%
Combination	1%		Unstimulated	0%	Endometriosis	10%
					Unexplained	10%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Ryszard J. Chetkowski, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	16	14	29	29
Percentage of cycles resulting in pregnancies <sup>b</sup>	10/16	5/14	31.0	13.8
Percentage of cycles resulting in live births <sup>b,c</sup>	8/16	4/14	20.7	10.3
(Reliability Range)			(5.9 - 35.4)	(0.0 - 21.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	8/15	4/12	21.4	12.0
Percentage of transfers resulting in live births <sup>b,c</sup>	8/15	4/12	21.4	12.0
Percentage of cancellations <sup>b</sup>	1/16	2/14	3.4	13.8
Average number of embryos transferred	2.7	3.0	3.7	4.2
Percentage of pregnancies with twins <sup>b</sup>	3/10	2/5	1/9	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	0/10	0/5	0/9	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	3/8	2/4	1/6	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	2	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/4	0/2	0/3	0/2
Average number of embryos transferred	2.5	2.0	3.3	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	3	22
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		1/3	54.5
Average number of fresh embryos transferred	2.0		3.0	2.8
Number of frozen embryo transfers	1	0	2	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1		0/2	1/6
Average number of frozen embryos transferred	2.0		2.0	2.7

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Alta Bates In Vitro Fertilization Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE MEDICINE AND SURGERY ASSOCIATES BEVERLY HILLS, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	23%	Uterine factor	7%		
GIFT	<1%		Male factor	25%	Other factors	3%		
ZIFT	<1%		With ICSI	40%	Ovulatory dysfunction	9%	Unexplained	20%
Combination	<1%		Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Mark W. Surrey, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	87	58	89	116
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.0	43.1	31.5	13.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	41.4 (31.0 - 51.7)	41.4 (28.7 - 54.1)	24.7 (15.8 - 33.7)	7.8 (2.9 - 12.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.4	43.6	25.9	9.0
Percentage of transfers resulting in live births <sup>b,c</sup>	45.0	47.1	27.8	9.6
Percentage of cancellations <sup>b</sup>	2.3	5.2	4.5	13.8
Average number of embryos transferred	3.4	3.8	3.6	3.7
Percentage of pregnancies with twins <sup>b</sup>	20.0	28.0	21.4	3/16
Percentage of pregnancies with triplets or more <sup>b</sup>	25.0	12.0	7.1	0/16
Percentage of live births having multiple infants <sup>b,c</sup>	41.7	41.7	22.7	2/9
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	27	16	18	8
Percentage of transfers resulting in live births <sup>b,c</sup>	22.2	0/16	4/18	3/8
Average number of embryos transferred	3.7	3.8	3.9	4.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	1	14
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2	0/1	1/1	8/14
Average number of fresh embryos transferred	3.0	5.0	3.0	3.6
Number of frozen embryo transfers	0	0	1	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	2/3
Average number of frozen embryos transferred			3.0	3.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Southern California Reproductive Center

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WEST COAST INFERTILITY MEDICAL CLINIC, INC.  
BEVERLY HILLS, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	21%	Uterine factor	0%
GIFT	0%		Male factor	22%	Other factors	20%
ZIFT	0%		With ICSI	24%	Ovulatory dysfunction	9%
Combination	0%		Unstimulated	0%	Endometriosis	20%
					Unexplained	8%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael Kamrava, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	28	18	12	18
Percentage of cycles resulting in pregnancies <sup>b</sup>	7.1	3/18	1/12	3/18
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	7.1 (0.0 - 16.7)	3/18	1/12	3/18
Percentage of retrievals resulting in live births <sup>b,c</sup>	7.7	3/17	1/10	3/18
Percentage of transfers resulting in live births <sup>b,c</sup>	7.7	3/17	1/9	3/17
Percentage of cancellations <sup>b</sup>	7.1	1/18	2/12	0/18
Average number of embryos transferred	4.7	3.9	4.7	5.2
Percentage of pregnancies with twins <sup>b</sup>	0/2	1/3	0/1	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2	0/3	0/1	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	0/2	0/3	0/1	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** West Coast Infertility Medical Clinic, Inc.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	50%	Uterine factor	0%		
GIFT	0%		Male factor	30%	Other factors	0%		
ZIFT	0%		With ICSI	44%	Ovulatory dysfunction	15%	Unexplained	5%
Combination	0%		Unstimulated	0%	Endometriosis	0%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by C. Terence Lee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	4	5	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/7	1/4	0/5	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/7	1/4	0/5	
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/6	1/4	0/3	
Percentage of transfers resulting in live births <sup>b,c</sup>	3/6	1/4	0/2	
Percentage of cancellations <sup>b</sup>	1/7	0/4	2/5	
Average number of embryos transferred	4.2	4.8	1.0	
Percentage of pregnancies with twins <sup>b</sup>	0/3	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/3	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1		0/1	
Average number of embryos transferred	3.0		4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				1/2
Average number of fresh embryos transferred				3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Care of Orange County

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## GREATER VALLEY CENTER FOR REPRODUCTIVE MEDICINE ENCINO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	6%
GIFT	0%			Male factor	10%	Other factors	30%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Gary D. Hubert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	11	14	10	13
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/11	4/14	1/10	3/13
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/11	2/14	1/10	2/13
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/11	2/14	1/10	2/13
Percentage of transfers resulting in live births <sup>b,c</sup>	2/11	2/14	1/10	2/11
Percentage of cancellations <sup>b</sup>	0/11	0/14	0/10	0/13
Average number of embryos transferred	4.5	4.8	5.0	5.2
Percentage of pregnancies with twins <sup>b</sup>	0/3	0/4	0/1	1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	1/4	0/1	1/3
Percentage of live births having multiple infants <sup>b,c</sup>	0/2	0/2	0/1	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	3	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/3	0/1	0/1
Average number of embryos transferred	4.0	3.0	6.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		1/1	2/6
Average number of fresh embryos transferred	3.0		6.0	6.0
Number of frozen embryo transfers	0	0	0	4
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				3/4
Average number of frozen embryos transferred				4.8

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Greater Valley Center for Reproductive Medicine

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	82%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	<1%		
GIFT	15%		Male factor	16%	Other factors	8%		
ZIFT	0%		With ICSI	31%	Ovulatory dysfunction	34%	Unexplained	2%
Combination	3%		Unstimulated	0%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by David G. Diaz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	66	23	28	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.4	30.4	28.6	3/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.8 (17.9 - 39.7)	26.1 (8.1 - 44.0)	17.9 (3.7 - 32.0)	2/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.7	27.3	19.2	2/12
Percentage of transfers resulting in live births <sup>b,c</sup>	32.8	28.6	20.0	2/11
Percentage of cancellations <sup>b</sup>	3.0	4.3	7.1	2/14
Average number of embryos transferred	5.5	5.6	5.9	4.4
Percentage of pregnancies with twins <sup>b</sup>	29.2	0/7	2/8	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	8.3	0/7	1/8	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	8/19	0/6	3/5	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	2	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/8	0/2	0/3	0/1
Average number of embryos transferred	4.1	3.0	4.7	7.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	9	2	5	13
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/9	1/2	2/5	6/13
Average number of fresh embryos transferred	5.1	4.0	6.0	5.5
Number of frozen embryo transfers	2	0	0	4
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2			0/4
Average number of frozen embryos transferred	3.0			3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** West Coast Fertility Centers

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## WERLIN-ZARUTSKIE FERTILITY CENTERS IRVINE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	98%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	3%	
GIFT	<1%		Male factor	33%	Other factors	18%	
ZIFT	0%	With ICSI	51%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	1%	Unstimulated	0%	Endometriosis	10%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Lawrence B. Werlin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	109	71	74	51
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.0	29.6	16.2	3.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.5 (19.1 - 35.9)	21.1 (11.6 - 30.6)	13.5 (5.7 - 21.3)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.4	22.7	16.4	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	31.6	23.4	17.9	0.0
Percentage of cancellations <sup>b</sup>	6.4	7.0	17.6	39.2
Average number of embryos transferred	4.3	4.4	4.0	3.2
Percentage of pregnancies with twins <sup>b</sup>	38.9	23.8	1/12	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	19.4	19.0	0/12	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	56.7	6/15	0/10	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	12	8	4
Percentage of transfers resulting in live births <sup>b,c</sup>	5/16	4/12	0/8	0/4
Average number of embryos transferred	4.2	3.3	3.1	2.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	4	6	16
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	1/4	2/6	10/16
Average number of fresh embryos transferred	5.0	5.8	5.0	5.3
Number of frozen embryo transfers	0	0	0	7
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				2/7
Average number of frozen embryos transferred				4.9

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Werlin-Zarutskie Fertility Centers

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE PARTNERS-SAN DIEGO LA JOLLA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	18%	Uterine factor	9%		
GIFT	<1%		Male factor	27%	Other factors	15%		
ZIFT	0%		With ICSI	52%	Ovulatory dysfunction	9%	Unexplained	10%
Combination	0%		Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Gabriel V. Garzo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	34	22	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	62.5	29.4	36.4	2/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	59.4 (42.4 - 76.4)	23.5 (9.3 - 37.8)	22.7 (5.2 - 40.2)	0/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	70.4	25.8	5/19	0/11
Percentage of transfers resulting in live births <sup>b,c</sup>	70.4	25.8	5/19	0/11
Percentage of cancellations <sup>b</sup>	15.6	8.8	13.6	5/16
Average number of embryos transferred	3.0	3.4	3.6	3.6
Percentage of pregnancies with twins <sup>b</sup>	20.0	2/10	1/8	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	30.0	1/10	0/8	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	10/19	3/8	1/5	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	5	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/10	2/5	0/1	
Average number of embryos transferred	3.1	3.8	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	7	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	2/2	3/7	4/6
Average number of fresh embryos transferred	2.5	3.0	3.0	3.0
Number of frozen embryo transfers	0	2	1	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/2	0/1	0/2
Average number of frozen embryos transferred		2.5	3.0	3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Partners-San Diego

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	12%	Uterine factor	14%		
GIFT	0%		Male factor	36%	Other factors	25%		
ZIFT	0%		With ICSI	52%	Ovulatory dysfunction	4%	Unexplained	5%
Combination	2%		Unstimulated	0%	Endometriosis	4%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Samuel H. Wood, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	30	28	25	19
Percentage of cycles resulting in pregnancies <sup>b</sup>	63.3	32.1	28.0	4/19
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	50.0 (32.1 - 67.9)	28.6 (11.8 - 45.3)	24.0 (7.3 - 40.7)	3/19
Percentage of retrievals resulting in live births <sup>b,c</sup>	55.6	30.8	25.0	3/16
Percentage of transfers resulting in live births <sup>b,c</sup>	57.7	33.3	6/19	3/14
Percentage of cancellations <sup>b</sup>	10.0	7.1	4.0	3/19
Average number of embryos transferred	3.9	4.5	4.1	3.9
Percentage of pregnancies with twins <sup>b</sup>	5/19	2/9	2/7	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	5/19	0/9	0/7	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	9/15	2/8	1/6	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	1	6	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7	0/1	1/6	
Average number of embryos transferred	4.1	3.0	3.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	5	10
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2		4/5	5/10
Average number of fresh embryos transferred	4.5		4.8	4.0
Number of frozen embryo transfers	0	0	2	9
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/2	2/9
Average number of frozen embryos transferred			5.5	3.4

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Sciences Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## SCRIPPS CLINIC LA JOLLA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	3%
GIFT	0%			Male factor	28%	Other factors	2%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	13%	Unexplained	3%
Combination	0%	Unstimulated	2%	Endometriosis	34%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey S. Rakoff, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	18	11	13	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/18	2/11	0/13	0/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/18	2/11	0/13	0/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/15	2/11	0/10	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	3/15	2/10	0/10	0/7
Percentage of cancellations <sup>b</sup>	3/18	0/11	3/13	4/11
Average number of embryos transferred	3.0	3.6	3.3	3.4
Percentage of pregnancies with twins <sup>b</sup>	0/3	1/2		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/2		
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	1/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	15	8	6	4
Percentage of transfers resulting in live births <sup>b,c</sup>	1/15	0/8	0/6	0/4
Average number of embryos transferred	3.0	2.9	2.2	2.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			2/5
Average number of fresh embryos transferred	2.0			4.4
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/3
Average number of frozen embryos transferred				3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Scripps Clinic

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**JANE L. FREDERICK, M.D., INC.**  
**LAGUNA HILLS, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	22%	Uterine factor	14%		
GIFT	0%		Male factor	30%	Other factors	2%		
ZIFT	0%		With ICSI	31%	Ovulatory dysfunction	9%	Unexplained	16%
Combination	0%		Unstimulated	0%	Endometriosis	7%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jane L. Frederick, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	5	5	6	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/5	1/5	1/6	2/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/5	1/5	1/6	2/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/5	1/3	1/6	2/7
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	1/3	1/6	2/5
Percentage of cancellations <sup>b</sup>	0/5	2/5	0/6	3/10
Average number of embryos transferred	3.0	3.3	3.5	4.0
Percentage of pregnancies with twins <sup>b</sup>	0/1	0/1	0/1	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1	0/1	1/1	0/2
Percentage of live births having multiple infants <sup>b,c</sup>		0/1	1/1	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	4	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/6	0/4	0/3	0/2
Average number of embryos transferred	3.5	3.8	3.0	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				3/3
Average number of fresh embryos transferred				2.3
Number of frozen embryo transfers	0	0	3	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/3	0/1
Average number of frozen embryos transferred			3.3	3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Jane L. Frederick, M.D., Inc.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**LOMA LINDA UNIVERSITY  
CENTER FOR FERTILITY AND IVF  
LOMA LINDA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37-39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	39%	Uterine factor	4%		
GIFT	0%		Male factor	19%	Other factors	19%		
ZIFT	0%		With ICSI	62%	Ovulatory dysfunction	1%	Unexplained	11%
Combination	0%		Unstimulated	0%	Endometriosis	7%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by John D. Jacobson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	22	20	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.3	40.9	30.0	1/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.4 (14.1 - 44.7)	36.4 (16.3 - 56.5)	20.0 (2.5 - 37.5)	1/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	8/18	4/12	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	35.7	8/17	4/12	1/4
Percentage of cancellations <sup>b</sup>	11.8	18.2	40.0	4/8
Average number of embryos transferred	3.4	3.7	3.4	4.3
Percentage of pregnancies with twins <sup>b</sup>	2/12	2/9	1/6	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/12	1/9	0/6	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/10	3/8	0/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	2	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/7	0/2	0/1	0/1
Average number of embryos transferred	3.1	3.5	2.0	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	3	2	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/3	2/2	2/5
Average number of fresh embryos transferred		2.7	3.5	2.8
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		0/1
Average number of frozen embryos transferred		2.0		2.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Loma Linda University Center for Fertility and IVF

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE PARTNERS-LONG BEACH LONG BEACH, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	61%	<b>Procedural factors:</b>	Tubal factor	33%	Uterine factor	3%		
GIFT	37%		Male factor	21%	Other factors	21%		
ZIFT	0%		With ICSI	23%	Ovulatory dysfunction	12%	Unexplained	1%
Combination	2%		Unstimulated	0%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	69	54	49	28
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.4	29.6	51.0	7.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	42.0 (30.4 - 53.7)	27.8 (15.8 - 39.7)	30.6 (17.7 - 43.5)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.2	34.9	31.9	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0	34.9	33.3	0.0
Percentage of cancellations <sup>b</sup>	14.5	20.4	4.1	28.6
Average number of embryos transferred	3.4	3.9	4.1	5.5
Percentage of pregnancies with twins <sup>b</sup>	43.8	5/16	12.0	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	12.5	2/16	4.0	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	48.3	6/15	2/15	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	14	10	8
Percentage of transfers resulting in live births <sup>b,c</sup>	2/9	2/14	1/10	1/8
Average number of embryos transferred	3.2	3.4	3.1	2.9
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	10
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			5/10
Average number of fresh embryos transferred	4.0			2.9
Number of frozen embryo transfers	0	0	3	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/3	1/6
Average number of frozen embryos transferred			3.0	3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Partners-Long Beach

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## TYLER MEDICAL CLINIC LOS ANGELES, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	33%	<b>Procedural factors:</b>	Tubal factor	6%	Uterine factor	0%		
GIFT	54%		Male factor	6%	Other factors	6%		
ZIFT	0%		With ICSI	20%	Ovulatory dysfunction	32%	Unexplained	0%
Combination	13%		Unstimulated	0%	Endometriosis	50%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Jaroslav J. Marik, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	4	2	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/8	3/4	0/2	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/8	2/4	0/2	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/8	2/4	0/2	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7	2/4	0/2	0/1
Percentage of cancellations <sup>b</sup>	0/8	0/4	0/2	0/1
Average number of embryos transferred	3.9	5.3	5.0	2.0
Percentage of pregnancies with twins <sup>b</sup>	1/2	1/3		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2	0/3		
Percentage of live births having multiple infants <sup>b,c</sup>	1/2	1/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of fresh embryos transferred	5.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Tyler Medical Clinic

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**UNIVERSITY OF CALIFORNIA, LOS ANGELES  
FERTILITY CENTER  
LOS ANGELES, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	14%	Uterine factor	2%		
GIFT	0%		Male factor	16%	Other factors	8%		
ZIFT	0%		With ICSI	35%	Ovulatory dysfunction	6%	Unexplained	44%
Combination	0%		Unstimulated	1%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Joseph C. Gambone, D.O., M.P.H.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	31	25	15
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.2	16.1	0.0	1/15
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.2 (11.0 - 47.4)	16.1 (3.2 - 29.1)	0.0	1/15
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.2	17.9	0.0	1/12
Percentage of transfers resulting in live births <sup>b,c</sup>	29.2	20.0	0.0	1/12
Percentage of cancellations <sup>b</sup>	0.0	9.7	4.0	3/15
Average number of embryos transferred	4.0	2.9	4.2	3.3
Percentage of pregnancies with twins <sup>b</sup>	2/7	2/5		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/7	0/5		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/7	1/5		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	2	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/3	1/2	1/3	1/1
Average number of embryos transferred	3.7	3.0	2.0	10.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	1/2
Average number of fresh embryos transferred			4.0	5.5
Number of frozen embryo transfers	0	0	2	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/2	0/1
Average number of frozen embryos transferred			3.0	1.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of California, Los Angeles Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF SOUTHERN CALIFORNIA  
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY  
LOS ANGELES, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	13%	Uterine factor	5%		
GIFT	0%		Male factor	5%	Other factors	14%		
ZIFT	0%		With ICSI	19%	Ovulatory dysfunction	43%	Unexplained	18%
Combination	0%		Unstimulated	3%	Endometriosis	2%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Richard J. Paulson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	16	18	18	21
Percentage of cycles resulting in pregnancies <sup>b</sup>	8/16	6/18	6/18	14.3
Percentage of cycles resulting in live births <sup>b,c</sup>	8/16	5/18	6/18	4.8
(Reliability Range)				(0.0 - 13.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	8/15	5/16	6/18	4.8
Percentage of transfers resulting in live births <sup>b,c</sup>	8/15	5/16	6/18	4.8
Percentage of cancellations <sup>b</sup>	1/16	2/18	0/18	0.0
Average number of embryos transferred	3.2	3.9	4.7	5.6
Percentage of pregnancies with twins <sup>b</sup>	1/8	4/6	2/6	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	3/8	0/6	2/6	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	4/8	4/5	1/6	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	3	7
Percentage of transfers resulting in live births <sup>b,c</sup>	2/2	1/3	1/3	0/7
Average number of embryos transferred	3.5	2.7	3.7	3.4
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	2	42
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	2/2	2/2	47.6
Average number of fresh embryos transferred	2.0	3.5	3.0	3.1
Number of frozen embryo transfers	1	1	3	30
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/3	33.3
Average number of frozen embryos transferred	2.0	1.0	2.3	4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Southern California Reproductive Endocrinology and Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**BRIAN SU, M.D.**  
**MONTEREY PARK, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	33%	Uterine factor	3%		
GIFT	0%		Male factor	25%	Other factors	8%		
ZIFT	0%		With ICSI	34%	Ovulatory dysfunction	20%	Unexplained	3%
Combination	0%		Unstimulated	0%	Endometriosis	8%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Brian C. Su, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	9	4	14	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/9	3/4	4/14	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	4/9	3/4	2/14	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	4/7	3/4	2/12	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	4/7	3/4	2/12	
Percentage of cancellations <sup>b</sup>	2/9	0/4	2/14	1/2
Average number of embryos transferred	3.4	3.5	4.3	
Percentage of pregnancies with twins <sup>b</sup>	3/4	1/3	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	1/3	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	3/4	1/3	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2		0/1	
Average number of embryos transferred	3.0		4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/1	1/1	0/1
Average number of fresh embryos transferred	4.0	3.0	4.0	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Brian Su, M.D.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	79%	<b>Procedural factors:</b>	Tubal factor	6%	Uterine factor	6%		
GIFT	18%		Male factor	18%	Other factors	36%		
ZIFT	0%		With ICSI	36%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	3%		Unstimulated	0%	Endometriosis	20%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Beth A. Ary, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	13	7	11	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	7/13	3/7	4/11	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	7/13	2/7	3/11	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	7/13	2/7	3/11	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	7/12	2/7	3/11	0/1
Percentage of cancellations <sup>b</sup>	0/13	0/7	0/11	1/2
Average number of embryos transferred	5.8	5.6	5.2	3.0
Percentage of pregnancies with twins <sup>b</sup>	2/7	1/3	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	4/7	0/3	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	6/7	1/2	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	6.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	3	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/2	2/3	6/9
Average number of fresh embryos transferred		4.5	5.7	4.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Specialty Medical Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	16%	Uterine factor	3%		
GIFT	<1%		Male factor	26%	Other factors	23%		
ZIFT	0%		With ICSI	62%	Ovulatory dysfunction	9%	Unexplained	6%
Combination	<1%		Unstimulated	0%	Endometriosis	17%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert E. Anderson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	55	36	32	27
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.5	41.7	21.9	18.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	34.5 (22.0 - 47.1)	27.8 (13.1 - 42.4)	18.8 (5.2 - 32.3)	7.4 (0.0 - 17.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.3	30.3	22.2	9.5
Percentage of transfers resulting in live births <sup>b,c</sup>	38.8	32.3	25.0	2/18
Percentage of cancellations <sup>b</sup>	7.3	8.3	15.6	22.2
Average number of embryos transferred	3.5	3.8	4.0	3.8
Percentage of pregnancies with twins <sup>b</sup>	6/19	1/15	2/7	1/5
Percentage of pregnancies with triplets or more <sup>b</sup>	6/19	2/15	0/7	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	10/19	2/10	1/6	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	21	11	15	8
Percentage of transfers resulting in live births <sup>b,c</sup>	4.8	1/11	1/15	0/8
Average number of embryos transferred	3.8	3.6	3.6	4.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	1	3	15
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/5	0/1	0/3	6/15
Average number of fresh embryos transferred	3.6	4.0	2.7	3.7
Number of frozen embryo transfers	0	1	0	9
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		3/9
Average number of frozen embryos transferred		1.0		3.8

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Southern California Center For Reproductive Medicine

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE  
NORTHRIDGE, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	0%
GIFT	0%			Male factor	30%	Other factors	0%
ZIFT	0%	With ICSI	63%	Ovulatory dysfunction	24%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jirair B. Konialian, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	48	15	8	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	14.6	1/15	1/8	2/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	12.5 (3.1 - 21.9)	1/15	0/8	1/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	17.1	1/11	0/8	1/8
Percentage of transfers resulting in live births <sup>b,c</sup>	17.6	1/10	0/7	1/8
Percentage of cancellations <sup>b</sup>	27.1	4/15	0/8	3/11
Average number of embryos transferred	3.7	3.5	3.6	2.5
Percentage of pregnancies with twins <sup>b</sup>	1/7	0/1	0/1	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/1	0/1	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	1/6	0/1		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>		0/1		0/1
Average number of embryos transferred		3.0		5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	2	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/1	1/2	4/6
Average number of fresh embryos transferred	4.5	3.0	5.0	4.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				8.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Northridge Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SUSAN P. WILLIAM, M.D.**  
**ORINDA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	99%	<b>Procedural factors:</b>		Tubal factor	12%	Uterine factor	1%
GIFT	1%			Male factor	15%	Other factors	35%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	3%	Unexplained	24%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Susan P. William, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	16	19	15	22
Percentage of cycles resulting in pregnancies <sup>b</sup>	5/16	3/19	6/15	9.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	5/16	3/19	5/15	9.1 (0.0 - 21.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	5/13	3/17	5/13	2/17
Percentage of transfers resulting in live births <sup>b,c</sup>	5/13	3/17	5/12	2/16
Percentage of cancellations <sup>b</sup>	3/16	2/19	2/15	22.7
Average number of embryos transferred	4.5	5.1	5.1	5.5
Percentage of pregnancies with twins <sup>b</sup>	1/5	2/3	1/6	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	2/5	0/3	1/6	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	1/3	0/5	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	3	2	2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/4	0/3	0/2	0/2
Average number of embryos transferred	4.8	3.7	4.5	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	4	1	11
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	2/4	0/1	5/11
Average number of fresh embryos transferred	4.5	4.0	4.0	4.3
Number of frozen embryo transfers	0	3	0	7
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		1/3		1/7
Average number of frozen embryos transferred		4.0		3.7

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Susan P. William, M.D.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## NOVA IN VITRO FERTILIZATION PALO ALTO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	2%
GIFT	0%		Male factor	35%	Other factors	4%
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	2%
Combination	0%		Unstimulated	0%	Endometriosis	7%
					Unexplained	19%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Francis F. Polansky, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	38	30	23	15
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.6	43.3	47.8	4/15
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.7 (10.2 - 37.2)	26.7 (10.8 - 42.5)	34.8 (15.3 - 54.2)	1/15
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.0	32.0	36.4	1/10
Percentage of transfers resulting in live births <sup>b,c</sup>	25.7	32.0	40.0	1/9
Percentage of cancellations <sup>b</sup>	5.3	16.7	4.3	5/15
Average number of embryos transferred	4.4	4.6	4.1	4.2
Percentage of pregnancies with twins <sup>b</sup>	3/12	5/13	3/11	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	3/12	0/13	0/11	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	4/9	4/8	2/8	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4			1/1
Average number of embryos transferred	3.0			4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	4	11
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	1/3	1/4	3/11
Average number of fresh embryos transferred	2.0	4.0	2.8	3.0
Number of frozen embryo transfers	0	0	2	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/2	1/6
Average number of frozen embryos transferred			2.5	3.2

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Nova In Vitro Fertilization

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## HUNTINGTON REPRODUCTIVE CENTER PASADENA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	95%	<b>Procedural factors:</b>	Tubal factor	14%	Uterine factor	10%		
GIFT	<1%		Male factor	26%	Other factors	13%		
ZIFT	4%		With ICSI	63%	Ovulatory dysfunction	26%	Unexplained	2%
Combination	<1%		Unstimulated	<1%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Joel H. Batzofin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	178	90	115	84
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.4	41.1	30.4	19.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.5 (24.6 - 38.3)	33.3 (23.6 - 43.1)	23.5 (15.7 - 31.2)	15.5 (7.7 - 23.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.6	33.7	24.5	16.3
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	34.9	26.0	16.7
Percentage of cancellations <sup>b</sup>	0.6	1.1	4.3	4.8
Average number of embryos transferred	3.6	4.0	3.6	3.6
Percentage of pregnancies with twins <sup>b</sup>	33.3	37.8	11.4	2/16
Percentage of pregnancies with triplets or more <sup>b</sup>	12.7	8.1	8.6	1/16
Percentage of live births having multiple infants <sup>b,c</sup>	46.4	40.0	14.8	1/13
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	20	11	5	19
Percentage of transfers resulting in live births <sup>b,c</sup>	30.0	5/11	0/5	5/19
Average number of embryos transferred	3.2	4.0	3.2	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	7	14	82
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/5	3/7	4/14	47.6
Average number of fresh embryos transferred	2.8	4.0	3.6	3.4
Number of frozen embryo transfers	2	3	3	20
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	1/3	1/3	15.0
Average number of frozen embryos transferred	1.5	4.3	2.7	3.2

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Huntington Reproductive Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## NORTH STATE WOMEN'S CENTER REDDING, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	95%	<b>Procedural factors:</b>	Tubal factor	18%	Uterine factor	0%
GIFT	5%		Male factor	32%	Other factors	27%
ZIFT	0%		With ICSI	26%	Ovulatory dysfunction	9%
Combination	0%		Unstimulated	0%	Endometriosis	5%
					Unexplained	9%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert A. Greene, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	6	2	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/10	0/6	1/2	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/10	0/6	1/2	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/10	0/5	1/2	
Percentage of transfers resulting in live births <sup>b,c</sup>	2/9	0/3	1/2	
Percentage of cancellations <sup>b</sup>	0/10	1/6	0/2	1/1
Average number of embryos transferred	2.8	4.3	4.0	
Percentage of pregnancies with twins <sup>b</sup>	0/2		1/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2		0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	0/2		1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	1/1		
Average number of embryos transferred	3.0	6.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Specialty Care for Women

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	94%	<b>Procedural factors:</b>	Tubal factor	19%	Uterine factor	6%
GIFT	6%		Male factor	31%	Other factors	13%
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	6%
Combination	0%		Unstimulated	0%	Endometriosis	14%
					Unexplained	11%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	62	35	50	49
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.5	54.3	40.0	28.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	38.7 (26.6 - 50.8)	48.6 (32.0 - 65.1)	30.0 (17.3 - 42.7)	18.4 (7.5 - 29.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.9	53.1	34.9	23.1
Percentage of transfers resulting in live births <sup>b,c</sup>	43.6	53.1	34.9	24.3
Percentage of cancellations <sup>b</sup>	9.7	8.6	14.0	20.4
Average number of embryos transferred	3.3	3.9	4.4	5.3
Percentage of pregnancies with twins <sup>b</sup>	18.5	3/19	30.0	2/14
Percentage of pregnancies with triplets or more <sup>b</sup>	14.8	2/19	10.0	1/14
Percentage of live births having multiple infants <sup>b,c</sup>	29.2	5/17	5/15	1/9
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	5	14	4
Percentage of transfers resulting in live births <sup>b,c</sup>	2/9	2/5	4/14	0/4
Average number of embryos transferred	3.7	3.6	4.1	6.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	0	3	16
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3		2/3	9/16
Average number of fresh embryos transferred	2.3		2.3	3.5
Number of frozen embryo transfers	1	0	3	10
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1		1/3	5/10
Average number of frozen embryos transferred	4.0		4.3	3.2

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Partners-Redondo Beach

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	1%		
GIFT	0%		Male factor	18%	Other factors	28%		
ZIFT	0%		With ICSI	42%	Ovulatory dysfunction	10%	Unexplained	3%
Combination	<1%		Unstimulated	0%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Carlos E. Soto-Albors, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	117	68	65	31
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.0	44.1	15.4	9.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.1 (20.8 - 37.3)	33.8 (22.6 - 45.1)	9.2 (2.2 - 16.3)	9.7 (0.0 - 20.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.1	37.1	10.2	10.7
Percentage of transfers resulting in live births <sup>b,c</sup>	30.6	37.7	11.1	11.1
Percentage of cancellations <sup>b</sup>	3.4	8.8	9.2	9.7
Average number of embryos transferred	3.9	4.0	4.5	3.9
Percentage of pregnancies with twins <sup>b</sup>	36.6	30.0	2/10	2/3
Percentage of pregnancies with triplets or more <sup>b</sup>	7.3	10.0	0/10	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	41.2	39.1	1/6	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	10	10	3
Percentage of transfers resulting in live births <sup>b,c</sup>	39.1	2/10	2/10	1/3
Average number of embryos transferred	4.5	4.9	2.9	3.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	9	2	14	38
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/9	1/2	10/14	39.5
Average number of fresh embryos transferred	3.9	4.0	3.6	3.4
Number of frozen embryo transfers	1	1	1	16
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/1	5/16
Average number of frozen embryos transferred	6.0	5.0	4.0	5.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Northern California Fertility Medical Center

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF CALIFORNIA, DAVIS  
ASSISTED REPRODUCTIVE TECHNOLOGY PROGRAM  
SACRAMENTO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	97%	<b>Procedural factors:</b>		Tubal factor	52%	Uterine factor	5%
GIFT	3%			Male factor	7%	Other factors	4%
ZIFT	0%	With ICSI	10%	Ovulatory dysfunction	7%	Unexplained	22%
Combination	0%	Unstimulated	0%	Endometriosis	3%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Stephen P. Boyers, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	24	25	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.0	20.8	40.0	1/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	15.0 (0.0 - 30.6)	8.3 (0.0 - 19.4)	32.0 (13.7 - 50.3)	1/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/17	9.5	38.1	1/1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/17	10.0	38.1	1/1
Percentage of cancellations <sup>b</sup>	15.0	12.5	16.0	3/4
Average number of embryos transferred	3.7	4.4	4.1	5.0
Percentage of pregnancies with twins <sup>b</sup>	0/7	1/5	2/10	1/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/7	0/5	1/10	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	1/2	3/8	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	4	4	3
Percentage of transfers resulting in live births <sup>b,c</sup>	0/6	0/4	2/4	0/3
Average number of embryos transferred	4.8	3.5	4.8	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/1	2/4
Average number of fresh embryos transferred			4.0	3.3
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				5.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of California, Davis Assisted Reproductive Technology Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**IGO MEDICAL GROUP OF SAN DIEGO  
SAN DIEGO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	38%	Uterine factor	3%		
GIFT	0%		Male factor	18%	Other factors	7%		
ZIFT	0%		With ICSI	35%	Ovulatory dysfunction	9%	Unexplained	3%
Combination	2%		Unstimulated	0%	Endometriosis	22%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Benito Villanueva, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	25	9	12	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	20.0	1/9	0/12	1/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	12.0 (0.0 - 24.7)	1/9	0/12	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	13.6	1/5	0/8	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	14.3	1/5	0/6	0/5
Percentage of cancellations <sup>b</sup>	12.0	4/9	4/12	1/8
Average number of embryos transferred	4.5	4.4	2.7	3.2
Percentage of pregnancies with twins <sup>b</sup>	3/5	0/1		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5	0/1		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4			
Average number of embryos transferred	4.8			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	0/1
Average number of fresh embryos transferred	4.0		5.0	5.0
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		1/1
Average number of frozen embryos transferred		6.0		5.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** IGO Medical Group of San Diego

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INFERTILITY CLINIC  
NAVAL MEDICAL CENTER, SAN DIEGO  
SAN DIEGO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	100%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Thomas J. Kim, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	0	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/2			
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/2			
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/2			
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2			
Percentage of cancellations <sup>b</sup>	0/2			
Average number of embryos transferred	2.5			
Percentage of pregnancies with twins <sup>b</sup>	1/1			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			
Percentage of live births having multiple infants <sup>b,c</sup>	1/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Infertility Clinic, Naval Medical Center, San Diego

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**MINH N. HO, M.D., FACOG  
SAN DIEGO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	35%	Uterine factor	0%
GIFT	0%			Male factor	29%	Other factors	0%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	6%	Unexplained	24%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Minh N. Ho, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	6	4	0	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/6	2/4		0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/6	2/4		0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/6	2/4		0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/6	2/4		0/3
Percentage of cancellations <sup>b</sup>	0/6	0/4		0/3
Average number of embryos transferred	3.7	4.5		3.7
Percentage of pregnancies with twins <sup>b</sup>	0/2	0/2		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/2	0/2		
Percentage of live births having multiple infants <sup>b,c</sup>	1/2	0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1	0/1		
Average number of embryos transferred	3.0	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Minh N. Ho, M.D., FACOG

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE ENDOCRINE ASSOCIATES SAN DIEGO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	37%	Uterine factor	14%		
GIFT	0%		Male factor	4%	Other factors	12%		
ZIFT	0%		With ICSI	66%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	19%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Steven A. Brody, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	17	10	8	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	10/17	2/10	2/8	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	8/17	1/10	2/8	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	8/17	1/10	2/8	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	8/17	1/10	2/8	0/3
Percentage of cancellations <sup>b</sup>	0/17	0/10	0/8	0/3
Average number of embryos transferred	4.6	4.2	5.3	4.3
Percentage of pregnancies with twins <sup>b</sup>	1/10	0/2	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3/10	0/2	1/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/8	0/1	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/1	0/2
Average number of embryos transferred	3.0	5.0	4.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			2/6
Average number of fresh embryos transferred	4.0			5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Endocrine Associates

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SHARP FERTILITY CENTER**  
**DR. WILLIAM HUMMEL & DR. MICHAEL KETTEL PHYSICIANS GROUP**  
**SAN DIEGO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	96%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	2%		
GIFT	<1%		Male factor	15%	Other factors	35%		
ZIFT	0%		With ICSI	77%	Ovulatory dysfunction	9%	Unexplained	10%
Combination	3%		Unstimulated	0%	Endometriosis	9%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Arlene Morales, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	103	50	54	35
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.0	36.0	22.2	2.9
Percentage of cycles resulting in live births <sup>b,c</sup>	27.2	28.0	13.0	0.0
(Reliability Range)	(18.6 - 35.8)	(15.6 - 40.4)	(4.0 - 21.9)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.1	31.1	14.9	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	31.1	31.1	15.6	0.0
Percentage of cancellations <sup>b</sup>	9.7	10.0	13.0	14.3
Average number of embryos transferred	3.2	3.3	3.5	3.5
Percentage of pregnancies with twins <sup>b</sup>	21.2	5/18	7/12	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	15.2	0/18	0/12	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	32.1	3/14	2/7	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	15	17	9	6
Percentage of transfers resulting in live births <sup>b,c</sup>	4/15	6/17	1/9	0/6
Average number of embryos transferred	2.7	3.1	3.6	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	4	8	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/4	5/8	57.1
Average number of fresh embryos transferred		3.0	3.3	3.0
Number of frozen embryo transfers	0	0	1	4
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/1	0/4
Average number of frozen embryos transferred			4.0	2.8

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Sharp Fertility Center, Dr. William Hummel & Dr. Michael Kettel Physicians Group

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## SMOTRICH CENTER FOR REPRODUCTIVE ENHANCEMENT SAN DIEGO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	17%	Uterine factor	11%
GIFT	0%		Male factor	14%	Other factors	42%
ZIFT	0%		With ICSI	40%	Ovulatory dysfunction	10%
Combination	0%		Unstimulated	0%	Endometriosis	6%
					Unexplained	0%

### 1998 PREGNANCY SUCCESS RATES

Data verified by David B. Smotrich, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	7	3	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/12	3/7	0/3	0/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/12	0/7	0/3	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/12	0/7	0/3	0/8
Percentage of transfers resulting in live births <sup>b,c</sup>	1/12	0/7	0/3	0/7
Percentage of cancellations <sup>b</sup>	0/12	0/7	0/3	0/8
Average number of embryos transferred	4.0	4.3	6.0	3.4
Percentage of pregnancies with twins <sup>b</sup>	0/3	0/3		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/3	0/3		
Percentage of live births having multiple infants <sup>b,c</sup>	1/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3		0/1	0/2
Average number of embryos transferred	4.3		4.0	4.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	0/3
Average number of fresh embryos transferred	2.0		5.0	4.3
Number of frozen embryo transfers	0	0	1	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/3
Average number of frozen embryos transferred			4.0	2.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Smotrich Center for Reproductive Enhancement

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ASTARTE FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	90%	<b>Procedural factors:</b>	Tubal factor	17%	Uterine factor	3%		
GIFT	3%		Male factor	25%	Other factors	23%		
ZIFT	<1%		With ICSI	62%	Ovulatory dysfunction	7%	Unexplained	0%
Combination	7%		Unstimulated	0%	Endometriosis	25%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Alex J. Steinleitner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	30	17	41	28
Percentage of cycles resulting in pregnancies <sup>b</sup>	16.7	9/17	22.0	17.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	16.7 (3.3 - 30.0)	6/17	14.6 (3.8 - 25.5)	10.7 (0.0 - 22.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	16.7	6/17	15.0	11.1
Percentage of transfers resulting in live births <sup>b,c</sup>	19.2	6/15	15.4	12.0
Percentage of cancellations <sup>b</sup>	0.0	0/17	2.4	3.6
Average number of embryos transferred	3.5	3.2	3.9	5.2
Percentage of pregnancies with twins <sup>b</sup>	2/5	2/9	0/9	1/5
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5	0/9	0/9	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	2/6	0/6	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	1	4
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/2	1/1	0/4
Average number of embryos transferred	3.0	2.5	8.0	1.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	3	6	25
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	3/3	3/6	20.0
Average number of fresh embryos transferred	3.5	3.3	3.5	3.5
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of frozen embryos transferred	4.0			

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Astarte Fertility Center

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## PACIFIC FERTILITY CENTER-SAN FRANCISCO SAN FRANCISCO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	99%	<b>Procedural factors:</b>	Tubal factor	23%	Uterine factor	2%
GIFT	<1%		Male factor	23%	Other factors	31%
ZIFT	0%		With ICSI	64%	Ovulatory dysfunction	7%
Combination	0%		Unstimulated	<1%	Endometriosis	7%
					Unexplained	7%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Eldon D. Schriock, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	285	152	172	86
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.1	32.2	29.1	18.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.6 (19.6 - 29.6)	23.7 (16.9 - 30.4)	16.9 (11.3 - 22.5)	11.6 (4.9 - 18.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.2	24.3	17.1	12.3
Percentage of transfers resulting in live births <sup>b,c</sup>	26.5	25.5	18.1	13.7
Percentage of cancellations <sup>b</sup>	2.5	2.6	1.2	5.8
Average number of embryos transferred	3.9	4.4	4.3	4.9
Percentage of pregnancies with twins <sup>b</sup>	32.0	30.6	32.0	5/16
Percentage of pregnancies with triplets or more <sup>b</sup>	14.6	12.2	10.0	0/16
Percentage of live births having multiple infants <sup>b,c</sup>	45.7	25.0	48.3	3/10
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	59	20	23	7
Percentage of transfers resulting in live births <sup>b,c</sup>	16.9	5.0	8.7	0/7
Average number of embryos transferred	4.4	4.1	4.6	4.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	13	6	22	74
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/13	3/6	31.8	35.1
Average number of fresh embryos transferred	3.9	3.2	3.7	3.8
Number of frozen embryo transfers	4	1	3	9
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/4	0/1	1/3	1/9
Average number of frozen embryos transferred	4.5	6.0	4.0	4.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Pacific Fertility Center-San Francisco

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SAN FRANCISCO CENTER FOR REPRODUCTIVE MEDICINE  
SAN FRANCISCO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	13%	Uterine factor	3%		
GIFT	1%		Male factor	35%	Other factors	6%		
ZIFT	0%		With ICSI	39%	Ovulatory dysfunction	16%	Unexplained	22%
Combination	<1%		Unstimulated	0%	Endometriosis	5%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Philip E. Chenette, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	52	74	77
Percentage of cycles resulting in pregnancies <sup>b</sup>	27.7	44.2	35.1	14.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.6 (14.1 - 35.1)	40.4 (27.0 - 53.7)	28.4 (18.1 - 38.7)	9.1 (2.7 - 15.5)
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.1	45.7	35.0	12.5
Percentage of transfers resulting in live births <sup>b,c</sup>	28.1	45.7	35.0	12.5
Percentage of cancellations <sup>b</sup>	12.3	11.5	18.9	27.3
Average number of embryos transferred	3.8	4.2	4.6	5.3
Percentage of pregnancies with twins <sup>b</sup>	4/18	30.4	7.7	1/11
Percentage of pregnancies with triplets or more <sup>b</sup>	4/18	13.0	11.5	0/11
Percentage of live births having multiple infants <sup>b,c</sup>	5/16	38.1	23.8	1/7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	22	12	9	12
Percentage of transfers resulting in live births <sup>b,c</sup>	22.7	5/12	4/9	2/12
Average number of embryos transferred	3.3	2.9	3.1	3.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	18	40
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/1	5/18	30.0
Average number of fresh embryos transferred	2.0	3.0	3.3	3.3
Number of frozen embryo transfers	0	0	9	25
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			4/9	16.0
Average number of frozen embryos transferred			3.3	3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** San Francisco Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SIMON HENDERSON, M.D.**  
**SAN FRANCISCO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	11%	Uterine factor	11%
GIFT	0%			Male factor	7%	Other factors	22%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	39%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Simon R. Henderson, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	13	10	19
Percentage of cycles resulting in pregnancies <sup>b</sup>	5/12	4/13	0/10	3/19
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	4/12	4/13	0/10	2/19
Percentage of retrievals resulting in live births <sup>b,c</sup>	4/11	4/9	0/7	2/13
Percentage of transfers resulting in live births <sup>b,c</sup>	4/11	4/9	0/7	2/13
Percentage of cancellations <sup>b</sup>	1/12	4/13	3/10	6/19
Average number of embryos transferred	4.4	6.0	6.4	6.8
Percentage of pregnancies with twins <sup>b</sup>	3/5	0/4		1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5	1/4		0/3
Percentage of live births having multiple infants <sup>b,c</sup>	2/4	1/4		0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/1	0/1
Average number of embryos transferred	5.0	3.0	3.0	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/5			1/3
Average number of fresh embryos transferred	6.2			3.7
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Simon Henderson, M.D.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF CALIFORNIA, SAN FRANCISCO  
IN VITRO FERTILIZATION PROGRAM  
SAN FRANCISCO, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	19%	Uterine factor	<1%		
GIFT	0%		Male factor	34%	Other factors	27%		
ZIFT	0%		With ICSI	57%	Ovulatory dysfunction	6%	Unexplained	7%
Combination	0%		Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Robert N. Taylor, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	94	83	80	45
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.9	30.1	30.0	15.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.8 (20.5 - 39.0)	24.1 (14.9 - 33.3)	22.5 (13.3 - 31.7)	13.3 (3.4 - 23.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.0	28.2	24.0	18.2
Percentage of transfers resulting in live births <sup>b,c</sup>	40.6	30.8	24.7	21.4
Percentage of cancellations <sup>b</sup>	14.9	14.5	6.3	26.7
Average number of embryos transferred	2.4	3.0	3.9	4.6
Percentage of pregnancies with twins <sup>b</sup>	34.5	20.0	29.2	3/7
Percentage of pregnancies with triplets or more <sup>b</sup>		8.0	8.3	0/7
Percentage of live births having multiple infants <sup>b,c</sup>	21.4	20.0	7/18	1/6
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	65	46	43	9
Percentage of transfers resulting in live births <sup>b,c</sup>	33.8	19.6	16.3	2/9
Average number of embryos transferred	2.9	3.1	3.5	3.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	6	10	25
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		2/6	8/10	64.0
Average number of fresh embryos transferred		2.0	2.3	2.2
Number of frozen embryo transfers	5	7	4	30
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/5	3/7	0/4	23.3
Average number of frozen embryos transferred	2.6	2.6	3.5	2.7

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of California, San Francisco In Vitro Fertilization Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**CARMELO S. SGARLATA, M.D.**  
**SAN JOSE, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	80%	<b>Procedural factors:</b>	Tubal factor	34%	Uterine factor	6%		
GIFT	17%		Male factor	15%	Other factors	0%		
ZIFT	0%		With ICSI	20%	Ovulatory dysfunction	28%	Unexplained	6%
Combination	3%		Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Carmelo S. Sgarlata, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	15	9	11	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/15	2/9	1/11	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	4/15	1/9	0/11	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	4/14	1/9	0/7	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	4/14	1/9	0/7	0/5
Percentage of cancellations <sup>b</sup>	1/15	0/9	4/11	0/5
Average number of embryos transferred	4.1	3.9	4.1	5.0
Percentage of pregnancies with twins <sup>b</sup>	1/4	0/2	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/4	0/2	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/4	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/3		
Average number of embryos transferred	2.8	1.7		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Carmelo S. Sgarlata, M.D.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	92%	<b>Procedural factors:</b>		Tubal factor	19%	Uterine factor	3%
GIFT	7%			Male factor	38%	Other factors	11%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	9%	Unexplained	5%
Combination	1%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by G. David Adamson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	98	72	70	36
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.7	34.7	27.1	8.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	35.7 (26.2 - 45.2)	29.2 (18.7 - 39.7)	21.4 (11.8 - 31.0)	8.3 (0.0 - 17.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.9	33.3	24.2	9.7
Percentage of transfers resulting in live births <sup>b,c</sup>	39.3	36.2	24.6	10.3
Percentage of cancellations <sup>b</sup>	8.2	12.5	11.4	13.9
Average number of embryos transferred	3.9	4.3	4.6	3.7
Percentage of pregnancies with twins <sup>b</sup>	37.1	28.0	5/19	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	14.3	12.0	1/19	1/3
Percentage of live births having multiple infants <sup>b,c</sup>	48.6	42.9	4/15	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	4	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	1/4	0/1	0/2
Average number of embryos transferred	2.2	3.3	1.0	2.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	4	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1	1/4	1/7
Average number of fresh embryos transferred		5.0	5.0	3.6
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/1
Average number of frozen embryos transferred			2.0	3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Physicians of Northern California

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE SCIENCE CENTER OF THE BAY AREA SAN RAMON, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	91%	<b>Procedural factors:</b>	Tubal factor	17%	Uterine factor	<1%
GIFT	7%		Male factor	24%	Other factors	33%
ZIFT	0%	With ICSI	Ovulatory dysfunction	9%	Unexplained	3%
Combination	2%	Unstimulated	Endometriosis	14%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Louis N. Weckstein, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	102	70	68	30
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	37.1	30.9	13.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.4 (21.5 - 39.3)	31.4 (20.6 - 42.3)	19.1 (9.8 - 28.5)	13.3 (1.2 - 25.5)
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.1	40.7	25.5	20.0
Percentage of transfers resulting in live births <sup>b,c</sup>	36.0	40.7	26.5	4/19
Percentage of cancellations <sup>b</sup>	10.8	22.9	25.0	33.3
Average number of embryos transferred	2.9	3.4	4.6	6.0
Percentage of pregnancies with twins <sup>b</sup>	52.9	26.9	4.8	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	8.8	15.4	4.8	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	58.1	40.9	2/13	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	19	20	7	5
Percentage of transfers resulting in live births <sup>b,c</sup>	5/19	5.0	1/7	1/5
Average number of embryos transferred	3.2	3.2	4.0	3.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	15	10	54
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/5	6/15	5/10	38.9
Average number of fresh embryos transferred	3.0	3.8	3.9	3.2
Number of frozen embryo transfers	4	5	7	22
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/4	0/5	0/7	13.6
Average number of frozen embryos transferred	2.5	1.8	3.9	3.7

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Science Center of the Bay Area

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR ASSISTED REPRODUCTIVE MEDICINE SANTA MONICA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	83%	<b>Procedural factors:</b>	Tubal factor	15%	Uterine factor	4%		
GIFT	13%		Male factor	32%	Other factors	5%		
ZIFT	<1%		With ICSI	51%	Ovulatory dysfunction	12%	Unexplained	25%
Combination	4%		Unstimulated	<1%	Endometriosis	7%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Richard P. Marrs, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	90	96	90	129
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.6	35.4	28.9	15.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.9 (19.5 - 38.3)	28.1 (19.1 - 37.1)	24.4 (15.6 - 33.3)	8.5 (3.7 - 13.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.6	30.7	26.5	10.4
Percentage of transfers resulting in live births <sup>b,c</sup>	30.6	31.4	27.5	11.0
Percentage of cancellations <sup>b</sup>	5.6	8.3	7.8	17.8
Average number of embryos transferred	3.7	3.9	4.1	4.7
Percentage of pregnancies with twins <sup>b</sup>	25.0	20.6	11.5	15.0
Percentage of pregnancies with triplets or more <sup>b</sup>	21.9	2.9	7.7	5.0
Percentage of live births having multiple infants <sup>b,c</sup>	42.3	29.6	18.2	1/11
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	29	21	14	14
Percentage of transfers resulting in live births <sup>b,c</sup>	37.9	14.3	2/14	3/14
Average number of embryos transferred	3.4	3.4	3.6	3.1
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	3	4	52
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/3	2/4	28.8
Average number of fresh embryos transferred		4.0	4.0	3.9
Number of frozen embryo transfers	2	0	6	38
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2		3/6	15.8
Average number of frozen embryos transferred	3.0		3.7	3.1

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Assisted Reproductive Medicine

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# PARKER-ROSENMAN-RODI GYNECOLOGY & INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	24%	Uterine factor	0%		
GIFT	0%		Male factor	12%	Other factors	0%		
ZIFT	0%		With ICSI	19%	Ovulatory dysfunction	62%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	2%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Ingrid A. Rodi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	3	12	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/8	1/3	2/12	6/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/8	1/3	1/12	2/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/8	1/3	1/12	2/9
Percentage of transfers resulting in live births <sup>b,c</sup>	3/6	1/3	1/10	2/8
Percentage of cancellations <sup>b</sup>	0/8	0/3	0/12	0/9
Average number of embryos transferred	3.5	4.7	5.2	6.3
Percentage of pregnancies with twins <sup>b</sup>	2/4	1/1	1/2	1/6
Percentage of pregnancies with triplets or more <sup>b</sup>	1/4	0/1	0/2	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	3/3	1/1	1/1	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	0	4	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/9		1/4	0/2
Average number of embryos transferred	3.6		2.5	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/2
Average number of frozen embryos transferred				3.5

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Parker-Rosenman-Rodi Gynecology & Infertility Medical Group

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH BAY FERTILITY CENTER, INC.  
SANTA ROSA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37-39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	24%	Uterine factor	2%		
GIFT	0%		Male factor	21%	Other factors	5%		
ZIFT	0%		With ICSI	35%	Ovulatory dysfunction	37%	Unexplained	7%
Combination	0%		Unstimulated	0%	Endometriosis	4%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Steven T. Dodge, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	30	18	18	12
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	7/18	4/18	2/12
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.7 (10.8 - 42.5)	7/18	3/18	1/12
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.7	7/16	3/16	1/10
Percentage of transfers resulting in live births <sup>b,c</sup>	27.6	7/15	3/15	1/10
Percentage of cancellations <sup>b</sup>	0.0	2/18	2/18	2/12
Average number of embryos transferred	2.7	4.3	5.4	5.5
Percentage of pregnancies with twins <sup>b</sup>	3/10	4/7	2/4	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	0/10	0/7	0/4	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	2/8	4/7	1/3	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	5	4	3
Percentage of transfers resulting in live births <sup>b,c</sup>	4/14	1/5	1/4	2/3
Average number of embryos transferred	3.9	4.0	5.5	4.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	5	3	17
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	1/5	2/3	6/17
Average number of fresh embryos transferred	4.0	2.6	3.3	2.8
Number of frozen embryo transfers	0	0	0	4
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				3/4
Average number of frozen embryos transferred				3.8

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** North Bay Fertility Center, Inc.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## VALLEY CENTER FOR REPRODUCTIVE HEALTH SHERMAN OAKS, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	94%	<b>Procedural factors:</b>	Tubal factor	15%	Uterine factor	0%
GIFT	0%		Male factor	45%	Other factors	0%
ZIFT	0%		With ICSI	41%	Ovulatory dysfunction	15%
Combination	6%		Unstimulated	0%	Endometriosis	15%
					Unexplained	10%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Tina B. Koopersmith, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	5	3	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/7	1/5	1/3	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/7	0/5	1/3	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/6	0/5	1/3	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/5	1/3	0/2
Percentage of cancellations <sup>b</sup>	1/7	0/5	0/3	0/2
Average number of embryos transferred	3.0	4.0	4.3	5.5
Percentage of pregnancies with twins <sup>b</sup>	2/3	0/1	1/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/2		0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/1	1/1
Average number of fresh embryos transferred			2.0	2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Valley Center for Reproductive Health

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## STANFORD UNIVERSITY IVF/ART PROGRAM STANFORD, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	22%	Uterine factor	3%		
GIFT	<1%		Male factor	23%	Other factors	14%		
ZIFT	0%		With ICSI	40%	Ovulatory dysfunction	2%	Unexplained	24%
Combination	2%		Unstimulated	<1%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Amin Milki, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	123	96	146	98
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.1	31.3	24.7	15.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.2 (17.5 - 32.9)	27.1 (18.2 - 36.0)	19.9 (13.4 - 26.3)	8.2 (2.7 - 13.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.0	30.2	21.8	8.8
Percentage of transfers resulting in live births <sup>b,c</sup>	27.7	31.0	22.5	9.4
Percentage of cancellations <sup>b</sup>	6.5	10.4	8.9	7.1
Average number of embryos transferred	3.3	3.5	3.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	32.4	23.3	25.0	1/15
Percentage of pregnancies with triplets or more <sup>b</sup>	8.1	6.7	5.6	0/15
Percentage of live births having multiple infants <sup>b,c</sup>	38.7	26.9	31.0	1/8
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	6	3	5
Percentage of transfers resulting in live births <sup>b,c</sup>	1/7	0/6	0/3	0/5
Average number of embryos transferred	3.1	2.8	3.7	2.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	3	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2		2/3	1/7
Average number of fresh embryos transferred	5.0		4.7	3.1
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Stanford University IVF/ART Program

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**CENTER FOR FERTILITY AND GYNECOLOGY  
VERMESH/BEN-OZER CENTER FOR FERTILITY  
TARZANA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	93%	<b>Procedural factors:</b>	Tubal factor	13%	Uterine factor	6%		
GIFT	1%		Male factor	26%	Other factors	2%		
ZIFT	<1%		With ICSI	49%	Ovulatory dysfunction	18%	Unexplained	25%
Combination	5%		Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael Vermesh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	95	58	64	52
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.6	53.4	34.4	28.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	50.5 (40.5 - 60.6)	46.6 (33.7 - 59.4)	25.0 (14.4 - 35.6)	17.3 (7.0 - 27.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.1	48.2	25.4	17.6
Percentage of transfers resulting in live births <sup>b,c</sup>	54.5	50.0	27.1	18.8
Percentage of cancellations <sup>b</sup>	1.1	3.4	1.6	1.9
Average number of embryos transferred	3.9	4.1	3.9	4.0
Percentage of pregnancies with twins <sup>b</sup>	16.0	38.7	27.3	1/15
Percentage of pregnancies with triplets or more <sup>b</sup>	36.0	22.6	9.1	2/15
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	55.6	4/16	2/9
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	1	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/4	0/1	0/1	0/2
Average number of embryos transferred	3.8	4.0	3.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	10	29
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/2	6/10	65.5
Average number of fresh embryos transferred		4.5	3.5	4.1
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of frozen embryos transferred		4.0		

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Fertility and Gynecology Vermesh/Ben-Ozer Center for Fertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**THE FERTILITY INSTITUTES**  
**JEFFREY STEINBERG, M.D. INCORPORATED**  
**TARZANA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	27%	Uterine factor	7%		
GIFT	2%		Male factor	23%	Other factors	9%		
ZIFT	0%		With ICSI	24%	Ovulatory dysfunction	22%	Unexplained	1%
Combination	0%		Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jeffrey M. Steinberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	30	14	11	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.7	8/14	5/11	2/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	46.7 (28.8 - 64.5)	8/14	4/11	1/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.7	8/14	4/11	1/8
Percentage of transfers resulting in live births <sup>b,c</sup>	46.7	8/14	4/11	1/8
Percentage of cancellations <sup>b</sup>	0.0	0/14	0/11	0/8
Average number of embryos transferred	5.0	4.9	3.8	3.6
Percentage of pregnancies with twins <sup>b</sup>	6/14	3/8	2/5	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	2/14	3/8	0/5	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	8/14	6/8	2/4	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of embryos transferred	3.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				3/5
Average number of fresh embryos transferred				4.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Fertility Institutes

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## INFERTILITY AND GYNECOLOGY INSTITUTE TARZANA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	90%	<b>Procedural factors:</b>		Tubal factor	26%	Uterine factor	1%
GIFT	2%			Male factor	12%	Other factors	15%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	6%	Unexplained	18%
Combination	8%	Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Paul Greenberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	14	11	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.0	9/14	3/11	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	35.0 (14.1 - 55.9)	8/14	3/11	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	7/19	8/14	3/11	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	7/19	8/14	3/11	0/4
Percentage of cancellations <sup>b</sup>	5.0	0/14	0/11	0/5
Average number of embryos transferred	3.4	4.2	3.8	4.3
Percentage of pregnancies with twins <sup>b</sup>	1/8	3/9	2/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	3/8	2/9	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	1/7	4/8	2/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2			
Average number of embryos transferred	2.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	0	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2			4/8
Average number of fresh embryos transferred	4.5			3.4
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Infertility and Gynecology Institute

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	34%	Uterine factor	1%		
GIFT	0%		Male factor	25%	Other factors	21%		
ZIFT	<1%		With ICSI	68%	Ovulatory dysfunction	6%	Unexplained	0%
Combination	<1%		Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Rifaat Salem, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	73	51	49	37
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.5	39.2	34.7	16.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	34.2 (23.4 - 45.1)	37.3 (24.0 - 50.5)	16.3 (6.0 - 26.7)	5.4 (0.0 - 12.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.2	37.3	17.4	5.9
Percentage of transfers resulting in live births <sup>b,c</sup>	34.7	38.0	17.8	6.3
Percentage of cancellations <sup>b</sup>	0.0	0.0	6.1	8.1
Average number of embryos transferred	5.2	5.1	5.5	5.6
Percentage of pregnancies with twins <sup>b</sup>	29.0	30.0	3/17	1/6
Percentage of pregnancies with triplets or more <sup>b</sup>	19.4	15.0	1/17	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	44.0	7/19	2/8	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	5	7	2
Percentage of transfers resulting in live births <sup>b,c</sup>	7/16	2/5	3/7	0/2
Average number of embryos transferred	5.5	5.2	4.9	4.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	0	4	10
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/4		3/4	5/10
Average number of fresh embryos transferred	5.8		5.5	5.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Pacific Reproductive Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## COLORADO SPRINGS CENTER FOR REPRODUCTIVE HEALTH COLORADO SPRINGS, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	95%	<b>Procedural factors:</b>		Tubal factor	38%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	8%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	8%	Unexplained	0%
Combination	5%	Unstimulated	0%	Endometriosis	46%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert W. Hahn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	4	3	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/12	0/4	0/3	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/12	0/4	0/3	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/11	0/4	0/3	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/3	0/2	0/3
Percentage of cancellations <sup>b</sup>	1/12	0/4	0/3	0/3
Average number of embryos transferred	2.8	3.0	5.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	1/3			
Percentage of pregnancies with triplets or more <sup>b</sup>	1/3			
Percentage of live births having multiple infants <sup>b,c</sup>	1/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			0/1
Average number of embryos transferred	1.0			2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Colorado Springs Center for Reproductive Health

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
UNIVERSITY OF COLORADO  
DENVER, COLORADO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	95%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	0%
GIFT	5%		Male factor	33%	Other factors	4%
ZIFT	0%		With ICSI	38%	Ovulatory dysfunction	14%
Combination	0%		Unstimulated	0%	Endometriosis	7%
					Unexplained	11%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Marcelle I. Cedars, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	41	14	8	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.6	4/14	1/8	
Percentage of cycles resulting in live births <sup>b,c</sup>	29.3	2/14	0/8	
(Reliability Range)	(15.3 - 43.2)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.6	2/13	0/5	
Percentage of transfers resulting in live births <sup>b,c</sup>	31.6	2/12	0/5	
Percentage of cancellations <sup>b</sup>	7.3	1/14	3/8	
Average number of embryos transferred	3.5	3.9	3.0	
Percentage of pregnancies with twins <sup>b</sup>	5/15	0/4	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/15	0/4	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	5/12	0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	2	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	0/1	1/2	1/4
Average number of fresh embryos transferred	3.5	3.0	3.0	2.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine, University of Colorado

**Services Offered:**

Donor egg? Yes      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## COLORADO IVF AT ROSE DENVER, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	97%	<b>Procedural factors:</b>	Tubal factor	19%	Uterine factor	1%		
GIFT	3%		Male factor	18%	Other factors	4%		
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	42%	Unexplained	8%
Combination	0%		Unstimulated	1%	Endometriosis	8%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Samuel E. Alexander, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	48	29	11	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.6	27.6	2/11	1/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.5 (23.8 - 51.2)	20.7 (5.9 - 35.4)	2/11	1/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.1	21.4	2/9	1/5
Percentage of transfers resulting in live births <sup>b,c</sup>	46.2	22.2	2/9	1/4
Percentage of cancellations <sup>b</sup>	4.2	3.4	2/11	0/5
Average number of embryos transferred	2.4	3.2	3.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	2/19	2/8	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/19	2/8	1/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/18	3/6	1/2	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	15	5	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/15	0/5	0/1	1/1
Average number of embryos transferred	2.1	3.4	2.0	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	5	6	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/5	4/6	42.9
Average number of fresh embryos transferred		2.2	2.2	2.4
Number of frozen embryo transfers	0	1	0	7
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		1/7
Average number of frozen embryos transferred		2.0		3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Colorado IVF at Rose

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE GENETICS IN VITRO DENVER, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	55%	Uterine factor	0%
GIFT	0%		Male factor	13%	Other factors	0%
ZIFT	0%		With ICSI	19%	Ovulatory dysfunction	7%
Combination	0%		Unstimulated	0%	Endometriosis	18%
					Unexplained	7%

### 1998 PREGNANCY SUCCESS RATES

Data verified by George P. Henry, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	7	7	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	2/7	0/7	1/9
Percentage of cycles resulting in live births <sup>b,c</sup>	29.2	2/7	0/7	1/9
(Reliability Range)	(11.0 - 47.4)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.2	2/7	0/7	1/8
Percentage of transfers resulting in live births <sup>b,c</sup>	30.4	2/7	0/7	1/7
Percentage of cancellations <sup>b</sup>	0.0	0/7	0/7	1/9
Average number of embryos transferred	3.1	4.0	3.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	3/8	1/2		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/8	0/2		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/7	1/2		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/3	0/1	
Average number of embryos transferred	3.0	2.7	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Genetics In Vitro

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## COLORADO CENTER FOR REPRODUCTIVE MEDICINE ENGLEWOOD, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>	Tubal factor	13%	Uterine factor	2%	
GIFT	0%		Male factor	14%	Other factors	40%	
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	11%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by William B. Schoolcraft, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	234	126	139	98
Percentage of cycles resulting in pregnancies <sup>b</sup>	59.0	48.4	36.7	23.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	54.7 (48.3 - 61.1)	42.9 (34.2 - 51.5)	30.9 (23.3 - 38.6)	17.3 (9.9 - 24.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	62.1	51.9	41.7	26.6
Percentage of transfers resulting in live births <sup>b,c</sup>	62.4	52.4	42.6	27.0
Percentage of cancellations <sup>b</sup>	12.0	17.5	25.9	34.7
Average number of embryos transferred	2.8	3.2	3.5	4.1
Percentage of pregnancies with twins <sup>b</sup>	36.2	39.3	19.6	0.0
Percentage of pregnancies with triplets or more <sup>b</sup>	12.3	8.2	11.8	8.7
Percentage of live births having multiple infants <sup>b,c</sup>	42.2	40.7	20.9	1/17
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	28	20	21	13
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	25.0	28.6	1/13
Average number of embryos transferred	2.9	2.7	2.8	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	12	12	17	67
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	7/12	9/12	14/17	68.7
Average number of fresh embryos transferred	3.1	3.2	2.9	2.8
Number of frozen embryo transfers	2	5	13	16
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	4/5	5/13	7/16
Average number of frozen embryos transferred	5.0	3.4	3.9	3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Colorado Center For Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	34%	Uterine factor	4%
GIFT	0%			Male factor	28%	Other factors	2%
ZIFT	0%	With ICSI	49%	Ovulatory dysfunction	6%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Kevin E. Bachus, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	13	4	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	7/19	7/13	0/4	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/19	6/13	0/4	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/19	6/13	0/4	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	6/15	6/12	0/4	
Percentage of cancellations <sup>b</sup>	0/19	0/13	0/4	0/1
Average number of embryos transferred	3.7	3.5	3.8	
Percentage of pregnancies with twins <sup>b</sup>	2/7	3/7		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	2/7		
Percentage of live births having multiple infants <sup>b,c</sup>	1/6	5/6		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/2		
Average number of embryos transferred	4.0	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				4.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				5.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Rocky Mountain Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CONCEPTIONS REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	24%	Uterine factor	3%		
GIFT	0%		Male factor	13%	Other factors	4%		
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	17%	Unexplained	35%
Combination	0%		Unstimulated	0%	Endometriosis	4%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Bruce H. Albrecht, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	61	41	42	22
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.8	36.6	19.0	27.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	44.3 (31.8 - 56.7)	31.7 (17.5 - 46.0)	11.9 (2.1 - 21.7)	13.6 (0.0 - 28.0)
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.9	40.6	16.1	3/16
Percentage of transfers resulting in live births <sup>b,c</sup>	52.9	41.9	16.7	3/16
Percentage of cancellations <sup>b</sup>	13.1	22.0	26.2	27.3
Average number of embryos transferred	3.2	3.7	3.5	3.6
Percentage of pregnancies with twins <sup>b</sup>	35.5	6/15	1/8	0/6
Percentage of pregnancies with triplets or more <sup>b</sup>	3.2	1/15	1/8	1/6
Percentage of live births having multiple infants <sup>b,c</sup>	33.3	5/13	2/5	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	6	5	4
Percentage of transfers resulting in live births <sup>b,c</sup>	1/7	2/6	0/5	0/4
Average number of embryos transferred	3.4	3.2	3.8	2.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	3	3	25
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/3	0/3	0/3	48.0
Average number of fresh embryos transferred	3.0	2.7	2.7	3.0
Number of frozen embryo transfers	1	0	2	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1		1/2	1/6
Average number of frozen embryos transferred	2.0		5.5	3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Conceptions Reproductive Associates

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES AT  
THE UNIVERSITY OF CONNECTICUT HEALTH CENTER  
FARMINGTON, CONNECTICUT**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	29%	Uterine factor	<1%		
GIFT	0%		Male factor	33%	Other factors	<1%		
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	11%	Unexplained	11%
Combination	0%		Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by John C. Nulsen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	178	120	70	46
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.3	36.7	18.6	8.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	32.0 (25.2 - 38.9)	29.2 (21.0 - 37.3)	17.1 (8.3 - 26.0)	6.5 (0.0 - 13.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.8	35.0	26.7	12.5
Percentage of transfers resulting in live births <sup>b,c</sup>	39.9	37.2	27.9	15.0
Percentage of cancellations <sup>b</sup>	17.4	16.7	35.7	47.8
Average number of embryos transferred	3.1	3.5	3.8	3.9
Percentage of pregnancies with twins <sup>b</sup>	34.3	31.8	3/13	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	14.3	11.4	1/13	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	45.6	45.7	4/12	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	29	8	5	1
Percentage of transfers resulting in live births <sup>b,c</sup>	34.5	1/8	1/5	0/1
Average number of embryos transferred	3.4	3.3	3.0	5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	2	11
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	1/2	1/2	3/11
Average number of fresh embryos transferred	3.0	4.0	3.5	3.3
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2			0/1
Average number of frozen embryos transferred	4.0			1.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Center for Advanced Reproductive Services at the University of Connecticut Health Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**YALE UNIVERSITY SCHOOL OF MEDICINE  
IN VITRO FERTILIZATION PROGRAM  
NEW HAVEN, CONNECTICUT**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	34%	Uterine factor	2%
GIFT	0%			Male factor	19%	Other factors	9%
ZIFT	<1%	With ICSI	17%	Ovulatory dysfunction	6%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Ervin E. Jones, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	134	101	78	67
Percentage of cycles resulting in pregnancies <sup>b</sup>	17.9	13.9	11.5	7.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	16.4 (10.1 - 22.7)	11.9 (5.6 - 18.2)	10.3 (3.5 - 17.0)	4.5 (0.0 - 9.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	17.3	13.2	12.1	5.4
Percentage of transfers resulting in live births <sup>b,c</sup>	18.5	14.1	15.1	6.5
Percentage of cancellations <sup>b</sup>	5.2	9.9	15.4	16.4
Average number of embryos transferred	3.6	3.4	3.2	3.5
Percentage of pregnancies with twins <sup>b</sup>	25.0	3/14	1/9	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	25.0	1/14	0/9	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	54.5	4/12	0/8	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	3	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/12	0/3	0/3	0/1
Average number of embryos transferred	4.0	5.0	5.3	5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	5	12
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	1/5	0/12
Average number of fresh embryos transferred		3.0	3.4	3.0
Number of frozen embryo transfers	0	1	5	4
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	0/5	0/4
Average number of frozen embryos transferred		3.0	3.6	4.3

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Yale University School of Medicine In-Vitro Fertilization Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**MICHAEL B. DOYLE, M.D.**  
**NORWALK, CONNECTICUT**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	5%		
GIFT	0%		Male factor	31%	Other factors	<1%		
ZIFT	0%		With ICSI	52%	Ovulatory dysfunction	29%	Unexplained	7%
Combination	0%		Unstimulated	0%	Endometriosis	7%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael B. Doyle, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	29	34	31
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.2	34.5	35.3	12.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.8 (22.3 - 45.3)	31.0 (14.2 - 47.9)	32.4 (16.6 - 48.1)	9.7 (0.0 - 20.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.8	32.1	33.3	9.7
Percentage of transfers resulting in live births <sup>b,c</sup>	34.9	32.1	33.3	9.7
Percentage of cancellations <sup>b</sup>	0.0	3.4	2.9	0.0
Average number of embryos transferred	4.8	4.8	4.3	4.4
Percentage of pregnancies with twins <sup>b</sup>	23.3	2/10	4/12	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	20.0	1/10	1/12	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	2/9	5/11	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	3	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/6	1/3	0/1	
Average number of embryos transferred	2.8	4.0	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	1	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	0/2	1/1	2/9
Average number of fresh embryos transferred	4.0	3.0	6.0	4.3
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		1/1		0/1
Average number of frozen embryos transferred		5.0		2.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Michael B. Doyle, M.D.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	22%	Uterine factor	<1%
GIFT	<1%		Male factor	27%	Other factors	14%
ZIFT	0%		With ICSI	48%	Ovulatory dysfunction	6%
Combination	0%		Unstimulated	<1%	Endometriosis	6%
					Unexplained	25%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Gad Lavy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	83	64	47	37
Percentage of cycles resulting in pregnancies <sup>b</sup>	63.9	54.7	53.2	32.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	57.8 (47.2 - 68.5)	48.4 (36.2 - 60.7)	44.7 (30.5 - 58.9)	21.6 (8.4 - 34.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	58.5	50.8	46.7	25.0
Percentage of transfers resulting in live births <sup>b,c</sup>	59.3	50.8	46.7	26.7
Percentage of cancellations <sup>b</sup>	1.2	4.7	4.3	13.5
Average number of embryos transferred	3.9	3.7	3.5	3.7
Percentage of pregnancies with twins <sup>b</sup>	41.5	17.1	16.0	1/12
Percentage of pregnancies with triplets or more <sup>b</sup>	15.1	14.3	4.0	1/12
Percentage of live births having multiple infants <sup>b,c</sup>	58.3	29.0	19.0	2/8
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	22	16	10	5
Percentage of transfers resulting in live births <sup>b,c</sup>	22.7	6/16	3/10	0/5
Average number of embryos transferred	3.1	3.1	3.2	3.4
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	2	14
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/4	0/2	0/2	5/14
Average number of fresh embryos transferred	3.3	5.5	4.0	3.7
Number of frozen embryo transfers	1	2	1	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1	0/2	0/1	0/6
Average number of frozen embryos transferred	3.0	3.5	4.0	3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** New England Fertility Institute

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	96%	<b>Procedural factors:</b>	Tubal factor	25%	Uterine factor	14%
GIFT	0%		Male factor	14%	Other factors	8%
ZIFT	4%		With ICSI	54%	Ovulatory dysfunction	8%
Combination	0%		Unstimulated	0%	Endometriosis	17%
					Unexplained	14%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Frances W. Ginsburg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	6	6	10	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/6	1/6	3/10	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/6	1/6	1/10	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/5	1/5	1/10	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	3/5	1/5	1/9	0/3
Percentage of cancellations <sup>b</sup>	1/6	1/6	0/10	0/4
Average number of embryos transferred	3.0	3.4	3.0	3.3
Percentage of pregnancies with twins <sup>b</sup>	1/3	0/1	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/1	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	0/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	2	4
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3		0/2	0/4
Average number of embryos transferred	2.3		2.5	2.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Stamford Hospital

**Services Offered:**

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR HUMAN REPRODUCTION-DELAWARE, P.A.  
NEWARK, DELAWARE**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	99%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	2%
GIFT	0%			Male factor	29%	Other factors	8%
ZIFT	<1%	With ICSI	34%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	<1%	Unstimulated	<1%	Endometriosis	20%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jeffrey B. Russell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	128	68	37	27
Percentage of cycles resulting in pregnancies <sup>b</sup>	18.0	14.7	10.8	0.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	17.2 (10.7 - 23.7)	13.2 (5.2 - 21.3)	10.8 (0.8 - 20.8)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	21.4	19.6	20.0	0/12
Percentage of transfers resulting in live births <sup>b,c</sup>	23.2	22.0	4/19	0/9
Percentage of cancellations <sup>b</sup>	19.5	32.4	45.9	55.6
Average number of embryos transferred	4.2	4.2	3.1	3.1
Percentage of pregnancies with twins <sup>b</sup>	21.7	2/10	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	13.0	1/10	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	27.3	2/9	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	19	8	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/19	1/8	1/3	0/1
Average number of embryos transferred	3.0	3.4	1.3	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	1	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	1/3	1/1	3/7
Average number of fresh embryos transferred	6.0	4.7	6.0	4.3
Number of frozen embryo transfers	1	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			0/1
Average number of frozen embryos transferred	2.0			4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Delaware Institute for Reproductive Medicine, PA

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE ASSOCIATES OF DELAWARE WILMINGTON, DELAWARE

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	36%	Uterine factor	0%
GIFT	0%		Male factor	32%	Other factors	0%
ZIFT	0%		With ICSI	59%	Ovulatory dysfunction	0%
Combination	0%		Unstimulated	0%	Endometriosis	32%
				Unexplained	0%	

### 1998 PREGNANCY SUCCESS RATES

Data verified by Ronald F. Feinberg, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	31	8	5	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.7	3/8	1/5	0/2
Percentage of cycles resulting in live births <sup>b,c</sup>	35.5	3/8	0/5	0/2
(Reliability Range)	(18.6 - 52.3)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.3	3/7	0/3	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	42.3	3/6	0/3	0/1
Percentage of cancellations <sup>b</sup>	9.7	1/8	2/5	1/2
Average number of embryos transferred	3.7	4.3	3.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	3/12	1/3	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/12	0/3	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	4/11	1/3		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	3	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/9	0/3	0/2	
Average number of embryos transferred	3.6	2.7	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Associates of Delaware

**Services Offered:**

Donor egg? No      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? No

**Clinic Profile:**

SART member? No  
 Verified lab accreditation? No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## COLUMBIA HOSPITAL FOR WOMEN ART PROGRAM WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	32%	Uterine factor	3%		
GIFT	<1%		Male factor	19%	Other factors	<1%		
ZIFT	<1%		With ICSI	40%	Ovulatory dysfunction	30%	Unexplained	5%
Combination	<1%		Unstimulated	0%	Endometriosis	10%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Richard J. Falk, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	60	60	79	45
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	21.7	11.4	4.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.0 (14.0 - 36.0)	16.7 (7.2 - 26.1)	6.3 (1.0 - 11.7)	4.4 (0.0 - 10.5)
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.8	22.7	8.5	6.7
Percentage of transfers resulting in live births <sup>b,c</sup>	28.8	23.8	9.4	7.4
Percentage of cancellations <sup>b</sup>	6.7	26.7	25.3	33.3
Average number of embryos transferred	4.2	4.1	4.6	3.6
Percentage of pregnancies with twins <sup>b</sup>	2/15	2/13	4/9	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	3/15	2/13	0/9	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	4/15	2/10	1/5	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	12	2	3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/14	0/12	0/2	0/3
Average number of embryos transferred	4.4	4.1	3.0	4.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	4	12	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/4	4/12	33.3
Average number of fresh embryos transferred		4.5	4.3	3.8
Number of frozen embryo transfers	1	2	3	19
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1	0/2	0/3	4/19
Average number of frozen embryos transferred	4.0	4.0	3.7	3.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE GEORGE WASHINGTON UNIVERSITY MEDICAL CENTER  
WASHINGTON, DISTRICT OF COLUMBIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	1%
GIFT	0%			Male factor	36%	Other factors	4%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	6%	Unexplained	27%
Combination	0%	Unstimulated	<1%	Endometriosis	9%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Paul R. Gindoff, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	76	53	44	44
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.9	20.8	18.2	9.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.0 (15.3 - 34.7)	13.2 (4.1 - 22.3)	6.8 (0.0 - 14.3)	2.3 (0.0 - 6.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.8	14.6	7.7	2.6
Percentage of transfers resulting in live births <sup>b,c</sup>	27.5	14.9	8.1	2.7
Percentage of cancellations <sup>b</sup>	6.6	9.4	11.4	11.4
Average number of embryos transferred	3.8	3.7	3.9	3.8
Percentage of pregnancies with twins <sup>b</sup>	12.0	1/11	0/8	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	20.0	0/11	0/8	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	5/19	1/7	0/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	5	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/5	0/1	1/2
Average number of embryos transferred	3.8	3.8	2.0	4.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	5	10
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2	1/1	1/5	3/10
Average number of fresh embryos transferred	4.0	4.0	4.0	4.2
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of frozen embryos transferred		3.0		

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The George Washington University Medical Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE SCIENCE CENTER  
WALTER REED ARMY MEDICAL CENTER  
WASHINGTON, DISTRICT OF COLUMBIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	38%	Uterine factor	0%
GIFT	<1%			Male factor	23%	Other factors	5%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	6%	Unexplained	22%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by James Segars, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	199	103	87	45
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.8	35.9	34.5	11.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	46.2 (39.3 - 53.2)	29.1 (20.4 - 37.9)	25.3 (16.2 - 34.4)	6.7 (0.0 - 14.0)
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.1	36.6	31.4	11.1
Percentage of transfers resulting in live births <sup>b,c</sup>	52.3	37.5	33.3	11.1
Percentage of cancellations <sup>b</sup>	9.5	20.4	19.5	40.0
Average number of embryos transferred	2.8	3.3	3.5	4.2
Percentage of pregnancies with twins <sup>b</sup>	33.7	29.7	16.7	1/5
Percentage of pregnancies with triplets or more <sup>b</sup>	12.9	8.1	10.0	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	47.8	43.3	27.3	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	2	2	3
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5	1/2	0/2	1/3
Average number of embryos transferred	2.4	2.0	2.5	2.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Science Center, Walter Reed Army Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## BOCA FERTILITY BOCA RATON, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	27%	Uterine factor	5%		
GIFT	0%		Male factor	31%	Other factors	0%		
ZIFT	0%		With ICSI	11%	Ovulatory dysfunction	29%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	8%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Maurice (Moshe) R. Peress, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	21	19	17	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.1	9/19	7/17	1/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.3 (13.2 - 53.5)	8/19	4/17	1/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	7/17	8/16	4/10	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	7/17	8/15	4/9	1/4
Percentage of cancellations <sup>b</sup>	19.0	3/19	7/17	2/6
Average number of embryos transferred	3.6	4.1	4.7	1.3
Percentage of pregnancies with twins <sup>b</sup>	3/8	0/9	1/7	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/8	2/9	0/7	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/7	2/8	1/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	4	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/11	3/4	0/1	0/1
Average number of embryos transferred	3.5	2.8	4.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			1/2
Average number of fresh embryos transferred	3.0			4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Boca Fertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**PALM BEACH FERTILITY CENTER  
BOCA RATON, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	99%	<b>Procedural factors:</b>	Tubal factor	27%	Uterine factor	3%
GIFT	1%		Male factor	23%	Other factors	13%
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	16%
Combination	0%		Unstimulated	0%	Endometriosis	16%
					Unexplained	2%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Mark S. Denker, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	17	12	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	54.2	4/17	2/12	20.0
Percentage of cycles resulting in live births <sup>b,c</sup>	45.8	3/17	1/12	15.0
(Reliability Range)	(25.9 - 65.8)			(0.0 - 30.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	3/15	1/10	3/12
Percentage of transfers resulting in live births <sup>b,c</sup>	52.4	3/13	1/10	3/11
Percentage of cancellations <sup>b</sup>	8.3	2/17	2/12	40.0
Average number of embryos transferred	4.1	4.2	3.9	4.4
Percentage of pregnancies with twins <sup>b</sup>	5/13	2/4	0/2	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	3/13	0/4	1/2	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	7/11	1/3	1/1	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	4	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>		1/4	0/1	
Average number of embryos transferred		3.3	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	1	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2		0/1	5/7
Average number of fresh embryos transferred	3.0		4.0	4.1
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Palm Beach Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ADVANCED REPRODUCTIVE CARE CENTER, P.A.  
BOYNTON BEACH, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	40%	<b>Procedural factors:</b>	Tubal factor	80%	Uterine factor	0%
GIFT	60%		Male factor	0%	Other factors	0%
ZIFT	0%		With ICSI	0%	Ovulatory dysfunction	20%
Combination	0%		Unstimulated	0%	Endometriosis	0%
					Unexplained	0%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Tibor E. Polcz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	4	0	1	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/4		0/1	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/4		0/1	
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/4		0/1	
Percentage of transfers resulting in live births <sup>b,c</sup>	2/4		0/1	
Percentage of cancellations <sup>b</sup>	0/4		0/1	
Average number of embryos transferred	4.3		2.0	
Percentage of pregnancies with twins <sup>b</sup>	1/2			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2			
Percentage of live births having multiple infants <sup>b,c</sup>	1/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Advanced Reproductive Care Center, P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR HUMAN REPRODUCTION-FLORIDA  
CLEARWATER, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	1%		
GIFT	0%		Male factor	28%	Other factors	4%		
ZIFT	0%		With ICSI	34%	Ovulatory dysfunction	13%	Unexplained	9%
Combination	0%		Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Timothy R. Yeko, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	98	28	18	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.7	42.9	5/18	0/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.6 (22.4 - 40.8)	28.6 (11.8 - 45.3)	3/18	0/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.6	29.6	3/15	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	40.3	29.6	3/15	0/5
Percentage of cancellations <sup>b</sup>	11.2	3.6	3/18	5/10
Average number of embryos transferred	3.4	3.3	3.3	3.6
Percentage of pregnancies with twins <sup>b</sup>	36.1	2/12	1/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	16.7	1/12	0/5	
Percentage of live births having multiple infants <sup>b,c</sup>	51.6	3/8	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	5	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/5	0/2	
Average number of embryos transferred	2.3	2.0	6.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	2	2	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/3	1/2	1/2	2/8
Average number of fresh embryos transferred	3.0	3.5	3.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCE & TECHNOLOGY (F.I.R.S.T.) COOPER CITY, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	53%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	23%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Minna R. Selub, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	17	4	5	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/17	1/4	2/5	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/17	1/4	1/5	1/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/16	1/4	1/5	1/3
Percentage of transfers resulting in live births <sup>b,c</sup>	1/15	1/4	1/5	1/3
Percentage of cancellations <sup>b</sup>	1/17	0/4	0/5	0/3
Average number of embryos transferred	4.3	6.8	5.2	4.3
Percentage of pregnancies with twins <sup>b</sup>	0/1	0/1	1/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/1	0/1	0/2	1/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/1	0/1	0/1	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1	0/1	
Average number of embryos transferred	4.5	6.0	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	1	5	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/3	0/1	0/5	0/5
Average number of fresh embryos transferred	3.7	6.0	4.4	5.8
Number of frozen embryo transfers	1	0	2	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1		0/2	1/1
Average number of frozen embryos transferred	5.0		6.5	9.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Florida Institute for Reproductive Science & Technology (F.I.R.S.T.)

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SPECIALISTS IN REPRODUCTIVE MEDICINE & SURGERY, P.A.  
FORT MYERS, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	94%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	0%		
GIFT	0%		Male factor	21%	Other factors	25%		
ZIFT	0%		With ICSI	47%	Ovulatory dysfunction	12%	Unexplained	0%
Combination	6%		Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Craig R. Sweet, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	29	7	12	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.3	1/7	3/12	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	48.3 (30.1 - 66.5)	1/7	3/12	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	1/6	3/10	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0	1/6	3/10	0/4
Percentage of cancellations <sup>b</sup>	3.4	1/7	2/12	1/5
Average number of embryos transferred	3.0	2.8	3.4	5.0
Percentage of pregnancies with twins <sup>b</sup>	5/14	0/1	0/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/14	0/1	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	7/14	0/1	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	2	4
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1	0/2	1/4
Average number of embryos transferred	2.5	2.0	5.0	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	5	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	1/1	2/5	3/5
Average number of fresh embryos transferred	3.0	3.0	3.2	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Specialists in Reproductive Medicine & Surgery, P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF FLORIDA/PARK AVENUE WOMEN'S CENTER  
GAINESVILLE, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	0%
GIFT	0%		Male factor	15%	Other factors	35%
ZIFT	0%		With ICSI	31%	Ovulatory dysfunction	9%
Combination	0%		Unstimulated	0%	Endometriosis	20%
					Unexplained	1%

**1998 PREGNANCY SUCCESS RATES**

Data verified by R. Stan Williams, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	23	11	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.2	21.7	3/11	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	38.5 (23.2 - 53.7)	21.7 (4.9 - 38.6)	2/11	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.5	23.8	2/10	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	41.7	23.8	2/10	0/2
Percentage of cancellations <sup>b</sup>	5.1	8.7	1/11	1/4
Average number of embryos transferred	3.0	3.1	3.2	1.5
Percentage of pregnancies with twins <sup>b</sup>	5/18	1/5	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/18	1/5	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	6/15	1/5	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/1	0/1	0/1
Average number of embryos transferred	3.0	1.0	2.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	4	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/4	2/2	1/4	33.3
Average number of fresh embryos transferred	3.0	3.0	3.3	3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Florida/Park Avenue Women's Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## FERTILITY INSTITUTE OF NORTHWEST FLORIDA GULF BREEZE, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	17%	Uterine factor	0%
GIFT	0%		Male factor	66%	Other factors	5%
ZIFT	0%		With ICSI	76%	Ovulatory dysfunction	5%
Combination	0%		Unstimulated	0%	Endometriosis	7%
				Unexplained	0%	

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert C. Pyle, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	22	8	6	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.8	1/8	2/6	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.8 (12.4 - 51.3)	1/8	2/6	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	7/19	1/7	2/6	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	7/17	1/6	2/5	0/3
Percentage of cancellations <sup>b</sup>	13.6	1/8	0/6	1/5
Average number of embryos transferred	4.7	4.0	4.8	3.3
Percentage of pregnancies with twins <sup>b</sup>	2/7	1/1	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/1	1/2	
Percentage of live births having multiple infants <sup>b,c</sup>	2/7	0/1	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	18	8	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/18	3/8	0/1	
Average number of embryos transferred	2.8	3.8	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	1	2	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	1/2	1/2
Average number of frozen embryos transferred			4.5	3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Institute of Northwest Florida

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE  
JACKSONVILLE, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	24%	Uterine factor	0%
GIFT	0%			Male factor	34%	Other factors	13%
ZIFT	<1%	With ICSI	47%	Ovulatory dysfunction	8%	Unexplained	3%
Combination	<1%	Unstimulated	<1%	Endometriosis	18%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Kevin L. Winslow, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	157	63	42	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.3	41.3	23.8	3/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	43.9 (36.2 - 51.7)	34.9 (23.1 - 46.7)	21.4 (9.0 - 33.8)	2/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.6	38.6	25.0	2/7
Percentage of transfers resulting in live births <sup>b,c</sup>	52.7	39.3	27.3	2/7
Percentage of cancellations <sup>b</sup>	11.5	9.5	14.3	1/8
Average number of embryos transferred	3.7	4.3	4.3	4.3
Percentage of pregnancies with twins <sup>b</sup>	27.8	42.3	2/10	1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	17.7	7.7	2/10	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	43.5	45.5	4/9	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	64	20	8	1
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	20.0	2/8	0/1
Average number of embryos transferred	3.7	3.3	4.6	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	1	9	14
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3	0/1	2/9	10/14
Average number of fresh embryos transferred	3.7	3.0	3.4	3.3
Number of frozen embryo transfers	3	0	3	14
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	2/3		0/3	2/14
Average number of frozen embryos transferred	3.7		4.7	3.7

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Florida Institute for Reproductive Medicine

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# IVF FLORIDA/NORTHWEST CENTER FOR INFERTILITY & REPRODUCTIVE ENDOCRINOLOGY MARGATE, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	3%
GIFT	0%			Male factor	23%	Other factors	25%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	5%	Unexplained	2%
Combination	0%	Unstimulated	<1%	Endometriosis	15%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Wayne S. Maxson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	169	91	99	35
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.9	38.5	29.3	17.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	38.5 (31.1 - 45.8)	25.3 (16.3 - 34.2)	23.2 (14.9 - 31.6)	8.6 (0.0 - 17.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.7	29.1	28.8	12.0
Percentage of transfers resulting in live births <sup>b,c</sup>	42.2	30.3	29.5	12.0
Percentage of cancellations <sup>b</sup>	7.7	13.2	19.2	28.6
Average number of embryos transferred	2.9	3.4	3.2	3.8
Percentage of pregnancies with twins <sup>b</sup>	25.9	22.9	20.7	3/6
Percentage of pregnancies with triplets or more <sup>b</sup>	12.3	5.7	3.4	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	41.5	30.4	30.4	2/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	8	4	6
Percentage of transfers resulting in live births <sup>b,c</sup>	34.8	4/8	1/4	2/6
Average number of embryos transferred	3.6	4.0	3.0	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	4	9	29
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/5	2/4	3/9	34.5
Average number of fresh embryos transferred	2.4	3.3	2.9	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** IVF Florida/Northwest Center for Infertility & Reproductive Endocrinology

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY & IVF CENTER OF MIAMI MIAMI, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	91%	<b>Procedural factors:</b>	Tubal factor	16%	Uterine factor	8%		
GIFT	5%		Male factor	24%	Other factors	19%		
ZIFT	0%		With ICSI	55%	Ovulatory dysfunction	20%	Unexplained	5%
Combination	4%		Unstimulated	0%	Endometriosis	8%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Michael H. Jacobs, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	96	36	33	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.2	36.1	15.2	1/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.0 (17.3 - 34.8)	19.4 (6.5 - 32.4)	12.1 (1.0 - 23.3)	0/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.2	22.6	12.5	0/16
Percentage of transfers resulting in live births <sup>b,c</sup>	28.1	23.3	13.3	0/15
Percentage of cancellations <sup>b</sup>	4.2	13.9	3.0	0/16
Average number of embryos transferred	4.2	3.9	5.2	4.6
Percentage of pregnancies with twins <sup>b</sup>	25.0	4/13	0/5	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	17.9	1/13	1/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	32.0	4/7	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	2	0	5
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	1/2		1/5
Average number of embryos transferred	3.8	4.5		3.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	6	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	1/3	1/6	0/3
Average number of fresh embryos transferred	4.0	6.3	4.8	3.3
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of frozen embryos transferred		4.0		

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility & IVF Center of Miami

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WOMEN'S HEALTHCARE SPECIALISTS  
IVF MIAMI  
MIAMI BEACH, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	36%	Uterine factor	6%		
GIFT	0%		Male factor	8%	Other factors	3%		
ZIFT	0%		With ICSI	47%	Ovulatory dysfunction	8%	Unexplained	19%
Combination	0%		Unstimulated	0%	Endometriosis	20%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Bernard Cantor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	16	5	5	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	7/16	0/5	1/5	2/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/16	0/5	0/5	1/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/16	0/4	0/3	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	6/16	0/4	0/2	1/4
Percentage of cancellations <sup>b</sup>	0/16	1/5	2/5	0/4
Average number of embryos transferred	3.5	2.8	3.5	3.5
Percentage of pregnancies with twins <sup>b</sup>	1/7		0/1	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	1/7		0/1	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	2/6			0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of embryos transferred		3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1		1/1	0/1
Average number of fresh embryos transferred	3.0		5.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Women's HealthCare Specialists-IVF Miami

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	96%	<b>Procedural factors:</b>	Tubal factor	26%	Uterine factor	1%
GIFT	4%		Male factor	30%	Other factors	19%
ZIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unexplained	5%
Combination	<1%	Unstimulated	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Maria Bustillo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	139	67	62	40
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.0	26.9	21.0	15.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.9 (23.3 - 38.6)	16.4 (7.5 - 25.3)	12.9 (4.6 - 21.2)	7.5 (0.0 - 15.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.8	19.6	15.4	10.0
Percentage of transfers resulting in live births <sup>b,c</sup>	38.1	20.0	17.0	10.7
Percentage of cancellations <sup>b</sup>	13.7	16.4	16.1	25.0
Average number of embryos transferred	3.4	3.8	3.8	3.8
Percentage of pregnancies with twins <sup>b</sup>	48.0	3/18	2/13	0/6
Percentage of pregnancies with triplets or more <sup>b</sup>	8.0	3/18	0/13	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	46.5	4/11	0/8	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	2	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/17	0/2	1/4	0/1
Average number of embryos transferred	3.5	1.5	4.8	5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	4	15
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/4	1/2	1/4	6/15
Average number of fresh embryos transferred	2.8	3.0	3.3	3.2
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/1	0/1
Average number of frozen embryos transferred			4.0	3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** South Florida Institute for Reproductive Medicine

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ARNOLD PALMER HOSPITAL FERTILITY CENTER ORLANDO, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	99%	<b>Procedural factors:</b>	Tubal factor	36%	Uterine factor	2%	
GIFT	0%		Male factor	16%	Other factors	13%	
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	8%	Unexplained	5%
Combination	<1%	Unstimulated	0%	Endometriosis	20%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Frank C. Riggall, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	66	17	11	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.0	7/17	1/11	0/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	42.4 (30.5 - 54.3)	5/17	1/11	0/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.9	5/14	1/6	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	54.9	5/14	1/6	0/7
Percentage of cancellations <sup>b</sup>	16.7	3/17	5/11	2/9
Average number of embryos transferred	3.2	3.4	3.8	3.3
Percentage of pregnancies with twins <sup>b</sup>	20.0	0/7	1/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	22.9	1/7	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	1/5	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	4	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7	0/4	0/1	0/1
Average number of embryos transferred	3.3	3.8	3.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	3	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/3	0/8
Average number of fresh embryos transferred			2.0	3.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				4.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE, P.A.  
ORLANDO, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	99%	<b>Procedural factors:</b>	Tubal factor	30%	Uterine factor	<1%		
GIFT	0%		Male factor	18%	Other factors	<1%		
ZIFT	0%		With ICSI	30%	Ovulatory dysfunction	24%	Unexplained	4%
Combination	<1%		Unstimulated	0%	Endometriosis	23%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Randall A. Loy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	151	72	58	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.4	34.7	22.4	1/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.8 (26.2 - 41.3)	29.2 (18.7 - 39.7)	15.5 (6.2 - 24.8)	1/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.2	37.5	20.0	1/8
Percentage of transfers resulting in live births <sup>b,c</sup>	45.9	37.5	20.9	1/7
Percentage of cancellations <sup>b</sup>	21.9	22.2	22.4	3/11
Average number of embryos transferred	2.8	2.9	3.5	3.3
Percentage of pregnancies with twins <sup>b</sup>	34.5	32.0	3/13	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	9.1	4.0	1/13	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	41.2	33.3	4/9	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	10	12	4
Percentage of transfers resulting in live births <sup>b,c</sup>	3/11	0/10	3/12	1/4
Average number of embryos transferred	2.9	2.6	3.0	1.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		1/4
Average number of fresh embryos transferred		3.0		2.8
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of frozen embryos transferred			3.0	

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Infertility & Reproductive Medicine, P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE MEDICINE AND FERTILITY CENTER ORLANDO, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	98%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	0%
GIFT	0%		Male factor	30%	Other factors	0%
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	26%
Combination	2%		Unstimulated	0%	Endometriosis	11%
					Unexplained	2%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Mark L. Jutras, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	8	5	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.1	4/8	2/5	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	50.0 (32.7 - 67.3)	4/8	2/5	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.6	4/7	2/2	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	55.2	4/7	2/2	0/1
Percentage of cancellations <sup>b</sup>	3.1	1/8	3/5	1/2
Average number of embryos transferred	2.5	3.1	4.5	3.0
Percentage of pregnancies with twins <sup>b</sup>	2/17	0/4	1/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/17	0/4	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	3/16	0/4	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1		
Average number of embryos transferred	4.5	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	1	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2		1/1	0/2
Average number of fresh embryos transferred	3.0		2.0	2.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Medicine and Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF FLORIDA-PENSACOLA  
PENSACOLA, FLORIDA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	11%
GIFT	0%			Male factor	55%	Other factors	0%
ZIFT	0%	With ICSI	60%	Ovulatory dysfunction	0%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Barry A. Ripps, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	1	2	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/7	0/1	0/2	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/7	0/1	0/2	
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/7	0/1	0/1	
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	0/1	0/1	
Percentage of cancellations <sup>b</sup>	0/7	0/1	1/2	
Average number of embryos transferred	3.3	4.0	2.0	
Percentage of pregnancies with twins <sup>b</sup>	0/1			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			
Percentage of live births having multiple infants <sup>b,c</sup>	0/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7		0/1	
Average number of embryos transferred	3.1		1.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Florida-Pensacola

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR ADVANCED REPRODUCTIVE ENDOCRINOLOGY PLANTATION, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	82%	<b>Procedural factors:</b>	Tubal factor	29%	Uterine factor	2%		
GIFT	3%		Male factor	33%	Other factors	1%		
ZIFT	0%		With ICSI	62%	Ovulatory dysfunction	10%	Unexplained	11%
Combination	15%		Unstimulated	0%	Endometriosis	14%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Mick Abae, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	33	16	7	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	4/16	2/7	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.3 (14.6 - 46.0)	1/16	1/7	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.3	1/15	1/6	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	32.3	1/15	1/6	0/4
Percentage of cancellations <sup>b</sup>	0.0	1/16	1/7	1/5
Average number of embryos transferred	3.1	3.5	4.2	6.0
Percentage of pregnancies with twins <sup>b</sup>	3/11	1/4	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/11	0/4	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	2/10	1/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1		0/1
Average number of embryos transferred	3.5	2.0		5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1		0/3
Average number of fresh embryos transferred		3.0		3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Advanced Reproductive Endocrinology

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY INSTITUTE OF FORT LAUDERDALE PLANTATION, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	4%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	9%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	26%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Eliezer J. Livnat, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	5	7	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/7	0/5	1/7	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/7	0/5	1/7	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/7	0/5	1/6	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/7	0/3	1/6	
Percentage of cancellations <sup>b</sup>	0/7	0/5	1/7	0/1
Average number of embryos transferred	4.3	2.3	3.5	
Percentage of pregnancies with twins <sup>b</sup>	2/3		0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3		1/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/3		1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>		0/1	0/1	
Average number of embryos transferred		3.0	2.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Institute of Fort Lauderdale

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**FERTILITY CENTER OF SARASOTA**  
**JULIO E. PABON, M.D., P.A.**  
**SARASOTA, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	24%	Uterine factor	6%		
GIFT	0%		Male factor	18%	Other factors	0%		
ZIFT	0%		With ICSI	33%	Ovulatory dysfunction	29%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	23%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Julio E. Pabon, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	5	4	4	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/5	1/4	2/4	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/5	1/4	2/4	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/5	1/4	2/4	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	1/3	2/3	0/1
Percentage of cancellations <sup>b</sup>	0/5	0/4	0/4	0/2
Average number of embryos transferred	3.4	3.0	4.0	1.0
Percentage of pregnancies with twins <sup>b</sup>	1/2	0/1	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2	0/1	1/2	
Percentage of live births having multiple infants <sup>b,c</sup>	1/2	0/1	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/2
Average number of fresh embryos transferred				3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Fertility Center of Sarasota, Julio E. Pabon, M.D., P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# ADVANCED REPRODUCTIVE TECHNOLOGIES PROGRAM AT UNIVERSITY COMMUNITY HOSPITAL, DRs. VERKAUF, BERNHISEL AND TARANTINO TAMPA, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	81%	<b>Procedural factors:</b>	Tubal factor	34%	Uterine factor	0%		
GIFT	9%		Male factor	22%	Other factors	16%		
ZIFT	4%		With ICSI	26%	Ovulatory dysfunction	1%	Unexplained	16%
Combination	6%		Unstimulated	0%	Endometriosis	11%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Samuel Tarantino, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	121	72	65	30
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.8	30.6	23.1	10.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	32.2 (23.9 - 40.6)	26.4 (16.2 - 36.6)	16.9 (7.8 - 26.0)	6.7 (0.0 - 15.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.2	30.2	23.4	9.5
Percentage of transfers resulting in live births <sup>b,c</sup>	34.8	30.2	24.4	2/19
Percentage of cancellations <sup>b</sup>	5.8	12.5	27.7	30.0
Average number of embryos transferred	3.2	3.4	3.6	3.5
Percentage of pregnancies with twins <sup>b</sup>	31.9	27.3	2/15	2/3
Percentage of pregnancies with triplets or more <sup>b</sup>	14.9	9.1	0/15	1/3
Percentage of live births having multiple infants <sup>b,c</sup>	53.8	4/19	1/11	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	1	1	6
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	0/1	0/1	0/6
Average number of embryos transferred	2.8	3.0	3.0	1.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	4	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/1	2/4	47.6
Average number of fresh embryos transferred	3.0	3.0	2.5	2.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				4.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Advanced Reproductive Technologies Program at University Community Hospital  
Drs. Verkauf, Bernhisel and Tarantino

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## GENETICS & IVF OF FLORIDA WEST PALM BEACH, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>	Tubal factor	55%	Uterine factor	0%	
GIFT	0%		Male factor	5%	Other factors	17%	
ZIFT	0%	With ICSI	8%	Ovulatory dysfunction	6%	Unexplained	17%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Gene F. Manko, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	3	5	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/2	0/3	1/5	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/2	0/3	1/5	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/2	0/3	1/2	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/3	1/2	0/2
Percentage of cancellations <sup>b</sup>	0/2	0/3	3/5	0/3
Average number of embryos transferred	2.5	2.3	2.0	3.0
Percentage of pregnancies with twins <sup>b</sup>			0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>			0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>			0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/2	0/2		
Average number of embryos transferred	2.0	1.5		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of fresh embryos transferred			6.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Medicine & Genetics

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## EMORY CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY ATLANTA, GEORGIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	30%	Uterine factor	1%		
GIFT	0%		Male factor	17%	Other factors	4%		
ZIFT	0%		With ICSI	37%	Ovulatory dysfunction	18%	Unexplained	6%
Combination	0%		Unstimulated	0%	Endometriosis	24%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Ana Murphy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	114	42	36	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.5	31.0	22.2	3/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.3 (18.2 - 34.4)	26.2 (12.9 - 39.5)	19.4 (6.5 - 32.4)	3/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.9	35.5	7/18	3/10
Percentage of transfers resulting in live births <sup>b,c</sup>	40.5	42.3	7/14	3/8
Percentage of cancellations <sup>b</sup>	24.6	26.2	50.0	4/14
Average number of embryos transferred	2.5	3.0	3.6	3.8
Percentage of pregnancies with twins <sup>b</sup>	24.3	6/13	2/8	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	13.5	3/13	1/8	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	7/11	3/7	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	7	4	0
Percentage of transfers resulting in live births <sup>b,c</sup>	29.2	2/7	1/4	
Average number of embryos transferred	2.5	3.0	2.3	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	0	1	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/3		0/1	2/6
Average number of fresh embryos transferred	3.0		3.0	2.7
Number of frozen embryo transfers	0	0	1	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/3
Average number of frozen embryos transferred			2.0	2.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Emory Center for Reproductive Medicine and Fertility

**Services Offered:**

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	16%	Uterine factor	7%		
GIFT	0%		Male factor	15%	Other factors	6%		
ZIFT	0%		With ICSI	46%	Ovulatory dysfunction	34%	Unexplained	<1%
Combination	0%		Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Joe B. Massey, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	427	206	166	94
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.8	32.5	20.5	11.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.0 (28.6 - 37.5)	30.1 (23.8 - 36.4)	14.5 (9.1 - 19.8)	6.4 (1.4 - 11.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.2	36.7	19.2	9.4
Percentage of transfers resulting in live births <sup>b,c</sup>	39.6	39.5	20.2	10.3
Percentage of cancellations <sup>b</sup>	13.6	18.0	24.7	31.9
Average number of embryos transferred	3.2	3.4	3.5	3.3
Percentage of pregnancies with twins <sup>b</sup>	29.4	28.4	32.4	2/11
Percentage of pregnancies with triplets or more <sup>b</sup>	9.4	9.0	0.0	0/11
Percentage of live births having multiple infants <sup>b,c</sup>	40.4	38.7	45.8	1/6
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	110	55	34	21
Percentage of transfers resulting in live births <sup>b,c</sup>	14.5	16.4	14.7	19.0
Average number of embryos transferred	3.3	3.5	3.6	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	16	16	19	79
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/16	6/16	5/19	50.6
Average number of fresh embryos transferred	3.1	2.8	2.7	2.8
Number of frozen embryo transfers	10	5	12	33
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/10	1/5	2/12	15.2
Average number of frozen embryos transferred	4.2	2.8	3.7	3.1

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Biology Associates

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## AUGUSTA REPRODUCTIVE BIOLOGY ASSOCIATES AUGUSTA, GEORGIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	1%
GIFT	0%			Male factor	30%	Other factors	17%
ZIFT	0%	With ICSI	25%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Edouard J. Servy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	36	19	7	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	27.8	5/19	0/7	1/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.8 (13.1 - 42.4)	3/19	0/7	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.4	3/17	0/5	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	38.5	3/16	0/5	0/5
Percentage of cancellations <sup>b</sup>	5.6	2/19	2/7	1/6
Average number of embryos transferred	2.5	2.7	2.8	3.4
Percentage of pregnancies with twins <sup>b</sup>	4/10	0/5		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/10	1/5		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/10	0/3		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/8	0/1		
Average number of embryos transferred	1.9	1.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Augusta Reproductive Biology Associates

**Services Offered:**

Donor egg? Yes      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? No

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## PACIFIC IVF INSTITUTE HONOLULU, HAWAII

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	34%	Uterine factor	<1%
GIFT	0%			Male factor	22%	Other factors	2%
ZIFT	0%	With ICSI	24%	Ovulatory dysfunction	3%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	34%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Kenneth K.C. Vu, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	67	65	65	52
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.2	32.3	21.5	15.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	43.3 (31.4 - 55.1)	24.6 (14.1 - 35.1)	15.4 (6.6 - 24.2)	11.5 (2.9 - 20.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.8	31.4	18.5	16.7
Percentage of transfers resulting in live births <sup>b,c</sup>	54.7	34.8	19.6	17.6
Percentage of cancellations <sup>b</sup>	16.4	21.5	16.9	30.8
Average number of embryos transferred	3.6	4.2	4.2	4.2
Percentage of pregnancies with twins <sup>b</sup>	31.4	28.6	4/14	0/8
Percentage of pregnancies with triplets or more <sup>b</sup>	25.7	4.8	2/14	1/8
Percentage of live births having multiple infants <sup>b,c</sup>	51.7	6/16	5/10	1/6
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	12	10	7
Percentage of transfers resulting in live births <sup>b,c</sup>	4/8	1/12	2/10	2/7
Average number of embryos transferred	3.9	4.3	4.4	4.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			2/2	5/8
Average number of fresh embryos transferred			4.5	4.3
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Pacific IVF Institute

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**TRIPLER ARMY MEDICAL CENTER  
TRIPLER AMC, HAWAII**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	48%	Uterine factor	0%
GIFT	0%			Male factor	16%	Other factors	3%
ZIFT	0%	With ICSI	21%	Ovulatory dysfunction	8%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Kenneth K.C. Vu, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	36	11	6	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	63.9	6/11	4/6	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	47.2 (30.9 - 63.5)	3/11	3/6	
Percentage of retrievals resulting in live births <sup>b,c</sup>	53.1	3/11	3/6	
Percentage of transfers resulting in live births <sup>b,c</sup>	56.7	3/11	3/6	
Percentage of cancellations <sup>b</sup>	11.1	0/11	0/6	
Average number of embryos transferred	3.2	4.2	3.3	
Percentage of pregnancies with twins <sup>b</sup>	34.8	1/6	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	13.0	1/6	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	9/17	2/3	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5/10	1/1		
Average number of embryos transferred	3.8	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Tripler Army Medical Center

**Services Offered:**

Donor egg? No      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? No

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ADVANCED INSTITUTE OF FERTILITY  
ARLINGTON HEIGHTS, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	94%	<b>Procedural factors:</b>	Tubal factor	9%	Uterine factor	9%
GIFT	0%		Male factor	41%	Other factors	9%
ZIFT	0%		With ICSI	68%	Ovulatory dysfunction	23%
Combination	6%		Unstimulated	0%	Endometriosis	9%
					Unexplained	0%

**1998 PREGNANCY SUCCESS RATES**

Data verified by K. P. Katayama, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	18	10	2	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	6/18	2/10	0/2	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/18	2/10	0/2	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/16	2/9	0/2	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	6/15	2/6	0/2	0/1
Percentage of cancellations <sup>b</sup>	2/18	1/10	0/2	0/1
Average number of embryos transferred	4.0	3.0	3.5	4.0
Percentage of pregnancies with twins <sup>b</sup>	2/6	0/2		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/6	0/2		
Percentage of live births having multiple infants <sup>b,c</sup>	3/6	0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	2/3		
Average number of embryos transferred	3.5	3.7		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1	0/1	1/1
Average number of fresh embryos transferred		3.0	2.0	2.0
Number of frozen embryo transfers	0	0	2	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/2	
Average number of frozen embryos transferred			2.5	

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Advanced Institute of Fertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	99%	<b>Procedural factors:</b>	Tubal factor	21%	Uterine factor	0%
GIFT	<1%		Male factor	34%	Other factors	<1%
ZIFT	0%		With ICSI	30%	Ovulatory dysfunction	30%
Combination	0%		Unstimulated	0%	Endometriosis	14%
					Unexplained	0%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	54	35	9	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	18.5	8.6	0/9	1/7
Percentage of cycles resulting in live births <sup>b,c</sup>	14.8	5.7	0/9	0/7
(Reliability Range)	(5.3 - 24.3)	(0.0 - 13.4)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	18.6	6.9	0/5	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	19.5	7.1	0/4	0/5
Percentage of cancellations <sup>b</sup>	20.4	17.1	4/9	2/7
Average number of embryos transferred	3.7	4.1	5.0	5.0
Percentage of pregnancies with twins <sup>b</sup>	0/10	2/3		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/10	0/3		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/8	2/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	0	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5		0/1	0/1
Average number of embryos transferred	3.6		1.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Rush-Copley Center for Reproductive Health

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## CENTER FOR HUMAN REPRODUCTION CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	16%	Uterine factor	1%		
GIFT	0%		Male factor	17%	Other factors	25%		
ZIFT	0%		With ICSI	67%	Ovulatory dysfunction	22%	Unexplained	2%
Combination	<1%		Unstimulated	0%	Endometriosis	17%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Vishvanath C. Karande, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	584	277	188	55
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.4	25.6	14.9	14.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.4 (19.0 - 25.8)	19.1 (14.5 - 23.8)	11.7 (7.1 - 16.3)	9.1 (1.5 - 16.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.0	23.6	16.1	12.8
Percentage of transfers resulting in live births <sup>b,c</sup>	31.6	29.9	21.6	17.9
Percentage of cancellations <sup>b</sup>	10.3	18.8	27.1	29.1
Average number of embryos transferred	3.0	3.1	3.3	3.3
Percentage of pregnancies with twins <sup>b</sup>	30.1	28.2	25.0	2/8
Percentage of pregnancies with triplets or more <sup>b</sup>	12.7	18.3	7.1	1/8
Percentage of live births having multiple infants <sup>b,c</sup>	42.0	41.5	31.8	2/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	132	65	22	16
Percentage of transfers resulting in live births <sup>b,c</sup>	36.4	30.8	18.2	2/16
Average number of embryos transferred	2.8	2.9	3.2	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	12	14	6	32
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/12	4/14	1/6	40.6
Average number of fresh embryos transferred	2.8	3.4	2.5	3.0
Number of frozen embryo transfers	9	6	4	8
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/9	1/6	0/4	2/8
Average number of frozen embryos transferred	2.7	3.7	3.5	2.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Human Reproduction

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# IVF ILLINOIS, INC. CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	26%	Uterine factor	1%
GIFT	0%			Male factor	19%	Other factors	2%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	24%	Unexplained	19%
Combination	<1%	Unstimulated	0%	Endometriosis	9%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Aaron S. Lifchez, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	299	165	157	117
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.1	21.2	19.7	7.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.8 (22.7 - 32.8)	17.6 (11.8 - 23.4)	15.3 (9.7 - 20.9)	6.8 (2.3 - 11.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.7	21.8	18.2	8.8
Percentage of transfers resulting in live births <sup>b,c</sup>	32.2	22.8	20.7	10.7
Percentage of cancellations <sup>b</sup>	9.7	19.4	15.9	22.2
Average number of embryos transferred	3.0	2.8	2.7	2.4
Percentage of pregnancies with twins <sup>b</sup>	34.4	25.7	16.1	0/9
Percentage of pregnancies with triplets or more <sup>b</sup>	7.5	0.0	0.0	0/9
Percentage of live births having multiple infants <sup>b,c</sup>	39.8	31.0	16.7	0/8
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	28	7	8	1
Percentage of transfers resulting in live births <sup>b,c</sup>	14.3	1/7	1/8	0/1
Average number of embryos transferred	3.2	2.9	3.1	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	7	7	33
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/4	2/7	0/7	27.3
Average number of fresh embryos transferred	3.5	2.9	3.3	3.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** IVF Illinois, Inc.

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	99%	<b>Procedural factors:</b>	Tubal factor	15%	Uterine factor	1%	
GIFT	0%		Male factor	28%	Other factors	14%	
ZIFT	<1%	With ICSI	49%	Ovulatory dysfunction	20%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Edmond Confino, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	36	40	25
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.6	44.4	35.0	8.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	38.5 (26.6 - 50.3)	30.6 (15.5 - 45.6)	27.5 (13.7 - 41.3)	8.0 (0.0 - 18.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.5	31.4	28.2	8.0
Percentage of transfers resulting in live births <sup>b,c</sup>	41.0	31.4	28.2	8.3
Percentage of cancellations <sup>b</sup>	0.0	2.8	2.5	0.0
Average number of embryos transferred	3.7	4.2	5.0	5.3
Percentage of pregnancies with twins <sup>b</sup>	34.5	6/16	4/14	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	3.4	2/16	3/14	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	6/11	5/11	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	25	8	9	16
Percentage of transfers resulting in live births <sup>b,c</sup>	36.0	2/8	2/9	4/16
Average number of embryos transferred	3.6	3.6	3.8	4.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	4	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/2	0/4	2/6
Average number of fresh embryos transferred	3.0	2.5	4.5	3.7
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		1/1
Average number of frozen embryos transferred		4.0		4.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Northwestern University

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## RUSH CENTER FOR ADVANCED REPRODUCTIVE CARE CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	94%	<b>Procedural factors:</b>	Tubal factor	24%	Uterine factor	7%
GIFT	3%		Male factor	15%	Other factors	7%
ZIFT	2%	With ICSI	Ovulatory dysfunction	29%	Unexplained	<1%
Combination	<1%	Unstimulated	Endometriosis	18%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	110	64	47	62
Percentage of cycles resulting in pregnancies <sup>b</sup>	21.8	20.3	19.1	3.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	10.9 (5.1 - 16.7)	18.8 (9.2 - 28.3)	6.4 (0.0 - 13.4)	1.6 (0.0 - 4.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	13.8	26.1	10.0	3.1
Percentage of transfers resulting in live births <sup>b,c</sup>	15.4	30.8	11.1	3.6
Percentage of cancellations <sup>b</sup>	20.9	28.1	36.2	48.4
Average number of embryos transferred	4.0	4.0	4.2	3.0
Percentage of pregnancies with twins <sup>b</sup>	8.3	3/13	1/9	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	12.5	3/13	2/9	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	5/12	6/12	1/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	0/1		
Average number of embryos transferred	2.8	1.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	0/1		0/2
Average number of fresh embryos transferred	1.0	1.0		4.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Rush Center for Advanced Reproductive Care

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WATER TOWER WOMEN'S CENTER, L.L.C.  
CHICAGO, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	96%	<b>Procedural factors:</b>	Tubal factor	2%	Uterine factor	2%
GIFT	2%		Male factor	3%	Other factors	18%
ZIFT	2%		With ICSI	16%	Ovulatory dysfunction	59%
Combination	0%		Unstimulated	0%	Endometriosis	16%
					Unexplained	0%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jan Friberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	6	11	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/7	1/6	2/11	5.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/7	1/6	0/11	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/7	1/6	0/11	1/18
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	1/4	0/10	1/10
Percentage of cancellations <sup>b</sup>	0/7	0/6	0/11	10.0
Average number of embryos transferred	5.3	3.8	3.7	2.5
Percentage of pregnancies with twins <sup>b</sup>	0/1	0/1	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1	1/1	0/2	1/1
Percentage of live births having multiple infants <sup>b,c</sup>		1/1		1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/1	0/3	1/2
Average number of embryos transferred	3.0		3.7	2.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/1		1/3
Average number of fresh embryos transferred	3.5	3.0		3.3
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		0/1
Average number of frozen embryos transferred		2.0		3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Water Tower Women's Center, L.L.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	21%	Uterine factor	4%
GIFT	0%		Male factor	27%	Other factors	5%
ZIFT	0%		With ICSI	17%	Ovulatory dysfunction	7%
Combination	0%		Unstimulated	0%	Endometriosis	36%
					Unexplained	0%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Amos E. Madanes, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	80	24	20	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	29.2	10.0	1/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	17.5 (9.2 - 25.8)	29.2 (11.0 - 47.4)	10.0 (0.0 - 23.1)	1/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.9	33.3	2/13	1/6
Percentage of transfers resulting in live births <sup>b,c</sup>	23.0	7/18	2/10	1/6
Percentage of cancellations <sup>b</sup>	16.3	12.5	35.0	2/8
Average number of embryos transferred	3.5	3.5	3.5	2.7
Percentage of pregnancies with twins <sup>b</sup>	10.0	2/7	0/2	1/1
Percentage of pregnancies with triplets or more <sup>b</sup>	20.0	0/7	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	5/14	2/7	0/2	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	3
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3			0/3
Average number of embryos transferred	4.0			3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of fresh embryos transferred	1.0			
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/1
Average number of frozen embryos transferred			1.0	2.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Midwest Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	1%
GIFT	0%		Male factor	22%	Other factors	18%
ZIFT	0%		With ICSI	28%	Ovulatory dysfunction	6%
Combination	0%		Unstimulated	0%	Endometriosis	21%
					Unexplained	12%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Richard P. Sherbahn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	56	9	13	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.6	2/9	6/13	2/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	46.4 (33.4 - 59.5)	2/9	5/13	1/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.0	2/8	5/13	1/3
Percentage of transfers resulting in live births <sup>b,c</sup>	52.0	2/8	5/13	1/3
Percentage of cancellations <sup>b</sup>	8.9	1/9	0/13	1/4
Average number of embryos transferred	3.2	3.4	3.5	3.0
Percentage of pregnancies with twins <sup>b</sup>	36.7	1/2	1/6	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	6.7	0/2	0/6	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	38.5	1/2	1/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/2		
Average number of embryos transferred	2.8	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	8	0	4	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/8		2/4	1/6
Average number of fresh embryos transferred	3.4		3.3	2.7
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2			0/1
Average number of frozen embryos transferred	4.0			4.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Advanced Fertility Center of Chicago

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## HIGHLAND PARK HOSPITAL IVF CENTER HIGHLAND PARK, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	<1%		
GIFT	0%		Male factor	29%	Other factors	21%		
ZIFT	0%		With ICSI	77%	Ovulatory dysfunction	15%	Unexplained	2%
Combination	<1%		Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Edward L. Marut, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	208	114	134	50
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.6	35.1	28.4	10.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	45.7 (38.9 - 52.4)	27.2 (19.0 - 35.4)	23.1 (16.0 - 30.3)	4.0 (0.0 - 9.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	54.6	33.3	31.3	6.3
Percentage of transfers resulting in live births <sup>b,c</sup>	54.6	33.3	32.3	6.9
Percentage of cancellations <sup>b</sup>	16.3	18.4	26.1	36.0
Average number of embryos transferred	3.6	4.1	4.5	5.1
Percentage of pregnancies with twins <sup>b</sup>	30.3	27.5	31.6	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	20.2	20.0	13.2	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	50.5	38.7	29.0	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	4	5	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/14	0/4	0/5	0/2
Average number of embryos transferred	4.1	4.0	3.2	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	4	2	11
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	2/4	1/2	5/11
Average number of fresh embryos transferred	3.5	4.5	4.0	3.9
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/3
Average number of frozen embryos transferred				3.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Highland Park Hospital IVF Center

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	16%	Uterine factor	16%		
GIFT	0%		Male factor	2%	Other factors	9%		
ZIFT	0%		With ICSI	50%	Ovulatory dysfunction	21%	Unexplained	2%
Combination	0%		Unstimulated	0%	Endometriosis	34%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Jay H. Levin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	10	9	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.8	5/10	1/9	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.1 (9.9 - 36.3)	2/10	1/9	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	23.1	2/10	1/9	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	24.3	2/10	1/8	0/2
Percentage of cancellations <sup>b</sup>	0.0	0/10	0/9	0/2
Average number of embryos transferred	3.8	4.0	3.9	5.0
Percentage of pregnancies with twins <sup>b</sup>	3/12	0/5	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	4/12	1/5	1/1	
Percentage of live births having multiple infants <sup>b,c</sup>	4/9	0/2	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of embryos transferred	4.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Hinsdale Center for Reproduction

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE HEALTH SPECIALISTS, LTD.  
JOLIET, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	46%	Uterine factor	0%
GIFT	0%			Male factor	9%	Other factors	9%
ZIFT	0%	With ICSI	9%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	36%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Marek W. Piekos, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	14	9	7	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	5/14	0/9	0/7	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/14	0/9	0/7	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/13	0/5	0/4	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	3/12	0/5	0/2	
Percentage of cancellations <sup>b</sup>	1/14	4/9	3/7	0/3
Average number of embryos transferred	3.5	3.0	2.0	
Percentage of pregnancies with twins <sup>b</sup>	0/5			
Percentage of pregnancies with triplets or more <sup>b</sup>	2/5			
Percentage of live births having multiple infants <sup>b,c</sup>	2/3			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Health Specialists, Ltd.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## OAK BROOK FERTILITY CENTER OAK BROOK, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	12%	Uterine factor	4%		
GIFT	0%		Male factor	2%	Other factors	7%		
ZIFT	2%		With ICSI	62%	Ovulatory dysfunction	33%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	42%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by W. Paul Dmowski, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	25	14	11	15
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.0	7/14	5/11	0/15
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	40.0 (20.8 - 59.2)	6/14	3/11	0/15
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.0	6/14	3/8	0/9
Percentage of transfers resulting in live births <sup>b,c</sup>	41.7	6/13	3/8	0/4
Percentage of cancellations <sup>b</sup>	0.0	0/14	3/11	6/15
Average number of embryos transferred	2.7	2.5	3.1	3.0
Percentage of pregnancies with twins <sup>b</sup>	4/13	1/7	1/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/13	0/7	1/5	
Percentage of live births having multiple infants <sup>b,c</sup>	5/10	0/6	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/2	0/1	
Average number of embryos transferred	3.0	2.5	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	1	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/1	1/1	2/5
Average number of fresh embryos transferred	3.0	2.0	2.0	2.8
Number of frozen embryo transfers	0	2	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/2		1/2
Average number of frozen embryos transferred		2.0		2.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Oak Brook Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REENA JABAMONI, M.D.**  
**OAK BROOK, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	26%	Uterine factor	4%		
GIFT	0%		Male factor	11%	Other factors	4%		
ZIFT	0%		With ICSI	21%	Ovulatory dysfunction	19%	Unexplained	8%
Combination	0%		Unstimulated	0%	Endometriosis	28%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Reena Jabamoni, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	29	7	7	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.8	4/7	2/7	1/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	41.4 (23.5 - 59.3)	4/7	2/7	1/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.4	4/6	2/7	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	4/6	2/5	1/3
Percentage of cancellations <sup>b</sup>	0.0	1/7	0/7	1/5
Average number of embryos transferred	3.2	3.7	3.2	4.0
Percentage of pregnancies with twins <sup>b</sup>	4/13	1/4	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/13	1/4	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	6/12	2/4	0/2	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	3.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			1/2
Average number of fresh embryos transferred	4.0			3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reena Jabamoni, M.D.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## LUTHERAN GENERAL HOSPITAL IVF PROGRAM PARK RIDGE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	94%	<b>Procedural factors:</b>	Tubal factor	18%	Uterine factor	0%	
GIFT	<1%		Male factor	14%	Other factors	1%	
ZIFT	0%	With ICSI	50%	Ovulatory dysfunction	44%	Unexplained	7%
Combination	6%	Unstimulated	0%	Endometriosis	16%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by John J. Rapisarda, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	109	42	50	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.1	23.8	4.0	5.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.3 (21.6 - 38.9)	21.4 (9.0 - 33.8)	2.0 (0.0 - 5.9)	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	25.7	3.6	1/16
Percentage of transfers resulting in live births <sup>b,c</sup>	34.4	26.5	3.8	1/15
Percentage of cancellations <sup>b</sup>	9.2	16.7	44.0	20.0
Average number of embryos transferred	3.7	3.4	3.8	4.3
Percentage of pregnancies with twins <sup>b</sup>	31.4	0/10	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	11.4	0/10	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	36.4	0/9	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	31	20	17	3
Percentage of transfers resulting in live births <sup>b,c</sup>	19.4	15.0	1/17	0/3
Average number of embryos transferred	3.8	3.9	4.2	1.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	2	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/2	2/2
Average number of fresh embryos transferred	4.0		3.0	3.5
Number of frozen embryo transfers	1	1	3	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1	0/1	0/3	1/6
Average number of frozen embryos transferred	4.0	6.0	3.7	3.7

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Lutheran General Hospital IVF Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**ADVANCED REPRODUCTIVE CENTER, LTD.  
ROCKFORD, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	88%	<b>Procedural factors:</b>	Tubal factor	31%	Uterine factor	4%		
GIFT	6%		Male factor	33%	Other factors	4%		
ZIFT	6%		With ICSI	52%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by John P. Holden, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	35	12	16	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	60.0	6/12	2/16	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	51.4 (34.9 - 68.0)	5/12	2/16	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	52.9	5/12	2/12	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	52.9	5/12	2/10	0/2
Percentage of cancellations <sup>b</sup>	2.9	0/12	4/16	1/3
Average number of embryos transferred	3.0	3.6	3.8	3.0
Percentage of pregnancies with twins <sup>b</sup>	47.6	1/6	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	9.5	0/6	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	10/18	1/5	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/3	0/1		
Average number of embryos transferred	3.0	1.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Advanced Reproductive Center, Ltd.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**REPRODUCTIVE HEALTH AND FERTILITY CENTER AT  
ROCKFORD HEALTH SYSTEM  
ROCKFORD, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	27%	Uterine factor	0%
GIFT	<1%		Male factor	47%	Other factors	3%
ZIFT	0%		With ICSI	37%	Ovulatory dysfunction	11%
Combination	0%		Unstimulated	0%	Endometriosis	9%
					Unexplained	3%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Chiravudh Sawetawan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	122	32	31	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.2	40.6	6.5	1/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.1 (27.5 - 44.6)	37.5 (20.7 - 54.3)	6.5 (0.0 - 15.1)	0/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.0	42.9	8.7	0/12
Percentage of transfers resulting in live births <sup>b,c</sup>	38.6	42.9	2/17	0/10
Percentage of cancellations <sup>b</sup>	2.5	12.5	25.8	4/16
Average number of embryos transferred	3.3	3.1	2.4	2.5
Percentage of pregnancies with twins <sup>b</sup>	28.6	5/13	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	8.2	0/13	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	36.4	4/12	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	18	7	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/18	0/7		
Average number of embryos transferred	3.2	2.1		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Health and Fertility Center, Fertility and Reproductive Endocrinology Specialists

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## RUSH NORTH SHORE CENTER FOR ADVANCED REPRODUCTIVE CARE SKOKIE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	92%	<b>Procedural factors:</b>	Tubal factor	32%	Uterine factor	2%		
GIFT	4%		Male factor	15%	Other factors	8%		
ZIFT	4%		With ICSI	27%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	0%		Unstimulated	0%	Endometriosis	28%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	23	20	17
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.3	4.3	15.0	2/17
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.1 (12.5 - 43.7)		10.0 (0.0 - 23.1)	2/17
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	0/18	10.0	2/14
Percentage of transfers resulting in live births <sup>b,c</sup>	34.6	0/17	2/17	2/12
Percentage of cancellations <sup>b</sup>	15.6	21.7		3/17
Average number of embryos transferred	3.7	3.2	4.0	3.3
Percentage of pregnancies with twins <sup>b</sup>	1/10	0/1	1/3	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	0/10	0/1	0/3	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	0/9		1/2	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	1	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/1	0/2	
Average number of embryos transferred	3.3	2.0	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				1/2
Average number of fresh embryos transferred				3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Rush North Shore Center for Advanced Reproductive Care

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DEPARTMENT OF OBSTETRICS AND GYNECOLOGY  
SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE  
SPRINGFIELD, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	78%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	0%		
GIFT	18%		Male factor	39%	Other factors	3%		
ZIFT	0%		With ICSI	0%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	4%		Unstimulated	0%	Endometriosis	1%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Ponjola Coney, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	28	17	10	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	17.9	0/17	0/10	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	14.3 (1.3 - 27.2)	0/17	0/10	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	14.3	0/17	0/10	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	14.8	0/16	0/10	0/1
Percentage of cancellations <sup>b</sup>	0.0	0/17	0/10	0/1
Average number of embryos transferred	5.0	3.0	4.1	1.0
Percentage of pregnancies with twins <sup>b</sup>	1/5			
Percentage of pregnancies with triplets or more <sup>b</sup>	1/5			
Percentage of live births having multiple infants <sup>b,c</sup>	1/4			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	0/1		
Average number of embryos transferred	3.8	5.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	1	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	0/1	2/3
Average number of fresh embryos transferred		3.0	4.0	7.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Department of Obstetrics and Gynecology, Southern Illinois University School of Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, S.C.**  
**SPRINGFIELD, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	95%	<b>Procedural factors:</b>	Tubal factor	24%	Uterine factor	1%	
GIFT	0%		Male factor	33%	Other factors	2%	
ZIFT	0%	With ICSI	60%	Ovulatory dysfunction	25%	Unexplained	7%
Combination	5%	Unstimulated	0%	Endometriosis	8%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Mary Ann McRae, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	41	10	22	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.6	2/10	13.6	1/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.7 (17.5 - 46.0)	2/10	9.1 (0.0 - 21.1)	1/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	2/9	2/18	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	34.2	2/9	2/15	1/4
Percentage of cancellations <sup>b</sup>	4.9	1/10	18.2	1/5
Average number of embryos transferred	4.0	3.1	3.1	3.0
Percentage of pregnancies with twins <sup>b</sup>	3/15	2/2	1/3	1/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/15	0/2	0/3	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/13	2/2	1/2	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3	0/3		
Average number of embryos transferred	2.0	5.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Endocrinology Associates, S.C.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MIDWEST REPRODUCTIVE MEDICINE: CHAMPAIGN/URBANA URBANA, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	32%	Uterine factor	0%
GIFT	0%		Male factor	7%	Other factors	7%
ZIFT	0%		With ICSI	51%	Ovulatory dysfunction	30%
Combination	0%		Unstimulated	0%	Endometriosis	21%
					Unexplained	3%

### 1998 PREGNANCY SUCCESS RATES

Data verified by John C. Jarrett II, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	38	11	11	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.9	3/11	0/11	0/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	18.4 (6.1 - 30.7)	3/11	0/11	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	19.4	3/9	0/8	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	21.9	3/9	0/8	0/6
Percentage of cancellations <sup>b</sup>	5.3	2/11	3/11	1/8
Average number of embryos transferred	2.8	2.9	2.0	2.8
Percentage of pregnancies with twins <sup>b</sup>	0/11	1/3		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	1/3		
Percentage of live births having multiple infants <sup>b,c</sup>	0/7	2/3		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3		1/2	
Average number of embryos transferred	3.0		3.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of frozen embryos transferred	2.0			

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Midwest Reproductive Medicine: Champaign/Urbana

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ASSOCIATED FERTILITY & GYNECOLOGY FORT WAYNE, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	10%
GIFT	0%			Male factor	11%	Other factors	12%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	22%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Shelby O. Cooper, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	64	24	13	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.9	33.3	0/13	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.7 (18.5 - 40.9)	29.2 (11.0 - 47.4)	0/13	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.8	7/18	0/10	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	35.2	7/17	0/8	0/1
Percentage of cancellations <sup>b</sup>	9.4	25.0	3/13	2/3
Average number of embryos transferred	3.0	3.2	3.3	2.0
Percentage of pregnancies with twins <sup>b</sup>	34.8	2/8		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	13.0	2/8		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	8/19	4/7		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	3	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/13	0/3	0/2	
Average number of embryos transferred	2.6	2.3	1.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				1/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Associated Fertility & Gynecology

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	18%	Uterine factor	2%
GIFT	0%			Male factor	11%	Other factors	10%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by William L. Gentry, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	187	60	48	41
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.1	33.3	10.4	7.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.4 (30.5 - 44.4)	28.3 (16.9 - 39.7)	10.4 (1.8 - 19.1)	7.3 (0.0 - 15.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	44.6	36.2	14.3	3/19
Percentage of transfers resulting in live births <sup>b,c</sup>	45.2	37.8	15.2	3/19
Percentage of cancellations <sup>b</sup>	16.0	21.7	27.1	53.7
Average number of embryos transferred	3.6	3.5	3.4	3.3
Percentage of pregnancies with twins <sup>b</sup>	37.3	35.0	1/5	2/3
Percentage of pregnancies with triplets or more <sup>b</sup>	13.3		0/5	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	5/17	1/5	2/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	9	5	7
Percentage of transfers resulting in live births <sup>b,c</sup>	17.4	2/9	0/5	0/7
Average number of embryos transferred	2.9	2.6	2.4	2.9
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	2	3	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/6	1/2	0/3	4/8
Average number of fresh embryos transferred	4.0	3.0	4.0	3.4
Number of frozen embryo transfers	1	1	2	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1	1/1	0/2	0/3
Average number of frozen embryos transferred	3.0	4.0	3.5	2.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Advanced Fertility Group

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## FAMILY BEGINNINGS INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	24%	Uterine factor	0%
GIFT	0%			Male factor	14%	Other factors	12%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	20%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by James G. Donahue, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	18	8	10	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	7/18	1/8	1/10	0/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/18	0/8	1/10	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/14	0/7	1/7	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	6/14	0/7	1/7	0/5
Percentage of cancellations <sup>b</sup>	4/18	1/8	3/10	1/8
Average number of embryos transferred	3.4	3.4	3.0	2.8
Percentage of pregnancies with twins <sup>b</sup>	3/7	0/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/1	1/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/6		1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5			
Average number of embryos transferred	1.4			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Family Beginnings

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	92%	<b>Procedural factors:</b>	Tubal factor	43%	Uterine factor	0%		
GIFT	6%		Male factor	11%	Other factors	5%		
ZIFT	2%		With ICSI	27%	Ovulatory dysfunction	25%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	16%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by William W. Hurd, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	38	14	7	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.9	0/14	2/7	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.7 (10.2 - 37.2)	0/14	1/7	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.0	0/9	1/5	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	29.0	0/9	1/5	0/2
Percentage of cancellations <sup>b</sup>	18.4	5/14	2/7	0/4
Average number of embryos transferred	3.5	4.1	3.4	3.0
Percentage of pregnancies with twins <sup>b</sup>	1/11		1/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11		0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	2/9		1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	4	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/4	0/1	0/1
Average number of embryos transferred	3.0	2.8	1.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Indiana University Hospital

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MIDWEST REPRODUCTIVE MEDICINE INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	94%	<b>Procedural factors:</b>	Tubal factor	20%	Uterine factor	2%		
GIFT	2%		Male factor	19%	Other factors	1%		
ZIFT	4%		With ICSI	42%	Ovulatory dysfunction	36%	Unexplained	<1%
Combination	<1%		Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by John C. Jarrett II, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	365	145	120	49
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.2	35.9	26.7	16.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	34.8 (29.9 - 39.7)	28.3 (20.9 - 35.6)	20.0 (12.8 - 27.2)	10.2 (1.7 - 18.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.9	33.3	24.0	12.2
Percentage of transfers resulting in live births <sup>b,c</sup>	37.5	34.5	24.5	14.3
Percentage of cancellations <sup>b</sup>	5.8	15.2	16.7	16.3
Average number of embryos transferred	2.8	2.8	3.0	3.4
Percentage of pregnancies with twins <sup>b</sup>	32.2	19.2	12.5	2/8
Percentage of pregnancies with triplets or more <sup>b</sup>	10.5	9.6	3.1	2/8
Percentage of live births having multiple infants <sup>b,c</sup>	40.2	24.4	12.5	2/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	165	50	34	8
Percentage of transfers resulting in live births <sup>b,c</sup>	13.3	26.0	20.6	0/8
Average number of embryos transferred	2.7	2.7	3.0	2.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	2	6	22
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/6	2/2	4/6	31.8
Average number of fresh embryos transferred	3.0	3.0	3.2	2.9
Number of frozen embryo transfers	4	2	1	15
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/4	1/2	0/1	4/15
Average number of frozen embryos transferred	2.8	2.5	3.0	2.8

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Midwest Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	95%	<b>Procedural factors:</b>	Tubal factor	25%	Uterine factor	0%
GIFT	0%		Male factor	5%	Other factors	5%
ZIFT	5%	With ICSI	Ovulatory dysfunction	50%	Unexplained	0%
Combination	0%	Unstimulated	Endometriosis	15%		
		25%				
		0%				

### 1998 PREGNANCY SUCCESS RATES

Data verified by Donald L. Cline, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	7	1	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/7	1/7	0/1	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/7	1/7	0/1	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/5	1/6	0/1	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/4	1/5	0/1	0/3
Percentage of cancellations <sup>b</sup>	2/7	1/7	0/1	2/5
Average number of embryos transferred	2.8	2.4	4.0	3.3
Percentage of pregnancies with twins <sup>b</sup>	0/2	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	0/2	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Endocrinology Associates

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE SURGERY & MEDICINE, P.C. INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	70%	<b>Procedural factors:</b>	Tubal factor	23%	Uterine factor	0%		
GIFT	16%		Male factor	2%	Other factors	10%		
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	14%		Unstimulated	0%	Endometriosis	44%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by David S. McLaughlin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	10	8	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.6	3/10	2/8	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.5 (20.7 - 54.3)	3/10	2/8	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	3/9	2/6	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	52.2	3/9	2/6	0/1
Percentage of cancellations <sup>b</sup>	25.0	1/10	2/8	0/1
Average number of embryos transferred	3.4	2.8	2.3	1.0
Percentage of pregnancies with twins <sup>b</sup>	5/13	0/3	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/13	0/3	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	7/12	0/3	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Surgery & Medicine, P.C.

#### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR ASSISTED REPRODUCTION SOUTH BEND, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	96%	<b>Procedural factors:</b>	Tubal factor	36%	Uterine factor	0%
GIFT	4%		Male factor	0%	Other factors	1%
ZIFT	0%		With ICSI	0%	Ovulatory dysfunction	16%
Combination	0%		Unstimulated	0%	Endometriosis	46%
					Unexplained	1%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Jan R. Reineke, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	12	11	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	3/12	1/11	1/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.2 (14.1 - 42.3)	3/12	1/11	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.6	3/11	1/8	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	31.4	3/11	1/8	0/3
Percentage of cancellations <sup>b</sup>	7.7	1/12	3/11	2/8
Average number of embryos transferred	3.1	3.6	2.4	5.0
Percentage of pregnancies with twins <sup>b</sup>	4/13	1/3	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/13	1/3	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	5/11	2/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Assisted Reproduction

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	No
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## MCFARLAND CLINIC, P.C. AMES, IOWA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	98%	<b>Procedural factors:</b>	Tubal factor	28%	Uterine factor	<1%
GIFT	<1%		Male factor	45%	Other factors	3%
ZIFT	<1%	With ICSI	Ovulatory dysfunction	9%	Unexplained	8%
Combination	0%	Unstimulated	Endometriosis	6%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Alan K. Munson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	82	23	20	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.9	26.1	25.0	0/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.6 (26.2 - 47.0)	21.7 (4.9 - 38.6)	15.0 (0.0 - 30.6)	0/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.0	23.8	3/17	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	39.5	23.8	3/17	0/5
Percentage of cancellations <sup>b</sup>	6.1	8.7	15.0	0/7
Average number of embryos transferred	2.8	3.0	3.0	2.8
Percentage of pregnancies with twins <sup>b</sup>	33.3	3/6	0/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	5.6	0/6	0/5	
Percentage of live births having multiple infants <sup>b,c</sup>	46.7	2/5	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	20	3	2	3
Percentage of transfers resulting in live births <sup>b,c</sup>	10.0	0/3	0/2	0/3
Average number of embryos transferred	3.4	2.7	3.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** McFarland Clinic, P.C.

#### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**UNIVERSITY OF IOWA HOSPITALS AND CLINICS  
CENTER FOR ADVANCED REPRODUCTIVE CARE  
IOWA CITY, IOWA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	29%	Uterine factor	<1%		
GIFT	0%		Male factor	31%	Other factors	11%		
ZIFT	2%		With ICSI	54%	Ovulatory dysfunction	10%	Unexplained	8%
Combination	0%		Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Craig H. Syrop, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	144	50	36	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.6	42.0	22.2	20.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.8 (28.9 - 44.7)	40.0 (26.4 - 53.6)	16.7 (4.5 - 28.8)	10.0 (0.0 - 23.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.6	41.7	23.1	2/17
Percentage of transfers resulting in live births <sup>b,c</sup>	41.1	41.7	25.0	2/17
Percentage of cancellations <sup>b</sup>	6.9	4.0	27.8	15.0
Average number of embryos transferred	2.9	3.3	3.0	4.1
Percentage of pregnancies with twins <sup>b</sup>	29.8	28.6	2/8	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	14.0	14.3	0/8	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	35.8	40.0	2/6	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	72	25	14	5
Percentage of transfers resulting in live births <sup>b,c</sup>	23.6	24.0	4/14	1/5
Average number of embryos transferred	3.3	3.4	3.2	3.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	3	0	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/5	1/3		3/9
Average number of fresh embryos transferred	3.0	3.0		3.0
Number of frozen embryo transfers	5	5	5	15
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/5	2/5	2/5	2/15
Average number of frozen embryos transferred	3.6	2.8	4.2	3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MID-IOWA FERTILITY, P.C. WEST DES MOINES, IOWA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	30%	Uterine factor	2%
GIFT	0%		Male factor	23%	Other factors	5%
ZIFT	0%		With ICSI	29%	Ovulatory dysfunction	5%
Combination	0%		Unstimulated	0%	Endometriosis	24%
					Unexplained	11%

### 1998 PREGNANCY SUCCESS RATES

Data verified by Donald C. Young, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	81	13	11	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	1/13	1/11	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.2 (17.5 - 36.8)	1/13	1/11	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.1	1/11	1/10	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	36.7	1/9	1/8	0/1
Percentage of cancellations <sup>b</sup>	9.9	2/13	1/11	1/2
Average number of embryos transferred	3.1	2.9	3.6	5.0
Percentage of pregnancies with twins <sup>b</sup>	25.9	0/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	11.1	0/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	40.9	0/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	2	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/12	0/2	0/2	
Average number of embryos transferred	2.8	3.5	3.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		0/2
Average number of fresh embryos transferred		5.0		4.0
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of frozen embryos transferred	4.0			

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Mid-Iowa Fertility, P.C.

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF KANSAS MEDICAL CENTER  
WOMEN'S REPRODUCTIVE CENTER  
KANSAS CITY, KANSAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	67%	Uterine factor	0%
GIFT	0%		Male factor	0%	Other factors	11%
ZIFT	0%		With ICSI	13%	Ovulatory dysfunction	11%
Combination	0%		Unstimulated	0%	Endometriosis	11%
					Unexplained	0%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Valerie C. Montgomery Rice, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	3	3	2	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/3	0/3	0/2	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/3	0/3	0/2	
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/3		0/2	
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3		0/2	
Percentage of cancellations <sup>b</sup>	0/3	3/3	0/2	
Average number of embryos transferred	3.0		3.0	
Percentage of pregnancies with twins <sup>b</sup>				
Percentage of pregnancies with triplets or more <sup>b</sup>				
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Kansas Medical Center, Women's Reproductive Center

**Services Offered:**

Donor egg? Yes      Gestational carriers? No  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	98%	<b>Procedural factors:</b>	Tubal factor	17%	Uterine factor	0%		
GIFT	2%		Male factor	25%	Other factors	21%		
ZIFT	0%		With ICSI	28%	Ovulatory dysfunction	2%	Unexplained	32%
Combination	0%		Unstimulated	0%	Endometriosis	3%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Rodney Lyles, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	141	76	49	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.9	31.6	34.7	4/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	51.1 (42.8 - 59.3)	28.9 (18.8 - 39.1)	22.4 (10.8 - 34.1)	3/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.0	39.3	28.9	3/10
Percentage of transfers resulting in live births <sup>b,c</sup>	62.6	43.1	29.7	3/9
Percentage of cancellations <sup>b</sup>	14.9	26.3	22.4	1/11
Average number of embryos transferred	2.3	2.4	2.8	3.3
Percentage of pregnancies with twins <sup>b</sup>	31.6	25.0	3/17	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	10.5	8.3	0/17	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	40.3	31.8	2/11	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	6	4	2
Percentage of transfers resulting in live births <sup>b,c</sup>	13.0	1/6	1/4	0/2
Average number of embryos transferred	2.2	1.8	2.5	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	6	3	17
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/6	2/6	0/3	10/17
Average number of fresh embryos transferred	1.8	2.0	2.7	2.1
Number of frozen embryo transfers	1	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			0/1
Average number of frozen embryos transferred	2.0			3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Resource Center of Greater Kansas City

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE MEDICINE & INFERTILITY  
SHAWNEE MISSION MEDICAL CENTER  
SHAWNEE MISSION, KANSAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural factors:</b>	Tubal factor	19%	Uterine factor	4%
GIFT	0%		Male factor	40%	Other factors	0%
ZIFT	0%		With ICSI	42%	Ovulatory dysfunction	4%
Combination	0%		Unstimulated	0%	Endometriosis	33%
					Unexplained	0%

**1998 PREGNANCY SUCCESS RATES**

Data verified by Dan L. Stewart, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	18	3	3	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	6/18	0/3	0/3	1/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	5/18	0/3	0/3	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	5/17	0/1	0/2	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	5/17	0/1	0/2	0/1
Percentage of cancellations <sup>b</sup>	1/18	2/3	1/3	0/2
Average number of embryos transferred	3.8	4.0	3.0	4.0
Percentage of pregnancies with twins <sup>b</sup>	3/6			0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/6			0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/5			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Medicine & Infertility, Shawnee Mission Medical Center

**Services Offered:**

Donor egg? No      Gestational carriers? Yes  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? No  
 Verified lab accreditation? Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	97%	<b>Procedural factors:</b>	Tubal factor	37%	Uterine factor	2%		
GIFT	<1%		Male factor	20%	Other factors	0%		
ZIFT	2%		With ICSI	32%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	<1%		Unstimulated	0%	Endometriosis	29%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by David A. Grainger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	92	48	22	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.7	50.0	40.9	15.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.3 (20.0 - 38.7)	47.9 (33.8 - 62.0)	31.8 (12.4 - 51.3)	10.0 (0.0 - 23.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.0	52.3	7/15	2/18
Percentage of transfers resulting in live births <sup>b,c</sup>	30.7	56.1	7/14	2/16
Percentage of cancellations <sup>b</sup>	2.2	8.3	31.8	10.0
Average number of embryos transferred	2.7	3.0	2.9	3.1
Percentage of pregnancies with twins <sup>b</sup>	38.7	33.3	1/9	1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	9.7	8.3	0/9	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	44.4	39.1	1/7	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	27	18	7	4
Percentage of transfers resulting in live births <sup>b,c</sup>	18.5	5/18	1/7	0/4
Average number of embryos transferred	3.2	3.3	3.0	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	2/5
Average number of fresh embryos transferred	1.0		2.0	3.0
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/3
Average number of frozen embryos transferred				4.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## FERTILITY & ENDOCRINE ASSOCIATES LEXINGTON, KENTUCKY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	11%	Other factors	12%
ZIFT	0%	With ICSI	18%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	39%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert J. Homm, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	33	11	8	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	9.1	1/11	1/8	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3.0 (0.0 - 8.9)	1/11	0/8	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	3.2	1/10	0/8	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	3.2	1/9	0/8	0/3
Percentage of cancellations <sup>b</sup>	6.1	1/11	0/8	0/4
Average number of embryos transferred	3.5	3.4	3.5	2.7
Percentage of pregnancies with twins <sup>b</sup>	2/3	0/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	1/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	1/1	1/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility & Endocrine Associates

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**JAMES W. AKIN, M.D.**  
**LEXINGTON, KENTUCKY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	96%	<b>Procedural factors:</b>	Tubal factor	22%	Uterine factor	0%
GIFT	4%		Male factor	23%	Other factors	0%
ZIFT	0%		With ICSI	18%	Ovulatory dysfunction	17%
Combination	0%		Unstimulated	0%	Endometriosis	38%
					Unexplained	0%

**1998 PREGNANCY SUCCESS RATES**

Data verified by James W. Akin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	27	15	6	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	22.2	3/15	0/6	0/3
Percentage of cycles resulting in live births <sup>b,c</sup>	22.2	3/15	0/6	0/3
(Reliability Range)	(6.5 - 37.9)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	23.1	3/15	0/6	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	24.0	3/14	0/5	0/2
Percentage of cancellations <sup>b</sup>	3.7	0/15	0/6	0/3
Average number of embryos transferred	3.0	2.7	2.2	1.5
Percentage of pregnancies with twins <sup>b</sup>	1/6	1/3		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/6	0/3		
Percentage of live births having multiple infants <sup>b,c</sup>	2/6	1/3		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2			
Average number of embryos transferred	4.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** James W. Akin, M.D.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF KENTUCKY  
LEXINGTON, KENTUCKY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	50%	Uterine factor	0%
GIFT	0%			Male factor	29%	Other factors	0%
ZIFT	0%	With ICSI	17%	Ovulatory dysfunction	0%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Shona Murray, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	6	4	2	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/6	0/4	0/2	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/6	0/4	0/2	
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/6	0/3	0/1	
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	0/3		
Percentage of cancellations <sup>b</sup>	0/6	1/4	1/2	
Average number of embryos transferred	3.3	3.3		
Percentage of pregnancies with twins <sup>b</sup>	1/1			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			
Percentage of live births having multiple infants <sup>b,c</sup>	0/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2			
Average number of embryos transferred	2.5			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Kentucky

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	100%	<b>Procedural factors:</b>	Tubal factor	27%	Uterine factor	6%		
GIFT	0%		Male factor	29%	Other factors	5%		
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	17%	Unexplained	4%
Combination	0%		Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Steven T. Nakajima, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	120	46	29	18
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.2	32.6	24.1	2/18
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	32.5 (24.1 - 40.9)	21.7 (9.8 - 33.7)	24.1 (8.6 - 39.7)	1/18
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.8	25.0	31.8	1/10
Percentage of transfers resulting in live births <sup>b,c</sup>	36.4	25.0	33.3	1/9
Percentage of cancellations <sup>b</sup>	6.7	13.0	24.1	8/18
Average number of embryos transferred	3.0	3.2	3.1	4.4
Percentage of pregnancies with twins <sup>b</sup>	29.8	2/15	2/7	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	19.1	0/15	0/7	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	51.3	2/10	1/7	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	8	7	0
Percentage of transfers resulting in live births <sup>b,c</sup>	12.5	1/8	0/7	
Average number of embryos transferred	2.8	2.6	3.4	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	0/2		1/3
Average number of fresh embryos transferred	2.0	3.0		4.0
Number of frozen embryo transfers	1	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1			0/2
Average number of frozen embryos transferred	4.0			2.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University OB/GYN Associates Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE CENTER FOR FERTILITY & ADVANCED REPRODUCTIVE CARE METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	90%	<b>Procedural factors:</b>	Tubal factor	27%	Uterine factor	5%
GIFT	7%		Male factor	9%	Other factors	0%
ZIFT	3%		With ICSI	28%	Ovulatory dysfunction	14%
Combination	0%		Unstimulated	3%	Endometriosis	45%
					Unexplained	0%

### 1998 PREGNANCY SUCCESS RATES

Data verified by William E. Roniger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	13	4	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	5/19	2/13	0/4	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	4/19	2/13	0/4	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	4/18	2/13	0/3	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	4/17	2/12	0/3	0/3
Percentage of cancellations <sup>b</sup>	1/19	0/13	1/4	0/3
Average number of embryos transferred	3.9	3.5	3.3	3.3
Percentage of pregnancies with twins <sup>b</sup>	3/5	0/2		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/5	0/2		
Percentage of live births having multiple infants <sup>b,c</sup>	3/4	0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/12	0/1		
Average number of embryos transferred	3.0	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			0/1
Average number of fresh embryos transferred	5.0			4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Center for Fertility & Advanced Reproductive Care

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY AND LASER CENTER METAIRIE, LOUISIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis						
IVF	89%	<b>Procedural factors:</b>	Tubal factor	16%	Uterine factor	2%		
GIFT	8%		Male factor	6%	Other factors	9%		
ZIFT	1%		With ICSI	25%	Ovulatory dysfunction	50%	Unexplained	0%
Combination	2%		Unstimulated	0%	Endometriosis	17%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Heber E. Dunaway, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	86	34	34	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.6	26.5	8.8	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	20.9 (12.3 - 29.5)	17.6 (4.8 - 30.5)	5.9 (0.0 - 13.8)	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	24.0	18.2	7.4	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	25.7	20.0	8.7	0/2
Percentage of cancellations <sup>b</sup>	12.8	2.9	20.6	2/4
Average number of embryos transferred	4.0	3.7	3.8	3.5
Percentage of pregnancies with twins <sup>b</sup>	22.7	2/9	0/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	18.2	1/9	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	8/18	2/6	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3	0/2	0/1	
Average number of embryos transferred	3.0	4.5	2.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/3
Average number of fresh embryos transferred				5.0
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of frozen embryos transferred	3.0			

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility and Laser Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**FERTILITY CLINIC  
TULANE UNIVERSITY HOSPITAL AND CLINIC  
NEW ORLEANS, LOUISIANA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	100%	<b>Procedural factors:</b>		Tubal factor	0%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	100%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Paul R. Clisham, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	0	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/2			
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/2			
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/2			
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2			
Percentage of cancellations <sup>b</sup>	0/2			
Average number of embryos transferred	5.5			
Percentage of pregnancies with twins <sup>b</sup>	0/1			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Fertility Clinic, Tulane University Hospital and Clinic

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY INSTITUTE OF NEW ORLEANS NEW ORLEANS, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	2%
GIFT	<1%			Male factor	9%	Other factors	9%
ZIFT	0%	With ICSI	20%	Ovulatory dysfunction	7%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	38%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Richard P. Dickey, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	92	38	30	17
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.6	15.8	6.7	0/17
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.2 (18.1 - 36.3)	10.5 (0.8 - 20.3)	3.3 (0.0 - 9.8)	0/17
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	19.0	1/16	0/10
Percentage of transfers resulting in live births <sup>b,c</sup>	34.2	4/19	1/14	0/8
Percentage of cancellations <sup>b</sup>	18.5	44.7	46.7	7/17
Average number of embryos transferred	4.2	4.4	3.6	3.3
Percentage of pregnancies with twins <sup>b</sup>	36.7	3/6	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	20.0	0/6	1/2	
Percentage of live births having multiple infants <sup>b,c</sup>	64.0	2/4	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	7	6	3
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	0/7	0/6	0/3
Average number of embryos transferred	2.2	2.3	3.2	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	
Average number of fresh embryos transferred	1.0		5.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Institute of New Orleans

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## OCHSNER CLINIC REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	0%
GIFT	0%			Male factor	30%	Other factors	0%
ZIFT	0%	With ICSI	13%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	40%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by David N. Curole, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	5	2	0	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/5	0/2		0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/5	0/2		0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/2			
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Percentage of cancellations <sup>b</sup>	3/5	2/2		1/1
Average number of embryos transferred	3.0			
Percentage of pregnancies with twins <sup>b</sup>				
Percentage of pregnancies with triplets or more <sup>b</sup>				
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>			0/1	1/1
Average number of embryos transferred			2.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Ochsner Clinic Reproductive Medicine

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR FERTILITY & REPRODUCTIVE HEALTH  
SHREVEPORT, LOUISIANA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	44%	Uterine factor	1%
GIFT	0%			Male factor	17%	Other factors	0%
ZIFT	0%	With ICSI	22%	Ovulatory dysfunction	25%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Steve N. London, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	26	7	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.0	23.1	2/7	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.3 (16.2 - 40.4)	19.2 (4.1 - 34.4)	2/7	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.5	5/16	2/6	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	40.5	5/16	2/6	0/2
Percentage of cancellations <sup>b</sup>	30.2	38.5	1/7	1/3
Average number of embryos transferred	3.0	2.9	4.2	5.0
Percentage of pregnancies with twins <sup>b</sup>	6/18	1/6	1/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/18	1/6	1/2	
Percentage of live births having multiple infants <sup>b,c</sup>	8/15	2/5	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	4	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3	0/4		
Average number of embryos transferred	3.0	3.8		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Fertility & Reproductive Health

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY CENTER OF MARYLAND BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	92%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	<1%
GIFT	7%			Male factor	11%	Other factors	10%
ZIFT	<1%	With ICSI	24%	Ovulatory dysfunction	14%	Unexplained	2%
Combination	<1%	Unstimulated	0%	Endometriosis	34%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Santiago L. Padilla, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	107	46	50	30
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.9	30.4	28.0	16.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.0 (19.5 - 36.5)	19.6 (8.1 - 31.0)	22.0 (10.5 - 33.5)	10.0 (0.0 - 20.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.9	20.9	26.2	11.5
Percentage of transfers resulting in live births <sup>b,c</sup>	31.3	21.4	26.2	12.5
Percentage of cancellations <sup>b</sup>	9.3	6.5	16.0	13.3
Average number of embryos transferred	3.6	4.2	3.9	4.0
Percentage of pregnancies with twins <sup>b</sup>	12.5	3/14	3/14	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	15.6	2/14	1/14	1/5
Percentage of live births having multiple infants <sup>b,c</sup>	26.7	3/9	3/11	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	19	12	4
Percentage of transfers resulting in live births <sup>b,c</sup>	8.3	5/19	0/12	2/4
Average number of embryos transferred	3.3	2.8	3.1	2.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	3	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/3	0/1
Average number of fresh embryos transferred			3.3	4.0
Number of frozen embryo transfers	0	0	2	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/2	
Average number of frozen embryos transferred			3.5	

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Center of Maryland

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## GBMC FERTILITY CENTER BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	0%
GIFT	<1%			Male factor	34%	Other factors	5%
ZIFT	2%	With ICSI	33%	Ovulatory dysfunction	2%	Unexplained	9%
Combination	<1%	Unstimulated	0%	Endometriosis	21%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Eugene Katz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	199	102	71	31
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.7	28.4	11.3	9.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.7 (24.2 - 37.1)	23.5 (15.3 - 31.8)	7.0 (1.1 - 13.0)	9.7 (0.0 - 20.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.1	24.2	7.8	11.1
Percentage of transfers resulting in live births <sup>b,c</sup>	32.8	24.5	7.9	12.0
Percentage of cancellations <sup>b</sup>	4.5	2.9	9.9	12.9
Average number of embryos transferred	3.7	3.9	4.9	5.1
Percentage of pregnancies with twins <sup>b</sup>	33.8	13.8	3/8	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	8.5	6.9	0/8	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	42.6	16.7	2/5	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	93	30	21	9
Percentage of transfers resulting in live births <sup>b,c</sup>	16.1	10.0	9.5	3/9
Average number of embryos transferred	3.5	3.3	3.7	3.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	8	3	7	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	5/8	3/3	4/7	2/7
Average number of fresh embryos transferred	3.6	3.7	3.0	4.1
Number of frozen embryo transfers	0	0	1	4
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/4
Average number of frozen embryos transferred			2.0	3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** GBMC Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## HELIX CENTER FOR ART BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	42%	Uterine factor	4%
GIFT	2%			Male factor	15%	Other factors	11%
ZIFT	<1%	With ICSI	24%	Ovulatory dysfunction	7%	Unexplained	0%
Combination	<1%	Unstimulated	0%	Endometriosis	21%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Nathan G. Berger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	60	27	20	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.7	11.1	10.0	1/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.0 (18.4 - 41.6)	11.1 (0.0 - 23.0)	10.0 (0.0 - 23.1)	0/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.7	13.6	2/15	0/12
Percentage of transfers resulting in live births <sup>b,c</sup>	38.3	15.0	2/14	0/12
Percentage of cancellations <sup>b</sup>	18.3	18.5	25.0	2/14
Average number of embryos transferred	3.9	3.7	3.6	3.8
Percentage of pregnancies with twins <sup>b</sup>	5/19	1/3	1/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3/19	1/3	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	8/18	2/3	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	2	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	0/2	0/3	0/1
Average number of embryos transferred	3.8	6.0	3.7	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1		0/2
Average number of fresh embryos transferred		4.0		3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Helix Center for ART

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF MARYLAND MEDICAL SCHOOL  
CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGY  
BALTIMORE, MARYLAND**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	51%	Uterine factor	4%
GIFT	0%			Male factor	11%	Other factors	4%
ZIFT	1%	With ICSI	14%	Ovulatory dysfunction	14%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Fady I. Sharara, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	40	19	11	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.5	5/19	2/11	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.0 (15.8 - 44.2)	5/19	2/11	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.4	5/14	2/8	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	36.4	5/14	2/8	0/1
Percentage of cancellations <sup>b</sup>	17.5	5/19	3/11	1/2
Average number of embryos transferred	3.6	4.4	4.4	7.0
Percentage of pregnancies with twins <sup>b</sup>	6/15	1/5	1/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/15	0/5	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	6/12	1/5	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	1	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/6	0/1		0/1
Average number of embryos transferred	3.7	4.0		4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	1/2
Average number of fresh embryos transferred			2.0	3.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Maryland Medical School Center for Advanced Reproductive Technology

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MID-ATLANTIC FERTILITY CENTERS BETHESDA, MARYLAND

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	94%	<b>Procedural factors:</b>		Tubal factor	12%	Uterine factor	4%
GIFT	3%			Male factor	9%	Other factors	28%
ZIFT	2%	With ICSI	30%	Ovulatory dysfunction	18%	Unexplained	12%
Combination	<1%	Unstimulated	0%	Endometriosis	17%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Frank E. Chang, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	66	50	36	29
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.8	32.0	25.0	6.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.8 (20.6 - 43.1)	30.0 (17.3 - 42.7)	19.4 (6.5 - 32.4)	3.4 (0.0 - 10.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.0	35.7	21.9	4.2
Percentage of transfers resulting in live births <sup>b,c</sup>	39.6	44.1	25.9	1/18
Percentage of cancellations <sup>b</sup>	9.1	16.0	11.1	17.2
Average number of embryos transferred	3.0	3.1	3.4	4.0
Percentage of pregnancies with twins <sup>b</sup>	30.4	9/16	4/9	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	21.7	1/16	0/9	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	52.4	10/15	4/7	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	5	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	1/5	0/4	1/1
Average number of embryos transferred	2.8	4.2	2.8	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	0	6	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3		3/6	3/7
Average number of fresh embryos transferred	2.7		2.3	3.1
Number of frozen embryo transfers	0	1	2	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	1/2	
Average number of frozen embryos transferred		3.0	4.5	

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Mid-Atlantic Fertility Centers

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	36%	Uterine factor	0%
GIFT	<1%			Male factor	22%	Other factors	12%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	2%	Unexplained	<1%
Combination	<1%	Unstimulated	0%	Endometriosis	27%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Jairo E. Garcia, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	95	53	78	37
Percentage of cycles resulting in pregnancies <sup>b</sup>	17.9	28.3	16.7	2.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	13.7 (6.8 - 20.6)	15.1 (5.5 - 24.7)	14.1 (6.4 - 21.8)	2.7 (0.0 - 7.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	15.1	16.7	16.4	3.1
Percentage of transfers resulting in live births <sup>b,c</sup>	16.7	19.0	18.0	3.2
Percentage of cancellations <sup>b</sup>	9.5	9.4	14.1	13.5
Average number of embryos transferred	3.3	3.4	3.8	3.7
Percentage of pregnancies with twins <sup>b</sup>	5/17	5/15	5/13	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/17	0/15	0/13	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/13	2/8	3/11	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	30	10	9	5
Percentage of transfers resulting in live births <sup>b,c</sup>	3.3	2/10	0/9	1/5
Average number of embryos transferred	2.7	2.8	2.8	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/2	3/4
Average number of fresh embryos transferred			3.5	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Johns Hopkins Fertility Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
ROCKVILLE, MARYLAND**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	56%	Other factors	0%
ZIFT	0%	With ICSI	75%	Ovulatory dysfunction	0%	Unexplained	19%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Burt A. Littman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	3	6	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/7	0/3	0/6	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/7	0/3	0/6	
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/7	0/3	0/6	
Percentage of transfers resulting in live births <sup>b,c</sup>	1/7	0/3	0/5	
Percentage of cancellations <sup>b</sup>	0/7	0/3	0/6	
Average number of embryos transferred	3.4	3.0	2.4	
Percentage of pregnancies with twins <sup>b</sup>	0/1			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			
Percentage of live births having multiple infants <sup>b,c</sup>	0/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## SHADY GROVE FERTILITY CENTERS ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	24%	Other factors	7%
ZIFT	<1%	With ICSI	27%	Ovulatory dysfunction	4%	Unexplained	20%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Michael J. Levy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	482	267	169	99
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.4	27.3	21.3	11.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.4 (23.4 - 31.4)	23.2 (18.2 - 28.3)	14.2 (8.9 - 19.5)	7.1 (2.0 - 12.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.6	28.2	17.8	9.3
Percentage of transfers resulting in live births <sup>b,c</sup>	32.6	30.1	18.9	10.0
Percentage of cancellations <sup>b</sup>	7.5	17.6	20.1	24.2
Average number of embryos transferred	3.3	3.4	3.6	3.8
Percentage of pregnancies with twins <sup>b</sup>	35.3	32.9	13.9	3/11
Percentage of pregnancies with triplets or more <sup>b</sup>	9.6	8.2		0/11
Percentage of live births having multiple infants <sup>b,c</sup>	41.7	32.3	12.5	1/7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	18	6	2	7
Percentage of transfers resulting in live births <sup>b,c</sup>	1/18	0/6	0/2	1/7
Average number of embryos transferred	3.7	4.2	4.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	7	2	7	29
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	5/7	0/2	2/7	20.7
Average number of fresh embryos transferred	3.3	3.5	3.1	3.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Shady Grove Fertility Reproductive Science Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**CENTER FOR ASSISTED REPRODUCTION  
BOSTON, MASSACHUSETTS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	5%
GIFT	2%			Male factor	22%	Other factors	34%
ZIFT	<1%	With ICSI	24%	Ovulatory dysfunction	6%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Elizabeth S. Ginsburg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	428	280	236	116
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.1	39.6	32.2	19.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	41.1 (36.5 - 45.8)	32.9 (27.4 - 38.4)	23.3 (17.9 - 28.7)	11.2 (5.5 - 16.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.3	33.8	24.7	12.1
Percentage of transfers resulting in live births <sup>b,c</sup>	45.0	34.5	26.2	12.9
Percentage of cancellations <sup>b</sup>	2.8	2.9	5.5	7.8
Average number of embryos transferred	3.2	3.6	3.9	4.2
Percentage of pregnancies with twins <sup>b</sup>	33.0	24.3	21.1	31.8
Percentage of pregnancies with triplets or more <sup>b</sup>	10.2	13.5	5.3	
Percentage of live births having multiple infants <sup>b,c</sup>	38.6	35.9	27.3	5/13
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	19	7	8	5
Percentage of transfers resulting in live births <sup>b,c</sup>	6/19	3/7	3/8	1/5
Average number of embryos transferred	3.1	3.1	4.1	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	2	4	13
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/3	0/2	3/4	9/13
Average number of fresh embryos transferred	4.0	2.0	4.3	4.2
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2			1/1
Average number of frozen embryos transferred	2.0			6.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Assisted Reproduction

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FAULKNER CENTER FOR REPRODUCTIVE MEDICINE BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	13%	Uterine factor	2%
GIFT	2%			Male factor	21%	Other factors	11%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	35%	Unexplained	1%
Combination	0%	Unstimulated	3%	Endometriosis	17%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Machele Seibel, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	48	24	18	30
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	12.5	1/18	3.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	16.7 (6.1 - 27.2)	12.5 (0.0 - 25.7)	1/18	3.3 (0.0 - 9.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	22.2	3/15	1/13	1/13
Percentage of transfers resulting in live births <sup>b,c</sup>	23.5	3/14	1/12	1/11
Percentage of cancellations <sup>b</sup>	25.0	37.5	5/18	56.7
Average number of embryos transferred	3.5	3.2	2.8	3.4
Percentage of pregnancies with twins <sup>b</sup>	2/12	1/3	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/12	1/3	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	2/8	2/3	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	3	8
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/2	1/3	0/8
Average number of embryos transferred	2.0	2.5	2.3	2.4
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	0	5	20
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/6		3/5	25.0
Average number of fresh embryos transferred	2.7		4.0	3.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Faulkner Center For Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# MASSACHUSETTS GENERAL HOSPITAL VINCENT IVF UNIT BOSTON, MASSACHUSETTS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	6%
GIFT	<1%			Male factor	36%	Other factors	2%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	6%	Unexplained	19%
Combination	<1%	Unstimulated	0%	Endometriosis	10%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Thomas L. Toth, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	122	77	54	35
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.0	36.4	22.2	17.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.0 (19.2 - 34.9)	27.3 (17.3 - 37.2)	14.8 (5.3 - 24.3)	11.4 (0.9 - 22.0)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.6	32.8	18.6	14.8
Percentage of transfers resulting in live births <sup>b,c</sup>	32.4	33.3	21.6	18.2
Percentage of cancellations <sup>b</sup>	11.5	16.9	20.4	22.9
Average number of embryos transferred	2.8	3.2	3.3	3.6
Percentage of pregnancies with twins <sup>b</sup>	30.8	25.0	2/12	0/6
Percentage of pregnancies with triplets or more <sup>b</sup>	7.7	14.3	0/12	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	39.4	38.1	1/8	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	3	7	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/11	0/3	1/7	0/1
Average number of embryos transferred	3.2	3.0	3.6	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/2	0/1
Average number of fresh embryos transferred			2.5	4.0
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		1/1		
Average number of frozen embryos transferred		4.0		

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Massachusetts General Hospital Vincent IVF Unit

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# NEW ENGLAND FERTILITY AND ENDOCRINOLOGY ASSOCIATES BROOKLINE, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	73%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	11%
Combination	0%	Unstimulated	95%	Endometriosis	16%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Gary L. Gross, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	8	3	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/2	1/8	0/3	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/2	1/8	0/3	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/2	1/8	0/3	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	1/6	0/1	0/3
Percentage of cancellations <sup>b</sup>	0/2	0/8	0/3	0/6
Average number of embryos transferred	1.0	1.0	1.0	1.0
Percentage of pregnancies with twins <sup>b</sup>		0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>		0/1		
Percentage of live births having multiple infants <sup>b,c</sup>		0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** New England Fertility and Endocrinology Associates

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## HALLMARK HEALTH FERTILITY SERVICES MALDEN, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	20%	Other factors	2%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	9%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Shaila Phansey-Chauhan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	14	5	9	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	5/14	1/5	0/9	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/14	1/5	0/9	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/13	1/5	0/7	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/12	1/5	0/7	0/1
Percentage of cancellations <sup>b</sup>	1/14	0/5	2/9	4/5
Average number of embryos transferred	3.1	3.6	2.3	1.0
Percentage of pregnancies with twins <sup>b</sup>	1/5	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	2	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	5/7	0/2	0/1	0/1
Average number of embryos transferred	3.3	3.0	4.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Hallmark Health Fertility Services

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**FERTILITY CENTER OF NEW ENGLAND, INC.**  
**NEW ENGLAND CLINIC OF REPRODUCTIVE MEDICINE**  
**READING, MASSACHUSETTS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	5%
GIFT	<1%			Male factor	25%	Other factors	7%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	20%	Unexplained	6%
Combination	3%	Unstimulated	0%	Endometriosis	12%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Vito R.S. Cardone, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	312	193	207	156
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.8	23.3	13.0	6.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.7 (19.0 - 28.4)	18.7 (13.2 - 24.1)	9.7 (5.6 - 13.7)	4.5 (1.2 - 7.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.1	19.7	10.6	4.8
Percentage of transfers resulting in live births <sup>b,c</sup>	28.4	21.6	12.4	6.0
Percentage of cancellations <sup>b</sup>	5.4	5.2	9.2	6.4
Average number of embryos transferred	2.9	3.1	2.9	2.7
Percentage of pregnancies with twins <sup>b</sup>	17.8	11.1	11.1	1/10
Percentage of pregnancies with triplets or more <sup>b</sup>	6.7	6.7	3.7	0/10
Percentage of live births having multiple infants <sup>b,c</sup>	25.7	19.4	20.0	1/7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	80	47	20	12
Percentage of transfers resulting in live births <sup>b,c</sup>	18.8	25.5	10.0	0/12
Average number of embryos transferred	3.3	3.5	3.5	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	9	4	11	40
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/9	0/4	4/11	50.0
Average number of fresh embryos transferred	2.7	2.5	3.0	3.0
Number of frozen embryo transfers	2	1	4	11
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2	0/1	0/4	3/11
Average number of frozen embryos transferred	3.0	3.0	3.3	2.7

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Fertility Center of New England, Inc., New England Clinic of Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## BAYSTATE IVF SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	40%	Uterine factor	2%
GIFT	0%			Male factor	17%	Other factors	11%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	12%	Unexplained	7%
Combination	<1%	Unstimulated	0%	Endometriosis	11%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Daniel Grow, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	117	59	53	47
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.6	27.1	18.9	8.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.1 (20.8 - 37.3)	22.0 (11.5 - 32.6)	15.1 (5.5 - 24.7)	8.5 (0.5 - 16.5)
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.7	24.5	16.3	9.8
Percentage of transfers resulting in live births <sup>b,c</sup>	36.6	25.0	17.8	11.1
Percentage of cancellations <sup>b</sup>	11.1	10.2	7.5	12.8
Average number of embryos transferred	2.8	3.1	3.2	3.4
Percentage of pregnancies with twins <sup>b</sup>	35.1	5/16	2/10	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	5.4	1/16	0/10	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	44.1	6/13	2/8	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	39	17	7	8
Percentage of transfers resulting in live births <sup>b,c</sup>	23.1	3/17	1/7	2/8
Average number of embryos transferred	3.1	3.4	3.3	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/2	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Baystate IVF

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## BOSTON IVF WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	93%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	4%
GIFT	7%			Male factor	21%	Other factors	13%
ZIFT	0%	With ICSI	25%	Ovulatory dysfunction	13%	Unexplained	16%
Combination	0%	Unstimulated	<1%	Endometriosis	11%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Michael M. Alper, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	856	518	471	386
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.4	32.2	24.4	12.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.3 (24.4 - 30.3)	27.0 (23.2 - 30.9)	19.7 (16.2 - 23.3)	8.0 (5.3 - 10.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.2	30.8	25.1	10.6
Percentage of transfers resulting in live births <sup>b,c</sup>	32.3	32.9	27.1	11.7
Percentage of cancellations <sup>b</sup>	9.3	12.2	21.2	24.4
Average number of embryos transferred	2.9	3.4	3.4	3.8
Percentage of pregnancies with twins <sup>b</sup>	33.5	27.5	26.1	12.8
Percentage of pregnancies with triplets or more <sup>b</sup>	9.3	11.4	7.0	6.4
Percentage of live births having multiple infants <sup>b,c</sup>	40.2	36.4	30.1	19.4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	115	55	39	20
Percentage of transfers resulting in live births <sup>b,c</sup>	10.4	12.7	20.5	5.0
Average number of embryos transferred	2.7	2.9	3.5	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	16	16	27	52
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/16	7/16	33.3	28.8
Average number of fresh embryos transferred	2.8	3.1	3.1	2.6
Number of frozen embryo transfers	4	4	3	11
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/4	0/4	0/3	1/11
Average number of frozen embryos transferred	3.0	1.8	3.3	3.1

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Boston IVF

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE REPRODUCTIVE SCIENCE CENTER OF BOSTON WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	18%	Uterine factor	2%
GIFT	2%			Male factor	31%	Other factors	19%
ZIFT	<1%	With ICSI	34%	Ovulatory dysfunction	11%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Patricia M. McShane, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	422	246	234	117
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.2	37.0	30.8	17.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	35.1 (30.5 - 39.6)	30.1 (24.4 - 35.8)	23.9 (18.5 - 29.4)	12.0 (6.1 - 17.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.6	34.1	28.3	15.7
Percentage of transfers resulting in live births <sup>b,c</sup>	39.4	36.8	30.1	16.3
Percentage of cancellations <sup>b</sup>	6.6	11.8	15.4	23.9
Average number of embryos transferred	2.4	2.9	3.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	37.1	26.4	26.4	9.5
Percentage of pregnancies with triplets or more <sup>b</sup>	4.5	6.6	8.3	
Percentage of live births having multiple infants <sup>b,c</sup>	37.8	28.4	25.0	2/14
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	102	56	45	27
Percentage of transfers resulting in live births <sup>b,c</sup>	24.5	23.2	17.8	25.9
Average number of embryos transferred	2.7	2.9	2.7	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	12	5	14	43
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/12	2/5	3/14	34.9
Average number of fresh embryos transferred	2.4	2.4	2.5	2.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Reproductive Science Center of Boston

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF MICHIGAN MEDICAL CENTER  
ANN ARBOR, MICHIGAN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	0%
GIFT	0%			Male factor	33%	Other factors	3%
ZIFT	2%	With ICSI	42%	Ovulatory dysfunction	23%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Gregory M. Christman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	58	32	27	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	8.6	12.5	11.1	0/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6.9 (0.4 - 13.4)	12.5 (1.0 - 24.0)	3.7 (0.0 - 10.8)	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	8.5	14.3	1/16	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	8.5	14.8	1/15	0/3
Percentage of cancellations <sup>b</sup>	19.0	12.5	40.7	4/8
Average number of embryos transferred	3.9	3.8	4.5	5.0
Percentage of pregnancies with twins <sup>b</sup>	3/5	2/4	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5	2/4	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	2/4	3/4	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	20	8	8	2
Percentage of transfers resulting in live births <sup>b,c</sup>		0/8	0/8	0/2
Average number of embryos transferred	3.1	5.4	4.0	5.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Michigan Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
OAKWOOD HOSPITAL  
DEARBORN, MICHIGAN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	18%	Uterine factor	1%
GIFT	0%			Male factor	18%	Other factors	5%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	46%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by David M. Magyar, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	98	40	36	41
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.5	25.0	2.8	4.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.4 (14.2 - 30.7)	17.5 (5.7 - 29.3)	2.8 (0.0 - 8.1)	2.4 (0.0 - 7.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.8	26.9	4.2	4.3
Percentage of transfers resulting in live births <sup>b,c</sup>	31.9	30.4	4.3	4.8
Percentage of cancellations <sup>b</sup>	19.4	35.0	33.3	43.9
Average number of embryos transferred	3.7	3.7	3.1	3.9
Percentage of pregnancies with twins <sup>b</sup>	15.4	1/10	0/1	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	11.5	1/10	0/1	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	22.7	2/7	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	2	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/11	0/2	1/1	0/1
Average number of embryos transferred	2.4	1.5	5.0	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	1	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/3	0/1	0/1	1/1
Average number of fresh embryos transferred	2.3	5.0	5.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine, Oakwood Hospital

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# THE CENTER FOR REPRODUCTIVE MEDICINE, HURLEY MEDICAL CENTER FLINT, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	46%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	0%
GIFT	7%			Male factor	59%	Other factors	<1%
ZIFT	39%	With ICSI	63%	Ovulatory dysfunction	2%	Unexplained	2%
Combination	8%	Unstimulated	0%	Endometriosis	6%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Mostafa I. Abuzeid, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	94	47	26	18
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.5	25.5	7.7	1/18
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.2 (27.5 - 47.0)	23.4 (11.3 - 35.5)	3.8 (0.0 - 11.2)	0/18
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.7	28.2	5.0	0/15
Percentage of transfers resulting in live births <sup>b,c</sup>	41.7	29.7	1/19	0/15
Percentage of cancellations <sup>b</sup>	8.5	17.0	23.1	3/18
Average number of embryos transferred	4.4	4.8	3.7	4.9
Percentage of pregnancies with twins <sup>b</sup>	20.5	1/12	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	10.3	2/12	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	25.7	3/11	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	18	4	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4/18	1/4	0/2	
Average number of embryos transferred	3.5	2.8	1.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Center for Reproductive Medicine - Hurley Medical Center

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## GRAND RAPIDS FERTILITY/SPECTRUM HEALTH EAST GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	76%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	<1%
GIFT	15%			Male factor	28%	Other factors	4%
ZIFT	5%	With ICSI	29%	Ovulatory dysfunction	13%	Unexplained	18%
Combination	4%	Unstimulated	<1%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Douglas C. Daly, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	52	38	14	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.5	36.8	5/14	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.5 (23.5 - 49.6)	31.6 (16.8 - 46.4)	5/14	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.3	35.3	5/14	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	42.2	35.3	5/14	0/4
Percentage of cancellations <sup>b</sup>	11.5	10.5	0/14	0/6
Average number of embryos transferred	4.3	4.5	5.0	2.5
Percentage of pregnancies with twins <sup>b</sup>	8/19	4/14	3/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	5/19	1/14	0/5	
Percentage of live births having multiple infants <sup>b,c</sup>	12/19	5/12	2/5	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	15	8	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/15	0/8		0/1
Average number of embryos transferred	5.5	5.0		7.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	4	2	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	2/4	2/2	2/5
Average number of fresh embryos transferred	4.0	4.0	4.0	4.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Grand Rapids Fertility/Spectrum Health East

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MICHIGAN REPRODUCTIVE & IVF CENTER GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	58%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	1%
GIFT	13%			Male factor	30%	Other factors	13%
ZIFT	27%	With ICSI	58%	Ovulatory dysfunction	5%	Unexplained	8%
Combination	2%	Unstimulated	0%	Endometriosis	16%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by William G. Dodds, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	189	68	46	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.8	39.7	37.0	5/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	45.0 (37.9 - 52.1)	26.5 (16.0 - 37.0)	32.6 (19.1 - 46.2)	5/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.4	27.7	36.6	5/15
Percentage of transfers resulting in live births <sup>b,c</sup>	47.8	28.1	37.5	5/15
Percentage of cancellations <sup>b</sup>	3.2	4.4	10.9	1/16
Average number of embryos transferred	3.6	3.6	4.2	4.2
Percentage of pregnancies with twins <sup>b</sup>	32.3	18.5	3/17	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	18.8		1/17	1/5
Percentage of live births having multiple infants <sup>b,c</sup>	48.2	4/18	3/15	1/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	28	6	8	3
Percentage of transfers resulting in live births <sup>b,c</sup>	14.3	1/6	4/8	1/3
Average number of embryos transferred	3.5	2.7	1.9	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	5	5	12
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3	1/5	2/5	3/12
Average number of fresh embryos transferred	3.7	3.0	3.6	3.7
Number of frozen embryo transfers	4	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/4			0/1
Average number of frozen embryos transferred	3.5			5.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Michigan Reproductive & IVF Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WEST MICHIGAN REPRODUCTIVE INSTITUTE, P.C.  
GRAND RAPIDS, MICHIGAN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	94%	<b>Procedural factors:</b>		Tubal factor	49%	Uterine factor	0%
GIFT	2%			Male factor	22%	Other factors	8%
ZIFT	4%	With ICSI	33%	Ovulatory dysfunction	3%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by R. Donald Eward, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	40	21	13	12
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.5	28.6	2/13	1/12
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.5 (13.7 - 41.3)	28.6 (9.2 - 47.9)	1/13	0/12
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.9	6/15	1/10	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	32.4	6/15	1/10	0/6
Percentage of cancellations <sup>b</sup>	5.0	28.6	3/13	6/12
Average number of embryos transferred	4.3	4.1	5.2	2.5
Percentage of pregnancies with twins <sup>b</sup>	3/13	3/6	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	5/13	0/6	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	5/11	3/6	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	5	2	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/7	0/5	1/2	0/2
Average number of embryos transferred	7.3	5.2	3.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3			0/2
Average number of fresh embryos transferred	4.0			4.5
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/1	1/1
Average number of frozen embryos transferred			5.0	6.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** West Michigan Reproductive Institute, P.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# INFERTILITY AND GYNECOLOGY CENTER OF LANSING, P.C. LANSING, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	53%	<b>Procedural factors:</b>		Tubal factor	44%	Uterine factor	3%
GIFT	15%			Male factor	24%	Other factors	2%
ZIFT	31%	With ICSI	46%	Ovulatory dysfunction	4%	Unexplained	5%
Combination	1%	Unstimulated	0%	Endometriosis	18%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Mohammad Mohsenian, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	38	12	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	15.8	0/12	4/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.8 (16.3 - 45.3)	7.9 (0.0 - 16.5)	0/12	2/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.4	9.7	0/10	2/7
Percentage of transfers resulting in live births <sup>b,c</sup>	37.5	11.1	0/7	2/5
Percentage of cancellations <sup>b</sup>	15.4	18.4	2/12	3/10
Average number of embryos transferred	3.3	3.2	2.9	4.8
Percentage of pregnancies with twins <sup>b</sup>	5/13	0/6		1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	1/13	2/6		0/4
Percentage of live births having multiple infants <sup>b,c</sup>	6/12	1/3		1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of embryos transferred	4.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	1/1	0/1	
Average number of fresh embryos transferred	4.0	4.0	1.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Infertility and Gynecology Center of Lansing, P.C.

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**MICHIGAN STATE UNIVERSITY  
CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY  
LANSING, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	83%	Uterine factor	0%
GIFT	0%			Male factor	17%	Other factors	0%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Harold Sauer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	5	0	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/5			
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/5			
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/5			
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5			
Percentage of cancellations <sup>b</sup>	0/5			
Average number of embryos transferred	2.6			
Percentage of pregnancies with twins <sup>b</sup>	0/1			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			
Percentage of live births having multiple infants <sup>b,c</sup>	0/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	4.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Michigan State University Center for Assisted Reproductive Technology

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# THE CENTER FOR REPRODUCTIVE MEDICINE AT ROCHESTER HILLS ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	37%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	0%
GIFT	2%			Male factor	53%	Other factors	2%
ZIFT	56%	With ICSI	69%	Ovulatory dysfunction	2%	Unexplained	0%
Combination	5%	Unstimulated	0%	Endometriosis	4%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Mostafa I. Abuzeid, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	30	14	7	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.0	3/14	2/7	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.7 (10.8 - 42.5)	3/14	1/7	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.7	3/11	1/6	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	27.6	3/11	1/6	0/3
Percentage of cancellations <sup>b</sup>	0.0	3/14	1/7	0/3
Average number of embryos transferred	4.3	4.0	4.8	2.7
Percentage of pregnancies with twins <sup>b</sup>	2/9	1/3	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/9	0/3	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	3/8	1/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	5.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Center for Reproductive Medicine at Rochester Hills

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	No
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



# FAKIH INSTITUTE OF REPRODUCTIVE SCIENCE & TECHNOLOGY ROCHESTER HILLS, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	52%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	2%
GIFT	6%			Male factor	39%	Other factors	8%
ZIFT	41%	With ICSI	67%	Ovulatory dysfunction	19%	Unexplained	2%
Combination	<1%	Unstimulated	0%	Endometriosis	14%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Michael H. Fakh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	150	42	41	26
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.3	31.0	22.0	19.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.7 (21.4 - 35.9)	26.2 (12.9 - 39.5)	12.2 (2.2 - 22.2)	7.7 (0.0 - 17.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.1	28.9	12.5	8.7
Percentage of transfers resulting in live births <sup>b,c</sup>	29.5	28.9	12.8	9.1
Percentage of cancellations <sup>b</sup>	1.3	9.5	2.4	11.5
Average number of embryos transferred	5.1	4.6	4.7	4.1
Percentage of pregnancies with twins <sup>b</sup>	41.5	4/13	2/9	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	17.0	2/13	0/9	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	53.5	3/11	2/5	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	7	4	5
Percentage of transfers resulting in live births <sup>b,c</sup>	3/16	1/7	0/4	1/5
Average number of embryos transferred	3.4	2.7	2.3	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	3	11	42
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/4	0/3	4/11	38.1
Average number of fresh embryos transferred	4.5	4.7	4.4	4.6
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fakh Institute of Reproductive Science & Technology

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# BEAUMONT CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE ROYAL OAK, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	1%
GIFT	0%			Male factor	40%	Other factors	13%
ZIFT	0%	With ICSI	44%	Ovulatory dysfunction	5%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by William R. Keye, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	91	59	27	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.6	32.2	29.6	2/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	34.1 (24.3 - 43.8)	27.1 (15.8 - 38.5)	22.2 (6.5 - 37.9)	2/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.7	30.2	27.3	2/12
Percentage of transfers resulting in live births <sup>b,c</sup>	40.8	33.3	27.3	2/10
Percentage of cancellations <sup>b</sup>	14.3	10.2	18.5	4/16
Average number of embryos transferred	3.1	3.2	3.3	3.8
Percentage of pregnancies with twins <sup>b</sup>	16.7	4/19	1/8	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	11.1	1/19	0/8	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	29.0	3/16	1/6	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/1	
Average number of embryos transferred	5.0	9.0	2.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of fresh embryos transferred	3.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Beaumont Center for Fertility and Reproductive Medicine

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	42%	Uterine factor	0%
GIFT	0%			Male factor	31%	Other factors	3%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	2%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Ronald C. Strickler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	57	35	20	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.6	20.0	20.0	10.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.1 (16.4 - 39.7)	14.3 (2.7 - 25.9)	10.0 (0.0 - 23.1)	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.1	20.8	2/12	1/9
Percentage of transfers resulting in live births <sup>b,c</sup>	43.2	21.7	2/11	1/9
Percentage of cancellations <sup>b</sup>	33.3	31.4	40.0	55.0
Average number of embryos transferred	3.0	3.4	3.4	3.4
Percentage of pregnancies with twins <sup>b</sup>	7/18	0/7	0/4	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	1/18	0/7	0/4	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	7/16	0/5	0/2	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	5	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5	2/5	0/2	0/1
Average number of embryos transferred	3.0	2.6	3.0	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Henry Ford Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# HUTZEL HOSPITAL WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	94%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	<1%
GIFT	4%			Male factor	21%	Other factors	14%
ZIFT	<1%	With ICSI	29%	Ovulatory dysfunction	2%	Unexplained	16%
Combination	<1%	Unstimulated	0%	Endometriosis	13%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Charla M. Blacker, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	97	52	47	21
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.9	25.0	12.8	4.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.7 (15.2 - 32.2)	17.3 (7.0 - 27.6)	6.4 (0.0 - 13.4)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.0	22.0	9.1	0/15
Percentage of transfers resulting in live births <sup>b,c</sup>	29.5	23.1	9.4	0/14
Percentage of cancellations <sup>b</sup>	15.5	21.2	29.8	28.6
Average number of embryos transferred	4.6	4.4	3.9	4.6
Percentage of pregnancies with twins <sup>b</sup>	28.6	4/13	0/6	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	17.9	3/13	0/6	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	47.8	5/9	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4		0/1	
Average number of embryos transferred	1.0		1.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	2	1	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/3	2/2	1/1	1/6
Average number of fresh embryos transferred	4.3	3.5	6.0	3.7
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				2.5

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Hutzell Hospital

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# ANN ARBOR REPRODUCTIVE MEDICINE YPSILANTI, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	36%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	2%
GIFT	6%			Male factor	29%	Other factors	0%
ZIFT	58%	With ICSI	46%	Ovulatory dysfunction	38%	Unexplained	0%
Combination	<1%	Unstimulated	<1%	Endometriosis	9%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Jonathan W.T. Ayers, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	155	87	44	35
Percentage of cycles resulting in pregnancies <sup>b</sup>	27.1	27.6	18.2	8.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.2 (16.6 - 29.9)	23.0 (14.1 - 31.8)	11.4 (2.0 - 20.7)	8.6 (0.0 - 17.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.7	28.6	14.3	11.1
Percentage of transfers resulting in live births <sup>b,c</sup>	29.0	31.3	15.6	11.1
Percentage of cancellations <sup>b</sup>	16.1	19.5	20.5	22.9
Average number of embryos transferred	3.2	3.0	3.4	3.4
Percentage of pregnancies with twins <sup>b</sup>	35.7	33.3	3/8	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	14.3	8.3	1/8	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	41.7	45.0	2/5	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	41	7	7	1
Percentage of transfers resulting in live births <sup>b,c</sup>	7.3	0/7	2/7	0/1
Average number of embryos transferred	2.4	2.3	2.3	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	0	6	32
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/6		1/6	46.9
Average number of fresh embryos transferred	3.0		3.0	3.2
Number of frozen embryo transfers	2	0	1	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2		0/1	1/6
Average number of frozen embryos transferred	2.5		3.0	2.8

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Ann Arbor Reproductive Medicine

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
MINNEAPOLIS, MINNESOTA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	1%
GIFT	<1%			Male factor	25%	Other factors	22%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	6%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Bruce F. Campbell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	119	73	54	26
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.9	50.7	50.0	19.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	47.1 (38.1 - 56.0)	47.9 (36.5 - 59.4)	38.9 (25.9 - 51.9)	15.4 (1.5 - 29.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	53.8	43.8	18.2
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0	54.7	43.8	18.2
Percentage of cancellations <sup>b</sup>	5.9	11.0	11.1	15.4
Average number of embryos transferred	3.1	3.3	3.6	3.2
Percentage of pregnancies with twins <sup>b</sup>	41.3	48.6	14.8	1/5
Percentage of pregnancies with triplets or more <sup>b</sup>	12.7	5.4	7.4	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	57.1	23.8	1/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	3	6	4
Percentage of transfers resulting in live births <sup>b,c</sup>	3/10	0/3	1/6	2/4
Average number of embryos transferred	3.6	3.3	3.7	3.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	8	12	24
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/4	5/8	7/12	58.3
Average number of fresh embryos transferred	3.0	2.3	2.9	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, P.A.  
MINNEAPOLIS, MINNESOTA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	0%
GIFT	0%			Male factor	32%	Other factors	23%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Randle S. Corfman, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	152	51	48	13
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.3	51.0	33.3	3/13
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	50.7 (42.7 - 58.6)	47.1 (33.4 - 60.8)	27.1 (14.5 - 39.7)	1/13
Percentage of retrievals resulting in live births <sup>b,c</sup>	55.4	54.5	32.5	1/9
Percentage of transfers resulting in live births <sup>b,c</sup>	57.5	55.8	34.2	1/9
Percentage of cancellations <sup>b</sup>	8.6	13.7	16.7	4/13
Average number of embryos transferred	2.6	2.8	2.8	3.0
Percentage of pregnancies with twins <sup>b</sup>	32.1	19.2	4/16	1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	9.9	19.2	0/16	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	37.7	37.5	4/13	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	52	27	16	2
Percentage of transfers resulting in live births <sup>b,c</sup>	15.4	29.6	5/16	1/2
Average number of embryos transferred	2.6	2.6	2.7	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	7	19
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/4	1/2	2/7	14/19
Average number of fresh embryos transferred	2.5	2.5	2.7	2.6
Number of frozen embryo transfers	2	1	4	8
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	0/1	1/4	3/8
Average number of frozen embryos transferred	3.0	3.0	3.5	2.8

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Midwest Center for Reproductive Health, P.A.

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	26%	Uterine factor	1%
GIFT	0%			Male factor	30%	Other factors	10%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	21%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Mark A. Damario, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	105	54	21	13
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.4	51.9	28.6	2/13
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	48.6 (39.0 - 58.1)	42.6 (29.4 - 55.8)	23.8 (5.6 - 42.0)	0/13
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.5	50.0	5/17	0/8
Percentage of transfers resulting in live births <sup>b,c</sup>	56.0	50.0	5/15	0/7
Percentage of cancellations <sup>b</sup>	3.8	14.8	19.0	5/13
Average number of embryos transferred	3.1	3.6	3.4	3.3
Percentage of pregnancies with twins <sup>b</sup>	35.2	14.3	0/6	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	11.1	17.9	0/6	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	43.1	30.4	0/5	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	54	30	17	10
Percentage of transfers resulting in live births <sup>b,c</sup>	31.5	26.7	5/17	2/10
Average number of embryos transferred	3.2	3.2	3.4	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of fresh embryos transferred	3.0			
Number of frozen embryo transfers	16	3	5	29
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	7/16	2/3	4/5	41.4
Average number of frozen embryos transferred	3.3	3.0	3.0	3.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Mayo Clinic Assisted Reproductive Technologies

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE HEALTH ASSOCIATES, P.A.**  
**ST. PAUL, MINNESOTA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	19%	Uterine factor	0%
GIFT	0%			Male factor	45%	Other factors	11%
ZIFT	0%	With ICSI	96%	Ovulatory dysfunction	4%	Unexplained	15%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jacques P. Stassart, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	230	92	49	18
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.3	40.2	20.4	4/18
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.3 (25.3 - 37.3)	30.4 (21.0 - 39.8)	14.3 (4.5 - 24.1)	4/18
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.3	30.4	15.2	4/17
Percentage of transfers resulting in live births <sup>b,c</sup>	32.0	31.1	16.7	4/15
Percentage of cancellations <sup>b</sup>	0.0	0.0	6.1	1/18
Average number of embryos transferred	2.9	3.0	3.7	3.7
Percentage of pregnancies with twins <sup>b</sup>	29.5	24.3	2/10	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	10.2	2.7	0/10	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	45.8	28.6	2/7	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	49	22	13	10
Percentage of transfers resulting in live births <sup>b,c</sup>	12.2	13.6	0/13	2/10
Average number of embryos transferred	2.8	3.1	2.6	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	21	10	18	35
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	42.9	4/10	10/18	40.0
Average number of fresh embryos transferred	3.0	2.8	2.8	2.9
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY OF MISSISSIPPI MEDICAL CENTER JACKSON, MISSISSIPPI

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	8%
ZIFT	0%	With ICSI	49%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	<1%	Endometriosis	27%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Randall S. Hines, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	85	32	18	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.6	28.1	3/18	1/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.7 (15.5 - 33.9)	25.0 (10.0 - 40.0)	3/18	0/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.3	27.6	3/17	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	28.0	34.8	3/14	0/5
Percentage of cancellations <sup>b</sup>	5.9	9.4	1/18	4/11
Average number of embryos transferred	2.9	2.9	2.6	2.4
Percentage of pregnancies with twins <sup>b</sup>	26.9	3/9	0/3	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3.8	0/9	0/3	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	33.3	2/8	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	6	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/10	2/6	0/1	
Average number of embryos transferred	2.8	2.7	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	2	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/2	2/2	1/3
Average number of fresh embryos transferred		2.5	4.0	3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				3.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University of Mississippi Medical Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ADVANCED REPRODUCTIVE SPECIALISTS CHESTERFIELD, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	58%	Uterine factor	4%
GIFT	0%			Male factor	0%	Other factors	2%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	21%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Jorge A. Pineda, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	30	7	9	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.0	5/7	1/9	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.3 (16.5 - 50.2)	4/7	0/9	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	4/7	0/8	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	38.5	4/7	0/6	0/1
Percentage of cancellations <sup>b</sup>	0.0	0/7	1/9	0/2
Average number of embryos transferred	4.5	4.1	4.8	7.0
Percentage of pregnancies with twins <sup>b</sup>	6/12	1/5	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/12	1/5	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	6/10	2/4		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/1		
Average number of embryos transferred	3.8	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Advanced Reproductive Specialists

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# THE FERTILITY INSTITUTE CHESTERFIELD, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	14%	Uterine factor	0%
GIFT	0%			Male factor	2%	Other factors	4%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	32%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	48%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Anthony C. Pearlstone, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	43	22	7	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.5	36.4	1/7	1/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	32.6 (18.6 - 46.6)	31.8 (12.4 - 51.3)	0/7	1/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.6	31.8	0/7	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	35.9	35.0	0/6	1/4
Percentage of cancellations <sup>b</sup>	0.0	0.0	0/7	3/7
Average number of embryos transferred	3.5	4.3	3.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	3/17	2/8	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/17	0/8	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	2/14	1/7		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/2		
Average number of fresh embryos transferred		4.0		
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Fertility Institute

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



# MID-MISSOURI CENTER FOR REPRODUCTIVE HEALTH COLUMBIA, MISSOURI

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	57%	<b>Procedural factors:</b>		Tubal factor	7%	Uterine factor	0%
GIFT	43%			Male factor	10%	Other factors	3%
ZIFT	0%	With ICSI	21%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	67%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Larry L. Penney, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	15	10	3	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/15	1/10	1/3	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/15	1/10	1/3	
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/14	1/6	1/3	
Percentage of transfers resulting in live births <sup>b,c</sup>	2/14	1/5	1/3	
Percentage of cancellations <sup>b</sup>	1/15	4/10	0/3	
Average number of embryos transferred	3.6	3.2	3.7	
Percentage of pregnancies with twins <sup>b</sup>	0/2	0/1	1/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2	0/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	0/2	0/1	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>			1/1	
Average number of embryos transferred			5.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Mid-Missouri Center for Reproductive Health

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY OF MISSOURI HOSPITAL & CLINICS-IVF EMBRYOLOGY LAB COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	91%	<b>Procedural factors:</b>		Tubal factor	14%	Uterine factor	0%
GIFT	6%			Male factor	25%	Other factors	17%
ZIFT	0%	With ICSI	11%	Ovulatory dysfunction	33%	Unexplained	0%
Combination	3%	Unstimulated	0%	Endometriosis	11%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Gary M. Horowitz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	1	4	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	10.0	0/1	0/4	1/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	10.0 (0.0 - 23.1)	0/1	0/4	0/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/19	0/1	0/2	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	2/11	0/1	0/2	0/5
Percentage of cancellations <sup>b</sup>	5.0	0/1	2/4	5/10
Average number of embryos transferred	3.2	2.0	3.0	3.6
Percentage of pregnancies with twins <sup>b</sup>	0/2			0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/2			0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	3.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University of Missouri Hospital & Clinics-IVF Embryology Lab

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# ADVANCED ASSISTED REPRODUCTIVE TECHNOLOGY PROGRAM ST. LOUIS, MISSOURI

These data were reported and verified by the clinic medical director in January 2000. In July 2000, the medical director informed CDC that the reported data may not have been completely accurate, but CDC could not accept and review new data at that time without delaying this publication. Therefore, readers should note that the 1998 statistics for this clinic may not be accurate.

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	36%	Uterine factor	1%
GIFT	<1%			Male factor	23%	Other factors	3%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	12%	Unexplained	12%
Combination	0%	Unstimulated	<1%	Endometriosis	13%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Daniel B. Williams, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	145	72	54	28
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.9	23.6	24.1	17.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.7 (22.2 - 37.1)	13.9 (5.9 - 21.9)	18.5 (8.2 - 28.9)	14.3 (1.3 - 27.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.4	16.4	27.8	16.7
Percentage of transfers resulting in live births <sup>b,c</sup>	36.8	18.2	28.6	19.0
Percentage of cancellations <sup>b</sup>	18.6	15.3	33.3	14.3
Average number of embryos transferred	2.9	2.8	3.1	3.7
Percentage of pregnancies with twins <sup>b</sup>	19.2	4/17	3/13	2/5
Percentage of pregnancies with triplets or more <sup>b</sup>	13.5	1/17	1/13	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	25.6	5/10	2/10	2/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	9	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/8	2/9	1/1	0/1
Average number of embryos transferred	2.3	2.9	4.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		2/5
Average number of fresh embryos transferred		1.0		3.6
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				3.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Advanced Assisted Reproductive Technology Program

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## INFERTILITY & IVF CENTER ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	89%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	1%
GIFT	0%			Male factor	22%	Other factors	6%
ZIFT	9%	With ICSI	34%	Ovulatory dysfunction	32%	Unexplained	6%
Combination	2%	Unstimulated	0%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Ronald P. Wilbois, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	23	10	13	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	21.7	2/10	0/13	1/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	21.7 (4.9 - 38.6)	2/10	0/13	1/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	23.8	2/9	0/7	1/9
Percentage of transfers resulting in live births <sup>b,c</sup>	5/19	2/8	0/7	1/8
Percentage of cancellations <sup>b</sup>	8.7	1/10	6/13	1/10
Average number of embryos transferred	4.9	4.6	5.1	3.1
Percentage of pregnancies with twins <sup>b</sup>	1/5	0/2		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5	0/2		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/5	0/2		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	1	3	4
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/1	0/3	1/4
Average number of embryos transferred	2.5	4.0	3.3	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	11
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	1/11
Average number of fresh embryos transferred	3.0		5.0	3.6
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of frozen embryos transferred			3.0	

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Infertility Center of St. Louis at St. Luke's

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## INFERTILITY CENTER OF ST. LOUIS ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	33%	<b>Procedural factors:</b>		Tubal factor	7%	Uterine factor	0%
GIFT	18%			Male factor	62%	Other factors	4%
ZIFT	49%	With ICSI	64%	Ovulatory dysfunction	8%	Unexplained	19%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Sherman J. Silber, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	138	43	33	33
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.1	23.3	24.2	18.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.7 (22.1 - 37.3)	20.9 (8.8 - 33.1)	18.2 (5.0 - 31.3)	9.1 (0.0 - 18.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.5	22.5	20.7	9.7
Percentage of transfers resulting in live births <sup>b,c</sup>	32.8	23.1	21.4	10.3
Percentage of cancellations <sup>b</sup>	5.8	7.0	12.1	6.1
Average number of embryos transferred	4.3	4.8	5.0	6.2
Percentage of pregnancies with twins <sup>b</sup>	34.0	3/10	4/8	1/6
Percentage of pregnancies with triplets or more <sup>b</sup>	10.6	1/10	0/8	1/6
Percentage of live births having multiple infants <sup>b,c</sup>	41.5	3/9	4/6	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	6	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/13	1/6	1/2	
Average number of embryos transferred	3.0	3.7	2.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	6	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		3/6	1/7
Average number of fresh embryos transferred	4.0		5.0	5.7
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Infertility Center of St. Louis

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
OMAHA, NEBRASKA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	76%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	2%
GIFT	0%			Male factor	35%	Other factors	4%
ZIFT	24%	With ICSI	48%	Ovulatory dysfunction	20%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Victoria M. Maclin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	95	35	21	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.6	28.6	19.0	0/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.4 (18.4 - 36.3)	22.9 (8.9 - 36.8)	19.0 (2.3 - 35.8)	0/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.3	25.8	4/18	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	32.5	28.6	4/14	0/5
Percentage of cancellations <sup>b</sup>	12.6	11.4	14.3	3/10
Average number of embryos transferred	3.2	3.2	2.5	2.0
Percentage of pregnancies with twins <sup>b</sup>	41.9	1/10	0/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	6.5	0/10	1/4	
Percentage of live births having multiple infants <sup>b,c</sup>	53.8	1/8	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	32	12	4	5
Percentage of transfers resulting in live births <sup>b,c</sup>	18.8	0/12	1/4	1/5
Average number of embryos transferred	4.6	4.0	3.3	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	1	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1	0/1	3/7
Average number of fresh embryos transferred		3.0	3.0	3.1
Number of frozen embryo transfers	0	0	0	5
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				2/5
Average number of frozen embryos transferred				5.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## REPRODUCTIVE ENDOCRINOLOGY/INFERTILITY OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	62%	<b>Procedural factors:</b>		Tubal factor	40%	Uterine factor	3%
GIFT	2%			Male factor	9%	Other factors	7%
ZIFT	35%	With ICSI	31%	Ovulatory dysfunction	18%	Unexplained	<1%
Combination	<1%	Unstimulated	0%	Endometriosis	22%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Carolyn M. Doherty, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	168	70	37	24
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.1	32.9	29.7	20.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	34.5 (27.3 - 41.7)	25.7 (15.5 - 36.0)	16.2 (4.3 - 28.1)	12.5 (0.0 - 25.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.4	28.6	24.0	3/18
Percentage of transfers resulting in live births <sup>b,c</sup>	38.4	29.5	24.0	3/16
Percentage of cancellations <sup>b</sup>	7.7	10.0	32.4	25.0
Average number of embryos transferred	4.2	4.4	5.1	3.8
Percentage of pregnancies with twins <sup>b</sup>	35.9	13.0	2/11	1/5
Percentage of pregnancies with triplets or more <sup>b</sup>	18.8	26.1	1/11	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	46.6	9/18	3/6	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	7	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	12.5	1/7	0/2	
Average number of embryos transferred	4.3	3.7	5.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	4	10	17
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3	0/4	0/10	5/17
Average number of fresh embryos transferred	5.3	5.5	5.4	4.8
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of frozen embryos transferred			3.0	

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Endocrinology/Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	34%	Uterine factor	2%
GIFT	0%			Male factor	26%	Other factors	18%
ZIFT	0%	With ICSI	12%	Ovulatory dysfunction	4%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Bruce S. Shapiro, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	93	34	29	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	17.6	31.0	3/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.1 (20.8 - 39.4)	14.7 (2.8 - 26.6)	17.2 (3.5 - 31.0)	3/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.4	18.5	19.2	3/6
Percentage of transfers resulting in live births <sup>b,c</sup>	51.9	5/14	5/15	3/4
Percentage of cancellations <sup>b</sup>	15.1	20.6	10.3	2/8
Average number of embryos transferred	2.7	2.3	2.5	3.5
Percentage of pregnancies with twins <sup>b</sup>	45.2	3/6	2/9	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	19.4	0/6	0/9	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	57.1	3/5	2/5	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/2		
Average number of embryos transferred	3.0	1.5		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	6	3	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		4/6	1/3	5/9
Average number of fresh embryos transferred		2.5	2.3	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Center of Las Vegas

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY INSTITUTE OF FERTILITY  
LAS VEGAS, NEVADA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	42%	Uterine factor	2%
GIFT	0%			Male factor	8%	Other factors	2%
ZIFT	0%	With ICSI	15%	Ovulatory dysfunction	38%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Rachel A. McConnell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	10	4	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	1/10	0/4	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.0 (6.0 - 44.0)	1/10	0/4	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.0	1/10	0/4	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	5/19	1/9	0/3	0/5
Percentage of cancellations <sup>b</sup>	0.0	0/10	0/4	0/5
Average number of embryos transferred	3.5	3.8	3.3	4.4
Percentage of pregnancies with twins <sup>b</sup>	0/5	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	2/5	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1		
Average number of embryos transferred	3.5	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	1	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1	0/1	2/4
Average number of fresh embryos transferred		4.0	4.0	4.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Nevada Fertility Center for Advanced Reproductive Endocrinology and Surgery

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	89%	<b>Procedural factors:</b>		Tubal factor	44%	Uterine factor	2%
GIFT	11%			Male factor	13%	Other factors	18%
ZIFT	0%	With ICSI	15%	Ovulatory dysfunction	8%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Paul D. Manganiello, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	13	6	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.4	4/13	1/6	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.4 (14.1 - 44.7)	3/13	1/6	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.3	3/9	1/5	
Percentage of transfers resulting in live births <sup>b,c</sup>	34.5	3/9	1/5	
Percentage of cancellations <sup>b</sup>	8.8	4/13	1/6	1/1
Average number of embryos transferred	3.5	3.7	3.8	
Percentage of pregnancies with twins <sup>b</sup>	2/10	0/4	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/10	0/4	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/10	0/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	1	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/5	0/1	0/2	
Average number of embryos transferred	3.2	3.0	3.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	2	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2		0/2	
Average number of fresh embryos transferred	3.5		3.5	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Dartmouth-Hitchcock Medical Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE  
BRICK, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	44%	Uterine factor	0%
GIFT	0%			Male factor	19%	Other factors	0%
ZIFT	0%	With ICSI	46%	Ovulatory dysfunction	25%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Allen Morgan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	3	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	6/10	1/3		
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/10	1/3		
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/9	1/3		
Percentage of transfers resulting in live births <sup>b,c</sup>	6/9	1/2		
Percentage of cancellations <sup>b</sup>	1/10	0/3		
Average number of embryos transferred	2.7	2.5		
Percentage of pregnancies with twins <sup>b</sup>	2/6	1/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	2/6	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	4/6	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2			
Average number of embryos transferred	3.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Shore Institute for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE GYNECOLOGISTS, P.C.**  
**CHERRY HILL, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	0%
GIFT	3%			Male factor	38%	Other factors	3%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by David N. Goldberg, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	42	16	15	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.2	4/16	2/15	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.8 (10.9 - 36.7)	4/16	2/15	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.3	4/12	2/5	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	32.3	4/12	2/4	0/3
Percentage of cancellations <sup>b</sup>	21.4	4/16	10/15	1/4
Average number of embryos transferred	3.3	3.8	3.8	3.0
Percentage of pregnancies with twins <sup>b</sup>	3/11	1/4	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	1/4	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	3/10	2/4	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/13	0/3		
Average number of embryos transferred	2.9	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of frozen embryos transferred	2.0			

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Gynecologists, P.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



# CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	24%	Uterine factor	8%
GIFT	0%			Male factor	23%	Other factors	6%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	12%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Gregory H. Corsan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	51	26	11	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.3	23.1	3/11	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.5 (13.5 - 37.5)	19.2 (4.1 - 34.4)	2/11	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.3	5/19	2/9	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	32.5	5/17	2/8	0/1
Percentage of cancellations <sup>b</sup>	9.8	26.9	2/11	1/2
Average number of embryos transferred	2.6	3.4	3.0	2.0
Percentage of pregnancies with twins <sup>b</sup>	1/18	3/6	2/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	3/18	0/6	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	3/13	2/5	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	5	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/7	0/5	0/2	
Average number of embryos transferred	3.3	4.0	2.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Advanced Reproductive Medicine & Fertility

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH HUDSON IVF  
CENTER FOR FERTILITY AND GYNECOLOGY  
ENGLEWOOD CLIFFS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	8%	Uterine factor	7%
GIFT	0%			Male factor	26%	Other factors	0%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	30%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jane E. Miller, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	35	11	13	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	14.3	0/11	1/13	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	11.4 (0.9 - 22.0)	0/11	1/13	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	12.5	0/11	1/13	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	17.4	0/10	1/13	0/1
Percentage of cancellations <sup>b</sup>	8.6	0/11	0/13	0/1
Average number of embryos transferred	4.4	4.5	4.1	3.0
Percentage of pregnancies with twins <sup>b</sup>	1/5		0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5		0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	1/4		0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	2	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	2/3	0/2	1/4
Average number of fresh embryos transferred	5.0	4.0	5.0	4.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** North Hudson IVF Center for Fertility and Gynecology

**Services Offered:**

Donor egg? Yes  
 Donor embryo? Yes  
 Single women? Yes  
 Gestational carriers? No  
 Cryopreservation? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## IVF OF NORTH JERSEY, P.A. FAIRLAWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	10%
GIFT	0%			Male factor	7%	Other factors	31%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	13%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Mark X. Ransom, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	42	22	15	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	23.8	27.3	2/15	1/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	21.4 (9.0 - 33.8)	22.7 (5.2 - 40.2)	2/15	0/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	24.3	5/18	2/12	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	24.3	5/17	2/11	0/4
Percentage of cancellations <sup>b</sup>	11.9	18.2	3/15	3/7
Average number of embryos transferred	4.2	3.8	4.2	2.8
Percentage of pregnancies with twins <sup>b</sup>	1/10	2/6	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	4/10	0/6	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	2/9	2/5	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1		
Average number of embryos transferred	2.0	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/1	2/6
Average number of fresh embryos transferred			4.0	4.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** IVF of North Jersey, P.A.

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
AT HACKENSACK UNIVERSITY MEDICAL CENTER  
HASBROUCK HEIGHTS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	0%
GIFT	0%			Male factor	36%	Other factors	<1%
ZIFT	0%	With ICSI	58%	Ovulatory dysfunction	10%	Unexplained	13%
Combination	<1%	Unstimulated	0%	Endometriosis	7%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jose M. Colon, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	70	30	32	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.3	43.3	25.0	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	42.9 (31.3 - 54.5)	26.7 (10.8 - 42.5)	25.0 (10.0 - 40.0)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.6	33.3	32.0	
Percentage of transfers resulting in live births <sup>b,c</sup>	48.4	33.3	33.3	
Percentage of cancellations <sup>b</sup>	10.0	20.0	21.9	
Average number of embryos transferred	3.9	4.8	4.7	
Percentage of pregnancies with twins <sup>b</sup>	38.7	3/13	3/8	
Percentage of pregnancies with triplets or more <sup>b</sup>	9.7	0/13	1/8	
Percentage of live births having multiple infants <sup>b,c</sup>	43.3	3/8	2/8	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	7	4	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	2/7	0/4	
Average number of embryos transferred	3.3	4.4	3.3	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	1	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/1		0/1
Average number of fresh embryos transferred	3.0	4.0		1.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine at Hackensack University Medical Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PRINCETON CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE  
LAWRENCEVILLE, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	2%
GIFT	0%			Male factor	29%	Other factors	4%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	7%	Unexplained	25%
Combination	0%	Unstimulated	0%	Endometriosis	2%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Althea M. O’Shaughnessy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	14	8	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	5/14	1/8	2/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	40.0 (18.5 - 61.5)	4/14	1/8	1/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	8/19	4/11	1/6	1/5
Percentage of transfers resulting in live births <sup>b,c</sup>	8/15	4/9	1/3	1/5
Percentage of cancellations <sup>b</sup>	5.0	3/14	2/8	3/8
Average number of embryos transferred	3.2	3.7	3.0	4.0
Percentage of pregnancies with twins <sup>b</sup>	2/10	1/5	0/1	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	1/10	1/5	0/1	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	1/8	2/4	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	19	5	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	9/19	2/5	1/3	0/2
Average number of embryos transferred	3.4	4.4	4.0	2.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	0/3		0/1
Average number of fresh embryos transferred	3.0	4.0		3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Princeton Center for Infertility & Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# EAST COAST INFERTILITY AND IVF, P.C. LITTLE SILVER, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	32%	Uterine factor	4%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	29%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Miguel Damien, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	33	35	21
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.5	48.5	31.4	23.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	35.8 (22.9 - 48.8)	39.4 (22.7 - 56.1)	25.7 (11.2 - 40.2)	9.5 (0.0 - 22.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.4	41.9	34.6	2/15
Percentage of transfers resulting in live births <sup>b,c</sup>	41.3	43.3	34.6	2/15
Percentage of cancellations <sup>b</sup>	11.3	6.1	25.7	28.6
Average number of embryos transferred	3.9	4.2	4.3	4.6
Percentage of pregnancies with twins <sup>b</sup>	40.9	4/16	1/11	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	31.8	0/16	2/11	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	12/19	3/13	3/9	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	3	5	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/6	1/3	2/5	
Average number of embryos transferred	3.5	3.7	3.2	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				4.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** East Coast Infertility and IVF, P.C.

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**THE INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE  
SAINT BARNABAS MEDICAL CENTER  
LIVINGSTON, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	4%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	33%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Margaret G. Garrisi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	522	319	261	102
Percentage of cycles resulting in pregnancies <sup>b</sup>	60.5	53.9	39.1	30.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	51.9 (47.6 - 56.2)	44.5 (39.1 - 50.0)	29.5 (24.0 - 35.0)	20.6 (12.7 - 28.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	55.4	51.8	35.6	25.9
Percentage of transfers resulting in live births <sup>b,c</sup>	58.4	53.8	38.3	26.6
Percentage of cancellations <sup>b</sup>	6.3	14.1	17.2	20.6
Average number of embryos transferred	2.8	3.3	3.5	3.7
Percentage of pregnancies with twins <sup>b</sup>	29.7	27.9	24.5	19.4
Percentage of pregnancies with triplets or more <sup>b</sup>	13.6	18.0	8.8	3.2
Percentage of live births having multiple infants <sup>b,c</sup>	39.9	45.8	28.6	19.0
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	59	27	23	4
Percentage of transfers resulting in live births <sup>b,c</sup>	49.2	37.0	43.5	3/4
Average number of embryos transferred	2.8	2.7	3.2	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	19	30	46	96
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	13/19	60.0	50.0	55.2
Average number of fresh embryos transferred	2.3	2.8	2.6	2.5
Number of frozen embryo transfers	3	1	6	12
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/3	1/1	3/6	3/12
Average number of frozen embryos transferred	3.0	2.0	2.7	2.6

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**COOPER CENTER FOR IVF, P.C.  
MARLTON, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	26%	Uterine factor	2%
GIFT	0%			Male factor	24%	Other factors	26%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	3%	Unstimulated	5%	Endometriosis	7%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jerome H. Check, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	292	145	169	232
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.4	21.4	19.5	12.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.4 (21.3 - 31.4)	18.6 (12.3 - 25.0)	13.0 (7.9 - 18.1)	8.2 (4.7 - 11.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.7	22.5	17.1	12.0
Percentage of transfers resulting in live births <sup>b,c</sup>	45.8	32.5	25.6	21.8
Percentage of cancellations <sup>b</sup>	14.0	17.2	23.7	31.9
Average number of embryos transferred	3.2	3.5	3.5	3.5
Percentage of pregnancies with twins <sup>b</sup>	28.9	22.6	27.3	14.3
Percentage of pregnancies with triplets or more <sup>b</sup>	12.0	12.9	3.0	10.7
Percentage of live births having multiple infants <sup>b,c</sup>	32.5	37.0	27.3	5/19
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	140	52	50	36
Percentage of transfers resulting in live births <sup>b,c</sup>	38.6	30.8	32.0	13.9
Average number of embryos transferred	3.3	3.3	3.5	3.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	4	1	23
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/6	2/4	0/1	56.5
Average number of fresh embryos transferred	3.7	3.8	2.0	3.7
Number of frozen embryo transfers	8	6	6	30
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	3/8	2/6	3/6	20.0
Average number of frozen embryos transferred	3.5	2.8	3.8	3.5

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Cooper Center for IVF, P.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	40%	Uterine factor	0%
GIFT	0%			Male factor	22%	Other factors	3%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	19%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by George S. Taliadouros, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	14	6	4	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/14	0/6	1/4	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/14	0/6	0/4	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/10	0/5	0/4	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7	0/4	0/4	0/3
Percentage of cancellations <sup>b</sup>	4/14	1/6	0/4	0/3
Average number of embryos transferred	4.6	3.8	3.5	3.7
Percentage of pregnancies with twins <sup>b</sup>	1/2		0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2		0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	1/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/3		
Average number of embryos transferred	3.0	3.7		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Delaware Valley Institute of Fertility and Genetics

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SOUTH JERSEY FERTILITY CENTER, P.A.**  
**MARLTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	45%	Uterine factor	2%
GIFT	2%			Male factor	29%	Other factors	2%
ZIFT	<1%	With ICSI	43%	Ovulatory dysfunction	5%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Robert A. Skaf, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	101	40	32	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.7	42.5	21.9	1/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.7 (19.9 - 37.5)	37.5 (22.5 - 52.5)	15.6 (3.0 - 28.2)	1/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.9	41.7	18.5	1/12
Percentage of transfers resulting in live births <sup>b,c</sup>	30.9	41.7	18.5	1/11
Percentage of cancellations <sup>b</sup>	6.9	10.0	15.6	2/14
Average number of embryos transferred	2.6	3.5	3.8	4.6
Percentage of pregnancies with twins <sup>b</sup>	37.1	6/17	1/7	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2.9	2/17	0/7	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	44.8	7/15	0/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	11	3	4
Percentage of transfers resulting in live births <sup>b,c</sup>	17.4	2/11	1/3	0/4
Average number of embryos transferred	3.0	3.6	4.7	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/1	1/1
Average number of fresh embryos transferred			3.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** South Jersey Fertility Center, P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DIAMOND INSTITUTE FOR INFERTILITY  
MILLBURN, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	4%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	19%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Matan Yemini, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	103	39	57	52
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.0	28.2	14.0	11.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.2 (17.7 - 34.7)	20.5 (7.8 - 33.2)	10.5 (2.6 - 18.5)	7.7 (0.4 - 14.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.3	22.2	14.3	11.4
Percentage of transfers resulting in live births <sup>b,c</sup>	29.7	22.2	15.0	11.8
Percentage of cancellations <sup>b</sup>	10.7	7.7	26.3	32.7
Average number of embryos transferred	4.7	4.8	3.9	4.0
Percentage of pregnancies with twins <sup>b</sup>	21.2	1/11	3/8	0/6
Percentage of pregnancies with triplets or more <sup>b</sup>	18.2	0/11	1/8	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	40.7	1/8	3/6	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	2	1	4
Percentage of transfers resulting in live births <sup>b,c</sup>	1/11	0/2	0/1	0/4
Average number of embryos transferred	4.2	2.5	1.0	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	8	3	16
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		4/8	0/3	3/16
Average number of fresh embryos transferred		4.6	4.3	4.6
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Diamond Institute for Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ROBERT WOOD JOHNSON MEDICAL SCHOOL  
IVF PROGRAM  
NEW BRUNSWICK, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	7%
GIFT	2%			Male factor	35%	Other factors	10%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	17%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael K. Bohrer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	169	68	43	26
Percentage of cycles resulting in pregnancies <sup>b</sup>	27.8	26.5	23.3	19.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.0 (19.4 - 32.7)	26.5 (16.0 - 37.0)	18.6 (7.0 - 30.2)	19.2 (4.1 - 34.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.2	32.7	24.2	5/19
Percentage of transfers resulting in live births <sup>b,c</sup>	32.6	33.3	26.7	5/18
Percentage of cancellations <sup>b</sup>	16.6	19.1	23.3	26.9
Average number of embryos transferred	2.9	3.4	4.2	6.0
Percentage of pregnancies with twins <sup>b</sup>	42.6	6/18	5/10	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	6.4	2/18	1/10	1/5
Percentage of live births having multiple infants <sup>b,c</sup>	45.5	8/18	5/8	0/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	67	23	15	5
Percentage of transfers resulting in live births <sup>b,c</sup>	9.0	13.0	3/15	1/5
Average number of embryos transferred	2.7	2.6	2.4	2.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	3	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	1/1	2/3	3/6
Average number of fresh embryos transferred	2.5	2.0	2.3	3.0
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		1/1
Average number of frozen embryos transferred		3.0		4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Robert Wood Johnson Medical School IVF Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## IVF NEW JERSEY SOMERSET, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	5%
GIFT	0%			Male factor	11%	Other factors	43%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	12%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Michael C. Darder, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	66	28	31	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.9	35.7	41.9	2/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	42.4 (30.5 - 54.3)	25.0 (9.0 - 41.0)	22.6 (7.9 - 37.3)	0/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.9	28.0	25.9	0/13
Percentage of transfers resulting in live births <sup>b,c</sup>	45.9	28.0	26.9	0/12
Percentage of cancellations <sup>b</sup>	7.6	10.7	12.9	3/16
Average number of embryos transferred	3.8	3.4	4.4	4.6
Percentage of pregnancies with twins <sup>b</sup>	34.5	2/10	1/13	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	13.8	2/10	1/13	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	42.9	4/7	1/7	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	3	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3	1/3	1/3	0/2
Average number of embryos transferred	2.0	2.7	3.7	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	8	10	10	50
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	7/8	7/10	6/10	60.0
Average number of fresh embryos transferred	3.1	3.3	3.4	3.4
Number of frozen embryo transfers	0	1	0	7
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		2/7
Average number of frozen embryos transferred		3.0		3.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** IVF New Jersey

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR HUMAN REPRODUCTION OF NEW JERSEY WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	19%	Uterine factor	19%
GIFT	0%			Male factor	13%	Other factors	3%
ZIFT	0%	With ICSI	48%	Ovulatory dysfunction	41%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Daniel Navot, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	46	34	14	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.8	32.4	4/14	2/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	39.1 (25.0 - 53.2)	29.4 (14.1 - 44.7)	1/14	1/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.9	34.5	1/12	1/9
Percentage of transfers resulting in live births <sup>b,c</sup>	47.4	34.5	1/11	1/9
Percentage of cancellations <sup>b</sup>	8.7	14.7	2/14	2/11
Average number of embryos transferred	3.1	3.3	3.8	4.0
Percentage of pregnancies with twins <sup>b</sup>	40.9	3/11	1/4	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	13.6	1/11	0/4	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	10/18	2/10	1/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	8	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5/12	1/8	1/2	
Average number of embryos transferred	3.1	3.3	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	3	3	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	0/3	1/3	2/9
Average number of fresh embryos transferred	3.0	3.3	3.7	3.2
Number of frozen embryo transfers	3	1	2	5
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/3	0/1	1/2	0/5
Average number of frozen embryos transferred	2.7	4.0	2.0	3.2

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Institute of New Jersey & New York

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	2%
GIFT	0%			Male factor	27%	Other factors	0%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	19%	Unexplained	7%
Combination	0%	Unstimulated	<1%	Endometriosis	18%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Douglas J. Thompson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	24	26	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	60.4	54.2	38.5	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	54.7 (41.3 - 68.1)	50.0 (30.0 - 70.0)	30.8 (13.0 - 48.5)	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	58.0	12/19	40.0	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	60.4	12/18	40.0	0/4
Percentage of cancellations <sup>b</sup>	5.7	20.8	23.1	2/6
Average number of embryos transferred	2.5	2.4	2.8	2.8
Percentage of pregnancies with twins <sup>b</sup>	46.9	4/13	3/10	
Percentage of pregnancies with triplets or more <sup>b</sup>	6.3	0/13	2/10	
Percentage of live births having multiple infants <sup>b,c</sup>	51.7	4/12	2/8	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	2	6	3
Percentage of transfers resulting in live births <sup>b,c</sup>	5/10	1/2	1/6	0/3
Average number of embryos transferred	3.1	2.0	2.3	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	3	4	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		2/3	4/4	4/9
Average number of fresh embryos transferred		2.3	2.3	2.4
Number of frozen embryo transfers	0	0	0	5
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				2/5
Average number of frozen embryos transferred				2.8

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Reproductive Medicine of New Mexico

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## SOUTHWEST FERTILITY SERVICES ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	0%
GIFT	0%			Male factor	26%	Other factors	18%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	6%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Norman A. Assad, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	13	12	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.0	2/13	2/12	0/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	40.0 (18.5 - 61.5)	2/13	1/12	0/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	8/18	2/9	1/11	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	8/18	2/9	1/8	0/6
Percentage of cancellations <sup>b</sup>	10.0	4/13	1/12	0/7
Average number of embryos transferred	2.9	3.8	3.5	3.8
Percentage of pregnancies with twins <sup>b</sup>	3/8	0/2	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/8	0/2	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	5/8	0/2	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1	0/1	0/1
Average number of embryos transferred	6.0	4.0	1.0	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	2	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	0/2	1/2
Average number of fresh embryos transferred		3.0	3.5	3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Southwest Fertility Services

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ALBANY IVF, FERTILITY AND GYNECOLOGY ALBANY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	44%	Uterine factor	3%
GIFT	0%			Male factor	8%	Other factors	17%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	5%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Peter M. Horvath, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	26	14	9	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	7.7	0/14	0/9	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	7.7 (0.0 - 17.9)	0/14	0/9	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	9.5	0/10	0/8	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	10.0	0/10	0/7	0/3
Percentage of cancellations <sup>b</sup>	19.2	4/14	1/9	0/4
Average number of embryos transferred	3.9	4.6	3.9	2.7
Percentage of pregnancies with twins <sup>b</sup>	0/2			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2			
Percentage of live births having multiple infants <sup>b,c</sup>	0/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	3	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3	0/3		0/1
Average number of embryos transferred	3.0	3.7		4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Albany IVF, Fertility and Gynecology

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**LEADING INSTITUTE FOR FERTILITY ENHANCEMENT (L.I.F.E.)  
ALBANY, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	37%	Uterine factor	6%
GIFT	0%			Male factor	0%	Other factors	23%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	11%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Edgar S. Henriques, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	11	14	7	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/11	3/14	2/7	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/11	2/14	0/7	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/11	2/14	0/7	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	1/11	2/13	0/7	0/3
Percentage of cancellations <sup>b</sup>	0/11	0/14	0/7	0/3
Average number of embryos transferred	2.9	3.5	3.1	2.7
Percentage of pregnancies with twins <sup>b</sup>	0/2	1/3	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/2	1/3	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	1/1	1/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Leading Institute For Fertility Enhancement (L.I.F.E.)

**Services Offered:**

Donor egg? No      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? No

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## WOMEN'S HEALTH CENTER OF ALBANY MEDICAL CENTER ALBANY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	40%	Uterine factor	0%
GIFT	0%			Male factor	15%	Other factors	17%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	9%	Unexplained	6%
Combination	2%	Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Gordon B. Kuttner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	12	7	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	8.3	1/12	1/7	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	8.3 (0.0 - 19.4)	0/12	1/7	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	9.5	0/12	1/7	
Percentage of transfers resulting in live births <sup>b,c</sup>	2/19	0/12	1/7	
Percentage of cancellations <sup>b</sup>	12.5	0/12	0/7	1/1
Average number of embryos transferred	4.4	4.8	5.0	
Percentage of pregnancies with twins <sup>b</sup>	0/2	1/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2	0/1	1/1	
Percentage of live births having multiple infants <sup>b,c</sup>	0/2		1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/1	
Average number of embryos transferred	3.0	4.0	7.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Women's Health Center of Albany Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## BROOKLYN IVF BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	0%
GIFT	0%			Male factor	40%	Other factors	2%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	6%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Richard V. Grazi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	169	39	35	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.0	28.2	25.7	3/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.0 (19.4 - 32.7)	20.5 (7.8 - 33.2)	20.0 (6.7 - 33.3)	3/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.8	24.2	23.3	3/10
Percentage of transfers resulting in live births <sup>b,c</sup>	30.1	25.8	24.1	3/10
Percentage of cancellations <sup>b</sup>	9.5	15.4	14.3	6/16
Average number of embryos transferred	3.1	3.6	4.0	5.0
Percentage of pregnancies with twins <sup>b</sup>	25.9	3/11	1/9	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	16.7	4/11	1/9	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	40.9	6/8	2/7	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	2	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	6/17	0/2	0/2	0/1
Average number of embryos transferred	2.8	2.5	3.5	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	3	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	0/3	0/3
Average number of fresh embryos transferred		1.0	3.3	3.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Brooklyn IVF

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# THE FERTILITY INSTITUTE AT THE BROOKLYN HOSPITAL BROOKLYN, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	41%	Uterine factor	5%
GIFT	0%			Male factor	3%	Other factors	<1%
ZIFT	0%	With ICSI	59%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	36%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by George D. Kofinas, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	31	23	11	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	22.6	26.1	2/11	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.6 (7.9 - 37.3)	26.1 (8.1 - 44.0)	1/11	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	28.6	1/9	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	35.0	28.6	1/9	0/4
Percentage of cancellations <sup>b</sup>	32.3	8.7	2/11	1/6
Average number of embryos transferred	4.8	4.8	5.2	5.3
Percentage of pregnancies with twins <sup>b</sup>	3/7	2/6	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/6	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	2/7	2/6	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	5	5	9
Percentage of transfers resulting in live births <sup>b,c</sup>	8.7	3/5	2/5	0/9
Average number of embryos transferred	4.0	4.8	3.6	3.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1		0/1	1/3
Average number of fresh embryos transferred	5.0		3.0	5.0
Number of frozen embryo transfers	0	0	2	7
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			2/2	2/7
Average number of frozen embryos transferred			4.5	4.3

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Fertility Institute at the Brooklyn Hospital

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# MONTEFIORE'S FERTILITY & HORMONE CENTER DOBBS FERRY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	2%
GIFT	0%			Male factor	29%	Other factors	5%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	14%	Unexplained	16%
Combination	0%	Unstimulated	<1%	Endometriosis	5%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by David H. Barad, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	176	103	85	59
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.3	44.7	20.0	18.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	38.6 (31.4 - 45.8)	40.8 (31.3 - 50.3)	15.3 (7.6 - 22.9)	6.8 (0.4 - 13.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	44.2	46.2	20.6	10.5
Percentage of transfers resulting in live births <sup>b,c</sup>	45.9	47.2	21.7	10.8
Percentage of cancellations <sup>b</sup>	12.5	11.7	25.9	35.6
Average number of embryos transferred	2.8	2.9	2.9	2.9
Percentage of pregnancies with twins <sup>b</sup>	29.5	21.7	3/17	2/11
Percentage of pregnancies with triplets or more <sup>b</sup>	12.8	6.5	2/17	0/11
Percentage of live births having multiple infants <sup>b,c</sup>	35.3	28.6	2/13	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	21	18	15	13
Percentage of transfers resulting in live births <sup>b,c</sup>	23.8	4/18	7/15	3/13
Average number of embryos transferred	2.9	3.0	3.3	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	2	13
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/1	1/2	5/13
Average number of fresh embryos transferred	3.0	3.0	3.0	2.9
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/2
Average number of frozen embryos transferred				2.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Montefiore's Fertility & Hormone Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**GARDEN CITY CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGIES**  
**YU-KANG YING, M.D., P.C.**  
**GARDEN CITY, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	34%	Uterine factor	2%
GIFT	2%			Male factor	26%	Other factors	0%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	10%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	28%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Yu-Kang Ying, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	16	10	6	12
Percentage of cycles resulting in pregnancies <sup>b</sup>	7/16	3/10	4/6	2/12
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	6/16	2/10	4/6	1/12
Percentage of retrievals resulting in live births <sup>b,c</sup>	6/14	2/9	4/6	1/7
Percentage of transfers resulting in live births <sup>b,c</sup>	6/14	2/5	4/6	1/6
Percentage of cancellations <sup>b</sup>	2/16	1/10	0/6	5/12
Average number of embryos transferred	2.7	3.0	3.8	3.0
Percentage of pregnancies with twins <sup>b</sup>	3/7	1/3	3/4	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/3	0/4	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	3/6	1/2	3/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	6	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/6	1/3	0/1
Average number of embryos transferred	3.0	2.5	3.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	1	0	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1		0/1	
Average number of frozen embryos transferred	3.0		2.0	

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Garden City Center for Advanced Reproductive Technologies, Yu-Kang Ying, M.D., P.C.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH SHORE UNIVERSITY HOSPITAL  
CENTER FOR HUMAN REPRODUCTION  
MANHASSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	1%
GIFT	0%			Male factor	30%	Other factors	4%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	3%	Unexplained	21%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Avner Hershlag, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	140	75	72	39
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.3	50.7	31.9	15.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	45.7 (37.5 - 54.0)	44.0 (32.8 - 55.2)	20.8 (11.5 - 30.2)	10.3 (0.7 - 19.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	48.9	50.0	24.6	15.4
Percentage of transfers resulting in live births <sup>b,c</sup>	49.2	50.0	25.0	15.4
Percentage of cancellations <sup>b</sup>	6.4	12.0	15.3	33.3
Average number of embryos transferred	3.7	4.0	4.1	4.2
Percentage of pregnancies with twins <sup>b</sup>	20.3	26.3	26.1	1/6
Percentage of pregnancies with triplets or more <sup>b</sup>	18.8	13.2		0/6
Percentage of live births having multiple infants <sup>b,c</sup>	39.1	27.3	3/15	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	30	19	23	4
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	5/19	13.0	0/4
Average number of embryos transferred	4.4	4.2	4.7	4.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** North Shore University Hospital Center for Human Reproduction

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**REPRODUCTIVE SCIENCE ASSOCIATES  
MINEOLA, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	0%
GIFT	1%			Male factor	23%	Other factors	4%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	10%	Unexplained	42%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Gabriel A. San Roman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	167	59	43	50
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.1	42.4	41.9	8.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.1 (29.8 - 44.5)	30.5 (18.8 - 42.3)	27.9 (14.5 - 41.3)	4.0 (0.0 - 9.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.5	32.7	30.0	4.4
Percentage of transfers resulting in live births <sup>b,c</sup>	40.3	34.6	30.8	4.7
Percentage of cancellations <sup>b</sup>	3.6	6.8	7.0	10.0
Average number of embryos transferred	3.1	3.9	4.2	3.6
Percentage of pregnancies with twins <sup>b</sup>	36.4	44.0	5/18	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	15.6	16.0	0/18	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	48.4	11/18	5/12	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	48	15	6	4
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	3/15	1/6	1/4
Average number of embryos transferred	3.0	4.0	4.2	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Science Associates

**Services Offered:**

Donor egg? No      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ADVANCED FERTILITY SERVICES, P.C.  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	0%
GIFT	0%			Male factor	33%	Other factors	28%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	10%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Hugh D. Melnick, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	110	73	52	27
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.0	20.5	11.5	3.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.5 (17.3 - 33.6)	15.1 (6.9 - 23.3)	9.6 (1.6 - 17.6)	3.7 (0.0 - 10.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.7	15.1	9.6	3.7
Percentage of transfers resulting in live births <sup>b,c</sup>	26.4	15.3	9.8	3.8
Percentage of cancellations <sup>b</sup>	0.9			
Average number of embryos transferred	4.0	4.1	3.5	3.2
Percentage of pregnancies with twins <sup>b</sup>	39.4	8/15	1/6	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	12.1	1/15	0/6	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	53.6	7/11	0/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	33	11	2	2
Percentage of transfers resulting in live births <sup>b,c</sup>	15.2	1/11	0/2	0/2
Average number of embryos transferred	3.9	3.9	4.0	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	4	9	49
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	2/4	3/9	22.4
Average number of fresh embryos transferred	4.5	4.0	4.3	3.9
Number of frozen embryo transfers	0	1	3	14
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	0/3	4/14
Average number of frozen embryos transferred		4.0	3.7	3.9

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Advanced Fertility Services, P.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**BRANDEIS CENTER FOR REPRODUCTIVE HEALTH  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	35%	Uterine factor	0%
GIFT	0%			Male factor	22%	Other factors	2%
ZIFT	0%	With ICSI	96%	Ovulatory dysfunction	37%	Unexplained	4%
Combination	0%	Unstimulated	<1%	Endometriosis	0%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Vincent T. Brandeis, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	83	47	29	36
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.0	29.8	34.5	5.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.1 (25.8 - 46.5)	23.4 (11.3 - 35.5)	27.6 (11.3 - 43.9)	2.8 (0.0 - 8.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.6	23.4	28.6	3.1
Percentage of transfers resulting in live births <sup>b,c</sup>	38.0	24.4	30.8	3.6
Percentage of cancellations <sup>b</sup>	1.2		3.4	11.1
Average number of embryos transferred	5.9	4.7	5.5	4.5
Percentage of pregnancies with twins <sup>b</sup>	25.6	6/14	2/10	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	28.2	1/14	1/10	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	56.7	3/11	3/8	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3	0/1		
Average number of embryos transferred	4.7	10.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Brandeis Center for Reproductive Health

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## BROOKLYN FERTILITY CENTER NEW YORK, NEW YORK

These data were reported and verified by the clinic medical director in January 2000. In June 2000, the medical director informed CDC that the reported data may not have been completely accurate, but CDC could not accept and review new data at that time without delaying this publication. Therefore, readers should note that the 1998 statistics for this clinic may not be accurate.

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	5%	Uterine factor	2%
GIFT	0%			Male factor	3%	Other factors	0%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	39%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	39%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Dov Goldstein, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	9	7	17
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	5/9	1/7	1/17
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0.0	0/9	0/7	0/17
Percentage of retrievals resulting in live births <sup>b,c</sup>	0.0	0/9	0/7	0/13
Percentage of transfers resulting in live births <sup>b,c</sup>	0.0	0/9	0/6	0/12
Percentage of cancellations <sup>b</sup>	4.2	0/9	0/7	4/17
Average number of embryos transferred	3.6	3.2	4.5	3.4
Percentage of pregnancies with twins <sup>b</sup>	0/8	0/5	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/8	0/5	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	4	4	9
Percentage of transfers resulting in live births <sup>b,c</sup>	0/10	0/4	0/4	0/9
Average number of embryos transferred	3.4	4.5	4.0	3.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	14
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			0/14
Average number of fresh embryos transferred	4.0			3.7
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Brooklyn Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR REPRODUCTIVE MEDICINE & INFERTILITY  
WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	1%
GIFT	0%			Male factor	37%	Other factors	13%
ZIFT	<1%	With ICSI	49%	Ovulatory dysfunction	19%	Unexplained	8%
Combination	0%	Unstimulated	<1%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Zev Rosenwaks, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	473	307	354	322
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.2	40.1	31.6	17.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	45.9 (41.4 - 50.4)	31.9 (26.7 - 37.1)	24.6 (20.1 - 29.1)	9.0 (5.9 - 12.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	52.4	38.4	32.2	13.1
Percentage of transfers resulting in live births <sup>b,c</sup>	54.8	40.7	32.8	13.6
Percentage of cancellations <sup>b</sup>	12.5	16.9	23.7	31.4
Average number of embryos transferred	3.1	3.5	3.8	3.9
Percentage of pregnancies with twins <sup>b</sup>	37.7	24.4	33.0	12.5
Percentage of pregnancies with triplets or more <sup>b</sup>	18.6	17.9	10.7	7.1
Percentage of live births having multiple infants <sup>b,c</sup>	52.1	40.8	37.9	20.7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	68	27	33	13
Percentage of transfers resulting in live births <sup>b,c</sup>	30.9	18.5	33.3	2/13
Average number of embryos transferred	3.2	3.6	3.6	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	16	18	64
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/6	11/16	8/18	51.6
Average number of fresh embryos transferred	3.0	2.8	3.0	2.9
Number of frozen embryo transfers	2	3	1	5
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2	1/3	1/1	1/5
Average number of frozen embryos transferred	3.5	2.3	2.0	3.4

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Center for Reproductive Medicine & Infertility, Weill Medical College of Cornell University

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# COLUMBIA PRESBYTERIAN MEDICAL CENTER NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	10%	Uterine factor	1%
GIFT	0%			Male factor	5%	Other factors	25%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	55%	Unexplained	1%
Combination	0%	Unstimulated	2%	Endometriosis	3%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Steven R. Lindheim, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	54	22	33	86
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.5	31.8	21.2	4.7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.6 (17.5 - 41.8)	27.3 (8.7 - 45.9)	18.2 (5.0 - 31.3)	4.7 (0.2 - 9.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.0	6/12	24.0	7.4
Percentage of transfers resulting in live births <sup>b,c</sup>	37.2	6/11	28.6	10.0
Percentage of cancellations <sup>b</sup>	13.0	45.5	24.2	37.2
Average number of embryos transferred	3.4	3.7	4.5	2.9
Percentage of pregnancies with twins <sup>b</sup>	4/17	0/7	2/7	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	6/17	3/7	1/7	1/4
Percentage of live births having multiple infants <sup>b,c</sup>	10/16	3/6	2/6	1/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	3	4	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/5	1/3	0/4	
Average number of embryos transferred	3.4	4.7	3.3	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	10	5	19	118
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/10	2/5	9/19	36.4
Average number of fresh embryos transferred	4.4	4.0	4.1	4.1
Number of frozen embryo transfers	5	0	4	40
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	2/5		1/4	40.0
Average number of frozen embryos transferred	3.8		2.5	3.7

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Women's Reproductive Care at Columbia University

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**DR. NABIL HUSAMI**  
**NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	11%
GIFT	0%			Male factor	21%	Other factors	2%
ZIFT	0%	With ICSI	67%	Ovulatory dysfunction	30%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Nabil W. Husami, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	10	11	15
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/19	3/10	3/11	1/15
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/19	2/10	1/11	0/15
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/18	2/10	1/11	0/13
Percentage of transfers resulting in live births <sup>b,c</sup>	2/15	2/10	1/10	0/12
Percentage of cancellations <sup>b</sup>	1/19	0/10	0/11	2/15
Average number of embryos transferred	4.0	3.4	3.1	2.5
Percentage of pregnancies with twins <sup>b</sup>	0/4	0/3	0/3	1/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	0/3	0/3	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	0/2	0/2	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of embryos transferred			3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Dr. Nabil Husami

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**LILLIAN D. NASH, M.D.**  
**NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	48%	Uterine factor	0%
GIFT	0%			Male factor	23%	Other factors	0%
ZIFT	0%	With ICSI	24%	Ovulatory dysfunction	19%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Lillian D. Nash, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	23	18	16	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	13.0	2/18	4/16	0/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	13.0 (0.0 - 26.8)	2/18	2/16	0/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/19	2/13	2/12	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	3/19	2/11	2/12	0/5
Percentage of cancellations <sup>b</sup>	17.4	5/18	4/16	6/11
Average number of embryos transferred	4.6	4.8	4.4	3.2
Percentage of pregnancies with twins <sup>b</sup>	0/3	2/2	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/2	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	2/2	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of embryos transferred	8.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Lillian D. Nash, M.D.

**Services Offered:**

Donor egg? No      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NEW YORK FERTILITY INSTITUTE  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	9%	Uterine factor	2%
GIFT	0%			Male factor	20%	Other factors	9%
ZIFT	0%	With ICSI	75%	Ovulatory dysfunction	43%	Unexplained	0%
Combination	3%	Unstimulated	<1%	Endometriosis	17%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Majid Fateh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	50	33	23	61
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.0	27.3	30.4	11.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.0 (22.7 - 49.3)	24.2 (9.6 - 38.9)	30.4 (11.6 - 49.2)	9.8 (2.4 - 17.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.3	25.8	33.3	11.5
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	25.8	7/19	13.0
Percentage of cancellations <sup>b</sup>	6.0	6.1	8.7	14.8
Average number of embryos transferred	5.2	4.7	4.3	3.4
Percentage of pregnancies with twins <sup>b</sup>	0/18	3/9	1/7	2/7
Percentage of pregnancies with triplets or more <sup>b</sup>	3/18	0/9	0/7	0/7
Percentage of live births having multiple infants <sup>b,c</sup>	3/18	2/8	1/7	2/6
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	1	3
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2		0/1	0/3
Average number of embryos transferred	6.0		6.0	2.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		5/9
Average number of fresh embryos transferred		4.0		5.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** New York Fertility Institute

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NEW YORK MEDICAL SERVICES  
FOR REPRODUCTIVE MEDICINE  
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	48%	<b>Procedural factors:</b>		Tubal factor	1%	Uterine factor	0%
GIFT	35%			Male factor	0%	Other factors	0%
ZIFT	15%	With ICSI	37%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	2%	Unstimulated	0%	Endometriosis	62%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Niels H. Lauersen, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	22	20	17	23
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.9	30.0	4/17	0.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	13.6 (0.0 - 28.0)	20.0 (2.5 - 37.5)	3/17	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	14.3	4/19	3/17	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	14.3	4/19	3/17	0.0
Percentage of cancellations <sup>b</sup>	4.5	5.0	0/17	8.7
Average number of embryos transferred	5.0	5.5	3.9	3.9
Percentage of pregnancies with twins <sup>b</sup>	3/9	1/6	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/9	0/6	1/4	
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	1/4	2/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/2	0/1	
Average number of embryos transferred	2.8	2.0	0.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** New York Medical Services for Reproductive Medicine

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	No
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NEW YORK UNIVERSITY MEDICAL CENTER  
PROGRAM FOR IN VITRO FERTILIZATION  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	6%
GIFT	0%			Male factor	26%	Other factors	24%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	8%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by James A. Grifo, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	247	212	260	295
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.8	46.7	33.5	21.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	45.3 (39.1 - 51.6)	38.2 (31.7 - 44.7)	28.1 (22.6 - 33.5)	13.9 (10.0 - 17.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.6	45.8	37.6	19.0
Percentage of transfers resulting in live births <sup>b,c</sup>	52.3	47.1	38.8	19.4
Percentage of cancellations <sup>b</sup>	12.1	16.5	25.4	26.8
Average number of embryos transferred	3.1	3.5	3.7	4.1
Percentage of pregnancies with twins <sup>b</sup>	39.1	34.3	20.7	15.9
Percentage of pregnancies with triplets or more <sup>b</sup>	10.5	8.1	8.0	4.8
Percentage of live births having multiple infants <sup>b,c</sup>	45.5	40.7	27.4	19.5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	21	28	15	8
Percentage of transfers resulting in live births <sup>b,c</sup>	38.1	25.0	3/15	0/8
Average number of embryos transferred	3.6	3.6	3.4	2.9
<b>Donor Eggs</b>				
Number of fresh embryo transfers	14	15	28	98
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	8/14	9/15	42.9	42.9
Average number of fresh embryos transferred	2.9	2.7	2.9	2.9
Number of frozen embryo transfers	2	2	3	23
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	0/2	0/3	30.4
Average number of frozen embryos transferred	5.5	3.5	3.0	3.1

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** New York University Medical Center Program for In Vitro Fertilization

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	96%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	0%
GIFT	2%			Male factor	32%	Other factors	21%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	4%	Unexplained	8%
Combination	2%	Unstimulated	0%	Endometriosis	6%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Cecilia Schmidt-Sarosi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	37	39	45
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.5	27.0	48.7	20.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	35.4 (23.8 - 47.0)	16.2 (4.3 - 28.1)	41.0 (25.6 - 56.5)	8.9 (0.6 - 17.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.9	16.2	42.1	9.1
Percentage of transfers resulting in live births <sup>b,c</sup>	35.9	16.2	42.1	9.3
Percentage of cancellations <sup>b</sup>	1.5		2.6	2.2
Average number of embryos transferred	3.9	4.2	4.2	4.6
Percentage of pregnancies with twins <sup>b</sup>	32.0	3/10	7/19	1/9
Percentage of pregnancies with triplets or more <sup>b</sup>	16.0	1/10	2/19	0/9
Percentage of live births having multiple infants <sup>b,c</sup>	43.5	2/6	8/16	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	31	15	17	10
Percentage of transfers resulting in live births <sup>b,c</sup>	22.6	3/15	2/17	0/10
Average number of embryos transferred	3.9	4.1	4.4	5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	4	14
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/4	2/2	1/4	3/14
Average number of fresh embryos transferred	5.0	2.5	2.3	3.1
Number of frozen embryo transfers	2	2	2	19
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2	0/2	0/2	4/19
Average number of frozen embryos transferred	3.5	6.0	4.0	3.4

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Offices for Fertility and Reproductive Medicine

**Services Offered:**

Donor egg? Yes  
 Donor embryo? Yes  
 Single women? Yes  
 Gestational carriers? No  
 Cryopreservation? Yes

**Clinic Profile:**

SART member? No  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## CAPITAL REGION GENETICS & IVF AT BELLEVUE HOSPITAL NISKAYUNA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	19%	Uterine factor	0%
GIFT	0%			Male factor	17%	Other factors	0%
ZIFT	0%	With ICSI	50%	Ovulatory dysfunction	18%	Unexplained	33%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by John M. Donhowe, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	15	17	2	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/15	5/17	0/2	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/15	4/17	0/2	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/15	4/17	0/2	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	3/13	4/15	0/1	0/4
Percentage of cancellations <sup>b</sup>	0/15	0/17	0/2	0/6
Average number of embryos transferred	2.9	2.9	4.0	1.0
Percentage of pregnancies with twins <sup>b</sup>	2/4	4/5		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	0/5		
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	4/4		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	13	7	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/12	1/13	0/7	
Average number of embryos transferred	2.8	2.6	2.1	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Capital Region Genetics & IVF at Bellevue Hospital

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# LONG ISLAND IVF ASSOCIATES PORT JEFFERSON, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	86%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	1%
GIFT	8%			Male factor	26%	Other factors	7%
ZIFT	<1%	With ICSI	42%	Ovulatory dysfunction	11%	Unexplained	6%
Combination	6%	Unstimulated	0%	Endometriosis	18%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by David Kreiner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	280	156	143	93
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.4	35.3	34.3	11.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.1 (21.9 - 32.4)	28.2 (21.1 - 35.3)	23.8 (16.8 - 30.8)	3.2 (0.0 - 6.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.4	33.8	29.8	4.9
Percentage of transfers resulting in live births <sup>b,c</sup>	34.4	37.3	32.1	5.2
Percentage of cancellations <sup>b</sup>	10.7	16.7	20.3	34.4
Average number of embryos transferred	3.0	3.2	3.6	4.5
Percentage of pregnancies with twins <sup>b</sup>	29.3	29.1	28.6	2/11
Percentage of pregnancies with triplets or more <sup>b</sup>	7.1	14.5	6.1	0/11
Percentage of live births having multiple infants <sup>b,c</sup>	38.2	38.6	32.4	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	96	30	25	13
Percentage of transfers resulting in live births <sup>b,c</sup>	28.1	10.0	24.0	1/13
Average number of embryos transferred	2.9	2.6	3.0	2.9
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	4	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2	1/2	1/4	0/4
Average number of fresh embryos transferred	4.5	2.5	3.3	2.8
Number of frozen embryo transfers	2	0	2	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2		0/2	0/3
Average number of frozen embryos transferred	3.0		3.0	1.7

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Long Island IVF Associates

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INSTITUTE FOR REPRODUCTIVE HEALTH AND INFERTILITY  
ROCHESTER, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	27%	Other factors	5%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	15%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Eberhard K. Muechler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	13	4	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	1/13	0/4	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.0 (10.0 - 40.0)	1/13	0/4	
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.8	1/10	0/4	
Percentage of transfers resulting in live births <sup>b,c</sup>	32.0	1/7	0/3	
Percentage of cancellations <sup>b</sup>	3.1	3/13	0/4	
Average number of embryos transferred	3.6	3.6	3.0	
Percentage of pregnancies with twins <sup>b</sup>	4/8	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/8	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	5/8	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	3	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	2/3	1/2	
Average number of embryos transferred	4.0	2.0	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	2	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	1/3	1/2	2/3
Average number of fresh embryos transferred	4.0	10.0	1.5	3.3
Number of frozen embryo transfers	1	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1			0/1
Average number of frozen embryos transferred	1.0			2.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Institute For Reproductive Health and Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## STRONG INFERTILITY AND IVF CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	32%	Uterine factor	0%
GIFT	0%			Male factor	25%	Other factors	2%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	14%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Vivian Lewis, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	103	52	39	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.0	42.3	23.1	1/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.2 (19.5 - 36.8)	40.4 (27.0 - 53.7)	17.9 (5.9 - 30.0)	0/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.4	46.7	31.8	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	37.7	47.7	33.3	0/6
Percentage of cancellations <sup>b</sup>	20.4	13.5	43.6	4/10
Average number of embryos transferred	3.3	3.2	3.8	5.0
Percentage of pregnancies with twins <sup>b</sup>	27.3	40.9	3/9	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	18.2		1/9	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	51.7	42.9	3/7	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	4	5	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/17	0/4	0/5	
Average number of embryos transferred	3.1	3.0	2.4	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	3	4	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	2/3	0/4	3/7
Average number of fresh embryos transferred	3.5	2.7	3.3	2.6
Number of frozen embryo transfers	1	1	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1	0/1	0/1	0/1
Average number of frozen embryos transferred	2.0	3.0	3.0	3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Strong Infertility and IVF Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CHILDREN'S HOSPITAL IVF PROGRAM SNYDER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	0%
GIFT	1%			Male factor	23%	Other factors	2%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	16%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Kent Crickard, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	43	23	22	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.6	34.8	22.7	1/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.9 (14.5 - 41.3)	26.1 (8.1 - 44.0)	18.2 (2.1 - 34.3)	1/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.9	27.3	19.0	1/4
Percentage of transfers resulting in live births <sup>b,c</sup>	27.9	30.0	20.0	1/4
Percentage of cancellations <sup>b</sup>	0.0	4.3	4.5	5/9
Average number of embryos transferred	3.4	3.4	3.8	2.8
Percentage of pregnancies with twins <sup>b</sup>	2/14	2/8	3/5	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/14	1/8	0/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	2/12	2/6	3/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	5	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/16	4/5	0/3	
Average number of embryos transferred	2.9	3.6	3.7	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Infertility & IVF Associates of Western New York

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DIVISION OF REPRODUCTIVE ENDOCRINOLOGY  
SUNY AT STONY BROOK  
STONY BROOK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	18%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	18%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Richard Bronson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	37	24	10	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.2	33.3	1/10	0/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.8 (22.2 - 53.5)	25.0 (7.7 - 42.3)	0/10	0/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.2	6/18	0/6	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	46.7	6/18	0/6	0/4
Percentage of cancellations <sup>b</sup>	16.2	25.0	4/10	3/7
Average number of embryos transferred	2.9	3.5	2.7	3.0
Percentage of pregnancies with twins <sup>b</sup>	6/16	3/8	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/16	2/8	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	6/14	4/6		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	8	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5	3/8		
Average number of embryos transferred	3.4	3.9		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Division of Reproductive Endocrinology, SUNY at Stony Brook

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## CENTRAL NEW YORK FERTILITY CENTER SYRACUSE, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	93%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	2%
GIFT	5%			Male factor	13%	Other factors	1%
ZIFT	1%	With ICSI	54%	Ovulatory dysfunction	16%	Unexplained	20%
Combination	1%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert J. Kiltz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	69	46	19	22
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.9	30.4	3/19	13.6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.0 (18.3 - 39.7)	19.6 (8.1 - 31.0)	2/19	4.5 (0.0 - 13.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.0	20.0	2/18	4.5
Percentage of transfers resulting in live births <sup>b,c</sup>	29.4	20.9	2/15	4.5
Percentage of cancellations <sup>b</sup>	0.0	2.2	1/19	0.0
Average number of embryos transferred	4.8	5.2	4.7	5.2
Percentage of pregnancies with twins <sup>b</sup>	13.6	2/14	0/3	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	27.3	4/14	0/3	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	45.0	4/9	0/2	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/9	0/2		
Average number of embryos transferred	5.0	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of fresh embryos transferred			5.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Central New York Fertility Center

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# WESTCHESTER FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	38%	Uterine factor	0%
GIFT	0%			Male factor	33%	Other factors	11%
ZIFT	0%	With ICSI	46%	Ovulatory dysfunction	0%	Unexplained	18%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Michael Blotner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	16	14	14	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/16	0/14	2/14	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/16	0/14	1/14	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/16	0/12	1/14	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	2/16	0/12	1/14	0/5
Percentage of cancellations <sup>b</sup>	0/16	2/14	0/14	0/6
Average number of embryos transferred	3.8	4.0	4.4	4.0
Percentage of pregnancies with twins <sup>b</sup>	1/4		0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4		0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	1/2		0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	2	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/5	0/2	0/1	0/2
Average number of embryos transferred	3.6	3.5	3.0	5.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of fresh embryos transferred			3.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Westchester Fertility & Reproductive Endocrinology

### Services Offered:

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

### Clinic Profile:

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE MEDICINE/IVF WILLIAMSVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	35%	Uterine factor	0%
GIFT	0%			Male factor	40%	Other factors	1%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	1%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by John (Jan) M. Wieckowski, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	42	20	2	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.1	65.0	0/2	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.0 (17.0 - 44.9)	60.0 (38.5 - 81.5)	0/2	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.1	60.0	0/2	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	37.1	60.0	0/2	0/4
Percentage of cancellations <sup>b</sup>	16.7	0.0	0/2	0/4
Average number of embryos transferred	3.2	4.4	4.0	3.8
Percentage of pregnancies with twins <sup>b</sup>	2/16	3/13		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/16	1/13		
Percentage of live births having multiple infants <sup>b,c</sup>	3/13	3/12		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/3		
Average number of embryos transferred	2.0	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Medicine/IVF

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE  
THE TALBERT FERTILITY INSTITUTE  
CARY, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	3%
GIFT	0%			Male factor	15%	Other factors	13%
ZIFT	0%	With ICSI	43%	Ovulatory dysfunction	23%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Luther M. Talbert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	66	21	20	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.9	52.4	50.0	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.9 (26.2 - 49.6)	47.6 (26.3 - 69.0)	30.0 (9.9 - 50.1)	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.1	10/19	6/19	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	39.7	10/18	6/15	0/4
Percentage of cancellations <sup>b</sup>	3.0	9.5	5.0	2/6
Average number of embryos transferred	4.0	4.1	4.8	4.8
Percentage of pregnancies with twins <sup>b</sup>	44.4	3/11	1/10	
Percentage of pregnancies with triplets or more <sup>b</sup>	11.1	2/11	0/10	
Percentage of live births having multiple infants <sup>b,c</sup>	52.0	5/10	1/6	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	3	0	4
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5	0/3		1/4
Average number of embryos transferred	3.6	2.7		4.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	5	13
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	2/3	1/5	4/13
Average number of fresh embryos transferred	5.0	5.0	4.2	4.1
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	1/1
Average number of frozen embryos transferred			5.0	6.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY OF NORTH CAROLINA ART CLINIC CHAPEL HILL, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	1%
GIFT	0%			Male factor	28%	Other factors	4%
ZIFT	0%	With ICSI	43%	Ovulatory dysfunction	26%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by William R. Meyer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	36	27	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.2	22.2	18.5	0/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.2 (15.5 - 36.8)	16.7 (4.5 - 28.8)	7.4 (0.0 - 17.3)	0/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.8	25.0	9.5	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	29.8	26.1	10.0	0/7
Percentage of cancellations <sup>b</sup>	9.2	33.3	22.2	3/10
Average number of embryos transferred	3.1	3.6	3.9	4.3
Percentage of pregnancies with twins <sup>b</sup>	8/19	4/8	1/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/19	2/8	1/5	
Percentage of live births having multiple infants <sup>b,c</sup>	8/17	3/6	2/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	4	5	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/7	2/4	0/5	0/1
Average number of embryos transferred	3.0	2.5	2.6	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	2	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	1/2	0/2	1/4
Average number of fresh embryos transferred	4.5	4.0	4.0	3.3
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/1
Average number of frozen embryos transferred			1.0	1.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University of North Carolina ART Clinic

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INSTITUTE FOR ASSISTED REPRODUCTION  
CHARLOTTE, NORTH CAROLINA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	1%
GIFT	0%			Male factor	29%	Other factors	5%
ZIFT	0%	With ICSI	50%	Ovulatory dysfunction	12%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jack Crain, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	157	57	36	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.5	38.6	27.8	2/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	47.8 (40.0 - 55.6)	35.1 (22.7 - 47.5)	19.4 (6.5 - 32.4)	2/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	53.6	47.6	7/18	2/5
Percentage of transfers resulting in live births <sup>b,c</sup>	56.4	48.8	7/18	2/5
Percentage of cancellations <sup>b</sup>	10.8	26.3	50.0	4/9
Average number of embryos transferred	3.7	4.6	4.9	7.0
Percentage of pregnancies with twins <sup>b</sup>	31.0	18.2	1/10	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	20.2	27.3	2/10	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	52.0	50.0	2/7	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	6/16	0/1		
Average number of embryos transferred	3.7	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	3	2	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/4	1/3	0/2	2/4
Average number of fresh embryos transferred	3.8	3.0	3.5	4.0
Number of frozen embryo transfers	1	0	3	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1		0/3	0/2
Average number of frozen embryos transferred	4.0		3.3	4.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Institute for Assisted Reproduction

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**PROGRAM FOR ASSISTED REPRODUCTION  
CAROLINAS MEDICAL CENTER  
CHARLOTTE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	0%
GIFT	0%			Male factor	21%	Other factors	3%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	21%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Paul B. Marshburn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	50	21	9	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	58.0	23.8	0/9	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	52.0 (38.2 - 65.8)	19.0 (2.3 - 35.8)	0/9	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.5	4/12	0/3	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	60.5	4/12	0/3	0/3
Percentage of cancellations <sup>b</sup>	14.0	42.9	6/9	1/4
Average number of embryos transferred	3.4	3.8	3.0	4.3
Percentage of pregnancies with twins <sup>b</sup>	27.6	3/5		
Percentage of pregnancies with triplets or more <sup>b</sup>	13.8	0/5		
Percentage of live births having multiple infants <sup>b,c</sup>	38.5	2/4		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/2		
Average number of embryos transferred	4.5	3.5		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	1	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	0/1	
Average number of frozen embryos transferred		4.0	2.0	

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Program for Assisted Reproduction, Carolinas Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DUKE UNIVERSITY MEDICAL CENTER**  
**DIVISION OF REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY**  
**DURHAM, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	2%
GIFT	0%			Male factor	19%	Other factors	3%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	22%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by David K. Walmer, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	112	51	43	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	22.3	21.6	14.0	1/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	17.0 (10.0 - 23.9)	13.7 (4.3 - 23.2)	7.0 (0.0 - 14.6)	1/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	18.4	15.2	9.4	1/8
Percentage of transfers resulting in live births <sup>b,c</sup>	19.8	17.5	12.0	1/7
Percentage of cancellations <sup>b</sup>	8.0	9.8	25.6	1/9
Average number of embryos transferred	2.1	2.1	3.0	3.9
Percentage of pregnancies with twins <sup>b</sup>	32.0	1/11	0/6	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0/11	0/6	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	7/19	0/7	0/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	3	6	4
Percentage of transfers resulting in live births <sup>b,c</sup>	0/10	0/3	0/6	0/4
Average number of embryos transferred	2.5	2.0	2.5	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	3	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/4	0/2	0/3	28.6
Average number of fresh embryos transferred	1.8	2.0	2.0	2.0
Number of frozen embryo transfers	0	1	1	5
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	1/1	1/5
Average number of frozen embryos transferred		2.0	3.0	3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Duke University Medical Center, Division of Reproductive Endocrinology and Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**EAST CAROLINA UNIVERSITY  
WOMEN'S PHYSICIANS  
GREENVILLE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	96%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	1%
GIFT	2%			Male factor	26%	Other factors	0%
ZIFT	2%	With ICSI	43%	Ovulatory dysfunction	34%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Clifford C. Hayslip, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	33	13	15	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	3/13	3/15	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.3 (17.2 - 49.4)	3/13	3/15	
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.7	3/12	3/12	
Percentage of transfers resulting in live births <sup>b,c</sup>	39.3	3/12	3/12	
Percentage of cancellations <sup>b</sup>	9.1	1/13	3/15	
Average number of embryos transferred	3.3	3.8	3.3	
Percentage of pregnancies with twins <sup>b</sup>	3/11	2/3	2/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	0/3	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	4/11	2/3	2/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7	0/1	0/1	
Average number of embryos transferred	3.9	2.0	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/2	0/1
Average number of fresh embryos transferred			3.5	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** East Carolina University Women's Physicians

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# WAKE FOREST UNIVERSITY PROGRAM FOR ASSISTED REPRODUCTION WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	46%	Uterine factor	0%
GIFT	0%			Male factor	21%	Other factors	0%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	9%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey L. Deaton, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	15	12	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.4	5/15	2/12	1/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.5 (11.6 - 41.3)	4/15	2/12	1/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.3	4/14	2/7	1/1
Percentage of transfers resulting in live births <sup>b,c</sup>	28.1	4/13	2/6	1/1
Percentage of cancellations <sup>b</sup>	2.9	1/15	5/12	0/1
Average number of embryos transferred	3.1	3.2	3.7	2.0
Percentage of pregnancies with twins <sup>b</sup>	1/11	0/5	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/11	0/5	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/9	0/4	0/2	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	3	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/16	1/3	0/3	1/1
Average number of embryos transferred	2.6	3.3	3.7	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Wake Forest University Program for Assisted Reproduction

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## MERITCARE MEDICAL GROUP FERTILITY CENTER FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	0%
GIFT	0%			Male factor	7%	Other factors	2%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	52%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Steffen P. Christensen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	21	4	5	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	14.3	2/4	1/5	1/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	14.3 (0.0 - 29.3)	2/4	1/5	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/14	2/3	1/4	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	3/13	2/3	1/3	0/3
Percentage of cancellations <sup>b</sup>	33.3	1/4	1/5	3/6
Average number of embryos transferred	3.6	4.0	4.7	2.0
Percentage of pregnancies with twins <sup>b</sup>	1/3	1/2	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/2	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	1/2	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3			
Average number of embryos transferred	1.7			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** MeritCare Medical Group Fertility Center

**Services Offered:**

Donor egg? No  
Donor embryo? No  
Single women? Yes

Gestational carriers? No  
Cryopreservation? Yes

**Clinic Profile:**

SART member? Yes  
Verified lab accreditation? Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**AKRON CITY HOSPITAL IVF CENTER  
SUMMA HEALTH SYSTEM  
AKRON, OHIO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	92%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	1%
GIFT	7%			Male factor	25%	Other factors	2%
ZIFT	<1%	With ICSI	23%	Ovulatory dysfunction	6%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	29%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Richard W. Moretuzzo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	64	21	20	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.4	23.8	20.0	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.3 (19.9 - 42.6)	19.0 (2.3 - 35.8)	15.0 (0.0 - 30.6)	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.5	4/16	3/11	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	4/16	3/10	0/1
Percentage of cancellations <sup>b</sup>	18.8	23.8	45.0	3/4
Average number of embryos transferred	3.1	3.3	4.0	4.0
Percentage of pregnancies with twins <sup>b</sup>	36.4	1/5	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	13.6	0/5	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	1/4	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	28	7	4	0
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	0/7	1/4	
Average number of embryos transferred	3.1	3.4	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1		0/1
Average number of fresh embryos transferred		4.0		3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				5.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Akron City Hospital IVF Center, Summa Health System

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**FERTILITY UNLIMITED, INC.**  
**AKRON, OHIO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	3%
GIFT	0%			Male factor	11%	Other factors	17%
ZIFT	0%	With ICSI	55%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	3%	Unstimulated	0%	Endometriosis	27%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Nicholas J. Spiratos, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	17	9	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	15.1	6/17	2/9	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	11.3 (2.8 - 19.9)	6/17	2/9	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	12.5	6/15	2/9	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	12.8	6/15	2/8	0/1
Percentage of cancellations <sup>b</sup>	9.4	2/17	0/9	0/1
Average number of embryos transferred	3.6	3.6	3.0	1.0
Percentage of pregnancies with twins <sup>b</sup>	3/8	0/6	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/8	0/6	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	3/6	0/6	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	8	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/12	3/8	0/1	0/2
Average number of embryos transferred	2.2	2.5	4.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	0	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/2		4/8
Average number of fresh embryos transferred	4.0	2.5		3.9
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/3
Average number of frozen embryos transferred				2.7

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Fertility Unlimited, Inc.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# BETHESDA CENTER FOR REPRODUCTIVE HEALTH AND FERTILITY CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	0%
GIFT	0%			Male factor	26%	Other factors	2%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	20%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Glen E. Hofmann, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	120	27	24	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	25.9	25.0	1/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.2 (16.5 - 31.8)	18.5 (3.9 - 33.2)	25.0 (7.7 - 42.3)	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	29.6	5/18	6/17	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	30.5	5/18	6/17	0/2
Percentage of cancellations <sup>b</sup>	18.3	33.3	29.2	3/5
Average number of embryos transferred	3.1	3.3	3.2	2.5
Percentage of pregnancies with twins <sup>b</sup>	33.3	3/7	2/6	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3.3	0/7	1/6	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	37.9	3/5	3/6	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	22	4	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	9.1	2/4	0/1	0/1
Average number of embryos transferred	3.4	3.5	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	1	11	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/4	1/1	4/11	4/7
Average number of fresh embryos transferred	3.0	3.0	3.0	2.9
Number of frozen embryo transfers	5	0	3	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	2/5		1/3	1/3
Average number of frozen embryos transferred	3.8		2.7	2.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Bethesda Center for Reproductive Health and Fertility

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE HEALTH  
CINCINNATI, OHIO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	6%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	35%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael A. Thomas, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	42	16	15	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	45.2	4/16	3/15	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	42.9 (27.9 - 57.8)	4/16	3/15	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	52.9	4/13	3/10	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	56.3	4/13	3/9	0/1
Percentage of cancellations <sup>b</sup>	19.0	3/16	5/15	3/4
Average number of embryos transferred	3.2	3.7	3.9	4.0
Percentage of pregnancies with twins <sup>b</sup>	5/19	0/4	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/19	1/4	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	7/18	1/4	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	3	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/13	1/3	1/3	0/1
Average number of embryos transferred	2.5	2.7	2.3	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	4	6	19
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/4	2/4	4/6	4/19
Average number of fresh embryos transferred	3.0	2.8	3.3	2.9
Number of frozen embryo transfers	6	6	5	23
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/6	2/6	4/5	8.7
Average number of frozen embryos transferred	2.8	3.0	3.0	2.4

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Health

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**GREATER CINCINNATI INSTITUTE FOR REPRODUCTIVE  
HEALTH AT THE CHRIST HOSPITAL  
CINCINNATI, OHIO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	6%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	13%	Unexplained	1%
Combination	<1%	Unstimulated	0%	Endometriosis	27%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Sherif G. Awadalla, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	272	140	102	22
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.1	26.4	17.6	4.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	34.9 (29.3 - 40.6)	25.7 (18.5 - 33.0)	14.7 (7.8 - 21.6)	4.5 (0.0 - 13.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.3	30.3	17.9	1/15
Percentage of transfers resulting in live births <sup>b,c</sup>	41.5	31.9	18.5	1/14
Percentage of cancellations <sup>b</sup>	11.0	15.0	17.6	31.8
Average number of embryos transferred	3.5	3.8	4.6	4.1
Percentage of pregnancies with twins <sup>b</sup>	26.6	24.3	4/18	1/1
Percentage of pregnancies with triplets or more <sup>b</sup>	10.1	8.1	1/18	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	37.9	30.6	4/15	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	88	28	8	2
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	25.0	1/8	1/2
Average number of embryos transferred	3.5	3.3	3.9	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	12	6	8	15
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	6/12	5/6	6/8	7/15
Average number of fresh embryos transferred	3.3	3.3	3.4	3.3
Number of frozen embryo transfers	7	10	3	16
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	4/7	3/10	1/3	2/16
Average number of frozen embryos transferred	3.4	3.6	3.0	3.5

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Greater Cincinnati Institute for Reproductive Health at the Christ Hospital

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# CLEVELAND CLINIC FOUNDATION CLEVELAND, OHIO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	<1%
GIFT	0%			Male factor	34%	Other factors	5%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	6%	Unexplained	12%
Combination	<1%	Unstimulated	1%	Endometriosis	17%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey M. Goldberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	86	55	38	17
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.2	16.4	15.8	2/17
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.3 (14.3 - 32.2)	14.5 (5.2 - 23.9)	10.5 (0.8 - 20.3)	2/17
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.3	18.2	12.9	2/11
Percentage of transfers resulting in live births <sup>b,c</sup>	28.2	20.0	15.4	2/11
Percentage of cancellations <sup>b</sup>	8.1	20.0	18.4	6/17
Average number of embryos transferred	2.5	2.7	2.6	2.9
Percentage of pregnancies with twins <sup>b</sup>	15.4	3/9	1/6	1/2
Percentage of pregnancies with triplets or more <sup>b</sup>	19.2	1/9	0/6	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	4/8	1/4	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	54	38	18	6
Percentage of transfers resulting in live births <sup>b,c</sup>	16.7	18.4	2/18	0/6
Average number of embryos transferred	2.4	2.5	2.4	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	0/1	
Average number of fresh embryos transferred		3.0	3.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Cleveland Clinic Foundation

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## METROHEALTH MEDICAL CENTER CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	6%	Uterine factor	9%
GIFT	0%			Male factor	25%	Other factors	13%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	6%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	41%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Khalid M. Ataya, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	8	5	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/8	2/8	2/5	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/8	1/8	0/5	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/7	1/5	0/5	
Percentage of transfers resulting in live births <sup>b,c</sup>	3/7	1/5	0/5	
Percentage of cancellations <sup>b</sup>	1/8	3/8	0/5	1/1
Average number of embryos transferred	3.0	2.8	1.4	
Percentage of pregnancies with twins <sup>b</sup>	2/4	0/2	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/4	0/2	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	3/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/7	0/2	1/1	
Average number of embryos transferred	2.3	2.0	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** MetroHealth Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



# UNIVERSITY HOSPITALS OF CLEVELAND CLEVELAND, OHIO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	2%
GIFT	0%			Male factor	33%	Other factors	8%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	8%	Unexplained	20%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by James Goldfarb, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	136	69	51	28
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.4	33.3	23.5	7.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	39.7 (31.5 - 47.9)	27.5 (17.0 - 38.1)	19.6 (8.7 - 30.5)	3.6 (0.0 - 10.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.2	33.3	25.0	1/18
Percentage of transfers resulting in live births <sup>b,c</sup>	43.2	33.9	27.0	1/17
Percentage of cancellations <sup>b</sup>	8.1	17.4	21.6	35.7
Average number of embryos transferred	3.4	3.7	3.7	3.9
Percentage of pregnancies with twins <sup>b</sup>	32.2	26.1	4/12	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	11.9	8.7	0/12	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	35.2	6/19	2/10	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	12	13	4
Percentage of transfers resulting in live births <sup>b,c</sup>	20.8	1/12	1/13	0/4
Average number of embryos transferred	2.5	2.3	2.6	1.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	0	9
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	2/3		2/9
Average number of fresh embryos transferred	4.0	3.3		3.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University Hospitals of Cleveland

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	95%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	6%
GIFT	5%			Male factor	19%	Other factors	<1%
ZIFT	<1%	With ICSI	33%	Ovulatory dysfunction	18%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Grant E. Schmidt, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	125	87	51	44
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.8	31.0	33.3	6.8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	40.0 (31.4 - 48.6)	28.7 (19.2 - 38.2)	27.5 (15.2 - 39.7)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.7	32.5	31.1	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	42.4	33.8	31.1	0.0
Percentage of cancellations <sup>b</sup>	4.0	11.5	11.8	18.2
Average number of embryos transferred	3.4	3.5	3.8	3.6
Percentage of pregnancies with twins <sup>b</sup>	25.5	29.6	4/17	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	11.8	7.4	2/17	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	32.0	40.0	6/14	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	29	13	5	2
Percentage of transfers resulting in live births <sup>b,c</sup>	31.0	6/13	1/5	0/2
Average number of embryos transferred	3.2	3.2	2.4	5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	4	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/1	2/4	2/6
Average number of fresh embryos transferred	2.0	4.0	3.0	3.3
Number of frozen embryo transfers	1	2	2	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1	1/2	0/2	1/3
Average number of frozen embryos transferred	3.0	3.5	3.5	3.3

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Ohio Reproductive Medicine

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY FERTILITY INSTITUTE  
COLUMBUS, OHIO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	77%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	5%
GIFT	21%			Male factor	26%	Other factors	8%
ZIFT	1%	With ICSI	40%	Ovulatory dysfunction	0%	Unexplained	26%
Combination	<1%	Unstimulated	0%	Endometriosis	10%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Chad I. Friedman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	79	27	24	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	27.8	18.5	16.7	0/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.1 (14.6 - 33.5)	14.8 (1.4 - 28.2)	12.5 (0.0 - 25.7)	0/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.5	19.0	3/18	0/11
Percentage of transfers resulting in live births <sup>b,c</sup>	30.2	20.0	3/18	0/9
Percentage of cancellations <sup>b</sup>	12.7	22.2	25.0	3/14
Average number of embryos transferred	3.3	3.4	3.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	27.3	1/5	0/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	9.1	1/5	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	7/19	2/4	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	0/1	1/1	
Average number of embryos transferred	2.8	1.0	2.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University Fertility Institute

**Services Offered:**

Donor egg? Yes      Gestational carriers? No  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# GENETICS & IVF INSTITUTE OF OHIO DAYTON, OHIO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	0%
GIFT	0%			Male factor	51%	Other factors	1%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	15%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	2%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by C. Roger Moritz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	38	16	7	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.9	3/16	0/7	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.3 (12.3 - 40.3)	3/16	0/7	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.3	3/10	0/4	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	32.3	3/10	0/3	0/5
Percentage of cancellations <sup>b</sup>	15.8	6/16	3/7	0/5
Average number of embryos transferred	3.1	3.4	2.7	3.8
Percentage of pregnancies with twins <sup>b</sup>	2/11	1/3		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	0/3		
Percentage of live births having multiple infants <sup>b,c</sup>	3/10	1/3		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	27	8	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.7	2/8	2/4	0/1
Average number of embryos transferred	3.2	2.4	2.8	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	
Average number of fresh embryos transferred	3.0		4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Genetics & IVF Institute of Ohio

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# MIAMI VALLEY HOSPITAL FERTILITY CENTER DAYTON, OHIO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	3%
GIFT	2%			Male factor	18%	Other factors	2%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	28%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Parvis Daneshjoo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	38	8	8	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	5.3	0/8	1/8	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2.6 (0.0 - 7.7)	0/8	1/8	
Percentage of retrievals resulting in live births <sup>b,c</sup>	2.6	0/7	1/8	
Percentage of transfers resulting in live births <sup>b,c</sup>	3.3	0/6	1/6	
Percentage of cancellations <sup>b</sup>	0.0	1/8	0/8	
Average number of embryos transferred	3.1	2.7	2.0	
Percentage of pregnancies with twins <sup>b</sup>	0/2		0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2		0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	0/1		0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	25	1	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	0/1	0/3	
Average number of embryos transferred	2.8	2.0	1.7	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	3	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	0/1	0/3	2/5
Average number of fresh embryos transferred	3.0	3.0	2.7	2.6
Number of frozen embryo transfers	1	0	2	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1		0/2	0/1
Average number of frozen embryos transferred	2.0		3.5	3.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Miami Valley Hospital Fertility Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY CENTER OF NORTHWEST OHIO TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	0%
GIFT	0%			Male factor	25%	Other factors	5%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	23%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Joseph V. Karnitis, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	21	8	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.8	19.0	2/8	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.1 (12.8 - 33.3)	14.3 (0.0 - 29.3)	1/8	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.8	3/16	1/7	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	30.6	3/15	1/7	0/1
Percentage of cancellations <sup>b</sup>	13.8	23.8	1/8	1/2
Average number of embryos transferred	3.1	3.0	3.9	4.0
Percentage of pregnancies with twins <sup>b</sup>	18.2	0/4	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	13.6	0/4	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	6/15	0/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	20	4	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	5.0	0/4	1/2	0/1
Average number of embryos transferred	3.7	2.5	2.5	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	1	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	0/1	0/1	0/2
Average number of fresh embryos transferred	2.5	2.0	4.0	2.0
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of frozen embryos transferred		2.0		

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Center of Northwest Ohio

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## THE REPRODUCTIVE CENTER YOUNGSTOWN, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	35%	Uterine factor	4%
GIFT	0%			Male factor	30%	Other factors	0%
ZIFT	0%	With ICSI	54%	Ovulatory dysfunction	22%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robert L. Collins, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	11	2	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/11	1/2		
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/11	1/2		
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/11	1/2		
Percentage of transfers resulting in live births <sup>b,c</sup>	2/11	1/2		
Percentage of cancellations <sup>b</sup>	0/11	0/2		
Average number of embryos transferred	4.3	5.0		
Percentage of pregnancies with twins <sup>b</sup>	0/4	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	0/2	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1		0/1	
Average number of embryos transferred	2.0		5.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		1/1	0/2
Average number of fresh embryos transferred	4.0		3.0	3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/2
Average number of frozen embryos transferred				3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Reproductive Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	2%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	25%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Eli Reshef, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	84	35	10	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.2	45.7	6/10	3/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	47.6 (36.9 - 58.3)	37.1 (21.1 - 53.2)	3/10	2/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	48.2	39.4	3/10	2/4
Percentage of transfers resulting in live births <sup>b,c</sup>	51.3	43.3	3/10	2/4
Percentage of cancellations <sup>b</sup>	1.2	5.7	0/10	0/4
Average number of embryos transferred	3.0	2.9	3.0	3.5
Percentage of pregnancies with twins <sup>b</sup>	37.2	6/16	1/6	1/3
Percentage of pregnancies with triplets or more <sup>b</sup>	16.3	2/16	0/6	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	52.5	7/13	1/3	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	7	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	1/7	0/1	1/2
Average number of embryos transferred	3.5	2.3	4.0	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	3	2	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/3	0/2	4/7
Average number of fresh embryos transferred		3.3	3.5	3.7
Number of frozen embryo transfers	1	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1		0/1	0/1
Average number of frozen embryos transferred	1.0		5.0	4.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Henry G. Bennett, Jr., Fertility Institute

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PRESBYTERIAN HOSPITAL**  
**LABORATORY FOR ASSISTED REPRODUCTIVE TECHNOLOGIES**  
**OKLAHOMA CITY, OKLAHOMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	41%	Uterine factor	0%
GIFT	0%			Male factor	38%	Other factors	2%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	15%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Gilbert G. Haas, Jr., M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	18	6	5	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	6/18	1/6	0/5	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	5/18	1/6	0/5	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	5/16	1/6	0/2	
Percentage of transfers resulting in live births <sup>b,c</sup>	5/14	1/5	0/2	
Percentage of cancellations <sup>b</sup>	2/18	0/6	3/5	1/1
Average number of embryos transferred	2.6	2.6	2.5	
Percentage of pregnancies with twins <sup>b</sup>	3/6	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/6	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	5	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/11	2/5	0/2	
Average number of embryos transferred	2.7	3.0	1.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/2
Average number of fresh embryos transferred				1.5
Number of frozen embryo transfers	3	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/3			
Average number of frozen embryos transferred	1.7			

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Presbyterian Hospital Laboratory for Assisted Reproductive Technologies

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## TULSA CENTER FOR FERTILITY & WOMEN'S HEALTH TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	37%	Uterine factor	0%
GIFT	0%			Male factor	19%	Other factors	16%
ZIFT	0%	With ICSI	21%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	<1%	Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Stanley G. Prough, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	79	30	17	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.8	30.0	5/17	1/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.7 (26.1 - 47.3)	26.7 (10.8 - 42.5)	4/17	1/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.6	30.8	4/11	1/3
Percentage of transfers resulting in live births <sup>b,c</sup>	44.6	33.3	4/11	1/3
Percentage of cancellations <sup>b</sup>	13.9	13.3	6/17	5/8
Average number of embryos transferred	2.7	3.6	3.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	45.5	3/9	0/5	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3.0	3/9	0/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	41.4	5/8	0/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/9	0/2		
Average number of embryos transferred	2.7	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Tulsa Center for Fertility & Women's Health

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# NORTHWEST FERTILITY CENTER PORTLAND, OREGON

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	24%	Uterine factor	6%
GIFT	0%			Male factor	27%	Other factors	22%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	5%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Eugene M. Stoelk, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	41	21	19	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.7	52.4	2/19	1/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.4 (11.2 - 37.5)	52.4 (31.0 - 73.7)	1/19	1/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.3	11/19	1/17	1/6
Percentage of transfers resulting in live births <sup>b,c</sup>	27.0	11/18	1/15	1/6
Percentage of cancellations <sup>b</sup>	7.3	9.5	2/19	0/6
Average number of embryos transferred	3.5	3.8	4.0	5.5
Percentage of pregnancies with twins <sup>b</sup>	4/13	3/11	1/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/13	1/11	1/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/10	4/11	1/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	29	6	9	1
Percentage of transfers resulting in live births <sup>b,c</sup>	17.2	0/6	1/9	0/1
Average number of embryos transferred	2.8	3.2	2.4	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	5	8	14
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/6	0/5	2/8	4/14
Average number of fresh embryos transferred	3.7	3.0	3.5	3.0
Number of frozen embryo transfers	13	9	7	32
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/13	1/9	1/7	12.5
Average number of frozen embryos transferred	3.3	2.6	2.9	3.8

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Northwest Fertility Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY FERTILITY CONSULTANTS  
OREGON HEALTH SCIENCES UNIVERSITY  
PORTLAND, OREGON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	3%
GIFT	0%			Male factor	19%	Other factors	22%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	3%	Unexplained	8%
Combination	<1%	Unstimulated	0%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Marsha J. Gorrill, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	105	64	38	12
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	21.9	15.8	4/12
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	30.5 (21.7 - 39.3)	17.2 (7.9 - 26.4)	13.2 (2.4 - 23.9)	2/12
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.0	25.0	5/19	2/8
Percentage of transfers resulting in live births <sup>b,c</sup>	42.7	26.8	5/18	2/8
Percentage of cancellations <sup>b</sup>	21.9	31.3	50.0	4/12
Average number of embryos transferred	2.3	2.5	2.8	2.3
Percentage of pregnancies with twins <sup>b</sup>	40.0	5/14	2/6	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	5.7	1/14	0/6	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	6/11	2/5	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	35	17	14	3
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	1/17	3/14	1/3
Average number of embryos transferred	2.6	2.4	2.3	2.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	6	8	28
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/3	3/6	6/8	57.1
Average number of fresh embryos transferred	2.0	2.0	2.0	2.0
Number of frozen embryo transfers	3	2	7	9
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	2/3	2/2	0/7	4/9
Average number of frozen embryos transferred	2.0	2.0	2.3	2.1

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University Fertility Consultants - Oregon Health Sciences University

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	13%	Uterine factor	1%
GIFT	2%			Male factor	19%	Other factors	7%
ZIFT	<1%	With ICSI	25%	Ovulatory dysfunction	19%	Unexplained	34%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Stephen G. Somkuti, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	85	42	23	26
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.6	28.6	17.4	0.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.9 (16.6 - 35.2)	23.8 (10.9 - 36.7)	8.7 (0.0 - 20.2)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.2	27.0	9.5	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	27.8	28.6	10.0	0.0
Percentage of cancellations <sup>b</sup>	4.7	11.9	8.7	7.7
Average number of embryos transferred	4.2	4.4	4.8	3.6
Percentage of pregnancies with twins <sup>b</sup>	34.6	1/12	0/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	7.7	3/12	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	4/10	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	25	7	3	6
Percentage of transfers resulting in live births <sup>b,c</sup>	16.0	0/7	2/3	1/6
Average number of embryos transferred	3.8	4.4	5.0	3.2
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	0/5
Average number of fresh embryos transferred			4.0	3.4
Number of frozen embryo transfers	0	3	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/3		0/1
Average number of frozen embryos transferred		4.0		4.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Toll Center for Reproductive Sciences

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# INFERTILITY SOLUTIONS, P.C. ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	2%
GIFT	0%			Male factor	27%	Other factors	8%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	34%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Bruce I. Rose, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	8	21	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.5	2/8	4.8	1/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.3 (18.5 - 48.1)	1/8		0/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.1	1/8	0/17	0/11
Percentage of transfers resulting in live births <sup>b,c</sup>	35.1	1/7	0/16	0/11
Percentage of cancellations <sup>b</sup>	5.1	0/8	19.0	0/11
Average number of embryos transferred	4.0	4.4	3.6	5.0
Percentage of pregnancies with twins <sup>b</sup>	4/15	0/2	1/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/15	0/2	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	5/13	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	10	6	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/9	3/10	0/6	0/1
Average number of embryos transferred	3.6	2.9	3.7	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Infertility Solutions, P.C.

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**LEHIGH VALLEY HOSPITAL**  
**SECTION OF REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY**  
**ALLENTOWN, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	44%	Uterine factor	0%
GIFT	0%			Male factor	28%	Other factors	0%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	20%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	3%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Albert J. Peters, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	37	6	13	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	8.1	1/6	2/13	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	8.1 (0.0 - 16.9)	1/6	2/13	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	11.5	1/6	2/8	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	13.0	1/6	2/8	0/2
Percentage of cancellations <sup>b</sup>	29.7	0/6	5/13	2/4
Average number of embryos transferred	3.7	2.8	3.6	2.5
Percentage of pregnancies with twins <sup>b</sup>	1/3	0/1	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/1	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	0/1	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/1	0/1	0/1	
Average number of embryos transferred	3.0	2.0	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of fresh embryos transferred	6.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Lehigh Valley Hospital, Section of Reproductive Endocrinology and Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPROTECH, INC.  
ALLENTOWN, PENNSYLVANIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	0%
GIFT	0%			Male factor	18%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	27%	Unexplained	27%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Eric R. Rittenhouse, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	7	1	1	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/7	1/1	0/1	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	4/7	1/1	0/1	
Percentage of retrievals resulting in live births <sup>b,c</sup>	4/7	1/1	0/1	
Percentage of transfers resulting in live births <sup>b,c</sup>	4/7	1/1	0/1	
Percentage of cancellations <sup>b</sup>	0/7	0/1	0/1	
Average number of embryos transferred	3.6	3.0	3.0	
Percentage of pregnancies with twins <sup>b</sup>	0/4	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	1/4	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	0/4	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of embryos transferred		2.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/1	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reprotech, Inc.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	32%	Uterine factor	0%
GIFT	0%			Male factor	31%	Other factors	30%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	2%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by H. Christina Lee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	10	10	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	20.8	1/10	3/10	1/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	16.7 (1.8 - 31.6)	1/10	3/10	0/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	18.2	1/10	3/7	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	4/18	1/8	3/6	0/7
Percentage of cancellations <sup>b</sup>	8.3	0/10	3/10	2/9
Average number of embryos transferred	2.6	3.1	3.2	3.1
Percentage of pregnancies with twins <sup>b</sup>	2/5	1/1	0/3	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	1/5	0/1	1/3	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	2/4	1/1	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	5.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1			3/4
Average number of fresh embryos transferred	3.0			5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Family Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE AT  
THE BRYN MAWR HOSPITAL  
BRYN MAWR, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	76%	<b>Procedural factors:</b>		Tubal factor	32%	Uterine factor	8%
GIFT	24%			Male factor	21%	Other factors	3%
ZIFT	0%	With ICSI	19%	Ovulatory dysfunction	27%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael J. Glassner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	14	13	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.3	4/14	5/13	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.5 (11.6 - 41.3)	4/14	5/13	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.1	4/13	5/13	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	28.1	4/13	5/13	0/2
Percentage of cancellations <sup>b</sup>	5.9	1/14	0/13	0/2
Average number of embryos transferred	4.0	4.7	4.4	2.5
Percentage of pregnancies with twins <sup>b</sup>	1/12	2/4	2/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/12	1/4	0/5	
Percentage of live births having multiple infants <sup>b,c</sup>	2/9	1/4	1/5	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	4	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/7	1/4	0/1	
Average number of embryos transferred	3.3	3.5	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine at the Bryn Mawr Hospital

**Services Offered:**

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	38%	Uterine factor	3%
GIFT	2%			Male factor	22%	Other factors	3%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	4%	Unexplained	24%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Latif O. Awad, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	35	3	11	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.3	1/3	1/11	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.7 (11.2 - 40.2)	1/3	0/11	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.0	1/2	0/4	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	34.6	1/2	0/4	0/1
Percentage of cancellations <sup>b</sup>	17.1	1/3	7/11	4/5
Average number of embryos transferred	3.4	3.0	3.5	3.0
Percentage of pregnancies with twins <sup>b</sup>	2/12	0/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/12	0/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/9	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	2	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2/10	1/2	0/2	
Average number of embryos transferred	3.2	2.0	3.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/3
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				3.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Geisinger Medical Center Fertility Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PENN STATE GEISINGER HEALTH SYSTEM  
HERSHEY, PENNSYLVANIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	1%
GIFT	0%			Male factor	19%	Other factors	8%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	14%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by William C. Dodson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	56	24	18	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	19.6	25.0	4/18	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	14.3 (5.1 - 23.5)	16.7 (1.8 - 31.6)	3/18	
Percentage of retrievals resulting in live births <sup>b,c</sup>	15.1	20.0	3/17	
Percentage of transfers resulting in live births <sup>b,c</sup>	19.0	4/17	3/14	
Percentage of cancellations <sup>b</sup>	5.4	16.7	1/18	
Average number of embryos transferred	2.9	2.8	2.9	
Percentage of pregnancies with twins <sup>b</sup>	3/11	1/6	0/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	1/6	1/4	
Percentage of live births having multiple infants <sup>b,c</sup>	3/8	1/4	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	27	18	8	1
Percentage of transfers resulting in live births <sup>b,c</sup>	7.4	2/18	0/8	0/1
Average number of embryos transferred	3.0	3.1	2.8	1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		1/2
Average number of fresh embryos transferred		3.0		2.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Penn State Geisinger Health System

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# JENKINTOWN REPRODUCTIVE ENDOCRINE & GYNECOLOGY ASSOCIATES, P.C.

## JENKINTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	94%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	0%
GIFT	0%			Male factor	5%	Other factors	5%
ZIFT	0%	With ICSI	13%	Ovulatory dysfunction	65%	Unexplained	2%
Combination	6%	Unstimulated	0%	Endometriosis	3%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey S. Chase, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	5	6	4	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/5	0/6	0/4	1/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/5	0/6	0/4	1/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/5	0/5	0/3	1/1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/4	0/5	0/3	1/1
Percentage of cancellations <sup>b</sup>	0/5	1/6	1/4	0/1
Average number of embryos transferred	4.3	4.2	5.3	6.0
Percentage of pregnancies with twins <sup>b</sup>	0/1			0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1			0/1
Percentage of live births having multiple infants <sup>b,c</sup>	0/1			0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1		0/1	
Average number of embryos transferred	3.0		3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	7	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	0/2	0/7	2/7
Average number of fresh embryos transferred	5.0	5.0	4.7	4.9
Number of frozen embryo transfers	1	0	3	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1		2/3	
Average number of frozen embryos transferred	4.0		4.3	

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Jenkintown Reproductive Endocrine & Gynecology Associates, P.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# NORTHERN FERTILITY AND REPRODUCTIVE ASSOCIATES MEADOWBROOK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	85%	<b>Procedural factors:</b>		Tubal factor	14%	Uterine factor	1%
GIFT	10%			Male factor	25%	Other factors	7%
ZIFT	5%	With ICSI	22%	Ovulatory dysfunction	13%	Unexplained	25%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Martin F. Freedman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	75	33	23	19
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.3	27.3	43.5	6/19
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.0 (17.8 - 38.2)	24.2 (9.6 - 38.9)	34.8 (15.3 - 54.2)	2/19
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.0	24.2	36.4	2/18
Percentage of transfers resulting in live births <sup>b,c</sup>	31.3	25.8	36.4	2/17
Percentage of cancellations <sup>b</sup>	6.7	0.0	4.3	1/19
Average number of embryos transferred	3.8	3.8	4.7	4.5
Percentage of pregnancies with twins <sup>b</sup>	17.9	3/9	3/10	2/6
Percentage of pregnancies with triplets or more <sup>b</sup>	10.7	1/9	0/10	0/6
Percentage of live births having multiple infants <sup>b,c</sup>	33.3	3/8	3/8	2/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	13	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	5/14	3/13	0/3	0/1
Average number of embryos transferred	3.4	3.7	2.3	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	0/1
Average number of fresh embryos transferred			3.0	5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Northern Fertility and Reproductive Associates

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PENNSYLVANIA REPRODUCTIVE ASSOCIATES,  
WOMEN'S INSTITUTE FOR FERTILITY, ENDOCRINOLOGY, AND MENOPAUSE  
PHILADELPHIA, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	90%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	4%
GIFT	10%			Male factor	30%	Other factors	25%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	7%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Stephen L. Corson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	181	86	101	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.2	20.9	15.8	1/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	21.0 (15.1 - 26.9)	17.4 (9.4 - 25.5)	10.9 (4.8 - 17.0)	1/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	24.7	23.8	14.9	1/11
Percentage of transfers resulting in live births <sup>b,c</sup>	28.6	30.6	17.2	1/10
Percentage of cancellations <sup>b</sup>	14.9	26.7	26.7	3/14
Average number of embryos transferred	2.9	3.1	3.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	29.4	9/18	2/16	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	5.9	0/18	2/16	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	34.2	6/15	2/11	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1		
Average number of embryos transferred	3.0	2.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	6	12	21
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/4	5/6	6/12	33.3
Average number of fresh embryos transferred	2.3	2.8	3.0	2.5
Number of frozen embryo transfers	2	0	2	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2		0/2	1/1
Average number of frozen embryos transferred	3.0		2.0	3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Pennsylvania Reproductive Associates, Women's Institute for Fertility, Endocrinology, and Menopause

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THOMAS JEFFERSON IVF PROGRAM PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	97%	<b>Procedural factors:</b>		Tubal factor	60%	Uterine factor	1%
GIFT	3%			Male factor	12%	Other factors	5%
ZIFT	0%	With ICSI	4%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Gregory T. Fossum, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	36	13	9	16
Percentage of cycles resulting in pregnancies <sup>b</sup>	11.1	1/13	1/9	1/16
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2.8 (0.0 - 8.1)	1/13	0/9	0/16
Percentage of retrievals resulting in live births <sup>b,c</sup>	3.0	1/11	0/8	0/12
Percentage of transfers resulting in live births <sup>b,c</sup>	3.4	1/9	0/8	0/11
Percentage of cancellations <sup>b</sup>	8.3	2/13	1/9	4/16
Average number of embryos transferred	4.5	5.2	4.5	4.6
Percentage of pregnancies with twins <sup>b</sup>	1/4	0/1	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	0/1	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/1	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				1/3
Average number of fresh embryos transferred				6.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Thomas Jefferson IVF Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**UNIVERSITY OF PENNSYLVANIA MEDICAL CENTER  
PHILADELPHIA, PENNSYLVANIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	4%
GIFT	0%			Male factor	20%	Other factors	12%
ZIFT	0%	With ICSI	17%	Ovulatory dysfunction	8%	Unexplained	11%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Christos B. Coutifaris, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	132	66	74	52
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.1	25.8	24.3	1.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.5 (21.8 - 37.3)	22.7 (12.6 - 32.8)	14.9 (6.8 - 23.0)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.5	27.8	20.0	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	33.6	29.4	22.0	0.0
Percentage of cancellations <sup>b</sup>	6.1	18.2	25.7	32.7
Average number of embryos transferred	2.8	3.0	3.2	3.3
Percentage of pregnancies with twins <sup>b</sup>	24.4	5/17	3/18	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	6.7	2/17	0/18	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	30.8	6/15	2/11	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	26	13	7	3
Percentage of transfers resulting in live births <sup>b,c</sup>	38.5	4/13	2/7	1/3
Average number of embryos transferred	3.0	3.2	2.3	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Pennsylvania Medical Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## ALLEGHENY GENERAL HOSPITAL IVF PROGRAM PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	0%
GIFT	<1%			Male factor	12%	Other factors	36%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	20%	Unexplained	2%
Combination	<1%	Unstimulated	0%	Endometriosis	14%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Anthony N.G. Wakim, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	128	39	45	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	20.3	17.9	6.7	0.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	18.8 (12.0 - 25.5)	10.3 (0.7 - 19.8)	4.4 (0.0 - 10.5)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	19.2	10.8	4.4	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	20.5	12.5	6.1	0/17
Percentage of cancellations <sup>b</sup>	2.3	5.1	0.0	0.0
Average number of embryos transferred	3.8	3.7	3.7	3.2
Percentage of pregnancies with twins <sup>b</sup>	23.1	0/7	0/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	30.8	0/7	1/3	
Percentage of live births having multiple infants <sup>b,c</sup>	54.2	0/4	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	45	16	4	6
Percentage of transfers resulting in live births <sup>b,c</sup>	4.4	2/16	0/4	0/6
Average number of embryos transferred	4.0	4.3	3.5	4.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	2	3	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	1/2	0/3	0/6
Average number of fresh embryos transferred	4.0	3.5	4.3	4.2
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/3
Average number of frozen embryos transferred				4.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Allegheny General Hospital IVF Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE FERTILITY CENTER AT SAINT CLAIR HOSPITAL PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	93%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	6%
GIFT	0%			Male factor	10%	Other factors	6%
ZIFT	7%	With ICSI	39%	Ovulatory dysfunction	48%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Miguel A. Marrero, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	7	13	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	6/19	2/7	3/13	0/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	5/19	2/7	3/13	0/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	5/18	2/7	3/13	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	5/17	2/7	3/12	0/6
Percentage of cancellations <sup>b</sup>	1/19	0/7	0/13	1/7
Average number of embryos transferred	4.1	4.7	4.8	2.7
Percentage of pregnancies with twins <sup>b</sup>	0/6	2/2	0/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/6	0/2	1/3	
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	1/2	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/3			1/1
Average number of embryos transferred	5.0			3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** IVF Marrero

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY WOMEN'S HEALTH CARE ASSOCIATES  
PITTSBURGH, PENNSYLVANIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	6%
GIFT	0%			Male factor	14%	Other factors	40%
ZIFT	0%	With ICSI	25%	Ovulatory dysfunction	8%	Unexplained	0%
Combination	1%	Unstimulated	0%	Endometriosis	12%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Judith L. Albert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	119	94	66	21
Percentage of cycles resulting in pregnancies <sup>b</sup>	24.4	18.1	10.6	9.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	19.3 (12.2 - 26.4)	14.9 (7.7 - 22.1)	6.1 (0.3 - 11.8)	4.8 (0.0 - 13.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.7	16.9	8.3	1/17
Percentage of transfers resulting in live births <sup>b,c</sup>	21.3	17.9	9.1	1/15
Percentage of cancellations <sup>b</sup>	6.7	11.7	27.3	19.0
Average number of embryos transferred	3.2	3.5	3.4	3.7
Percentage of pregnancies with twins <sup>b</sup>	44.8	3/17	0/7	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	10.3	1/17	1/7	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	47.8	3/14	1/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	15	14	6	5
Percentage of transfers resulting in live births <sup>b,c</sup>	0/15	1/14	1/6	1/5
Average number of embryos transferred	2.6	3.0	3.8	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	3	5	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/4	1/3	2/5	1/8
Average number of fresh embryos transferred	2.5	2.7	3.4	3.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Pittsburgh Physicians

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	92%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	6%
GIFT	0%			Male factor	19%	Other factors	<1%
ZIFT	3%	With ICSI	34%	Ovulatory dysfunction	4%	Unexplained	26%
Combination	5%	Unstimulated	0%	Endometriosis	25%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Albert El-Roeiy, M.D., MBA

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	63	35	25	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.4	14.3	12.0	0/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	15.9 (6.8 - 24.9)	11.4 (0.9 - 22.0)	0.0	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	18.2	13.8	0.0	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	15.4	0/19	0/4
Percentage of cancellations <sup>b</sup>	12.7	17.1	8.0	4/8
Average number of embryos transferred	3.9	3.7	5.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	5/16	0/5	0/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/16	0/5	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	4/10	0/4		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	20	7	4	2
Percentage of transfers resulting in live births <sup>b,c</sup>	5.0	0/7	1/4	0/2
Average number of embryos transferred	4.0	4.0	5.0	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	6	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	4/6	3/4
Average number of fresh embryos transferred		4.0	3.5	4.5
Number of frozen embryo transfers	0	0	1	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			1/1	1/2
Average number of frozen embryos transferred			4.0	3.5

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Endocrinology and Fertility Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# REPRODUCTIVE SCIENCE CENTER OF GREATER PHILADELPHIA WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	8%	Uterine factor	2%
GIFT	0%			Male factor	25%	Other factors	7%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	27%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	30%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Abraham K. Munabi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	7	18	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.4	2/7	2/18	3/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	20.6 (7.0 - 34.2)	2/7	1/18	1/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.6	2/7	1/16	1/7
Percentage of transfers resulting in live births <sup>b,c</sup>	21.9	2/6	1/14	1/7
Percentage of cancellations <sup>b</sup>	0.0	0/7	2/18	0/7
Average number of embryos transferred	4.1	2.8	4.0	3.3
Percentage of pregnancies with twins <sup>b</sup>	1/11	1/2	0/2	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	0/2	0/2	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	1/7	1/2	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	4	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/8	0/4	0/1	
Average number of embryos transferred	3.6	4.0	4.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	5	2	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/2	2/5	1/2	3/7
Average number of fresh embryos transferred	4.0	3.8	3.5	4.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Science Institute - Philadelphia

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**WOMEN'S CLINIC, LTD.  
WEST READING, PENNSYLVANIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	51%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	11%
ZIFT	0%	With ICSI	16%	Ovulatory dysfunction	3%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Vincent A. Pellegrini, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	28	25	9	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	21.4	32.0	1/9	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	17.9 (3.7 - 32.0)	28.0 (10.4 - 45.6)	1/9	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	19.2	7/18	1/9	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	20.8	7/17	1/9	0/1
Percentage of cancellations <sup>b</sup>	7.1	28.0	0/9	0/1
Average number of embryos transferred	4.2	4.1	4.9	1.0
Percentage of pregnancies with twins <sup>b</sup>	2/6	3/8	1/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/6	0/8	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	3/7	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Women's Clinic, Ltd.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTRO DE FERTILIDAD DEL CARIBE RIO PIEDRAS, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	45%	Uterine factor	2%
GIFT	0%			Male factor	37%	Other factors	2%
ZIFT	0%	With ICSI	46%	Ovulatory dysfunction	4%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Rene Fernandez-Pelegrina, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	49	25	17	15
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.0	36.0	4/17	8/15
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.7 (23.2 - 50.2)	32.0 (13.7 - 50.3)	3/17	5/15
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.9	34.8	3/14	5/14
Percentage of transfers resulting in live births <sup>b,c</sup>	45.0	36.4	3/11	5/13
Percentage of cancellations <sup>b</sup>	12.2	8.0	3/17	1/15
Average number of embryos transferred	2.0	1.9	1.9	2.8
Percentage of pregnancies with twins <sup>b</sup>	36.0	1/9	2/4	1/8
Percentage of pregnancies with triplets or more <sup>b</sup>	4.0	0/9	0/4	0/8
Percentage of live births having multiple infants <sup>b,c</sup>	8/18	1/8	0/3	1/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3			0/1
Average number of embryos transferred	2.0			1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Centro de Fertilidad del Caribe

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## WOMEN & INFANTS HOSPITAL IVF PROGRAM PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	2%
GIFT	0%			Male factor	31%	Other factors	7%
ZIFT	<1%	With ICSI	39%	Ovulatory dysfunction	8%	Unexplained	13%
Combination	<1%	Unstimulated	0%	Endometriosis	11%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by David L. Keefe, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	370	148	124	67
Percentage of cycles resulting in pregnancies <sup>b</sup>	24.3	16.9	16.9	19.4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.7 (18.4 - 27.0)	11.5 (6.3 - 16.6)	12.1 (6.4 - 17.8)	13.4 (5.3 - 21.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	23.2	12.6	13.8	14.5
Percentage of transfers resulting in live births <sup>b,c</sup>	24.6	13.3	15.8	15.8
Percentage of cancellations <sup>b</sup>	2.2	8.8	12.1	7.5
Average number of embryos transferred	3.1	3.2	3.6	4.2
Percentage of pregnancies with twins <sup>b</sup>	43.3	28.0	14.3	3/13
Percentage of pregnancies with triplets or more <sup>b</sup>	14.4	12.0	14.3	2/13
Percentage of live births having multiple infants <sup>b,c</sup>	48.8	8/17	5/15	3/9
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	42	28	11	5
Percentage of transfers resulting in live births <sup>b,c</sup>	9.5	14.3	2/11	0/5
Average number of embryos transferred	3.4	3.3	3.4	4.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	1	4	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2	0/1	0/4	1/3
Average number of fresh embryos transferred	3.0	2.0	2.8	3.7
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/2
Average number of frozen embryos transferred				4.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Women & Infants Hospital IVF Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR WOMEN'S MEDICINE  
GREENVILLE, SOUTH CAROLINA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	3%
GIFT	0%			Male factor	15%	Other factors	12%
ZIFT	0%	With ICSI	43%	Ovulatory dysfunction	14%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	24%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Thomas M. Price, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	63	34	22	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.4	32.4	36.4	1/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	49.2 (36.9 - 61.6)	29.4 (14.1 - 44.7)	31.8 (12.4 - 51.3)	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	52.5	41.7	7/18	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	53.4	41.7	7/18	0/3
Percentage of cancellations <sup>b</sup>	6.3	29.4	18.2	1/4
Average number of embryos transferred	3.2	3.3	3.6	3.7
Percentage of pregnancies with twins <sup>b</sup>	39.4	4/11	3/8	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	9.1	2/11	0/8	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	48.4	5/10	2/7	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	1	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/9	0/1	1/4	0/1
Average number of embryos transferred	3.2	2.0	2.8	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1		1/1	0/6
Average number of fresh embryos transferred	4.0		4.0	3.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				1/1
Average number of frozen embryos transferred				3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Endocrinology and Infertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SOUTHEASTERN FERTILITY CENTER, P.A.  
MT. PLEASANT, SOUTH CAROLINA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	<1%
GIFT	0%			Male factor	30%	Other factors	<1%
ZIFT	0%	With ICSI	34%	Ovulatory dysfunction	26%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Grant W. Patton, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	124	58	38	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.9	27.6	21.1	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.3 (27.8 - 44.8)	20.7 (10.3 - 31.1)	18.4 (6.1 - 30.7)	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.9	26.7	26.9	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	41.3	27.3	29.2	0/3
Percentage of cancellations <sup>b</sup>	11.3	22.4	31.6	3/6
Average number of embryos transferred	3.2	3.9	4.5	3.3
Percentage of pregnancies with twins <sup>b</sup>	44.2	4/16	4/8	
Percentage of pregnancies with triplets or more <sup>b</sup>	19.2	0/16	1/8	
Percentage of live births having multiple infants <sup>b,c</sup>	60.0	3/12	1/7	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	8	5	2
Percentage of transfers resulting in live births <sup>b,c</sup>	4/17	1/8	1/5	0/2
Average number of embryos transferred	3.8	3.9	4.4	3.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	7	9	34
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/6	1/7	4/9	38.2
Average number of fresh embryos transferred	3.5	2.7	3.0	3.3
Number of frozen embryo transfers	2	4	8	9
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	0/4	2/8	2/9
Average number of frozen embryos transferred	3.5	4.5	3.9	3.9

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Southeastern Fertility Center, P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY PHYSICIANS FERTILITY SPECIALISTS

## SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	1%
GIFT	0%			Male factor	28%	Other factors	21%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	19%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	1%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Donald O. Kreger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	11	5	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.2	6/11	1/5	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.1 (9.9 - 36.3)	4/11	1/5	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.7	4/11	1/5	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	29.0	4/11	1/5	0/2
Percentage of cancellations <sup>b</sup>	10.3	0/11	0/5	1/3
Average number of embryos transferred	3.4	3.7	3.2	2.0
Percentage of pregnancies with twins <sup>b</sup>	3/11	2/6	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/11	1/6	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	4/9	2/4	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	3	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/17	0/3	1/1	
Average number of embryos transferred	3.6	3.3	5.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University Physicians Fertility Specialists

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	1%
GIFT	0%			Male factor	12%	Other factors	1%
ZIFT	2%	With ICSI	21%	Ovulatory dysfunction	13%	Unexplained	33%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Barry W. Donesky, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	40	12	2	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	3/12	0/2	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.5 (9.6 - 35.4)	1/12	0/2	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	23.1	1/12	0/1	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	27.3	1/8	0/1	0/3
Percentage of cancellations <sup>b</sup>	2.5	0/12	1/2	0/3
Average number of embryos transferred	3.1	3.9	4.0	2.7
Percentage of pregnancies with twins <sup>b</sup>	1/10	1/3		0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3/10	0/3		0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/9	1/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	8	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/12	0/8	0/2	
Average number of embryos transferred	3.6	3.0	2.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/2	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	1	2	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	1/2	0/1
Average number of frozen embryos transferred		3.0	4.0	3.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Reproductive Medicine and Fertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# APPALACHIAN FERTILITY AND ENDOCRINOLOGY CENTER KINGSPORT, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	65%	<b>Procedural factors:</b>		Tubal factor	41%	Uterine factor	2%
GIFT	6%			Male factor	9%	Other factors	5%
ZIFT	23%	With ICSI	45%	Ovulatory dysfunction	28%	Unexplained	6%
Combination	6%	Unstimulated	0%	Endometriosis	9%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Pickens A. Gantt, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	36	6	6	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.9	0/6	1/6	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.0 (10.9 - 39.1)	0/6	0/6	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.5	0/5	0/5	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	31.0	0/5	0/4	0/2
Percentage of cancellations <sup>b</sup>	5.6	1/6	1/6	1/3
Average number of embryos transferred	4.4	2.8	3.8	3.5
Percentage of pregnancies with twins <sup>b</sup>	3/14		0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/14		0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	1/9			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/8			0/1
Average number of embryos transferred	2.8			2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	2	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			2/2	
Average number of fresh embryos transferred			4.5	
Number of frozen embryo transfers	2	0	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2		0/1	
Average number of frozen embryos transferred	2.5		6.0	

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Appalachian Fertility and Endocrinology Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF TENNESSEE FERTILITY CENTER  
KNOXVILLE, TENNESSEE**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	65%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	0%
GIFT	6%			Male factor	29%	Other factors	0%
ZIFT	29%	With ICSI	47%	Ovulatory dysfunction	33%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Gayla S. Harris, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	5	3	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/8	3/5	1/3	1/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/8	3/5	1/3	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/7	3/5	1/3	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/7	3/5	1/3	0/1
Percentage of cancellations <sup>b</sup>	1/8	0/5	0/3	0/1
Average number of embryos transferred	3.4	3.0	5.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	2/4	0/3	0/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	0/3	0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	0/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>		0/1		
Average number of embryos transferred		3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	1/1
Average number of fresh embryos transferred			3.0	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY FERTILITY ASSOCIATES MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	34%	Uterine factor	<1%
GIFT	0%			Male factor	15%	Other factors	7%
ZIFT	0%	With ICSI	28%	Ovulatory dysfunction	13%	Unexplained	15%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Raymond W. Ke, M.D., HCLD

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	85	25	26	7
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.2	40.0	11.5	0/7
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.5 (14.5 - 32.5)	32.0 (13.7 - 50.3)	11.5 (0.0 - 23.8)	0/7
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.3	38.1	15.0	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	26.3	40.0	3/17	0/5
Percentage of cancellations <sup>b</sup>	7.1	16.0	23.1	2/7
Average number of embryos transferred	3.4	3.7	3.5	3.6
Percentage of pregnancies with twins <sup>b</sup>	41.7	3/10	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	1/10	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	35.0	2/8	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	5	2	5
Percentage of transfers resulting in live births <sup>b,c</sup>	1/16	1/5	0/2	0/5
Average number of embryos transferred	3.0	1.6	3.0	2.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	2	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1	1/2	3/5
Average number of fresh embryos transferred		4.0	4.5	3.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University Fertility Associates

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR REPRODUCTIVE HEALTH  
NASHVILLE, TENNESSEE**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	1%
GIFT	0%			Male factor	27%	Other factors	1%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	25%	Unexplained	11%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jaime M. Vasquez, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	19	1	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	73.6	12/19	1/1	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	67.9 (55.4 - 80.5)	8/19	0/1	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	70.6	8/18	0/1	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	70.6	8/18	0/1	0/1
Percentage of cancellations <sup>b</sup>	3.8	1/19	0/1	2/3
Average number of embryos transferred	3.4	4.2	5.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	33.3	3/12	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	17.9	0/12	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	52.8	3/8		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/6	0/1	0/1	
Average number of embryos transferred	3.2	4.0	6.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/3
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Center for Reproductive Health

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	26%	Uterine factor	1%
GIFT	0%			Male factor	31%	Other factors	20%
ZIFT	0%	With ICSI	54%	Ovulatory dysfunction	5%	Unexplained	2%
Combination	1%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by George A. Hill, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	147	67	42	20
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.4	35.8	38.1	20.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	44.2 (36.2 - 52.2)	26.9 (16.3 - 37.5)	28.6 (14.9 - 42.2)	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.8	29.0	35.3	1/17
Percentage of transfers resulting in live births <sup>b,c</sup>	47.4	30.5	36.4	1/17
Percentage of cancellations <sup>b</sup>	5.4	7.5	19.0	15.0
Average number of embryos transferred	3.4	3.7	3.8	4.1
Percentage of pregnancies with twins <sup>b</sup>	23.4	16.7	3/16	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	11.7	4.2	0/16	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	32.3	5/18	2/12	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	9	1	3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/12	3/9	0/1	0/3
Average number of embryos transferred	2.8	2.8	4.0	2.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	11	4	11	22
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	9/11	2/4	5/11	45.5
Average number of fresh embryos transferred	3.1	2.5	2.6	2.7
Number of frozen embryo transfers	2	1	2	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2	0/1	1/2	3/6
Average number of frozen embryos transferred	4.0	4.0	2.5	3.3

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Nashville Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**DR. JEFFREY YOUNGKIN**  
**AUSTIN FERTILITY CENTER**  
**AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	19%	Other factors	0%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	19%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Jeffrey T. Youngkin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	15	4	2	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	7/15	0/4	1/2	1/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	7/15	0/4	1/2	1/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	7/14	0/4	1/2	1/2
Percentage of transfers resulting in live births <sup>b,c</sup>	7/14	0/3	1/2	1/2
Percentage of cancellations <sup>b</sup>	1/15	0/4	0/2	0/2
Average number of embryos transferred	3.9	4.0	3.0	5.0
Percentage of pregnancies with twins <sup>b</sup>	2/7		1/1	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	3/7		0/1	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/7		1/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/3		0/1
Average number of embryos transferred	3.5	4.0		1.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Dr. Jeffrey Youngkin, Austin Fertility Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**HAROLD BRUMLEY, M.D.**  
**AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	0%
GIFT	0%			Male factor	27%	Other factors	0%
ZIFT	0%	With ICSI	20%	Ovulatory dysfunction	19%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Harold W. Brumley, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	2	5	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	3/10	1/2	1/5	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/10	1/2	1/5	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/7	1/1	1/5	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/7	1/1	1/5	0/1
Percentage of cancellations <sup>b</sup>	3/10	1/2	0/5	2/3
Average number of embryos transferred	3.4	4.0	4.2	2.0
Percentage of pregnancies with twins <sup>b</sup>	1/3	1/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3	0/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	1/3	1/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/4			
Average number of embryos transferred	4.8			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Harold Brumley, M.D.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**TEXAS FERTILITY CENTER  
AUSTIN, TEXAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	33%	Uterine factor	1%
GIFT	0%			Male factor	20%	Other factors	2%
ZIFT	<1%	With ICSI	18%	Ovulatory dysfunction	14%	Unexplained	14%
Combination	<1%	Unstimulated	0%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Thomas C. Vaughn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	109	65	63	47
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.5	44.6	23.8	19.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	44.0 (34.7 - 53.4)	40.0 (28.1 - 51.9)	15.9 (6.8 - 24.9)	14.9 (4.7 - 25.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.5	45.6	18.9	18.4
Percentage of transfers resulting in live births <sup>b,c</sup>	52.2	46.4	19.2	20.0
Percentage of cancellations <sup>b</sup>	12.8	12.3	15.9	19.1
Average number of embryos transferred	3.3	3.5	3.7	4.4
Percentage of pregnancies with twins <sup>b</sup>	30.9	37.9	4/15	0/9
Percentage of pregnancies with triplets or more <sup>b</sup>	18.2	17.2	3/15	1/9
Percentage of live births having multiple infants <sup>b,c</sup>	45.8	38.5	4/10	1/7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	37	17	9	7
Percentage of transfers resulting in live births <sup>b,c</sup>	29.7	2/17	1/9	1/7
Average number of embryos transferred	3.0	3.5	2.6	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Texas Fertility Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR ASSISTED REPRODUCTION  
BEDFORD, TEXAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	<1%
GIFT	0%			Male factor	26%	Other factors	21%
ZIFT	0%	With ICSI	54%	Ovulatory dysfunction	12%	Unexplained	17%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Kevin J. Doody, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	210	114	71	55
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	37.7	31.0	7.3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	43.8 (37.1 - 50.5)	31.6 (23.0 - 40.1)	19.7 (10.5 - 29.0)	5.5 (0.0 - 11.5)
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.3	36.4	24.1	9.7
Percentage of transfers resulting in live births <sup>b,c</sup>	47.7	39.1	25.9	10.0
Percentage of cancellations <sup>b</sup>	3.3	13.2	18.3	43.6
Average number of embryos transferred	2.4	2.5	2.7	2.7
Percentage of pregnancies with twins <sup>b</sup>	32.4	18.6	36.4	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	7.6	9.3	0.0	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	38.0	30.6	7/14	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	43	22	10	3
Percentage of transfers resulting in live births <sup>b,c</sup>	23.3	22.7	4/10	1/3
Average number of embryos transferred	2.4	2.5	2.5	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	5	3	6	26
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/5	3/3	3/6	57.7
Average number of fresh embryos transferred	2.4	2.3	2.5	2.0
Number of frozen embryo transfers	0	1	3	12
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	0/3	1/12
Average number of frozen embryos transferred		1.0	3.3	2.3

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Assisted Reproduction

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# REPRODUCTIVE SCIENCE CENTER OF DALLAS CARROLLTON, TEXAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	35%	Uterine factor	1%
GIFT	0%			Male factor	14%	Other factors	4%
ZIFT	0%	With ICSI	44%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	25%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by W.F. Howard, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	40	16	12	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	17.5	1/16	2/12	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	17.5 (5.7 - 29.3)	1/16	2/12	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.0	1/10	2/7	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	21.9	1/9	2/7	0/2
Percentage of cancellations <sup>b</sup>	12.5	6/16	5/12	2/4
Average number of embryos transferred	2.9	3.1	3.7	2.5
Percentage of pregnancies with twins <sup>b</sup>	1/7	1/1	1/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/1	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	1/7	1/1	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	3	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/7	1/3	0/2	
Average number of embryos transferred	1.4	3.0	2.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	4	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/4		0/2
Average number of fresh embryos transferred		3.3		2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Trinity IVF Program

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## BAYLOR CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	15%	Uterine factor	3%
GIFT	0%			Male factor	30%	Other factors	28%
ZIFT	0%	With ICSI	69%	Ovulatory dysfunction	7%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Michael Putman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	32	34	13
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.1	50.0	50.0	1/13
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	45.3 (31.9 - 58.7)	40.6 (23.6 - 57.6)	35.3 (19.2 - 51.4)	1/13
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.0	43.3	44.4	1/11
Percentage of transfers resulting in live births <sup>b,c</sup>	51.1	44.8	46.2	1/10
Percentage of cancellations <sup>b</sup>	7.5	6.3	20.6	2/13
Average number of embryos transferred	3.5	3.7	4.3	4.1
Percentage of pregnancies with twins <sup>b</sup>	23.1	4/16	2/17	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	23.1	2/16	1/17	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	45.8	6/13	2/12	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	8	1	3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/11	2/8	1/1	0/3
Average number of embryos transferred	3.9	4.5	5.0	2.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Baylor Center for Reproductive Health

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**NATIONAL FERTILITY CENTER OF TEXAS, P.A.  
DALLAS, TEXAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	7%
GIFT	0%			Male factor	13%	Other factors	9%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	49%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Brian M. Cohen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	36	18	30	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.6	1/18	20.0	2/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.0 (10.9 - 39.1)	0/18	16.7 (3.3 - 30.0)	1/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.0	0/12	22.7	1/5
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	0/12	5/18	1/4
Percentage of cancellations <sup>b</sup>	16.7	6/18	26.7	3/8
Average number of embryos transferred	3.3	2.6	3.7	4.0
Percentage of pregnancies with twins <sup>b</sup>	4/11	0/1	1/6	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	0/1	1/6	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	5/9		2/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	3	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	1/3	0/2	0/1
Average number of embryos transferred	3.8	1.7	4.5	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				1/2
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** National Fertility Center of Texas, P.A.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## PRESBYTERIAN HOSPITAL ARTS PROGRAM DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	<1%
GIFT	<1%			Male factor	30%	Other factors	7%
ZIFT	<1%	With ICSI	36%	Ovulatory dysfunction	20%	Unexplained	6%
Combination	<1%	Unstimulated	0%	Endometriosis	14%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by James Madden, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	225	119	95	64
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.7	25.2	20.0	14.1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.1 (21.3 - 32.9)	19.3 (12.2 - 26.4)	12.6 (6.0 - 19.3)	4.7 (0.0 - 9.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.4	25.3	20.3	7.7
Percentage of transfers resulting in live births <sup>b,c</sup>	35.1	27.7	23.1	8.8
Percentage of cancellations <sup>b</sup>	16.4	23.5	37.9	39.1
Average number of embryos transferred	2.8	2.9	3.3	3.1
Percentage of pregnancies with twins <sup>b</sup>	36.8	33.3	9/19	2/9
Percentage of pregnancies with triplets or more <sup>b</sup>	5.7	0.0	1/19	1/9
Percentage of live births having multiple infants <sup>b,c</sup>	45.9	26.1	9/12	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	32	12	10	6
Percentage of transfers resulting in live births <sup>b,c</sup>	9.4	1/12	3/10	1/6
Average number of embryos transferred	2.6	3.0	3.3	2.8
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	3	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1	2/3	2/2
Average number of fresh embryos transferred		3.0	3.3	2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Presbyterian Hospital ARTS Program

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY OF TEXAS SOUTHWESTERN FERTILITY ASSOCIATES DALLAS, TEXAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	1%
GIFT	0%			Male factor	11%	Other factors	32%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	14%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Deborah L. Smith, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	88	49	36	8
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.7	22.4	16.7	0/8
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.4 (19.0 - 37.8)	12.2 (3.1 - 21.4)	11.1 (0.8 - 21.4)	0/8
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.9	14.3	14.3	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	31.3	14.6	14.3	0/5
Percentage of cancellations <sup>b</sup>	8.0	14.3	22.2	2/8
Average number of embryos transferred	3.6	3.7	3.0	3.8
Percentage of pregnancies with twins <sup>b</sup>	29.6	3/11	1/6	
Percentage of pregnancies with triplets or more <sup>b</sup>	7.4	2/11	0/6	
Percentage of live births having multiple infants <sup>b,c</sup>	28.0	4/6	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	4	3	9
Percentage of transfers resulting in live births <sup>b,c</sup>	1/5	2/4	0/3	0/9
Average number of embryos transferred	2.6	3.3	3.7	3.4
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	4	9	28
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/3	2/4	3/9	39.3
Average number of fresh embryos transferred	3.3	3.8	3.9	3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University of Texas Southwestern Fertility Associates

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# BAYLOR ASSISTED REPRODUCTIVE TECHNOLOGY HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	0%
GIFT	0%			Male factor	51%	Other factors	11%
ZIFT	0%	With ICSI	60%	Ovulatory dysfunction	3%	Unexplained	5%
Combination	2%	Unstimulated	0%	Endometriosis	9%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Sandra A. Carson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	105	50	40	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	45.7	38.0	37.5	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	37.1 (27.9 - 46.4)	30.0 (17.3 - 42.7)	22.5 (9.6 - 35.4)	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.9	30.6	23.7	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	38.2	31.3	24.3	0/2
Percentage of cancellations <sup>b</sup>	1.9	2.0	5.0	0/3
Average number of embryos transferred	4.8	4.5	4.5	6.0
Percentage of pregnancies with twins <sup>b</sup>	29.2	3/19	4/15	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	20.8	3/19	1/15	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	41.0	5/15	2/9	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	26	8	5	7
Percentage of transfers resulting in live births <sup>b,c</sup>	26.9	0/8	1/5	0/7
Average number of embryos transferred	3.1	3.3	6.0	3.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	8	16
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	1/2	3/8	8/16
Average number of fresh embryos transferred	5.0	5.5	5.3	5.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Baylor Assisted Reproductive Technology

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## CENTER FOR REPRODUCTION AT GRAMERCY HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	7%
GIFT	0%			Male factor	31%	Other factors	5%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	15%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Milton W. McNichol, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	48	22	21	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.7	54.5	23.8	1/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.3 (18.1 - 44.4)	36.4 (16.3 - 56.5)	19.0 (2.3 - 35.8)	1/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	8/19	4/15	1/6
Percentage of transfers resulting in live births <sup>b,c</sup>	34.1	8/18	4/14	1/6
Percentage of cancellations <sup>b</sup>	6.3	13.6	28.6	4/10
Average number of embryos transferred	3.0	2.8	3.2	3.3
Percentage of pregnancies with twins <sup>b</sup>	30.0	3/12	0/5	1/1
Percentage of pregnancies with triplets or more <sup>b</sup>	10.0	2/12	0/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	7/15	3/8	0/4	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	19	12	8	3
Percentage of transfers resulting in live births <sup>b,c</sup>	2/19	1/12	1/8	0/3
Average number of embryos transferred	3.3	3.6	3.3	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	1	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1		0/1	0/3
Average number of fresh embryos transferred	2.0		3.0	2.7
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of frozen embryos transferred	4.0			

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Reproduction at Gramercy

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# CENTER FOR WOMEN'S HEALTHCARE AND RESEARCH HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	21%	Uterine factor	3%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	53%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by James M. Wheeler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	6	2	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/10	1/6	0/2	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/10	0/6	0/2	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/10	0/5	0/2	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	0/10	0/5	0/2	0/5
Percentage of cancellations <sup>b</sup>	0/10	1/6	0/2	0/6
Average number of embryos transferred	5.1	3.6	3.5	5.0
Percentage of pregnancies with twins <sup>b</sup>		0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>		0/1		
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			1/2
Average number of embryos transferred	3.0			5.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				1/6
Average number of fresh embryos transferred				5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Women's Healthcare and Research

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



# NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE HOUSTON, TEXAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	54%	Uterine factor	0%
GIFT	0%			Male factor	22%	Other factors	1%
ZIFT	0%	With ICSI	44%	Ovulatory dysfunction	16%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Dorothy J. Roach, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	31	10	11	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.5	2/10	2/11	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	32.3 (15.8 - 48.7)	1/10	2/11	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.5	1/6	2/9	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	34.5	1/5	2/8	0/4
Percentage of cancellations <sup>b</sup>	6.5	4/10	2/11	1/5
Average number of embryos transferred	3.1	3.8	3.8	4.5
Percentage of pregnancies with twins <sup>b</sup>	2/11	1/2	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	3/11	0/2	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	5/10	1/1	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	2	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	1/2	0/1	0/1
Average number of embryos transferred	2.5	3.5	6.0	6.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** North Houston Center for Reproductive Medicine

### Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# OBSTETRICAL & GYNECOLOGICAL ASSOCIATES HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	<1%
GIFT	0%			Male factor	33%	Other factors	15%
ZIFT	0%	With ICSI	56%	Ovulatory dysfunction	10%	Unexplained	1%
Combination	<1%	Unstimulated	0%	Endometriosis	13%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by George M. Grunert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	195	93	79	44
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.8	26.9	13.9	4.5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.7 (20.5 - 32.9)	22.6 (14.1 - 31.1)	6.3 (1.0 - 11.7)	2.3 (0.0 - 6.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.9	25.9	6.9	2.9
Percentage of transfers resulting in live births <sup>b,c</sup>	29.5	26.6	7.6	2.9
Percentage of cancellations <sup>b</sup>	7.7	12.9	8.9	20.5
Average number of embryos transferred	3.3	3.6	3.3	3.3
Percentage of pregnancies with twins <sup>b</sup>	29.0	28.0	1/11	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	12.9	4.0	2/11	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	40.4	33.3	1/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	44	30	7	9
Percentage of transfers resulting in live births <sup>b,c</sup>	9.1	0.0	0/7	0/9
Average number of embryos transferred	2.6	2.6	1.9	2.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	6	4	11	26
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/6	0/4	2/11	15.4
Average number of fresh embryos transferred	3.5	3.5	3.4	3.1
Number of frozen embryo transfers	5	3	6	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	2/5	0/3	0/6	1/6
Average number of frozen embryos transferred	3.6	3.0	3.0	3.3

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Obstetrical & Gynecological Associates

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY OF TEXAS WOMEN'S HEALTH CENTER HOUSTON, TEXAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	57%	Uterine factor	6%
GIFT	0%			Male factor	6%	Other factors	25%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Jaou-chen Huang, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	0	2	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/10		0/2	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/10		0/2	
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/9		0/2	
Percentage of transfers resulting in live births <sup>b,c</sup>	2/7		0/1	
Percentage of cancellations <sup>b</sup>	1/10		0/2	
Average number of embryos transferred	3.6		3.0	
Percentage of pregnancies with twins <sup>b</sup>	0/2			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/2			
Percentage of live births having multiple infants <sup>b,c</sup>	0/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2			
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/1
Average number of fresh embryos transferred				6.0
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University Of Texas Women's Health Center

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

### Clinic Profile:

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## WILFORD HALL MEDICAL CENTER LACKLAND AFB, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	50%	Uterine factor	2%
GIFT	0%			Male factor	26%	Other factors	<1%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	3%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Timothy N. Hickman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	48	33	23	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	56.3	33.3	34.8	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	54.2 (40.1 - 68.3)	24.2 (9.6 - 38.9)	17.4 (1.9 - 32.9)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	61.9	28.6	20.0	
Percentage of transfers resulting in live births <sup>b,c</sup>	61.9	29.6	20.0	
Percentage of cancellations <sup>b</sup>	12.5	15.2	13.0	
Average number of embryos transferred	3.0	3.4	3.6	
Percentage of pregnancies with twins <sup>b</sup>	37.0	5/11	5/8	
Percentage of pregnancies with triplets or more <sup>b</sup>	14.8	1/11	0/8	
Percentage of live births having multiple infants <sup>b,c</sup>	53.8	5/8	2/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Wilford Hall Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE CENTER FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	2%
GIFT	0%			Male factor	18%	Other factors	12%
ZIFT	0%	With ICSI	14%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	29%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Janelle Dorsett, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	77	31	13	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.6	25.8	1/13	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	39.0 (28.1 - 49.9)	22.6 (7.9 - 37.3)	1/13	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	44.1	29.2	1/12	0/3
Percentage of transfers resulting in live births <sup>b,c</sup>	49.2	31.8	1/12	0/3
Percentage of cancellations <sup>b</sup>	11.7	22.6	1/13	2/5
Average number of embryos transferred	2.7	3.1	2.3	2.7
Percentage of pregnancies with twins <sup>b</sup>	15.6	3/8	1/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	15.6	1/8	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	30.0	3/7	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	0	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/8		0/2	
Average number of embryos transferred	2.0		3.5	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	3	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/2	3/3		1/1
Average number of fresh embryos transferred	3.5	2.0		2.0
Number of frozen embryo transfers	2	2	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2	1/2		0/2
Average number of frozen embryos transferred	4.5	3.5		2.5

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**TEXAS TECHNOLOGY UNIVERSITY HEALTH SCIENCES CENTER  
IVF PROGRAM  
LUBBOCK, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	43%	Uterine factor	4%
GIFT	0%			Male factor	30%	Other factors	5%
ZIFT	0%	With ICSI	13%	Ovulatory dysfunction	5%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Samuel D. Prien, Ph.D., HCLD

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	2	3	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	2/10	0/2	0/3	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	2/10	0/2	0/3	
Percentage of retrievals resulting in live births <sup>b,c</sup>	2/9	0/2	0/3	
Percentage of transfers resulting in live births <sup>b,c</sup>	2/9	0/2	0/3	
Percentage of cancellations <sup>b</sup>	1/10	0/2	0/3	
Average number of embryos transferred	3.0	3.5	3.0	
Percentage of pregnancies with twins <sup>b</sup>		0/2		
Percentage of pregnancies with triplets or more <sup>b</sup>		0/2		
Percentage of live births having multiple infants <sup>b,c</sup>		0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	2	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/4	0/2	0/2	
Average number of embryos transferred	3.3	4.0	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Texas Technology University Health Science Center-IVF Program

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	<1%
GIFT	0%			Male factor	27%	Other factors	19%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	16%	Unexplained	5%
Combination	1%	Unstimulated	0%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Joseph E. Martin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	96	36	28	23
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.1	58.3	39.3	13.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	46.9 (36.9 - 56.9)	50.0 (33.7 - 66.3)	35.7 (18.0 - 53.5)	4.3 (0.0 - 12.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	52.3	56.3	43.5	1/15
Percentage of transfers resulting in live births <sup>b,c</sup>	55.6	62.1	43.5	1/14
Percentage of cancellations <sup>b</sup>	10.4	11.1	17.9	34.8
Average number of embryos transferred	2.7	2.9	3.3	3.6
Percentage of pregnancies with twins <sup>b</sup>	38.0	19.0	4/11	2/3
Percentage of pregnancies with triplets or more <sup>b</sup>	6.0	9.5	1/11	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	6/18	3/10	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	41	13	7	2
Percentage of transfers resulting in live births <sup>b,c</sup>	41.5	4/13	1/7	1/2
Average number of embryos transferred	2.5	2.9	3.0	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of fresh embryos transferred	3.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Center of San Antonio

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## FERTILITY CONCEPTS SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	23%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	7%
ZIFT	0%	With ICSI	5%	Ovulatory dysfunction	27%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Linda Ellsworth, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	4	5	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/12	0/4	0/5	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/12	0/4	0/5	
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/11	0/4	0/4	
Percentage of transfers resulting in live births <sup>b,c</sup>	3/11	0/3	0/2	
Percentage of cancellations <sup>b</sup>	1/12	0/4	1/5	
Average number of embryos transferred	2.8	4.0	4.0	
Percentage of pregnancies with twins <sup>b</sup>	0/4			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4			
Percentage of live births having multiple infants <sup>b,c</sup>	0/3			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	2	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2		0/2	0/2
Average number of embryos transferred	4.0		2.0	2.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/1		1/1
Average number of fresh embryos transferred		3.0		2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Concepts

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INSTITUTE FOR WOMEN'S HEALTH  
ADVANCED FERTILITY LABORATORY  
SAN ANTONIO, TEXAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	0%
GIFT	0%			Male factor	18%	Other factors	0%
ZIFT	0%	With ICSI	83%	Ovulatory dysfunction	30%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	35%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Joseph R. Garza, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	28	6	8	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	10.7	0/6	0/8	1/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	10.7 (0.0 - 22.2)	0/6	0/8	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	11.5	0/6	0/6	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	12.0	0/4	0/6	0/3
Percentage of cancellations <sup>b</sup>	7.1	0/6	2/8	1/5
Average number of embryos transferred	3.8	3.3	2.8	4.3
Percentage of pregnancies with twins <sup>b</sup>	1/3			0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/3			0/1
Percentage of live births having multiple infants <sup>b,c</sup>	1/3			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	4	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/11	0/4		
Average number of embryos transferred	3.5	3.3		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of frozen embryos transferred			5.0	

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Institute for Women's Health, Advanced Fertility Laboratory

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SOUTH TEXAS FERTILITY CENTER**  
**UNIVERSITY OF TEXAS HEALTH SCIENCE CENTER AT SAN ANTONIO**  
**SAN ANTONIO, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	1%
GIFT	0%			Male factor	13%	Other factors	2%
ZIFT	0%	With ICSI	9%	Ovulatory dysfunction	39%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Robert G. Brzyski, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	31	14	20	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.8	4/14	20.0	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	22.6 (7.9 - 37.3)	3/14	10.0 (0.0 - 23.1)	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.0	3/13	2/16	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	28.0	3/12	2/15	0/2
Percentage of cancellations <sup>b</sup>	19.4	1/14	20.0	2/4
Average number of embryos transferred	3.0	3.2	3.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	3/8	0/4	0/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/8	1/4	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	2/7	1/3	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	3	6	3
Percentage of transfers resulting in live births <sup>b,c</sup>	1/10	1/3	1/6	0/3
Average number of embryos transferred	2.2	3.3	2.7	2.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	3	3	19
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1	1/3	2/3	11/19
Average number of fresh embryos transferred	2.0	2.7	3.3	3.5
Number of frozen embryo transfers	0	1	0	11
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1		1/11
Average number of frozen embryos transferred		4.0		3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** South Texas Fertility Center, University of Texas Health Science Center at San Antonio

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER OF REPRODUCTIVE MEDICINE  
WEBSTER, TEXAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	1%
GIFT	0%			Male factor	25%	Other factors	11%
ZIFT	0%	With ICSI	59%	Ovulatory dysfunction	18%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	25%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Vicki L. Schnell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	67	34	24	19
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.9	35.3	12.5	0/19
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	25.4 (15.0 - 35.8)	29.4 (14.1 - 44.7)	4.2 (0.0 - 12.2)	0/19
Percentage of retrievals resulting in live births <sup>b,c</sup>	27.0	32.3	4.5	0/14
Percentage of transfers resulting in live births <sup>b,c</sup>	27.4	34.5	4.5	0/13
Percentage of cancellations <sup>b</sup>	6.0	8.8	8.3	5/19
Average number of embryos transferred	3.6	3.5	3.6	2.6
Percentage of pregnancies with twins <sup>b</sup>	6/18	2/12	0/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	2/18	3/12	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	6/17	4/10	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	3	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/9	0/3		0/1
Average number of embryos transferred	2.8	2.3		3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** The Center of Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## REPRODUCTIVE CARE CENTER SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	2%
GIFT	0%			Male factor	28%	Other factors	8%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	7%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	21%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by James S. Heiner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	7	8	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.1	1/7	1/8	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	46.9 (29.6 - 64.2)	1/7	1/8	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.9	1/5	1/7	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	48.4	1/5	1/7	
Percentage of cancellations <sup>b</sup>	0.0	2/7	1/8	2/3
Average number of embryos transferred	3.3	3.2	3.3	
Percentage of pregnancies with twins <sup>b</sup>	6/17	0/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	3/17	1/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	8/15	1/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	1	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/5	0/1		0/1
Average number of embryos transferred	4.2	3.0		3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Reproductive Care Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	27%	Uterine factor	<1%
GIFT	1%			Male factor	25%	Other factors	17%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	6%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Harry H. Hatasaka, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	125	38	47	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.4	26.3	27.7	3/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.0 (27.6 - 44.4)	21.1 (8.1 - 34.0)	19.1 (7.9 - 30.4)	3/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.3	25.0	20.9	3/7
Percentage of transfers resulting in live births <sup>b,c</sup>	44.1	25.8	21.4	3/6
Percentage of cancellations <sup>b</sup>	16.8	15.8	8.5	2/9
Average number of embryos transferred	2.8	2.7	2.9	3.3
Percentage of pregnancies with twins <sup>b</sup>	35.8	1/10	1/13	0/3
Percentage of pregnancies with triplets or more <sup>b</sup>	7.5	1/10	1/13	0/3
Percentage of live births having multiple infants <sup>b,c</sup>	37.8	2/8	2/9	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1		
Average number of embryos transferred	1.5	3.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	4	3	16
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	4/4	2/4	2/3	8/16
Average number of fresh embryos transferred	2.8	2.5	3.0	2.9
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Utah Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR ADVANCED REPRODUCTIVE MEDICINE  
SPRINGVILLE, UTAH**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	8%	Uterine factor	1%
GIFT	0%			Male factor	16%	Other factors	3%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	22%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	38%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Larry G. Andrew, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	61	14	0	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	55.7	6/14		
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	54.1 (41.6 - 66.6)	5/14		
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.0	5/14		
Percentage of transfers resulting in live births <sup>b,c</sup>	62.3	5/14		
Percentage of cancellations <sup>b</sup>	9.8	0/14		
Average number of embryos transferred	2.9	3.3		
Percentage of pregnancies with twins <sup>b</sup>	26.5	3/6		
Percentage of pregnancies with triplets or more <sup>b</sup>	20.6	0/6		
Percentage of live births having multiple infants <sup>b,c</sup>	48.5	2/5		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1			
Average number of embryos transferred	4.0			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Advanced Reproductive Medicine

**Services Offered:**

Donor egg? Yes      Gestational carriers? No  
 Donor embryo? No      Cryopreservation? Yes  
 Single women? No

**Clinic Profile:**

SART member? No  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## UNIVERSITY OF VERMONT-IVF PROGRAM BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	51%	Uterine factor	3%
GIFT	0%			Male factor	6%	Other factors	13%
ZIFT	0%	With ICSI	5%	Ovulatory dysfunction	12%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Julia V. Johnson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	31	10	20	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	19.4	2/10	10.0	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	16.1 (3.2 - 29.1)	2/10	10.0 (0.0 - 23.1)	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	18.5	2/8	2/16	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	2/8	2/15	0/1
Percentage of cancellations <sup>b</sup>	12.9	2/10	20.0	2/3
Average number of embryos transferred	3.0	3.6	4.5	5.0
Percentage of pregnancies with twins <sup>b</sup>	2/6	0/2	0/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/6	0/2	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	2/5	0/2	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>		1/1		
Average number of embryos transferred		2.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	1	0	1
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/1		1/1
Average number of fresh embryos transferred		3.0		3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Vermont Center for Reproductive Medicine University of Vermont-IVF Program

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE FERTILITY AND REPRODUCTIVE HEALTH CENTER ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	94%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	0%
GIFT	1%			Male factor	10%	Other factors	6%
ZIFT	4%	With ICSI	17%	Ovulatory dysfunction	9%	Unexplained	9%
Combination	1%	Unstimulated	0%	Endometriosis	38%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Pierre Asmar, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	26	17	11
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.4	50.0	4/17	0/11
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.4 (14.1 - 44.7)	34.6 (16.3 - 52.9)	4/17	0/11
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.3	34.6	4/17	0/9
Percentage of transfers resulting in live births <sup>b,c</sup>	31.3	34.6	4/16	0/9
Percentage of cancellations <sup>b</sup>	2.9	0.0	0/17	2/11
Average number of embryos transferred	3.8	4.6	4.3	3.6
Percentage of pregnancies with twins <sup>b</sup>	2/11	3/13	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/11	1/13	0/4	
Percentage of live births having multiple infants <sup>b,c</sup>	3/10	4/9	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	3	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		3/3		0/3
Average number of fresh embryos transferred		4.3		3.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				0/1
Average number of frozen embryos transferred				2.0

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The Fertility and Reproductive Health Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# DOMINION FERTILITY AND ENDOCRINOLOGY

## ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	95%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	0%
GIFT	5%			Male factor	12%	Other factors	36%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Michael Dimattina, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	75	28	11	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	16.0	25.0	1/11	0/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	14.7 (6.7 - 22.7)	17.9 (3.7 - 32.0)	1/11	0/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	17.2	20.0	1/11	0/5
Percentage of transfers resulting in live births <sup>b,c</sup>	17.5	21.7	1/11	0/4
Percentage of cancellations <sup>b</sup>	14.7	10.7	0/11	1/6
Average number of embryos transferred	4.0	4.2	4.0	4.3
Percentage of pregnancies with twins <sup>b</sup>	0/12	3/7	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	3/12	0/7	1/1	
Percentage of live births having multiple infants <sup>b,c</sup>	3/11	2/5	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	6	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	2/8	0/6	0/3	0/2
Average number of embryos transferred	4.0	4.5	3.3	1.5
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	4	6
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1		1/4	1/6
Average number of fresh embryos transferred	4.0		3.8	4.0
Number of frozen embryo transfers	0	1	4	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	1/4	1/6
Average number of frozen embryos transferred		4.0	3.0	4.2

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Dominion Fertility and Endocrinology

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# UNIVERSITY OF VIRGINIA ART PROGRAM CHARLOTTESVILLE, VIRGINIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	66%	<b>Procedural factors:</b>		Tubal factor	26%	Uterine factor	0%
GIFT	0%			Male factor	28%	Other factors	5%
ZIFT	34%	With ICSI	52%	Ovulatory dysfunction	18%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Bruce G. Bateman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	25	8	14	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.0	3/8	7/14	0/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	36.0 (17.2 - 54.8)	2/8	6/14	0/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.9	2/7	6/12	0/6
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	2/7	6/12	0/5
Percentage of cancellations <sup>b</sup>	16.0	1/8	2/14	3/9
Average number of embryos transferred	2.7	3.4	3.3	2.0
Percentage of pregnancies with twins <sup>b</sup>	3/11	0/3	1/7	
Percentage of pregnancies with triplets or more <sup>b</sup>	3/11	0/3	0/7	
Percentage of live births having multiple infants <sup>b,c</sup>	5/9	0/2	1/6	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	6	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3/5	1/6	0/3	
Average number of embryos transferred	2.4	3.0	3.3	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	2	0	0	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/2			5/8
Average number of fresh embryos transferred	3.5			2.9
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	1/1
Average number of frozen embryos transferred			3.0	3.0

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** University of Virginia ART Program

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	No
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



# JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	1%
GIFT	0%			Male factor	27%	Other factors	25%
ZIFT	<1%	With ICSI	41%	Ovulatory dysfunction	9%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Suheil J. Muasher, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	148	82	78	39
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.1	20.7	24.4	28.2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	27.0 (19.9 - 34.2)	13.4 (6.0 - 20.8)	14.1 (6.4 - 21.8)	15.4 (4.1 - 26.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.2	14.3	16.2	17.1
Percentage of transfers resulting in live births <sup>b,c</sup>	29.6	14.9	16.9	17.6
Percentage of cancellations <sup>b</sup>	4.1	6.1	12.8	10.3
Average number of embryos transferred	3.2	3.8	4.0	4.7
Percentage of pregnancies with twins <sup>b</sup>	32.7	7/17	2/19	1/11
Percentage of pregnancies with triplets or more <sup>b</sup>	17.3	0/17	1/19	0/11
Percentage of live births having multiple infants <sup>b,c</sup>	55.0	5/11	2/11	0/6
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	43	19	15	7
Percentage of transfers resulting in live births <sup>b,c</sup>	30.2	5/19	2/15	1/7
Average number of embryos transferred	3.7	3.8	3.6	2.4
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	3	22	48
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/4	2/3	9.1	41.7
Average number of fresh embryos transferred	3.5	3.7	3.6	3.7
Number of frozen embryo transfers	2	10	14	37
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2	2/10	4/14	18.9
Average number of frozen embryos transferred	4.5	3.2	3.3	3.1

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Jones Institute for Reproductive Medicine

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	43%	Uterine factor	4%
GIFT	0%			Male factor	27%	Other factors	0%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	6%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Michael C. Edelstein, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	98	46	36	10
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.1	34.8	44.4	4/10
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	48.0 (38.1 - 57.9)	26.1 (13.4 - 38.8)	41.7 (25.6 - 57.8)	2/10
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.1	29.3	44.1	2/9
Percentage of transfers resulting in live births <sup>b,c</sup>	51.1	30.0	46.9	2/8
Percentage of cancellations <sup>b</sup>	6.1	10.9	5.6	1/10
Average number of embryos transferred	4.3	4.4	4.3	3.1
Percentage of pregnancies with twins <sup>b</sup>	28.8	5/16	5/16	0/4
Percentage of pregnancies with triplets or more <sup>b</sup>	28.8	2/16	1/16	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	57.4	6/12	3/15	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	16	5	6	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5/16	2/5	1/6	
Average number of embryos transferred	3.4	3.2	3.2	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	3	1	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/3	1/1		
Average number of fresh embryos transferred	3.7	3.0		
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Fertility Institute of Virginia

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	96%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	6%
GIFT	3%			Male factor	35%	Other factors	6%
ZIFT	1%	With ICSI	33%	Ovulatory dysfunction	17%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Joseph G. Gianfortoni, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	46	7	24	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.3	4/7	20.8	1/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.9 (11.6 - 36.2)	3/7	20.8 (4.6 - 37.1)	1/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.9	3/7	5/18	1/3
Percentage of transfers resulting in live births <sup>b,c</sup>	37.9	3/7	5/18	1/3
Percentage of cancellations <sup>b</sup>	37.0	0/7	25.0	1/4
Average number of embryos transferred	4.9	4.3	3.8	4.0
Percentage of pregnancies with twins <sup>b</sup>	8/13	1/4	1/5	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/13	0/4	2/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	7/11	1/3	3/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	4	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	4/9	1/4	2/3	0/1
Average number of embryos transferred	3.8	3.0	3.7	2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/1			
Average number of fresh embryos transferred	5.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Lifesource Fertility Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# MEDICAL COLLEGE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	4%
GIFT	0%			Male factor	60%	Other factors	4%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	4%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by David T. Vandermolen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	4	3	5	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	1/4	1/3	1/5	0/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	1/4	1/3	1/5	0/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	1/4	1/2	1/3	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	1/4	1/2	1/3	0/2
Percentage of cancellations <sup>b</sup>	0/4	1/3	2/5	1/3
Average number of embryos transferred	4.5	4.5	4.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	0/1	1/1	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/1	0/1	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	0/1	1/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	1/3	0/1	0/1
Average number of embryos transferred	4.5	3.7	4.0	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Medical College of Virginia

### Services Offered:

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	17%	Uterine factor	24%
GIFT	0%			Male factor	12%	Other factors	3%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	28%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Robin L. Poe-Zeigler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	21	5	6	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	23.8	0/5	0/6	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.8 (5.6 - 42.0)	0/5	0/6	
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.0	0/5	0/5	
Percentage of transfers resulting in live births <sup>b,c</sup>	5/16	0/2	0/3	
Percentage of cancellations <sup>b</sup>	4.8	0/5	1/6	
Average number of embryos transferred	3.5	4.5	3.7	
Percentage of pregnancies with twins <sup>b</sup>	2/5			
Percentage of pregnancies with triplets or more <sup>b</sup>	0/5			
Percentage of live births having multiple infants <sup>b,c</sup>	2/5			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	4	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/9	0/4	0/1	
Average number of embryos transferred	3.3	2.8	6.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	2	3	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	3/4	0/2	0/3	1/4
Average number of fresh embryos transferred	3.5	3.5	3.3	3.3
Number of frozen embryo transfers	1	4	1	6
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/1	0/4	0/1	0/6
Average number of frozen embryos transferred	4.0	3.8	3.0	2.7

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** The New Hope Center for Reproductive Medicine

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	9%
GIFT	0%			Male factor	24%	Other factors	8%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	3%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by James I. Kustin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	23	17	16	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.1	4/17	2/16	1/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	26.1 (8.1 - 44.0)	3/17	1/16	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.0	3/15	1/15	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	6/19	3/15	1/15	0/4
Percentage of cancellations <sup>b</sup>	13.0	2/17	1/16	1/5
Average number of embryos transferred	4.6	3.6	4.3	4.8
Percentage of pregnancies with twins <sup>b</sup>	3/6	2/4	0/2	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/6	0/4	0/2	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/6	1/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2	0/1		0/1
Average number of embryos transferred	3.5	3.0		5.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/3
Average number of fresh embryos transferred				4.7
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Washington Center for Reproductive Medicine

### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



## BELLINGHAM IVF BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	30%	Uterine factor	2%
GIFT	0%			Male factor	33%	Other factors	0%
ZIFT	0%	With ICSI	20%	Ovulatory dysfunction	29%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Emmett F. Branigan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	36	16	13	6
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.2	4/16	2/13	2/6
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	44.4 (28.2 - 60.7)	3/16	1/13	1/6
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	3/14	1/11	1/5
Percentage of transfers resulting in live births <sup>b,c</sup>	51.6	3/14	1/11	1/5
Percentage of cancellations <sup>b</sup>	11.1	2/16	2/13	1/6
Average number of embryos transferred	3.0	3.4	3.6	2.6
Percentage of pregnancies with twins <sup>b</sup>	3/17	0/4	0/2	0/2
Percentage of pregnancies with triplets or more <sup>b</sup>	0/17	0/4	0/2	0/2
Percentage of live births having multiple infants <sup>b,c</sup>	3/16	0/3	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	2	3
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	1/3	0/2	1/3
Average number of embryos transferred	3.0	3.7	2.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	1	7
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/2	1/1	3/7
Average number of fresh embryos transferred		3.0	3.0	2.9
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Bellingham IVF

#### Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

#### Clinic Profile:

SART member?	No
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	64%	Uterine factor	0%
GIFT	0%			Male factor	8%	Other factors	12%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	8%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by James F. Moruzzi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	7	3	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	4/8	2/7	0/3	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	3/8	1/7	0/3	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	3/8	1/7	0/3	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/8	1/7	0/3	0/1
Percentage of cancellations <sup>b</sup>	0/8	0/7	0/3	0/1
Average number of embryos transferred	4.0	3.6	3.7	7.0
Percentage of pregnancies with twins <sup>b</sup>	0/4	0/2		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/4	0/2		
Percentage of live births having multiple infants <sup>b,c</sup>	0/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/3			
Average number of embryos transferred	5.3			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/3
Average number of fresh embryos transferred				4.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Olympia Women's Health

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## PACIFIC GYNECOLOGY SPECIALISTS SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	19%	Uterine factor	2%
GIFT	0%			Male factor	26%	Other factors	24%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	14%	Unexplained	10%
Combination	<1%	Unstimulated	0%	Endometriosis	5%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Lee R. Hickok, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	72	38	34	27
Percentage of cycles resulting in pregnancies <sup>b</sup>	20.8	15.8	14.7	0.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	19.4 (10.3 - 28.6)	15.8 (4.2 - 27.4)	8.8 (0.0 - 18.4)	0.0
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.9	6/18	3/18	0/17
Percentage of transfers resulting in live births <sup>b,c</sup>	29.2	6/16	3/15	0/14
Percentage of cancellations <sup>b</sup>	25.0	52.6	47.1	37.0
Average number of embryos transferred	3.3	3.8	3.6	3.0
Percentage of pregnancies with twins <sup>b</sup>	5/15	1/6	2/5	
Percentage of pregnancies with triplets or more <sup>b</sup>	0/15	0/6	0/5	
Percentage of live births having multiple infants <sup>b,c</sup>	5/14	1/6	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	42	24	22	18
Percentage of transfers resulting in live births <sup>b,c</sup>	21.4	29.2	9.1	0/18
Average number of embryos transferred	2.8	3.4	3.5	3.6
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	3	8
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			1/3	2/8
Average number of fresh embryos transferred			3.3	4.0
Number of frozen embryo transfers	9	0	4	47
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/9		1/4	19.1
Average number of frozen embryos transferred	2.7		3.3	2.9

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Pacific Gynecology Specialists

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF WASHINGTON  
FERTILITY & ENDOCRINE CENTER  
SEATTLE, WASHINGTON**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	28%	Uterine factor	5%
GIFT	0%			Male factor	21%	Other factors	11%
ZIFT	<1%	With ICSI	53%	Ovulatory dysfunction	11%	Unexplained	8%
Combination	0%	Unstimulated	2%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Valerie L. Baker, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	131	99	92	58
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.7	25.3	21.7	6.9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	24.4 (17.1 - 31.8)	18.2 (10.6 - 25.8)	16.3 (8.8 - 23.9)	6.9 (0.4 - 13.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.3	21.4	24.6	9.8
Percentage of transfers resulting in live births <sup>b,c</sup>	29.6	21.4	26.8	11.4
Percentage of cancellations <sup>b</sup>	13.7	15.2	33.7	29.3
Average number of embryos transferred	3.1	3.0	3.5	4.1
Percentage of pregnancies with twins <sup>b</sup>	25.7	16.0	30.0	1/4
Percentage of pregnancies with triplets or more <sup>b</sup>	8.6	0.0	15.0	0/4
Percentage of live births having multiple infants <sup>b,c</sup>	31.3	4/18	5/15	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	37	19	6	3
Percentage of transfers resulting in live births <sup>b,c</sup>	27.0	2/19	1/6	0/3
Average number of embryos transferred	2.9	3.1	2.8	2.7
<b>Donor Eggs</b>				
Number of fresh embryo transfers	7	5	8	48
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	2/7	3/5	4/8	41.7
Average number of fresh embryos transferred	2.9	2.8	3.1	3.0
Number of frozen embryo transfers	5	0	6	20
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/5		2/6	20.0
Average number of frozen embryos transferred	3.2		3.3	2.6

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Washington Fertility & Endocrine Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**VIRGINIA MASON CENTER  
FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY  
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural factors:</b>		Tubal factor	22%	Uterine factor	0%
GIFT	<1%			Male factor	35%	Other factors	16%
ZIFT	0%	With ICSI	63%	Ovulatory dysfunction	10%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Lorna A. Marshall, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	87	72	53	25
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.3	30.6	17.0	20.0
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	39.1 (28.8 - 49.3)	27.8 (17.4 - 38.1)	11.3 (2.8 - 19.9)	12.0 (0.0 - 24.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.3	35.1	14.3	14.3
Percentage of transfers resulting in live births <sup>b,c</sup>	46.6	35.7	15.0	14.3
Percentage of cancellations <sup>b</sup>	13.8	20.8	20.8	16.0
Average number of embryos transferred	3.2	3.7	4.1	4.5
Percentage of pregnancies with twins <sup>b</sup>	31.0	40.9	1/9	0/5
Percentage of pregnancies with triplets or more <sup>b</sup>	7.1	0.0	0/9	0/5
Percentage of live births having multiple infants <sup>b,c</sup>	38.2	35.0	1/6	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	5	8	7
Percentage of transfers resulting in live births <sup>b,c</sup>	2/8	2/5	2/8	2/7
Average number of embryos transferred	3.1	3.2	3.8	3.3
<b>Donor Eggs</b>				
Number of fresh embryo transfers	4	5	15	37
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	1/4	3/5	8/15	45/9
Average number of fresh embryos transferred	2.8	2.4	3.4	3.2
Number of frozen embryo transfers	0	2	1	13
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/2	1/1	4/13
Average number of frozen embryos transferred		3.5	3.0	3.5

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Virginia Mason Center for Fertility and Reproductive Endocrinology

**Services Offered:**

Donor egg? Yes  
 Donor embryo? No  
 Single women? Yes  
 Gestational carriers? No  
 Cryopreservation? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	18%	Uterine factor	0%
GIFT	0%			Male factor	35%	Other factors	0%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	0%	Unexplained	47%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by Edwin Robins, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	4	1	0
Percentage of cycles resulting in pregnancies <sup>b</sup>	10/12	1/4	0/1	
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	9/12	1/4	0/1	
Percentage of retrievals resulting in live births <sup>b,c</sup>	9/12	1/3	0/1	
Percentage of transfers resulting in live births <sup>b,c</sup>	9/11	1/3	0/1	
Percentage of cancellations <sup>b</sup>	0/12	1/4	0/1	
Average number of embryos transferred	3.2	4.0	4.0	
Percentage of pregnancies with twins <sup>b</sup>	3/10	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/10	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	3/9	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Center for Reproductive Endocrinology and Fertility

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	No

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**GYFT CLINIC, P.L.L.C.  
TACOMA, WASHINGTON**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	31%	Uterine factor	3%
GIFT	0%			Male factor	33%	Other factors	2%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	8%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Joseph A. Robinette, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	33	10	10	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.4	2/10	3/10	0/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	33.3 (17.2 - 49.4)	1/10	2/10	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.3	1/9	2/9	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	1/9	2/9	0/4
Percentage of cancellations <sup>b</sup>	0.0	1/10	1/10	0/4
Average number of embryos transferred	5.2	5.9	5.6	5.8
Percentage of pregnancies with twins <sup>b</sup>	5/14	1/2	1/3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/14	0/2	0/3	
Percentage of live births having multiple infants <sup>b,c</sup>	5/11	1/1	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	1/5
Average number of fresh embryos transferred			4.0	6.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** GYFT Clinic, P.L.L.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE  
WEST VIRGINIA UNIVERSITY HEALTH SCIENCES CENTER  
CHARLESTON, WEST VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	93%	<b>Procedural factors:</b>		Tubal factor	39%	Uterine factor	0%
GIFT	7%			Male factor	7%	Other factors	10%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	8%	Unexplained	25%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Tamer M. Yalcinkaya, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	52	22	10	14
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.8	13.6	5/10	1/14
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	21.2 (10.1 - 32.3)	9.1 (0.0 - 21.1)	4/10	0/14
Percentage of retrievals resulting in live births <sup>b,c</sup>	24.4	2/16	4/9	0/11
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	2/16	4/9	0/11
Percentage of cancellations <sup>b</sup>	13.5	27.3	1/10	3/14
Average number of embryos transferred	4.2	4.4	4.7	6.1
Percentage of pregnancies with twins <sup>b</sup>	2/15	0/3	1/5	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/15	1/3	0/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	3/11	0/2	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	4	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/12	1/4	0/1	0/1
Average number of embryos transferred	3.4	3.5	2.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	2	3
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		0/2	0/2	2/3
Average number of fresh embryos transferred		4.0	4.5	5.3
Number of frozen embryo transfers	1	2	0	2
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/1	0/2		0/2
Average number of frozen embryos transferred	5.0	4.5		2.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Center for Reproductive Medicine, West Virginia University Health Sciences Center

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**FAMILY FERTILITY PROGRAM  
APPLETON MEDICAL CENTER  
APPLETON, WISCONSIN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	67%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	25%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Michael E. West, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	1	1	3	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/1	0/1	0/3	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/1	0/1	0/3	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/1	0/1	0/2	0/1
Percentage of transfers resulting in live births <sup>b,c</sup>	0/1	0/1	0/2	0/1
Percentage of cancellations <sup>b</sup>	0/1	0/1	1/3	1/2
Average number of embryos transferred	5.0	5.0	2.0	1.0
Percentage of pregnancies with twins <sup>b</sup>				
Percentage of pregnancies with triplets or more <sup>b</sup>				
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0/3			
Average number of embryos transferred	4.3			
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Family Fertility Program, Appleton Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

## GUNDERSEN/LUTHERAN MEDICAL CENTER LA CROSSE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

### 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	90%	<b>Procedural factors:</b>		Tubal factor	51%	Uterine factor	1%
GIFT	10%			Male factor	0%	Other factors	4%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	27%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

### 1998 PREGNANCY SUCCESS RATES

Data verified by Paul D. Silva, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	65	13	14	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.3	5/13	4/14	0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.2 (18.2 - 40.3)	4/13	4/14	0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.7	4/11	4/11	0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	35.2	4/10	4/10	0/2
Percentage of cancellations <sup>b</sup>	7.7	2/13	3/14	0/2
Average number of embryos transferred	3.0	2.9	2.7	5.0
Percentage of pregnancies with twins <sup>b</sup>	28.6	0/5	1/4	
Percentage of pregnancies with triplets or more <sup>b</sup>	9.5	1/5	1/4	
Percentage of live births having multiple infants <sup>b,c</sup>	8/19	1/4	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>				
Average number of embryos transferred				
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

### CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Gundersen/Lutheran Medical Center

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF WISCONSIN-MADISON  
WOMEN'S ENDOCRINE SERVICES  
MADISON, WISCONSIN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	29%	Uterine factor	<1%
GIFT	1%			Male factor	32%	Other factors	2%
ZIFT	1%	With ICSI	34%	Ovulatory dysfunction	10%	Unexplained	22%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Sander S. Shapiro, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	56	17	19	4
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	8/17	5/19	1/4
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	44.6 (31.6 - 57.7)	7/17	3/19	0/4
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.3	7/15	3/17	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	49.0	7/14	3/15	0/3
Percentage of cancellations <sup>b</sup>	3.6	2/17	2/19	0/4
Average number of embryos transferred	3.7	3.3	2.9	3.7
Percentage of pregnancies with twins <sup>b</sup>	25.0	3/8	1/5	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	25.0	2/8	0/5	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	32.0	4/7	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	3	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1/6	1/3		0/1
Average number of embryos transferred	3.5	3.3		2.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	2	1	4
Percentage of fresh transfers resulting in live births <sup>b,c</sup>		1/2	0/1	1/4
Average number of fresh embryos transferred		2.5	4.0	2.5
Number of frozen embryo transfers	0	1	2	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>		0/1	1/2	0/1
Average number of frozen embryos transferred		2.0	4.5	3.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** University of Wisconsin-Madison Women's Endocrine Services

**Services Offered:**

Donor egg? Yes      Gestational carriers? Yes  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

# ADVANCED INSTITUTE OF FERTILITY MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

## 1998 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	4%
GIFT	2%			Male factor	33%	Other factors	9%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	16%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

## 1998 PREGNANCY SUCCESS RATES

Data verified by K. P. Katayama, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	71	35	12	5
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.2	51.4	2/12	0/5
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	23.9 (14.0 - 33.9)	45.7 (29.2 - 62.2)	2/12	0/5
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.6	47.1	2/10	0/4
Percentage of transfers resulting in live births <sup>b,c</sup>	27.4	47.1	2/10	0/4
Percentage of cancellations <sup>b</sup>	9.9	2.9	2/12	1/5
Average number of embryos transferred	2.8	3.2	3.4	3.5
Percentage of pregnancies with twins <sup>b</sup>	20.0	3/18	1/2	
Percentage of pregnancies with triplets or more <sup>b</sup>	10.0	3/18	0/2	
Percentage of live births having multiple infants <sup>b,c</sup>	3/17	4/16	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	43	20	9	8
Percentage of transfers resulting in live births <sup>b,c</sup>	23.3	30.0	3/9	1/8
Average number of embryos transferred	3.1	2.7	3.2	2.9
<b>Donor Eggs</b>				
Number of fresh embryo transfers	1	2	0	5
Percentage of fresh transfers resulting in live births <sup>b,c</sup>	0/1	0/2		4/5
Average number of fresh embryos transferred	4.0	2.5		2.8
Number of frozen embryo transfers	2	0	4	9
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	1/2		0/4	6/9
Average number of frozen embryos transferred	3.5		2.8	3.3

## CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

**Current Name:** Advanced Institute of Fertility

### Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

### Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.



**MEDICAL COLLEGE OF WISCONSIN  
DEPARTMENT OF OB/GYN  
MILWAUKEE, WISCONSIN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	20%	Uterine factor	0%
GIFT	0%			Male factor	12%	Other factors	0%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	21%	Unexplained	19%
Combination	0%	Unstimulated	0%	Endometriosis	28%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Estil Y. Strawn, Jr., M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	22	13	7	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.8	6/13	3/7	1/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	31.8 (12.4 - 51.3)	6/13	3/7	1/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.8	6/13	3/7	1/1
Percentage of transfers resulting in live births <sup>b,c</sup>	7/18	6/13	3/7	1/1
Percentage of cancellations <sup>b</sup>	0.0	0/13	0/7	0/1
Average number of embryos transferred	2.9	3.1	3.4	6.0
Percentage of pregnancies with twins <sup>b</sup>	3/7	2/6	1/3	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	0/7	0/6	0/3	0/1
Percentage of live births having multiple infants <sup>b,c</sup>	2/7	1/6	1/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	10	4	0
Percentage of transfers resulting in live births <sup>b,c</sup>	17.4	2/10	0/4	
Average number of embryos transferred	2.7	2.9	2.3	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				0/2
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Medical College of Wisconsin, Department of OB/GYN

**Services Offered:**

Donor egg? Yes  
 Donor embryo? Yes  
 Single women? Yes  
 Gestational carriers? No  
 Cryopreservation? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE SPECIALTY CENTER AT  
IVF COLUMBIA, COLUMBIA HOSPITAL  
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	79%	<b>Procedural factors:</b>		Tubal factor	46%	Uterine factor	2%
GIFT	21%			Male factor	8%	Other factors	4%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	18%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Grace M. Janik, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	34	25	9	3
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.2	20.0	3/9	1/3
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	29.4 (14.1 - 44.7)	12.0 (0.0 - 24.7)	3/9	1/3
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.3	15.0	3/8	1/2
Percentage of transfers resulting in live births <sup>b,c</sup>	30.3	15.0	3/8	1/2
Percentage of cancellations <sup>b</sup>	2.9	20.0	1/9	1/3
Average number of embryos transferred	4.0	4.0	6.1	9.5
Percentage of pregnancies with twins <sup>b</sup>	2/13	1/5	0/3	0/1
Percentage of pregnancies with triplets or more <sup>b</sup>	2/13	1/5	0/3	1/1
Percentage of live births having multiple infants <sup>b,c</sup>	4/10	1/3	0/3	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	15	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	3/14	0/15	0/1	0/1
Average number of embryos transferred	3.8	4.0	2.0	4.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Reproductive Specialty Center at IVF Columbia, Columbia Hospital

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WOMENCARE, GLORIA M. HALVERSON, M.D., S.C.  
WAUKESHA, WISCONSIN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	16%	Uterine factor	0%
GIFT	0%			Male factor	36%	Other factors	19%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Gloria M. Halverson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	28	9	6	9
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.7	4/9	1/6	0/9
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	28.6 (11.8 - 45.3)	4/9	1/6	0/9
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.6	4/8	1/5	0/7
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	4/8	1/4	0/6
Percentage of cancellations <sup>b</sup>	0.0	1/9	1/6	2/9
Average number of embryos transferred	2.8	2.9	3.3	2.3
Percentage of pregnancies with twins <sup>b</sup>	3/10	4/4	0/1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1/10	0/4	0/1	
Percentage of live births having multiple infants <sup>b,c</sup>	3/8	4/4	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	4	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5/17	1/4	1/1	
Average number of embryos transferred	2.7	3.0	3.0	
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>			0/1	
Average number of fresh embryos transferred			3.0	
Number of frozen embryo transfers	2	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>	0/2			
Average number of frozen embryos transferred	3.0			

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** WomenCare, Gloria M. Halverson, M.D., S.C.

**Services Offered:**

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WOMEN'S HEALTH CARE, S.C.  
WAUKESHA, WISCONSIN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	26%	Other factors	3%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	22%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Matthew A. Meyer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	18	8	4	1
Percentage of cycles resulting in pregnancies <sup>b</sup>	9/18	1/8	0/4	0/1
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	8/18	1/8	0/4	0/1
Percentage of retrievals resulting in live births <sup>b,c</sup>	8/17	1/8	0/4	
Percentage of transfers resulting in live births <sup>b,c</sup>	8/15	1/7	0/3	
Percentage of cancellations <sup>b</sup>	1/18	0/8	0/4	1/1
Average number of embryos transferred	2.8	2.4	3.0	
Percentage of pregnancies with twins <sup>b</sup>	3/9	0/1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0/9	0/1		
Percentage of live births having multiple infants <sup>b,c</sup>	2/8	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	4	7	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2/12	0/4	2/7	0/1
Average number of embryos transferred	2.5	2.5	2.4	3.0
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births <sup>b,c</sup>			0/1	0/1
Average number of frozen embryos transferred			4.0	5.0

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Women's Health Care, S.C.

**Services Offered:**

Donor egg? Yes      Gestational carriers? No  
 Donor embryo? Yes      Cryopreservation? Yes  
 Single women? Yes

**Clinic Profile:**

SART member? Yes  
 Verified lab accreditation? Pending

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CLINIC OF OBSTETRICS & GYNECOLOGY, LTD.  
WEST ALLIS, WISCONSIN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)**

**1998 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural factors:</b>		Tubal factor	0%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	25%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	25%		

**1998 PREGNANCY SUCCESS RATES**

Data verified by Debora J. Sportiello, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 <sup>d</sup>
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	1	0	2
Percentage of cycles resulting in pregnancies <sup>b</sup>	0/2	0/1		0/2
Percentage of cycles resulting in live births <sup>b,c</sup> (Reliability Range)	0/2	0/1		0/2
Percentage of retrievals resulting in live births <sup>b,c</sup>	0/2	0/1		0/2
Percentage of transfers resulting in live births <sup>b,c</sup>	0/2			0/2
Percentage of cancellations <sup>b</sup>	0/2	0/1		0/2
Average number of embryos transferred	3.0			2.0
Percentage of pregnancies with twins <sup>b</sup>				
Percentage of pregnancies with triplets or more <sup>b</sup>				
Percentage of live births having multiple infants <sup>b,c</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1/2	0/1		
Average number of embryos transferred	2.5	4.0		
<b>Donor Eggs</b>				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births <sup>b,c</sup>				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births <sup>b,c</sup>				
Average number of frozen embryos transferred				

**CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)**

**Current Name:** Clinic of Obstetrics & Gynecology, Ltd.

**Services Offered:**

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

**Clinic Profile:**

SART member?	Yes
Verified lab accreditation?	Yes

*Additional information on lab accreditation is available in Appendix C.*

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

---

# *Appendix A*

---



# APPENDIX A

## Notes on Reliability Ranges: How to Interpret a Confidence Interval

---

### ***What is a confidence interval?***

Simply speaking, confidence intervals (also referred to as reliability ranges in this report) are a useful way to consider margin of error, a statistic often used in voter polls to indicate the range within which a value is likely to be correct (e.g., 30% of the voters favor a particular candidate with a margin of error of  $\pm 3.5\%$ ). Similarly, in this report, confidence intervals are used to provide a range that we can be quite confident contains the success rate for a particular clinic during a particular time.

### ***Why do we need to consider confidence intervals if we already know the exact success rates for each clinic in 1998?***

No success rate or statistic is absolute. Suppose a clinic performed 100 cycles among women younger than 35 in 1998 and had a success rate of 20% with a confidence interval of 12%–28%. The 20% success rate tells us that the average chance of success for women younger than 35 treated at this clinic in 1998 was 20%. How likely is it that the clinic could repeat this performance? For example, if the same clinic performed another 100 cycles under similar clinical conditions on women with similar characteristics, would the success rate again be 20%? The confidence interval tells us that the success rate would likely fall between 12% and 28%.

### ***Why does the size of the confidence interval vary for different clinics?***

The size of the confidence interval gives us a realistic sense of how secure we feel about the success rate. If the clinic had performed only 20 cycles among women younger than 35 instead of 100 and still had a 20% success rate (4 successes out of 20 cycles), the confidence interval would be much larger (between 3% and 37%) because the success or failure of each individual cycle would count for more. For example, if just one more cycle had resulted in a live birth, the success rate would have been substantially higher—25%, or 5 successes out of 20 cycles. Likewise, if just one more cycle had not been successful, the success rate would have been substantially lower—15%, or 3 out of 20 cycles. Compare this scenario to the original example of the clinic that performed 100 cycles and had a 20% success rate. If just one more cycle had resulted in a live birth, the success rate would have changed only slightly, from 20% to 21%, and if one more cycle had not been successful, the success rate would have fallen to only 19%. Thus, our confidence in a 20% success rate depends on how many cycles were performed.

### ***Why should confidence intervals be considered when success rates from different clinics are being compared?***

Confidence intervals should be considered because success rates can be misleading. For example, if Clinic A performs 20 cycles in a year and 8 cycles result in a live birth, its live birth rate would be 40%. If Clinic B performs 600 cycles and 180 result in a live birth, its live birth rate would be 30%. We might be tempted to say that Clinic A has a better success rate than Clinic B. However, because Clinic A performed few cycles, its success rate would have a wide 95%

---

confidence interval of 18.5%–61.5%. On the other hand, because Clinic B performed a large number of cycles, its success rate would have a relatively narrow confidence interval of 26.2%–33.8%. Thus, Clinic A could have a rate as low as 18.5% and Clinic B could have a rate as high as 33.8% if each clinic repeated its treatment with similar patients under similar clinical conditions. Moreover, Clinic B's rate is much more likely to be reliable because the size of its confidence interval is much smaller than Clinic A's.

---

# *Appendix B*

---

# APPENDIX B

## Glossary of Terms Used in This Report

---

**Adverse outcome.** A pregnancy that does not result in a live birth. The adverse outcomes reported for ART procedures are miscarriages, induced abortions, and stillbirths.

**American Society for Reproductive Medicine (ASRM).** Professional society whose affiliate organization, the Society for Assisted Reproductive Technology (SART), reports annual fertility clinic data to the Centers for Disease Control and Prevention (CDC).

**ART (assisted reproductive technology).** All treatments or procedures that involve surgically removing eggs from a woman's ovaries and combining the eggs with sperm to help a woman become pregnant. The types of ART are in vitro fertilization, gamete intrafallopian transfer, and zygote intrafallopian transfer.

**ART cycle.** A process in which (1) an ART procedure is carried out, (2) a woman has undergone ovarian stimulation or monitoring with the intent of having an ART procedure, or (3) frozen embryos have been thawed with the intent of transferring them to a woman. A cycle begins when a woman begins taking fertility drugs or having her ovaries monitored for follicle production.

**Canceled cycle.** An ART cycle in which ovarian stimulation was carried out but was stopped before eggs were retrieved or, in the case of frozen embryo cycles, before embryos were transferred. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment.

**Cryopreservation.** The practice of freezing extra embryos from a couple's ART cycle.

**Donor egg cycle.** An embryo is formed from the egg of one woman (the donor) and then transferred to another woman who is unable to use her own eggs (the recipient). The donor relinquishes all parental rights to any resulting offspring.

**Donor embryos.** Embryos that are donated by a couple who previously underwent ART treatment and had extra embryos available.

**Ectopic pregnancy.** A pregnancy in which the fertilized egg implants in a location outside of the uterus—usually in the fallopian tube, the ovary, or the abdominal cavity. Ectopic pregnancy is a dangerous condition that must receive prompt treatment.

**Egg.** A female reproductive cell, also called an oocyte or ovum.

**Egg retrieval (also called oocyte retrieval).** A procedure to collect the eggs contained in the ovarian follicles.

**Egg transfer (also called oocyte transfer).** The transfer of retrieved eggs into a woman's fallopian tubes through laparoscopy (see definition). This procedure is used only in GIFT (see definition).

**Embryo.** An egg that has been fertilized by a sperm and undergone one or more divisions.

**Embryo transfer.** Placement of embryos into a woman's uterus through the cervix after in vitro fertilization; in zygote intrafallopian transfer (ZIFT) (see definition), the embryos are placed in a woman's fallopian tube.

**Endometriosis.** A medical condition involving the presence of tissue similar to the uterine lining in locations outside of the uterus—such as the ovaries, fallopian tubes, and abdominal cavity—which may contribute to infertility.

**Fertilization.** The penetration of the egg by the sperm and the resulting combining of genetic material that develops into an embryo.

**Fetus.** The unborn offspring from the eighth week after conception to the moment of birth.

**Follicle.** A structure in the ovaries that contains a developing egg.

---

**Fresh eggs, sperm, or embryos.** Eggs, sperm, or embryos that have not been frozen. However, fresh embryos may have been conceived using either fresh or frozen sperm.

**Frozen embryo cycle.** An ART cycle in which frozen (cryopreserved) embryos are thawed and transferred to the woman.

**Gamete.** A reproductive cell, either a sperm or an egg.

**GIFT (gamete intrafallopian transfer).** An ART procedure that involves removing eggs from the woman's ovary, combining them with sperm, and using a laparoscope to place the unfertilized eggs and sperm into the woman's fallopian tube through small incisions in her abdomen.

**Gestation.** The period of time from conception to birth.

**Gestational carrier (also called a gestational surrogate).** A woman who carries an embryo that was formed from the egg of another woman. The gestational carrier usually has a contractual obligation to return the infant to its intended parents.

**Gestational sac.** A fluid-filled structure that develops within the uterus early in pregnancy. In a normal pregnancy, a gestational sac contains a developing fetus.

**ICSI (intracytoplasmic sperm injection).** A procedure in which a single sperm is injected directly into an egg; this procedure is most commonly used to overcome male infertility problems.

**Induced or therapeutic abortion.** A surgical or other medical procedure used to end a pregnancy.

**IUI (intrauterine insemination).** A medical procedure that involves placing sperm into a woman's uterus to facilitate fertilization. IUI is not considered an ART procedure because it does not involve the manipulation of eggs.

**IVF (in vitro fertilization).** An ART procedure that involves removing eggs from a woman's ovaries and fertilizing them outside her body. The resulting embryos are then transferred into the woman's uterus through the cervix.

**Laparoscopy.** A surgical procedure in which a fiber optic instrument (a laparoscope) is inserted through a small incision in the abdomen to view the inside of the pelvis.

**Live birth.** The delivery of one or more babies with any signs of life.

**Male factor.** Any cause of infertility due to low sperm count or problems with sperm function that make it difficult for a sperm to fertilize an egg under normal conditions.

**Miscarriage (also called spontaneous abortion).** A pregnancy ending in the spontaneous loss of the embryo or fetus before 20 weeks of gestation.

**Multifetal pregnancy reduction.** A procedure used to decrease the number of fetuses a woman carries and improve the chances that the remaining fetuses will develop into healthy infants. Multifetal reductions that occur naturally are referred to as spontaneous reductions.

**Multiple-infant birth.** A pregnancy that results in the birth of more than one infant.

**Multiple-fetus pregnancy.** A pregnancy with two or more fetuses.

**Oocyte.** The female reproductive cell, also called an egg.

**Ovarian monitoring.** The use of ultrasound and/or blood or urine tests to monitor follicle development and hormone production.

**Ovarian stimulation.** The use of drugs (oral or injected) to stimulate the ovaries to develop follicles and eggs.

**Ovulatory dysfunction.** A cause of infertility due to problems with egg production by the ovaries.

---

**Pregnancy (clinical).** A pregnancy documented by ultrasound that shows a gestational sac in the uterus. For ART data collection purposes, pregnancy is defined as a clinical pregnancy rather than a chemical pregnancy (i.e., a positive pregnancy test).

**RESOLVE.** A national, nonprofit consumer organization offering education, advocacy, and support to those experiencing infertility.

**Society for Assisted Reproductive Technology (SART).** An affiliate of the American Society for Reproductive Medicine composed of clinics and programs that provide ART. SART reports annual fertility clinic data to CDC.

**Sperm.** The male reproductive cell.

**Stillbirth.** The birth of an infant with no signs of life after 20 or more weeks of gestation.

**Stimulated cycle.** An ART cycle in which a woman receives oral or injected fertility drugs to stimulate her ovaries to produce more follicles.

**Thawed embryo cycle.** Same as frozen embryo cycle.

**Tubal factor.** Structural or functional damage to one or both fallopian tubes that reduces fertility.

**Ultrasound.** A technique used in ART for visualizing the follicles in the ovaries, the gestational sac, or the fetus.

**Unexplained cause of infertility.** Infertility for which no cause has been determined despite a comprehensive evaluation of both partners.

**Unstimulated cycle.** An ART cycle in which the woman does not receive drugs to stimulate her ovaries to produce more follicles. Instead, follicles develop naturally.

**Uterine factor.** A disorder in the uterus (e.g., fibroid tumors) that reduces fertility.

**ZIFT (zygote intrafallopian transfer).** An ART procedure in which eggs are collected from a woman's ovary and fertilized outside her body. A laparoscope is then used to place the resulting zygote (fertilized egg) into the woman's fallopian tube through a small incision in her abdomen.



---

# *Appendix C*

---

# APPENDIX C

## Reporting ART Clinics for 1998, by State

---

If the clinic name has changed since 1998, the current name is listed in *italics* directly under the 1998 name.

Clinic names preceded by the § symbol have reorganized since 1998. Contact SART for current clinic information.

Explanation of abbreviations for accrediting agencies used throughout this list:

CAP = College of American Pathologists, Reproductive Laboratory Accreditation Program

JCAHO = Joint Commission on Accreditation of Healthcare Organizations

NYS = New York State tissue bank program

**PLEASE NOTE** that CDC does not oversee any of these accreditation programs. For further information on how to contact accrediting organizations directly, see page 45.

### ALABAMA

ART Program of Alabama  
Women's Medical Plaza  
2006 Brookwood Medical Center  
Drive, Suite 508  
Birmingham, AL 35209  
Telephone: 205-870-9784  
Fax: 205-870-0698  
Lab Name: IVF/Andrology Laboratory  
Accreditation: CAP/ASRM

University of Alabama at Birmingham  
IVF Program  
618 South 20th, Suite 547  
Birmingham, AL 35233  
Telephone: 205-801-8225  
Fax: 205-801-8209  
Lab Name: UAB Gamete Biology  
Laboratory  
Accreditation: CAP/ASRM

Center for Reproductive Medicine  
3 Mobile Infirmery Center, Suite 312  
Mobile, AL 36607  
Telephone: 334-438-4200  
Fax: 334-438-4211  
Lab Name: Center for Reproductive  
Medicine  
Accreditation: CAP/ASRM

University of South Alabama  
IVF and ART Program  
307 University Boulevard, CCCB 326  
Mobile, AL 36688  
Telephone: 334-460-7173  
Fax: 334-460-7251  
Lab Name: University of South  
Alabama IVF Laboratory  
Accreditation: CAP/ASRM

### ARIZONA

Fertility Treatment Center  
3200 North Dobson Road, Suite F-7  
Chandler, AZ 85224  
Telephone: 480-831-2445  
Fax: 480-897-1283  
Lab Name: Fertility Treatment Center  
Accreditation: CAP/ASRM

West Valley Fertility Center  
6525 West Sack Drive, Suite 208  
Glendale, AZ 85308  
Telephone: 602-561-8636  
Fax: 602-561-2522  
Lab Name: West Valley Fertility  
Center  
Accreditation: None

IVF Phoenix  
4626 East Shea Boulevard,  
Suite C-230  
Phoenix, AZ 85028  
Telephone: 602-996-2411  
Fax: 602-996-5254  
Lab Name: IVF Phoenix  
Accreditation: CAP/ASRM

Samaritan Institute of Reproductive  
Medicine  
*Arizona Reproductive Medicine  
Specialists*  
1300 North 12th Street, Suite 520  
Phoenix, AZ 85006  
Telephone: 602-343-2767  
Fax: 602-343-2766  
Lab Name: Arizona Reproductive  
Medicine Specialists  
Accreditation: JCAHO (Pending)

Southwest Fertility Center  
3125 North 32nd Street, Suite 200  
Phoenix, AZ 85018  
Telephone: 602-956-7481  
Fax: 602-956-7591  
Lab Name: Southwest Fertility Center  
Accreditation: CAP/ASRM (Pending)

Arizona Center for Fertility Studies  
8997 East Desert Cove Avenue,  
2nd Floor  
Scottsdale, AZ 85260  
Telephone: 602-860-4792  
Fax: 602-860-6819  
Lab Name: Institute for Reproductive  
Studies  
Accreditation: Pending

Mayo Clinic Scottsdale  
Center for Reproductive Medicine  
13737 North 92nd Street  
Scottsdale, AZ 85260  
Telephone: 480-614-6099  
Fax: 480-614-6011  
Lab Name: Mayo Clinic Scottsdale  
Accreditation: CAP/ASRM

University of Arizona Program of ART  
*Arizona Center for Reproductive  
Endocrinology and Infertility*  
5190 Farness Drive, Suite 114  
Tucson, AZ 85712  
Telephone: 520-326-0001  
Fax: 520-326-7451  
Lab Name: Reproductive  
Endocrinology and Infertility  
Accreditation: CAP/ASRM (Pending)

---

## ARKANSAS

Intravaginal Culture Fertilization Program  
500 South University, Suite 103  
Little Rock, AR 72205  
Telephone: 501-663-5858  
Fax: 501-663-9007  
Lab Name: Intravaginal Culture Fertilization Program of Arkansas  
Accreditation: CAP/ASRM

University of Arkansas for Medical Sciences IVF  
4301 West Markham, Slot 518  
Little Rock, AR 72204  
Telephone: 501-296-1705  
Fax: 501-296-1710  
Lab Name: Arkansas Reproductive Technology  
Accreditation: CAP/ASRM, JCAHO

## CALIFORNIA

Gil N. Mileikowsky, M.D.  
2934 1/2 Beverly Glen Circle,  
PMB#373  
Bel Air, CA 90077  
Telephone: 310-858-1300  
Fax: 310-858-1303  
Lab Name: Center of Reproductive Medicine  
Accreditation: CAP/ASRM

Alta Bates In Vitro Fertilization Program  
2999 Regent Street, Suite 101-A  
Berkeley, CA 94705  
Telephone: 510-649-0440  
Fax: 510-649-8700  
Lab Name: Alta Bates IVF Laboratory  
Accreditation: CAP/ASRM

Reproductive Medicine and Surgery Associates  
*Southern California Reproductive Center*  
450 N. Roxbury Drive  
Beverly Hills, CA 90210  
Telephone: 310-777-2393  
Fax: 310-274-5112  
Lab Name: Center for Reproductive Medicine  
Accreditation: CAP/ASRM

West Coast Infertility Medical Clinic, Inc.  
250 North Robertson Boulevard,  
Suite 403  
Beverly Hills, CA 90211  
Telephone: 310-285-0333  
Fax: 310-285-0334  
Lab Name: IVF Lab, West Coast Infertility Clinic, Inc.  
Accreditation: Pending

Fertility Care of Orange County  
203 N. Brea Boulevard, Suite 100  
Brea, CA 92821  
Telephone: 714-256-0777  
Fax: 714-256-0105  
Lab Name: Werlin-Zarutskie Fertility Centers  
Accreditation: CAP/ASRM

Greater Valley Center for Reproductive Medicine  
5400 Balboa Boulevard, Suite 220  
Encino, CA 91316  
Telephone: 818-461-1610  
Fax: 818-461-1617  
Lab Name: Fertility and Surgical Associates  
Accreditation: CAP/ASRM (Pending)

West Coast Fertility Centers  
11160 Warner Avenue, Suite 411  
Fountain Valley, CA 92807  
Telephone: 714-513-1399  
Fax: 714-513-1393  
Lab Name: West Coast Fertility Center Gamete Laboratory  
Accreditation: CAP/ASRM

Werlin-Zarutskie Fertility Centers  
4900 Baranca Parkway, Suite 103  
Irvine, CA 92604  
Telephone: 949-726-0600  
Fax: 949-726-0601  
Lab Name: Werlin-Zarutskie Fertility Centers  
Accreditation: CAP/ASRM

Reproductive Partners-San Diego  
9850 Genessee Avenue, Suite 800  
La Jolla, CA 92037  
Telephone: 858-552-9177  
Fax: 858-552-9188  
Lab Name: Reproductive Partners-San Diego  
Accreditation: CAP/ASRM

Reproductive Sciences Center  
4150 Regents Park Row, Suite 280  
La Jolla, CA 92037  
Telephone: 619-625-0125  
Fax: 619-625-0131  
Lab Name: Reproductive Sciences Center  
Accreditation: CAP/ASRM

Scripps Clinic  
10666 N. Torrey Pines Road, MS314  
La Jolla, CA 92037  
Telephone: 858-554-8680  
Fax: 858-554-8727  
Lab Name: Scripps Clinic Fertility Center Laboratory  
Accreditation: CAP/ASRM, JCAHO

Jane L. Frederick, M.D., Inc.  
23961 Calle Magdalena, Suite 541  
Laguna Hills, CA 92653  
Telephone: 949-472-9446  
Fax: 949-472-9023  
Lab Name: Jane L. Frederick, M.D., Inc.  
Accreditation: CAP/ASRM

Loma Linda University  
Center For Fertility and IVF  
11370 Anderson Street, Suite 3950  
Loma Linda, CA 92354  
Telephone: 909-796-4851  
Fax: 909-478-6450  
Lab Name: Fertility Science Laboratory  
Accreditation: CAP/ASRM

Reproductive Partners-Long Beach  
701 East 28th Street, Suite 202  
Long Beach, CA 90806  
Telephone: 562-427-2229  
Fax: 562-427-2751  
Lab Name: RPMG IVF & Andrology  
Laboratory-Long Beach  
Accreditation: CAP/ASRM  
Lab Name: RPMG IVF & Andrology  
Laboratory-Redondo Beach  
Accreditation: CAP/ASRM

Tyler Medical Clinic  
921 Westwood Boulevard, Suite 300  
Los Angeles, CA 90024  
Telephone: 310-208-6765  
Fax: 310-208-3648  
Lab Name: Tyler Medical Clinic  
Accreditation: None

University of California, Los Angeles  
Fertility Center  
Department of Ob/Gyn  
10833 Le Conte Avenue,  
27-162 CHS  
Los Angeles, CA 90095  
Telephone: 310-825-9500  
Fax: 310-206-9731  
Lab Name: Center for Reproductive  
Medicine IVF Lab  
Accreditation: CAP/ASRM  
Lab Name: Santa Monica Hospital  
Accreditation: CAP/ASRM (Pending),  
JCAHO

University of Southern California  
Reproductive Endocrinology and  
Infertility  
1245 Wilshire Boulevard, Suite 403  
Los Angeles, CA 90017  
Telephone: 213-975-9990  
Fax: 213-975-9997  
Lab Name: USC School of Medicine  
IVF Laboratory  
Accreditation: CAP/ASRM (Pending)

Brian Su, M.D.  
455 North Garfield Avenue  
Monterey Park, CA 91754  
Telephone: 626-280-0558  
Fax: 626-280-0281  
Lab Name: Center for Reproductive  
Medicine  
Accreditation: CAP/ASRM

Reproductive Specialty Medical Center  
1441 Avocado Avenue, Suite 203  
Newport Beach, CA 92660  
Telephone: 949-640-7200  
Fax: 949-720-0203  
Lab Name: Reproductive Specialty  
Medical Center  
Accreditation: JCAHO (Pending)

Southern California Center For  
Reproductive Medicine  
361 Hospital Road, Suite 333  
Newport Beach, CA 92663  
Telephone: 949-642-8727  
Fax: 949-642-5413  
Lab Name: Southern California  
Institute for Reproductive Sciences  
Accreditation: CAP/ASRM

Northridge Center for Reproductive  
Medicine  
18546 Roscoe Boulevard, Suite 240  
Northridge, CA 91324  
Telephone: 818-701-8181  
Fax: 818-701-8100  
Lab Name: Northridge Center for  
Reproductive Medicine  
Accreditation: None

Susan P. William, M.D.  
89 Davis Road, Suite 280  
Orinda, CA 94563  
Telephone: 925-254-0444  
Fax: 925-254-7810  
Lab Name: San Francisco Center  
for Reproductive Medicine  
Accreditation: CAP/ASRM

Nova In Vitro Fertilization  
1681 El Camino Real  
Palo Alto, CA 94306  
Telephone: 650-322-0500  
Fax: 650-322-5404  
Lab Name: Nova IVF Lab  
Accreditation: CAP/ASRM

Huntington Reproductive Center  
301 South Fair Oaks Avenue,  
Suite 402  
Pasadena, CA 91105  
Telephone: 626-440-9161  
Fax: 626-440-0138  
Lab Name: Huntington Reproductive  
Gamete Laboratory  
Accreditation: CAP/ASRM

North State Women's Center  
*Specialty Care for Women*  
1255 East Street, Suite 201  
Redding, CA 96001  
Telephone: 530-244-9052  
Fax: 530-244-9053  
Lab Name: Redding Medical Center  
Cares  
Accreditation: CAP/ASRM  
Lab Name: Center for Advanced  
Reproductive Care  
Accreditation: CAP/ASRM

Reproductive Partners-Redondo  
Beach  
510 North Prospect Avenue,  
Suite 202  
Redondo Beach, CA 90277  
Telephone: 310-318-3010  
Fax: 310-798-7304  
Lab Name: Reproductive Partners-  
Redondo Beach  
Accreditation: CAP/ASRM  
Lab Name: Reproductive Partners-  
Long Beach  
Accreditation: CAP/ASRM

Northern California Fertility Medical  
Center  
406 1/2 Sunrise Avenue, Suite 310  
Roseville, CA 95661  
Telephone: 916-773-2229  
Fax: 916-773-8391  
Lab Name: Northern California  
Fertility Medical Center  
Accreditation: CAP/ASRM

University of California, Davis  
Assisted Reproductive Technology  
Program  
Department of Ob/Gyn: Ellison  
Ambulatory Care  
4860 Y Street, Suite 2500  
Sacramento, CA 95817  
Telephone: 916-734-6930  
Fax: 916-734-6666  
Lab Name: IVF Laboratory  
Accreditation: CAP/ASRM

---

IGO Medical Group of San Diego  
9339 Genesee Avenue, Suite 220  
San Diego, CA 92121  
Telephone: 858-455-7520  
Fax: 858-554-1312  
Lab Name: IGO Medical Group  
Laboratory  
Accreditation: CAP/ASRM (Pending)

Infertility Clinic  
Naval Medical Center, San Diego  
34730 Bob Wilson Drive,  
Suite 100  
San Diego, CA 92134  
Telephone: 619-524-6218  
Fax: 619-524-6191  
Lab Name: Reproductive Partners-  
San Diego  
Accreditation: CAP/ASRM

Minh N. Ho, M.D., FACOG  
5555 Reservoir Drive,  
Suite 205  
San Diego, CA 92120  
Telephone: 619-286-5858  
Fax: 619-286-1474  
Lab Name: Alvarado IVF Laboratory  
Accreditation: CAP/ASRM  
Lab Name: Reproductive Science  
Center of San Diego  
Accreditation: CAP/ASRM, JCAHO  
Lab Name: Beth Anne Ary, M.D.  
Accreditation: CAP/ASRM, JCAHO

Reproductive Endocrine Associates  
6719 Alvarado Road, Suite 108  
San Diego, CA 92120  
Telephone: 619-265-1800  
Fax: 619-265-4055  
Lab Name: Alvarado Hospital Fertility  
Center  
Accreditation: CAP/ASRM

Sharp Fertility Center  
Dr. William Hummel & Dr. Michael  
Kettel Physicians Group  
Mary Birch Hospital  
3003 Health Center Drive  
San Diego, CA 92123  
Telephone: 858-541-4322  
Fax: 858-541-4194  
Lab Name: Sharp Fertility Center  
Accreditation: CAP/ASRM, JCAHO

Smotrich Center for Reproductive  
Enhancement  
6699 Alvarado Road, Suite 2306  
San Diego, CA 92120  
Telephone: 619-287-2222  
Fax: 619-287-3331  
Lab Name: Alvarado Hospital Fertility  
Center  
Accreditation: CAP/ASRM

Astarte Fertility Center  
450 Sutter Street, Suite 2215  
San Francisco, CA 94108  
Telephone: 415-773-3413  
Fax: 415-837-1155  
Lab Name: Astarte  
Accreditation: CAP/ASRM (Pending)

Pacific Fertility Center-San Francisco  
55 Francisco Street, Suite 500  
San Francisco, CA 94133  
Telephone: 415-834-3000  
Fax: 415-834-3099  
Lab Name: Pacific Fertility Medical  
Center  
Accreditation: CAP/ASRM

San Francisco Center for Reproductive  
Medicine  
390 Laurel Street, Suite 205  
San Francisco, CA 94118  
Telephone: 415-771-1483  
Fax: 415-771-8421  
Lab Name: San Francisco Center for  
Reproductive Medicine  
Accreditation: CAP/ASRM

Simon Henderson, M.D.  
390 Laurel Street, Suite 200  
San Francisco, CA 94118  
Telephone: 415-921-6100  
Fax: 415-563-0922  
Lab Name: San Francisco Center for  
Reproductive Medicine  
Accreditation: CAP/ASRM

University of California, San Francisco  
In Vitro Fertilization Program  
350 Parnassus Avenue, Suite 300  
San Francisco, CA 94117  
Telephone: 415-476-5405  
Fax: 415-502-4944  
Lab Name: In Vitro Fertilization  
Laboratory, UCSF  
Accreditation: CAP/ASRM

Carmelo S. Sgarlata, M.D.  
2505 Samaritan Drive, Suite 208  
San Jose, CA 95124  
Telephone: 408-358-1776  
Fax: 408-358-9287  
Lab Name: Fertility and Reproductive  
Health Institute  
Accreditation: CAP/ASRM

Fertility Physicians of Northern  
California  
2516 Samaritan Drive, Suite A  
San Jose, CA 95124  
Telephone: 408-358-2500  
Fax: 408-356-8954  
Lab Name: Fertility and Reproductive  
Health Institute of Northern  
California  
Accreditation: CAP/ASRM

Reproductive Science Center of the  
Bay Area  
3160 Crow Canyon Road, Suite 150  
San Ramon, CA 94583  
Telephone: 925-867-1800  
Fax: 925-275-0933  
Lab Name: Reproductive Science  
Center of the SF Bay Area  
Accreditation: CAP/ASRM

Center for Assisted Reproductive  
Medicine  
1250 16th St, Suite 2129  
Santa Monica, CA 90404  
Telephone: 310-319-4482  
Fax: 310-319-4123  
Lab Name: Santa Monica/UCLA  
Medical Center  
Accreditation: CAP/ASRM (Pending)

Parker-Rosenman-Rodi Gynecology &  
Infertility Medical Group  
1450 Tenth Street, Suite 404  
Santa Monica, CA 90401  
Telephone: 310-451-8144  
Fax: 310-451-3414  
Lab Name: Century City Hospital  
Center for Reproductive Medicine  
Accreditation: CAP/ASRM



North Bay Fertility Center, Inc.  
1111 Sonoma Avenue, Suite 212  
Santa Rosa, CA 95405  
Telephone: 707-575-1729  
Fax: 707-575-4379  
Lab Name: North Bay Fertility  
Center, Inc.  
Accreditation: CAP/ASRM

Valley Center for Reproductive Health  
13320 Riverside Drive, Suite 220  
Sherman Oaks, CA 91423  
Telephone: 818-986-1648  
Fax: 818-986-1653  
Lab Name: Encino Tarzana Medical  
Center  
Accreditation: CAP/ASRM

Stanford University IVF/ART Program  
Department of Gyn/Ob S-387  
300 Pasteur Drive S387  
Stanford, CA 94305  
Telephone: 650-725-5983  
Fax: 650-498-5024  
Lab Name: IVF/ART Laboratory  
Accreditation: CAP/ASRM

Center for Fertility and Gynecology  
Vermesh/Ben-Ozer Center for Fertility  
18370 Burbank Boulevard, Suite 301  
Tarzana, CA 91356  
Telephone: 818-881-9800  
Fax: 818-881-1857  
Lab Name: Center for Reproductive  
Medicine, Encino/Tarzana Regional  
Medical Center  
Accreditation: CAP/ASRM, JCAHO

The Fertility Institutes  
Jeffrey Steinberg, M.D. Incorporated  
18370 Burbank Boulevard, Suite 414  
Tarzana, CA 91356  
Telephone: 818-776-8700  
Fax: 818-776-8754  
Lab Name: Fertility Institutes  
Accreditation: CAP/ASRM  
Lab Name: Century City Hospital  
Accreditation: CAP/ASRM

Infertility and Gynecology Institute  
18370 Burbank Boulevard, Suite 514  
Tarzana, CA 91356  
Telephone: 818-996-5550  
Fax: 818-996-5725  
Lab Name: Center for Reproductive  
Medicine at Encino-Tarzana  
Accreditation: CAP/ASRM

Pacific Reproductive Center  
3720 Lomita Boulevard, Suite 100  
Torrance, CA 90505  
Telephone: 310-376-7000  
Fax: 310-373-0319  
Lab Name: Pacific Reproductive  
Center  
Accreditation: CAP/ASRM

## **COLORADO**

Colorado Springs Center for  
Reproductive Health  
1625 Medical Center Point, Suite 290  
Colorado Springs, CO 80907  
Telephone: 719-636-0080  
Fax: 719-636-3030  
Lab Name: Colorado Springs Center  
for Reproductive Health  
Accreditation: CAP/ASRM

Center for Reproductive Medicine  
University of Colorado  
4701 E. 9th Avenue, University  
Pavilion 254 South  
Denver, CO 80220  
Telephone: 303-372-1483  
Fax: 303-372-1499  
Lab Name: Center for Reproductive  
Medicine IVF Laboratory  
Accreditation: CAP/ASRM

Colorado IVF at Rose  
4600 East Hale Parkway, Suite 350  
Denver, CO 80220  
Telephone: 303-321-7115  
Fax: 303-321-9519  
Lab Name: Colorado IVF at Rose  
Accreditation: CAP/ASRM (Pending)

Reproductive Genetics In Vitro  
455 South Hudson St, Level 3  
Denver, CO 80246  
Telephone: 303-399-1464  
Fax: 303-399-1465  
Lab Name: Reproductive Genetics In  
Vitro  
Accreditation: None

Colorado Center for Reproductive  
Medicine  
799 East Hampden Avenue,  
Suite 300  
Englewood, CO 80110  
Telephone: 303-788-8300  
Fax: 303-788-8310  
Lab Name: The Colorado Center for  
Reproductive Medicine  
Accreditation: CAP/ASRM

Rocky Mountain Center for  
Reproductive Medicine  
1080 East Elizabeth  
Fort Collins, CO 80524  
Telephone: 970-493-6353  
Fax: 970-493-6366  
Lab Name: Rocky Mountain Center  
For Reproductive Medicine IVF Lab  
Accreditation: CAP/ASRM (Pending)

Conceptions Reproductive Associates  
7720 South Broadway, Suite 580  
Littleton, CO 80122  
Telephone: 303-794-0045  
Fax: 303-794-2054  
Lab Name: Conceptions  
Reproductive Associates  
Accreditation: CAP/ASRM

## **CONNECTICUT**

The Center for Advanced  
Reproductive Services at  
the University of Connecticut  
Health Center  
Dowling South Building  
263 Farmington Avenue, Suite A330  
Farmington, CT 06030  
Telephone: 860-679-4580  
Fax: 860-679-1499  
Lab Name: Lab at the Center for  
Advanced Reproductive Services  
Accreditation: CAP/ASRM (Pending)



Yale University School of Medicine  
In-Vitro Fertilization Program  
Department of Ob/Gyn  
333 Cedar Street, Dana 2 Clinic  
Building  
New Haven, CT 06510  
Telephone: 203-785-4708  
Fax: 203-785-3560  
Lab Name: Yale University In-Vitro  
Fertilization Laboratory  
Accreditation: CAP/ASRM (Pending)

Michael B. Doyle, M.D.  
148 East Avenue,  
Norwalk, CT 06851  
Telephone: 203-855-1200  
Fax: 203-866-3668  
Lab Name: New England Fertility  
Institute  
Accreditation: CAP/ASRM

New England Fertility Institute  
1275 Summer Street, Suite 201  
Stamford, CT 06905  
Telephone: 203-325-3200  
Fax: 203-323-3130  
Lab Name: New England Fertility  
Institute IVF Laboratory  
Accreditation: CAP/ASRM

The Stamford Hospital  
Shelburne & West Broad Streets  
Stamford, CT 06904  
Telephone: 203-325-7559  
Fax: 203-325-7259  
Lab Name: New England Fertility  
Institute  
Accreditation: CAP/ASRM

## DELAWARE

The Center for Human Reproduction-  
Delaware, P.A.  
*Delaware Institute for Reproductive  
Medicine, P.A.*  
4745 Stanton-Ogletown Road,  
Suite 111  
Newark, DE 19713  
Telephone: 302-738-4600  
Fax: 302-738-3508  
Lab Name: Delaware Institute for  
Reproductive Medicine, P.A.  
Accreditation: CAP/ASRM

Reproductive Associates of Delaware  
4600 New Linden Hill Road,  
Suite 102  
Wilmington, DE 19808  
Telephone: 302-633-9533  
Fax: 302-633-9540  
Lab Name: Reproductive Associates  
of Delaware  
Accreditation: None

## DISTRICT OF COLUMBIA

§Columbia Hospital for Women ART  
Program  
2440 M Street NW, Suite 401  
Washington, DC 20037  
Telephone: 202-293-6567  
Fax: 202-778-6190  
Lab Name: Columbia Hospital for  
Women ART Laboratory  
Accreditation: JCAHO

The George Washington University  
Medical Center  
IVF Program  
2150 Pennsylvania Avenue, NW,  
6A241  
Washington, DC 20037  
Telephone: 202-994-4614  
Fax: 202-994-0817  
Lab Name: George Washington  
University Medical Center  
Accreditation: CAP/ASRM

Reproductive Science Center  
Walter Reed Army Medical Center  
6900 Georgia Avenue, NW, Ward 43  
Bldg 2, Rm 4304  
Washington, DC 20307  
Telephone: 202-782-5090  
Fax: 202-782-4833  
Lab Name: Reproductive Science Ctr  
at Walter Reed Army Med Ctr  
Accreditation: JCAHO

## FLORIDA

Boca Fertility  
875 Meadows Road, Suite 334  
Boca Raton, FL 33486  
Telephone: 561-368-5500  
Fax: 561-368-4793  
Lab Name: Boca Fertility  
Accreditation: CAP/ASRM (Pending)

Palm Beach Fertility Center  
9970 Central Park Boulevard,  
Suite 300  
Boca Raton, FL 33428  
Telephone: 561-477-7728  
Fax: 561-477-7035  
Lab Name: Palm Beach Fertility  
Center Lab  
Accreditation: JCAHO (Pending)

Advanced Reproductive Care  
Center, P.A.  
10301 Hagen Ranch Rd, Suite 6  
Boynton Beach, FL 33437  
Telephone: 561-736-6006  
Fax: 561-736-5788  
Lab Name: Advanced Reproductive  
Care Center  
Accreditation: JCAHO (Pending)

§The Center for Human  
Reproduction-Florida  
2454 McMullen Booth Road,  
Suite 601  
Clearwater, FL 33759  
Telephone: 727-796-7705  
Fax: 727-796-8764  
Lab Name: Edward Zbella, M.D., P.A.  
Accreditation: JCAHO (Pending)

Florida Institute for Reproductive  
Science & Technology (F.I.R.S.T.)  
9900 Stirling Road, Suite 300  
Cooper City, FL 33024  
Telephone: 954-436-2700  
Fax: 954-436-6663  
Lab Name: F.I.R.S.T.  
Accreditation: JCAHO (Pending)

Specialists in Reproductive Medicine  
& Surgery, P.A.  
12611 World Plaza Lane, Building 53  
Fort Myers, FL 33907  
Telephone: 941-275-8118  
Fax: 941-275-5914  
Lab Name: Specialists In Repro-  
ductive Medicine & Surgery, P.A.  
Accreditation: CAP/ASRM

---

University of Florida/Park Avenue  
Women's Center  
807 NW 57th St  
Gainesville, FL 32605  
Telephone: 352-392-6200  
Fax: 352-392-6204  
Lab Name: In Vitro Fertilization and  
Andrology Laboratory  
Accreditation: JCAHO

Fertility Institute of Northwest Florida  
1110 Gulf Breeze Parkway, Suite 202  
Gulf Breeze, FL 32561  
Telephone: 850-934-3900  
Fax: 850-932-3753  
Lab Name: Fertility Institute of  
Northwest Florida  
Accreditation: CAP/ASRM

Florida Institute for Reproductive  
Medicine  
836 Prudential Drive, Suite 902  
Jacksonville, FL 32207  
Telephone: 904-399-5620  
Fax: 904-399-5645  
Lab Name: Florida Institute for  
Reproductive Medicine  
Accreditation: CAP/ASRM

IVF Florida/Northwest Center for  
Infertility & Reproductive  
Endocrinology  
2825 North State Route 7, Suite 302  
Margate, FL 33063  
Telephone: 954-247-6200  
Fax: 954-247-6262  
Lab Name: IVF Florida  
Accreditation: CAP/ASRM

Fertility & IVF Center of Miami  
8950 North Kendall Drive, Suite 103  
Miami, FL 33176  
Telephone: 305-596-4013  
Fax: 305-596-4557  
Lab Name: Fertility & IVF Center of  
Miami  
Accreditation: CAP/ASRM

Women's HealthCare Specialists  
IVF Miami  
4302 Alton Road, Suite 900  
Miami Beach, FL 33140  
Telephone: 305-531-1480  
Fax: 305-531-1496  
Lab Name: Fertility and IVF Center of  
Miami  
Accreditation: CAP/ASRM

South Florida Institute for  
Reproductive Medicine  
6250 Sunset Drive, Suite 202  
South Miami, FL 33143  
Telephone: 305-662-7901  
Fax: 305-662-7910  
Lab Name: South Florida Institute for  
Reproductive Medicine  
Accreditation: CAP/ASRM

§Arnold Palmer Hospital Fertility  
Center  
22 Underwood Street  
Orlando, FL 32806  
Telephone: 407-649-6995  
Fax: 407-841-3367  
Lab Name: Arnold Palmer Fertility  
Center  
Accreditation: CAP/ASRM (Pending),  
JCAHO

Center for Infertility & Reproductive  
Medicine, P.A.  
3435 Pinehurst Avenue  
Orlando, FL 32804  
Telephone: 407-740-0909  
Fax: 407-740-7262  
Lab Name: Center for Infertility &  
Reproductive Medicine P.A.  
Accreditation: CAP/ASRM

Reproductive Medicine and Fertility  
Center  
615 East Princeton Street, Suite 225  
Orlando, FL 32803  
Telephone: 407-896-7575  
Fax: 407-894-2692  
Lab Name: Reproductive Medicine  
and Fertility Center  
Accreditation: CAP/ASRM (Pending)

University of Florida-Pensacola  
5147 North Ninth Avenue  
DePaul Medical Building 402  
Pensacola, FL 32504  
Telephone: 850-857-3733  
Fax: 850-857-0670  
Lab Name: Fertility Institute of  
Northwest Florida  
Accreditation: CAP/ASRM

Center for Advanced Reproductive  
Endocrinology  
6738 West Sunrise Boulevard,  
Suite 106  
Plantation, FL 33313  
Telephone: 954-584-2273  
Fax: 954-587-9630  
Lab Name: Laboratory for  
Implantation, Fertilization, &  
Embryology  
Accreditation: CAP/ASRM

Fertility Institute of Fort Lauderdale  
4100 South Hospital Drive, Suite 209  
Plantation, FL 33317  
Telephone: 954-791-1442  
Fax: 954-791-1887  
Lab Name: Fertility Institute of Fort  
Lauderdale  
Accreditation: CAP/ASRM

Fertility Center of Sarasota  
Julio E. Pabon, M.D., P.A.  
5664 Bee Ridge Rd, Suite 103  
Sarasota, FL 34233  
Telephone: 941-342-1568  
Fax: 941-342-8296  
Lab Name: Fertility Center of Sarasota  
Accreditation: JCAHO (Pending)

Advanced Reproductive Technologies  
Program at University Community  
Hospital  
Drs. Verkauf, Bernhisel and Tarantino  
University Community Hospital  
3100 East Fletcher Avenue  
Tampa, FL 33613  
Telephone: 813-979-7956  
Fax: 813-979-7913  
Lab Name: Advanced Reproductive  
Technologies Program Laboratory  
Accreditation: CAP/ASRM

Genetics & IVF of Florida  
*Reproductive Medicine & Genetics*  
5500 Village Boulevard, Suite 103  
West Palm Beach, FL 33407  
Telephone: 561-697-4200  
Fax: 561-686-8525  
Lab Name: Reproductive Medicine &  
Genetics  
Accreditation: None

## GEORGIA

Emory Center for Reproductive  
Medicine and Fertility  
20 Linden Avenue, NE, Suite 4701  
Atlanta, GA 30308  
Telephone: 404-686-3229  
Fax: 404-686-4297  
Lab Name: Emory Center for  
Reproductive Medicine and  
Fertility  
Accreditation: JCAHO (Pending)

Reproductive Biology Associates  
5505 Peachtree-Dunwoody Road,  
NE, Suite 400  
Atlanta, GA 30342  
Telephone: 404-843-3064  
Fax: 404-256-1528  
Lab Name: Reproductive Biology  
Associates  
Accreditation: CAP/ASRM

Augusta Reproductive Biology  
Associates  
812 Chafee Avenue  
Augusta, GA 30904  
Telephone: 706-724-0228  
Fax: 706-722-2387  
Lab Name: New Life Technologies  
Accreditation: CAP/ASRM

## HAWAII

Pacific IVF Institute  
1319 Punahou Street, Suite 980  
Honolulu, HI 96826  
Telephone: 808-946-2226  
Fax: 808-943-1563  
Lab Name: Pacific In Vitro Fertilization  
Laboratory  
Accreditation: CAP/ASRM

Tripler Army Medical Center  
1 Jarrett White Road  
Tripler AMC, HI 96859  
Telephone: 808-433-6845  
Fax: 808-433-1552  
Lab Name: Pacific In Vitro Fertilization  
Institute Lab  
Accreditation: CAP/ASRM

## ILLINOIS

Advanced Institute of Fertility  
Medical Institute of Fertility  
1700 West Central Road 40  
Arlington Heights, IL 60005  
Telephone: 847-394-5437  
Fax: 847-394-5478  
Lab Name: Advanced Institute of  
Fertility IVF Laboratory  
Accreditation: CAP/ASRM

Rush-Copley Center for Reproductive  
Health  
2020 Ogden Avenue, Suite 215  
Aurora, IL 60504  
Telephone: 630-978-6254  
Fax: 630-978-6855  
Lab Name: Rush-Copley IVF Lab  
Accreditation: JCAHO (Pending)

Center for Human Reproduction  
750 North Orleans  
Chicago, IL 60610  
Telephone: 312-397-8000  
Fax: 847-486-7541  
Lab Name: The Center for Human  
Reproduction  
Accreditation: CAP/ASRM

IVF Illinois, Inc.  
836 West Wellington  
Chicago, IL 60657  
Telephone: 773-296-7096  
Fax: 773-296-7478  
Lab Name: IVF Illinois, Inc.  
Accreditation: CAP/ASRM

Northwestern University  
Prentice Women's Hospital  
675 N. St Claire, 14-219  
Chicago, IL 60611  
Telephone: 312-695-7269  
Fax: 312-695-4924  
Lab Name: Northwestern University  
Accreditation: CAP/ASRM (Pending),  
JCAHO (Pending)

Rush Center for Advanced  
Reproductive Care  
1725 W. Harrison, 408 East  
Chicago, IL 60612  
Telephone: 312-997-2229  
Fax: 312-942-2354  
Lab Name: Rush Center for Advanced  
Reproductive Medicine  
Accreditation: JCAHO

Water Tower Women's Center, L.L.C.  
845 N. Michigan Avenue,  
Suite 935 E  
Chicago, IL 60611  
Telephone: 312-642-6777  
Fax: 312-642-8383  
Lab Name: Water Tower Women's  
Center  
Accreditation: None

Midwest Fertility Center  
4333 Main Street  
Downers Grove, IL 60515  
Telephone: 630-810-0212  
Fax: 630-810-1027  
Lab Name: Midwest Fertility Center  
Accreditation: Pending

Advanced Fertility Center of Chicago  
6440 Grand Avenue, Suite 102  
Gurnee, IL 60031  
Telephone: 847-855-1818  
Fax: 847-855-2086  
Lab Name: Advanced Fertility Center  
of Chicago  
Accreditation: CAP/ASRM (Pending)

Highland Park Hospital IVF Center  
718 Glenview Avenue  
Highland Park, IL 60035  
Telephone: 847-480-3950  
Fax: 847-480-2608  
Lab Name: Highland Park Hospital  
IVF Laboratory  
Accreditation: JCAHO (Pending)

Hinsdale Center for Reproduction  
121 North Elm Street  
Hinsdale, IL 60521  
Telephone: 630-856-3535  
Fax: 630-856-3545  
Lab Name: Hinsdale Center for  
Reproduction Reproductive Labs  
Accreditation: CAP/ASRM

Reproductive Health Specialists, Ltd.  
310 N. Hammes, Suite 101  
Joliet, IL 60435  
Telephone: 815-730-1100  
Fax: 815-730-1066  
Lab Name: RHS IVF/Andrology  
Laboratory  
Accreditation: CAP/ASRM  
Lab Name: Midwest IVF Laboratory  
Accreditation: CAP/ASRM (Pending)

Oak Brook Fertility Center  
2425 West 22nd Street, Suite 102  
Oak Brook, IL 60523  
Telephone: 630-954-0054  
Fax: 630-954-0064  
Lab Name: Chicago Fertility  
Laboratories  
Accreditation: JCAHO

Reena Jabamoni, M.D.  
120 Oakbrook Center, Suite 308  
Oak Brook, IL 60521  
Telephone: 630-574-3633  
Fax: 630-574-3660  
Lab Name: Reena Jabamoni M.D.  
Laboratory  
Accreditation: CAP/ASRM

Lutheran General Hospital IVF  
Program  
1775 Dempster Street, 1 South  
Park Ridge, IL 60068  
Telephone: 847-998-8200  
Fax: 847-998-0419  
Lab Name: Embryology/IVF  
Laboratory  
Accreditation: CAP/ASRM

Advanced Reproductive Center, Ltd.  
435 North Mulford Road, Suite 9  
Rockford, IL 61107  
Telephone: 815-229-1700  
Fax: 815-229-1831  
Lab Name: Advanced Reproductive  
Center, Ltd.  
Accreditation: CAP/ASRM

Reproductive Health and Fertility  
Center at Rockford Health Systems  
*Reproductive Health and Fertility  
Center, Fertility and Reproductive  
Endocrinology Specialists*  
2350 North Rockton Avenue,  
Suite 408  
Rockford, IL 61103  
Telephone: 815-971-7234  
Fax: 815-971-7425  
Lab Name: Reproductive Health and  
Fertility Center Laboratory  
Accreditation: CAP/ASRM

Rush North Shore Center for  
Advanced Reproductive Care  
9600 Gross Point Road  
Skokie, IL 60076  
Telephone: 847-933-6200  
Fax: 847-933-6206  
Lab Name: Rush North Shore Center  
for Advanced Reproductive Care  
Accreditation: CAP/ASRM (Pending)

Department of Obstetrics and  
Gynecology  
Southern Illinois University School of  
Medicine  
751 North Rutledge St 2100  
Springfield, IL 62794  
Telephone: 217-782-5117  
Fax: 217-788-5561  
Lab Name: SIU ART Laboratory  
Accreditation: None

Reproductive Endocrinology  
Associates, S.C.  
340 West Miller Street  
Springfield, IL 62702  
Telephone: 217-523-4700  
Fax: 217-523-9025  
Lab Name: Reproductive  
Endocrinology Associates, S.C.  
Accreditation: CAP/ASRM

Midwest Reproductive Medicine:  
Champaign/Urbana  
602 West University Avenue, S40G  
Urbana, IL 61801  
Telephone: 217-383-7093  
Fax: 217-383-4966  
Lab Name: Midwest Reproductive  
Medicine: Champaign/Urbana  
Accreditation: None

## INDIANA

Associated Fertility & Gynecology  
7910 West Jefferson, Suite 301  
Fort Wayne, IN 46804  
Telephone: 219-432-6250  
Fax: 219-436-7220  
Lab Name: Associated Fertility &  
Gynecology Laboratory  
Accreditation: CAP/ASRM

Advanced Fertility Group  
201 North Pennsylvania Parkway,  
Suite 205  
Indianapolis, IN 46280  
Telephone: 317-817-1300  
Fax: 317-817-1306  
Lab Name: Reproductive Biology  
Laboratory  
Accreditation: JCAHO

Family Beginnings  
7250 Clearvista Parkway, Suite 308  
Indianapolis, IN 46256  
Telephone: 317-841-2280  
Fax: 317-841-2283  
Lab Name: Assisted Fertility Services  
Accreditation: JCAHO (Pending)

Indiana University Hospital  
550 North University Boulevard  
Indianapolis, IN 46202  
Telephone: 317-274-4875  
Fax: 317-278-3787  
Lab Name: Reproductive Biology  
Laboratory  
Accreditation: JCAHO

Midwest Reproductive Medicine  
8081 Township Line Road, Suite 110  
Indianapolis, IN 46260  
Telephone: 800-333-1415  
Fax: 317-872-5063  
Lab Name: Midwest Reproductive  
Medicine ART Lab  
Accreditation: JCAHO (Pending)

Reproductive Endocrinology  
Associates  
2020 West 86th Street, Suite 310  
Indianapolis, IN 46260  
Telephone: 317-872-1515  
Fax: 317-879-2784  
Lab Name: Assisted Fertility Services  
Accreditation: JCAHO



Reproductive Surgery &  
Medicine, P.C.  
8040 Clearvista Parkway, Suite 280  
Indianapolis, IN 46256  
Telephone: 317-841-2255  
Fax: 317-841-2265  
Lab Name: Assisted Fertility  
Services - Community Hospitals  
Accreditation: JCAHO (Pending)

Center for Assisted Reproduction  
615 North Michigan Street, Suite 115  
South Bend, IN 46601  
Telephone: 219-284-3633  
Fax: 219-284-6927  
Lab Name: South Bend Medical  
Foundation  
Accreditation: CAP/ASRM

## IOWA

McFarland Clinic, P.C.  
Assisted Reproduction  
1215 Duff Avenue  
Ames, IA 50010  
Telephone: 515-239-4414  
Fax: 515-239-4786  
Lab Name: Assisted Reproduction  
Laboratory  
Accreditation: CAP/ASRM

University of Iowa Hospitals and  
Clinics  
Center for Advanced Reproductive  
Care  
200 Hawkins Drive, Dpt of Ob/Gyn  
BT 2004  
Iowa City, IA 52242  
Telephone: 319-356-8483  
Fax: 319-356-6659  
Lab Name: In Vitro Fertilization &  
Reproductive Testing Lab  
Accreditation: CAP/ASRM

Mid-Iowa Fertility, P.C.  
3408 Woodland Avenue, Suite 302  
West Des Moines, IA 50266  
Telephone: 515-222-3060  
Fax: 515-222-9563  
Lab Name: Mid-Iowa Fertility, P.C.  
Accreditation: CAP/ASRM

## KANSAS

University of Kansas Medical Center  
Women's Reproductive Center  
3901 Rainbow Boulevard, 5th Floor  
Kansas City, KS 66160  
Telephone: 913-588-6272  
Fax: 913-588-3242  
Lab Name: University of Kansas  
Medical Center  
Accreditation: None

Reproductive Resource Center of  
Greater Kansas City  
12200 West 106 Street, Suite 120  
Overland Park, KS 66215  
Telephone: 913-894-2323  
Fax: 913-894-0841  
Lab Name: IVF Lab of Reproductive  
Resource Center  
Accreditation: CAP/ASRM

Reproductive Medicine & Infertility  
Shawnee Mission Medical Center  
8800 W. 75th St, Suite 101  
Shawnee Mission, KS 66204  
Telephone: 913-432-7161  
Fax: 913-432-6158  
Lab Name: Shawnee Mission Medical  
Center  
Accreditation: CAP/ASRM (Pending)  
Lab Name: Reproductive Medicine  
& Infertility  
Accreditation: None

The Center for Reproductive  
Medicine  
2903 East Central  
Wichita, KS 67214  
Telephone: 316-687-2112  
Fax: 316-687-1260  
Lab Name: The Center for  
Reproductive Medicine ART Lab  
Accreditation: CAP/ASRM

## KENTUCKY

Fertility & Endocrine Associates  
1780 Nicholasville Road, Suite 402  
Lexington, KY 40503  
Telephone: 606-278-9151  
Fax: 606-278-8946  
Lab Name: Central Baptist Hospital  
Accreditation: CAP/ASRM

James W. Akin, M.D.  
1780 Nicholasville Road, Suite 201  
Lexington, KY 40503  
Telephone: 606-260-1515  
Fax: 606-260-1425  
Lab Name: Central Baptist Hospital  
Accreditation: CAP/ASRM

University of Kentucky  
Department of Ob/Gyn  
800 Rose Street, Room C359  
Lexington, KY 40536  
Telephone: 606-260-1515  
Fax: 606-260-1425  
Lab Name: Reproductive Endocrine  
Labs  
Accreditation: CAP/ASRM

University Ob/Gyn Associates Fertility  
Center  
Norton Healthcare Pavilion  
315 E. Broadway, First Floor  
Louisville, KY 40202  
Telephone: 502-629-3830  
Fax: 502-629-3713  
Lab Name: Fertility Center  
Embryology Laboratory  
Accreditation: JCAHO

## LOUISIANA

The Center for Fertility & Advanced  
Reproductive Care  
4720 South I-10 Service Road,  
Suite 309  
Metairie, LA 70001  
Telephone: 504-887-7001  
Fax: 504-887-7055  
Lab Name: Reproductive Resources  
Accreditation: CAP/ASRM

Fertility and Laser Center  
4720 South I-10 Service Road,  
Suite 100  
Metairie, LA 70001  
Telephone: 504-454-2165  
Fax: 504-888-2250  
Lab Name: Reproductive Resources  
Accreditation: CAP/ASRM

Fertility Clinic  
Tulane University Hospital and Clinic  
1415 Tulane Avenue  
New Orleans, LA 70112  
Telephone: 504-588-2341  
Fax: 504-584-1680  
Lab Name: Fertility Institute of New Orleans  
Accreditation: CAP/ASRM

Fertility Institute of New Orleans  
6020 Bullard Avenue  
New Orleans, LA 70128  
Telephone: 504-246-8971  
Fax: 504-246-9778  
Lab Name: Fertility Institute of New Orleans  
Accreditation: CAP/ASRM

Ochsner Clinic Reproductive Medicine  
1514 Jefferson Highway, 3W-AT Ob-Gyn  
New Orleans, LA 70121  
Telephone: 504-842-4155  
Fax: 504-842-4141  
Lab Name: Fertility Institute Of New Orleans  
Accreditation: None

Center for Fertility & Reproductive Health  
2401 Greenwood Road  
Shreveport, LA 71103  
Telephone: 318-632-8270  
Fax: 318-632-8275  
Lab Name: Center for Fertility & Reproductive Health  
Accreditation: CAP/ASRM

## **MARYLAND**

Fertility Center of Maryland  
110 West Road, Suite 102  
Baltimore, MD 21204  
Telephone: 410-296-6400  
Fax: 410-296-6405  
Lab Name: Fertility Center of Maryland  
Accreditation: JCAHO (Pending)

GBMC Fertility Center  
406 Physicians Pavilion West  
6569 North Charles Street, Suite 406  
Baltimore, MD 21204  
Telephone: 410-828-2484  
Fax: 410-828-3067  
Lab Name: GBMC Fertility Center ART Laboratory  
Accreditation: CAP/ASRM

Helix Center for ART  
Union Memorial Hospital-Ob/Gyn  
201 East University Parkway  
Baltimore, MD 21218  
Telephone: 410-554-2271  
Fax: 410-554-2900  
Lab Name: Helix Center for ART  
Accreditation: CAP/ASRM

University of Maryland Medical School  
Center for Advanced Reproductive Technology  
University of Maryland Medical System  
405 West Redwood Street, 3rd Floor  
Baltimore, MD 21201  
Telephone: 410-328-2304  
Fax: 410-328-8389  
Lab Name: UMMS  
Accreditation: CAP/ASRM

Mid-Atlantic Fertility Centers  
10215 Fernwood Road, Suite 301A  
Bethesda, MD 20817  
Telephone: 301-897-8850  
Fax: 301-530-8105  
Lab Name: Mid-Atlantic Fertility Centers  
Accreditation: CAP/ASRM

Johns Hopkins Fertility Center  
10753 Falls Rd, Suite 335  
Lutherville, MD 21093  
Telephone: 410-847-3650  
Fax: 410-583-2792  
Lab Name: Johns Hopkins A.R.T. Laboratories  
Accreditation: JCAHO

Center for Reproductive Medicine  
9711 Medical Center Drive, Suite 214  
Rockville, MD 20850  
Telephone: 301-424-1904  
Fax: 301-424-1902  
Lab Name: George Washington University  
Accreditation: CAP/ASRM

Shady Grove Fertility Centers  
*Shady Grove Fertility Reproductive Science Center*  
15001 Shady Grove Road, Suite 400  
Rockville, MD 20850  
Telephone: 301-340-1188  
Fax: 301-340-1612  
Lab Name: Shady Grove Fertility Reproductive Science Center  
Accreditation: JCAHO (Pending)

## **MASSACHUSETTS**

Center for Assisted Reproduction  
Brigham & Women's Hospital  
75 Francis St, Tower 5C  
Boston, MA 02115  
Telephone: 617-732-4222  
Fax: 617-975-0825  
Lab Name: Center for Assisted Reproduction Embryology Lab  
Accreditation: CAP/ASRM, JCAHO

Faulkner Center for Reproductive Medicine  
1153 Center Street  
Boston, MA 02130  
Telephone: 781-326-9732  
Fax: 781-326-9651  
Lab Name: Reproductive Medicine Clinical Lab  
Accreditation: CAP/ASRM (Pending)

Massachusetts General Hospital  
Vincent IVF Unit  
55 Fruit St, VBK 210  
Boston, MA 02114  
Telephone: 617-724-3500  
Fax: 617-724-8882  
Lab Name: Vincent IVF Andrology/Embryology Laboratory  
Accreditation: CAP/ASRM



New England Fertility and  
Endocrinology Associates  
One Brookline Place, Suite 421  
Brookline, MA 02445  
Telephone: 617-277-1778  
Fax: 617-734-9951  
Lab Name: New England Fertility &  
Endocrinology Associates  
Accreditation: CAP/ASRM (Pending)

Hallmark Health Fertility Services  
The Malden Hospital  
100 Hospital Road  
Malden, MA 02148  
Telephone: 781-397-6540  
Fax: 781-397-6042  
Lab Name: Hallmark Health Fertility  
Services IVF Laboratory  
Accreditation: CAP/ASRM

Fertility Center of New England, Inc.  
New England Clinic of Reproductive  
Medicine  
20 Pond Meadow Drive  
Box 205  
Reading, MA 01867  
Telephone: 781-942-7000  
Fax: 781-942-7200  
Lab Name: New England Clinic of  
Reproductive Medicine, Inc.  
Accreditation: CAP/ASRM

Baystate IVF  
Chestnut Surgical Center  
759 Chestnut St  
Springfield, MA 01199  
Telephone: 412-794-1950  
Fax: 413-794-1857  
Lab Name: Reproductive Biology  
Laboratory  
Accreditation: CAP/ASRM

Boston IVF  
40 Second Avenue,  
Suite 200  
Waltham, MA 02451  
Telephone: 781-434-6400  
Fax: 781-890-5016  
Lab Name: Boston Fertility  
Laboratories  
Accreditation: CAP/ASRM

The Reproductive Science Center of  
Boston  
Deaconess Waltham Hospital  
20 Hope Avenue  
Waltham, MA 02454  
Telephone: 781-647-6263  
Fax: 781-647-6323  
Lab Name: The Reproductive Science  
Center of Boston  
Accreditation: CAP/ASRM

## **MICHIGAN**

University of Michigan Medical  
Center  
Taubman Center  
1500 E. Medical Center Drive,  
Suite 1442  
Ann Arbor, MI 48109  
Telephone: 734-763-4323  
Fax: 734-763-7682  
Lab Name: University of Michigan  
ART Laboratory  
Accreditation: CAP/ASRM

Center for Reproductive Medicine  
Oakwood Hospital  
18181 Oakwood Boulevard,  
Suite 109  
Dearborn, MI 48124  
Telephone: 313-593-5880  
Fax: 313-593-8837  
Lab Name: Center for Reproductive  
Medicine  
Accreditation: JCAHO (Pending)

The Center for Reproductive  
Medicine  
Hurley Medical Center  
2 Hurley Plaza, Suite 101  
Flint, MI 48503  
Telephone: 810-257-9714  
Fax: 810-762-7040  
Lab Name: Hurley Medical Center IVF  
Laboratory  
Accreditation: CAP/ASRM

Grand Rapids Fertility/Spectrum  
Health East  
1900 Wealthy Street, Suite 315  
Grand Rapids, MI 40506  
Telephone: 616-774-2030  
Fax: 616-774-2053  
Lab Name: Grand Rapids Fertility &  
IVF, P.C.  
Accreditation: CAP/ASRM (Pending)

Michigan Reproductive & IVF Center  
221 Michigan, NE, Suite 406  
Grand Rapids, MI 49503  
Telephone: 616-391-2558  
Fax: 616-391-2552  
Lab Name: Michigan Reproductive  
& IVF Center  
Accreditation: CAP/ASRM (Pending)

West Michigan Reproductive  
Institute, P.C.  
885 Forest Hills Avenue, SE  
Grand Rapids, MI 49546  
Telephone: 616-942-5180  
Fax: 616-942-2450  
Lab Name: WMRI ART Lab  
Accreditation: CAP/ASRM (Pending)

Infertility and Gynecology Center of  
Lansing, P.C.  
1200 East Michigan Avenue,  
Suite 305  
Lansing, MI 48910  
Telephone: 517-484-4900  
Lab Name: Sparrow Hospital Fertility  
Services  
Accreditation: CAP/ASRM

Michigan State University  
Center for Assisted Reproductive  
Technology  
1200 East Michigan Avenue,  
Suite 700  
Lansing, MI 48912  
Telephone: 517-364-5888  
Fax: 517-364-5889  
Lab Name: Sparrow Hospital Fertility  
Services  
Accreditation: CAP/ASRM

The Center for Reproductive  
Medicine at Rochester Hills  
3950 South Rochester Road,  
Suite 2300  
Rochester Hills, MI 48307  
Telephone: 248-844-8845  
Fax: 248-844-9039  
Lab Name: ART Lab at the Center for  
Reproductive Medicine  
Accreditation: CAP/ASRM

Fakih Institute of Reproductive  
Science & Technology  
3950 South Rochester Road,  
Suite 2300  
Rochester Hills, MI 48307  
Telephone: 248-844-8840  
Fax: 248-844-8850  
Lab Name: First- IVF — Rochester  
Accreditation: CAP/ASRM  
Lab Name: FIRST- IVF — Saginaw  
Accreditation: CAP/ASRM

Beaumont Center for Fertility and  
Reproductive Medicine  
3535 West Thirteen Mile Road,  
Suite 344  
Royal Oak, MI 48073  
Telephone: 810-551-0515  
Fax: 810-551-3616  
Lab Name: Beaumont Center for  
Fertility and Reproductive  
Medicine IVF  
Accreditation: CAP/ASRM

Henry Ford Reproductive Medicine  
1500 West Big Beaver, Suite 105  
Troy, MI 48084  
Telephone: 248-637-4050  
Fax: 248-637-4025  
Lab Name: Henry Ford Reproductive  
Medicine  
Accreditation: JCAHO

Hutzel Hospital  
28800 Ryan Road, Suite 320  
Warren, MI 48092  
Telephone: 810-558-1100  
Fax: 810-558-1125  
Lab Name: Hutzel Hospital/Wayne  
State University IVF Laboratory  
Accreditation: CAP/ASRM

Ann Arbor Reproductive Medicine  
4990 Clark Road, Suite 100  
Ypsilanti, MI 48197  
Telephone: 737-434-4871  
Fax: 734-434-8848  
Lab Name: Arbor Park Laboratory  
Accreditation: CAP/ASRM

## MINNESOTA

Center for Reproductive Medicine  
2800 Chicago Avenue South,  
3rd Floor  
Minneapolis, MN 55407  
Telephone: 612-863-5390  
Fax: 612-863-2697  
Lab Name: Allina Andrology Lab  
Accreditation: CAP/ASRM, JCAHO

The Midwest Center for Reproductive  
Health, P.A.  
Oakdale Medical Building  
3366 Oakdale Avenue North,  
Suite 550  
Minneapolis, MN 55422  
Telephone: 612-520-2600  
Fax: 612-520-2606  
Lab Name: The Midwest Center for  
Reproductive Health, P.A.  
Accreditation: CAP/ASRM

Mayo Clinic Assisted Reproductive  
Technologies  
Charlton 3A  
200 First Street, SW  
Rochester, MN 55905  
Telephone: 507-284-4520  
Fax: 507-284-1774  
Lab Name: Mayo Clinic Assisted  
Reproductive Technologies Lab  
Accreditation: CAP/ASRM

Reproductive Health Associates, P.A.  
360 Sherman Street, Fort Road  
Medical Building  
St. Paul, MN 55102  
Telephone: 651-222-6050  
Fax: 651-222-5975  
Lab Name: Reproductive Biology  
Laboratory  
Accreditation: CAP/ASRM

## MISSISSIPPI

University of Mississippi Medical  
Center  
Dept of Ob/Gyn, Div of Rep Endo  
2500 North State Street  
Jackson, MS 39216  
Telephone: 601-984-5330  
Fax: 601-984-5965  
Lab Name: In Vitro Fertilization  
Laboratory  
Accreditation: CAP/ASRM (Pending)

## MISSOURI

Advanced Reproductive Specialists  
Saint Luke's Hospital  
226 South Woods Mill Road,  
Suite 64 West  
Chesterfield, MO 63017  
Telephone: 314-542-9422  
Fax: 314-205-6800  
Lab Name: Advanced Reproductive  
Specialists  
Accreditation: CAP/ASRM (Pending),  
JCAHO (Pending)

The Fertility Institute  
226 South Woods Mill Road,  
39 West  
Chesterfield, MO 63017  
Telephone: 314-205-8809  
Fax: 314-205-8776  
Lab Name: St. Luke's Hospital IVF  
and Andrology Laboratory  
Accreditation: CAP/ASRM (Pending)

Mid-Missouri Center for Reproductive  
Health  
1502 E. Broadway, Suite 106  
Columbia, MO 65201  
Telephone: 573-443-4511  
Fax: 573-443-7860  
Lab Name: Mid-Missouri Center for  
Reproductive Health  
Accreditation: CAP/ASRM (Pending),  
JCAHO (Pending)

University of Missouri Hospital &  
Clinics-IVF Embryology Lab  
Department of Ob/Gyn  
1 Hospital Drive, N610 HSC  
Columbia, MO 65212  
Telephone: 573-882-7937  
Fax: 573-882-9010  
Lab Name: University Hospital and  
Clinics IVF Program  
Accreditation: CAP/ASRM

Advanced Assisted Reproductive  
Technology Program  
Center for Reproductive Medicine  
and Infertility  
4444 Forest Park Avenue, Suite 3100  
St. Louis, MO 63108  
Telephone: 314-286-2400  
Fax: 314-286-2473  
Lab Name: Advanced ART Laboratory  
Accreditation: CAP/ASRM

Infertility & IVF Center  
*Infertility Center of St. Louis  
at St. Luke's*  
3009 North Ballas Road, Suite 359C  
St. Louis, MO 63131  
Telephone: 314-225-5483  
Fax: 314-872-9040  
Lab Name: Infertility & IVF Center  
Accreditation: CAP/ASRM

Infertility Center of St. Louis  
224 S. Woods Mill Road, Suite 730  
St. Louis, MO 63017  
Telephone: 314-576-1400  
Fax: 314-576-1442  
Lab Name: Assisted Reproductive  
Technology Laboratory  
Accreditation: CAP/ASRM

## **NEBRASKA**

Center for Reproductive Medicine  
Dept Ob/Gyn  
PO Box 983255  
Omaha, NE 68198  
Telephone: 800-981-5858  
Fax: 402-559-4520  
Lab Name: Diagnostic Andrology Lab  
Accreditation: CAP/ASRM

Reproductive Endocrinology/Infertility  
8111 Dodge Street, Suite 237  
Omaha, NE 68114  
Telephone: 402-354-5210  
Fax: 402-354-5221  
Lab Name: Nebraska Methodist  
Hospital ART Laboratories  
Accreditation: CAP/ASRM

## **NEVADA**

Fertility Center of Las Vegas  
8851 West Sahara, Suite 100  
Las Vegas, NV 89117  
Telephone: 702-254-1777  
Fax: 702-254-1213  
Lab Name: Fertility Center of Las  
Vegas  
Accreditation: CAP/ASRM

University Institute of Fertility  
*Nevada Fertility Center for Advanced  
Reproductive Endocrinology and  
Surgery*  
653 Town Center Drive, Suite 206  
Las Vegas, NV 89144  
Telephone: 702-341-6616  
Fax: 702-341-6617  
Lab Name: Nevada Fertility C.A.R.E.S.  
Accreditation: CAP/ASRM (Pending)

## **NEW HAMPSHIRE**

Dartmouth-Hitchcock Medical Center  
One Medical Center Drive  
Lebanon, NH 03756  
Telephone: 603-650-8162  
Fax: 603-650-2079  
Lab Name: Reproductive Sciences  
Laboratory  
Accreditation: CAP/ASRM

## **NEW JERSEY**

Shore Institute for Reproductive  
Medicine  
1608 Rt 88 West, Suite 117  
Brick, NJ 08724  
Telephone: 732-840-1447  
Fax: 732-458-8180  
Lab Name: Shore Area IVF Laboratory  
Accreditation: JCAHO (Pending)

Reproductive Gynecologists, P.C.  
Kennedy Health System  
2201 Chapel Avenue West, Suite 206  
Cherry Hill, NJ 08002  
Telephone: 609-662-6662  
Fax: 609-661-0661  
Lab Name: South Jersey Fertility  
Center, P.A.  
Accreditation: JCAHO (Pending)

Center for Advanced Reproductive  
Medicine & Fertility  
Durham Center  
One Ethel Road, Suite 107B  
Edison, NJ 08817  
Telephone: 732-339-9300  
Fax: 732-339-9400  
Lab Name: CARMF ART Laboratory  
Accreditation: JCAHO

North Hudson IVF  
Center for Fertility and Gynecology  
385 Sylvan Avenue  
Englewood Cliffs, NJ 07632  
Telephone: 201-871-1999  
Fax: 201-871-1031  
Lab Name: North Hudson IVF  
Accreditation: None

IVF of North Jersey, P.A.  
15-01 Broadway  
Fairlawn, NJ 07410  
Telephone: 973-470-0303  
Fax: 973-916-0488  
Lab Name: IVF of North Jersey  
Accreditation: CAP/ASRM

Center for Reproductive Medicine  
at Hackensack University Medical  
Center  
214 Terrace Avenue, 2nd Floor  
Hasbrouck Heights, NJ 07604  
Telephone: 201-393-7444  
Fax: 201-393-7410  
Lab Name: Center for Reproductive  
Medicine at HUMC  
Accreditation: CAP/ASRM

Princeton Center for Infertility &  
Reproductive Medicine  
3131 Princeton Pike, Building 4,  
Suite 204  
Lawrenceville, NJ 08648  
Telephone: 609-895-1114  
Fax: 609-895-1196  
Lab Name: Cooper Center for IVF  
Accreditation: CAP/ASRM (Pending)

East Coast Infertility and IVF, P.C.  
200 White Road, Suite 214  
Little Silver, NJ 07739  
Telephone: 732-758-6511  
Fax: 732-758-1048  
Lab Name: East Coast Infertility and  
IVF, P.C.  
Accreditation: CAP/ASRM (Pending)

The Institute for Reproductive  
Medicine and Science  
Saint Barnabas Medical Center  
94 Old Short Hills Road, E403  
Livingston, NJ 07039  
Telephone: 973-322-8286  
Fax: 973-322-8890  
Lab Name: Institute for Reproductive  
Medicine and Science  
Accreditation: CAP/ASRM

Cooper Center for IVF, P.C.  
8002E Greentree Commons  
Marlton, NJ 08053  
Telephone: 856-751-5575  
Fax: 856-751-7289  
Lab Name: Cooper Center for IVF, P.C.  
Accreditation: CAP/ASRM

Delaware Valley Institute of Fertility  
and Genetics  
2001 Greentree Executive Campus  
Route 73 & Lincoln Drive West,  
Suite F  
Marlton, NJ 08053  
Telephone: 856-988-0072  
Fax: 856-988-0056  
Lab Name: Reproductive Laboratories  
Accreditation: CAP/ASRM

South Jersey Fertility Center, P.A.  
512 Lippincott Drive  
Marlton, NJ 08053  
Telephone: 856-596-2233  
Fax: 856-596-2411  
Lab Name: South Jersey Fertility  
Center, P.A.  
Accreditation: JCAHO

Diamond Institute for Infertility  
89 Millburn Avenue  
Millburn, NJ 07041  
Telephone: 973-761-5600  
Fax: 973-761-5100  
Lab Name: Diamond Institute for  
Infertility  
Accreditation: CAP/ASRM

Robert Wood Johnson Medical School  
IVF Program  
303 George St, Suite 250  
New Brunswick, NJ 08901  
Telephone: 732-235-7300  
Fax: 732-235-7318  
Lab Name: RWJMS IVF Laboratory  
Accreditation: CAP/ASRM (Pending)

IVF New Jersey  
1527 Route 27, Suite 2100  
Somerset, NJ 08873  
Telephone: 732-220-9060  
Fax: 732-220-1122  
Lab Name: IVF New Jersey  
Accreditation: CAP/ASRM

Center for Human Reproduction of  
New Jersey  
*Fertility Institute of New Jersey &  
New York*  
400 Old Hook Road  
Westwood, NJ 07675  
Telephone: 201-666-4200  
Fax: 201-666-2262  
Lab Name: Fertility Institute of  
Northern New Jersey  
Accreditation: CAP/ASRM (Pending)

## NEW MEXICO

Center for Reproductive Medicine of  
New Mexico  
201 Cedar Street SE, Presbyterian  
Prof Bldg LL20  
Albuquerque, NM 87106  
Telephone: 505-247-3333  
Fax: 505-224-7476  
Lab Name: IVF and Andrology  
Laboratories  
Accreditation: CAP/ASRM

Southwest Fertility Services  
4705 Montgomery Boulevard NE,  
Suite 101  
Albuquerque, NM 87109  
Telephone: 505-837-1510  
Fax: 505-888-4486  
Lab Name: Southwest Fertility  
Services  
Accreditation: CAP/ASRM

## NEW YORK

Albany IVF, Fertility and Gynecology  
63 Shaker Road, Suite 103  
Albany, NY 12204  
Telephone: 518-434-9759  
Fax: 518-436-9822  
Lab Name: Embryology Network  
Accreditation: NYSTB

Leading Institute for Fertility  
Enhancement (L.I.F.E.)  
130 Everett Road  
Albany, NY 12204  
Telephone: 518-482-1008  
Fax: 518-489-6210  
Lab Name: Fertility Studies Lab at  
Albany Memorial Hospital  
Accreditation: NYSTB

Women's Health Center of Albany  
Medical Center  
Division of Reproductive Endo and  
Infertility  
58-60 Hackett Boulevard  
Albany, NY 12209  
Telephone: 518-462-0084  
Fax: 518-462-0174  
Lab Name: Assisted Reproductive  
Technology Lab of AMC  
Accreditation: NYSTB

Brooklyn IVF  
1355 84th Street  
Brooklyn, NY 11228  
Telephone: 718-283-8600  
Fax: 718-283-6580  
Lab Name: Brooklyn IVF  
Accreditation: CAP/ASRM, NYSTB

The Fertility Institute at the Brooklyn  
Hospital  
161 Ashland Place  
Brooklyn, NY 11201  
Telephone: 718-237-4593  
Lab Name: The Fertility Institute at  
The Brooklyn Hospital  
Accreditation: CAP/ASRM, NYSTB



---

Montefiore's Fertility & Hormone Center  
20 Beacon Hill Drive  
Dobbs Ferry, NY 10522  
Telephone: 914-693-8820  
Fax: 914-693-5428  
Lab Name: Laboratory of The Fertility and Hormone Center  
Accreditation: CAP/ASRM, NYSTB

Garden City Center for Advanced Reproductive Technologies  
Yu-Kang Ying M.D., P.C.  
394 Old Country Road  
Garden City, NY 11530  
Telephone: 516-248-8307  
Fax: 516-248-5007  
Lab Name: John T. Mather Memorial Hospital  
Accreditation: CAP/ASRM, NYSTB

North Shore University Hospital Center for Human Reproduction  
IVF Program: Ambulatory Building  
300 Community Drive  
Manhasset, NY 11030  
Telephone: 516-562-2229  
Fax: 516-562-1710  
Lab Name: North Shore University Hospital  
Accreditation: NYSTB

Reproductive Science Associates  
200 Old Country Road, Suite 330  
Mineola, NY 11501  
Telephone: 516-739-2100  
Fax: 516-739-2178  
Lab Name: M.P.D. Medical Associates  
Accreditation: CAP/ASRM, NYSTB

Advanced Fertility Services, P.C.  
1625 Third Avenue  
New York, NY 10128  
Telephone: 212-369-8700  
Fax: 212-722-5587  
Lab Name: AFS IVF Laboratory  
Accreditation: NYSTB

Brandeis Center for Reproductive Health  
606 Columbus Avenue 2nd Floor  
New York, NY 10024  
Telephone: 212-362-4848  
Fax: 212-724-1315  
Lab Name: Brandeis Center for Reproductive Health  
Accreditation: CAP/ASRM (Pending), NYSTB (Pending)

Brooklyn Fertility Center  
55 Central Park West, Suite 1C  
New York, NY 10023  
Telephone: 212-721-4545  
Fax: 212-721-4598  
Lab Name: Brooklyn Fertility Center  
Accreditation: CAP/ASRM, NYSTB

The Center for Reproductive Medicine & Infertility  
Weill Medical College of Cornell University  
505 East 70th Street, HT-340  
New York, NY 10021  
Telephone: 212-746-1762  
Fax: 212-746-8860  
Lab Name: The Embryology Laboratory  
Accreditation: NYSTB  
Lab Name: Reproductive Endocrinology Diagnostic Unit  
Accreditation: None  
Lab Name: Andrology Laboratory  
Accreditation: NYSTB

Columbia Presbyterian Medical Center  
*Center for Women's Reproductive Care at Columbia University*  
161 Ft Washington Avenue, 4th floor, Room 450  
New York, NY 10032  
Telephone: 212-305-4665  
Fax: 212-305-3695  
Lab Name: Columbia University; Assisted Reproduction  
Accreditation: CAP/ASRM, NYSTB

Dr. Nabil Husami  
550 Park Avenue  
New York, NY 10021  
Telephone: 212-750-3330  
Fax: 212-750-3334  
Lab Name: Nabil Husami, M.D.  
Accreditation: None

Lillian D. Nash, M.D.  
315 West 57th Street  
New York, NY 10019  
Telephone: 212-247-3111  
Fax: 212-247-3255  
Lab Name: IVF Center of New York  
Accreditation: NYSTB

New York Fertility Institute  
1016 Fifth Avenue  
New York, NY 10028  
Telephone: 212-734-5555  
Fax: 212-734-6059  
Lab Name: New York Fertility Institute  
Accreditation: CAP/ASRM, NYSTB

New York Medical Services for Reproductive Medicine  
784 Park Avenue  
New York, NY 10021  
Telephone: 212-744-4222  
Fax: 212-288-3608  
Lab Name: New York Medical Services for Reproductive Medicine  
Accreditation: CAP/ASRM, NYSTB

New York University Medical Center Program for In Vitro Fertilization  
IVF, Reproductive Surgery and Infertility  
660 First Avenue at 38th Street, 5th Floor  
New York, NY 10016  
Telephone: 212-263-8990  
Fax: 212-263-7853  
Lab Name: NYUMC - Program for In Vitro Fertilization  
Accreditation: NYSTB

Offices for Fertility and Reproductive Medicine  
88 University Place, 9th Floor  
New York, NY 10003  
Telephone: 212-243-5550  
Fax: 212-243-0009  
Lab Name: Embryology Laboratories  
Accreditation: NYSTB

Capital Region Genetics & IVF at  
Bellevue Hospital  
2210 Troy Road  
Niskayuna, NY 12309  
Telephone: 518-346-9544  
Fax: 518-347-3392  
Lab Name: Bellevue Women's  
Hospital Laboratory  
Accreditation: JCAHO NYSTB

Long Island IVF Associates  
625 Belle Terre Road, Suite 200  
Port Jefferson, NY 11777  
Telephone: 516-331-7575  
Fax: 516-331-1332  
Lab Name: Mather Hospital  
Accreditation: CAP/ASRM, NYSTB

Institute For Reproductive Health and  
Infertility  
1561 Long Pond Road, Suite 410  
Rochester, NY 14626  
Telephone: 716-723-7468  
Fax: 716-729-7043  
Lab Name: Institute for Reproductive  
Health and Infertility  
Accreditation: CAP/ASRM, NYSTB

Strong Infertility and IVF Center  
University of Rochester  
601 Elmwood Avenue  
Box 685  
Rochester, NY 14642  
Telephone: 716-275-1930  
Fax: 716-756-4146  
Lab Name: Strong Infertility and  
IVF Center  
Accreditation: CAP/ASRM, NYSTB

Children's Hospital IVF Program  
*Infertility & IVF Associates of Western  
New York*  
4510 Main Street  
Snyder, NY 14226  
Telephone: 716-839-3057  
Fax: 716-839-1477  
Lab Name: Infertility and IVF Medical  
Associates  
Accreditation: CAP/ASRM, NYSTB

Division of Reproductive  
Endocrinology  
SUNY at Stony Brook  
Health Science Center T9-080  
Stony Brook, NY 11794  
Telephone: 516-444-2737  
Fax: 516-444-6121  
Lab Name: Reproductive Science  
Associates  
Accreditation: CAP/ASRM, NYSTB  
Lab Name: John T. Mather IVF  
Laboratory  
Accreditation: CAP/ASRM, NYSTB

Central New York Fertility Center  
4850 Broad Street, Suite 1K  
Syracuse, NY 13215  
Telephone: 315-492-5376  
Fax: 315-492-5279  
Lab Name: CNY Fertility Center  
Accreditation: NYSTB

Westchester Fertility & Reproductive  
Endocrinology  
136 S. Broadway, Suite 100  
White Plains, NY 10605  
Telephone: 914-949-6677  
Fax: 914-949-5758  
Lab Name: New England Fertility  
Institute  
Accreditation: CAP/ASRM

Reproductive Medicine/IVF  
1321 Millersport Road, Suite 102  
Williamsville, NY 14221  
Telephone: 716-634-4351  
Lab Name: Reproductive  
Medicine/IVF  
Accreditation: CAP/ASRM, NYSTB

## **NORTH CAROLINA**

North Carolina Center for  
Reproductive Medicine  
The Talbert Fertility Institute  
400 Ashville Avenue, Suite 200  
Cary, NC 27511  
Telephone: 919-233-1680  
Fax: 919-233-1685  
Lab Name: NCCRM Main Lab  
Accreditation: CAP/ASRM

University of North Carolina ART  
Clinic  
Department of Ob/Gyn, Division of  
Infertility  
CB 7570 Manning Drive  
Chapel Hill, NC 27514  
Telephone: 919-966-1150  
Fax: 919-966-1259  
Lab Name: UNC A.R.T Laboratory  
Accreditation: CAP/ASRM

Institute for Assisted Reproduction  
1918 Randolph Rd, 5th Floor  
Charlotte, NC 28207  
Telephone: 704-343-3400  
Fax: 704-343-3428  
Lab Name: Institute for Assisted  
Reproduction  
Accreditation: CAP/ASRM

Program for Assisted Reproduction  
Carolinas Medical Center  
1000 Blythe Boulevard  
Charlotte, NC 28203  
Telephone: 704-355-3153  
Fax: 704-355-3141  
Lab Name: Program for Assisted  
Reproduction, Carolinas Med Ctr  
Accreditation: CAP/ASRM (Pending)

Duke University Medical Center  
Division of Reproductive  
Endocrinology and Infertility  
Box 3143, Clinic 1-K  
Durham, NC 27710  
Telephone: 919-684-5327  
Fax: 919-681-7904  
Lab Name: Duke University Medical  
Center  
Accreditation: CAP/ASRM

East Carolina University  
Women's Physicians  
2305 Executive Park West  
Greenville, NC 27834  
Telephone: 252-816-3849  
Fax: 252-816-2016  
Lab Name: East Carolina University –  
ECU Women's Physicians  
Accreditation: JCAHO



---

Wake Forest University Program for Assisted Reproduction  
Department of Ob/Gyn  
Medical Center Boulevard  
Winston-Salem, NC 27157  
Telephone: 336-716-2368  
Fax: 336-716-0194  
Lab Name: Reproductive Endocrinology Laboratories  
Accreditation: CAP/ASRM

## **NORTH DAKOTA**

MeritCare Medical Group Fertility Center  
737 Broadway  
Fargo, ND 58123  
Telephone: 701-234-2700  
Fax: 701-234-2783  
Lab Name: MeritCare Medical Group - Fertility Center Lab  
Accreditation: CAP/ASRM (Pending)

## **OHIO**

Akron City Hospital IVF Center  
Summa Health System  
525 East Market Street  
PO Box 2090  
Akron, OH 44309  
Telephone: 330-375-3585  
Fax: 330-375-3986  
Lab Name: Akron City Hospital IVF Center  
Accreditation: JCAHO

Fertility Unlimited, Inc.  
468 East Market Street  
Akron, OH 44304  
Telephone: 330-376-8353  
Fax: 330-376-4807  
Lab Name: Fertility Unlimited, Inc.  
Accreditation: JCAHO (Pending)

Bethesda Center for Reproductive Health and Fertility  
619 Oak Street, 3 South  
Cincinnati, OH 45206  
Telephone: 513-569-6433  
Fax: 513-569-6386  
Lab Name: Reproductive Studies Laboratory  
Accreditation: JCAHO

Center for Reproductive Health  
The University Hospital  
Eden and Bethesda Avenues,  
ML0456  
Cincinnati, OH 45219  
Telephone: 513-584-0955  
Fax: 513-584-8916  
Lab Name: Center for Reproductive Health  
Accreditation: CAP/ASRM

Greater Cincinnati Institute for Reproductive Health at the Christ Hospital  
MOB 2, 2123 Auburn Avenue,  
Suite A-44  
Cincinnati, OH 45219  
Telephone: 513-585-4400  
Fax: 513-585-4457  
Lab Name: Christ Hospital Center for Reproductive Studies  
Accreditation: CAP/ASRM

Cleveland Clinic Foundation  
Department of Ob/Gyn  
9500 Euclid Avenue, Desk-A81  
Cleveland, OH 44195  
Telephone: 216-444-8374  
Fax: 216-444-8551  
Lab Name: Cleveland Clinic Foundation I.V.F. Center  
Accreditation: CAP/ASRM

MetroHealth Medical Center  
Department of Ob/Gyn  
2500 MetroHealth Drive  
Cleveland, OH 44109  
Telephone: 216-778-5990  
Fax: 216-778-8847  
Lab Name: Cleveland Clinic Foundation IVF Center  
Accreditation: CAP/ASRM

University Hospitals of Cleveland  
MacDonald Women's Hospital IVF Program  
11100 Euclid Avenue  
Cleveland, OH 44106  
Telephone: 216-844-1741  
Fax: 216-844-5809  
Lab Name: University Hospitals of Cleveland IVF Laboratory  
Accreditation: CAP/ASRM

Ohio Reproductive Medicine  
4830 Knightsbridge Boulevard,  
Suite E  
Columbus, OH 43214  
Telephone: 614-451-2280  
Fax: 614-451-4352  
Lab Name: Reproductive Diagnostics, Inc.  
Accreditation: CAP/ASRM

University Fertility Institute  
Camelot Women's Health Center  
4775 Knightsbridge Boulevard,  
Suite 103  
Columbus, OH 43214  
Telephone: 614-442-5761  
Fax: 614-442-1080  
Lab Name: Ohio State University In Vitro  
Accreditation: CAP/ASRM

Genetics & IVF Institute of Ohio  
369 W. 1st Street, Suite 120  
Dayton, OH 45402  
Telephone: 937-228-4483  
Fax: 937-496-1404  
Lab Name: GIVF  
Accreditation: CAP/ASRM (Pending)

Miami Valley Hospital Fertility Center  
One Wyoming Street  
Dayton, OH 45409  
Telephone: 937-208-2120  
Fax: 937-208-6124  
Lab Name: Miami Valley Hospital Fertility Center  
Accreditation: CAP/ASRM

Fertility Center of Northwest Ohio  
2142 North Cove Boulevard  
Toledo, OH 43606  
Telephone: 419-479-8830  
Fax: 419-479-6005  
Lab Name: Fertility Center of Northwest Ohio  
Accreditation: JCAHO (Pending)

The Reproductive Center  
900 Sahara Trail  
PO Box 3707  
Youngstown, OH 44413  
Telephone: 330-965-8390  
Fax: 330-965-8391  
Lab Name: The Reproductive Center  
Accreditation: JCAHO (Pending)

---

## OKLAHOMA

Henry G. Bennett, Jr., Fertility Institute  
3433 NW 56th Street, Suite 200B  
Oklahoma City, OK 73112  
Telephone: 405-949-6060  
Fax: 405-949-6872  
Lab Name: Bennett Fertility Institute  
Accreditation: CAP/ASRM, JCAHO

Presbyterian Hospital  
Laboratory for Assisted Reproductive  
Technologies  
1000 North Lincoln Boulevard,  
Suite 300  
Oklahoma City, OK 73104  
Telephone: 405-271-9200  
Fax: 405-271-9222  
Lab Name: Presbyterian Hospital ART  
Laboratory  
Accreditation: CAP/ASRM

Tulsa Center for Fertility & Women's  
Health  
1145 South Utica, Suite 1209  
Tulsa, OK 74104  
Telephone: 918-584-2870  
Fax: 918-587-3602  
Lab Name: Tulsa Center for Fertility &  
Women's Health  
Accreditation: CAP/ASRM

## OREGON

Northwest Fertility Center  
1750 SW Harbor Way, Suite 200  
Portland, OR 97201  
Telephone: 503-227-7799  
Fax: 503-227-5452  
Lab Name: Oregon Health Science  
University  
Accreditation: CAP/ASRM

University Fertility Consultants  
Oregon Health Sciences University  
1750 SW Harbor Way, Suite 100  
Portland, OR 97201  
Telephone: 503-418-3700  
Fax: 503-418-3708  
Lab Name: Andrology/Embryology  
Laboratory – OHSU  
Accreditation: CAP/ASRM

## PENNSYLVANIA

Toll Center for Reproductive Sciences  
1200 Old York Road, Suite 404  
Abington, PA 19001  
Telephone: 215-481-2349  
Fax: 215-481-7550  
Lab Name: Toll Center for  
Reproductive Sciences  
Accreditation: CAP/ASRM (Pending)

Infertility Solutions, P.C.  
2200 Hamilton Street, Suite 105  
Allentown, PA 18104  
Telephone: 610-776-1217  
Fax: 610-776-4149  
Lab Name: Infertility Solutions, P.C.  
Accreditation: CAP/ASRM

Lehigh Valley Hospital  
Section of Reproductive  
Endocrinology and Infertility  
401 N. 17th St, Suite 312  
Allentown, PA 18104  
Telephone: 610-402-9522  
Fax: 610-402-9647  
Lab Name: ART Lab at LVH  
Muhlenberg Campus  
Accreditation: JCAHO (Pending)

Reprotech, Inc.  
440 South 15th Street  
Allentown, PA 18062  
Telephone: 610-437-7000  
Fax: 610-437-6381  
Lab Name: Reprotech, Inc.  
Accreditation: None

Family Fertility Center  
95 Highland Avenue, Suite 100  
Bethlehem, PA 18017  
Telephone: 610-868-8600  
Fax: 610-868-8700  
Lab Name: Family Fertility Center  
Accreditation: CAP/ASRM

Center for Reproductive Medicine at  
The Bryn Mawr Hospital  
D Wing, Ground Floor  
130 South Bryn Mawr Avenue  
Bryn Mawr, PA 19010  
Telephone: 610-526-8950  
Fax: 610-526-8952  
Lab Name: Center for Reproductive  
Medicine  
Accreditation: JCAHO

Geisinger Medical Center Fertility  
Program  
Department of Ob/Gyn  
100 North Academy Avenue  
Danville, PA 17822  
Telephone: 570-271-5620  
Fax: 570-271-5629  
Lab Name: Geisinger Medical Center  
ART-Andrology Laboratory  
Accreditation: CAP/ASRM

Penn State Geisinger Health System  
The Hershey Medical Center  
500 University Drive  
PO Box 850, C3608  
Hershey, PA 17033  
Telephone: 717-531-6731  
Fax: 717-531-6286  
Lab Name: ART Laboratory  
Accreditation: JCAHO

Jenkintown Reproductive Endocrine  
& Gynecology Associates, P.C.  
Rydal Square Building  
500 Old York Road, Suite 103  
Jenkintown, PA 19046  
Telephone: 215-576-7100  
Fax: 215-576-1544  
Lab Name: Reproductive Science  
Institute of Suburban Philadelphia  
Accreditation: CAP/ASRM

Northern Fertility and Reproductive Associates

1650 Huntingdon Pike, Suite 154  
Meadowbrook, PA 19046  
Telephone: 215-938-1515  
Fax: 215-938-8756  
Lab Name: Toll Center for Reproductive Sciences  
Accreditation: None  
Lab Name: Pennsylvania Reproductive Associates  
Accreditation: JCAHO (Pending)

Pennsylvania Reproductive Associates

Women's Institute for Fertility, Endocrinology, and Menopause  
819 Locust Street  
Philadelphia, PA 19107  
Telephone: 215-922-3173  
Fax: 215-627-7554  
Lab Name: Pennsylvania Reproductive Associates  
Accreditation: JCAHO (Pending)

Thomas Jefferson IVF Program

Ben Franklin House  
834 Chestnut, Suite 300  
Philadelphia, PA 19107  
Telephone: 215-955-4018  
Fax: 215-923-1089  
Lab Name: Thomas Jefferson IVF Program  
Accreditation: JCAHO

University of Pennsylvania Medical Center

34th and Spruce Streets  
Philadelphia, PA 19104  
Telephone: 215-662-6560  
Fax: 215-349-5512  
Lab Name: University of Pennsylvania  
Accreditation: CAP/ASRM

Allegheny General Hospital IVF Program

One Allegheny Center, Suite 280  
Pittsburgh, PA 05212  
Telephone: 412-359-1900  
Fax: 412-359-1915  
Lab Name: Allegheny General Hospital IVF Program  
Accreditation: CAP/ASRM (Pending)

The Fertility Center at Saint Clair Hospital

*IVF Marrero*  
1050 Bower Hill Road, Suite 304  
Pittsburgh, PA 15243  
Telephone: 412-572-6565  
Fax: 412-572-6591  
Lab Name: The Fertility Center at St. Clair  
Accreditation: CAP/ASRM (Pending), JCAHO (Pending)

University Women's Health Care Associates

*University of Pittsburgh Physicians*  
300 Halket Street, Room 0673  
Pittsburgh, PA 15213  
Telephone: 412-641-4726  
Fax: 412-641-1133  
Lab Name: University Women's Health Care Associates  
Accreditation: CAP/ASRM (Pending)

Reproductive Endocrinology and Fertility Center

1 Medical Center Boulevard  
Upland, PA 19013  
Telephone: 610-447-2727  
Fax: 610-447-6549  
Lab Name: Crozer-Chester Andrology and IVF Laboratory  
Accreditation: CAP/ASRM

Reproductive Science Center of Greater Philadelphia

*Reproductive Science Institute - Philadelphia*  
950 West Valley Road, Suite 2401  
Wayne, PA 19087  
Telephone: 610-964-9663  
Fax: 610-964-0536  
Lab Name: Reproductive Science Institute - Philadelphia  
Accreditation: CAP/ASRM

Women's Clinic, Ltd.

301 South Seventh Avenue, Suite 245  
West Reading, PA 19611  
Telephone: 610-374-2214  
Fax: 610-374-8852  
Lab Name: Fertility Medical Labs, Inc.  
Accreditation: CAP/ASRM (Pending)

## PUERTO RICO

Centro de Fertilidad del Caribe  
Torre San Francisco  
369 Avenida De Diego, Ste. 606  
Rio Piedras, PR 00923  
Telephone: 787-763-2773  
Fax: 787-763-2773  
Lab Name: Centro de Fertilidad del Caribe  
Accreditation: CAP/ASRM (Pending)

## RHODE ISLAND

Women & Infants Hospital IVF Program  
101 Dudley Street  
1 Blackstone Place, First Floor  
Providence, RI 02905  
Telephone: 401-453-7500  
Fax: 401-453-7598  
Lab Name: Women & Infants' IVF Laboratory  
Accreditation: CAP/ASRM

## SOUTH CAROLINA

Center for Women's Medicine  
*Reproductive Endocrinology and Infertility*  
890 West Faris Road, Suite 470  
Box 32  
Greenville, SC 29605  
Telephone: 864-455-8488  
Fax: 864-455-8492  
Lab Name: Reproductive Endocrinology and Infertility  
Accreditation: CAP/ASRM

Southeastern Fertility Center, P.A.  
1375 Hospital Drive  
Mount Pleasant, SC 29464  
Telephone: 843-881-3900  
Fax: 843-881-4729  
Lab Name: Southeastern Fertility Center Laboratory  
Accreditation: CAP/ASRM

---

## **SOUTH DAKOTA**

University Physicians Fertility  
Specialists  
1310 West 22nd Street  
Sioux Falls, SD 57105  
Telephone: 605-782-2284  
Fax: 605-782-2770  
Lab Name: USD Human  
Reproduction Laboratory  
Accreditation: CAP/ASRM

## **TENNESSEE**

Center for Reproductive Medicine  
and Fertility  
935 Spring Creek Road, Suite 205  
Chattanooga, TN 37412  
Telephone: 423-899-0500  
Fax: 423-499-5521  
Lab Name: Center for Reproductive  
Medicine and Fertility  
Accreditation: JCAHO (Pending)

Appalachian Fertility and  
Endocrinology Center  
2204 Pavilion Drive, Suite 307  
Kingsport, TN 37660  
Telephone: 423-392-6330  
Fax: 423-392-6400  
Lab Name: The Fertility Resources  
Center  
Accreditation: JCAHO

§University of Tennessee Fertility  
Center  
200 Blount Street, Suite 301  
Knoxville, TN 37920  
Telephone: 865-544-6756  
Fax: 865-544-6757  
Lab Name: East Tennessee IVF,  
Fertility and Andrology Center  
Accreditation: None

University Fertility Associates  
909 Ridgeway Loop Road  
Memphis, TN 38120  
Telephone: 901-767-6868  
Fax: 901-682-2231  
Lab Name: University Fertility  
Associates  
Accreditation: CAP/ASRM

The Center for Reproductive Health  
326 21st Avenue North  
Nashville, TN 37202  
Telephone: 615-321-8899  
Fax: 615-321-8877  
Lab Name: The Center for  
Reproductive Health ART  
Laboratory  
Accreditation: CAP/ASRM

Nashville Fertility Center  
2400 Patterson Street, Suite 319  
Nashville, TN 37203  
Telephone: 615-321-4740  
Fax: 615-320-0240  
Lab Name: Nashville Fertility Center  
Accreditation: CAP/ASRM

## **TEXAS**

Dr. Jeffrey Youngkin  
Austin Fertility Center  
805 East 32nd Street  
Austin, TX 78705  
Telephone: 512-478-3188  
Fax: 512-478-5092  
Lab Name: St. David's ART/IVF  
Accreditation: JCAHO

Harold Brumley, M.D.  
1301 West 38th Street, Suite 109  
Austin, TX 78705  
Telephone: 512-451-8211  
Fax: 512-450-1146  
Lab Name: St. David's ART/IVF  
Accreditation: JCAHO

Texas Fertility Center  
3705 Medical Parkway, Suite 420  
Austin, TX 78705  
Telephone: 512-451-0149  
Fax: 512-451-0977  
Lab Name: St. David's ART/IVF  
Accreditation: JCAHO

Center for Assisted Reproduction  
1701 Park Place Avenue  
Bedford, TX 76022  
Telephone: 817-540-1157  
Fax: 817-267-0522  
Lab Name: Center for Assisted  
Reproduction  
Accreditation: CAP/ASRM

Reproductive Science Center of Dallas  
*Trinity IVF Program*  
Trinity Medical Center 308  
4325 North Josey Lane, Suite 308  
Carrollton, TX 75010  
Telephone: 972-394-3699  
Fax: 972-394-6517  
Lab Name: Trinity IVF  
Accreditation: CAP/ASRM (Pending)

Baylor Center for Reproductive Health  
3707 Gaston Avenue, Suite 310  
Dallas, TX 75246  
Telephone: 214-821-2274  
Fax: 214-821-2373  
Lab Name: Baylor Center for  
Reproductive Health  
Accreditation: CAP/ASRM

National Fertility Center of Texas, P.A.  
7777 Forest Lane, C-638  
Dallas, TX 75230  
Telephone: 972-566-6686  
Fax: 972-566-6670  
Lab Name: National Fertility Center of  
Texas, P.A.  
Accreditation: CAP/ASRM

Presbyterian Hospital ARTS Program  
8200 Walnut Hill Lane, 6th Floor  
Dallas, TX 75231  
Telephone: 214-345-2624  
Fax: 214-345-8317  
Lab Name: Presbyterian Hospital  
ARTS Program  
Accreditation: CAP/ASRM, JCAHO

University of Texas Southwestern  
Fertility Associates  
James W. Aston Amb Care Center  
Department of Ob/Gyn  
5323 Harry Hines Boulevard  
Dallas, TX 75235  
Telephone: 214-648-8846  
Fax: 214-648-2813  
Lab Name: UT Southwestern  
Embryology Laboratory  
Accreditation: CAP/ASRM



---

Baylor Assisted Reproductive  
Technology  
6550 Fannin, Suite 821  
Houston, TX 77030  
Telephone: 713-798-8232  
Fax: 713-798-8231  
Lab Name: Baylor Assisted  
Reproductive Technology  
Accreditation: CAP/ASRM

Center for Reproduction at Gramercy  
2727 Gramercy, Suite 200  
Houston, TX 77025  
Telephone: 713-661-3111  
Fax: 713-661-2218  
Lab Name: Reproductive  
Endocrinology and Infertility Lab  
Accreditation: JCAHO

Center for Women's Healthcare and  
Research  
7400 Fannin, Suite 1130  
Houston, TX 77054  
Telephone: 713-797-9200  
Fax: 713-797-9200  
Lab Name: Ob Gyn Associates  
Accreditation: CAP/ASRM

North Houston Center for  
Reproductive Medicine  
530 Wells Fargo Drive, Suite 116  
Houston, TX 77090  
Telephone: 281-444-4784  
Fax: 281-444-0429  
Lab Name: North Houston Center for  
Reproductive Medicine, P.A.  
Accreditation: None

Obstetrical & Gynecological  
Associates  
7550 Fannin, Suite 121  
Houston, TX 77054  
Telephone: 713-512-7914  
Fax: 713-512-7853  
Lab Name: Ob & Gyn Associates  
Laboratory for Assisted Reprod.  
Accreditation: CAP/ASRM

University of Texas Women's Health  
Center  
6410 Fannin, HPB 350  
Houston, TX 77030  
Telephone: 713-704-5131  
Fax: 713-704-5177  
Lab Name: University of Texas  
Fertility Laboratory  
Accreditation: None

Wilford Hall Medical Center  
Department of Ob/Gyn  
2200 Bergquist Drive, Suite 1  
Lackland AFB, TX 78236  
Telephone: 210-292-7547  
Fax: 210-292-7547  
Lab Name: Wilford Hall Medical  
Center IVF Lab  
Accreditation: CAP/ASRM

The Center for Reproductive  
Medicine  
3506 21st Street, Suite 605  
Lubbock, TX 79410  
Telephone: 806-788-1212  
Fax: 806-788-1253  
Lab Name: The Center for  
Reproductive Medicine  
Accreditation: CAP/ASRM

Texas Technology University Health  
Sciences Center - IVF Program  
Dept Ob/Gyn  
3601 4th Street  
Lubbock, TX 79430  
Telephone: 806-743-1200  
Fax: 806-743-3200  
Lab Name: Texas Tech University  
HSC - ART Laboratories  
Accreditation: CAP/ASRM

Fertility Center of San Antonio  
4499 Medical Drive, Suite 360  
San Antonio, TX 78229  
Telephone: 210-692-0577  
Fax: 210-692-1210  
Lab Name: Fertility Center Laboratory  
Accreditation: CAP/ASRM

Fertility Concepts  
4499 Medical Drive, Suite 380  
San Antonio, TX 78229  
Telephone: 210-616-3303  
Fax: 210-615-1052  
Lab Name: South Texas Fertility  
Center/UTHSCSA  
Accreditation: CAP/ASRM (Pending)  
Lab Name: Advanced Fertility  
Laboratory  
Accreditation: None

Institute for Women's Health  
Advanced Fertility Laboratory  
7940 Floyd Curl Drive, Suite 900  
San Antonio, TX 78229  
Telephone: 210-616-0680  
Fax: 210-616-0684  
Lab Name: Institute for Women's  
Health/Advanced Fertility Lab  
Accreditation: None

South Texas Fertility Center  
University of Texas Health Science  
Center at San Antonio  
8122 Datapoint Drive, Suite 1300  
San Antonio, TX 78229  
Telephone: 210-576-7575  
Fax: 210-567-7538  
Lab Name: South Texas Fertility  
Center/UTHSCSA  
Accreditation: CAP/ASRM (Pending)

The Center of Reproductive Medicine  
450 Medical Center Boulevard,  
Suite 202  
Webster, TX 77598  
Telephone: 281-332-0073  
Fax: 281-332-1860  
Lab Name: The Center of  
Reproductive Medicine  
Accreditation: CAP/ASRM (Pending)

## UTAH

Reproductive Care Center  
1220 East 3900 South, Suite 4-G  
Salt Lake City, UT 84124  
Telephone: 801-268-7752  
Fax: 801-270-3458  
Lab Name: Reproductive Care Center  
Accreditation: None

Utah Center for Reproductive  
Medicine  
University of Utah Medical Center  
50 North Medical Drive  
Salt Lake City, UT 84132  
Telephone: 801-581-4838  
Fax: 801-585-2231  
Lab Name: University of Utah  
Andrology Laboratory  
Accreditation: CAP/ASRM

Center for Advanced Reproductive  
Medicine  
730 E. 300 S.  
Springville, UT 84663  
Telephone: 801-491-0556  
Fax: 801-489-3141  
Lab Name: Center for Advanced  
Reproductive Medicine  
Accreditation: JCAHO

## VERMONT

University of Vermont-IVF Program  
*Vermont Center for Reproductive  
Medicine*  
*University of Vermont-IVF Program*  
Women's Health Care Service-FAHC  
1 South Prospect Street  
Burlington, VT 05401  
Telephone: 802-847-0986  
Fax: 802-847-8433  
Lab Name: University of Vermont IVF  
Clinical Embryology Lab  
Accreditation: JCAHO (Pending)

## VIRGINIA

The Fertility and Reproductive Health  
Center  
4316-L Evergreen Lane  
Annandale, VA 22003  
Telephone: 703-658-3100  
Fax: 703-658-3103  
Lab Name: Northern Virginia  
Reproductive Laboratory  
Accreditation: CAP/ASRM

Dominion Fertility and Endocrinology  
46 South Glebe Road, Suite 301  
Arlington, VA 22204  
Telephone: 703-920-3890  
Fax: 703-892-6037  
Lab Name: Dominion Fertility and  
Endocrinology  
Accreditation: CAP/ASRM

University of Virginia ART Program  
Northridge OB/GYN  
2955 Ivy Road, Suite 304  
Charlottesville, VA 22903  
Telephone: 804-243-4590  
Fax: 804-293-6409  
Lab Name: Human Gamete &  
Embryo Lab  
Accreditation: JCAHO (Pending)

Jones Institute for Reproductive  
Medicine  
Department of Ob/Gyn  
601 Colley Avenue  
Norfolk, VA 23507  
Telephone: 757-446-7116  
Fax: 757-446-8998  
Lab Name: Jones Institute  
Embryology Laboratory  
Accreditation: CAP/ASRM

Fertility Institute of Virginia  
10710 Midlothian Turnpike,  
Suite 331  
Richmond, VA 23235  
Telephone: 804-379-9000  
Fax: 804-379-9031  
Lab Name: Virginia IVF and  
Andrology Center  
Accreditation: CAP/ASRM

Lifesource Fertility Center  
7603 Forest Avenue, Suite 204  
Richmond, VA 23229  
Telephone: 804-673-2273  
Fax: 804-285-3109  
Lab Name: Virginia IVF and  
Andrology Center  
Accreditation: CAP/ASRM

Medical College of Virginia  
1101 E. Marshall Street  
PO Box 980034, Sanger 11-022  
Richmond, VA 23298  
Telephone: 804-828-9638  
Fax: 804-828-0573  
Lab Name: Medical College of  
Virginia/VCU IVF Laboratory  
Accreditation: CAP/ASRM

The New Hope Center for  
Reproductive Medicine  
1200 First Colonial Road, Suite 100M  
Virginia Beach, VA 23454  
Telephone: 757-496-5370  
Fax: 757-481-3354  
Lab Name: The New Hope Center for  
Reproductive Medicine  
Accreditation: CAP/ASRM (Pending)

## WASHINGTON

Washington Center for Reproductive  
Medicine  
1370 116th Avenue, NE, Suite 202  
Bellevue, WA 98004  
Telephone: 425-462-9292  
Fax: 425-635-0742  
Lab Name: Washington Center for  
Reproductive Medicine  
Accreditation: JCAHO (Pending)

Bellingham IVF  
2980 Squalicum Parkway, Suite 103  
Bellingham, WA 98225  
Telephone: 360-715-8124  
Fax: 360-715-8126  
Lab Name: Bellingham IVF  
Accreditation: None

Olympia Women's Health  
Capital Medical Center  
403 Black Hills Lane, SW  
Olympia, WA 98502  
Telephone: 360-786-1515  
Fax: 360-754-7476  
Lab Name: Olympia Women's Health  
Accreditation: JCAHO



Pacific Gynecology Specialists  
1101 Madison Street, Suite 1500  
Seattle, WA 98104  
Telephone: 206-215-3200  
Fax: 206-215-6590  
Lab Name: Reproductive Technology  
Accreditation: CAP/ASRM (Pending)

University of Washington  
Fertility & Endocrine Center  
4225 Roosevelt Way, NE, Suite 101  
Seattle, WA 98105  
Telephone: 206-598-4225  
Fax: 206-598-6081  
Lab Name: FEC Gamete Laboratory  
Accreditation: CAP/ASRM

Virginia Mason Center for Fertility and  
Reproductive Endocrinology  
1100 Ninth Avenue  
PO Box 900-X11-FC  
Seattle, WA 98111  
Telephone: 206-223-6190  
Fax: 206-341-0596  
Lab Name: Virginia Mason Center for  
Fertility  
Accreditation: CAP/ASRM

Center for Reproductive  
Endocrinology and Fertility  
West 508 6th, Suite 500  
Box 7  
Spokane, WA 99204  
Telephone: 509-462-7070  
Fax: 509-444-3894  
Lab Name: Center for Reproductive  
Endocrinology and Fertility  
Accreditation: None

GYFT Clinic, P.L.L.C.  
3582 Pacific Avenue, 3rd Floor  
Tacoma, WA 98408  
Telephone: 206-475-5433  
Fax: 253-473-6715  
Lab Name: Reproductive Assays  
Laboratory  
Accreditation: CAP/ASRM

## WEST VIRGINIA

Center for Reproductive Medicine  
West Virginia University Health  
Sciences Center  
830 Pennsylvania Avenue, Suite 304  
Charleston, WV 25302  
Telephone: 304-344-1515  
Fax: 304-344-1570  
Lab Name: Charleston Area Medical  
Center - IVF  
Accreditation: CAP/ASRM

## WISCONSIN

Family Fertility Program  
Appleton Medical Center  
1818 North Meade Street  
Appleton, WI 54911  
Telephone: 920-738-6242  
Fax: 920-831-5149  
Lab Name: Family Fertility Program  
Accreditation: CAP/ASRM

Gundersen/Lutheran Medical Center  
1836 South Avenue  
La Crosse, WI 54601  
Telephone: 608-782-7300  
Fax: 608-791-6611  
Lab Name: Gundersen/Lutheran  
Medical Center IVF Lab  
Accreditation: JCAHO (Pending)

University of Wisconsin-Madison  
Women's Endocrine Services  
600 Highland Avenue, H4/630 CSC  
Madison, WI 53792  
Telephone: 608-263-1217  
Fax: 608-263-0191  
Lab Name: University of Wisconsin-  
Madison  
Accreditation: CAP/ASRM

Advanced Institute of Fertility  
Saint Luke's Medical Center  
2801 W. Kinnickinnic River Parkway,  
Suite 535  
Milwaukee, WI 53215  
Telephone: 414-645-5437  
Fax: 414-645-5401  
Lab Name: SLMC Embryology  
Laboratory  
Accreditation: CAP/ASRM

Medical College of Wisconsin,  
Department of Ob/Gyn  
Froedtert E. Lutheran Memorial  
Hospital  
9200 West Wisconsin Avenue  
Milwaukee, WI 53226  
Telephone: 414-257-5546  
Fax: 414-257-5686  
Lab Name: Waukesha Advanced  
Regional Fertility Services  
Accreditation: CAP/ASRM (Pending),  
JCAHO (Pending)

Reproductive Specialty Center at  
IVF Columbia, Columbia Hospital  
2315 North Lake Drive, Seton Tower-  
Suite 501  
Milwaukee, WI 53211  
Telephone: 414-289-9668  
Fax: 414-289-0974  
Lab Name: IVF Columbia  
Accreditation: CAP/ASRM

WomenCare, Gloria M. Halverson,  
M.D., S.C.  
20611 Watertown Road, Suite E  
Waukesha, WI 53186  
Telephone: 414-798-1910  
Fax: 414-798-8660  
Lab Name: Waukesha Memorial  
Hospital  
Accreditation: CAP/ASRM (Pending)

Women's Health Care, S.C.  
721 American Avenue, Suite 304  
Waukesha, WI 53188  
Telephone: 414-549-2229  
Fax: 414-549-1657  
Lab Name: Advanced Regional  
Fertility Services  
Accreditation: CAP/ASRM (Pending)

Clinic of Obstetrics & Gynecology,  
Ltd.  
8800 West Lincoln Avenue  
West Allis, WI 53227  
Telephone: 414-545-8808  
Fax: 414-545-4920  
Lab Name: Advanced Regional  
Fertility Services  
Accreditation: CAP/ASRM

# Nonreporting ART Clinics for 1998, by State

---

The clinics listed below provided ART services throughout 1998 and accordingly were required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act passed by the U.S. Congress. These clinics either failed to submit data or did not provide verification by the clinic medical director that the tabulated success rates were correct, as required for publication.

Consumers who are aware of a clinic that was in operation in 1998 but is not included in the lists of either reporting or nonreporting clinics in this report are encouraged to contact CDC with the complete name, mailing address, and telephone number of the clinic, by e-mail at: [cdcinfo@cdc.gov](mailto:cdcinfo@cdc.gov) (Subject: ART) or by regular mail at: CDC/ ATTN: ARTE Unit, 4770 Buford Highway NE, MS K-34, Atlanta, GA 30341-3717. Providing this information will help to ensure that clinics that should be in the report will be included in upcoming years.

## **Nonreporting ART Clinics, 1998:**

Arizona Institute of Reproductive Medicine  
2850 N. 24th Street, Suite 503  
Phoenix, AZ 85008  
Telephone: 602-468-3840  
Fax: 602-468-2449

San Antonio Fertility Center  
510 N. 13th Avenue, Suite 201  
Upland, CA 91786  
Telephone: 909-920-4858  
Fax: 909-985-7137

Donald N. Adler &  
Hal C. Danzer, M.D.s  
450 N. Roxbury Drive, 5th Floor  
Beverly Hills, CA 90210  
Telephone: 310-277-2393  
Fax: 310-274-5112

The Fertitty and Gynecology Center  
212 San Jose Street, Suite 201  
Salinas, CA 93901  
Telephone: 831-769-0161  
Fax: 831-759-0939

Issa M. Shamonki, M.D.  
2001 Santa Monica Boulevard,  
Suite 770W+C38  
Santa Monica, CA 90404  
Telephone: 310-829-4781  
Fax: 310-828-3874

University Medical Center  
Department of Ob/Gyn  
445 S. Cedar Avenue  
Fresno, CA 93702-2907  
Telephone: 559-459-5757  
Fax: 559-459-6815

Pacific Fertility Center-Sacramento  
2288 Auburn Boulevard, Suite 204  
Sacramento, CA 95821  
Telephone: 916-568-2125  
Fax: 916-567-1360

Pacific Fertility Center-Los Angeles  
10921 Wilshire Boulevard, Suite 700  
Los Angeles, CA 90024  
Telephone: 310-209-7700  
Fax: 310-209-7799

Darush Mohyi, M.D.  
845 W. La Veta, Suite 104  
Orange, CA 92868  
Telephone: 714-744-2040  
Fax: 714-744-2042

Hartford Fertility & Reproductive  
Endocrinology Center  
100 Retreat Avenue, Suite 900  
Hartford, CT 06106  
Telephone: 860-525-8283  
Fax: 860-525-1930

Michael Fox, M.D.  
3627 University Boulevard, Suite 615  
Jacksonville, FL 32216  
Telephone: 904-396-3806  
Fax: 904-396-4546

Assisted Fertility Program of  
North Florida  
3627 University Boulevard, Suite 450  
Jacksonville, FL 32216  
Telephone: 904-398-1473  
Fax: 904-399-3436

Jacob Glock, M.D.  
13685 Doctors Way, Suite 330  
Fort Myers, FL 33912  
Telephone: 941-561-3111  
Fax: 941-561-3117

Medical College of Georgia, Dept.  
of Ob/Gyn, REIG  
1120 15th Street, BBR-7514  
Augusta, GA 30912-3360  
Telephone: 706-721-3950  
Fax: 706-721-6830

Advanced Reproductive Health Ctrs.  
14315 S. 108th Avenue, Suite 230  
Orland Park, IL 60462  
Telephone: 708-403-4210  
Fax: 708-403-5272

Boston Regional Center for  
Reproductive Medicine  
Three Woodland Road, Suite 331  
Stoneham, MA 02180  
Telephone: 617-979-4700  
Fax: 617-665-9386

Reproductive Science Associates  
2 Brush Creek Boulevard, Suite 500  
Kansas City, MO 64112  
Telephone: 816-931-2733  
Fax: 816-756-1764

Research Medical Center  
2316 E. Meyer Boulevard  
Kansas City, MO 64132  
Telephone: 816-444-6888  
Fax: 816-444-8430

---

Chapel Hill Fertility Center  
109 Conner Drive, Suite 2200  
Chapel Hill, NC 27514  
Telephone: 919-968-4656  
Fax: 919-967-8637

Louis R. Manara, D.O.  
211 White Horse Road  
Voorhees, NJ 08043  
Telephone: 856-783-2803  
Fax: 856-784-1607

Delaware Valley Ob/Gyn and  
Infertility  
3131 Princeton Pike, Building 3-C  
Lawrenceville, NJ 08648  
Telephone: 609-896-0777  
Fax: 609-896-3266

Cristina Matera-Abouzahr, M.D.  
860 Fifth Avenue  
New York, NY 10021  
Telephone: 212-639-9122  
Fax: 212-639-9413

Advanced Fertility Institute  
507 Delaware Avenue  
Bethlehem, PA 18015  
Telephone: 610-868-0661  
Fax: 610-868-1115

Pedro J. Beauchamp, M.D.,  
IVF Program  
Dr. Arturo Cadilla Building  
100 Paseo San Pablo, Suite 503  
Bayamon, PR 00959  
Telephone: 787-798-0100  
Fax: 787-740-7250

GREFI  
1519 Ponce de Leon Avenue  
First Teduce Building, Suite 705  
Santurce, PR 00910  
Telephone: 787-721-3544  
Fax: 787-721-5957

Medical University of South Carolina  
96 Jonathan Lucas Street, 634CSB  
Charleston, SC 29425  
Telephone: 843-792-7104  
Fax: 843-792-0533

Center for Applied Reproductive  
Science MCOB  
408 North State of Franklin Road,  
Suite 31  
Johnson City, TN 37604  
Telephone: 423-461-8880  
Fax: 423-461-8887

Richmond Center for Fertility and  
Endocrinology  
7603 Forest Avenue, Suite 301  
Richmond, VA 23220  
Telephone: 804-285-9700  
Fax: 804-285-9745

Genetics and IVF Institute  
3020 Javier Road  
Fairfax, VA 22301  
Telephone: 703-698-7355  
Fax: 703-695-0418

Beach Center for Fertility,  
Endocrinology & IVF  
844 First Colonial Road, Suite 202  
Virginia Beach, VA 23451  
Telephone: 757-428-0002  
Fax: 757-428-4555

