Auxillary ARSPPF

# ARSPPF

### **PURP OSE**

Compute the arc-sine percent point function.

# **DESCRIPTION**

The arc-sine distribution has the following probability density function:

$$f(x) = \frac{1}{\pi \sqrt{x(1-x)}}$$
  $0 < x < 1$  (EQ Aux-18)

The percent point function is the inverse of the cumulative distribution function. The cumulative distribution sums the probability from 0 to the given x value (i.e., the integral of the above function). The percent point function takes a cumulative probability value and computes the corresponding x value. The formula for the percent point function is:

$$G(p) = \left[\sin\left(\frac{p\pi}{2}\right)\right]^2$$
 (EQ Aux-19)

The arc-sine distribution is a special case of the beta distribution with both parameters equal to 1/2. The generalized arc-sine distribution is the special case of the beta distribution where the 2 parameters sum to 1 but are not necessarily equal to 1/2. The generalized arc-sine probability functions can be computed using the beta probability distributions in DATAPLOT (see the Related Commands section below).

Johnson, Kotz, and Balakrishnan (see the Reference section below give a derivation of this distribution based on random walks.

#### **SYNTAX**

# **EXAMPLES**

LET A = ARSPPF(0.9)LET A = ARSPPF(A1)

# **DEFAULT**

None

# **SYNONYMS**

None

### RELATED COMMANDS

ARSCDF = Compute the arc-sine cumulative distribution function.

ARSPDF = Compute the arc-sine probability density function.

BETCDF = Compute the beta cumulative distribution function.

BETCDF = Compute the beta probability density function.

BETPPF = Compute the beta probability density function.

#### REFERENCE

"Continuous Univariate Distributions - Volume 2," 2nd Ed., Johnson, Kotz, and Balakrishnan, Wiley and Sons (pages 212, 253).

# IMPLEMENTATION DATE

95/9

ARSPPF Auxillary

**PROGRAM** 

TITLE AUTOMATIC PLOT ARSPPF(P) FOR P = 0 0.01 1

