LAMPPF

PURPOSE

Compute the Tukey-Lambda percent point function with shape parameter λ .

DESCRIPTION

The Tukey-Lambda distribution does not have a simple closed formula for the probability density function or the cumulative distribution function. The Tukey-Lambda percent point function is:

$$G(p) = \frac{p^{\lambda} - (1-p)^{\lambda}}{\lambda}$$
 (EQ 8-251)

The input value is a real number between 0 and 1.

SYNTAX

LET <y2> = LAMPPF(<y1>,lambda)

where <y1> is a variable, a number, or a parameter in the range 0 to 1;

 $\langle y2 \rangle$ is a variable or a parameter (depending on what $\langle y1 \rangle$ is) where the computed Tukey-Lambda ppf value is stored; $\langle lambda \rangle$ is a number or parameter that specifies the shape parameter;

<SUBSET/EXCEPT/FOR qualification>

and where the <SUBSET/EXCEPT/FOR qualification> is optional.

EXAMPLES

LET A = LAMPPF(0.9) LET Y = LAMPPF(P)

DEFAULT

None

SYNONYMS

None

RELATED COMMANDS

LAMCDF	=	Compute the Tukey-Lambda cumulative distribution function.
LAMPDF	=	Compute the Tukey-Lambda probability density function.
LAMSF	=	Compute the Tukey-Lambda sparsity function.
NORPDF	=	Compute the standard normal probability density function.
NORCDF	=	Compute the standard normal cumulative distribution function.
NORPPF	=	Compute the standard normal percent point function.
LOGCDF	=	Compute the logistic cumulative distribution function.
LOGPDF	=	Compute the logistic probability density function.
LOGPPF	=	Compute the logistic percent point function.
UNICDF	=	Compute the uniform cumulative distribution function.
UNIPDF	=	Compute the uniform probability density function.
UNIPPF	=	Compute the uniform percent point function.

REFERENCE

"Low Moments for Small Samples: A Comparative Study of Order Statistics," Hastings, Mosteller, Tukey, and Winsor, Annals of Mathematical Statistics, 18, 1947 (pp. 413-426).

APPLICATIONS

Data Analysis

IMPLEMENTATION DATE

94/4

PROGRAM

XLIMITS 01 XTIC OFFSET 0.1 0.1 MAJOR XTIC NUMBER 6 MINOR XTIC NUMBER 1 MULTIPLOT 2 3; MULTIPLOT CORNER COORDINATES 0 0 100 100 LET JUNK = -1TITLE AUTOMATIC; TITLE SIZE 3 X1LABEL EXACTLY UNIFORM DISTRIBUTION PLOT LAMPPF(X,1) FOR X = 0.01 .01 0.99 X1LABEL U SHAPED PLOT LAMPPF(X,0.5) FOR X = 0.01 0.01 0.99 X1LABEL APPROXIMATELY NORMAL PLOT LAMPPF(X,0.14) FOR X = 0.01 0.01 0.99 X1LABEL EXACTLY LOGISTIC PLOT LAMPPF(X,0) FOR X = 0.01 0.01 0.99 X1LABEL APPROXIMATELY CAUCHY PLOT LAMPPF(X,JUNK) FOR X = 0.01 0.01 0.99 X1LABEL PLOT LAMPPF(X,5) FOR X = 0.01 0.01 0.99 END OF MULTIPLOT

