

Table 3. Estimated numbers of AIDS cases, by year of diagnosis and selected characteristics of persons, 2000–2004— United States

	Year of diagnosis					Cumulative through 2004 ^a
	2000	2001	2002	2003	2004	
Age at diagnosis (yrs)						
<13	124	115	109	69	48	9,443
13–14	60	79	71	58	60	959
15–19	291	274	312	301	326	4,936
20–24	1,329	1,343	1,467	1,664	1,788	34,164
25–29	3,432	3,239	3,279	3,276	3,576	114,642
30–34	6,497	6,258	6,010	6,003	5,786	195,404
35–39	8,930	8,649	8,716	8,763	8,031	208,199
40–44	7,530	7,502	7,825	8,291	8,747	161,964
45–49	5,200	5,401	5,656	6,102	6,245	99,644
50–54	3,007	3,199	3,436	3,672	3,932	54,869
55–59	1,528	1,567	1,718	1,854	2,079	29,553
60–64	833	820	930	929	996	16,119
≥65	752	759	738	848	901	14,410
Race/ethnicity						
White, not Hispanic	11,378	11,052	11,604	11,657	12,013	375,155
Black, not Hispanic	19,510	19,473	19,934	20,685	20,965	379,278
Hispanic	7,957	7,974	7,907	8,632	8,672	177,164
Asian/Pacific Islander	350	381	440	478	488	7,317
American Indian/Alaska Native	175	169	186	189	193	3,084
Transmission category						
Male adult or adolescent						
Male-to-male sexual contact	15,374	15,510	16,442	17,139	17,691	441,380
Injection drug use	7,036	6,447	6,247	6,213	5,968	176,162
Male-to-male sexual contact and injection drug use	2,102	2,056	1,982	1,996	1,920	64,833
Heterosexual contact	4,162	4,440	4,771	4,967	5,149	59,939
Other ^b	300	290	288	263	298	14,085
Subtotal	28,974	28,743	29,730	30,578	31,024	756,399
Female adult or adolescent						
Injection drug use	3,393	3,175	3,008	3,068	3,184	72,651
Heterosexual contact	6,785	6,930	7,181	7,859	7,979	99,175
Other ^b	237	243	240	257	279	6,636
Subtotal	10,415	10,348	10,429	11,184	11,442	178,463
Child (<13 yrs at diagnosis)						
Perinatal	122	113	105	68	47	8,779
Other ^c	2	3	4	1	0	664
Subtotal	124	115	109	69	48	9,443
Region of residence						
Northeast	12,105	11,212	10,395	11,149	11,158	289,792
Midwest	3,968	3,949	4,303	4,495	4,498	93,701
South	15,841	16,598	17,751	18,612	19,792	343,449
West	6,443	6,258	6,745	6,474	6,083	187,730
U.S. dependencies, possessions, and associated nations	1,156	1,190	1,073	1,100	982	29,634
Total^d	39,513	39,206	40,267	41,831	42,514	944,306

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor. The estimates do not include adjustment for incomplete reporting.

^a Includes persons with a diagnosis of AIDS from the beginning of the epidemic through 2004.

^b Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified.

^c Includes hemophilia, blood transfusion, and risk factor not reported or not identified.

^d Includes persons of unknown race or multiple races and persons of unknown sex. Cumulative total includes 2,308 persons of unknown race or multiple races and 2 persons of unknown sex. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.