



nonpad36 6.



Volunteer Debriefing

Attach a page describing the situation.

page 2 of 4

Patient ID:								
		_				_		
(aita)			(noti	0 m t \			(abla)	

Date of Debriefing:		/	/	
	(month)	(day)	(year)	

witnes36 7. Was the collapse witnessed by a volunteer?

Was a non-PAD, non-EMS AED used?

⊃ Yes	O No	\rightarrow
1	0	

If no, how was the volunteer system activated? In particular, did the witness first contact the volunteer system or the EMS? sysac136 (60)

sysac236 (60)

Sequence of Steps: (Complete both Order columns. If order filled in, check one bubble under by whom.

Always check "Vols" if a volunteer performed the step)

O Yes -

Information Volunteered * Steps Taken during Episode Information Elicited **									
By whom?		<u>anteerea</u>	Oteps Taken during Episode			/ whon			
,		Byst	EMS	Order		Ordei	r Vols	Byst	EMS
unrsvb36	0	0	3	unrspv3	Established Unresponsiveness	unrspe36		0	3 ○ unrseb36
callvb36	0	0	0	callv36		calle36	0	0	O calleb36
aedvb36	0	0	0	aedv36	Retrieved or Requested AED	aede36	0	0	_ aedeb36
posvb36	0	0	0	posv36	Positioned Body	pose36	_ 0	0	∩ _poseb36
airvb36	0	0	0	airv36	Opened Airway 	aire36	_ 0	0	aireb36
brthvb36	60	0	0	brthv36	Checked Breathing	brthe36	_ 0	0	brtheb36
devvb36	0	0	0	devv36	Used Barrier Device	deve36		0	deveb36
ventvb36	0	0	0	ventv36	Performed Ventilations	vente36	_ 0	0	○ venteb36
pulsvb36	0	0	0	pulsev36	Checked Pulse (not required)	pulsee36	_ 0	0	opulseb36
compvb36	0	0	0	compv36	Performed Chest Compressions	compe36	0	0	compeb36
powrvb36	0	0	0	powerv36	Turned AED Power On	powere36	_ 0	0	∩ _powreb36
padsvb36	0	0	0	padsv36	Attached AED Electrode Pads	padse36	_ 0	0	_padseb36
clrvb36	0	0	0	clearv36	Cleared Bystanders (while Analyzing/Shock	cing/cleare36	_ 0	0	_clreb36
shkvb36	0	0	0	shkv36	Delivered AED Shock	shke36	0	0	shkeb36
emsvb36	0	0	0	emsv36	EMS or someone else resumed CPR	emse36	_ 0	0	O —emseb36

^{*} Ask volunteers to describe what resuscitative measures were done, in what order, and by whom. **Don't coach the volunteer.**

After volunteer has reported steps, go back through the steps making sure they are accurate. (e.g., Did they really forget to do a step or just forgot to tell you). If there are no changes, note the same sequence on the Information Elicited side. If steps are different, number accordingly.



Volunteer Debriefing



delay36 9. Safety Information: In the interviewer's estimation, did any of the following situations occur? a) Was there a delay in calling 911? 2 O EMS not called (i.e., unit death where police, coroner, etc., called) tmdel36 0 O No Specify length of delay: (seconds) (minutes) 1 O Yes spdel136 (60)Elaborate: spdel236 (60)cprca36 b) CPR / Cardiac Arrest: **CPR Compressions Done** (check one bubble In the If mark is in a striped square, elaborate: appropriate square) Yes No spcpr136 (60)**Episode** Yes spcpr236 (60)was a **Cardiac Arrest** No aedca36 c) AED / Cardiac Arrest: PAD or non-EMS (check one bubble In the **AED Applied** If mark is in a striped square, elaborate: appropriate square) Yes No spaed136 (60)Yes **Episode** (60)spaed236 was a **Cardiac Arrest** No Were there any impediments/delays to providing emergency care to the victim (e.g., tight location, locked doors, incorrect directions, difficulty finding victim, emergency equipment not brought to scene)?

imped36

Claborate	spimp236	(60)	-
O Yes → Elaborate: _	spimp136	(60)	
O INO			

11. Rate the Ease/Difficulty of each of the following tasks regarding this event: (volunteer steps only)

·	Easv	Somewhat Easv	Somewhat Difficult	Extremely Difficult	Could Not Do	Not Applicable
unrspr36 a) Establishing Unresponsiveness	<u>. </u>	Ō	0		Ŭ	Ŏ
callr36 b) Called/Requested 911 or Other Help	0	0	O	O		O
brthr36 c) Open Airway / Breathing Check	0	0	0	O	O	O
ventr36 d) Provide Ventilation	0	O	O	O	0	O
devr36 e) Using a Barrier Device						
typdev36 Type: 1) Mask 2 () Shield	0	O	O	_ O_	O	_ O _
pulser36 f) Pulse Check (not required)	0	O		_ 0_		0
compr36 g) Delivering Chest Compressions	0	O	O	O	O	O
findr36 h) Finding AED	0	0_	O	O	O	0
retrvr36 i) Retrieving AED	0	O	O			O
startr36 j) Opening/Starting AED	0	O	O			0
padr36 k) Electrode Pad Placement	0	O	O			O
dirctr36 1) Following Directions given by AED	0	0	0	0_	0_	0
clearr36 m) Clearing Bystanders during Analysis/Shock	0	0	0	0	0	0

