



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Ever breastfed or fed breastmilk				
DBQ010	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8937	80.96	8937	80.96
1 : Yes	1319	11.95	10256	92.91
2 : No	777	7.04	11033	99.95
9 : Don't know	6	0.05	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

Age started eating other foods(days)				
DBD020	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9720	88.05	9720	88.05
0 : Never	49	0.44	9769	88.50
1	280	2.54	10049	91.03
2	35	0.32	10084	91.35
3	9	0.08	10093	91.43
4	3	0.03	10096	91.46
5	2	0.02	10098	91.48
6	1	0.01	10099	91.48
7	28	0.25	10127	91.74
8	3	0.03	10130	91.77
10	4	0.04	10134	91.80
14	44	0.40	10178	92.20
15	1	0.01	10179	92.21
21	28	0.25	10207	92.46
28	10	0.09	10217	92.55
30	54	0.49	10271	93.04
35	4	0.04	10275	93.08
42	22	0.20	10297	93.28
45	1	0.01	10298	93.29
49	2	0.02	10300	93.31
56	6	0.05	10306	93.36
60	66	0.60	10372	93.96
63	2	0.02	10374	93.98
70	1	0.01	10375	93.98
91	138	1.25	10513	95.24
98	3	0.03	10516	95.26
105	1	0.01	10517	95.27
121	174	1.58	10691	96.85
126	1	0.01	10692	96.86
152	91	0.82	10783	97.68
182	136	1.23	10919	98.91
212	31	0.28	10950	99.19
243	21	0.19	10971	99.38
273	15	0.14	10986	99.52
304	6	0.05	10992	99.57
334	3	0.03	10995	99.60
364	4	0.04	10999	99.64
365	31	0.28	11030	99.92



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Age started eating other foods(days)				
DBD020	Frequency	Percent	Cumulative Frequency	Cumulative Percent
547	1	0.01	11031	99.93
999999 : Don't know	8	0.07	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

Age stopped breastfeeding(days)				
DBD030	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9777	88.57	9777	88.57
0 : Still breastfeeding	174	1.58	9951	90.14
1 to 1460	1086	9.84	11037	99.98
999999 : Don't know	2	0.02	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

Age first fed formula daily(days)				
DBD040	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8994	81.47	8994	81.47
0 : Never on a daily basis	248	2.25	9242	83.72
1	944	8.55	10186	92.27
2	29	0.26	10215	92.54
3	15	0.14	10230	92.67
4	6	0.05	10236	92.73
5	5	0.05	10241	92.77
6	1	0.01	10242	92.78
7	39	0.35	10281	93.13
8	3	0.03	10284	93.16
10	3	0.03	10287	93.19
11	1	0.01	10288	93.20
14	41	0.37	10329	93.57
15	4	0.04	10333	93.60
19	1	0.01	10334	93.61
21	29	0.26	10363	93.88
28	12	0.11	10375	93.98
30	61	0.55	10436	94.54
35	3	0.03	10439	94.56
42	19	0.17	10458	94.74
45	3	0.03	10461	94.76
49	4	0.04	10465	94.80
56	5	0.05	10470	94.85
60	80	0.72	10550	95.57
63	1	0.01	10551	95.58
70	7	0.06	10558	95.64
84	2	0.02	10560	95.66
91	110	1.00	10670	96.66
98	2	0.02	10672	96.68
105	1	0.01	10673	96.68
121	78	0.71	10751	97.39
126	1	0.01	10752	97.40
152	51	0.46	10803	97.86
182	100	0.91	10903	98.77
212	40	0.36	10943	99.13
243	27	0.24	10970	99.37
273	18	0.16	10988	99.54
304	13	0.12	11001	99.66



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Age first fed formula daily(days)				
DBD040	Frequency	Percent	Cumulative Frequency	Cumulative Percent
334	3	0.03	11004	99.68
364	6	0.05	11010	99.74
365	17	0.15	11027	99.89
425	1	0.01	11028	99.90
456	2	0.02	11030	99.92
547	2	0.02	11032	99.94
999999 : Don't know	7	0.06	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

Age stopped receiving formula(days)				
DBD050	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9243	83.73	9243	83.73
0 : Still drinking formula	452	4.09	9695	87.82
1	1	0.01	9696	87.83
2	1	0.01	9697	87.84
12	1	0.01	9698	87.85
14	2	0.02	9700	87.87
15	2	0.02	9702	87.89
30	1	0.01	9703	87.90
35	1	0.01	9704	87.91
56	1	0.01	9705	87.92
60	3	0.03	9708	87.94
70	1	0.01	9709	87.95
77	1	0.01	9710	87.96
91	4	0.04	9714	88.00
121	2	0.02	9716	88.02
152	5	0.05	9721	88.06
182	29	0.26	9750	88.32
212	10	0.09	9760	88.41
243	36	0.33	9796	88.74
273	85	0.77	9881	89.51
304	82	0.74	9963	90.25
334	87	0.79	10050	91.04
364	135	1.22	10185	92.26
365	692	6.27	10877	98.53
395	22	0.20	10899	98.73
425	14	0.13	10913	98.86
456	12	0.11	10925	98.97
486	2	0.02	10927	98.99
516	1	0.01	10928	98.99
547	37	0.34	10965	99.33
608	5	0.05	10970	99.37
638	1	0.01	10971	99.38
668	1	0.01	10972	99.39
699	1	0.01	10973	99.40
730	42	0.38	11015	99.78
912	1	0.01	11016	99.79
1095	7	0.06	11023	99.86



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Age stopped receiving formula(days)				
DBD050	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1460	1	0.01	11024	99.86
999999 : Don't know	15	0.14	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Age first fed milk daily basis(days)				
DBD060	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8995	81.48	8995	81.48
0 : Never on a daily basis	519	4.70	9514	86.19
1	14	0.13	9528	86.31
3	2	0.02	9530	86.33
6	1	0.01	9531	86.34
7	1	0.01	9532	86.35
14	1	0.01	9533	86.36
21	2	0.02	9535	86.38
30	6	0.05	9541	86.43
60	2	0.02	9543	86.45
91	9	0.08	9552	86.53
121	3	0.03	9555	86.56
152	3	0.03	9558	86.58
182	32	0.29	9590	86.87
212	14	0.13	9604	87.00
243	42	0.38	9646	87.38
273	98	0.89	9744	88.27
304	98	0.89	9842	89.16
334	92	0.83	9934	89.99
364	143	1.30	10077	91.29
365	785	7.11	10862	98.40
395	31	0.28	10893	98.68
425	16	0.14	10909	98.82
456	6	0.05	10915	98.88
486	6	0.05	10921	98.93
516	1	0.01	10922	98.94
547	41	0.37	10963	99.31
577	1	0.01	10964	99.32
608	4	0.04	10968	99.36
638	1	0.01	10969	99.37
668	3	0.03	10972	99.39
730	50	0.45	11022	99.85
790	1	0.01	11023	99.86
1095	4	0.04	11027	99.89
1460	2	0.02	11029	99.91
1825	1	0.01	11030	99.92
999999 : Don't know	9	0.08	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Type of milk first fed - whole milk				
DBD071a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9757	88.39	9757	88.39
10	1277	11.57	11034	99.95
99	5	0.05	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Type of milk first fed - 2% milk				
DBD071b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10849	98.28	10849	98.28
11	190	1.72	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Type of milk first fed - 1% milk				
DBD071c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	11024	99.86	11024	99.86
12	15	0.14	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Type of milk first fed - skim/nonfat				
DBD071d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	11030	99.92	11030	99.92
13	9	0.08	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Type of milk first fed - other				
DBD071u	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10996	99.61	10996	99.61
30	43	0.39	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

Age started eating solid foods(days)				
DBD080	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8994	81.47	8994	81.47
0 : Never on a daily basis	161	1.46	9155	82.93
1	3	0.03	9158	82.96
2	2	0.02	9160	82.98
4	5	0.05	9165	83.02
7	4	0.04	9169	83.06
14	7	0.06	9176	83.12
21	10	0.09	9186	83.21
28	1	0.01	9187	83.22
30	13	0.12	9200	83.34
35	1	0.01	9201	83.35
42	13	0.12	9214	83.47
49	3	0.03	9217	83.49
56	1	0.01	9218	83.50
60	50	0.45	9268	83.96
70	1	0.01	9269	83.97
91	179	1.62	9448	85.59
121	386	3.50	9834	89.08
126	1	0.01	9835	89.09
152	248	2.25	10083	91.34
182	480	4.35	10563	95.69
212	117	1.06	10680	96.75
243	99	0.90	10779	97.64
273	65	0.59	10844	98.23
304	44	0.40	10888	98.63
334	12	0.11	10900	98.74
364	11	0.10	10911	98.84
365	77	0.70	10988	99.54
395	5	0.05	10993	99.58
425	3	0.03	10996	99.61
456	4	0.04	11000	99.65
486	1	0.01	11001	99.66
516	1	0.01	11002	99.66
547	14	0.13	11016	99.79
577	1	0.01	11017	99.80
730	8	0.07	11025	99.87
912	1	0.01	11026	99.88



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Age started eating solid foods(days)				
DBD080	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1095	1	0.01	11027	99.89
999999 : Don't know	12	0.11	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

# of times/week eat restaurant food				
DBD090	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	574	5.20	574	5.20
0 : Never	1096	9.93	1670	15.13
1	2734	24.77	4404	39.89
2	1912	17.32	6316	57.22
3	1164	10.54	7480	67.76
4	499	4.52	7979	72.28
5	587	5.32	8566	77.60
6	135	1.22	8701	78.82
7	269	2.44	8970	81.26
8	33	0.30	9003	81.56
9	4	0.04	9007	81.59
10	77	0.70	9084	82.29
11	2	0.02	9086	82.31
12	17	0.15	9103	82.46
14	33	0.30	9136	82.76
15	11	0.10	9147	82.86
17	1	0.01	9148	82.87
18	3	0.03	9151	82.90
20	3	0.03	9154	82.92
21	12	0.11	9166	83.03
6666 : Less than weekly	1867	16.91	11033	99.95
7777 : Refused	4	0.04	11037	99.98
9999 : Don't know	2	0.02	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

# Times/month eat dark green vegetables				
DBD102	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	916	8.30	916	8.30
0 : Never	1107	10.03	2023	18.33
1	370	3.35	2393	21.68
2	391	3.54	2784	25.22
3	152	1.38	2936	26.60
4	1361	12.33	4297	38.93
5	45	0.41	4342	39.33
6	24	0.22	4366	39.55
7	9	0.08	4375	39.63
8	1738	15.74	6113	55.38
9	2	0.02	6115	55.39
10	23	0.21	6138	55.60
11	2	0.02	6140	55.62
12	4	0.04	6144	55.66
13	1547	14.01	7691	69.67
14	2	0.02	7693	69.69
15	13	0.12	7706	69.81
16	2	0.02	7708	69.83
17	734	6.65	8442	76.47
20	7	0.06	8449	76.54
21	548	4.96	8997	81.50
25	3	0.03	9000	81.53
26	89	0.81	9089	82.34
27	1	0.01	9090	82.34
28	1	0.01	9091	82.35
30	1569	14.21	10660	96.57
31	1	0.01	10661	96.58
34	7	0.06	10668	96.64
39	8	0.07	10676	96.71
43	14	0.13	10690	96.84
47	2	0.02	10692	96.86
48	1	0.01	10693	96.87
52	7	0.06	10700	96.93
60	160	1.45	10860	98.38
65	3	0.03	10863	98.41
73	1	0.01	10864	98.41
91	29	0.26	10893	98.68
121	3	0.03	10896	98.70



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

# Times/month eat dark green vegetables				
DBD102	Frequency	Percent	Cumulative Frequency	Cumulative Percent
152	1	0.01	10897	98.71
212	1	0.01	10898	98.72
66666 : Less than monthly	130	1.18	11028	99.90
77777 : Refused	4	0.04	11032	99.94
99999 : Don't know	7	0.06	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

#Times/month eat cooked dried beans/peas				
DBD103	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	916	8.30	916	8.30
0 : Never	1115	10.10	2031	18.40
1	714	6.47	2745	24.87
2	714	6.47	3459	31.33
3	283	2.56	3742	33.90
4	2009	18.20	5751	52.10
5	54	0.49	5805	52.59
6	31	0.28	5836	52.87
7	13	0.12	5849	52.98
8	1785	16.17	7634	69.15
9	4	0.04	7638	69.19
10	24	0.22	7662	69.41
11	1	0.01	7663	69.42
12	6	0.05	7669	69.47
13	1188	10.76	8857	80.23
14	2	0.02	8859	80.25
15	11	0.10	8870	80.35
16	2	0.02	8872	80.37
17	484	4.38	9356	84.75
19	1	0.01	9357	84.76
20	7	0.06	9364	84.83
21	268	2.43	9632	87.25
26	33	0.30	9665	87.55
30	963	8.72	10628	96.28
34	2	0.02	10630	96.29
43	7	0.06	10637	96.36
47	1	0.01	10638	96.37
48	1	0.01	10639	96.38
52	2	0.02	10641	96.39
60	63	0.57	10704	96.97
65	1	0.01	10705	96.97
91	11	0.10	10716	97.07
121	1	0.01	10717	97.08
212	2	0.02	10719	97.10
66666 : Less than monthly	305	2.76	11024	99.86
77777 : Refused	4	0.04	11028	99.90
99999 : Don't know	11	0.10	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

Past 30 day milk product consumption				
DBD196	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	574	5.20	574	5.20
0 : Never	897	8.13	1471	13.33
1 : rarely-less than once a week	968	8.77	2439	22.09
2 : Sometimes-once a week or more, but less than once a day, or	1934	17.52	4373	39.61
3 : Often-once a day or more?	6616	59.93	10989	99.55
4 : Varied	45	0.41	11034	99.95
7 : Refused	4	0.04	11038	99.99
9 : Don't know	1	0.01	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

You drink whole or regular milk				
DBD221a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6240	56.53	6240	56.53
10	4782	43.32	11022	99.85
99	17	0.15	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

You drink 2% fat milk				
DBD221b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8039	72.82	8039	72.82
11	3000	27.18	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

You drink 1% fat milk				
DBD221c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10140	91.86	10140	91.86
12	899	8.14	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

You drink skim, nonfat or .5% milk				
DBD221d	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10024	90.81	10024	90.81
13	1015	9.19	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

You drink another type of milk				
DBD221u	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	10722	97.13	10722	97.13
30	317	2.87	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Regular milk drinker				
DBD229	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5632	51.02	5632	51.02
1 : {I've/He's/She's} been a regular milk drinker for most or all of {my/his/her} life, including {my/his/her} childhood	2662	24.11	8294	75.13
2 : {I've/He's/She's} never been a regular milk drinker;	1051	9.52	9345	84.65
3 : {My/His/Her} milk drinking has varied over {my/his/her} life-sometimes {I've/he's/she's} been a regular milk drinker	1682	15.24	11027	99.89
7 : Refused	4	0.04	11031	99.93
9 : Don't know	8	0.07	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

How often drank milk age 5-12				
DBD235ae	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6695	60.65	6695	60.65
0	43	0.39	6738	61.04
1	154	1.40	6892	62.43
2	353	3.20	7245	65.63
3	3739	33.87	10984	99.50
4	13	0.12	10997	99.62
7	1	0.01	10998	99.63
9	41	0.37	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

How often drank milk age 13-17				
DBD235be	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6695	60.65	6695	60.65
0	69	0.63	6764	61.27
1	243	2.20	7007	63.47
2	752	6.81	7759	70.29
3	3232	29.28	10991	99.57
4	28	0.25	11019	99.82
9	20	0.18	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

How often drank milk age 18-35				
DBD235ce	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6695	60.65	6695	60.65
0	118	1.07	6813	61.72
1	425	3.85	7238	65.57
2	1109	10.05	8347	75.61
3	2600	23.55	10947	99.17
4	75	0.68	11022	99.85
7	1	0.01	11023	99.86
9	16	0.14	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Community/Government meals delivered				
DBD301	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9172	83.09	9172	83.09
1 : Yes	72	0.65	9244	83.74
2 : No	1792	16.23	11036	99.97
7 : Refused	3	0.03	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Eat meals at Community/Senior center				
DBQ330	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9172	83.09	9172	83.09
1 : Yes	136	1.23	9308	84.32
2 : No	1728	15.65	11036	99.97
7 : Refused	3	0.03	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

Attend kindergarten thru high school				
DBQ360	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6907	62.57	6907	62.57
1 : Yes	3401	30.81	10308	93.38
2 : No	730	6.61	11038	99.99
9 : Don't know	1	0.01	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

School serves school lunches				
DBQ370	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7638	69.19	7638	69.19
1 : Yes	3198	28.97	10836	98.16
2 : No	193	1.75	11029	99.91
9 : Don't know	10	0.09	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

# of times/week get school lunch				
DBD381	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7841	71.03	7841	71.03
0 : None	647	5.86	8488	76.89
1	150	1.36	8638	78.25
2	145	1.31	8783	79.56
3	208	1.88	8991	81.45
4	114	1.03	9105	82.48
5	1923	17.42	11028	99.90
9999 : Don't know	11	0.10	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

School lunch free, reduced or full price				
DBQ390	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8497	76.97	8497	76.97
1 : Free	1344	12.18	9841	89.15
2 : Reduced price	276	2.50	10117	91.65
3 : Full price	918	8.32	11035	99.96
9 : Don't know	4	0.04	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

School serve complete breakfast each day				
DBQ400	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7638	69.19	7638	69.19
1 : Yes	2627	23.80	10265	92.99
2 : No	685	6.21	10950	99.19
9 : Don't know	89	0.81	11039	100.00



Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004

# of times/week get school breakfast				
DBD411	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	8412	76.20	8412	76.20
0 : None	1351	12.24	9763	88.44
1	84	0.76	9847	89.20
2	114	1.03	9961	90.23
3	148	1.34	10109	91.58
4	41	0.37	10150	91.95
5	876	7.94	11026	99.88
9999 : Don't know	13	0.12	11039	100.00



**Frequency Distribution for Diet Behavior & Nutrition Section of the SP Questionnaire
(DBQ_B.XPT)
May 2004**

School breakfast free/reduced/full price				
DBD421	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	9770	88.50	9770	88.50
1 : Free	992	8.99	10762	97.49
2 : Reduced price	102	0.92	10864	98.41
3 : Full price	174	1.58	11038	99.99
9 : Don't know	1	0.01	11039	100.00