## 2002 and 2003 ANNUAL REPORT AND STATEMENT OF PROGRAM DIRECTION URI/NOAA CMER PROGRAM

UNIVERSITY OF RHODE ISLAND GRADUATE SCHOOL OF OCEANOGRAPHY SOUTH FERRY ROAD NARRAGANSETT, RI O2882

URI/NOAA Cooperative Marine Education and Research Program

> Lawrence J. Buckley Program Director (401) 874-6671

> > December 2003

### TABLE OF CONTENTS

EXECUTIVE SUMMARY	Page iii
INTRODUCTION	1
<b>Projects Supported with Base Funds in 2003</b> Sand shrimp predation on winter flounder	2
<b>Projects Supported with Base Funds in 2002</b> Sand shrimp predation on winter flounder Ctenophore predation on fish eggs and larvae	2
<b>Projects Supported with Contributed Funds in 2003</b> North right whale data archive and analysis Population dynamics of shortfin mako shark Bioeconomic model of NE fisheries URI/CoastWatch Weather and trawl performance	3
<b>Projects Supported with Contributed Funds in 2002</b> Maintenance, Archival, and Analysis of Western North Atlantic Right Whale Data	4
<b>Projects Supported on No-Cost Extensions</b> Use of Microsatellite DNA to Discriminate Stocks of Tautog North Cape Restoration Monitoring	4
<b>Projects Completed in 2002-03</b> Habitat Enhancement For Lobsters In Narragansett Bay Phase II: A Narragansett Bay Cooperative Study Project Market Information and Fisheries Management US GLOBEC: Abundance and Distribution of Zooplankton on Georges Bank Maintenance, Archival, and Analysis of Western North Atlantic Right Whale Data	4
<b>Program Director's Research Activities</b> Development of Atlantic Cod and Haddock for offshore aquaculture in the US GLOBEC: Environmental Consequences of Tidal-Front Entrainment Establishing Mortality Risks Associated with Starvation for Atlantic Cod Larvae	6
FIGURE 1. CMER Program Topics TABLE 1. Funding for URI/NOAA CMER Program (1989 – 2001) TABLE 2. Summary of URI/NOAA CMER Funded Projects (1989 – 2001) TABLE 3. CMER Funding Providing Student Support TABLE 4. CMER Supported Thesis and Dissertations (1992 – 2001) TABLE 5. Program Staff and Adjunct Faculty TABLE 6. University Courses Taught TABLE 7. Participation on Graduate Committees	7 8 9 15 18 21 22 23
Appendix I. CMER Supported Publications Appendix II. CMER Supported Presentations	25 25 34

### URI/NOAA Cooperative Marine Education and Research Program

### ANNUAL REPORT AND STATEMENT OF PROGRAM DIRECTION 2002-03

### EXECUTIVE SUMMARY

Now in its fourteenth year, the URI/NOAA Cooperative Marine Education and Research (CMER) Program was established under the aegis of a cooperative agreement between the University of Rhode Island (URI) and the National Oceanic and Atmospheric Administration (NOAA). The CMER program was built upon a long history of cooperation between these institutions. The program offers enhanced opportunities to jointly accomplish NOAA mission-oriented research and University mandates in graduate education, research and outreach.

Through December 2003, cooperative projects supported by the URI/NOAA CMER Program have totaled 8.1 million dollars (Tables 1 and 2). The program receives base funding from the National Marine Fisheries Service (NMFS), Northeast Fisheries Science Center (NEFSC). Additional funds are contributed to the URI/NOAA CMER Program from a variety of sources within and outside NEFSC to support specific research projects.

Graduate education and research are at the core of the URI/NOAA CMER Program. Faculty and students in ten University departments have participated in CMER funded research projects, including more than 80 graduate students (Table 3). NOAA employees have taught numerous university courses, served as chairs and members of graduate student committees, and participated as co-principal investigators on numerous CMER funded projects. Other NOAA employees have taken a wide range of course offerings and have been awarded graduate degrees at the University.

URI/NOAA CMER Program funding has brought expertise in a broad range of disciplines, including marine biology, statistics, remote sensing, economics, natural resource science, molecular biology, engineering, political science, sociology and marketing, to bear on critical problems of marine science and resource management. In 2003 alone, the URI/NOAA CMER Program supported six research projects totaling \$530,620

### **INTRODUCTION**

The Cooperative Marine Education and Research (CMER) Program was established in early 1989 under the aegis of a cooperative agreement between the University of Rhode Island (URI) and the National Oceanic and Atmospheric Administration (NOAA). The CMER program was built upon a long history of cooperation between these institutions. The CMER program is intended to foster enhanced interactions between all elements of NOAA and URI; however, special emphasis is placed upon projects of mutual interest to the University and the Northeast Region (NER) of NOAA's National Marine Fisheries Service (NMFS). The proximity of these institutions offers enhanced opportunities for: (a) joint research involving faculty, students and NOAA personnel; (b) training opportunities for both students and federal employees; and (c) shared use of specialized facilities and equipment. Now in its fourteenth year, the CMER program combines university and agency expertise to address marine issues affecting the state, region, and nation.

Graduate research and education are at the core of the URI/NOAA CMER Program. Faculty and students in ten University departments have participated in CMER funded research projects. The CMER program has provided partial support to more than 80 graduate students since 1989 (Table 3). More than half of these students have completed their degree programs. A partial list of students supported by the CMER program is provided in Table 4. Numerous student volunteers have participated in NOAA research cruises and assisted in research underway at NOAA laboratories.

The CMER program is a truly cooperative program with all parties contributing towards the objectives of the program. This cooperation can take many forms ranging from both URI and NOAA scientists serving as co-principal investigators, to sharing computing, laboratory and aquarium facilities, to exchange of data and specimens, to joint cruises. A coordinating committee, consisting of two University representatives and two NOAA representatives, determines program direction and funding priorities. The Program Director, a NMFS employee and Affiliated Professor at URI is stationed on the campus of URI in the Graduate School of Oceanography (Table 5). Several additional Northeast Fisheries Science Center (NEFSC) scientists have adjunct faculty appointments at URI (Table 5). NOAA CMER staff have taught several university courses (Table 6), served as chairs and members of graduate student committees (Table 7), and participated as co-principal investigators on numerous CMER funded projects (Table 2).

As of October 2003 cooperative projects supported through the URI/NOAA CMER Program have totaled 8.1 million dollars (Table 1). A summary of URI/NOAA CMER projects funded since 1989 is provided in Table 2. These projects have involved a wide variety of disciplines and topic areas. About 41% of the projects have addressed aspects of the biology and life history of estuarine and marine organisms (Figure 1). Remote sensing research has accounted for 12% of the projects funded. Studies of the effects of contaminants on marine organisms, and fishery statistics and engineering have accounted for 7% and 15% of funded projects respectively. Resource economics and fisheries product development together made up 11% of funded projects. Ecosystem analysis accounted for 13% of the project. Partial listings of publications and presentations supported by the URI/NOAA CMER Program funding are provided in Appendices I and II to this annual report. Requests for reprints or information on individual research projects should be directed to the principal investigators.

Several URI/NOAA CMER Program projects have been jointly funded by other agencies, particularly the Sea Grant Program. Still other projects, initiated under the URI/NOAA CMER Program, have been continued and expanded with funding received directly from other agencies. In

either case, funds made available through the CMER program are leveraged to support a broad range of research into questions important to the effective management of marine resources.

### PROJECTS SUPPORTED WITH BASE FUNDS

Base funding for the CMER program is provided by NOAA through the Northeast Fisheries Science Center. In 2002, there were no continuing projects on base funding and two new projects were initiated. In 2003 one of these projects was funded for a second year. Continuing work under multiyear projects receives the highest priority for funding, given satisfactory performance in the preceding year. This policy helps to insure continuity of support to graduate students.

Priorities for allocation of base funds are set by the URI/NOAA CMER Coordinating Committee, composed of the URI Dean of the Graduate School of Oceanography (GSO), the Dean of the College of the Environment and Life Sciences (CELS), the Director of the Office of Science and Technology (NMFS), and the Science and Research Director (NMFS). A listing of projects supported with 2002 and 2003 base funds follows.

### FY-2003

## "Effects of water temperature on sand shrimp predation on winter flounder" (Year 2 of 2) (CMER 02-02C)

Jeremy Collie, Graduate School of Oceanography, URI

This is the second and final year of a project described below.

### FY-2002

## "Effects of water temperature on sand shrimp predation on winter flounder" (Year 1 of 2) (CMER 02-01C)

Jeremy Collie, Graduate School of Oceanography, URI

This project will examine the effects of water temperature on the predator-prey relationship between sand shrimp and young-of-year (YOY) juvenile winter flounder. Respiration and bioenergetics studies will be conducted to estimate the consumption rate of *Crangon* for a range of temperatures. Laboratory experiments will quantify the functional response of sand shrimp feeding on newly settled winter flounder. An immunoassay for winter flounder will be developed and used to estimate predation rates by sand shrimp on YOY winter flounder in three New England Estuaries. This project will be the basis of a PhD thesis.

## "Quantifying predation rates of the ctenophore *Mnemiopsis leidyi* on fish eggs and larvae" (CMER 02-02C)

Barbara Sullivan and Grace Klein-MacPhee, Graduate School of Oceanography, URI

This is an intensive study of *in situ* predation by *M.leidyi* on fish eggs and larvae, targeting the peak period of fish spawning in Narragansett Bay. Key variables affecting predation rate will be examined in both field and laboratory experiments including ctenophore size, temperature and prey density.

Based on these results and refined estimates of ctenophore abundance, predation impact will be evaluated for Narragansett Bay and other north temperate ecosystems where *M.leidyi* is abundant. This project will be the basis of a MS thesis.

### PROJECTS SUPPORTED WITH CONTRIBUTED FUNDS

In addition to the base funds provided by the Northeast Fisheries Science Center, funds were contributed to the URI/NOAA CMER Program to support specific research projects. These funds come from a variety of sources within and outside the Northeast Fisheries Science Center. Many of the projects supported with contributed funds were continuations or extensions of projects funded in previous years. All projects in this category were approved by the URI/NOAA CMER Program coordinating committee for inclusion in the Program.

### FY-2003

## "Maintenance, archival, and analysis of western north Atlantic right whale data" (CMER 02-01C)

Robert Kenney, Graduate School of Oceanography, URI

This is the second year of a multi-year project described below.

# "Population dynamics of the shortfin mako (*Isurus oxyrinchus*) in the northwest Atlantic: an examination of food habits, migration survival and population size" (CMER 03-01C)

Jeremy Collie, Graduate School of Oceanography, URI

This study will investigate important aspects of the population dynamics of the shortfin mako. Migration parameters will be estimated using tag-recapture and satellite tag data. Survival and population size will be estimated using tag-recapture, catch and logbook data. Results will provide data and parameter estimates that are essential inputs to stock assessments, and in setting management guidelines. This project will be the basis of a PhD thesis.

## "A bioeconomic model for the New England multispecies fishery" (CMER 03-02C)

John Gates, Environmental and Natural Resources Economics, URI

This project will develop an extension of a mathematical programming model of the New England multispecies fishery and explore the usefulness of the rights based concept of "partial populations" (PP).

## "Refinements to, and applications of, the URI/CoastWatch AVHRR-derived SST Archives" (CMER 03-02C)

Peter Cornillon, Graduate School of Oceanography, URI

This project is designed to support continued cooperative research and development between scientists at the NOAA/NMFS/NEFSC and URI in the field of remote sensing science. The principle

objective is to facilitate the use and application of satellite-derived measurements in order to better describe and understand the marine environmental conditions off the northeast US.

## "Effects of weather on the performance of the NMFS NEFSC survey trawl" (CMER 03-03C)

Joseph DeAlteris, Department of fisheries, URI

The effect of weather (sea state) on the performance of the NEFSC Yankee 36 survey trawl will be evaluated using several avenues of inquiry. A possible outcome of this research would be an operational guideline that provides an upper limit on weather conditions suitable for collection of fishery resource survey data due to compromised performance of the sampling trawl.

### FY-2002

## "Maintenance, archival, and analysis of western north Atlantic right whale data" (CMER 02-01C)

Robert Kenney, Graduate School of Oceanography, URI

The western North Atlantic stock of the right whale, *Balaena glacialis*, is one of the most endangered large whale populations in the world. Since 1986 researchers at several institutions have developed an extensive database on western North Atlantic right whales. This database is one of the most complete long-term records of right whale occurrence in the world. This invaluable scientific resource is important to understanding right whale ecology, and population dynamics, and to management of the right whale. This activity has been supported through the URI/CMER Program since it inception in 1989. The project supported the continued maintenance of the archived database, and the incorporation and quality control of newly generated data. Data and data products were provided to cooperating investigators and other interested researchers and agencies. New analyses were completed resulting in several publications in the peer-reviewed scientific literature.

### PROJECTS SUPPORTED ON NO-COST EXTENSIONS

Projects continued through 2003 on a no-cost extension.

**"The Use of Microsatellite DNA to Discriminate Stocks of Tautog" (CMER 00-02)** Terence M. Bradley, Fisheries, Animal and Vetinerary Science, URI

"North Cape Restoration Monitoring" (CMER 01-04C) Kathy Castro, Biological Sciences, URI Jeremy Collie, Graduate School or Oceanography, URI Allison DeLong, Graduate School of Oceanography, URI

### PROJECTS COMPLETED 2002 to 2003

Several projects supported with CMER funds were completed in 2002-03. Requests for reprints or information should be directed to the principal investigators.

### "Habitat Enhancement For Lobsters In Narragansett Bay" (CMER 99-08C)

J. Stanley Cobb, Biological Sciences, URI

The project was a five-year study the development of populations on six small rocky reefs created to enhance the habitat for lobsters in areas of Narragansett Bay. A critical component of the project was to culture, tag, and release larval lobsters into Narragansett Bay. In cooperation with NOAA scientists, the University investigators examined the development of populations on the newly created habitat. The investigators monitored density and other population parameters of wild and hatchery-reared lobsters on the reefs.

### "Phase II: A Narragansett Bay Cooperative Study Project" (CMER NB-00C)

Candace Oviatt, Graduate School of Oceanography, URI Edward Durbin, Graduate School of Oceanography, URI Dana Kester, Graduate School of Oceanography, URI Peter August and Christopher Damon, Natural Resource Science, URI Ames Colt and Malia Schwartz, Sea Grant, Narragansett Bay Campus, URI Jack Mustard, Geological Sciences, Brown Univ.

This project was intended to; (1) document the physical and biological processes that control the productivity of Narragansett Bay, (2) create a central repository for this information, and (3) make this information available to managers and the public through literature and the world-wide web. The principle investigators used in-situ measurements and satellite remote sensing to monitor temperature, plankton production and bio-optical properties of Narragansett Bay. The responses of bottom-dwelling animals to changes in temperature and plankton production were examined.

### "Market Information and Fisheries Management" (CMER 00-00)

Cathy R. Wessells, Resource Economics, URI

This project was intended to; (1) estimate wholesale demand for Northeastern groundfish species, taking into account the fact that groundfish products compete in an increasingly global market, (2) calculate changes in producer and consumer welfare as a result of changes in fisheries management policies, (3) analytically describe changes in consumption of fisheries products, and (4) utilize cointegration techniques to investigate the relationships between prices in different markets providing insight into how U.S. products compete with similar products from other countries.

### **"US GLOBEC: Abundance and Distribution of Zooplankton on Georges Bank"** (CMER 00-01C)

Edward Durbin, Graduate School of Oceanography, URI

This was a multiyear study of the underlying physical and biological processes that control the population dynamics of key target species, including cod and haddock larvae and the copepods *Calanus finmarchicus* and *Pseudocalanus* spp. The objective of the project was to measure the distribution of zooplankton on Georges Bank and in adjacent waters during January to June of each year between 1995 and 1999. The investigators staffed cruises, and processed and analyzed data from the Georges Bank Program broad-scale surveys.

## "Maintenance, Archival, and Analysis of Western North Atlantic Right Whale Data" (CMER 00-03C)

Robert Kenney, Graduate School of Oceanography, URI

The western North Atlantic stock of the right whale, *Balaena glacialis*, is one of the most endangered large whale populations in the world. Since 1986 researchers at several institutions have developed an extensive database on western North Atlantic right whales. This database is one of the most complete long-term records of right whale occurrence in the world. This invaluable scientific resource is important to understanding right whale ecology, and population dynamics, and to management of the right whale. The project supported the continued maintenance of the archived database, and the incorporation and quality control of newly generated data. Data and data products were provided to cooperating investigators and other interested researchers and agencies. New analyses were completed resulting in several publications in the peer-reviewed scientific literature.

### PROGRAM DIRECTOR'S RESEARCH ACTIVITIES

The program director's research was supported in 2002-03 through grants with University and NMFS co-investigators:


"Development of Atlantic Cod (*Gadus morhua*) and Haddock (Melanogrammus aeglefinus) for offshore aquaculture in the US" NOAA Cooperative Institute for New England Mariculture and Fisheries (CINEMar), Open Ocean Aquaculture Demonstration Project Larry Buckley, URI/NOAA CMER Program Terry Bradley, Department of Fisheries, Animal and Veterinary Sciences, URI George Nardi and Chris Duffy, Great Bay Aquafarms, Newington, NH

"U.S. GLOBEC: Environmental Consequences of Tidal-Front Entrainment in Larval Fish Along the Southern Flank of Georges Bank," Coastal Ocean Program
R.G. Lough, J.P. Manning and E.M. Caldarone, NOAA/NMFS/NEFSC
L.J. Buckley, URI/NOAA CMER Program
L.S. Incze, Bigelow Laboratory of Ocean Sciences
D.W. Townsend, School of Marine Sciences, University of Maine

"Establishing Mortality Risks Associated with Starvation for Atlantic Cod Larvae using Molecular Markers and Cox Regression Models," National Science Foundation (NSF) Tun Liang Ong, Graduate School of Oceanography, URI L.J. Buckley, URI/NOAA CMER Program

These projects provided support to a marine scientist, a graduate student, several marine research specialists and four undergraduate students.

Figure 1. CMER Program Topics



Fiscal Year	Base Contr	ibuted Total	
89	100	22.5	122.5
90	100	363.4	463.4
91	85	442.3	527.3
92	50	380.9	430.9
93	76.6	151.4	228.0
94	105	430.0	535.0
95	89.4	610.6	700.0
96	92.8	651.0	743.8
97	106.6	904.2	1010.8
98	117.4	501.6	619.0
99	102.5	584.2	686.7
00	66.5	720.8	787.3
01	67.6	654.6	722.2
02	69.0	89.0	158.0
03	36.9	341.6	378.5
Total	1265.3	6848.1	8113.4

### Table 1. Funding for URI CMER Program (Thousands of Dollars)

Departments represented:

Department of Resource Economics Department of Experimental Statistics Department of Fisheries, Animal and Veterinary Science Graduate School of Oceanography Department of Natural Resource Science Department of Zoology Department of Pharmacognosy and Environmental Health Department of Electrical Engineering Department of Food Science & Nutrition Department of Ocean Engineering

### Table 2. Summary Of URI/CMER Funded Projects

<u>FY</u>		Short Title	Investigator	<u>Amount</u>
1989	-	Economic Analysis of US Market for Blue Mussels	Anderson <sup>a</sup> Brooks	20,000 <sup>B</sup>
	-	Genetics of Gulf of Maine <u>Calanus</u> Populations	Wishner <sup>b</sup> Kann	20,000 <sup>B</sup>
	-	Flow-through Sampler for	Jeffries <sup>b</sup> Berman <sup>c</sup>	30,000 <sup>B</sup>
	-	Automated Plankton Analyzer Spring Bloom and <u>Calanus</u>	Durbin, Durbin <sup>b</sup>	23,000 <sup>B</sup>
	-	Production in the Gulf of Maine Trawl Selectivity and Survival of Cod-End Escapees	Green <sup>c</sup> DeAlteris <sup>d</sup>	22,500 <sup>B</sup>
	-	CD-ROM Aquatic Sciences and Fisheries Abstract	Sieburth	5,000 <sup>B</sup>
	-	Applications of Satellite Remote Sensing Data	Cornillon <sup>b</sup> Armstrong <sup>c</sup>	39,000 <sup>B</sup>
1990	-	Genetics of Gulf of Maine <u>Calanus</u> Populations	Wishner <sup>b</sup> Kann <sup>b</sup>	20,000 <sup>B</sup>
	-	Integrated Program for Research on the Northern Right Whale	Winn <sup>b</sup> Kenney <sup>b</sup>	204,400 <sup>B</sup>
	-	Remote Sensing, Hydrographic	Gifford, Durbin <sup>b</sup>	20,200 <sup>B</sup>
		Structure, and Zooplankton Production in the Gulf of Maine	Bisagni, Meise-M	
	-	Immune Response in Atlantic Salmon and Winter Flounder	Bodammer <sup>d</sup> Bradley <sup>d</sup>	18,600 <sup>B</sup>
	-	Economic Analysis of US Production for Blue Mussels	Anderson <sup>a</sup> Brooks	16,300 <sup>B</sup>
	-	Fisheries Law Enforcement	Sutinen <sup>a</sup>	6,500 <sup>B</sup>
	-	On-Line Access to In Situ	Cornillon <sup>b</sup>	17,400 <sup>B</sup>
		Oceanographic Data Sets	Holloway	C
	-	National Eutrophication Experiment	Hinga, et al. <sup>b</sup>	121,000 <sup>C</sup>
1991	-	Flow-Through Sampler for	Jeffries <sup>b</sup>	13,000 <sup>B</sup>
		Automated Plankton Analyzer	Berman <sup>c</sup>	B
	-	Immune Response in Atlantic	Bodammer <sup>d</sup>	9,900 <sup>B</sup>
		Salmon and Winter Flounder	Bradley <sup>d</sup> Durt in Durt in <sup>b</sup>	47 500 <sup>B</sup>
	-	Spring Bloom and <u>Calanus</u> Production in the Gulf of Maine	Durbin, Durbin <sup>b</sup> Green <sup>c</sup>	17,500 <sup>B</sup>
	_	Fish Stomach Evacuation Rates	Durbin, Durbin <sup>b</sup>	17,600 <sup>B</sup>
	-	Tish Stomach Evacuation Nates	Fogarty <sup>f</sup>	+5,000
	-	Trawl Selectivity: Fish Behavior	DeAlteris <sup>d</sup>	23,700 <sup>C</sup>
		in the Vicinity of a Trawl	Castro <sup>d</sup>	20,100
	-	Remote Sensing, Hydrographic Structure, and Zooplankton Production	Gifford et al.	4,100 <sup>B</sup>
		in the Gulf of Maine		_
	-	Geostatistical Estimates of Shellfish Abundance	Heltshe <sup>g</sup>	17,900 <sup>B</sup>

### Table 2. Cont.

	2. Cor			_
<u>FY</u> _	<u>Sho</u>	r <u>t Title</u>	Investigator	<u>Amount</u>
1991	-	Monitoring Economic Status	Gates <sup>a</sup>	36,900 <sup>C</sup>
		of Otter Trawl and Scallop Vessels	Wang <sup>h</sup>	
	-	Demersal Gillnet Fishery	DeAlteris <sup>d</sup>	20,000 <sup>C</sup>
		of the Gulf of Maine		
	-	Integrated Program for Research	Winn <sup>b</sup>	188,000 <sup>C</sup>
		on the Northern Right Whale	Kenney	
	-	Applications of Satellite Remote	Cornillon <sup>b</sup>	45,000 <sup>C</sup>
		Sensing Data	Armstrong <sup>c</sup>	
	-	Coastal Wetland Mapping	August	32,500 <sup>C</sup>
		and Change Detection in the NE	LaBash, Golet	
			Civco <sup>j</sup>	C
	-	Student Research Training	Winn <sup>b</sup>	43,500 <sup>C</sup>
		Program	Smith <sup>f</sup>	
1992	-	Immune Response in Atlantic	Bodammer <sup>d</sup>	10,800 <sup>B</sup>
		Salmon and Winter Flounder	Bradley	-,
	-	National Eutrophication Experiment	Hinga <sup>g</sup>	68,000 <sup>C</sup>
	-	Integrated Program for Research	Winn <sup>b</sup>	188,600 <sup>C</sup>
		on the Northern Right Whale	Kenney	_
	-	Student Research Training Program	Winn <sup>b</sup>	46,300 <sup>C</sup>
			Smith	
	-	Applications of Satellite	Cornillon <sup>b</sup>	41,000 <sup>C</sup>
		Remote Sensing Data	Armstrong <sup>c</sup>	_
	-	Fish Stomach Evacuation Rates	Durbin et al.	26,400 <sup>B</sup>
	-	Genetics of Gulf of Maine Calanus	Wishner <sup>b</sup>	3,600 <sup>B</sup>
		Populations	Kann	P
	-	Recruitment Strategies of	Cobb <sup>k</sup>	6,900 <sup>B</sup>
		Decapods		0.500 <sup>B</sup>
	-	Remote Sensing, Hydrographic	Gifford et al.	2,500 <sup>B</sup>
		Structure, and Zooplankton Production	Heltshe <sup>g</sup>	37,000 <sup>C</sup>
	-	Analysis of the NEFSC Shark Data Base	Casey <sup>c</sup>	37,000
		Shark Data Base	Casey	
1993	-	Reproductive Success	Bengtson <sup>k</sup>	12,967 <sup>B</sup>
		of Summer Flounder	Pereira	
	-	Diarrhetic Shellfish Poisoning	Maranda <sup>m</sup>	8,961 <sup>B</sup>
	-	Fish Stomach Evacuation Rates	Durbin et al.	26,951 <sup>B</sup>
	-	Effects of Scallop Dredging	Collie <sup>b</sup>	22,889 <sup>C</sup>
	-	Immune Response II	Bodammer <sup>d</sup>	12,184 <sup>B</sup>
	-	Decapods Recruitment	Cobb <sup>k</sup>	15,538 <sup>B</sup>
	-	Student Research Training Program	Winn <sup>b</sup>	59,119 <sup>C</sup>
			Smith <sup>f</sup>	
	-	Right Whale Database	Winn <sup>b</sup>	29,945 <sup>C</sup>
			Kenney <sup>b</sup>	
	-	Applications of Satellite	Cornillon <sup>b</sup>	49,000 <sup>C</sup>
		Remote Sensing Data	Armstrong <sup>c</sup>	

FI         Shador Time         Intestigator         Annohi           1994         -         Harbor Porpoise Abundance         Heltshe <sup>9</sup> 20,914 <sup>BC</sup> -         Scallop Quality Evaluation         Pivarnik <sup>6</sup> 29,906           -         Fish Stomach Evacuation Rates         Durbin et al.         30,342 <sup>B</sup> -         Bluefin Tuna Regulations         Swallow <sup>8</sup> 15,804 <sup>C</sup> -         Recruitment Strategies in         Cobb <sup>6</sup> 14,415 <sup>B</sup> Marine Decapods         -         Student Research Training         Winn <sup>b</sup> 71,235 <sup>C</sup> -         Student Research Training         Winn <sup>b</sup> 36,445 <sup>C</sup> Kenney <sup>b</sup> Oceanographic Remote Sensing         Comillon <sup>b</sup> 40,250 <sup>C</sup> -         Temperature Monitoring Tag         Recksiek <sup>d</sup> 53,946 <sup>C</sup> -         Oceanographic Remote Sensing         Cornillon <sup>b</sup> 20,000 <sup>B</sup> -         Effect of Harvesting Gear Type         DeAlteris <sup>d</sup> 22,123 <sup>B</sup> -         Zooplankton Analysis Group         Durbin <sup>b</sup> 200,000 <sup>B</sup> -         Zooplankton of Scallops         Pivarnik <sup>c</sup> 29,399 <sup>B</sup> -         Effects of Dredging on Benthic	Table 2	. Cont		Investigator	Amount
<ul> <li>Scallop Quality Evaluation</li> <li>Pish Stomach Evacuation Rates</li> <li>Bluefin Tura Regulations</li> <li>Swallow<sup>2</sup></li> <li>Recruitment Strategies in</li> <li>Cobb<sup>4</sup></li> <li>15,804<sup>6</sup></li> <li>Recruitment Strategies in</li> <li>Cobb<sup>4</sup></li> <li>14,415<sup>8</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>71,235<sup>C</sup></li> <li>Program</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>71,235<sup>C</sup></li> <li>Program</li> <li>Student Research Training</li> <li>Cornilion<sup>b</sup></li> <li>40,250<sup>C</sup></li> <li>Armstrong<sup>6</sup></li> <li>Ceanographic Remote Sensing</li> <li>Cornilion<sup>b</sup></li> <li>40,250<sup>C</sup></li> <li>Armstrong<sup>6</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>d</sup></li> <li>53,946<sup>C</sup></li> <li>for Salmon</li> <li>Effect of Harvesting Gear Type</li> <li>DeAlteris<sup>d</sup></li> <li>22,123<sup>B</sup></li> <li>Grogan</li> <li>Zooplankton Analysis Group</li> <li>Bursh<sup>6</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Durbin</li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Durbin<sup>b</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Coastal Gillnet</li> <li>Lazar</li> <li>Quality Evaluation of Scallops</li> <li>Pivarnik<sup>c</sup></li> <li>22,918<sup>B</sup></li> <li>Grogen</li> <li>Survey Methods for Harbor Porpoise</li> <li>Heltshe<sup>9</sup></li> <li>Student Research Training</li> <li>Amstrong<sup>6</sup></li> <li>Engineering for Programmable</li> <li>Recksiek<sup>4</sup></li> <li>59,776<sup>C</sup></li> <li>Temperature Tag</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Program</li> <li>Applications of Statellite Remote</li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Program</li> <li>Program</li> <li>Program</li> <li>Student Research Trai</li></ul>	<u>FY</u>		Short Title	Investigator	<u>Amount</u>
<ul> <li>Scallop Quality Evaluation</li> <li>Pish Stomach Evacuation Rates</li> <li>Bluefin Tura Regulations</li> <li>Sulden Tura Regulations</li> <li>Sulden Tura Regulations</li> <li>Recruitment Strategies in</li> <li>Cobb<sup>k</sup></li> <li>15,804<sup>c</sup></li> <li>Recruitment Strategies in</li> <li>Cobb<sup>k</sup></li> <li>14,415<sup>B</sup></li> <li>Marine Decapods</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>71,235<sup>C</sup></li> <li>Program</li> <li>Smith<sup>1</sup></li> <li>Database Right Whale</li> <li>Winn<sup>b</sup></li> <li>64,45<sup>c</sup></li> <li>Kenney<sup>b</sup></li> <li>Oceanographic Remote Sensing</li> <li>Cornillon<sup>b</sup></li> <li>40,250<sup>C</sup></li> <li>Armstrong<sup>2</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>d</sup></li> <li>53,946<sup>C</sup></li> <li>for Salmon</li> <li>Effect of Harvesting Gear Type</li> <li>DeAlteris<sup>d</sup></li> <li>22,123<sup>B</sup></li> <li>Grogan</li> <li>Zooplankton Analysis Group</li> <li>Durbin<sup>b</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Durbin</li> <li>Quality Evaluation of Scallops</li> <li>Pivarnik<sup>c</sup></li> <li>29,398<sup>B</sup></li> <li>Effects of Dredging on Benthic</li> <li>Cob<sup>b</sup></li> <li>Student Research Training</li> <li>Armstrong<sup>2</sup></li> <li>Engineering for Program Bank</li> <li>Recruitment Strategies of</li> <li>Survey Methods for Harbor Porpoise</li> <li>Heltshe<sup>9</sup></li> <li>Student Research Training</li> <li>Armstrong<sup>2</sup></li> <li>Engineering for Programmable</li> <li>Recksiek<sup>d</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Traini</li></ul>	1994	-	Harbor Porpoise Abundance	Heltshe <sup>g</sup>	20,614 <sup>BC</sup>
<ul> <li>Fish Stomach Evacuation Rates</li> <li>Bluefin Tuna Regulations</li> <li>Swallow<sup>a</sup></li> <li>Studerin Estrategies in Marine Decapods</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>T1,235<sup>C</sup> Program</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>T1,235<sup>C</sup></li> <li>Program</li> <li>Oceanographic Remote Sensing</li> <li>Oceanographic Remote Sensing</li> <li>Corrillon<sup>b</sup></li> <li>40,250<sup>C</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>d</sup></li> <li>53,946<sup>C</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>d</sup></li> <li>Souplankton Analysis Group</li> <li>Burth<sup>b</sup></li> <li>Zooplankton Analysis Group</li> <li>Burch<sup>a</sup></li> <li>Zooplankton Analysis Group</li> <li>Burch<sup>b</sup></li> <li>Quality Evaluation of Mid-Atlantic</li> <li>DeAlteris<sup>d</sup></li> <li>Age Structure of Squid</li> <li>Macy<sup>b</sup></li> <li>Characterization of Mid-Atlantic</li> <li>Cobk<sup>k</sup></li> <li>Age Structure of Squid</li> <li>Macy<sup>b</sup></li> <li>Quality Evaluation of Scallops</li> <li>Pivarnik<sup>o</sup></li> <li>Pivarnik<sup>o</sup></li> <li>Survey Methods for Harbor Porpoise</li> <li>Hettshe<sup>g</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Piramik<sup>o</sup></li> <li>Student Research Training</li> <li>Piragineering for Programmable</li> <li>Recksiek<sup>d</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Program</li> <li>Student Research</li></ul>		-	-	Pivarnik <sup>o</sup>	
<ul> <li>Bluefin Tuna Regulations</li> <li>Recruitment Strategies in Marine Decapods</li> <li>Student Research Training</li> <li>Program</li> <li>Student Research Training</li> <li>Program</li> <li>Database Right Whale</li> <li>Winn <sup>b</sup></li> <li>71,235<sup>C</sup></li> <li>Program</li> <li>Oceanographic Remote Sensing</li> <li>Cornillon<sup>b</sup></li> <li>40,250<sup>C</sup></li> <li>Armstrong<sup>0</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>4</sup></li> <li>53,3946<sup>C</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>4</sup></li> <li>53,946<sup>C</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>6</sup></li> <li>22,123<sup>B</sup></li> <li>Grogan</li> <li>Zooplankton Analysis Group</li> <li>Burbin<sup>0</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Durbin<sup>0</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Characterization of Mid-Atlantic</li> <li>DeAlteris<sup>6</sup></li> <li>22,918<sup>B</sup></li> <li>Characterization of Mid-Atlantic</li> <li>Deality<sup>1</sup></li> <li>Effects of Dredging on Benthic</li> <li>Colib<sup>b</sup></li> <li>22,918<sup>B</sup></li> <li>Recruitment Strategies of</li> <li>Cobb<sup>k</sup></li> <li>15,00<sup>B</sup></li> <li>Decapods:</li> <li>Comparitive Approach</li> <li>Survey Methods for Harbor Porpoise</li> <li>Heltshe<sup>g</sup></li> <li>22,522<sup>C</sup></li> <li>Applications of Satellite Remote</li> <li>Comillon<sup>b</sup></li> <li>20,000<sup>C</sup></li> <li>Sensing</li> <li>Armstrong<sup>c</sup></li> <li>Engineering for Programmable</li> <li>Recksiek<sup>d</sup></li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>Student Research Training</li> <li>Student Research Training</li> <li>Program</li> <li>Right Whale Database</li> <li>Right Whale Datab</li></ul>		-		Durbin et al.	_
<ul> <li>Recruitment Strategies in Marine Decapods</li> <li>Student Research Training Smith <sup>1</sup></li> <li>Database Right Whale Winn <sup>b</sup></li> <li>Oceanographic Remote Sensing Cornillon<sup>b</sup></li> <li>Oceanographic Remote Sensing Cornillon<sup>b</sup></li> <li>Oceanographic Remote Sensing Cornillon<sup>b</sup></li> <li>Temperature Monitoring Tag Recksiek<sup>d</sup></li> <li>Temperature Monitoring Tag Recksiek<sup>d</sup></li> <li>Temperature Monitoring Tag Recksiek<sup>d</sup></li> <li>Effect of Harvesting Gear Type DeAlteris<sup>d</sup></li> <li>Zooplankton Analysis Group Durbin<sup>b</sup></li> <li>Zooplankton Analysis Group Durbin<sup>b</sup></li> <li>Zooplankton Analysis Group Durbin<sup>b</sup></li> <li>Characterization of Mid-Atlantic DeAlteris<sup>d</sup></li> <li>Characterization of Mid-Atlantic Collie<sup>b</sup></li> <li>Effects of Dredging on Benthic Collie<sup>b</sup></li> <li>Effects of Dredging on Benthic Collie<sup>b</sup></li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>d</sup></li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>d</sup></li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>d</sup></li> <li>Student Research Training Armstrong<sup>c</sup></li> <li>Student Research Training Minn<sup>b</sup></li> <li>Student Research Training Minn<sup>b</sup></li> <li>Student Research Training Minn<sup>b</sup></li> <li>Broad-Scale Zooplankton</li> <li>Development of Client and Server Libraries</li> <li>Student Research Training Winn<sup>b</sup></li> <li>Right Whale Database</li> <li>Right Whale Database</li> <li>Right Whale Database</li> <li>Winn<sup>b</sup></li> <li>Student Research Training Simith'</li> <li>Broad-Scale Zooplankton Ourbin<sup>b</sup></li> <li>Sourcey Bank</li> <li>Right Whale Database</li> <li>Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthoc Collie<sup>b</sup></li> <li>Student Research Training Minn<sup>b</sup></li> <li>Broad-Scale Zooplankton Ourbin<sup>b</sup></li> <li>Broad-Scale Zooplankton Ourbin<sup>b</sup></li> <li>Broad-Scale Zooplankton Ourbin<sup>b</sup></li> <li>Broad-Scale Zooplankton Ourbin<sup>b</sup></li> <li>Broad-Scale Zooplankton Ourbi</li></ul>		-		Swallow <sup>a</sup>	
Marine Decapods       Student Research Training       Winn b       71,235 <sup>C</sup> Program       Smith 1       Database Right Whale       Winn b       36,445 <sup>C</sup> Kenney b       Cornillonb       40,250 <sup>C</sup> Armstrong <sup>o</sup> -       Oceanographic Remote Sensing       Cornillonb       40,250 <sup>C</sup> -       Temperature Monitoring Tag       Recksiek <sup>d</sup> 53,946 <sup>C</sup> for Salmon       Daly <sup>n</sup> Fischer <sup>a</sup> .         -       Effect of Harvesting Gear Type       DeAlteris <sup>d</sup> 22,123 <sup>B</sup> -       Zooplankton Analysis Group       Durbin <sup>b</sup> 200,000 <sup>B</sup> Rates       Durbin       Busch <sup>c</sup> 100000 <sup>B</sup> -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> -       Quality Evaluation of Scalops       Pivarnik <sup>a</sup> 29,399 <sup>B</sup> -       Effects of Dredging on Benthic       Colb <sup>k</sup> 15,000 <sup>B</sup> -       Nurey Methods for Harbor Porpoise       Heltshe <sup>g</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote       Cornillon <sup>b</sup> 30,000 <sup>C</sup> -       Student Research Training       Armstrong <sup>c</sup> 59,776 <sup>C</sup> -       Recruitment Strategies of       Cornillon <sup>b</sup> 30		-	-		
Program       Smith <sup>f</sup> Database Right Whale       Winn <sup>b</sup> 36,445 <sup>C</sup> Kenney <sup>b</sup> Cornillon <sup>b</sup> 40,250 <sup>C</sup> Armstrong <sup>c</sup> Armstrong <sup>c</sup> Armstrong <sup>c</sup> -       Temperature Monitoring Tag       Recksiek <sup>d</sup> 53,946 <sup>C</sup> for Salmon       Daly <sup>h</sup> Fischer <sup>h</sup> 22,123 <sup>B</sup> -       Effect of Harvesting Gear Type       DeAlteris <sup>d</sup> 22,123 <sup>B</sup> Grogan       -       Zooplankton Analysis Group       Durbin <sup>b</sup> 200,000 <sup>B</sup> Rates       Durbin       Busch <sup>c</sup> 1995       Characterization of Mid-Atlantic       DeAlterisd <sup>d</sup> 41,050 <sup>C</sup> Coastal Gillnet       Lazar       -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> 1995       -       Characterization of Scallops       Pivarnik <sup>e</sup> 29,398 <sup>B</sup> Effects of Dredging on Benthic       Cobb <sup>k</sup> 15,008 <sup>B</sup> Decapods: Comparative Approach       -       Survey Methods for Harbor Poropise       Heltshe <sup>g</sup> 22,522 <sup>C</sup> Applications of Statellite Remote       Comillon <sup>b</sup> 30,000 <sup>C</sup> Sensing       Armstrong <sup>c</sup> -       Bread-Scale Zooplankton       Durbin <sup>b</sup> 300,000 <sup>C</sup>					
Database Right Whale     Winn <sup>b</sup> 36,445 <sup>C</sup> Kenney <sup>b</sup> Cornillon <sup>b</sup> 40,250 <sup>C</sup> Armstrong <sup>c</sup> Armstrong <sup>c</sup> 53,946 <sup>C</sup> -     Temperature Monitoring Tag     Recksiek <sup>d</sup> 53,946 <sup>C</sup> for Salmon     Daly <sup>b</sup> Fischer <sup>n</sup> -     Effect of Harvesting Gear Type     DeAlterisd <sup>d</sup> 22,123 <sup>B</sup> -     Zooplankton Analysis Group     Durbin <sup>b</sup> 200,000 <sup>B</sup> Rates     Durbin     Busch <sup>c</sup> 1995     -     Characterization of Mid-Atlantic     DeAlterisd <sup>d</sup> 41,050 <sup>C</sup> Coastal Gillnet     Lazar     1000 <sup>B</sup> 200,000 <sup>B</sup> -     Age Structure of Squid     Macy <sup>b</sup> 21,078 <sup>B</sup> -     Quality Evaluation of Scallops     Pivarnik <sup>e</sup> 29,399 <sup>B</sup> -     Effects of Dredging on Benthic     Cobb <sup>k</sup> 15,000 <sup>B</sup> -     Recruitment Strategies of     Cobb <sup>k</sup> 15,000 <sup>B</sup> -     Recruitment Strategies of     Cobb <sup>k</sup> 15,000 <sup>B</sup> -     Survey Methods for Harbor Porpoise     Heltshe <sup>g</sup> 22,522 <sup>C</sup> -     Applications of Satellite Remote     Cornillon <sup>b</sup> 30,000 <sup>C</sup> -     Broad-Scale Zooplankton     Durbin <sup>b</sup> 30,000 <sup>C</sup> -     Broad-Scale Zooplankton     <		-	Student Research Training	Winn <sup>b</sup>	71,235 <sup>C</sup>
-       Oceanographic Remote Sensing       Cornillon <sup>b</sup> 40,250 <sup>C</sup> Armstrong <sup>C</sup> Armstrong <sup>C</sup> -       Temperature Monitoring Tag       Recksiek <sup>d</sup> 53,946 <sup>C</sup> for Salmon       Daly <sup>n</sup> Fischer <sup>n</sup> -         -       Effect of Harvesting Gear Type       DeAlteris <sup>d</sup> 22,123 <sup>B</sup> -       Zooplankton Analysis Group       Durbin <sup>b</sup> 200,000 <sup>B</sup> Rates       Durbin       Busch <sup>o</sup> -         1995       -       Characterization of Mid-Atlantic       DeAlteris <sup>d</sup> 41,050 <sup>C</sup> Coastal Gillnet       Lazar       -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> -       Quality Evaluation of Scallops       Pivarnik <sup>o</sup> 29,398 <sup>B</sup> -       Effects of Dredging on Benthic       Collie <sup>b</sup> 22,918 <sup>B</sup> -       Recruitment Strategies of       Cobb <sup>k</sup> 15,000 <sup>B</sup> Decapods: Comparative Approach       -         -       Survey Methods for Harbor Porpoise       Heltshe <sup>g</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote       Cornillon <sup>b</sup> 26,150 <sup>C</sup> -       Survey Methods for Programmable       Recksiek <sup>d</sup> 59,776 <sup>C</sup> Temperature Tag       -       -       <			Program	Smith <sup>f</sup>	
-       Oceanographic Remote Sensing       Cornillon <sup>b</sup> Armstrong <sup>c</sup> Recksiek <sup>d</sup> 40,250 <sup>C</sup> Armstrong <sup>c</sup> -       Temperature Monitoring Tag for Salmon       Recksiek <sup>d</sup> Daly <sup>n</sup> 53,946 <sup>C</sup> -       Effect of Harvesting Gear Type       DeAlteris <sup>d</sup> 22,123 <sup>B</sup> -       Zooplankton Analysis Group Rates       Durbin <sup>b</sup> 200,000 <sup>B</sup> -       Zooplankton Analysis Group Rates       Durbin <sup>b</sup> 20,000 <sup>B</sup> -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> -       Quality Evaluation of Scallops       Pivarnik <sup>o</sup> 29,399 <sup>B</sup> -       Effects of Dredging on Benthic Decapods: Comparative Approach       Cobb <sup>k</sup> 15,000 <sup>B</sup> -       Survey Methods for Harbor Porpoise       Heltshe <sup>gl</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote Sensing       Cornillon <sup>b</sup> 30,000 <sup>C</sup> -       Engineering for Programmable Progr			Database Right Whale	Winn <sup>b</sup>	36,445 <sup>C</sup>
<ul> <li>Oceanographic Remote Sensing</li> <li>Cornillon<sup>b</sup></li> <li>40,250<sup>C</sup></li> <li>Armstrong<sup>6</sup></li> <li>Temperature Monitoring Tag</li> <li>Recksiek<sup>d</sup></li> <li>53,946<sup>C</sup></li> <li>Daly<sup>n</sup></li> <li>Fischer<sup>n</sup></li> <li>Effect of Harvesting Gear Type</li> <li>DeAlteris<sup>d</sup></li> <li>22,123<sup>B</sup></li> <li>Grogan</li> <li>Zooplankton Analysis Group</li> <li>Durbin<sup>b</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Durbin</li> <li>Busch<sup>6</sup></li> <li>1995</li> <li>Characterization of Mid-Atlantic</li> <li>DeAlteris<sup>d</sup></li> <li>41,050<sup>C</sup></li> <li>Coastal Gillnet</li> <li>Lazar</li> <li>Age Structure of Squid</li> <li>Macy<sup>b</sup></li> <li>21,078<sup>B</sup></li> <li>Quality Evaluation of Scallops</li> <li>Pivarnik<sup>o</sup></li> <li>29,394<sup>B</sup></li> <li>Effects of Dredging on Benthic</li> <li>Cobb<sup>k</sup></li> <li>15,000<sup>B</sup></li> <li>Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise</li> <li>Heltshe<sup>g</sup></li> <li>22,522<sup>C</sup></li> <li>Applications of Satellite Remote</li> <li>Cornillon<sup>b</sup></li> <li>26,150<sup>C</sup></li> <li>Sensing</li> <li>Engineering for Programmable</li> <li>Recksiek<sup>d</sup></li> <li>Student Research Training</li> <li>Vinn<sup>b</sup></li> <li>Student Research Training</li> <li>Armstrong<sup>6</sup></li> <li>Student Research Training</li> <li>Minn<sup>b</sup></li> <li>Student Research Training</li> <li>Student R</li></ul>			C C	Kenney <sup>b</sup>	
<ul> <li>Armstrong<sup>6</sup> <ul> <li>Temperature Monitoring Tag for Salmon</li> <li>Recksiek<sup>4</sup></li> <li>53,946<sup>C</sup></li> <li>Paly<sup>n</sup></li> <li>Fischer<sup>n</sup></li> <li>Effect of Harvesting Gear Type</li> <li>DeAlteris<sup>4</sup></li> <li>22,123<sup>B</sup></li> <li>Grogan</li> <li>Zooplankton Analysis Group Rates</li> <li>Durbin<sup>b</sup></li> <li>200,000<sup>B</sup></li> <li>Rates</li> <li>Durbin</li> <li>Busch<sup>6</sup></li> </ul> </li> <li>1995</li> <li>Characterization of Mid-Atlantic DeAlteris<sup>d</sup></li> <li>Age Structure of Squid</li> <li>Macy<sup>6</sup></li> <li>21,078<sup>B</sup></li> <li>Quality Evaluation of Scallops</li> <li>Pivarnik<sup>o</sup></li> <li>29,399<sup>B</sup></li> <li>Effects of Dredging on Benthic</li> <li>Coble</li> <li>Survey Methods for Harbor Porpoise</li> <li>Heltshe<sup>g</sup></li> <li>22,522<sup>C</sup></li> <li>Applications of Satellite Remote Comillon<sup>b</sup></li> <li>Survey Methods for Harbor Porpoise</li> <li>Engineering for Programmable Recksiek<sup>d</sup></li> <li>Spryre Ubraries</li> <li>Development of Client and Cormillon<sup>b</sup></li> <li>Student Research Training Minn<sup>b</sup></li> <li>Student Research Training Simith<sup>1</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup></li> <li>Student Research Training Simith<sup>1</sup></li></ul>		-	Oceanographic Remote Sensing		40,250 <sup>C</sup>
<ul> <li>Temperature Monitoring Tag for Salmon Daly<sup>n</sup> Fischer<sup>n</sup></li> <li>Effect of Harvesting Gear Type DeAlteris<sup>d</sup> 22,123<sup>B</sup> Grogan</li> <li>Zooplankton Analysis Group Durbin<sup>b</sup> 200,000<sup>B</sup> Rates Durbin</li> <li>Zooplankton Analysis Group Rates Durbin</li> <li>Characterization of Mid-Atlantic DeAlteris<sup>d</sup> 41,050<sup>C</sup> Coastal Gillnet Lazar</li> <li>Age Structure of Squid Macy<sup>b</sup> 21,078<sup>B</sup></li> <li>Cuality Evaluation of Scalops Pivarnik<sup>o</sup> 29,399<sup>B</sup></li> <li>Effects of Dredging on Benthic Collie<sup>b</sup> 22,918<sup>B</sup> Megafauna of N. Georges Bank</li> <li>Recruitment Strategies of Cobb<sup>k</sup> 15,00<sup>B</sup> Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup></li> <li>Applications of Satellite Remote Cornillon<sup>b</sup> 26,150<sup>C</sup> Sensing Armstrong<sup>C</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>1</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> </ul>				Armstrong <sup>c</sup>	·
for Salmon Daly <sup>n</sup> Fischer <sup>n</sup> - Effect of Harvesting Gear Type DeAlteris <sup>d</sup> 22,123 <sup>B</sup> Grogan 200,000 <sup>B</sup> Purbin <sup>b</sup> 200,000 <sup>B</sup> Attes Durbin <sup>b</sup> 200,000 <sup>B</sup> Busch <sup>c</sup> 1995 - Characterization of Mid-Atlantic DeAlteris <sup>d</sup> 41,050 <sup>C</sup> Coastal Gillnet Lazar - Age Structure of Squid Macy <sup>b</sup> 21,078 <sup>B</sup> - Quality Evaluation of Scallops Pivarnik <sup>o</sup> 29,399 <sup>B</sup> - Effects of Dredging on Benthic Collie <sup>b</sup> 22,918 <sup>B</sup> Megafauna of N. Georges Bank - Recruitment Strategies of Cobb <sup>k</sup> 15,000 <sup>B</sup> Decapods: Comparative Approach - Survey Methods for Harbor Porpoise Heltshe <sup>g</sup> 22,522 <sup>C</sup> - Applications of Satellite Remote Cornillon <sup>b</sup> 26,150 <sup>C</sup> Sensing Armstrong <sup>C</sup> - Engineering for Programmable Recksiek <sup>d</sup> 59,776 <sup>C</sup> Temperature Tag - Development of Client and Cornillon <sup>b</sup> 30,000 <sup>C</sup> Server Libraries - Student Research Training Winn <sup>b</sup> 75,288 <sup>C</sup> Program Smith <sup>f</sup> - Broad-Scale Zooplankton Durbin <sup>b</sup> 300,000 <sup>C</sup> server Libraries - Right Whale Database Winn <sup>b</sup> 55,828 <sup>C</sup> Kenney <sup>b</sup> 1996 - Maturity in Atlantic Cod Specker <sup>tyk</sup> 25,110 <sup>B</sup> and Summer Flounder - Distribution and Abundance Sullivan <sup>b</sup> 40,917 <sup>B</sup> - Effects of Dredging on Benthos Collie <sup>b</sup> 46,917 <sup>B</sup> - Effects of Dredging on Benthos Collie <sup>b</sup> 46,917 <sup>B</sup> - Ecological Investigation of Satl Marsh		-	Temperature Monitoring Tag		53,946 <sup>C</sup>
-       Effect of Harvesting Gear Type       DeAlteris <sup>d</sup> 22,123 <sup>B</sup> -       Zooplankton Analysis Group       Durbin <sup>b</sup> 200,000 <sup>B</sup> Rates       Durbin       Busch <sup>c</sup> 1995       -       Characterization of Mid-Atlantic       DeAlteris <sup>d</sup> 41,050 <sup>C</sup> -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> -       Quality Evaluation of Scallops       Pivarnik <sup>o</sup> 29,399 <sup>B</sup> -       Effects of Dredging on Benthic       Collie <sup>b</sup> 22,918 <sup>B</sup> Megafauna of N. Georges Bank       -       -       15,000 <sup>B</sup> -       Survey Methods for Harbor Porpoise       Heltshe <sup>9</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote       Cornillon <sup>b</sup> 26,150 <sup>C</sup> -       Survey Methods for Harbor Porpoise       Heltshe <sup>9</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote       Cornillon <sup>b</sup> 30,000 <sup>C</sup> Sensing       -       Engineering for Programmable       Recksiek <sup>d</sup> 59,776 <sup>C</sup> -       Engineering for Program       Smith <sup>f</sup> -       5,828 <sup>C</sup> -       Student Research				Dalv <sup>n</sup>	
<ul> <li>Effect of Harvesting Gear Type DeAlteris<sup>d</sup> 22,123<sup>B</sup> Grogan</li> <li>Zooplankton Analysis Group Durbin<sup>b</sup> 200,000<sup>B</sup> Rates Durbin</li> <li>Rates Durbin</li> <li>Susch<sup>2</sup></li> <li>Characterization of Mid-Atlantic DeAlteris<sup>d</sup> 41,050<sup>C</sup> Coastal Gillnet Lazar</li> <li>Age Structure of Squid Macy<sup>b</sup> 21,078<sup>B</sup></li> <li>Quality Evaluation of Scallops Pivarnik<sup>a</sup> 29,399<sup>B</sup></li> <li>Effects of Dredging on Benthic Collie<sup>b</sup> 22,918<sup>B</sup> Megafauna of N. Georges Bank</li> <li>Recruitment Strategies of Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup></li> <li>Applications of Satellite Remote Corrillon<sup>b</sup> 26,150<sup>C</sup> Sensing Armstrong<sup>c</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Corrillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>1</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Broad-Scale Zooplankton Simith<sup>1</sup></li> <li>Broad-Scale Zooplankton Simith<sup>2</sup></li> <li>Broad-Scale Zooplankton Simith<sup>2</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> </ul>					
Grogan Durbin200,000 <sup>B</sup> RatesDurbin1995-Characterization of Mid-Atlantic Coastal GillnetDeAlteris <sup>d</sup> -Age Structure of SquidMacy <sup>b</sup> 21,078 <sup>B</sup> -Quality Evaluation of ScallopsPivarnik <sup>o</sup> 29,399 <sup>B</sup> -Effects of Dredging on Benthic Decapods: Comparative ApproachCobb <sup>k</sup> 15,000 <sup>B</sup> -Recruitment Strategies of Decapods: Comparative ApproachCobb <sup>k</sup> 15,000 <sup>B</sup> -Survey Methods for Harbor PorpoiseHeltshe <sup>g</sup> 22,522 <sup>C</sup> -Applications of Satellite Remote SensingCornillon <sup>b</sup> 26,150 <sup>C</sup> -Survey Methods for Harbor PorpoiseHeltshe <sup>g</sup> 22,522 <sup>C</sup> -Applications of Satellite Remote SensingCornillon <sup>b</sup> 26,150 <sup>C</sup> -Survey Methods for Harbor PorpoiseHeltshe <sup>g</sup> 22,522 <sup>C</sup> -Applications of Satellite Remote SensingCornillon <sup>b</sup> 26,150 <sup>C</sup> -Survey Ibid for Programmable Temperature TagRecksiek <sup>d</sup> 59,776 <sup>C</sup> Broad-Scale Zooplankton on Georges BankDurbin <sup>b</sup> 30,000 <sup>C</sup> Student Research Training ProgramWinn <sup>b</sup> 75,288 <sup>C</sup> -Right Whale Database and Summer FlounderWinn <sup>b</sup> 25,5110 <sup>B</sup> Right Whale DatabaseKenney <sup>b</sup> 25,110 <sup>B</sup> -Distribution and Abundance of HydroidsSullivan <sup>b</sup> 20,701 <sup>B</sup> -Effects of Dredging on Benthos Collie <sup>b</sup> Collie <sup>b</sup> 46,917 <sup>B</sup> - <t< td=""><td></td><td>-</td><td>Effect of Harvesting Gear Type</td><td></td><td>22.123<sup>B</sup></td></t<>		-	Effect of Harvesting Gear Type		22.123 <sup>B</sup>
<ul> <li>Zooplankton Analysis Group Rates Durbin<sup>b</sup> 200,000<sup>B</sup> Rates Durbin Busch<sup>0</sup></li> <li>1995 - Characterization of Mid-Atlantic DeAlteris<sup>d</sup> 41,050<sup>C</sup> Coastal Gillnet Lazar</li> <li>Age Structure of Squid Macy<sup>b</sup> 21,078<sup>B</sup></li> <li>Quality Evaluation of Scallops Pivarnik<sup>o</sup> 29,399<sup>B</sup></li> <li>Effects of Dredging on Benthic Collie<sup>b</sup> 22,918<sup>B</sup> Megafauna of N. Georges Bank</li> <li>Recruitment Strategies of Cobb<sup>k</sup> 15,000<sup>B</sup> Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup> Sensing Armstrong<sup>c</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Render Student Research Training Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> </ul>					,
RatesDurbin Busch <sup>6</sup> 1995-Characterization of Mid-AtlanticDeAlterisid41,050° Lazar-Age Structure of SquidMacy <sup>b</sup> 21,078 <sup>B</sup> -Quality Evaluation of ScallopsPivarnik <sup>a</sup> 29,399 <sup>B</sup> -Effects of Dredging on BenthicCollie <sup>b</sup> 22,918 <sup>B</sup> -Recruitment Strategies of Decapods: Comparative ApproachCobb <sup>k</sup> 15,000 <sup>B</sup> -Survey Methods for Harbor PorpoiseHeltshe <sup>g</sup> 22,522°-Applications of Satellite Remote Temperature TagCornillon <sup>b</sup> 26,150° Server Libraries-Development of Client and Server LibrariesCornillon <sup>b</sup> 30,000° Server Libraries-Student Research Training ProgramWinn <sup>b</sup> 75,288° Kenney <sup>b</sup> -Right Whale Database and Summer FlounderWinn <sup>b</sup> 55,828° Loto10 <sup>A</sup> -Distribution and Abundance of HydroidsSullivan <sup>b</sup> 20,701 <sup>B</sup> -Effects of Dredging on Benthos Collie <sup>b</sup> Collie <sup>b</sup> 46,917 <sup>B</sup> -Effects of Dredging on Benthos achuest Point Salt MarshCollie <sup>b</sup> 46,917 <sup>B</sup>		-	Zooplankton Analysis Group		200,000 <sup>B</sup>
1995       -       Characterization of Mid-Atlantic Coastal Gillnet       DeAlteris <sup>d</sup> 41,050 <sup>C</sup> -       Age Structure of Squid       Macy <sup>b</sup> 21,078 <sup>B</sup> -       Quality Evaluation of Scallops       Pivarnik <sup>o</sup> 29,399 <sup>B</sup> -       Effects of Dredging on Benthic Megafauna of N. Georges Bank       Cobb <sup>k</sup> 15,000 <sup>B</sup> -       Recruitment Strategies of Decapods: Comparative Approach       Cobb <sup>k</sup> 15,000 <sup>B</sup> -       Survey Methods for Harbor Porpoise       Heltshe <sup>g</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote       Cornillon <sup>b</sup> 26,150 <sup>C</sup> Sensing       Armstrong <sup>C</sup> -       Engineering for Programmable       Recksiek <sup>d</sup> 59,776 <sup>C</sup> Temperature Tag       -       Development of Client and Cornillon <sup>b</sup> 30,000 <sup>C</sup> -         -       Broad-Scale Zooplankton       Durbin <sup>b</sup> 300,000 <sup>C</sup> on Georges Bank       -       -       Right Whale Database       Winn <sup>b</sup> 55,828 <sup>C</sup> -       Right Whale Database       Winn <sup>b</sup> 25,710 <sup>B</sup> -         -       Distribution and Abundance       Sullivan <sup>b</sup> 20,701 <sup>B</sup> -       Distribution and Abundance       Sullivan <sup>b</sup> 20,7				Durbin	
Coastal GillnetLazar-Age Structure of SquidMacyb21,078 <sup>B</sup> Quality Evaluation of ScallopsPivarnik <sup>o</sup> 29,399 <sup>B</sup> -Effects of Dredging on BenthicCollieb22,918 <sup>B</sup> Megafauna of N. Georges BankRecruitment Strategies of Decapods: Comparative ApproachCobb <sup>k</sup> 15,000 <sup>B</sup> -Survey Methods for Harbor PorpoiseHeltshe <sup>g</sup> 22,522 <sup>C</sup> -Applications of Satellite Remote SensingCornillon <sup>b</sup> 26,150 <sup>C</sup> Sensing-Engineering for Programmable Temperature TagArmstrong <sup>C</sup> -Development of Client and Server LibrariesCornillon <sup>b</sup> 30,000 <sup>C</sup> Server Libraries-Student Research Training ProgramWinn <sup>b</sup> 75,288 <sup>C</sup> Kenney <sup>b</sup> 1996-Maturity in Atlantic Cod and Summer FlounderSpecker <sup>bk</sup> 25,110 <sup>B</sup> 1996-Maturity in Atlantic Cod and Summer FlounderSullivan <sup>b</sup> Klein-MacPhee <sup>b</sup> 20,701 <sup>B</sup> 38,100 <sup>C</sup> 1996-Effects of Dredging on Benthos E Cological Investigation of Sachuest Point Salt MarshCollie <sup>b</sup> 46,917 <sup>B</sup>				Busch <sup>c</sup>	
<ul> <li>Age Structure of Squid Macy<sup>b</sup> 21,078<sup>B</sup></li> <li>Quality Evaluation of Scallops Pivarnik<sup>o</sup> 29,399<sup>B</sup></li> <li>Effects of Dredging on Benthic Collie<sup>b</sup> 22,918<sup>B</sup></li> <li>Megafauna of N. Georges Bank</li> <li>Recruitment Strategies of Cobb<sup>k</sup> 15,000<sup>B</sup></li> <li>Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup></li> <li>Applications of Satellite Remote Cornillon<sup>b</sup> 26,150<sup>C</sup></li> <li>Sensing Armstrong<sup>c</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup></li> <li>Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup></li> <li>Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup></li> <li>Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup></li> <li>on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup></li> <li>Kenney<sup>b</sup></li> <li>Distribution and Abundance Sullivan<sup>b</sup> 22,110<sup>B</sup></li> <li>Affects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Effects of Dredging on Benthos</li> <li>Ecological Investigation of Rowman<sup>b</sup> 38,100<sup>C</sup></li> </ul>	1995	-	Characterization of Mid-Atlantic	DeAlteris <sup>d</sup>	41,050 <sup>C</sup>
<ul> <li>Quality Evaluation of Scallops</li> <li>Effects of Dredging on Benthic</li> <li>Collie<sup>b</sup></li> <li>22,918<sup>B</sup></li> <li>Megafauna of N. Georges Bank</li> <li>Recruitment Strategies of</li> <li>Cobb<sup>k</sup></li> <li>15,000<sup>B</sup></li> <li>Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise</li> <li>Heltshe<sup>g</sup></li> <li>22,522<sup>C</sup></li> <li>Applications of Satellite Remote</li> <li>Cornillon<sup>b</sup></li> <li>26,150<sup>C</sup></li> <li>Sensing</li> <li>Armstrong<sup>c</sup></li> <li>Engineering for Programmable</li> <li>Recksiek<sup>d</sup></li> <li>59,776<sup>C</sup></li> <li>Temperature Tag</li> <li>Development of Client and</li> <li>Cornillon<sup>b</sup></li> <li>30,000<sup>C</sup></li> <li>Server Libraries</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>75,288<sup>C</sup></li> <li>Program</li> <li>Broad-Scale Zooplankton</li> <li>Durbin<sup>b</sup></li> <li>300,000<sup>C</sup></li> <li>on Georges Bank</li> <li>Right Whale Database</li> <li>Winn<sup>b</sup></li> <li>55,828<sup>C</sup></li> <li>Kenney<sup>b</sup></li> <li>Distribution and Abundance</li> <li>Olistribution and Abundance</li> <li>Effects of Dredging on Benthos</li> <li>Collie<sup>b</sup></li> <li>46,917<sup>B</sup></li> <li>Ecological Investigation of</li> <li>Rowman<sup>b</sup></li> <li>38,100<sup>C</sup></li> </ul>			Coastal Gillnet	Lazar	
<ul> <li>Effects of Dredging on Benthic Collie<sup>b</sup> 22,918<sup>B</sup> Megafauna of N. Georges Bank</li> <li>Recruitment Strategies of Cobb<sup>k</sup> 15,000<sup>B</sup> Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup></li> <li>Applications of Satellite Remote Cornillon<sup>b</sup> 26,150<sup>C</sup> Sensing Armstrong<sup>c</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Rowman<sup>b</sup> 38,100<sup>C</sup></li> </ul>		-	-	-	
Megafauna of N. Georges Bank       -       Recruitment Strategies of Decapods: Comparative Approach       15,000 <sup>B</sup> -       Survey Methods for Harbor Porpoise       Heltshe <sup>g</sup> 22,522 <sup>C</sup> -       Applications of Satellite Remote       Cornillon <sup>b</sup> 26,150 <sup>C</sup> -       Engineering for Programmable       Recksiek <sup>d</sup> 59,776 <sup>C</sup> -       Engineering for Programmable       Recksiek <sup>d</sup> 59,776 <sup>C</sup> -       Engineering for Programmable       Cornillon <sup>b</sup> 30,000 <sup>C</sup> -       Development of Client and       Cornillon <sup>b</sup> 30,000 <sup>C</sup> -       Student Research Training       Winn <sup>b</sup> 75,288 <sup>C</sup> -       Student Research Training       Winn <sup>b</sup> 300,000 <sup>C</sup> on Georges Bank       -       -       Broad-Scale Zooplankton       Durbin <sup>b</sup> 300,000 <sup>C</sup> -       Broad-Scale Zooplankton       Durbin <sup>b</sup> 55,828 <sup>C</sup> Kenney <sup>b</sup> 1996       -       Maturity in Atlantic Cod       Specker <sup>bk</sup> 25,110 <sup>B</sup> and Summer Flounder       -       Distribution and Abundance       Sullivan <sup>b</sup> 20,701 <sup>B</sup> -       Effects of Dredging on Benthos       Collie <sup>b</sup> 46,917 <sup>B</sup> -		-			
<ul> <li>Recruitment Strategies of Cobb<sup>k</sup> 15,000<sup>B</sup> Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup></li> <li>Applications of Satellite Remote Cornillon<sup>b</sup> 26,150<sup>C</sup> Sensing Armstrong<sup>C</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>		-		Collie <sup>b</sup>	22,918 <sup>B</sup>
<ul> <li>Decapods: Comparative Approach</li> <li>Survey Methods for Harbor Porpoise</li> <li>Applications of Satellite Remote</li> <li>Cornillon<sup>b</sup></li> <li>26,150<sup>C</sup></li> <li>Sensing</li> <li>Armstrong<sup>c</sup></li> <li>Engineering for Programmable</li> <li>Recksiek<sup>d</sup></li> <li>59,776<sup>C</sup></li> <li>Temperature Tag</li> <li>Development of Client and</li> <li>Cornillon<sup>b</sup></li> <li>30,000<sup>C</sup></li> <li>Server Libraries</li> <li>Student Research Training</li> <li>Winn<sup>b</sup></li> <li>75,288<sup>C</sup></li> <li>Program</li> <li>Student Research Training</li> <li>Program</li> <li>Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton</li> <li>Durbin<sup>b</sup></li> <li>300,000<sup>C</sup></li> <li>on Georges Bank</li> <li>Right Whale Database</li> <li>Winn<sup>b</sup></li> <li>55,828<sup>C</sup></li> <li>Kenney<sup>b</sup></li> <li>Distribution and Abundance</li> <li>Distribution and Abundance</li> <li>Effects of Dredging on Benthos</li> <li>Collie<sup>b</sup></li> <li>46,917<sup>B</sup></li> <li>Ecological Investigation of</li> <li>Rowman<sup>b</sup></li> <li>38,100<sup>C</sup></li> </ul>				Oshik	45 000B
<ul> <li>Survey Methods for Harbor Porpoise Heltshe<sup>g</sup> 22,522<sup>C</sup></li> <li>Applications of Satellite Remote Cornillon<sup>b</sup> 26,150<sup>C</sup> Sensing Armstrong<sup>o</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Sath Marsh</li> </ul>		-	-	CODD"	15,000 <sup>5</sup>
<ul> <li>Applications of Satellite Remote Cornillon<sup>b</sup> 26,150<sup>C</sup> Sensing Armstrong<sup>c</sup></li> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>		_		Haltshag	22 522 <sup>C</sup>
SensingArmstrongc-Engineering for Programmable Temperature TagRecksiekd59,776CTemperature Tag-Development of Client and Server LibrariesCornillonb30,000CServer Libraries-Student Research Training ProgramWinnb75,288C-Broad-Scale Zooplankton on Georges BankDurbinb300,000C-Right Whale DatabaseWinnb Kenneyb55,828C1996-Maturity in Atlantic Cod and Summer FlounderSpeckerbk25,110B-Distribution and Abundance of HydroidsSullivanb Klein-MacPheeb20,701B-Effects of Dredging on Benthos Sachuest Point Salt MarshCollieb46,917B		_			
<ul> <li>Engineering for Programmable Recksiek<sup>d</sup> 59,776<sup>C</sup> Temperature Tag</li> <li>Development of Client and Cornillon<sup>b</sup> 30,000<sup>C</sup> Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>1996 - Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>					20,100
<ul> <li>Temperature Tag</li> <li>Development of Client and Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup></li> <li>Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup></li> <li>on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup></li> <li>Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup></li> <li>and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>		-	-	-	59,776 <sup>C</sup>
<ul> <li>Server Libraries</li> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup> Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup> on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>1996 - Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Rowman<sup>b</sup> 38,100<sup>C</sup></li> </ul>					
<ul> <li>Student Research Training Winn<sup>b</sup> 75,288<sup>C</sup></li> <li>Program Smith<sup>f</sup></li> <li>Broad-Scale Zooplankton Durbin<sup>b</sup> 300,000<sup>C</sup></li> <li>on Georges Bank</li> <li>Right Whale Database Winn<sup>b</sup> 55,828<sup>C</sup></li> <li>Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup> 25,110<sup>B</sup></li> <li>and Summer Flounder</li> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup></li> <li>of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Rowman<sup>b</sup> 38,100<sup>C</sup></li> </ul>		-	Development of Client and	Cornillon <sup>b</sup>	30,000 <sup>C</sup>
<ul> <li>Program</li> <li>Broad-Scale Zooplankton</li> <li>Durbin<sup>b</sup></li> <li>300,000<sup>C</sup></li> <li>on Georges Bank</li> <li>Right Whale Database</li> <li>Winn<sup>b</sup></li> <li>55,828<sup>C</sup></li> <li>Kenney<sup>b</sup></li> <li>1996</li> <li>Maturity in Atlantic Cod</li> <li>Specker<sup>bk</sup></li> <li>25,110<sup>B</sup></li> <li>and Summer Flounder</li> <li>Distribution and Abundance</li> <li>Sullivan<sup>b</sup></li> <li>20,701<sup>B</sup></li> <li>of Hydroids</li> <li>Effects of Dredging on Benthos</li> <li>Collie<sup>b</sup></li> <li>46,917<sup>B</sup></li> <li>Ecological Investigation of</li> <li>Sachuest Point Salt Marsh</li> </ul>			Server Libraries		
<ul> <li>Broad-Scale Zooplankton on Georges Bank</li> <li>Right Whale Database</li> <li>Winn<sup>b</sup></li> <li>55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>1996</li> <li>Maturity in Atlantic Cod and Summer Flounder</li> <li>Distribution and Abundance</li> <li>Sullivan<sup>b</sup></li> <li>20,701<sup>B</sup> of Hydroids</li> <li>Effects of Dredging on Benthos</li> <li>Collie<sup>b</sup></li> <li>46,917<sup>B</sup></li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>		-	Student Research Training		75,288 <sup>C</sup>
<ul> <li>on Georges Bank</li> <li>Right Whale Database</li> <li>Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup></li> <li>25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance</li> <li>Distribution and Abundance</li> <li>Fffects of Dredging on Benthos</li> <li>Effects of Dredging on Benthos</li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>					0
<ul> <li>Right Whale Database</li> <li>Winn<sup>b</sup> 55,828<sup>C</sup> Kenney<sup>b</sup></li> <li>Maturity in Atlantic Cod Specker<sup>bk</sup></li> <li>25,110<sup>B</sup> and Summer Flounder</li> <li>Distribution and Abundance</li> <li>Distribution and Abundance</li> <li>Fifects of Dredging on Benthos</li> <li>Effects of Dredging on Benthos</li> <li>Collie<sup>b</sup></li> <li>46,917<sup>B</sup></li> <li>Ecological Investigation of Sachuest Point Salt Marsh</li> </ul>		-	•	Durbin <sup>b</sup>	300,000 <sup>0</sup>
1996       -       Maturity in Atlantic Cod and Summer Flounder       Specker <sup>bk</sup> 25,110 <sup>B</sup> -       Distribution and Abundance of Hydroids       Sullivan <sup>b</sup> 20,701 <sup>B</sup> -       Effects of Dredging on Benthos       Collie <sup>b</sup> 46,917 <sup>B</sup> -       Ecological Investigation of Sachuest Point Salt Marsh       Rowman <sup>b</sup> 38,100 <sup>C</sup>				M/Land	FF 000 <sup>C</sup>
1996       -       Maturity in Atlantic Cod and Summer Flounder       Specker <sup>bk</sup> 25,110 <sup>B</sup> -       Distribution and Abundance of Hydroids       Sullivan <sup>b</sup> 20,701 <sup>B</sup> -       Effects of Dredging on Benthos       Collie <sup>b</sup> 46,917 <sup>B</sup> -       Ecological Investigation of Sachuest Point Salt Marsh       Rowman <sup>b</sup> 38,100 <sup>C</sup>		-	Right whale Database		55,828°
and Summer Flounder - Distribution and Abundance Sullivan <sup>b</sup> 20,701 <sup>B</sup> of Hydroids Klein-MacPhee <sup>b</sup> - Effects of Dredging on Benthos Collie <sup>b</sup> 46,917 <sup>B</sup> - Ecological Investigation of Rowman <sup>b</sup> 38,100 <sup>C</sup> Sachuest Point Salt Marsh	1006	_	Maturity in Atlantic Cod		25 110 <sup>B</sup>
<ul> <li>Distribution and Abundance Sullivan<sup>b</sup> 20,701<sup>B</sup> of Hydroids Klein-MacPhee<sup>b</sup></li> <li>Effects of Dredging on Benthos Collie<sup>b</sup> 46,917<sup>B</sup></li> <li>Ecological Investigation of Rowman<sup>b</sup> 38,100<sup>C</sup> Sachuest Point Salt Marsh</li> </ul>	1330	-	•	Opeckei	20,110
of Hydroids     Klein-MacPhee <sup>b</sup> -     Effects of Dredging on Benthos     Collie <sup>b</sup> 46,917 <sup>B</sup> -     Ecological Investigation of     Rowman <sup>b</sup> 38,100 <sup>C</sup> -     Sachuest Point Salt Marsh     -     -		-		Sullivan <sup>b</sup>	20.701 <sup>B</sup>
<ul> <li>Effects of Dredging on Benthos</li> <li>Collie<sup>b</sup></li> <li>46,917<sup>B</sup></li> <li>Ecological Investigation of</li> <li>Rowman<sup>b</sup></li> <li>38,100<sup>C</sup></li> <li>Sachuest Point Salt Marsh</li> </ul>					_ = = , . • .
- Ecological Investigation of Rowman <sup>b</sup> 38,100 <sup>C</sup> Sachuest Point Salt Marsh		-	-		46,917 <sup>B</sup>
		-		Rowman <sup>b</sup>	
- Buoy System for Remote Tracking Recksiek <sup>d</sup> 35,000 <sup>c</sup>					
		-	Buoy System for Remote Tracking	Recksiek <sup>d</sup>	35,000 <sup>C</sup>

Table 2	2. Cont			
<u>FY</u>		<u>Short Title</u>	Investigator	<u>Amount</u>
1996	-	Population Structure in Longfinned Squid	Macy <sup>b</sup>	24,356 <sup>B</sup>
	-	OPDB/DODS Server at NODC	Cornillon <sup>b</sup> Milkowski <sup>b</sup>	30,000 <sup>C</sup>
	-	Satellite Remote Sensing	Cornillon <sup>b</sup> Bisagni <sup>b</sup>	89,300 <sup>C</sup>
	-	US GLOBEC: Zooplankton Technical Group	Durbin <sup>b</sup>	230,000 <sup>C</sup>
	-	Right Whale Database	Kenny⁵	39,166 <sup>C</sup>
	-	Acoustic Tracking of Harbor Porpoises	Miller <sup>p</sup>	54,480 <sup>C</sup>
	-	Economic Analysis of North East Fishing Vessels	Gates <sup>a</sup>	75,000 <sup>C</sup>
	-	Marine Ecosystems: Visualization of Patterns and Trends	August <sup>i</sup>	60,000 <sup>C</sup>
1997	-	Recovery of Essential Fish Habitat on Georges Bank	Collie <sup>b</sup>	24,403 <sup>B</sup>
	-	Development of an Acoustic Tracking System for Harbor Porpoises	Miller <sup>p</sup>	20,766 <sup>B</sup>
	-	Feeding and Metabolic Studies of Juvenile Cod and Haddock	Bengtson <sup>d</sup> Peck <sup>b</sup> Oviatt <sup>b</sup>	30,702 <sup>B</sup>
	-	Maturity in Female Summer Flounder and Monkfish	Specker <sup>bk</sup>	30,762 <sup>B</sup>
	-	Right Whale Database	Kenny <sup>b</sup>	122,564 <sup>C</sup>
	-	Salmon Temperature Monitoring Tag	Recksiek <sup>d</sup> Fischer <sup>n</sup> Daly <sup>n</sup>	34,895 <sup>°</sup>
	-	Analysis of Recirculating Systems for Shellfish	Anderson <sup>a</sup>	24,507 <sup>C</sup>
	-	Assessment of Atlantic Bluefin Tuna Market	Anderson <sup>a</sup>	47,997 <sup>C</sup>
	-	Monitoring the Economic Status of NE Fishing Vessels	Gates <sup>a</sup>	74,806 <sup>C</sup>
	-	Oceanographic Remote Sensing	Cornillon <sup>b</sup> Wood <sup>c</sup>	23,301 <sup>C</sup>
	-	Habitat Enhancement for Lobsters	Cobb <sup>k</sup>	98,002 <sup>C</sup>
	-	US GLOBEC: Abundance of Zooplankton	Durbin	150,000 <sup>C</sup>
	-	Winter Flounder Length Model	Collie <sup>b</sup> Meise <sup>f</sup>	40,853 <sup>C</sup>
	-	Narragansett Bay Tidal Model	Kincade <sup>b</sup>	10,000 <sup>C</sup>
	-	Benthic Chemistry	King, Quinn <sup>b</sup>	84,750 <sup>C</sup>
	-	Time-Series Monitoring	Kester <sup>b</sup>	104,777 <sup>C</sup>
	-	Bay Survey-Towed Body	Durbin, Oviatt <sup>b</sup>	87,725 <sup>C</sup>
1998	-	US GLOBEC: Abundance of Zooplankton Variability in Temperature Fronts	Durbin <sup>b</sup> Cornillon <sup>b</sup> Bisagni	300,000 <sup>C</sup> 98,000 <sup>C</sup>

Table 2 FY	. Cont	<u>Short Title</u>	Investigator	<u>Amount</u>
1998	-	Harbor Porpoise Tracking System Sachuest Point Restoration	Miller <sup>b</sup> Roman <sup>b</sup>	30,500 <sup>C</sup> 4,793 <sup>C</sup>
	-	Remote Sensing Laboratory	Cornillon <sup>b</sup> Wood <sup>c</sup>	23,301 <sup>C</sup>
	-	Active Acoustic Alarms Development	Miller <sup>b</sup>	45,000 <sup>C</sup>
	-	Atlantic Herring Management	Gates <sup>a</sup>	26,487 <sup>B</sup>
	-	Estimation of Scallop Abundance	Collie <sup>b</sup>	24,178 <sup>B</sup>
	-	DNA Fingerprinting of Cod Broodstock	Bradley <sup>d</sup>	30,164 <sup>-</sup> _B
	-	Metabolic Studies of Cod & Haddock	Bengtson <sup>d</sup> Peck, Oviatt <sup>b</sup>	36,585 <sup>B</sup>
1999	-	US GLOBEC: Abundance of zooplankton	Durbin <sup>b</sup>	300,000 <sup>C</sup>
	-	Variability and SST fronts	Cornillon <sup>b</sup> Bisagni <sup>q</sup>	32,000 <sup>C</sup>
	-	Monitoring Northeast Fishing Vessels	Gates <sup>a</sup> Collie <sup>b</sup>	60,183 <sup>C</sup> 24,972 <sup>C</sup>
	-	Estimation of Scallop Abundance Atlantic Herring Management	Gates <sup>a</sup>	24,972 29,729 <sup>B</sup>
	-	DNA Fingerprinting of Cod Broodstock	Bradley <sup>d</sup>	34,839 <sup>B</sup>
	-	Metabolic Studies of Cod and Haddock	Bengtson <sup>d</sup> Peck, Oviatt <sup>b</sup>	37,947 <sup>B</sup>
	-	Habitat Enhancement for Lobsters	Cobb <sup>k</sup>	94,042 <sup>C</sup>
	-	Marine Mammals	Miller <sup>p</sup> Kenney <sup>b</sup>	10,000 <sup>C</sup> 39,965 <sup>C</sup>
	-	Maintenance of Right Whale Data Base Remote Sensing Laboratory	Cornillon <sup>b</sup> Wood <sup>c</sup>	23,059 <sup>C</sup>
2000	-	Market Information and Fisheries Mgt.	Wessells <sup>a</sup>	30,000 <sup>B</sup>
	-	DNA Fingerprinting of Tautog	Bradley <sup>d</sup>	36,560 <sup>B</sup>
	-	US GLOBEC - Abundance of zooplankton	Durbin <sup>b</sup>	300,000 <sup>C</sup>
	-	Maintenance of Right Whale Data-Base	Kenney <sup>b</sup>	79,664 <sup>C</sup>
	-	Narragansett Bay Cooperative Study	Oviatt, Durbin <sup>b</sup> Kester <sup>b</sup>	341,150 <sup>C</sup>
			August, Damon <sup>i</sup> Colt, Schwartz <sup>r</sup>	
			Mustard <sup>s</sup>	
2001		Market Information and Fisheries Mgt.	Wessells <sup>a</sup>	29,985 <sup>B</sup>
2001	-	DNA Fingerprinting of Tautog	Bradley <sup>d</sup>	37,641 <sup>B</sup>
	-	US GLOBEC - Abundance of zooplankton	Durbin <sup>b</sup>	300,000 <sup>C</sup>
	-	Habitat Enhancement for Lobsters	Cobb <sup>k</sup>	40,450 <sup>C</sup>
	-	Maintenance of Right Whale Data-Base	Kenney <sup>b</sup>	84,905 <sup>C</sup>
	-	Northcape Restoration Monitoring	Castro <sup>d</sup> Collie, Delong	229'298 <sup>C</sup>
2002	_	Temperature and sand shrimp predation	Collie <sup>b</sup>	36,947 <sup>B</sup>
2002	-	Ctenophore predation on fish eggs	Sullivan, MacPhee <sup>b</sup>	32,098 <sup>B</sup>
	-	Maintenance of Right Whale Data-Base	Kenney <sup>b</sup>	89,393 <sup>C</sup>

### Table 2. Cont.

<u>FY</u>		Short Title	Investigator	<u>Amount</u>
2003	- - -	Temperature and sand shrimp predation Shortfin mako population dynamics Northern Right Whale archive	Collie <sup>b</sup> Collie <sup>b</sup> Kenney <sup>b</sup> Gates <sup>a</sup>	36,947 <sup>B</sup> 44,465 <sup>C</sup> 117,851 <sup>C</sup> 55,322 <sup>C</sup>
	-	Bioeconomic model of NE fisheries URI/Coast Watch Performance of survey trawl	Cornillon <sup>b</sup> Wood <sup>c</sup> DeAlteris <sup>d</sup>	36,900 <sup>C</sup> 87,041 <sup>c</sup>
	-	Haddock Aquaculture	Buckley	152,620 <sup>C</sup>

B Base CMER Program funds

C Funds contributed to the CMER Program

\* Support for R/V Gloria Michelle

### Table 3. CMER Grants Providing At Least Partial Student Support

CMED#	SHORT TITLE	STUDENTS SUPPORTED
<u>CMER#</u> 89-01	Market for Blue Mussels	P. Brooks (Ph.D.,T <sup>1</sup> ,C <sup>2</sup> )
90-09	Market for Dide Mussels	1. BIOOKS (111.D., 1, , C)
89-04	Calanus Genetics	L. Kann (Ph.D.,T,C)
90-01		
92-07		
89-05	Automated Plankton Analyzer	G. Lambert (Post-Doc)
91-01		
89-08	Spring and <u>Calanus</u>	S. Larimer (Ph.D.,C)
91-03 89-09	Cod-End Escapees	A. Thompson (MS,C) D. Reifsteck (MS,C)
90-05	Research on Right Whale	B. Dorf (Ph.D.,C)
		N. Burke (MS,C)
90-06	Gulf of Maine Zooplankton	P. Garrahan (MS,C)
91-06		
90-08	Immune Response	R. Carlson (MS,T,C)
91-02		
92-01	Fishering Law Enforcement	
90-12 91-04	Fisheries Law Enforcement Fish Evacuation Rates	P. Lalleman (Ph.D.,C) P. Garrahan (MS,T,C)
91-04 92-06	FISH EVACUATION RATES	J. Wunder (MS,T,C)
93-08		
91-05	Fish Behavior	J. Harris (MS,T,C)
91-07	Shellfish Abundance	M. Ecker (MS,T,C)
91-09	Economic Status	C. Glick (MS, C),
		P. Lalleman (Ph.D.,C)
91-10	Gillnet Fishery	N. Lazar (MS,T,C)
91-13	Coastal Wetland Mapping	J. Hurd (MS UConn,T,C)
91-15	Eutrophication Experiment Decapod Recruitment	B. Koop (Ph.D.) M. Clancy (Ph.D.,T,C)
92-08 93-11	Decapou Recruitment	M. J. James (Ph.D.,T,C)
94-11		B. Moravchik (MS,T,C)
		R. Rand (Ph.D.,C)
95-11		D. Grote (Ph.D.,T,D)
		C. Boyco (Ph.D.)
97-01C		B. Niedbalski (MS,T,C)
		T. Feehan (MS,C)
92-10	Shark Data Daga	N. Hobb (Ph.D.)
92-10	Shark Data Base	M. Pirri (MS,T,Ph.D.,C) C. Belcher (MS,T,C)
91-14	Student Research Training	A. Verhulst (Ph.D.,C)
92-04		R. Griffin (Ph.D.,C)
93-12		N. Friday (Ph.D.,C)
94-12		K. Vigness (MS,T,C)
95-17		
93-06	Success of Summer Flounder	T. Gleason (Ph.D.)
93-07	Diarrhetic Shellfish	Christine Chan (Ph.D.,C)
93-09 95-09	Effects of Scallop Dredging	G. Escanero (MS,T,C) Tien-Shui Tsou (Ph.D.,C)
96-09		J. Hermsen (Ph.D.)
97-03		E. Hughes (MS,T,C)
98-05		
99-04C		
93-10	Immune Response II	L. Putnam (MS, D)
94-09	Tuna Angling Preference	K. Blake (MS,T,C)

### Table 3. Cont.

<u>CMER#</u> 95-13	<u>SHORT TITLE</u> Survey for Harbor Porpoise	STUDENTS SUPPORTED B. Koloziej (MS,T,C) C. Wentworth (MS,T,C)
95-15 96-11C	Programmable Temperature Tag	Yang Chun (MS,T,C)
		D. Hyun (MS,T,Ph.D.) S. Lee (Ph.D.) B. Wotking (BS C)
97-02C 95-04	Quality Evaluation of Scallops	B. Watkins (BS,C) Y. Janelle (MS,T,C) Jaiming Ye (MS)
95-03 96-12	Squid Age Structure	R. Hein (Ph.D.,C)
96-22C 96-02 96-18C 97-08C 98-01C 99-01C	Ecosystems Visualization Abundance of Hydroids US GLOBEC: Zooplankton	C. Damon (MS,T,C) J. Williams (MS,T,Ph.D.) A. Lapolla (MS,T,C) K. Collins (Ph.D.)
00-01C		W.Saumweber (Ph.D.) Bronwynn Cahill (Ph.D.) Catalina Martinez (MS) Mark Brush (Ph.D.)
97-07C	Habitat Enhancement for Lobsters	K. Castro (Ph.D.) B. Murphy (MS)
99-08C 96-20C 97-05 98-03C 99-09C	Harbor Porpoise Tracking	S. Robbins (MS) R. Gampert (MS,T,C) M. Langlais (BS,C) M. Zarnetske (MS,C)
96-21C	Fishing Vessel Economics	J. LaPorte (BS) P. Lallemand (Ph.D.) E. Gudmundsson (Ph.D.)
97-05C 99-03C		
97-06 98-08 99-07	Metabolic Studies of Cod/Haddock	M. Peck (MS,T,Ph.D.)
97-03C	Recirculating Systems for Shellfish	G. Magnusson (Ph.D.) J. Martinez-Garmendia (Ph.D.)
97-04C	Assessment of Bluefin Tuna Market	M. Carroll (MS,T,C) Heng-Hung Kuo (MS, C)
97-06C 98-05C 99-11C	Remote Sensing Laboratory	Tim Mavor (Post-Doc)
97-07	Female Summer Flounder	C. Casey (MS,C) B. Soffientino (Ph.D.) C. Martinez (MS,C) R. Merson (Ph.D.,C)
97-NB2 97-NB3	N. Bay Tidal Model Benthic Chemistry	W. Deleo (MS,T,C) E. Lacey (Ph.D.,C) C. Reddy (Ph.D.,C) P. Hartman (Ph.D.,C)
97-NB4	Time-series Monitoring	M. Swanson (MS,T,Ć) Lt. J. Andrews (MS,T,C) A. Magnuson (Ph.D.,C) Meg Scott (MS,C)

### Table 3. Cont.

<u>CMER#</u> 00-NB1 97-NB5	<u>SHORT TITLE</u> Bay Survey - Towed Body	<u>STUDENTS SUPPORTED</u> D.Bergondo (Ph.D.) C. Suchman (Ph.D.,C) C. Melrose (MS)
00-NB1		
98-07 99-06	Microsatellite DNA Fingerprinting	A. Choudury(MS, T., PhD.)
98-01 99-05	Atlantic Herring Management	Cho Jung-Hee (Ph.D.,C)
98-04C	Salt Marsh Post-Restoration	S. Adamowicz (Ph.D.) K. Raposa (Ph.D.,T.C)
00-02	Discrimination of Tautog Populations	C.Blake (MS)
00-00	Market Information	Jung-Sam Lee (MS, T., PhD.)
00-NB1	NB Winter Spring Bloom Intensity	G. Ellis (MS)
00-NB1	NB Temperatures and Properties	Hongwei Chen (MS) J. Fisher (Ph.D.)
02-01	Temperature and sand shrimp predation on winter flounder	D.L.Taylor (Ph.D.)
02-02	Ctenophore predation on fish	A. Allen (MS)

<sup>1</sup>T - Thesis on topic supported by CMER <sup>2</sup>C - Degree requirements completed <sup>3</sup>D - Dropped Out

### Table 4. CMER Supported Thesis and Dissertations

1992

Brooks, Priscilla M. 1992. The Northeast market for blue mussels: Consumer perceptions of seafood safety and the demand for mussels. Ph.D. Dissertation, Department of Research Economics, University of Rhode Island, Kingston, RI.

Carlson, Robert E. 1992. The effect of prolonged *in vivo* cortisol administration on the *in vitro* primary immune response of Atlantic salmon and winter flounder lymphocytes. MS Thesis, Department of Fisheries, Aquaculture and Pathology, University of Rhode Island, Kingston, RI.

Ecker, Mark 1992. Geostatistical estimates of scallop abundances. MS Thesis, Department of Statistics, University of Rhode Island, Kingston, RI.

Hurd, J. D. 1992. Coastal wetland mapping and change detection in the northeastern United States. MS Thesis, University of Connecticut, CT.

Lazar, Najih 1992. Analysis of the sink-gillnet fishery of the Gulf of Maine and adjacent waters. MS Thesis, Department of Fisheries, Aqua. and Veterinary Science, Univ. of Rhode Island, Kingston, RI.

1993

Kann, Lisa 1993. Zooplankton distribution in the Great South Channel and the genetic population structure of the copepod (*Calanus finmarchicus*) in the Gulf of Maine. Ph.D. Dissertation, Univ. of Rhode Island, Kingston, RI; 170 p.

### 1994

Belcher, Caroline 1994. Evaluation of longline surveys for producing population estimates of large coastal sharks. MS Thesis, Department of Statistics, University of Rhode Island, Kingston, RI.

Garrahan, Peter 1994. Gastric evacuation in Atlantic cod (*Gadus morhua*). MS Thesis, Graduate School of Oceanography, University of Rhode Island, Kingston, RI; 181 p.

#### 1995

Clancy, M. 1995. Recruitment of the rock crab (*Cancer irroratus*): The influence of larval supply, settlement, and post-settlement processes to the benthic distribution pattern. Ph.D. Dissertation, Department of Biological Sciences, University of Rhode Island, Kingston, RI; 247 p.

Harris, Jessica 1995. Effects of selectivity of 14.0 and 15.2 CM square and diamond mesh codends on yellow tail flounder (*Pleuronectes ferrugineus*) and Atlantic cod (*Gadus morhua*). MS Thesis, Department of Fisheries, Aquaculture and Veterinary Science, University of Rhode Island, Kingston, RI; 88 p.

Wunder, Jennifer 1995. Gastric evacuation in winter skate (*Raja ocellata*). MS Thesis, Graduate School of Oceanography, University of Rhode Island, Kingston, RI; 148 p.

1996

Blake, Kevin S. 1996. Modeling preferences for regulatory options: A case study of the northeast recreational bluefin tuna fishermen. University of Rhode Island, Kingston, RI.

Griffin, Robert B. 1996. Community ecology of cetacean habitat. Graduate School of Oceanography, University of Rhode Island, Kingston, RI; 200 p.

James-Pirri, Mary Jane 1996. Growth and behavior during the settlement period of the American lobster (*Homarus americanus*). MS Thesis, Ph.D. Dissertation, Biological Sciences. Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI; 167 p.

Kolodziej, Bruce 1996. Comparing two adaptive sampling schemes to estimate abundance of clumped individuals. MS Thesis, Department of Computer Science and Statistics, Univ. of Rhode Island, Kingston, RI.

Moravchik, Bruce 1996. The influence of space and density on postlarval settlement in the American lobster (*Homarus americanus*). MS Thesis, Zoology, Graduate School of Oceanogr., University of Rhode Island, Kingston, RI; 95 p.

Wentworth, Charles 1996. Estimating spatially clumped individuals using adaptive cluster sampling. MS Thesis, Department of Computer Science and Statistics, University of Rhode Island, Kingston, RI; 59 p.

Yang, Chun 1996. Design of a programmable temperature monitoring device for tagging small fish: A monolithic thermal sensor with digital data storage. MS Thesis, Electrical and Computer Engineering, University of Rhode Island, Kingston, RI.

#### 1997

Escanero, Gallo A. 1997. Effects of bottom fishing on the gravel-substratum benthic megafauna of Georges Bank. MS Thesis, Graduate School of Oceanography, Univ. of Rhode Island, Kingston, RI; 111 p.

Friday, Nancy, 1997. Evaluating photographic capture-recapture estimates of abundance of North Atlantic humpback whales. Ph.D. Dissertation, Grad. School of Oceanogr., Univ. of Rhode Island, Kingston, RI; 173 p.

Janelle, Yungdong 1997. Quality evaluation of domestic sea scallop (*Placopecten magellanicus*). MS Thesis, Food Science and Nutrition, University of Rhode Island, Kingston, RI; 109 p.

Lacey, Elizabeth M. 1997. Evaluation of simultaneously extracted metals-acid volatile sulfide (SEM-AVS) in lacustrine sediment (Lake Champlain), estuarine sediment (Narragansett Bay) and under laboratory conditions. Ph.D. Dissertation, Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI; 226 p.

Swanson, Melissa 1997. Estuarine measurements of chlorophyll fluorescence with high temporal resolution. MS Thesis, Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI; 104 p.

#### 1998

Carroll, Michael T. 1998. An assessment of the Atlantic bluefin tuna market: The economic implications for management. MS Thesis, Resource Economics, Univ. of Rhode Island, Kingston, RI.

Gampert, Robert 1998. Development of an acoustic tracking system for harbor porpoises (*Phocoena phocoena*) in the vicinity of gillnets. MS Thesis, Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI; 154 p.

Niedbalski, Bonnie 1998. Size and timing of morphological metamorphosis in the American lobster (*Homarus americanus*). MS Thesis, Biological Sciences, Univ. of Rhode Island, Kingston, RI.

### 1999

Hein, Richard 1999. Age, growth, and factors controlling post-settlement habitat use of juvenile French grunts (*Haemulon flavolineatum*) near Tobacco Caye, Belize, Central America. Ph.D. dissertation, Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI.

Hughes, Edmund 1999. Spatial characteristics of Atlantic sea scallops (*Placopecten magellanicus*) on Northern Georges Bank". MS Thesis, Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI.

Ward, Jessica A. 1999. Right whale (Balaena glacialis) south Atlantic bight habitat characterization and prediction using remotely sensed oceanographic data. MS Thesis, Graduate School of Oceanogr., Univ. of Rhode Island, Kingston, RI.

### 2000

Raposa, Kenneth B. 2000. Nekton utilization of tidally restricted, restoring, and reference New England salt marshes. Ph.D. Dissertation, Graduate School of Oceangr., Univ. of Rhode Island, Kingston, RI.

Cho, Jung-Hee 2000. Optimal exploitation of Atlantic herring stocks in the U.S.A.: Bioeconomic model for Atlantic herring. Ph.D. Dissertation, Dept. of Environmental and Natural Resource Economics, Univ. of Rhode Island, Kingston, RI.

2001

Peck, Myron 2001. Metabolic studies of juvenile cod, *gadus morhua*, and haddock, *melanogrammus aeglefinus*. Ph.D. Dissertation, Graduate School of Oceangr., Univ. of Rhode Island, Kingston, RI.

Chen, Hongwei 2001. Optical properties and modeling of estuarine water with multispectral and hyperspectral data. MS Thesis, Brown University, Providence, RI.

### 2002

Hermsen, Jerome M. 2002. Effects of bottom fishing on the domersal megafauna and benthic productivity of Georges Bank. Ph.D. Dissertation, Graduate School of Oceanogr., Kingston, RI.

Ellis, Gregory 2002. An examination of the benthic macrofauna of Narragansett Bay and the possible implications of winter-spring bloom intensity on population size. MS Thesis, Graduate School of Oceanography, Univ. of Rhode Island, Kingston, RI.

### Table 5. URI/NOAA CMER PROGRAM STAFF AND ADJUNCT FACULTY

### Stationed at URI

**Dr. Lawrence J. Buckley** Director URI/NOAA CMER Program Affiliated Professor Marine Biochemist Graduate School of Oceanography Coastal Institute Building

### Alan Blott, John Kenney

Fisheries Engineering Department of Fisheries, Animal and Veterinary Science College of Resource Development East Farm (moved off campus 2003)

### Adjunct Faculty Stationed at NEFSC Laboratories

### **Dr. Timothy Smith**

Fisheries Biologist / Adjunct Professor Oceanography NEFSC, Woods Hole Laboratory

### Dr. Kenneth Sherman

Fisheries Biologist / Adjunct Professor Oceanography NEFSC, Narragansett Laboratory

### **Dr. Steven Edwards**

Economist / Adjunct Professor Resource Economics

### **Dr. Nancy Kohler**

Fisheries Biologist / Adjunct Professor Oceanography NEFSC, Narragansett Laboratory

### Table 6. Courses taught by URI/NOAA CMER PROGRAM Personnel

OCG 693V:	<b>Fishery Oceanography</b> Fall 1993, 1995, 1997, 2001, 200	3 Larry Buckley (with Dr. Jere	emy Collie)
ASP 487X:	Pathobiological Effects of Con Spring 1996	<b>aminants on Fish</b> Joel Bodammer (with Dr. R	ichard Wolke)
FST 392:	Anadromous Fish and Fish Pa Spring 1996	sage Alan Blott	
OCG 693I:	Cetaceans: Population Dynan Fall 1993, 1994	<b>cs and Assessments</b> Tim Smith	
REN 426X:	Economics of Property Rights Fall 1993	o Natural Resources Steven Edwards	
OCG 670:	Fish Population Dynamics Spring 1990, 1991, 1992	Michael Fogarty	
OCG 694V:	Pollutants in the Marine Enviro Spring 1991	nment Garry Mayer	
ZOO 675:	Advanced Ecology Seminar Fall 1991	lichael Fogarty (with Dr. Saran Tw	ombly)
ZOO 691:	Community Ecology Spring 1990	lichael Fogarty (with Dr. Saran Tw	rombly)

### Table 7. Participation on graduate committees by URI/NOAA CMER Program personnel since 1989.

Dr. Joel E. BodammerRobert CarlsonLaurie PutnamPamela HaynesRobert FullerFisheries, Animal and Veterinary Sci., M.S. (major prof., C)Fisheries, Animal and Veterinary Sci., M.S. (major prof., D)Fisheries, Animal and Veterinary Sci., M.S. (major prof., D)Fisheries, Animal and Veterinary Sci., M.S. (major prof., D)Fisheries, Animal and Veterinary Sci., M.S. (C)

Dr. Michael J. Fogarty Gustavo Bisbal Zoology, Ph.D. (C) Randy Camilio Zoology, Ph.D. (D) Oceanography, Ph.D. (C) Margarida Castro Zoology, Ph.D. (C) Michael Clancy Zoology, Ph.D. (C) Nancy Clancy Peter Garrahan Oceanography, M.S. (C) **Tim Gleason** Zoology, Ph.D. (C) Donna Johnson Zoology, M.S. (major prof., C) Fisheries, Animal and Veterinary Science, M.S. (C) Abdellah Kinani Nizha Saleh-Eddine Fisheries, Animal and Veterinary Science, M.S. (C) Fisheries, Animal and Veterinary Science, M.S. (C) Najih Lazar **Edward Thier** Zoology, M.S. (C) Zoology, Ph.D. Kathleen Castro Paul Spencer GSO, Ph.D. (C) Katherine Bisack Fisheries, Animal and Veterinary Science, Ph.D. (C) Dr. Lawrence J. Buckley Einar Hjorleifsson Oceanography, Ph.D. (C) Karla Johanning Zoology, Ph.D. (C) Oceanography, Ph.D. (C) Gustavo Bisbal Melissa Wagner Oceanography, M.S. (major prof., C) Lisa Kann Oceanography, Ph.D. (C) Oceanography Ph.D. (C) Barbara Dorf Zoology, Ph.D. (C) Alex Schreiber GSO, Ph.D. (C) **Tien-Shiu Tsou** Liuae Huang Zoology, Ph.D. (C) William Michaels GSO, Ph.D. (D) Zoology, Ph.D. (C) **Diane Nacci** FAVS, MS (C) **David Alves** Bonnie Niedbalski Zoology, Ph.D. (C) Zoology, Ph.D. (C) Carla Johanna Mike Peck GSO, Ph.D. (C) GSO, Ph.D. (C) Cathy Duffy GSO, MS (C) Catalina Martinez FAVS, MS (C) Markis Koelbl **Tarquin Dorrington** GSO, Ph.D. FAVS, MS Rebecca Jones Arpita Choudury FAVS, MS Steven Gavlik GSO, Ph.D. **Rachel Howell** FAVS, MS (C) FAVS, MS (C) Mark Watson Julie Saint Andre GSO, MS (major prof.) Joseph Cofone GSO, MS (C)

FAVS, MS

GSO, Ph.D. (C)

Jessica Henderson

Jerome Hermsen

Janalyn Sanders	FAVS, MS
Steve Cadrin	FAVS, PH.D (C)
<u>Dr. Kenneth Sherman</u> Jim McKenna Jerry Prezioso John Kurland Kevin Thomas David Avery	Oceanography, Ph.D. (C) Oceanography, MS (C) Oceanography, Ph.D. (C) Oceanography, Ph.D. (C) Oceanography, Ph.D.
<u>Dr. Timothy Smith</u> Robert Griffin Nancy Friday Richard Petricig	Oceanography, Ph.D. (major prof., C) Oceanography, Ph.D. (major prof., C) Oceanography, Ph.D. (C)
<u>Dr. Nancy Kohler</u> Michael Pirri Carolyn Belcher Allison Ferreira	Statistics, MS Statistics, MS (C) Marine Affairs, MS

C - degree requirements completed D - dropped out of program

### **Appendix I. CMER Supported Publications**

- August, P.V., R.D. Kenney, and T.P. Husband. 2001. "Mammals." In: P.V. August, L. Gould, R. Enser, and H. Ginsberg, eds. <u>Vertebrates of Rhode Island: The Biota of Rhode Island</u>, Volume 2. Kingston, RI: Rhode Island Natural History Survey.
- Bartlett, K. and R.D. Kenney. 2002. "Narrow River TMDL study nears completion." Narrow River Notes 2002 (winter): 1&3.
- Bengtson, D., M. Peck and C. Oviatt. (In Prep) "Effects of body size and temperature on the volitional swimming velocity of laboratory-reared juvenile Atlantic Cod, *Gadus morhua*." J. of Fish Biol.
- Bisagni, J. J. and M. Sano. (In press) "Satellite observations of short time scale sea surface temperature variability on southern Georges Bank." Submitted for Cont. Shelf Res., Narragansett, RI.
- Bisagni, J.J., D.J. Gifford and C.M. Ruhsam. 1996. "The spatial and temporal distribution of the Maine coastal current during 1982." Cont. Shelf Res. 16:1-24.

Bisagni, J.J. and P. Cornillon. 1996. "Satellite-derived sea surface temperature variability in the Gulf of Maine." In: <u>Gulf of Maine News</u>. Regional Association for Research in the Gulf of Maine, Spring 1996, p.1-12.

- Brodziak, J.K.T. and W.K. Macy. 1996. "Growth of long-finned squid (*Loligo pealei*) in the Northwest Atlantic." Fish Bull. 94:212-236.
- Brooks, Priscilla M. 1992. "The Northeastern market for blue mussels: Consumer perceptions of seafood safety and implications for aquaculture." In: U. Hatch and H. Kinnucan, eds. <u>Aquaculture: Models and Economics</u>. Boulder, CO: Westview Press Inc.
- Brooks, Priscilla M. and J. L. Anderson. 1992. "The northeast United States market for blue mussels: Consumer perceptions of seafood safety and the demand for mussels." In: <u>Proceedings of the Sixth</u> <u>International Institute of Fisheries Economics and Trade Conference</u>. IIFET: Oregon State University, Corvallis, OR.
- Brooks, Priscilla M. 1991. "Consumer perception of seafood safety: A case study of the northeast market for blue mussels." In: Virginia Halderman, ed. <u>Proceedings of the 37th Annual Conference of the American</u> <u>Council on Consumer Interests</u>. ACCI: Reference Document, Univ. of Missouri, Columbia, MO.
- Brown, M.W., S. Brault, P.K. Hamilton, R.D. Kenney, A.R. Knowlton, M.K. Marx, C.A. Mavo, C.K. Slay and S.D. Kraus. 2001. "Sighting heterogeneity of right whales in the western North Atlantic:1980-1992." J. Cetacean Res. Manage., Special issue 2: 245-250.
- Brown, M.W., R.D. Kenney, C. Taggert, A. Vanderlaan, J. Owen, J. Beaudin-Ring, A.R. Knowlton and S.D. Kraus. 2001. "Measures to reduce interaction between the endangered North Atlantic right whale and large vessels in the waters of Atlantic Canada." Briefing Note, national meeting, Canadian Maritime Advisory Council, Standing Committee on Navigation and Operations, Ottawa, Ontario. 10 pp.
- Bucklin, A., M. Guarnieri, D.J. McGillicuddy, R.S. Hill. 2001. "Spring evolution of *Pseudocalanus* spp. abundance on Georges Bank based on molecular discrimination of *P. moultoni* and *P. newmani*." Deep Sea Research II 48: 589-608.
- Carlson, R.E., D.P. Anderson and J.E. Bodammer. 1993. "*In vitro* cortisol administration suppresses the *in vitro* primary immune response of winter flounder lymphocytes." Fish and Shellfish Immunology 3:299-312.
- Carroll, M.T., J.L. Anderson and J. Martinez-Garmendia. 1998. (Submitted) "Market understanding and opportunities for market-based public management of natural resources: US-Japan bluefin tuna trade." J.Public Manag. & Mktg.

- Carroll, M.T., J.L. Anderson and J. Martinez-Garmendia. 1999. (Submitted) "Pricing U.S. North Atlantic bluefin tuna and implications for management." Land Economics.
- Castro, K.M., J.S. Cobb, R.A. Wahle and J. Catena. 1998. "Role of artificial reefs for lobsters in RI: Enhancement or redistribution? Results of years one and two." URI Fisheries Ctr. Technical Rpt. p. 3-98.
- Clancy, M. and J.S. Cobb, 1997. "Effect of wind and tidal advection on distribution patterns of rock crab (*Cancer irroratus*) megalopae in Block Island Sound." Mar. Ecol Prog. Ser. 152:217-225.
- Cobb, J.S., K.M. Castro, R.A. Wahle and J. Catena. 1998. "An artificial reef for lobsters (*Homarus americanus*) in Rhode Island." In: L. Gendron, ed. <u>Proceedings of a workshop on lobster stock enhancement held in the Magdalen Islands Quebec. Can</u>. Ind. Rep. Fish. Aquat. Sci. 244:75-78.
- Cobb, J.S., J. Booth and M. Clancy. 1998. "Recruitment strategies in lobsters and cancer crabs: A comparative review." J. Mar. Freshwater Res. 48(8):797-806.
- Cobb, J.S. 1997. "Oceanic processes affecting lobster larvae: Report from a workshop." J. Mar. Freshwater Res. 48:771-775.
- Collie, J.S., G.A.Escanero and P.C. Valentine. 2000. "Photographic evaluation of the impact of bottom fishing on benthic epifauna." ICES J. of Mar. Sci. 57: 987-1001.
- Collie, J.S., S.J. Hall, M.J. Kaiser and I.R. Poiner. 2000 "A quantitative analysis of fishing impacts on shelfsea benthos." J. of Anim. Ecol. 69: 785-798.
- Collie, J.S. 1998 "Studies in New England of fishing gear impacts on the sea floor." In: E.M. Dorsey and J. Pederson, eds. Effects of Fishing Gear on the Sea Floor of New England. Conservation Law Foundation, Boston , MA. p. 53-62.
- Collie, J.S., G.A. Escanero and P.C. Valentine. 1997. "Effects of bottom fishing on the benthic megafauna of Georges Bank." Mar. Ecol. Prog. Ser. 155:159-172.
- Collie, J.S., G.A. Escanero, L. Hunke and P.C. Valentine. 1996. "Scallop dredging on Georges Bank: Photographic evaluation of effects on benthic epifauna." ICES C. M. 1996/Mini:9.
- Crone, M.J. and S.D. Kraus (eds). 1990. "Right whales (*Eubalaena glacialis*) in the Western North Atlantic: A catalog of identified individuals." New England Aquarium, Boston, MA.
- Daly, J.C., G. Fischer, K.D. Friedland, C.W. Recksiek and C. Yang. 1996. "Design of a programmable temperature monitoring device for tagging small fish." Proc. of IEEE Intl. Symposium on Low Power Electronic Design, Monterey, CA.
- Dorf, B.A., H.E. Winn, R.D. Kenney and G.O. Klein. 1989. "Distributional ecology of the North Atlantic right whale (*Eubalaena glacialis*) in the Great South Channel based on photographic identification of individuals." Abstracts, Eighth Biennial Conference on the Biology of Marine Mammals: 16.
- Duffy, K.A., R.D. Kenney. (Submitted) "Bioenergetics of the chain dogfish, *Scyliorhinus retifer* (Garman)." Environmental Biology of Fishes.
- Durbin, E.G., R. Campbell, M. Casas, B. Niehoff, J. Runge, M. Wagner. 2003. Interannual variation in phytoplankton blooms and zooplankton productivity and abundance in the Gulf of Maine during winter. Mar. Ecol. Prog. Ser. 254: 81-100.
- Durbin, E.G., P. Garrahan, and M.C. Casas. 2000. "Abundance and distribution of *Calanus finmarchicus* on Georges Bank during 1995 and 1996." ICES J. Mar. Sci. 57:1664-1685.
- Durbin, E.G., P. Garrahan, and M.C. Casas. 2000. "Depth distribution of *Calanus finmarchicus* nauplii on Georges Bank durinb 1995 and 1996." ICES J. Mar. Sci. 57:1686-1693.

- Durbin, E.G. 1997. "Zooplankton dynamics of the Gulf of Maine and Georges Bank region." In: G.T. Wallace and E.F. Braasch, eds. <u>Gulf of Maine Ecosystem Dynamics Scientific Symposium and Workshop</u>. RARGOM (Reg. Assoc. Res. Gulf Maine) Report 97-1.
- Durbin, E.G., J.A. Runge, R.G. Campbell, P.R. Garrahan, M.C. Casas and S. Plourde. 1997. "Late fall-early winter recruitment of *Calanus finmarchicus* on Georges Bank." Mar. Ecol. Prog. Ser. 151:103-114.
- Durbin, E.G., P. Garrahan and M.C. Casas. 1997. "Abundance and distribution of zooplankton on Georges Bank 1995 and 1997." ICES CM 1997/T:27.
- Durbin, E.G., P. Garrahan and M.C. Casas. 1997. "Abundance and distribution of zooplankton on Georges Bank 1995 and 1996." Deep Sea Res.
- Ellis, S.L., J.H.W. Hain and R.D. Kenney. 1993. "Sightability of right whales based on dive and respiration patterns observed from a blimp." Tenth Bienn. Conf. Biol. Mar. Mamm.: 44.
- Fischer, G., J. C. Daly, C. W. Recksiek and K.D. Friedland. 1997 "A programmable temperature monitoring device for tagging small fish: A prototype chip development." IEEE Trans. VLSI Sys. 5(4):401-408.
- Fischer, G., J.C. Daly, C.W. Recksiek, K.D. Friedland and C. Yang. 1996. "Design of a programmable temperature monitoring device for tagging small fish." IEEE Proc. ISLPED. Aug., Monterey, CA. p. 319-322.
- Goldman, L., C.A. Mayo, M.K. Marx, T. Smith and L. Mahoney. 1991. "Food patches and habitat suitability in right whale feeding areas in Cape Cod Bay." Abstracts, Ninth Biennial Conf. on the Biol. of Marine Mammals: 27.
- Greene, C.H., A.J. Persing, R.D. Kenney and j.W. Jossi. (submitted)"Effects of climate on the recovery of endangered North Atlantic right whales." Limnology and Oceanography.
- Hain, J.H.W. and R.D. Kenney. 2001. "Distribution and abundance of marine mammals at two proposed east coast shallow-water training range location: Wallops Island, Virginia and Onslow Bay, North Carolina."Final Report, Contract No. N66604-01-M-1847. Naval Undersea Warfare Center Division, Newport, RI. 115 pp.
- Hain, J.H.W., S.L. Ellis, R.D. Kenney and C.K. Slay. 1999. "Sightability of right whales in coastal waters of the southeastern United States with implications for the aerial monitoring program." In: G.W. Garner, S.C. Amstrup, J.L. Laake, B.F.J. Manly, L.L. McDonald, and D.G. Robertson, eds. <u>Marine Mammal</u> <u>Survey and Assessment Methods</u>. A.A.Balkema, Rotterdam, Netherlands. p. 191-207.
- Hamilton, P.K. and C.A. Mayo. 1990. "Population characteristics of right whales *Eubalaena glacialis* observed in Cape Cod and Massachusetts Bays, 1978-1986." Rep. Int. Whal. Comm., Spec. Iss. 12:203-208.
- Higginson, D.R., D.L. Wilkinson, D. Fertl, C. Schroeder, D. Evans, J. Kaskey, K. Knight, R. Crossland, R. Roller, P. Gehring, D. Lee, C. Vaughn, A. Grimes, C. Little, R.C. Moore, R. Nawojchik, R. Rasmussen, T. Biddick, K. Deslarzes, W. Baranhill, P. Trent, A. metzger, P. Knowles, G. Mitchell, E. Phelps and R.D. Kenney. 2001. "Marine Assessment for the Virginia Capes (VACAPES) operating area." Final Report, contract number N62470-95-D-1160, task order number 0030. Department of the Navy, Commander in Chief, U.S. Atlantic Fleet, Norfolk, VA. 468 pp.
- Hinga, K. R. 1992. "Co-occurrence of dinoflagellate blooms and high pH in marine enclosures. "Mar. Ecol. Prog. Ser. 86:181-187.
- Hartman, P.C., J.G. Quinn, J.W. King, S.Tsutsumi and H. Takada. 2000. "Intercalibration of LABs in marine sediment SRM1941a and their application as a molecular marker in Narragansett Bay sediments." Environmental Sci. & Tech. 34(5):900-906.
- Hermsen, J.M., J.S. Collie and P.C. Valentine. 2002. "Effects of fishing activity on scavenging invertebrates on Georges Bank." *In preparation*.

- Hermsen, J.M., J.S. Collie and P.C. Valentine. 2002. "Mobile fishing gear reduced benthic megafaunal production on Georges Bank." *In perparation*.
- Hurd, J. D., D. Civco and P. August. 1992. "Coastal wetland mapping and change detection in the northeastern United States." Proceedings of the American Society for Photogammetry and Remote Sensing - American Congress for Surveying and Mapping Conference, Washington D. C. p. 130-139.
- Incze, L.S., R.A. Wahle and J.S. Cobb. 1997. "Qualitative relationships between postlarval supply and benthic recruitment in lobsters (*Homarus americanus*)." J. Mar. Freshwater Res. 48:729-743.
- Irigoien, X., R. Harris, C. Rey, B. Hansen, E. Durbin, R. Head, and R. Campbell. 2000. "On the determination of the sex ratio in *Calanus*." ICES J. Mar. Sci. 57:1752-1763.
- James-Pirri, M.J. and J.S. Cobb. 1997. "Growth rates of planktonic and newly settled American lobsters (*Homarus americanus*)." Mar. Ecol. Prog. Ser. 160:233-240.
- James-Pirri, M.J., J.S. Cobb and R.A. Wahle. 1998. "The influence of settlement time and size on postsettlement growth in the American lobster (*Homarus americanus*)." Can. J. Fish Aquat. Sci. 55:2436-2446.
- Jossi, J. W. and R. L. Benway. 1991. "Surface and bottom temperatures and surface salinities: Massachusetts to Cape Sable, N.S., and New York to the Gulf Stream, 1990." NAFO SCR Reference Document 91/91, 15 p., Narragansett, Rhode Island.

Kenney, R.D. 2002a. "Future plans for the Chafee Refuge." Narrow River Notes 2002 (fall): 5.

- Kenney, R.D., C.R. Shoop. (Submitted) "Aerial surveys (marine turtles). In: R. McDiarmid, M. Foster, C. Guyer, E. Chernoff, and J.W. Gibbons, eds. <u>Reptile Biodiversity: Standard Methods For Inventory and Monitoring</u>. Smithsonian Institution Press, Washington, DC.
- Kenney, R.D. 2002. "North Atlantic, North Pacific, and southern right whales (*Eubalaena glacialis, E. japonica, and E. australis*)." In: W.F. Perrin, B. Wursig, and H.G.M. Thewissen, eds. <u>Encyclopedia of Marine Mammals</u>. Academic Press, San Diego, CA. pp. 806-813.
- Kenney, R.D. 2002. "Seals: Marine mammals in our front yard." Audubon Society of Rhode Island Report 36(3): 1&7.
- Kenney, R.D. 2001. "Anomalous 1992 spring and summer right whale (*Eubalaena glacialis*) distributions in the Gulf of Maine." J. Cetacean Res. Manage., Special Issue 2: 209-223.

Kenney, R.D. 2001. "The North Atlantic right consortium databases." Maritimes 43 (2): 3-5.

Kenney, R.D., C.H. Greene, A.J. Pershing and J.W. Jossi. 2001. "North Atlantic right whale calving success: Linkages to the North Atlantic Oscillation, oceanographic patterns and prey availability." Fourth Biennial Conference on the Biology of Marine Mammals: 113.

Kenney, R.D. 2001. "A fitting name for new nature center." Audubon Soc. R.I. Rep. 35(3): 3.

Kenney, R.D. 2001. "Defining critical habitat in a critically endangered baleen whale species: the right whale to study?"In: P.G.H. Evans, R. Pitt-Aiken, and E. Rogan, eds. <u>European Research on Cetaceans - 14:</u> <u>Proceedings of the Fourteenth Annual Conference of the European Cetacean Society, Cork, Ireland, 2-5</u> <u>April 2000. European Cetacean Society, Rome, Italy. pp. 37-40.</u>

Kenney, R.D. 2001. "Endpoints: How can sea mammals drink saltwater?" Scientific American 285(1): 99.

Kenney, R.D. 2001. "What's up with those damned fish?" Narrow River Notes 2001. (Summer): 3.

Kenney, R.D., C.A. Mayo and H.E. Winn. 2001. "Migration and foraging strategies at varying spatial scales in western North Atlantic right whales: A review of hypotheses." J. Cetacean Res. Manage., Special Issue 2:251-260. Kenney, R.D. 2000. "Are right whales starving?" Right Whale News 7(2): 1-6.

Kenney, R.D. 2000. "What's wrong with North Atlantic right whales?" Whalewatcher 32(1):1-9.

- Kenney, R.D. 2000 (In Press) "Anomalous 1992 spring and summer right whale (*Eubalaena glacialis*) distributions in the Gulf of Maine." J. Cetacean Res. Manage., Special Issue 2.
- Kenney, R.D. 2000. "Defining critical habitat in a critically endangered baleen whale species: the right whale to study?" Pp. 37-40 in: P.G.H. Evans, R. Pitt-Aiken and E. Rogan (eds). European Research on Cetaceans - 14: Proceedings of the Fourteenth Annual Conference of the European Cetacean Society, Cork, Ireland, 2-5 April 2000. European Cetacean Society, Rome, Italy.

Kenney, R.D. 2000. "Living in the watershed.: Narrow River Notes 2000 (Fall): 1,5.

- Kenney, R.D. 1998. "Anomalous 1992 spring and summer right whale (*Balaena glacialis*) distributions in the Gulf of Maine: Local effects of global-scale changes." IWC Scientific Committee Mtg. Doc. SC/M98/RW30. International Whaling Commission, Cambridge, UK.
- Kenney, R.D. 1998. "Rarity in North Atlantic right whales: Is there a natural component?" IWC Scientific Committee mtg. document SC/M98/RW29. International Whaling Commission, Cambridge, UK.
- Kenney, R.D. 1997. "Right whale distribution and migratory patterns." In: A.R. Knowlton, S.D. Draus, D.F. Meck, and M.L. Mooney-Seus, eds. <u>Shipping/Right Whale Workshop</u>. New England Aquarium, Boston, MA. New England Aquarium Aquatic Series Report 97-3:37-51.
- Kenney, R.D. 1997. (In Press) "Sei whale (*Balaenoptera borealis*) Lesson, 1828." In: T.W. French and J.E. Cardoza, eds. <u>Rare and Endangered Vertebrates of Massachusetts</u>. Massachusetts Division of Fisheries and Wildlife, Massachusetts Audubon Society, Boston, MA.
- Kenney, R.D., G.P. Scott, T.J. Thompson, and H.E. Winn. 1997. "Estimates of prey consumption and trophic impacts of cetaceans in the U.S. northeast continental shelf ecosystem." J. Northw. Atlantic Fish. Sci. 22:155-171.
- Kenney, R.D. 1994. "Shifts in fish stocks impact dolphins, whales." Maritimes 37(1):7-10.
- Kenney, R.D., H.E. Winn, and M.C. Macaulay. 1995. "Cetaceans in the Great South Channel, 1979-1989: Right whale (Eubalaena glacialis)." Cont. Shelf Res. 15:385-414.
- Kenney, R.D. 1993. "Anomalous distributions of right whales (*Eubalaena glacialis*) in the Gulf of Maine in 1992: An effect of global-scale changes." Tenth Bienn. Conf. Biol. Mar. Mamm.: 66.
- Kenney, R.D. and S.D. Kraus. 1993. "Right whale mortality: a correction and an update." Mar. Mamm. Sci. 9(4): 445-446.
- Kenney, R.D. 1992. "Right whales in the Great South Channel, 1975-1991" and "Western North Atlantic right whales: abundance and trends from Great South Channel aerial surveys." In: J. Hain, ed. <u>The Right Whale in the Western North Atlantic: A Science and Management Workshop</u>, 14-15 April 1992, Marine Mammal Investigation, Conservation and Utilization Div., NEFSC, NMFS, Woods Hole, MA. NEFSC Ref. Doc. 92-05:16-19 / Doc. 92-05:47-49.
- Kenney, R.D. and H.E. Winn. 1992. "Pattern and variation in the distribution of the northern right whale (*Eubalaena glacialis*) in the southern Gulf of Maine." In: J. Wiggin and C.N.K. Mooers, eds.
   <u>Proceedings of the Gulf of Maine Scientific Workshop, Woods Hole, MA</u>. 8-10 Jan. 1991. Gulf of Maine Council on the Marine Environment, Urban Harbors Institute, Univ. of Mass., Boston, MA. 263 p.

Kenney, R.D. 1991. "Western North Atlantic right whale population trends." Whalewatcher 25(3):16-17.

Knowlton, A.R., J. Beaudin-Ring, R.D. Kenney and B.A. Russell. 2002. "GIS Presentation of Survey Tracklines, Right Whale Sightings, and Right Whale Movements: 1978-2000." Report to the International Rund for Animal Welfare. New England Aquarium, Boston, MA 109 pp.

- Knowlton, A.R., J. Beaudin-Ring, R.D. Kenney and B. Russell. 2000. "Right whale distribution and survey effort in the Great South Channel, Gulf of Maine, and southern New England." Abstracts, Right Whale Consortium Meeting 2000.
- Knowlton, A.R., S.D. Kraus and R.D. Kenney. 1994. "Reproduction in North Atlantic right whales (*Eubalaena glacialis*)." Can. J. Zool. 72(7):1297-1305.
- Knowlton, A.R., J. Sigurjonsson, J.N. Ciano and S.D. Kraus. 1992. "Long distance movements of North Atlantic right whales (*Eubalaena glacialis*)." Mar. Mamm. Sci. 8(4):397-405.
- Kraus, S.D., P.K. Hamilton, R.D. Kenney, A.R. Knowlton and C.K. Slay. 2001. "Reproductive parameters of the North Atlantic right whale." J. Cetacean Res. Manage., Special Issue 2:231-236.
- Kraus, S.D., A.R. Knowlton, and C.K. Slay. 1992. "Right whales off the southeastern United States." In: J. Hain, ed. <u>The Right Whale in the Western North Atlantic: A Science and Management Workshop</u>. Northeast Fish. Sci. Cent. Ref. Doc. 92-05:13-15.
- Kraus, S.D., R.D. Kenney and A.R. Knowlton. 1991. "North Atlantic right whales in the southeastern United States: 1984-1991." Abstracts, Ninth Biennial Conference on the Biology of Marine Mammals: 40.
- Kraus, S.D. and R.D. Kenney. 1991. "Information on right whales (*Eubalaena glacialis*) in three proposed critical habitats in U.S. waters of the western North Atlantic Ocean." Report no. T-75133740. U.S. Marine Mammal Commission, Washington, D.C. 71 p.

Kraus, S.D. 1991. The North Atlantic right whale. Whalewatcher 25(3):6-10.

- Kraus, S.D. 1990. "Rates and potential causes of mortality in North Atlantic right whales (*Eubalaena glacialis*)." Mar. Mamm. Sci. 6(4):278-294.
- Lough, R.G., E.M. Caldarone, T.K. Rotunno, E.A. Broughton, B.R. Burns and L.J. Buckley. 1996. "Vertical distribution of cod and haddock eggs and larvae, feeding and condition in stratified and mixed waters on southern Georges Bank, May 1992." Deep Sea Research 43:1875-1904.
- Magnuson, A. and D.R. Kester. (In Prep.) "Time-series analysis of chemical and physical variability near the mouth of Narragansett Bay, Rhode Island." J. Geophys. Research.
- Magnusson, G. and J.L. Anderson. 1999. "Progress in bioeconomic evaluation of the Milford laboratory scallop nursery recirculating system." Abstract presentation , 19th Milford Aquaculture Seminar, Milford, CT., J. of Shellfish Res. 18(1): 273.
- Maranda, L., C. Chan and C. Martine. 1999. "Prorocentrum lima (*Dinophyceae*) in waters of the Great South Channel near Georges Bank." J. Phycol. 35(6): 1158-1161.
- Martinez-Garmendia, J., J.L. Anderson and M.T. Carroll. (Submitted) "Effect of harvesting alternatives on the quality of U.S. North Atlantic bluefin tuna." North American J. Fisheries Mgt.
- Mayo, C.A. and L.A. Goldman. 1991. "Right whale foraging decisions at the patch margin." Abstracts, Ninth Biennial Conference on the Biology of Marine Mammals: 45.
- Mayo, C.A. and M.K. Marx. 1990. "Feeding behavior of northern right whales (*Eubalaena glacialis*) in Cape Cod Bay, and associated zooplankton characteristics." Can. J. Zool. 68: 2214-2220.
- McGillicuddy, D.J. Jr., D.R. Lynch, P. Wiebe, J. Runge, E.G. Durbin, W.C. Gentleman, C.S. Davis. 2001. "Evaluating the synotpticity of the US GLOBEC Georges Bank broad-scale sampling pattern with

observational system simulation experiments." Deep Sea Research II 48:483-499.

- McNamara, P.T. and L.J. Buckley. 1994. "Identification and characterization of metallothionein cDNA from mRNA transcripts induced by starvation in Atlantic cod (*Gadus morhua*)." Molecular Mar. Biol. and Biotech. 3:252-260.
- Merson, R.R., C.S. Casey, B. Soffientino, C. Martinez, M. Chandlee and J.L. Specker. (In Review) "Oocyte development in summer flounder (*Paralichthys dentatus*): Seasonal changes and steroid correlates." Journal Fish Biol.
- Miller, J.H., R. Gampert, D.C. Potter and K. Lashkari. 1997. "Passive acoustic tracking of echolocating harbor porpoises (*Phocoena phocoena*): I. Methodology and results." J. Acoust. Soc. Am. 102(5): 3212.
- Mitchell, G.H., R.D. Kenney, A.M. Farak, R.H. Campbell. 2002. "Evaluation of occurrence of endangered and threatened marine species in naval ship trail areas and transit lanes in the Gulf of Maine and offshore of Georges Bank." NUWC-NPT Technical Memo No. 02-121. naval Undersea Warfare Center Division, Newport, RI . 122 pp.
- Ohman, M.D., J.A. Runge, E.G. Durbni, D.B. Field, B. Niehoff. (Submitted) "On birth and death in the sea." Hydrobiologia.
- Peck, M.A. and D.A. Bengston. (Submitted) "The effects of temperature and body size on the colitional swimming velocity of laboratory-reared, juvenile Atlantic cod (*Gadus morhua*)." J. Fish Biol.
- Peck, M.A., L.J. Buckley, E.M. Caldarone, and D.A. Bengtson. (Submitted) "Effects of feeding level and tempearture on growth and RNA;DNA in age-0 juvenile Atlantic cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*)." Mar. Ecol. Prog. Ser.
- Peck, M.A. and D.A. Bengtson. (Submitted) "The effects of body size and temperature on energy losses due to routine and feeding metabolism in early juvenile Atlantic cod (*Gadus marhua*)." Can. J. Fish. Aquat. Sci.
- Peck, M.A. and D. A. bengtson. (Submitted) "Effect of temperature on the metabolic losses due to routine and feeding metabolism in age-0 juvenile haddock, *Melanogrammus aeglefinus*." J. Exp. Mar. Biol. Ecol.
- Peck, M.A. and D.A. Bengtson. (Submitted) "Inter-individual differences in metabolism and growth rate in early juvenile Atlantic cod (*Gadus morhua*). J. Fish Biol.
- Peck, M.A., L.J. Buckley and D.A. Bengtson. (Submitted) "Effects of temperature and body size on the volitional swimming velocity of juvenile Atlantic cod (*Gadus morhua*). Environmental Biol. Fishes.
- Potter, D.C., J.M. Quintal, J.H. Miller, R. Gampert and K. Lashkari. 1997. "Passive acoustic tracking of echolocating harbor porpoises (*Phocoena phocoena*): I. Fisheries management requirements and biological basis." J. Acoust. Soc. Am. 102(5): 3212.
- Raposa, K.B. and C.T. Roman. 2000. "Using gradients of tidal restriction to predict nekton community responses to salt marsh restoration." Estuaries.
- Rees. D.R., J. Coyle, C. Ross, S. LaBak, K. Vigness Raposa, J.H.W. Hain, R.D. Kenney. 2002. "Estimation of marine mammal and sea turtle densities in the VACAPES operating area." Department of the Navy. Technical report, contract number N62477-00-D-0159 CTO 009. Naval Facilities Engineering Command, Norfolk, VA.
- Rees, D.R., J. Coyle, C. Ross, S. LaBak, K. Vigness Raposa, J.H.W. Hain, R.D. Kenney. 2002. "Estimation of marine mammal and sea turtle densities in the Cherry Point operating area." Department of the Navy. Technical Report, contract number N62477-00-D-0159 CTO 009. Naval Facilities Engineering Command, Norfolk, VA.

Rees, D.R., J. Coyle, C. Ross, S. LaBak, K. Vigness Raposa, J.H.W. Hain, R.D. Kenney. 2003. "Estimation of

marine mammal and sea turtle densities in the Charleston-Jacksonville operating area." Department of the Navy. Technical Report, contract number N62477-00-D-0159 CTO 009. Naval Facilities Engineering Comman, Norfolk, VA.

- Reeves, R.R. and R.D. Kenney. (In Press). "Baleen whales: right whales, *Eubalaena* spp., and allies." In: G.A. Feldhamer, B.C. Thompson and J.A. Chapman, eds. <u>Wild Mammals of North America: Biology</u>, <u>Management</u>, and Economics, second edition. Johns Hopkins University Press, Baltimore, MD.
- Roman, C.T., K.B. Raposa, S.C. Adamowicz, M.J. James-Pirri and J.G. Catena. 2000. (Submitted) "Quantifying vegetation and nekton response to tidal restoration of a New England salt marsh." Restoration Ecology.
- Rountree, R.A., P.J. Perkins, R.D. Kenney, and K.R. Hinga. 2001. "Sounds of western North Atlantic fishes data rescue." In: <u>Fish Bioacoustics: Sensory, Biology, Behavior, and Practical Applications</u>, conference abstracts.
- Rountree, R.A., P.J. Perkins, R.D. Kenney, and K.R. Hinga. 2001. "Sounds of western North Atlantic fishes." Abstracts, 81st Annual Meeting of the American Society of Ichthyologists and Herpetologists and 17th Annual Meeting of the American Elasmobranch Society, 2001.
- Ruckdeschel, C.A., C.R. Shoop, R.D. Kenney. (Submitted) "On the sex ratio of juvenile *Lepidochelys kempii*." Chelonian Conservation and Biology.
- Schroeder, C.L. and R.D. Kenney. 2001. "Harbor seals, *Phoca vitulina*, in Rhode Island, USA waters." Fourteenth Biennial Conference on the Biology of Marine Mammals: 191, 2001.
- Ruhsam, C. M. 1992. "Report of water masses receiving wastes from ocean dumping at the 106-mile dumpsite January 1, 1991 through December 31, 1991." Narr., Rhode Island. NEFSC Ref. Doc. 92-04, 5 p.
- Ruhsam, C. M. 1991. "Report of water masses receiving wastes from ocean dumping at the 106-mile dumpsite January 1, 1990 through December 31, 1990." Narr., Rhode Island. NEFSC Ref. Doc. 91-02, 5 p.
- Runge, J., E.G. Durbin, S. Plourde and Y. Gratton. 1997. "Spatial and temporal variation in egg production of *Calanus finmarchicus* on Georges Bank: Implications for the productivity of prey of cod and haddock larvae." ICES CM 1997/T:49.
- Sano, M. and J. J. Bisagni. 1990. "Satellite observations of short time scale sea surface temperature variability on southern Georges Bank." 71(43): 1407 Narragansett, RI.
- Slay, C.K., C. Emmons, E. LaBreque, A. Windham-Reid, M. Zani, S.D. Kraus, and R.D. Kenney. 2001. "Early warning system 1994-2001: Aerial surveys to reduce ship/whale collisions in the North Atlantic right whale calving ground." Final Report. Nationals Marine Fisheries Service, Southeast Fisheries Science Center, Charleston, SC. 35 pp.
- Smith, T.D., R.B. Griffin, J.G. Casey and G. Waring. (In prep.) "Multispecies approaches in support of management of large marine predators." In: K. Sherman, ed. <u>Northeast Shelf Ecosystem: Stress</u>, <u>Mitigation, and Stability</u>.
- Smith, T.D., R.B. Griffin, G.T. Waring and J.G. Casey. 1996. "Multispecies approaches to management of large marine predators." In: K. Sherman, N.A. Jaworski and T.J. Smayda, eds. <u>The Northeast Shelf</u> <u>Eco-system: Assessment, Sustainability, and Management</u>. Blackwell Science, Cambridge, MA. p. 467-490.
- Smith, T.D., C.A. Mayo and M.K. Marx. 1991. "How crooked is a right whale's path?" Abstracts, Ninth Biennial Conference on the Biology of Marine Mammals: 65.

Taylor, D.L., J.S. Collie. (In review) "A temperature-dependent model of sand shrimp predation on juvenile

winter flounder." Can. J. Fish. Aqua. Sci.

- Wagner, M., L.J. Buckley, A. Durbin and T. Durbin. 1998. "RNA:DNA ratios as indicators of nutritional condition in the copepod *Calanus finmarchicus*." Mar. Ecol. Prog. Ser. 162:173-181.
- Weinrich, M.T., R.D. Kenney and P.K. Hamilton. 2000. "Right whales (*Eubalaena glacialis*) on Jeffreys Ledge: A habitat of unrecognized importance?" Mar. Mamm. Sci. 16:326-337.
- Waring, G. T., C.P. Fairfield, C.M. Ruhsam and M. Sano. 1992. "Cetaceans associated with Gulf Stream features off the northeastern USA shelf." Mar. Mammal Comm., Ref. C, Narragansett, Rhode Island. ICES C. M. 1992/N:12: 29 p.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam and M. Sano. (Submitted) "Sperm whales associated with Gulf Stream features off the northeastern USA shelf." Fish. Oceanography.
- Winn, H.E. 1992. "Right whale research in the western North Atlantic: History, status, and future." In: J. Hain, ed. <u>The Right Whale in the Western North Atlantic: A Science and Management Workshop</u>, 14-15 April 1992, Silver Spring, Maryland. Marine Mammal Investigation, Conservation and Utilization Division, NEFSC, NMFS, Woods Hole, MA. NEFSC Ref. Doc. 92-05:3-4.
- Winn, H.E., J.D. Goodyear, R.D. Kenney and R.O. Petricig. 1995. "Diving patterns of tagged right whales in the Great South Channel." Cont. Shelf Res. 15:593-611.

### Appendix II. Recent CMER Supported Presentations

Ashjian, C. "Input of *Calanus finmarchicus* into the Gulf of Maine through the Northeast Channel. TASC Symposium. Tromso, Norway. 1999.

Bradley, M., C. LaBash, B. Somers, K. Castro. "Lobster migration and movement in Narragansett Bay, RI, USA" Poster Presentation. ESRI Conference. August 2002.

Campbell, R., J.A. Runge, and E. Durbin. "Growth, molting, and egg production rates of *Calanus finmarchicus* on Georges Bank: evidence for food limitation." AGU/ASLO Ocean Sciences Mtg. San Diego, Feb. 1998.

Casey, C.S., B. Soffientino, C. Martinez, M. Terceiro, F. Almeida, and J. Specker. "Maturity status in female summer flounder: 1996-1997." Won best student paper presentation. American Fisheries Society, Southern New England Chapter. Woods Hole, MA, June 1997.

Casey, C.S., R.R. Merson, B. Soffientino, C. Martinez, M. Terceiro, F. Almeida, and J.L. Specker. "Length-atmaturity of summer flounder (*Paralichthys dentatus*)." Estuarine Research Federation. Providence, Rhode Island, October 1997.

Castro, K.M., J.S. Cobb, R.A. Wahle, and J. Catena. "Home for the homeless or just passing through?" American Fisheries Society Annual Mtg., Charlotte, N.C., Aug. 1999.

Castro, K.M., J.S. Cobb, R.A. Wahle, and J. Catena. "Progress on RI artificial reef project for lobsters." Narragansett Bay 2000 Summit. Jan. 2000.

Cho, Jung-Hee and J.M. Gates. "The benefits from Korean-Japanese cooperative management of transnational fishery resources." Proceedings, Korean-American Forum, Univ. of RI, RIAES Contribution No. 3747, June 1999.

Cho, Jung-Hee and J.M. Gates. "Environmental factors and natural resource stock: Atlantic herring case." Proceedings, International Institute of Fisheries Economics and Trade, Oregon State Univ., Corvallis, Oregon, 2000.

Cho, Jung-Hee, J.M. Gates, P. Logan, and A. Kitts. "The opportunity cost of ecosystem reserves for herring in the Northeast Large Marine Ecosystem." Proceedings, 1<sup>st</sup> Workshop on Social and Economic Dimensions of Large Marine Ecosystems, Alton Jones Campus, Univ. of RI, RIAES Contribution No. 3811, Feb. 2000.

Cobb, J.S. "Recruitment strategies in lobsters." Biology at Noon, Graduate School of Oceanography, University of Rhode Island, Narragansett, RI, Nov. 1997.

Cobb, J.S. and K.M. Castro. "An artificial reef for lobsters in Rhode Island, USA." Magdalen Islands, Canada, October 1997.

Cobb, J.S. "Oceanic processes in recruitment dynamics." Fifth International Workshop on Lobster Biology, Queenstown New Zealand, February 1997.

Cobb, J.S. "Decapod recruitment strategies: A comparison." Universidad Nacional Autonoma de Mexico, Estacion Puerto Morelos, Mexico, June 1997.

Cobb, J.S. and K.M. Castro. "The role of artificial reefs for lobster - enhancement or redistribution?" American Fisheries Society, Southern New England Chapter Mtg., Jan. 1998.

Cobb, J.S. "Early life history and recruitment strategies in lobsters." CEFAS Fisheries Laboratory, Lowestoft, England, June 1998.

Collie, J. "Scraping the bottom: Impacts of bottom fishing on benthic megafauna on Georges Bank." Danish Institute for Fisheries Research, Howard laboratory, Sandy Hook, NJ, December 1998 and Charlottenlund, Denmark, Oct. 1999.

Collie, J. "Studies in New England." Conference of Fishing Gear Effects on the Sea Floor of New England, Ashland, MA, May 1997.

Collie, J. "Impacts of bottom fishing on the benthic megafauna of a gravel habitat." Annual Mtg. of the Society for Conservation Biology, Victoria, B.C., June 1997 and NOAA CMER Symposium, Falmouth, MA, Mary 1999.

Collie, J.S., S.J. Hall, M.J. Kaiser, and I.R. Poiner. "Are fishing effects on shelf-sea benthos clear-cut?" American Fisheries Society, Alaska Chapter Annual Meeting, Fairbanks, AK, November 2000.

Collie, J.S. and P. Valentine. "Effects of bottom fishing on gravel habitats of Georges Bank." American Fisheries Society, Alaska Chapter Annual Meeting, Fairbanks, AK, November 2000.

Collie, J.S., S.J. Hall, M.J. Kaiser, and I.R. Poiner. "Effects of mobile fishing gear on shelf-sea benthos". 2nd Sympposium and Marine Conservation Biology, San Francisco, CA., June 2001.

Cornillon, P., G. Flierl, J. Gallagher, G. Milkowski, and R. Nedovei. "Using matlab as a client interface to the distributed oceanographic data system." Fifth Scientific Mtg. of The Oceanography Society (TOS), Seattle, WA, April 1997.

Cornillon, P. "The distributed oceanographic data system: DODS current capabilities and development update." Fifth Scientific Mtg. of The Oceanography Society, Seattle, WA, April 1997.

Durbin, E.G., J. Runge, R. Campbell, P. Garrahan, M. Casas, T. Rotunno, S. Plourde. "Late Fall-early winter recruitment of *Calanus finmarchicus* on Georges Bank." AGO/ASLO Ocean Sciences Meeting, San Diego, Feb. 1996.

Durbin, E.G. "Zooplankton dynamics of the Gulf of Maine and Georges Bank region." Regional Association of the Gulf of Maine, Gulf of Maine Ecosystem Dynamics Scientific Workshop, St. Andrews, New Brunswick, Sept. 1996.

Durbin, E.G. "Abundance and distribution of *Calanus finmarchicus* on Georges Bank during 1995." TASC Annual Mtg., Copenhagen, January 1997.

Durbin, E.G., P. Garrahan, and M. Casas. "Abundance and distribution of zooplankton on Georges Bank during 1995." ASLO Aquatic Sciences Mtg., Santa Fe, NM, February 1997.

Durbin, E.G., R. Campbell, and J.A. Runge. "Food limitation of *Calanus finmarchicus* production rates on Georges Bank." AGU/ASLO Ocean Sciences Mtg. San Diego, Feb. 1998.

Durbin, E.G. "Life history patterns of *Calanus finmarchicus* in the NW Atlantic." TASC Symposium. Tromso, Norway. 1999.

Durbin, E.G., M.C. Casas, R.G. Campbell, M.A. Wagner, J.A. Runge, B. Niehoff. "Calanus finmarchicus abundance, egg production and growth rates in the Gulf of Maine during winter." Ocean Sciences 2000, San Antonio, TX. 2000.

Durbin, E.G., M. Casas, J. Pierson. "Interannual variability of *Calanus finmarchicus* on Georges Bank and in the Gulf of Maine: Results from the GLOBEC study." ASLO 2000, Copenhagen, 2000.

Durbin, E.G., M.Casas. "Interannual variability of zooplankton on Georges Bank and in the Gulf of Maine: Results from the GLOBEC study." 3rd International Zooplankton Production Symposium. Gijon, Spain. May, 2003

Fischer, G. and B.W. Watkins. "A programmable temperature monitoring device for tagging small fish." Sensor and Surface Technology (SST) Seminar, University of Rhode Island, Kingston, RI, Mar. 1997.

Fischer, G., J.C. Daly, C.W. Recksiek, K.D. Friedland, B. Watkins, S. Lee and D. Hyun. "A data logging device for fish habitat observation." Proc. of CMOC 1998. Hartford, CT. March 1998.

Fischer, G. and S. Lee. "Monolithic temperature sensors." URI Partnership for Sensor & Surface Technology, Seminar Series, Kingston, RI, Mar. 1999.

Garrahan, P., E. Durbin, and M. Casas. "Abundance and distribution of hydroids on Georges Bank, 1995-1997." AGU/ASLO Ocean Sciences Mtg. San Diego, Feb. 1998.

Gates, J.M. and P. Logan. "Fishery conservation and development permits for the Atlantic herring fishery." A proposal to the Atlantic States Marine Fisheries Commission Herring Technical Committee, RIAES Contribution No. 3613, 1998.

Hermsen, J.M., J.S. Collie, and P.C. Valentine. "Trapped on Georges Bank: impact of habitat disturbance on epibenthic invertebrates." Poster received an 'honorable mention' at the Amer. Fish. Society, Hartford, CT, 1998 and ICES/SCOR Symposium on the Ecosystem Effects of Fishing, Montpellier, France, March 1999.

Hermsen, J.M. "Trapping epibenthic scavenging invertebrates on Georges Bank to investigate the effects of disturbance by mobile fishing gear." Student Seminar, Graduate School of Oceanography, University of Rhode Island, Narragansett, RI, Nov. 1999.

Hermsen, J.M., J.S. Collie, and P.C. Valentine. "Ecosystems effects of fishing." Poster presented at the ICES/SCOR Symposium, Montpellier, France, March 1999.

Hermsen, J.M., J.S. Collie, and P.C. Valentine. "Effects of mobile fishing gear on epibenthic scavenging invertebrates on Georges Bank." American Fisheries Society, Southern New England Chapter meeting, June 2001.

Irigoien, X., R.P. Harris, C. Rey, B. Hansen, E.G. Durbin, R.N. Head and R. Campbell. "On the determination of sex ratio in the genus *Calanus*." TASC Symposium. Tromso, Norway. 1999.

James-Pirri, M.J. Catena, C.T. Roman, K.B. Raposa, and S. Adamowicz. "Restoration of tidal flow to the Sachuest Point salt marsh, Middletown, Rhode Island -- Preliminary results." (Poster Presentation) 15th Biennial International Conference of the Estuarine Research Federation. New Orleans, Louisiana, Sept. 1999.

Kenney, R. "Right whale distribution and migratory patterns." Workshop on mitigating right whale mortalities from collisions with ships, New England Aquarium, Boston, MA, April 1997.

Kenney, R. "Right whales in the North Atlantic: Conserving the world's most endangered whale." Explorations: Living on the Edge seminar, URI Office of Marine Programs, Rhode Island Environmental Education Assn., and Rhode Island Geography Education Alliance, Narragansett, RI, Oct. 1997.

Kenney, R. "Preliminary predictive modeling of movement patterns of right whales in Cape Cod Bay" and "Right whales and global climate change." N. Atlantic Right Whale Consortium, N E Aqua., Boston, MA, November 1997.

Kenney, R. "A review of right whale habitat studies in the Great South Channel." Symposium and Workshop: Predicting Right Whale Distribution, National Marine Fisheries Service, NEFSC, Woods Hole, MA. October 1998.

Kenney, R. "Sightings-per-unit-effort (SPUE) analyses of right whale distributions off the southeastern United States." North Atlantic Right Whale Consortium Annual Mtg., Boston, MA. October 1998.

Kenney, R. "North Atlantic right whale calving success: Linkages to the North Atlantic oscillation, oceanographic patterns, and prey availability." Fourteenth Biennial Conference on the Biology of Marine Mammals, Vancouver, BC, Canada. December 2001.

Kenney, R. "Dolphins of southern New England." Part of a fund-raising event with a special presentation of *Dolphins*, Audubon Society of Rhode Island, Feinstein IMAX Theater, Providence, RI, February 2003.

Kenney, R., "Linking climate (ENSO & NAO) to North Atlantic right whale reproduction." Bowhead/Right Whale Comparative Health and Physiology Workshop, New England Aquarium, Boston, MA, March 2003.

Klein-MacPhee, G., B.K. Sullivan, D. Van Keuren, E. Horgan, E. Klos. "Mortality of larval cod related to predation by the hydroid (*Clytia gracilis*) on Georges Bank." ICES CM 1997/T:03.

Macy, W. "Utility of statolith parameters to estimate age in *Loligo* squid." Recent Developments in Otolith Research, Bergen, Norway, June 1998.

Mavor, T.P. and J.J. Bisagni. "Tidal variability of SST frontal focations on Georges Bank, 1986-1989." Presentation and poster, 1997 U.S. GLOBEC Scientific Investigators' Mtg., Woods Hole, MA, July 1997.

Mavor, T.P. "Remote sensing applications to the Northwest Atlantic and Georges Bank Region." NSF sponsored workshop on Information Technologies for Spatial Analysis in Global Change Research. Boston, MA, Nov. 1997.

Mavor, T.P. and J.J. Bisagni. "Sea surface temperature fronts in the Georges Bank Region." Ocean Sciences Mtg., San Diego, CA, Feb. 1998.

Mavor, T.P. "Variability of sea surface temperature fronts in the Georges Bank Region." Center for Marine Science and Technology, University of Massachusetts, Dartmouth, MA, Feb. 1998.

Menendez, J., K. Castro, B. Somers, T. Racine, and J. Catena. "Effects of V-notching and tagging on the American lobster (*Homarus* americanus) at various molt stages." AFS SNEC Meeting, January 2002.

Merson, R.R., C.S. Casey, B. Soffientino, C. Martinez, M. Chandlee, and J.L. Specker. "Reproductive status of wild-caught female summer flounder." 6th International Symposium on Reproductive Physiology of Fish, Bergen, Norway, July 1999.

Ohman, M.D., E. Durbin, and J.A. Runge. "Density dependence of instantaneous mortality rates of *Calanus finmarchicus* on Georges Bank." AGU/ASLO Ocean Sciences Mtg. San Diego, Feb. 1998.

Ohman, M.D., K. Eiane, J.A. Runge, E.G. Durbin, and S.N. Wood. "TASCM-Trans-Atlantic studies of *Calanus finmarchicus* mortality: rates and reasons." TASC Symposium. Tromso, Norway. 1999.

Ohman, M.D., K. Eiane, E.G. Durbin, J.A. Runge, H.-J. Hirche. "A comparative study of *Calanus finmarchicus* mortality patterns in five localities in the North Atlantic." 3rd International Zooplankton Production Symposium. Gijon, Spain. May 2003.

Oviatt, C. and G. Ellis. "Demise of the winter-spring bloom?" Estuarine Research Federation 16th Biennial Conference, St. Petersburg, FL., November 2001.

Perry, R.I., H.P. Batchelder, S. Chiba, E.G. Durbin, W. Greve, D.L. Mackas, H.M. Verheye."Identifying global asynchronies in marine zooplankton populations: issues and opportunities." 3rd International Zooplankton Production Symposium. Gijon, Spain. May, 2003.

Raposa, K.B. and C.T. Roman. "Quantifying nekton habitat use in three southern New England salt marshes undergoing restoration." Rhode Island Natural History Survey, 4th Annual Conference. Kingston, RI, Jan. 1998.

Raposa, K.B., C.T. Roman, and S. Adamowicz. "Early ecological responses to restoration of a tidally restricted salt marsh (Sachuest Point, RI)." New England Estuarine Research Society. Halifax, Nova Scotia, Canada, May 1999.

Raposa, K.B. and C.T. Roman. "Nekton utilization of New England salt marsh habitats under tidally restricted and restoring conditions." Estuarine Research Federation 15th Biennial Inter. Conf. New Orleans, LA, Sept. 1999.

Roman, C.T., K.B.Raposa, S. Adamowicz, M. James-Pirri, and J. Catena. "Salt marsh restoration in Narragansett Bay: An example from Sachuest Point." Narragansett Bay 2000 Symposium. Narragansett, RI, Jan. 2000.

Roman, C.T. "The hydrology and ecology of tide restricted marshes." Symposium on Restoration of Salt Marshes - Science and Management. Office of Long Island Sound Programs, Connecticut Dept. of Env. Protection. New London, CT, Jan. 1999.

Runge, J., S. Plourde, and E. Durbin. "Spatial and temporal variation in *Calanus finmarchicus* recruitment on Georges Bank." TASC Annual Mtg., Copenhagen, January 1997.

Runge, J., E.G. Durbin, S. Plourde, and Y. Gratton. "Spatial and temporal variation in egg production of *Calanus finmarchicus* on Georges Bank: Implications for the productivity of prey of cod and haddock larvae." ICES CM 1997/T:49.

Runge, J., E.G. Durbin, S. Plourde, and Y. Gratton. "Spatial and temporal variation in egg production of *Calanus finmarchicus* on Georges Bank: Implications for the productivity of prey of cod and haddock larvae." AGU/ASLO Ocean Sciences Mtg. San Diego, Feb. 1998.

Runge, J. A., Quinlan, E.G. Durbin, L. Incze, G. Lough, J. Manning, D. Mountai, B. Niehoff, S. Plourde, and F. Werner. "The effect of spatial and temporal variations zooplankton concentrations on larval cod growth and survival on Georges Bank: a sensitivity analysis based on modeling and observations." ICES CM 2000/M.

Runge, J.A., F.E. Werner, E.G. Durbin, J.A. Quinlan, K. Pehrson-Edwards, R.G. Lough, L.J. Buckley, S. Plourde, M.D. Ohman. "The effect of spatial and temporal variation in zooplankton concentrations on larval cod growth on Georges Bank: A comparison of two years based on modeling and observations." 3rd International Zooplankton Production Symposium. Gijon, Spain. May, 2003.

Somers, B. "Lobster studies in Rhode Island - Monitoring the North Cape Lobster Restoration Project 2002-2002" Poster Presentation. Fish Expo. October 2002.

Sullivan, B.K., J. Williams, D. Van Keuren, R.G. Lough, and J. Manning. 1997. "Abundance and distribution of planktonic hydroids with respect to larval fish and hydrographic features on Georges Bank." ICES CM 1997/T:02.

Sullivan, B.K., G. Klein-MacPhee, J. Williams, D. Van Keuren, R.G. Lough, J. Manning. "Planktonic hydroids on Georges Bank (1993-1997): Hydrographic factors influencing abundance, distribution, and impacts on larval fish." AGU/ASLO Ocean Sciences Mtg. San Diego, Feb. 1998.

Taylor, D.L. "Evidence of sand shrimp predation on juvenile winter flounder from three northwestern Atlantic estuaries" Southern New England Chapter American Fisheries Society Meetin, Bristol, RI. June 2002.

Taylor, D.L. "Detecting juvenile flounder in the stomachs of invertebrate predators with the <u>O</u>uchterlony immunoassay." New England Estuarine Research Society Meeting, Bar Harbor, ME. May 2002.

Ullman, D., T.P. Mavor, J.J. Bisagni, and P. Cornillon. "Temporal variability in the strength and location of SST fronts on the continental shelf off the U.S. East Coast." Poster at the Gordon Research Conference on Coastal Ocean Circulation, New London, NH, June 1997.