


Water Resources Data Washington Water Year 2005

By R.A. Kimbrough, G.P. Ruppert, W.D. Wiggins, R.R. Smith, and D.L. Kresch

Water-Data Report WA-05-1



Prepared by the Washington Water Science Center, Tacoma, Washington,
in cooperation with the State of Washington and with other agencies

U.S. Department of the Interior
U.S. Geological Survey



U.S. Department of the Interior
Gale A. Norton, Secretary

U.S. Geological Survey
P. Patrick Leahy, Acting Director

2006

U.S. Geological Survey
Information Services
Box 25286, Denver Federal Center
Denver, Colorado 80225

U.S. Geological Survey
Washington Water Science Center
1201 Pacific Avenue, Suite 600
Tacoma, Washington 98402
(253) 428-3600

Information about the USGS, Washington Water Science Center is available on the Internet at <http://wa.water.usgs.gov/>

Information about all USGS reports and products is available by calling 1-888-ASK-USGS or on the Internet via the World Wide Web at <http://www.usgs.gov/>

Additional earth science information is available by accessing the USGS home page at <http://www.usgs.gov/>

Suggested citation:

Kimbrough, R.A., Ruppert, G.P., Wiggins, W.D., Smith, R.R., and Kresch, D.L., 2006, Water Resources Data, Washington, Water Year 2005, WA-05-1: U.S. Geological Survey Annual Data Report 2005, 825 p.

PREFACE

This volume of the annual Washington hydrologic data report is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources.

The report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data, and who edited and assembled the reports. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Geological Survey policy and established guide-lines, the following individuals contributed significantly to the collection, processing, and tabulation of the data:

Rodger M. Adkins	Johnna L. Higgins	Virginia F. Renslow
Douglas G. Call	John E. Jern	Bobbie Jo Richey
Ronald P. Collins	Gregory B. Justin	Dennis R. Saunders
Dwight D. Copeland	Kevin F. Kirlin	Galen J. Schuster
Robert W. Crist	Richard L. Kittelson	James J. Schwartzenberger
Christopher A. Curran	Scott M. Knowles	Russell E. Sherman
Doug O. Cushman	C. G. Laird	Brett A. Smith
John E. Dick	Peter H. Laird	Kurt R. Spicer
Richard S. Dinicola	William G. Landrum	Winston C. Stokes
Robert E. Drzymkowski	Kevin R. Linn	William A. Taylor
Sandra S. Embrey	Mark C. Mastin	Evan D. Templeton
Kenneth E. Frasl	Thomas E. McKenna	James C. Tilque
Luis A. Fuste	Darrin A. Miller	Ann Vanderpool-Kimura
William Gibbs	Melaine A. North	Richard J. Wagner
Joseph C. Gilbert	Jacqueline C. Olson	Mark L. Weitz
John O. Gralow	Donita J. Parker	Roy E. Wellman
Debra A. Grillo	Jeffrey M. Paulat	Daniel A. Wise
Thomas W. Hale	Karen L. Payne	
Glen W. Hess	Gregory J. Perry	

This report was prepared in cooperation with the State of Washington and with other agencies under the general supervision of Robert A. Kimbrough, Assistant Center Director for Hydrologic Data, Cynthia Barton, Center Director, Washington Water Science Center, and William T. Sexton, Regional Executive for Water, Western Region, U.S. Geological Survey.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY <i>(Leave blank)</i>		2. REPORT DATE 2006	3. REPORT TYPE AND DATES COVERED Annual 1 October 2004 - 30 September 2005	
4. TITLE AND SUBTITLE Water Resources Data, Washington Water Year 2005			5. FUNDING NUMBERS	
6. AUTHOR(S) R.A. Kimbrough, G.P. Ruppert, W.D. Wiggins, R.R. Smith, and D.L. Kresch				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Washington Water Science Center 1201 Pacific Avenue, Suite 600 Tacoma, WA 98402			8. PERFORMING ORGANIZATION REPORT NUMBER USGS-WDR-WA-05-1	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Washington Water Science Center 1201 Pacific Avenue, Suite 600 Tacoma, WA 98402			10. SPONSORING / MONITORING AGENCY REPORT NUMBER USGS-WDR-WA-05-1	
11. SUPPLEMENTARY NOTES Prepared in cooperation with the State of Washington and with other agencies.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT This report may be purchased from: U.S. Department of Commerce, NTIS 5285 Port Royal Road Springfield, VA 22161			12b. DISTRIBUTION CODE No restrictions on distribution	
13. ABSTRACT <i>(Maximum 200 words)</i> Water resources data for the 2005 water year for Washington consist of records of stage, discharge, and water quality of streams; stage and contents of lakes and reservoirs; and water levels and water-quality of wells. <ul style="list-style-type: none"> •Water discharge records for 236 stream-gaging stations on streams, canals, and drains. •Stage only records for 11 stream-gaging stations. •Discharge data for 96 partial-record and miscellaneous sites. •Stage and (or) contents for 34 lakes and reservoirs. •Precipitation (rain gage) record for 1 site. •Water-quality data for 52 surface-water sites. •Water levels for 59 observation wells. •Water-quality data for 59 observation wells. <p>These data represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State and Federal agencies in Washington.</p>				
14. SUBJECT TERMS *Washington, *Hydrologic data, *Surface water, *Ground water, *Water quality, Flow rate, Gaging stations, Lakes, Reservoirs, Chemical Analyses, Sediment, Water temperatures, Sampling sites, Water levels, Water analyses			15. NUMBER OF PAGES 825	
17. SECURITY CLASSIFICATION OF REPORT Unclassified			16. PRICE CODE	
18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified		20. LIMITATION OF ABSTRACT Unlimited

CONTENTS

	Page
Preface	iii
Report documentation page.....	iv
Surface-water stations in downstream order, for which records are published in this volume	viii
Ground-water wells, by county, for which records are published in this volume	xvi
Discontinued surface-water-discharge or stage-only stations	xx
Discontinued surface-water-quality stations	xlii
Introduction	1
Cooperation	2
Summary of hydrologic conditions	3
Hydrologic setting	3
Hydrologic conditions for water year 2005	8
Surface-water quality.....	9
Ground-water.....	11
Ground-water quality	14
Downstream order and station number	17
Numbering system for wells and miscellaneous sites	17
Special networks and programs.....	19
Explanation of stage- and water-discharge records.....	21
Data collection and computation.....	21
Data presentation.....	22
Station manuscript	22
Peak discharge greater than base discharge	23
Data table of daily mean values	23
Statistics of monthly mean data	24
Summary statistics	24
Identifying estimated daily discharge.....	26
Accuracy of field data and computed results	26
Other data records available	26
Explanation of precipitation records	27
Data collection and computation.....	27
Data presentation.....	27
Explanation of water-quality records	28
Collection and examination of data	28
Water analysis.....	28
Surface-water-quality records	29
Classification of records	29
Accuracy of the records.....	29
Arrangement of records.....	30
On-site measurements and sample collection	30
Water temperature	30
Sediment.....	30
Laboratory measurements	31
Data presentation.....	31
Remark codes	32
Water-quality control data	32
Blank samples.....	33
Reference samples.....	33
Replicate samples.....	33
Spike samples	34

	Page
Explanation of ground-water-level records	35
Site identification numbers	35
Data collection and computation	35
Data presentation	35
Water-level tables	36
Hydrographs	36
Ground-water-quality data	37
Data collection and computation	37
Laboratory measurements	37
Access to USGS water data	38
Definitions of terms	39
Surface-water-discharge and surface-water quality records	54
Remark codes	54
Dissolved trace-element concentrations	54
Change in National Trends Network procedures	54
Discharge at partial-record stations and miscellaneous sites	730
Crest-stage partial-record stations	730
Annual maximum discharge at crest-stage partial-record stations during water year 2005	730
Discharge measurements made at miscellaneous sites during water year 2005	731
Ground-water levels	741
Quality of ground water	771
Index	823

ILLUSTRATIONS

Figure 1. Map showing selected stream-gaging stations and drainage basins in Washington	4
2. Graphs showing monthly mean discharge for water year 2005 compared with mean monthly discharge for the period of record, for selected stream-gaging stations:	
A. Chehalis River near Grand Mound (station 12027500)	5
B. Quinault River at Quinault Lake (station 12039500)	5
C. East Fork Lewis River near Heisson (station 14222500)	5
D. Nooksack River at Deming (station 12210500)	6
E. Puyallup River near Orting (station 12093500)	6
F. Wenatchee River at Plain (station 12457000)	6
G. Ahtanum Creek at Union Gap (station 12502500)	7
H. Walla Walla River near Touchet (station 14018500)	7
I. Hangman Creek at Spokane (station 12424000)	7
3. Map showing streamflow-gaging stations with water-quality data, Washington, water year 2005	10
4. Map showing wells with water-level and water-quality data, Washington, water year 2005	12
5. Hydrograph showing long-term water levels for well 25N/45E-16C01	13
6. Hydrograph showing long-term water levels for well 16N/02W-29L02P2	13
7. Diagram showing well-numbering systems used in the State of Washington	18
8-44. Location maps and schematic diagrams showing surface-water and water-quality stations in the:	
8,9. Naselle and Willapa River Basins	55,56
10,11. Chehalis and Humptulips River Basins	61,62
12,13. Quinault, Queets, Hoh, and Quillayute River Basins	95,96
14,15. Hoko, Elwha, and Dungeness River Basins	104,105
16,17. Big Quilcene and Duckabush River Basins	125,126
18,19. Skokomish River Basin	131,132
20,21. Big Beef Creek Basin	148,149
22,23. Minter and Goldsborough Creek Basins	152,153

	Page
24,25. Deschutes and Nisqually River Basins	157,158
26,27. Chambers Creek Basin	177,178
28,29. Puyallup and White River Basins	190,191
30,31. Duwamish River Basin	214,215
32,33. Lake Washington Basin	233,234
34,35. Snohomish River Basin	305,306
36,37. Tulalip and Mission Creek Basins	361,362
38,39. Stillaguamish River Basin	370,371
40,41. Skagit River Basin	374,375
42,43. Samish River and Whatcom Creek Basins	405,406
44,45. Nooksack River Basin	421,422
46,47. Kettle and Colville River Basins and on the Columbia River above Franklin D. Roosevelt Lake	448,449
48,49. Pend Oreille River Basin	451,452
50,51. Spokane River Basin	476,477
52,53. Okanogan River Basin and on the Columbia River from Coulee Dam to Wells Dam.....	506,507
54,55. Methow and Chelan River Basins	525,526
56,57. Entiat, Wenatchee, and Sand Hollow River Basins	547,548
58,59. Crab Creek and Esquatzel Coulee Basins and on the Columbia River from Priest Rapids Dam to Kennewick	570,571
60,61. Yakima River Basin	596,597
62,63. Snake River Basin, including the Grande Ronde River, Asotin Creek, Tucannon River, and Palouse River Basins	630,631
64,65. Walla Walla River Basin	650,651
66,67. Klickitat and White Salmon River Basins and on the Columbia River from John Day Dam to Bonneville Dam	661,662
68,69. Lewis River Basin and on the Columbia River from Bonneville Dam to the Pacific Ocean	673,674
70,71. Cowlitz River Basin, including the Toutle River Basin	692,693

TABLES

Table 1. Selected streamflow-gaging stations in Washington	9
Table 2. Departure from long-term average ground-water levels at eight wells in the long-term monitoring network, water year 2005	12
Table 3. Wells where chemical analysis samples were collected from ground-water network wells in Washington, water year 2005	15