

2.4
03-21-2008
hh

hh - Handholes(1)(2)

Handholes for Fiber & Copper Systems

| <u>Manufacturer</u> | <u>Catalog Number</u> |
|------------------------------|--|
| Armorcast | A6001974 (24"x36") A6001946" (13x24") A6001742 (30"x60") A6001691 (39"x30"DI) A6001640 (17"x30") A6001436 (36"x60") A6001430 (30"x48") A6001423 Series (12" X12") |
| Blue Diamond Industries, LLC | MOV-2S/D(3) |
| Brooks Products | 1324 1730 |
| Carson Industries | 1730-13B H910 HLW1212-12 HLW1118-12 H1118-12, 15, 18 H1324-12, 15, 18 H1730-12, 18, 24 H2436-18, 24, 30, 36 H3048-18, 24, 30, 36 H3060-24, 30, 36 |
| CDR Systems (Homac) | TA-1324 TA-1730 TA 2000 TA-2436 TA-2700 TA-3048W TA-3048 TA-3060 TA-3200 TA-3660 TA-3900 TA-4848 TA-4872 TA-4878 TA-4896 |
| Charles Industries, Ltd. | FMH 361 FMH 362 FMH 363 |

See page 2.4.3 for notes.

hh - Handholes(1)(2)

Handholes for Fiber & Copper Systems

Manufacturer

Catalog Number

Christy Concrete Products

SYN118TBOX__ (12, 18, 24, or 36)
SYN118TLID

SYN1212TBOX__ (12, 18, 24, or 36)
SYN1212TLID

SYN1324TBOX__ (12, 18, 24, or 36)
SYN1324TLID

SYN1730TBOX__ (12, 18, 24 or 36)
SYN1730TLID

SYN2436TBOX__ (18, 24, or 36)
SYN2436TLID

SYN3048TBOX__ (18, 24, or 36)
SYN3048TLID

SYN3660TBOX__ (18, 24, or 36)
SYN3660TLID

Highline

CHA
10x15x__ (12 or 18)
11x18x__ (12 or 18)
12x12x__ (12, 18 or 24)
13x24x__ (12, 15, 18 or 24)
17x30x__ (12, 18, 24 or 30)
24x36x__ (18, 24, 30 or 36)
30x48x__ (18, 24, 30 or 36)

CVA
30x48x__ (various depths from 18" to 48")
30x60x__ (various depths from 18" to 48")
36x36x__ (various depths from 18" to 48")
36x60x__ (various depths from 18" to 48")
36x72x__ (various depths from 18" to 48")
36x96x__ (various depths from 18" to 48")
48x48x__ (various depths from 18" to 48")
48x72x__ (various depths from 18" to 48")
48x78x__ (various depths from 18" to 48")
48x96x__ (various depths from 18" to 48")

PHA
10x15x12
11x18x12
12x12x12
13x24x15
13x24x18
17x30x__ (18 or 24)
24x36x__ (18 or 24)
30x48x36

See page 2.4.4 for notes.

2.4.2
07-17-2008
hh

hh - Handholes(1)(2)

Handholes for Fiber & Copper Systems

Manufacturer

Catalog Number

Highline (Continuation)

PTA
10x15x__ (12 or18)
12x12x12
13x24x18
17x30x__ (12 or 18)
24x36x18

NewBasis

S1324
S1730
FCA/PCA 2436xxxx -20K
FCA/PCA 3048xxxx -20K
FCA/PCA 3048xxxx -20K
FCA/PCA 1324xxxx -20K
FCA/PCA 1730xxxx -20K
FCA/PCA 2436xxxx -20K
FCA/PCA 3048xxxx -20K
FCA/PCA 3048xxxx -20K
SG5400-SW
FCA/PCA 3660xxxx -20K

Northwest Pipe & Tank, Inc.

#8-C124 (4'x10"x3'4"x2'6")⁽⁴⁾

See page 2.4.4 for notes.

hh - Handholes⁽¹⁾(2)

Handholes for Fiber & Copper Systems

| <u>Manufacturer</u> | <u>Catalog Number</u> |
|---|--|
| Pen-Cell Plastics | PE-10 PE-20 (Restricted to cable sizes up to 100 pairs) PE-36 PE-6HD PE-9HD PE-14HD PE-30HD PE-20HD PE-20F PE-20U PE-30HD PE-30F PE-30U PE-36A PE-36HD PEM Series |
| Quazite | PC1324 PC1730 PX1324 PX1730 PG2436 PG3048 LG3060 LG3660 LR2732 |
| TDB Communications (Common Ground Enclosure) | TDB-GB-T ⁽⁵⁾ |
| Tunnel Mill Polymer, Inc. | R264836 |
| Utility Vault | 3642-BL ⁽⁴⁾ (6)(2'8"x3'6"x4') 25-TA (5'2½"x2'3"x2'6") |

See page 2.4.4 for notes.

2.4.4
10-19-2007
hh

hh - Handholes⁽¹⁾₍₂₎

Handholes for Fiber & Copper Systems

| <u>Manufacturer</u> | <u>Catalog Number</u> |
|---------------------|------------------------------|
| Synertech | S1118B12FA – 11" x 18" x 12" |
| | S1118B18FA – 11" x 18" x 18" |
| | S1212B12FA – 12" x 12" x 12" |
| | S1212B18FA – 12" x 12" x 18" |
| | S1324B12FA – 13" x 24" x 12" |
| | S1324B18FA – 13" x 24" x 18" |
| | S1324B24FA – 13" x 24" x 24" |
| | S1730B12FA – 17" x 30" x 12" |
| | S1730B18FA – 17" x 30" x 18" |
| | S1730B24FA – 17" x 30" x 24" |
| | S2436B18FA – 24" x 36" x 18" |
| | S2436B24FA – 24" x 36" x 24" |
| | S2436B36FA – 24" x 36" x 36" |
| | S3048B18FA – 30" x 48" x 18" |
| | S3048B24FA – 30" x 48" x 24" |
| | S3048B36FA – 30" x 48" x 36" |
| | S3660B24FA - 36" x 60" x 24" |
| | S3660B36FA – 36" x 60" x 36" |

- Notes:** (1) Not for use in areas subject to vehicular traffic, unless otherwise noted.
- (2) Consult the manufacturer for ordering procedures for handhole depth and lid/cover locking devices and load bearing capacity.
- (3) Rated for use in areas subject to vehicular traffic
- (4) Light vehicular traffic only (H10)
- (5) Lugs kits available from TDB
- (6) Only the 3642-2436P cover is RUS accepted for use with this handhole.