



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0550
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00086

Wednesday June 16, 1999

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. & 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-ASG-19990429-00801 E860169 SAT-NETWORKS INTERNATIONAL, INC.

Application for Consent to Assignment

FROM: SAT-NETWORKS INTERNATIONAL, INC.

TO: W4 COMMUNICATIONS CORP.

No. of Station(s) listed: 1

SES-LIC-19980710-00842 E980310 TELECOMMUNICACIONES ULTRAMARINAS DE PUERTO RICO

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

New application to operate a 2.4-meter C-band fixed earth station to provide digital data service via INTELSAT 706 satellite located at 307 East Longitude. The proposed operation is a VSAT service to be provide on an incidental basis as part of an integrated international VSAT network operated by its customer AmericaTel Corporation.

"Amendment" to change the emission designator and related service, to relocate 2.4-meter fixed antenna, and to change assigned frequency.

SITE ID: 1

LOCATION: GUAYNABO, PR

18 ° 25 ' 2.30 " N LAT.

66 ° 3 ' 19.30 " W LONG.

ANTENNA ID:	A6	2.4 meters	PRODELIN	1251
	6249.0000 - 6254.2000 MHz	26K0G1E	39.10 dBW	QPSK, SCPC, TELEPHONY
	6249.0000 - 6254.2000 MHz	23K0G1D	35.60 dBW	QPSK, TDMA, DIGITAL DATA
	6249.0000 - 6254.2000 MHz	NON	25.00 dBW	UNMODULATED, TEST SIGNAL
	6249.0000 - 6254.2000 MHz	320KG7D	45.20 dBW	BPSK, TDMA, DIGITAL DATA
	3700.0000 - 4200.0000 MHz	26K0G1E	0.00 dBW	QPSK, SCPC, TELEPHONY
	3700.0000 - 4200.0000 MHz	320KG7D	0.00 dBW	QPSK, TDMA, DIGITAL DATA
	3700.0000 - 4200.0000 MHz	1M28G7D		BPSK, TDMA, DIGITAL DATA

SES-LIC-19990412-00680 E990179 KWGN, INC.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION:

ANTENNA ID:	1	1.8 meters	VERTEX COMM.	DMK
	14000.0000 - 14500.0000 MHz	36M0F8F	71.54 dBW	ANALOG TV FM MODULATION W/AUDIO SC
	14000.0000 - 14500.0000 MHz	24M0F8F	68.54 dBW	ANALOG TV FM MODULATION W AUDIO SC
	14000.0000 - 14500.0000 MHz	24M0G7F	63.10 dBW	DIGITAL COMPRESSED VIDEO
	11700.0000 - 12200.0000 MHz	36M0F8F		ANALOG TV FM MODULATION W/AUDIO SC
	11700.0000 - 12200.0000 MHz	24M0F8F		ANALOG TV FM MODULATION W/AUDIO SC
	11700.0000 - 12200.0000 MHz	24M0G7F		DIGITAL COMPRESSED VIDEO

SES-LIC-19990413-00741 E990189 KOIN-TV, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION:

ANTENNA ID:	DSNG	1.5 meters	VERTEX	1.5 SMK
	14000.0000 - 14500.0000 MHz	29M7G7W	64.00 dBW	45 MBPS QPSK, RATE 5/6 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	28M6G7W	64.00 dBW	39 MBPS QPSK, RATE 3/4 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	28M3G7W	64.00 dBW	45 MBPS QPSK, RATE 7/8 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	25M7G7W	64.00 dBW	39 MBPS QPSK, RATE 5/6 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	24M5G7W	64.00 dBW	39 MBPS QPSK, RATE 7/8 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	20M9G7W	64.00 dBW	19 MBPS QPSK, RATE 1/2 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	16M5G7W	64.00 dBW	15 MBPS QPSK, RATE 1/2 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	15M7G7W	64.00 dBW	19 MBPS QPSK, RATE 2/3 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	13M9G7W	64.00 dBW	19 MBPS QPSK, RATE 3/4 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	12M5G7W	64.00 dBW	19 MBPS QPSK, RATE 5/6 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	12M4G7W	64.00 dBW	15 MBPS QPSK, RATE 2/3 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	11M9G7W	64.00 dBW	19 MPBS QPSK, RATE 7/8 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	11M0G7W	64.00 dBW	15 MBPS QPSK, RATE 3/4 FEC, DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz	9M90G7W	64.00 dBW	15 MBPS QPSK, RATE 5/6 FEC, DIGITAL VIDEO

14000.0000 - 14500.0000 MHz	9M40G7W	64.00 dBW	15 MBPS QPSK, RATE 7/8 FEC, DIGITAL VIDEO
11700.0000 - 12200.0000 MHz	29M7G7W		45 MBPS QPSK, RATE 5/6 FEC, DIGITAL VIDEO

SES-LIC-19990419-00627 E990167 NSN NETWORK SERVICES, LTD

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 11575 SOUTH PARKER ROAD, DOUGLAS, PARKER, CO

39 ° 30 ' 22.00 " N LAT.

104 ° 45 ' 57.00 " W LONG.

ANTENNA ID: 1	6 meters	SCIENTIFIC ATLANTA	8060
3700.0000 - 4200.0000 MHz	7M20G1E		DIGITAL AUDIO
5925.0000 - 5985.6000 MHz	7M20G1E	73.00 dBW	DIGITAL AUDIO
6023.5000 - 6425.0000 MHz	7M20G1E	73.00 dBW	DIGITAL AUDIO

SES-LIC-19990420-00644 E990170 HUGHES ELECTRONICS CORPORATION (d/b/a HUGHES NETWORK SYSTEMS)

Application for Authority

Class of Station: VSAT Fixed Hub Station

Nature of Service: Domestic Fixed Satellite Service

This new VSAT network includes a hub station with an antenna size of 5.6 meters located at Southfield, MI, 1.8 meter remote units, and 1.2 meter remote units. Hub and all remotes will operate with domestic U.S. satellites, and will transmit data, video, and multimedia services.

SITE ID: HUB

LOCATION: 20733 W. TEN MILE ROAD, (5.6 meter Hub), OAKLAND, SOUTHFIELD, MI

42 ° 28 ' 17.00 " N LAT.

83 ° 14 ' 48.00 " W LONG.

ANTENNA ID: HUB- A	5.6 meters	ANDREW CORPORATION	E556-1
14000.0000 - 14500.0000 MHz	307KG7D	53.20 dBW	BPSK, DATA, 128 KBPS OUTROUTE
14000.0000 - 14500.0000 MHz	1M29KG7D	59.20 dBW	BPSK, DATA, 512 KBPS OUTROUTE
14000.0000 - 14500.0000 MHz	6M0KG7D	64.20 dBW	BPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	6M0KG7D	67.20 dBW	QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	12M0KG7D	67.20 dBW	BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	12M0KG7D	70.20 dBW	QPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	24M0KG7D	70.20 dBW	BPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	24M0KG7D	73.20 dBW	QPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	18M0F9W	70.10 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; 1/2 TRANS

14000.0000 - 14500.0000 MHz	36M0F9W	73.10 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; FULL TRAN
11700.0000 - 12200.0000 MHz	154KG7D		BPSK, DATA, 64 KBPS INROUTE
11700.0000 - 12200.0000 MHz	307KG7D		BPSK, DATA, 128 KBPS INROUTE
11700.0000 - 12200.0000 MHz	614KG7D		BPSK, DATA, 256 KBPS INROUTE
SITE ID: REMOTE 1			
LOCATION:			
ANTENNA ID: REMOTE 1A	1.8 meters	PRODELIN CORPORATION	1184
14000.0000 - 14500.0000 MHz	154KG7D	46.70 dBW	BPSK, DATA, 64 KBPS INROUTE
14000.0000 - 14500.0000 MHz	307KG7D	49.70 dBW	BPSK, DATA, 128 KBPS INROUTE
14000.0000 - 14500.0000 MHz	614KG7D	49.70 dBW	BPSK, DATA, 256 KBPS INROUTE
11700.0000 - 12200.0000 MHz	307KG7D		BPSK, DATA, 128 KBPS OUTROUTE
11700.0000 - 12200.0000 MHz	1M29KG7D		BPSK, DATA, 512 KBPS OUTROUTE
11700.0000 - 12200.0000 MHz	6M0KG7D		BPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	6M0KG7D		QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	12M0KG7D		BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	12M0KG7D		QPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	24M0KG7D		BPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	24M0KG7D		QPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	18M0F9W		ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; 1/2 TRANS
11700.0000 - 12200.0000 MHz	36M0F9W		ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; FULL TRAN
SITE ID: REMOTE 2			
LOCATION:			
ANTENNA ID: REMOTE 2A	1.2 meters	PRODELIN CORPORATION	1134
14000.0000 - 14500.0000 MHz	154KG7D	43.10 dBW	BPSK, DATA, 64 KBPS INROUTE
14000.0000 - 14500.0000 MHz	307KG7D	46.10 dBW	BPSK, DATA, 128 KBPS INROUTE
14000.0000 - 14500.0000 MHz	614KG7D	46.10 dBW	BPSK, DATA, 256 KBPS INROUTE
11700.0000 - 12200.0000 MHz	307KG7D		BPSK, DATA, 128 KBPS OUTROUTE
11700.0000 - 12200.0000 MHz	1M29KG7D		BPSK, DATA, 512 KBPS OUTROUTE
11700.0000 - 12200.0000 MHz	6M0KG7D		BPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	6M0KG7D		QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER

11700.0000 - 12200.0000 MHz	12M0KG7D	BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	12M0KG7D	QPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	24M0KG7D	BPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	24M0KG7D	QPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	18M0F9W	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; 1/2 TRANS
11700.0000 - 12200.0000 MHz	36M0F9W	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; FULL TRAN

SES-LIC-19990426-00781 E990190 KING BROADCASTING COMPANY

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION:

ANTENNA ID: 1	2.6 meters	VERTEX	DMK 2.6
14000.0000 - 14500.0000 MHz	36M0F3F	77.10 dBW	NTSC FM VIDEO AND AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	24M0F3F	77.10 dBW	NTSC FM VIDEO AND AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	240K0F2D	54.40 dBW	DIGITAL SCPC AUDIO
14000.0000 - 14500.0000 MHz	140K0F2D	52.10 dBW	DIGITAL SCPC DATA
11700.0000 - 12200.0000 MHz			

SES-LIC-19990428-00800 E990193 CLEAR CHANNEL BROADCASTING, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 5376 STEWART LANE, TOM GREEN, SAN ANGELO, TX

31 ° 21 ' 27.00 " N LAT.

100 ° 30 ' 24.00 " W LONG.

ANTENNA ID: 1	5 meters	PRIME FOCUS MICRODYNE	PR16-4-3CMT
5925.0000 - 6425.0000 MHz	307KG7D	63.40 dBW	VOICE, DATA, QPSK 1/2 267 KBPS
3700.0000 - 4200.0000 MHz	307KG7D		VOICE, DATA, QPSK 1/2 267 KBPS

SES-LIC-19990429-00710 E990183 ORIONNET, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

New application to operate a 4.5-meter temporary-fixed C-band antenna to provide voice, facsimile and data services via SATMEX 5 (Mexican licensed) and INTELSAT satellites @ 359 & 304.5 E.L. (INTELSAT is for international services)

SITE ID: 1

LOCATION:

ANTENNA ID: 1	4.5 meters	ANDREW CORP.	TRANSPORTABLE
5850.0000 - 6425.0000 MHz	1M85G7D	68.70 dBW	QPSK, DATA, FEC 3/4
3700.0000 - 6425.0000 MHz	1M85G7D		QPSK, DATA, FEC 3/4

SES-LIC-19990430-00711 E990184 IMPSAT USA, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

New application to operate a 9.3-meter fixed C-band antenna to provide digital data service via SATMEX 5 and ALSAT on a non common carrier basis.

SITE ID: 1

LOCATION: 2040 N. DIXIE HIGHWAY, BROWARD, WILTON MANORS, FL

26 ° 8 ' 47.00 " N LAT.

80 ° 7 ' 59.00 " W LONG.

ANTENNA ID: 1	9.3 meters	ANDREW CORP.	ES93
5925.0000 - 6425.0000 MHz	51K2G7D	49.60 dBW	QPSK DIGITAL, 3/4 FEC
5925.0000 - 6425.0000 MHz	1M23G7D	63.40 dBW	QPSK DIGITAL, 3/4 FEC
3700.0000 - 4200.0000 MHz	51K2G7D		QPSK DIGITAL, 3/4 FEC
3700.0000 - 4200.0000 MHz	1M23G7D		QPSK DIGITAL , 3/4 FEC

SES-LIC-19990601-00743 E990192 CONVERGENT MEDIA SYSTEMS CORPORATION

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: CHARLOTTE, NC

35 ° 12 ' 9.00 " N LAT.

80 ° 56 ' 6.00 " W LONG.

ANTENNA ID: 1	3.8 meters	Vertex	3.8 DPK/DPC
14000.0000 - 14500.0000 MHz	4MOOG1F	75.00 dBW	QPSK Digital Phase Modulation
11700.0000 - 12200.0000 MHz	4M00G1F		

SES-MOD-19990412-00661 E970274 SENSYS TECHNOLOGIES INC.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to replace antenna.

SITE ID: 1

LOCATION:

ANTENNA ID: 1	1.2 meters	PRODELIN	1134
14000.0000 - 14500.0000 MHz	320KG1D	48.00 dBW	QPSK (VOICE, DATA)
14000.0000 - 14500.0000 MHz	160KG1D	45.22 dBW	QPSK (VOICE, DATA)
11700.0000 - 12200.0000 MHz		0.00 dBW	QPSK (VOICE, DATA)

SES-MOD-19990412-00662 E970275 SENSYS TECHNOLOGIES INC.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to replace antenna.

SITE ID: 1

LOCATION:

ANTENNA ID: 2	1.8 meters	PRODELIN	1184
14000.0000 - 14500.0000 MHz		160KG1D	48.50 dBW
14000.0000 - 14500.0000 MHz		320KG1D	51.30 dBW
11700.0000 - 12200.0000 MHz			0.00 dBW

SES-MOD-19990421-00691 E7754 GLOBECAST NORTH AMERICA INCORPORATED

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification filed to add SatMex 5 and Solidaridad 1 and II as points of communications.

SITE ID: 1

LOCATION: 10509 West Washington Boulevard, LOS ANGELES, CULVER CITY, CA

34 ° 1 ' 5.00 " N LAT.

118 ° 24 ' 11.00 " W LONG.

ANTENNA ID: 1	10 meters	SCIENTIFIC ATLANTA	8002A
---------------	-----------	--------------------	-------

5925.0000 - 6425.0000 MHz	36M0F3F	84.40 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	77.50 dBW
5925.0000 - 6425.0000 MHz	200KF3E	66.40 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	84.40 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW
5925.0000 - 6425.0000 MHz	36M0F3F	83.00 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	76.10 dBW
5925.0000 - 6425.0000 MHz	200KF3E	65.00 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	83.00 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW
5925.0000 - 6425.0000 MHz	36M0F3F	75.90 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	72.50 dBW
5925.0000 - 6425.0000 MHz	200KF3E	61.40 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	75.90 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW

ANTENNA ID: 2	9.2 meters	RSI	920CS
---------------	------------	-----	-------

5925.0000 - 6425.0000 MHz	36M0F3F	84.40 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	77.50 dBW
5925.0000 - 6425.0000 MHz	200KF3E	66.40 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	84.40 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW
5925.0000 - 6425.0000 MHz	36M0F3F	83.00 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	76.10 dBW
5925.0000 - 6425.0000 MHz	200KF3E	65.00 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	83.00 dBW

3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW
5925.0000 - 6425.0000 MHz	36M0F3F	75.90 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	72.50 dBW
5925.0000 - 6425.0000 MHz	200KF3E	61.40 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	75.90 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW

ANTENNA ID: 3 7 meters SCIENTIFIC ATLANTA 8010A/8010C

5925.0000 - 6425.0000 MHz	36M0F3F	84.40 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	77.50 dBW
5925.0000 - 6425.0000 MHz	200KF3E	66.40 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	84.40 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW
5925.0000 - 6425.0000 MHz	36M0F3F	83.00 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	76.10 dBW
5925.0000 - 6425.0000 MHz	200KF3E	65.00 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	83.00 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW
5925.0000 - 6425.0000 MHz	36M0F3F	75.90 dBW
5925.0000 - 6425.0000 MHz	1M50F7D	72.50 dBW
5925.0000 - 6425.0000 MHz	200KF3E	61.40 dBW
5925.0000 - 6425.0000 MHz	36M0G7W	75.90 dBW
3700.0000 - 4200.0000 MHz	36M0F3F	0.00 dBW
3700.0000 - 4200.0000 MHz	1M50F7D	0.00 dBW
3700.0000 - 4200.0000 MHz	200KF3E	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7W	0.00 dBW

SES-MOD-19990421-00692 E881382 GLOBECAST NORTH AMERICA INCORPORATED

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification filed to add SatMex 5 and solidaridad I and II as point of communications.

SITE ID: 1

LOCATION: 16250 FILBERT STREET, LOS ANGELES, SYLMAR, CA

34 ° 19 ' 4.00 " N LAT.

118 ° 29 ' 0.00 " W LONG.

ANTENNA ID: 1 9.2 meters SATCOM/RSI 920CS

5943.0000 - 6425.0000 MHz	36M0F8F	84.00 dBW
5943.0000 - 6425.0000 MHz	36M0G7F	84.00 dBW
3700.0000 - 4200.0000 MHz	36M0G7F	0.00 dBW
3700.0000 - 4200.0000 MHz	36M0F8F	0.00 dBW

SES-REG-19990329-00502 E990149 TRINITY CHRISTIAN CENTER OF SANTA ANA, INC. (d/b/a TRINITY BROADCASTING NETWORK)

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 3304 EAST CHERRY STREET, GREENE, SOUTH SPRINGFIELD, MO

37 ° 12 ' 0.60 " N LAT.

93 ° 14 ' 0.10 " W LONG.

ANTENNA ID: 1 3 meters D&H

GIBRALTER

3700.0000 - 4200.0000 MHz 36M0F8W

STANDARD VIDEO WITH ASSOCIATED AUDIO SUB-CARRIERS

SES-REG-19990329-00509 E990151 TRINITY CHRISTIAN CENTER OF SANTA ANA, INC. (d/b/a TRINITY BROADCASTING NETWORK)

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: WINNEBAGO, WENATCHEE, WA

47 ° 26 ' 16.00 " N LAT.

120 ° 10 ' 42.00 " W LONG.

ANTENNA ID: 1 3 meters D&H

GIBRALTER

3700.0000 - 4200.0000 MHz 36M0F8W

STANDARD VIDEO WITH ASSOCIATED AUDIO SUB-CARRIERS

SES-REG-19990329-00510 E990152 TRINITY CHRISTIAN CENTER OF SANTA ANA, INC. (d/b/a TRINITY BROADCASTING NETWORK)

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: TWIGGS, MACON, GA

32 ° 45 ' 0.90 " N LAT.

89 ° 33 ' 35.00 " W LONG.

ANTENNA ID: 1 3 meters D&H

GIBRALTER

3700.0000 - 4200.0000 MHz 36M0F8W

STANDARD VIDEO WITH ASSOCIATED AUDIO SUB-CARRIERS

SES-REG-19990329-00511 E990153 TRINITY CHRISTIAN CENTER OF SANTA ANA, INC. (d/b/a TRINITY BROADCASTING NETWORK)

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: WINNEBAGO, OSHKOSH, WI

44 ° 3 ' 51.00 " N LAT.

89 ° 31 ' 43.00 " W LONG.

ANTENNA ID: 1 3 meters D&H

GIBRALTER

3700.0000 - 4200.0000 MHz 36M0F8W

STANDARD VIDEO ASSOCIATED AUDIO SUB-CARRIERS

SES-REG-19990329-00512 E990154 TRINITY CHRISTIAN CENTER OF SANTA ANA, INC. (d/b/a TRINITY BROADCASTING NETWORK)

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: PICKANINNY BUTTE, SAN BERNARDINO, LUCERNE VALLEY, CA

34 ° 27 ' 47.00 " N LAT.

116 ° 52 ' 44.00 " W LONG.

ANTENNA ID: 1 3 meters D&H

GIBRALTER

3700.0000 - 4200.0000 MHz 36M0F8W

STANDARD VIDEO WITH
ASSOCIATED AUDIO
SUB-CARRIERS

SES-REG-19990329-00513 E990155 TRINITY CHRISTIAN CENTER OF SANTA ANA, INC. (d/b/a TRINITY BROADCASTING NETWORK)

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 4301 GULF SHORE BLVD. NORTH, COLLIER, NAPLES, MO

26 ° 12 ' 12.00 " N LAT.

81 ° 48 ' 54.00 " W LONG.

ANTENNA ID: 1 3 meters D&H

GIBRALTER

3700.0000 - 4200.0000 MHz 36M0F8W

STANDARD VIDEO WITH
ASSOCIATED AUDIO
SUB-CARRIERS

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.