



GLAST

**Gamma-ray Large
Area Space
Telescope**



GLAST

The Gamma-ray Large Area Space Telescope

Welcome and Introductions

**GLAST Pre-launch Media Telecon
May 27, 2008**

**Lynn Cominsky
GLAST Press Officer and E/PO Lead
*lynnc@universe.sonoma.edu***

for the GLAST Mission Team

<http://www.nasa.gov/glast>



GLAST is.....

- The Gamma-ray Large Area Space Telescope (to be renamed after launch)
- NASA's next generation gamma-ray mission
 - Explore the most extreme environments in the Universe, where nature harnesses energies far beyond anything possible on Earth.
 - Search for signs of new laws of physics and what composes the mysterious Dark Matter.
 - Explain how black holes accelerate immense jets of material to nearly light speed.
 - Help crack the mysteries of the stupendously powerful explosions known as gamma-ray bursts.
 - Answer long-standing questions across a broad range of topics, including solar flares, pulsars and the origin of cosmic rays.
- An astrophysics and particle physics partnership
 - NASA, Department of Energy and contributions from institutions and agencies in France, Germany, Italy, Japan and Sweden and the U.S.



Available Reference Materials

- **GLAST Science Writer's Guide**
- **GLAST Science Fact Sheet**
- **GLAST schematic**
- **GLAST Public Fact Sheet**
- **GLAST Lithograph**

- **The GLAST E/PO site – has Multimedia, images, print materials:**
 - <http://glast.sonoma.edu>

- **The Main NASA GLAST web site:**
 - <http://www.nasa.gov/glast>



GLAST Public Affairs Team Leads

- Lynn Cominsky, GLAST Press Officer and Education and Public Outreach Lead, Sonoma State University
lynnc@universe.sonoma.edu
- Rob Gutro, NASA/GSFC Public Affairs Officer
Robert.J.Gutro@nasa.gov
- Dee Kekesi, NASA/GSFC Video producer
Dee.Kekesi@nasa.gov



GLAST Telecon Participants

- **Dr. Steve Ritz, NASA/GSFC, GLAST Project Scientist**
- **Dr. Dave Thompson, NASA/GSFC, GLAST Deputy Project Scientist and Large Area Telescope Multiwavelength Coordinator**
- **Prof. Peter Michelson, Stanford University, Large Area Telescope Principal Investigator**
- **Dr. Charles “Chip” Meegan, Marshall Space Flight Center, GLAST Burst Monitor Principal Investigator**



GLAST Videos - Available on www.nasa.gov/glast

- **GLAST launch and deployment**
 - the Delta rocket launch, carrying the satellite into orbit, followed by deployment of the satellite into its final configuration
- **GLAST's new window on the Universe**
 - an over-shoulder view from the spacecraft, revealing the gamma-ray sky that GLAST will see.
- **360 degree view of the spacecraft in orbit**
- **GLAST spacecraft in orbit**
 - begins with the earth in full view and pans to reveal the spacecraft
- **GLAST Simulated Sky Map based on modeled data**
- **How a pair conversion telescope works**
 - a gamma ray (purple) entering a corner tower of the Tracker. After the electron (red) and positron (blue) cascade down the tower, their incoming paths (red/blue) combine to show the original path (purple) of the gamma ray that created them



GLAST

**Gamma-ray Large
Area Space
Telescope**



GLAST

The Gamma-ray Large Area Space Telescope

Exploring the Extreme Universe

**GLAST Pre-Launch Media Telecon
May 27, 2008**


**Dave Thompson
GLAST Deputy Project Scientist
Large Area Telescope Multiwavelength
Coordinator**

David.J.Thompson@nasa.gov

**for the GLAST Mission Team
see <http://www.nasa.gov/glast>**



The Electromagnetic Spectrum




Each part of the spectrum carries different information.

Gamma rays, the highest-energy photons, tell us about the most energetic processes in the Universe.




The Gamma-ray Sky in False Color – from EGRET/Compton Gamma Ray Observatory




The Gamma-ray Sky in False Color – from EGRET/Compton Gamma Ray Observatory

Milky Way – Gamma rays from powerful cosmic ray particles smashing into the tenuous gas between the stars.




Particle-Particle Collisions



The Gamma-ray Sky in False Color – from EGRET/Compton Gamma Ray Observatory




The Gamma-ray Sky in False Color – from EGRET/Compton Gamma Ray Observatory




**Blazars –
supermassive
black holes with
huge jets of
particles and
radiation pointed
right at Earth.**

The Gamma-ray Sky in False Color – from EGRET/Compton Gamma Ray Observatory



**Gamma-ray bursts –
extreme exploding
stars or merging
black holes or
neutron stars.**

The Gamma-ray Sky in False Color – from EGRET/Compton Gamma Ray Observatory



**The Unknown –
over half the
sources seen by
EGRET remain
mysterious**



The Gamma-ray Sky - An Overview

We know some of the “what,” “when,” and “where” - the Universe is populated with powerful, exotic objects and processes that produce gamma rays. Many are variable, and some of these are at cosmological distances.

We have only scratched the surface of “how” and “why” for these gamma-ray phenomena. We have much to learn about how they work and affect the Universe.

This is where GLAST comes in.



GLAST

**Gamma-ray Large
Area Space
Telescope**



GLAST

The Gamma-ray Large Area Space Telescope

Mission Science Overview


**GLAST PreLaunch Media Telecon
May 27, 2008**

**Steve Ritz
Project Scientist
*steve.ritz@nasa.gov***

**for the GLAST Mission Team
see <http://www.nasa.gov/glast>**




EGRET





GLAST One-year Simulation



red: 0.1-0.4 GeV
green: 0.4-1.6 GeV
blue: >1.6 GeV




Sources

EGRET 3rd
Catalog: 271
sources

Third EGRET Catalog

$E > 100 \text{ MeV}$






Sources

5 σ Sources from Simulated One Year All-sky Survey

LAT 1st Catalog:
many thousands
of sources likely.
The number itself
is interesting!



● AGN
● 3EG Catalog

● Galactic Halo
● Galactic Plane




GLAST Key Features

- **Huge field of view**
 - **LAT: 20% of the sky at any instant; in sky survey mode, expose all parts of sky for ~30 minutes every 3 hours. GBM: whole unocculted sky at any time.**
- **Huge energy range, including largely unexplored band 10 GeV - 100 GeV**
- **Large leap in all key capabilities, transforming our knowledge of the gamma-ray universe.**

- **Two GLAST instruments:**
 - **LAT: 20 MeV – >300 GeV**
 - **GBM: 10 keV – 25 MeV**

- **565 km, circular orbit**
- **5-year mission (10-year goal)**
- **Launch Vehicle: Delta 7920H-10**
- **Launch Site: CCAS**
- **Telemetry: S-Band, Ku-Band**
- **Launch Readiness Date: June 3, 2008**

Large Area
Telescope (LAT)





GLAST in the Clean Room at General Dynamics






Science Summary

- **GLAST will have a big impact on many important questions:**
 - **How do super massive black holes in Active Galactic Nuclei create powerful jets of material moving at nearly light speed? What are the jets made of?**
 - **What are the mechanisms that produce Gamma-Ray Burst (GRB) explosions? What is the energy budget?**
 - **What is the origin of the cosmic rays that pervade the galaxy?**
 - **How does the Sun generate high-energy gamma rays in flares?**
 - **How has the amount of starlight in the Universe changed over cosmic time?**
 - **What are the unidentified gamma-ray sources found by EGRET?**
 - **What is the mysterious dark matter?**
- **Huge leap in key capabilities enables large menu of known exciting science and large discovery potential.**



Year 1 Science Operations Timeline Overview





GLAST
Gamma-ray Large
Area Space
Telescope



GLAST

The Gamma-ray Large Area Space Telescope

The Large Area Telescope (LAT)

GLAST PreLaunch Media Telecon
May 5, 2008

Peter F. Michelson
LAT Principal Investigator
peterm@stanford.edu

for the GLAST Mission Team
see <http://www.nasa.gov/glast>



Gamma Rays Are So Energetic That...

$$E=mc^2$$

matters!



The Large Area Telescope

- Principal instrument on the GLAST observatory
 - pair-conversion telescope
 - large energy range: 20 MeV to >300 GeV
 - large field-of-view: 2.4 steradians

Anti-coincidence Detector:


- array of plastic scintillator tiles
- vetos CR background

Tracker (16 towers):

- tungsten conversion foils
- measures e^-/e^+ tracks
 - 18 layers of silicon strip detectors
 - 70 m² of Si detectors


Calorimeter (16 modules):

- measures photon energy
 - 1536 CsI crystals






The Large Area Telescope






LAT Construction: An International Effort



11,500 sensors
350 trays
18 towers
~10⁶ channels
70 m² Si surface


Integration & DAQ: US




ACD: US



Tracker: US, Italy, Japan



Calorimeter: US, France, Sweden





GLAST LAT Collaboration

- **France**
 - IN2P3, CEA/Saclay
- **Italy**
 - INFN, ASI, INAF
- **Japan**
 - Hiroshima University
 - ISAS
 - RIKEN
 - Tokyo Institute of Science & Technology
- **Sweden**
 - Royal Institute of Technology (KTH)
 - Stockholm University
- **United States**
 - Stanford University (SLAC and HEPL/Physics)
 - University of California at Santa Cruz - Santa Cruz Institute of Particle Physics
 - Goddard Space Flight Center
 - Naval Research Laboratory
 - Sonoma State University
 - Ohio State University
 - University of Washington

Principal Investigator:
Peter Michelson (Stanford University)

~270 Members
(~90 Affiliated Scientists, 37 Postdocs,
and 48 Graduate Students)

Cooperation between NASA and DOE,
with key international contributions from
France, Italy, Japan and Sweden.

construction managed by
Stanford Linear Accelerator Center (SLAC),
Stanford University



GLAST

**Gamma-ray Large
Area Space
Telescope**



GLAST

The Gamma-ray Large Area Space Telescope

GLAST BURST MONITOR

**GLAST Pre-Launch Media Telecon
May 5, 2008**

**Charles Meegan
Principal Investigator, GBM
*charles.a.meegan@nasa.gov***

**for the GLAST Mission Team
see <http://www.nasa.gov/glast>**




Why GBM?

- **Gamma ray bursts radiate primarily at energies below the LAT range**
 - **GBM is sensitive over this range up to LAT energies**
- **Gamma ray bursts appear unpredictably from anywhere in the sky**
 - **GBM observes the whole sky**
- **Gamma ray bursts may have delayed high energy emission**
 - **GBM determines locations on-board so LAT can be pointed at interesting bursts.**




How GBM Detects Gamma Rays





GBM Detectors on the Observatory

Large Area Telescope



Sodium Iodide
Detector

Bismuth Germanate
Detector



The GBM Team

- **Marshall Space Flight Center**
 - **Project management**
 - **Engineering support**
 - **Flight Data Processing Unit**
- **University of Alabama, Huntsville**
 - **Science support**
 - **Software**
 - **Operations**
- **Max Planck Institute for Extraterrestrial Physics**
 - **Science support**
 - **Flight detectors**
 - **Flight Power Supply**
- **Los Alamos National Laboratory**
 - **Detector response calculations**



GLAST

**Gamma-ray Large
Area Space
Telescope**



GLAST

The Gamma-ray Large Area Space Telescope

Program Status


**GLAST PreLaunch Media Telecon
May 27, 2008**

**Kevin Grady &
Project Manager**

**Steve Ritz
Project Scientist
*steve.ritz@nasa.gov***

**for the GLAST Mission Team
see <http://www.nasa.gov/glast>**

GLAST MISSION ELEMENTS





GLAST Observatory, May 15, Before Moving to the Launch Pad








GLAST Status

- **GLAST observatory now mated to the launch vehicle.**
- **Observatory testing is complete. Ready to go!**
- **Launch vehicle undergoing final testing, in preparation for June 3 readiness date.**



Looking Forward to Launch and All The New Results!



<http://www.nasa.gov/glast>