

## References Cited

- Adams, C.D. and Thurman, E.M., 1991, Formation and transport of deethylatrazine in the soil and vadose zone: *Journal of Environmental Quality*, v. 20, p. 540–547.
- ATSDR (Agency for Toxic Substances and Disease Registry), 2004a, Interaction profile for atrazine, deethylatrazine, diazinon, nitrate, and simazine, December 2004, accessed November 18, 2005, at <http://www.atsdr.cdc.gov/interactionprofiles/ip10.html>.
- ATSDR (Agency for Toxic Substances and Disease Registry), 2004b, Guidance manual for the assessment of joint toxic action of chemical mixtures, May 2004, <http://www.atsdr.cdc.gov/interactionprofiles/ip10.html>.
- Anderson, T.D., and Lydy, M.J., 2002, Increased toxicity to invertebrates associated with a mixture of atrazine and organophosphate insecticides: *Environmental Toxicology and Chemistry*, v. 21, no. 7, p. 1507–1514.
- Andrews, W.J.; Fong, A.L.; Harrod, Leigh; and Dittes, M.E.; 1998, Water-quality assessment of part of the Upper Mississippi River Basin—Ground-water quality in an urban part of the Twin Cities metropolitan area, Minnesota, 1996: U.S. Geological Survey Water-Resources Investigations Report 97-4248, 54 p.
- Andrilenas, P.A., 1974, Farmers' use of pesticides in 1971—quantities: U.S. Department of Agriculture, Economic Research Service, Agricultural Economic Report No. 252, 56 p.
- Anthony, S.S., Hunt, Jr., C.D., Brasher, A.M.D., Miller, L.D., and Tomlinson, M.S., 2004, Water quality on the island of Oahu, Hawaii: U.S. Geological Survey Circular 1239, 31 p.
- Aspelin, A.L., and Grube, A.H., 1999, Pesticides industry sales and usage—1996 and 1997 market estimates: U.S. Environmental Protection Agency, Pesticide Industry Sales and Usage Report 733-R-99-001, 39 p.
- Atkins, J.B.; Zappia, Humbert; Robinson, J.L.; McPherson, A.K.; Moreland, R.S.; Harned, D.A.; Johnston, B.F.; and Harvill, J.S.; 2004, Water quality in the Mobile River Basin, Alabama, Georgia, Mississippi, and Tennessee, 1999–2001: U.S. Geological Survey Circular 1231, 35 p.
- Bailey, H.C.; DiGiorgio, Carol; Kroll, Kevin; Miller, J.L.; Hinton, D.E.; and Starrett, Gwen; 1996, Development of procedures for identifying pesticide toxicity in ambient waters—carbofuran, diazinon, chlorpyrifos: *Environmental Toxicology and Chemistry*, v. 15, no. 6, p. 837–845.
- Bailey, H.C.; Miller, J.L.; Miller, M.J.; Wiborg, L.C.; Deanovic, Linda; and Shed, Theodore; 1997, Joint acute toxicity of diazinon and chlorpyrifos to *Ceriodaphnia dubia*: *Environmental Toxicology and Chemistry*, v. 16, no. 11, p. 2304–2308.
- Bailey, H.C.; Deanovic, Linda; Reyes, Emilie; Kimball, Tom; Larson, Karen; Cortright, Kristi; Connor, Valerie; and Hinton, D.E.; 2000, Diazinon and chlorpyrifos in urban waterways in northern California, USA: *Environmental Toxicology and Chemistry*, v. 19, no. 1, p. 82–87.
- Bailey, H.C., Elphick, J.R., Krassoi, R. and Lovell, Adam, 2001, Joint acute toxicity of diazinon and ammonia to *Ceriodaphnia dubia*: *Environmental Toxicology and Chemistry*, v. 20, no.12, p. 2877–2882.
- Baker, D.B., Wallrabenstein, L.K., and Richards, R.P., 1994, Well vulnerability and agrichemical contamination—assessments from a voluntary well testing program. in the Fourth National Conference on Pesticides—new directions in pesticide research, development and policy: Blacksburg, Va., Virginia Polytechnic Institute and State University, 25 p.
- Barbash, J.E., and Resek, E.A., 1996, Pesticides in ground water—distribution, trends, and governing factors: Chelsea, Mich., Ann Arbor Press, Pesticides in the hydrologic system series, v. 2, 590 p. [available from CRC Press, Boca Raton, Fla.].
- Barbash, J.E., Thelin, G.P., Kolpin, D.W., and Gilliom, R.J., 1999, Distribution of major herbicides in ground water of the United States: U.S. Geological Survey Water-Resources Investigations Report 98-4245, 57 p.
- Barbash, J.E., 2004, The geochemistry of pesticides, in Lollar, B.S., (ed.), *Environmental geochemistry*, in Holland, H.D., and Turekian, K.K., (eds.), *Treatise on geochemistry*: Oxford, UK, Elsevier–Pergamon, v. 9, p. 541–577.
- Battaglin, W.A., Furlong, E.T., and Burkhardt, M.R., 2001, Concentration [*sic*] of selected sulfonylurea, sulfonamide, and imidazolinone herbicides, other pesticides, and nutrients in 71 streams, 5 reservoir outflows, and 25 wells in the Midwestern United States, 1998: U.S. Geological Survey Water-Resources Investigations Report 00-4225, 123 p.
- Battaglin, W.A., Thurman, E.M., Kalkhoff, S.J., and Porter, S.D., 2003, Herbicides and transformation products in surface waters of the Midwestern United States: *Journal of the American Water Resources Association*, v. 39, no. 4, p. 743–756.
- Belden, J.B., and Lydy, M.J., 2000, Impact of atrazine on organophosphate insecticide toxicity: *Environmental Toxicology and Chemistry*, v. 19, no. 9, p. 2266–2274.

- Boxall, A.B., Sinclair, C.J., Fenner, K., Kolpin, D., and Maund, S.J., 2004, When synthetic chemicals degrade in the environment: *Environmental Science and Technology*, v. 38 no. 1, p. 369a–375a.
- Burkart, M.R., and Kolpin, D.W., 1993, Hydrologic and land-use factors associated with herbicides and nitrate in near-surface aquifers: *Journal of Environmental Quality*, v. 22, p. 646–656.
- CCME (Canadian Council of Ministers of the Environment), 1998, Protocol for the derivation of Canadian tissue residue guidelines for the protection of wildlife that consume aquatic biota: Canadian Council of Ministers of the Environment, 18 p., accessed on December 2, 2005, at [http://www.ec.gc.ca/ceqg-rcqe/English/Pdf/tissue\\_protocol.pdf](http://www.ec.gc.ca/ceqg-rcqe/English/Pdf/tissue_protocol.pdf).
- CCME (Canadian Council of Ministers of the Environment), 1999a, Canadian tissue residue guidelines for the protection of wildlife that consume aquatic biota—DDT (total) in Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment, Winnipeg.
- CCME (Canadian Council of Ministers of the Environment), 1999b, Canadian tissue residue guidelines for the protection of wildlife that consume aquatic biota—Toxaphene, in Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment, Winnipeg.
- Capel, P.D., Ma, Lin, and Wotka, P.J., 1998, Wet atmospheric deposition of pesticides in Minnesota 1989–94: U.S. Geological Survey Water Resources Investigations Report, 97-4026, 43 p.
- Capel, P.D., Larson, S.J., and Winterstein, T.A., 2001, The behaviour of 39 pesticides in surface waters as a function of scale: *Hydrological Processes*, v. 15, no. 7, p. 1251–1269.
- Carter, D.S., Lydy, M.J., and Crawford, C.G., 1995, Water-quality assessment of the White River Basin, Indiana—analysis of available information on pesticides, 1972–92: U.S. Geological Survey Water-Resources Investigations Report 94-4024, 60 p.
- Choquette, A.F., and Sepúlveda, A.A., 2000, Design of a shallow ground-water network to monitor agricultural chemicals, Lake Wales Ridge, Central Florida: U.S. Geological Survey Water-Resources Investigations Report 00-4134, 35 p.
- Choquette, A.F., Moore, D.K., Dehaven, E.C., Haber, J.D., and Turner, R.M., 2003, A litmus area for transport of agricultural chemicals into ground water and lakes, central Florida in American Water Resources Association, 2003 Spring Specialty Conference—Agricultural Hydrology and Water Quality, May 12–14, 2003, Proceedings: Kansas City, Mo., American Water Resources Association, AWRA Technical Publication Series No. TPS-03-01.
- Choquette, A.F., Turner, R.D., Haber, J.D., Lucas, P.A., Daker, D.H., and DeHaven, E.C., 2005, Temporal variability of agricultural chemicals in ground water and implications for water-quality sampling in The 15th Tennessee Water Resources Symposium, April 13–15, 2005: Burns, Tenn., American Water Resources Association, Proceedings, p. 2B-6–2B-14.
- Crawford, C.G., 2004, Sampling strategies for estimating acute and chronic exposures of pesticides in streams: *Journal of the American Water Resources Association*, v. 40, no. 2, p. 485–502.
- Cromwell, A.E. and Thurman, E.M., 2000, Atmospheric transport, deposition, and fate of triazine herbicides and their metabolites in pristine areas at Isle Royale National Park: *Environmental Science and Technology*, v. 34, p. 3079–3085.
- Demcheck, D.K., Tollett, R.W., Mize, S.V., Skrobialowski, S.C., Fendick Jr., R.B., Swarzenski, C.M., and Porter, Stephen, 2004, Water quality in the Acadian–Ponchartrain drainages; Louisiana and Mississippi, 1999–2001: U.S. Geological Survey Circular 1232, 41 p.
- Deneer, J.W., 2000, Toxicity of mixtures of pesticides in aquatic systems: *Pest Management Science*, v. 56, no. 6, p. 516–520.
- Denton, D.L., Wheelock, C.E., Murray, S.A., Deanovic, L.A., Hammock, B.D., and Hinton, D.E., 2003, Joint acute toxicity of esfenvalerate and diazinon to larval fathead minnows (*Pimephales promelas*): *Environmental Toxicology and Chemistry*, v. 22, no. 2, p. 336–341.
- Domagalski, J.L., Knifong, D.L., Dileanis, P.D., Brown, L.R., May, J.T., Connor, Valerie, and Alpers, C.N., 2000, Water quality in the Sacramento River basin, California, 1994–98: U.S. Geological Survey, Circular 1215, 36 p.
- Donaldson, David; Kiely, Timothy; and Grube, Arthur; 2002, Pesticides industry sales and usage—1998 and 1999 market estimates: U.S. Environmental Protection Agency, 33 p.
- Eichers, T.R., Andrileanas, P.A., Blake, H., Jenkins, R., and Fox, A., 1970, Quantities of pesticides used by farmers in 1966: U.S. Department of Agriculture, Economic Research Service, Agricultural Economic Report 179, 61 p.
- Eisler, Ronald, and Jacknow, Joel, 1985, Toxaphene hazards to fish, wildlife, and invertebrates—a synoptic review: U.S. Department of the Interior, Fish and Wildlife Service Biological Report 85(1.4), Contaminant Hazard Reviews Report 4, 17 p.
- Eisler, Ronald, 1990, Chlordane hazards to fish, wildlife, and invertebrates—a synoptic review: U.S. Department of the Interior, Fish and Wildlife Service Biological Report 85(1.21), Contaminant Hazard Reviews, Report 21, 49 p.

- Esworthy, R.F., 1987, Incremental benefit analysis—restricted use of all pesticides registered for subterranean termite control: U.S. Environmental Protection Agency, Benefits and Use Division, Economic Analysis Branch.
- Faust, M., Altenburger, R., Boedeker, W., and Grimme, L., 1993, Additive effects of herbicide combinations on aquatic non-target organisms: The Science of the Total Environment supplement, p. 941–952.
- Fegeas, R.G., Claire, R.W., Guptill, S.C., Anderson, K.E., and Hallam, C.A., 1983, Land use and land cover digital data: U.S. Geological Survey Circular 895-E, 21 p.
- Fenner, Kathrin; Kooijman, Cornelis; Cheringer, Martin; and Hungerbuhler, Konrad; 2002, Including transformation products into [*sic*] the risk assessment for chemicals—the case of nonylphenol ethoxylate usage in Switzerland: Environmental Science and Technology, v. 36, no. 6, p. 1147–1154.
- Fry, D.M., and Toone, C.K., 1981, DDT-induced feminization of gull embryos: Science, v. 213, no. 4510, p. 922–924.
- Fuhrer, G.J., Morace, J.L., Johnson, H.M., Rinella, J.F., Ebbert, J.C., Embrey, S.S., Waite, I.R., Carpenter, K.D., Wise, D.R., and Hughes, C.A., 2004, Water quality in the Yakima River Basin, Washington, 1999–2000: U.S. Geological Survey Circular 1237, 44 p.
- Gianessi, L.P., and Marcelli M.B., 2000, Pesticide use in U.S. crop production—1997 national summary report: Washington, D.C., National Center for Food and Agricultural Policy, variously paged.
- Gilliom, R.J., and Thelin, G.P., 1997, Classification and mapping of agricultural land for National Water-Quality Assessment: U.S. Geological Survey Circular 1131, 70 p.
- Goodbred, S.L., Gilliom, R.J., Gross, T.S., Denslow, N.P., Bryant, W.B., and Schoeb, T.R., 1997, Reconnaissance of 17 $\beta$ -estradiol, 11-ketotestosterone, vitellogenin, and gonad histopathology in common carp of United States streams—potential for contaminant-induced endocrine disruption: U.S. Geological Survey Open-File Report 96-627, 47 p.
- Goolsby, D.A., Thurman, E.M., Pomes, M.L., Meyer, M.T., and Battaglin, W.A., 1997, Herbicides and their metabolites in rainfall—origin, transport, and deposition patterns across the midwestern and northeastern United States, 1990–1991: Environmental Science and Technology, v. 31, no. 5, p. 1325–1333.
- Groschen, G.E., Arnold, T.L., Harris, M.A., Dupré, D.H., Fitzpatrick, F.A., Scudder, B.C., Morrow Jr., W.S., Terrio, P.J., Warner, K.L., and Murphy, E.A., 2004, Water quality in the upper Illinois River Basin, Illinois, Indiana, and Wisconsin, 1999–2001: U.S. Geological Survey Circular 1230, 32 p.
- Gross, T.S., Arnold, B.S., Sepulveda, M.S., and McDonald, K., 2003, Endocrine disrupting chemicals and endocrine active agents, in Hoffmann, D.J., Rattner, B.A., Burton Jr., G.A., and Cairns Jr., J., (eds.), Handbook of Ecotoxicology: Lewis Publishers: New York, NY, p. 1033–1098.
- Guillette, L.J., Gross, T.S., Masson, G.R., Matter, M.M., Percival H.F., and Woodward, A.R., 1994, Developmental abnormalities of the gonad and abnormal sex hormone concentrations in juvenile alligators from contaminated and control lakes in Florida: Environmental Health Perspectives, v. 102, p. 680–688.
- Hallberg, G.R., 1989, Pesticide pollution of groundwater in the humid United States: Agriculture, Ecosystems and Environment, v. 26, p. 299–367.
- Hampson, P.S., Treece Jr., M.W., Johnson, G.C., Ahlstedt, S.A., and Connell, J.F., 2000, Water quality in the Upper Tennessee River Basin, Tennessee, North Carolina, Virginia, and Georgia 1994–98: U.S. Geological Survey Circular 1205, 32 p.
- Hermanson, M.H., Isaksson, E., Teixeira, C., Muir, D.C.G., Compher, K.M., Li, Y-F., Igarashi, M., and Kamiyama, K., 2005, Current-use and legacy pesticide history in the Austfonna Ice Cap, Svalbard, Norway: Environmental Science and Technology, v. 39, no. 21, p. 8163–8169.
- International Agency for Research on Cancer, 2001, Chlor-dane and heptachlor (Group 2B): IARC Summary and Evaluation, v. 79.
- Jordan, L.S., Farmer, W.J., Goodin, J.R., and Day, B.E., 1970, Nonbiological detoxication of the s-triazine herbicides: Residue Reviews, v. 32, p. 267–286.
- Kalkhoff, S.J., Kolpin, D.W., Thurman, E.M., Ferrer, I., and Barcelo, D., 1998, Degradation of chloroacetanilide herbicides—the prevalence of sulfonic and oxanilic acid metabolites in Iowa groundwaters and surface waters: Environmental Science and Technology, v. 32, no. 11, p. 1738–1740.
- Kavlock, R.J., Daston, G.P., DeRose, C., Fenner-Crisp, P., Gray, L.E., Kaattari, S. Lucier, G., Luster, M., Mac, M.J., Maczka, C., Miller, R., Moore, J., Rolland, R., Scott, G., Sheehan, D.M., Sinks, T., and Tilson, H.A., 1996, Research needs for the risk assessment of health and environmental effects of endocrine disruptors—a report of the U.S. Environmental Protection Agency-sponsored workshop: Environmental Health Perspectives, v. 104, p. 715–740.
- Keith, L.H., 1997, Environmental endocrine disruptors—a handbook of property data: New York, NY, John Wiley & Sons, Inc., 1231 p.

- Kiely, Timothy; Donaldson, David; and Grube, Arthur; 2004, Pesticides industry sales and usage—2000 and 2001 market estimates: U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, EPA-733-R-04-001, 33 p.
- Kolpin, D.W., Thurman, E.M., Goolsby, D.A., 1996, Occurrence of selected pesticides and their metabolites in near-surface aquifers of the Midwestern United States: *Environmental Science and Technology*, v. 30, p. 335–340.
- Kolpin, D.W., 1997, Agricultural chemicals in groundwater of the Midwestern United States—relations to land use: *Journal of Environmental Quality*, v. 26, no. 4, p. 1025–1037.
- Kolpin, D.W., Stamer, J.K., and Goolsby, D.A., 1998, Herbicides in ground water of the Midwest—a regional study of shallow aquifers, 1991–94: U.S. Geological Survey Fact Sheet 076-98, 4 p.
- Kolpin, D.W., Schnoebelen, D.J., and Thurman, E.M., 2004, Degradates provide insight to spatial and temporal trends of herbicides in ground water: *Ground Water*, v. 42, no. 4, p. 601–608.
- Larson, S.J., Capel, P.D., and Majewski, M.S., 1997, Pesticides in surface waters—distribution, trends, and governing factors: Chelsea, Mich., Ann Arbor Press, *Pesticides in the Hydrologic System series*, v. 3, 373 p. [available from CRC Press, Boca Raton, Fla.]
- Larson, S.J., Gilliom, R.J., and Capel, P.D., 1999, Pesticides in streams of the United States—initial results from the National Water-Quality Assessment Program: U.S. Geological Survey Water-Resources Investigations Report 98-4222, 92 p.
- Larson S.J., Crawford, C.G., and Gilliom, R.J., 2004, Development and application of watershed regressions for pesticides (WARP) for estimating atrazine concentration distributions in streams: U.S. Geological Survey Water-Resources Investigations Report 2003–4047, 68 p.
- Leonard, R.A., 1990, Movement of pesticides into surface waters, in Cheng, H.H., (ed.), *Pesticides in the Soil Environment: Soil Science Society of America Book Series*, no. 2, p. 303–349.
- Lydy, M.J., and Austin, K.R., 2004, Toxicity assessment of pesticide mixtures typical of the Sacramento–San Joaquin Delta using *Chironomus tentans*: *Archives of Environmental Contamination and Toxicology*, v. 48, no. 1, p. 49–55.
- Lydy, Michael; Belden, Jason; Wheelock, Craig; Hammock, Bruce; and Denton, Debra; 2004, Challenges in regulating pesticide mixtures: *Ecology and Society*, v. 9, no. 6, art. 1, p. 1–15.
- MacDonald, D.D., Ingersoll, C.G., and Berger, T.A., 2000, Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems: *Archives of Environmental Contamination and Toxicology* v. 39, p. 20–31.
- Majewski, M.S., and Capel, P.D., 1995, *Pesticides in the atmosphere—distribution, trends, and governing factors*: Chelsea, Mich., Ann Arbor Press, *Pesticides in the hydrologic system series*, v. 1, 214 p. [available from CRC Press, Boca Raton, Fla.].
- Milne, G.W.A., 1995, *CRC handbook of pesticides*: Boca Raton, Fla., CRC Press, 402 p.
- Munn, M.D., and Gilliom, R.J., 2001, *Pesticide toxicity index for freshwater aquatic organisms*: U.S. Geological Survey Water-Resources Investigations Report 2001-4077, 55 p.
- Nakagaki, Naomi, and Wolock, D.M., 2005, Estimation of agricultural pesticide use in drainage basins using land cover maps and county pesticide data: U.S. Geological Survey Open-File Report 2005-1188, 46 p.
- National Academy of Sciences, 1999, *Hormonally active agents in the environment*: Washington, DC., National Academy Press, 430 p.
- Newell, A.J., Johnson, D.W., and Allen, L.K., 1987, *Niagara River biota contamination project—fish flesh criteria for piscivorous wildlife*: New York State Department of Environmental Conservation, Division of Fish and Wildlife, Bureau of Environmental Protection Technical Report 87-3, 182 p.
- Nolan, J.V., Brakebill, J.W., Alexander, R.B., and Schwarz, G.E., 2003, *Enhanced River Reach File 2.0, Version 2.0*, November 10, 2003: U.S. Geological Survey Open-File Report 2002-40, variously paged.
- Nowell, L.H., Capel, P.D., and Dileanis, P.D., 1999, *Pesticides in stream sediment and aquatic biota—distribution, trends, and governing factors*: Boca Raton, Fla., CRC Press, *Pesticides in the Hydrologic System series*, v. 4, 1001 p.
- Nowell, L.H., Crawford, C.G., Nakagaki, N., Thelin, G.P., and Wolock, D.M., 2006, *Regression model for explaining and predicting concentrations of dieldrin in whole fish in United States streams*: U.S. Geological Survey Scientific Investigations Report, 2006–5020.
- Purdum, C.E., Hardiman, P.A., Bye, V.J., Eno, N.C., Tyler, C.R., Sumpter, J.P., 1994, Estrogenic effects of effluents from sewage treatment works: *Chemistry and Ecology*, v. 8, p. 275–285.

- Renard, K.G., Foster, G.R., Weesies, G.A., McCool, D.K., and Yoder, D.C., 1997, Predicting soil erosion by water—a guide to conservation planning with the Revised Universal Soil Loss Equation (RUSLE): U.S. Department of Agriculture Agricultural Handbook no. 703, 384 p.
- Richards, R.P., and Baker, D.B., 1993, Pesticide concentration patterns in agricultural drainage networks in the Lake Erie Basin: *Environmental Toxicology and Chemistry*, v. 12, p. 13–26.
- Richards, R.P., Baker, D.B., Kramer, J.W., and Ewing, E.W., 1996, Annual loads of herbicides in Lake Erie tributaries in Ohio and Michigan: *Journal of Great Lakes Research* v. 22, p. 414–428.
- Rodriguez, C.J., and Harkin, J.M., 1997, Degradation of atrazine in subsoils, and groundwater mixed with aquifer sediments: *Bulletin of Environmental Contamination Toxicology*, v. 59, p. 728–735.
- Rowe Jr., G.L., Reutter, D.C., Runkle, D.L., Hambrook, J.A., Janosy, S.D., and Hwang, L.H., 2004, Water quality in the Great and Little Miami River Basins, Ohio and Indiana, 1999–2001: U.S. Geological Survey Circular 1229, 40 p.
- Sample, B.E., Opresko, D.M., Suter II, G.W., 1996, Toxicological benchmarks for wildlife, 1996 revision: Prepared by the Risk Assessment Program, Health Sciences Research Division, Oak Ridge National Laboratory, for the U.S. Department of Energy ES/ER/TM-86/R3, variously paged.
- Schertz, T.L., Alexander, R.B., and Ohe, D.J., 1991, The computer program estimate trend (ESTREND), a system for the detection of trends in water-quality data: U.S. Geological Survey Water-Resources Investigations Report 91-4040, 63 p.
- Schmitt, C.J., and Bunck, C. M., 1995, Persistent environmental contaminants in United States fish and wildlife: U.S. Geological Survey, Biological Resources Division, Columbia Environmental Research Center, accessed December 2, 2005, at <http://www.cerc.usgs.gov/data/ncbp/fish.htm>.
- Schnoebelen, D.J., Kalkhoff, S.J., Becher, K.D., and Thurman, E.M., 2003, Water-quality assessment of the Eastern Iowa basins—selected pesticides and pesticide degradates in streams, 1996–98: U.S. Geological Survey Water-Resources Investigations Report 2003-4075, 61 p.
- Scribner, E.A., Battaglin, W.A., Dietze, J.E., and Thurman, E.M., 2003, Reconnaissance data for glyphosate, other selected herbicides, their degradation products, and antibiotics in 51 streams in nine midwestern states, 2002: U.S. Geological Survey Open-File Report 2003-217, 101 p.
- Seiler, R.L., Skorupa, J., Naftz, D.L., and Nolan, B.T., 2003, Irrigation-induced contamination of water, sediment, and biota in the western United States—synthesis of data from the National Irrigation Water Quality Program: U.S. Geological Survey Professional Paper 1655, 123 p.
- Shedlock, R.J., Denver, J.M., Hayes, M.A., Hamilton, P.A., Koterba, M.T., Bachman, L.J., Phillips, P.J., and Banks, W.S.L., 1999, Water-quality assessment of the Delmarva Peninsula, Delaware, Maryland, and Virginia—results of investigations, 1987–91: U.S. Geological Survey Water-Supply Paper 2355-A, 41 p.
- Sinclair, C.J., and Boxall, A.B.A., 2003, Assessing the ecotoxicity of pesticide transformation products: *Environmental Science and Technology*, v. 37, no. 20, p. 4617–4625.
- Squillace, P.J., Thurman, E.M., and Furlong, E.T., 1993, Groundwater as a nonpoint source of atrazine and deethylatrazine in a river during base flow conditions: *Water Resources Research*, v. 29, no. 6, p. 1719–1729.
- Squillace, P.J., Scott, J.C., Moran, M.J., Nolan, B.T., and Kolpin, D.W., 2002, VOCs, pesticides, nitrate, and their mixtures in groundwater used for drinking water in the United States: *Environmental Science and Technology*, v. 36, no. 9, p. 1923–1930.
- Stackelberg, P.E., Gilliom, R.J., Wolock, D.M., and Hitt, K.J., 2006, Development and application of a regression equation for estimating the occurrence of atrazine in shallow ground water beneath agricultural areas of the United States: U.S. Geological Survey Scientific Investigations Report 2005-5287, p 27.
- Stephan, C.E., Mount, D.I., Hansen, D.J., Gentile, J.H., Chapman, G.A., and Brungs, W.A., 1985, Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses: U.S. Environmental Protection Agency, PB 85-227049, 98 p., accessed June 9, 2005, at <http://www.epa.gov/waterscience/criteria/85guidelines.pdf>.
- Thelin, G.P., and Gianessi, L.P., 2000, Method for estimating pesticide use for county areas of the United States: U.S. Geological Survey Open-File Report 2000-25, 62 p.
- Thurman, E.M., Goolsby, D.A., Meyer, M.T., and Kolpin, D.W., 1991, Herbicides in surface waters of the midwestern United States—the effect of spring flush: *Environmental Science and Technology*, v. 25, no. 10, p. 1794–1796.
- U.S. Department of Agriculture, 1999, 1997 Census of Agriculture, Geographic Area Series Volume 1, 1A, 1B, 1C, CD-ROM Set [3 CD set].

- U.S. Department of Agriculture, 2005, National Agricultural Statistics Service (NASS), Agricultural chemical use database, accessed December 1, 2005, at <http://www.pestmanagement.info/nass/>.
- U.S. Department of Health and Human Services, 2005, Report on carcinogens, eleventh edition. U.S. Department of Health and Human Services, Public Health Service, accessed January 30, 2006 at <http://ntp.niehs.nih.gov/ntp/roc/eleventh/profiles/s064ddt.pdf>.
- USEPA (U.S. Environmental Protection Agency), 1982, Pesticide assessment guidelines, Subdivision N, Chemistry: Environmental Fate; U.S. Environmental Protection Agency Office of Pesticide Programs EPA-540/9-82-021.
- USEPA (U.S. Environmental Protection Agency), 1986, Guidelines for the health risk assessment of chemical mixtures; September 1986: U.S. Environmental Protection Agency, National Center for Environmental Assessment, Office of Research and Development, EPA/630/R-98/002. 51 FR 34014, accessed August 26, 2005, at [http://www.epa.gov/ncea/raf/pdfs/chem\\_mix/chemmix\\_1986.pdf](http://www.epa.gov/ncea/raf/pdfs/chem_mix/chemmix_1986.pdf).
- USEPA (U.S. Environmental Protection Agency), 1992a, Water quality standards: establishment of numeric criteria for priority toxic pollutants; States' compliance; Final rule (12/22/92) ("Toxics Rule"): Federal Register, v. 57, no. 246, p. 60848–60923.
- USEPA (U.S. Environmental Protection Agency), 1992b, National study of chemical residues in fish: U.S. Environmental Protection Agency, Office of Science and Technology: EPA-823-R-92-008a, v. 1 166 p., 2 appendices.
- USEPA (U.S. Environmental Protection Agency), 1997, Ecological risk assessment guidance for Superfund—process for designing and conducting ecological risk assessments, Interim final: U.S. Environmental Protection Agency EPA 540-R-97-006, Solid Waste and Emergency Response OSWER9285.7-25, Publication PB97-963211, 77 p.
- USEPA (U.S. Environmental Protection Agency), 1998, Endocrine disruptor screening and testing advisory committee (EDSTAC), final report, August 1998, U.S. Environmental Protection Agency, accessed December 1, 2005, at <http://www.epa.gov/scipoly/ospendo/edspoverview/finalrpt.htm>.
- USEPA (U.S. Environmental Protection Agency), 2000a, Guidance for assessing chemical contaminant data for use in fish advisories, vol. 1, fish sampling and analysis, (3rd ed): U.S. Environmental Protection Agency, Office of Water, EPA 823-B-00-007.
- USEPA (U.S. Environmental Protection Agency), 2000b, Environmental risk assessment for diazinon, revised October 2000: U.S. Environmental Protection Agency, accessed September 28, 2005, at [http://www.epa.gov/pesticides/op/diazinon/risk\\_oct2000.pdf](http://www.epa.gov/pesticides/op/diazinon/risk_oct2000.pdf).
- USEPA (U.S. Environmental Protection Agency), 2000c, Supplementary guidance for conducting health risk assessment of chemical mixtures: U.S. Environmental Protection Agency Risk Assessment Forum EPA/630/R-00/002, accessed December 1, 2005, at [http://www.epa.gov/NCEA/raf/chem\\_mix.htm](http://www.epa.gov/NCEA/raf/chem_mix.htm).
- USEPA (U.S. Environmental Protection Agency), 2003a, Interim reregistration eligibility decision for atrazine—Case No. 0062: U.S. Environmental Protection Agency, accessed January 9, 2006, at [http://www.epa.gov/oppsrrd1/REDS/atrazine\\_ired.pdf](http://www.epa.gov/oppsrrd1/REDS/atrazine_ired.pdf).
- USEPA (U.S. Environmental Protection Agency), 2003b, Atrazine MOA Ecological Subgroup—recommendations for aquatic community level of concern (LOC) and method to apply LOC(s) to monitoring data, final report, October 22, 2003, U.S. Environmental Protection Agency Electronic docket, Public Docket Number OPP-2003-0367-0007, accessed January 24, 2006, at <http://www.regulations.gov/fdmspublic-re111/component/main>.
- USEPA (U.S. Environmental Protection Agency), 2003c, Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms—dieldrin: U.S. Environmental Protection Agency, Office of Research and Development EPA-600-R-02-010, accessed December 1, 2005, at <http://www.epa.gov/nheerl/publications/files/dieldrin.pdf>.
- USEPA (U.S. Environmental Protection Agency), 2003d, Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms—endrin: U.S. Environmental Protection Agency, Office of Research and Development EPA-600-R-02-009, accessed December 1, 2005, at <http://www.epa.gov/nheerl/publications/files/endrin.pdf>.
- USEPA (U.S. Environmental Protection Agency), 2003e, Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms—nonionics compendium, Draft: U.S. Environmental Protection Agency, Office of Research and Development EPA-822-R-02-016.
- USEPA (U.S. Environmental Protection Agency), 2003f, Framework for cumulative risk assessment: U.S. Environmental Protection Agency Risk Assessment Forum EPA/630/P-02/001F, 129 p.
- USEPA (U.S. Environmental Protection Agency), 2004a, 40 CFR Part 158 Data Requirement Tables: U.S. Environmental Protection Agency.

- USEPA (U.S. Environmental Protection Agency), 2004b, An examination of EPA risk assessment principles and practices—staff paper prepared for the U.S. Environmental Protection Agency by members of the Risk Assessment Task Force: U.S. Environmental Protection Agency, Office of the Science Advisor EPA/100/B-04/001, 193 p.
- USEPA (U.S. Environmental Protection Agency), 2004c, 2004 Edition of the drinking water standards and health advisories: U.S. Environmental Protection Agency, Office of Water EPA-822-R-04-005, accessed December 1, 2005, at <http://www.epa.gov/waterscience/drinking/standards/dwstandards.pdf>.
- USEPA (U.S. Environmental Protection Agency), 2004d, National recommended water quality criteria: U.S. Environmental Protection Agency, Office of Water and Office of Science and Technology, 23 p., accessed December 1, 2005, at <http://www.epa.gov/waterscience/criteria/nrwqc-2004.pdf>.
- USEPA (U.S. Environmental Protection Agency), 2004e, Interim reregistration eligibility decision diazinon: U.S. Environmental Protection Agency, Prevention, Pesticides and Toxic Substances, EPA 738-R-04-006 (May 2004), accessed September 21, 2005, at <http://cfpub.epa.gov/oppreff/rereg/status.cfm?show=rereg>.
- USEPA (U.S. Environmental Protection Agency), 2004f, National whole effluent toxicity (WET) implementation guidance under the NPDES program (draft): U.S. Environmental Protection Agency, Office of Wastewater Management EPA 832-B-04-003, accessed December 1, 2005, at [http://www.epa.gov/npdes/pubs/wet\\_draft\\_guidance.pdf](http://www.epa.gov/npdes/pubs/wet_draft_guidance.pdf).
- USEPA (U.S. Environmental Protection Agency), 2004g, Persistent bioaccumulative and toxic chemical program—priority PBT profiles: U.S. Environmental Protection Agency, accessed January 10, 2006, at <http://www.epa.gov/pbt/pubs/cheminfo.htm>.
- USEPA (U.S. Environmental Protection Agency), 2004h, The incidence and severity of sediment contamination in surface waters of the United States, national sediment quality survey (2nd ed.): U.S. Environmental Protection Agency, Office of Science and Technology EPA 823-R-04-007, 280 p.
- USEPA (U.S. Environmental Protection Agency), 2005a, Technical overview of ecological risk assessment: U.S. Environmental Protection Agency, accessed January 27, 2006 at [http://www.epa.gov/oppefed1/ecorisk\\_ders/](http://www.epa.gov/oppefed1/ecorisk_ders/).
- USEPA (U.S. Environmental Protection Agency), 2005b, Drinking water contaminant candidate list 2—final notice: Federal Register, v. 70, no. 36, p. 9071-9077, February 24, 2005; accessed December 1, 2005, at <http://www.epa.gov/fedrgstr/EPA-WATER/2005/February/Day-24/w3527.htm>.
- USEPA (U.S. Environmental Protection Agency), 2005c, Unregulated contaminant monitoring regulation (UCMR) for Public Water Systems Revisions—proposed rule: Federal Register, v. 70, no. 161, p. 49093–49138, accessed December 1, 2005, at <http://www.epa.gov/fedrgstr/EPA-WATER/2005/August/Day-22/w16385.htm>.
- USEPA (U.S. Environmental Protection Agency), 2005d, Drinking water health advisories: U.S. Environmental Protection Agency, accessed November 14, 2005, at <http://www.epa.gov/waterscience/criteria/drinking/>.
- USEPA (U.S. Environmental Protection Agency), 2005e, Integrated Risk Information System (IRIS) database for risk management: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, accessed December 1, 2005, at <http://www.epa.gov/iris>.
- USEPA (U.S. Environmental Protection Agency), 2005f, 2004 National listing of fish advisories: U.S. Environmental Protection Agency, Office of Water, Fact Sheet EPA-823-F-05-004, 6 p., accessed December 2, 2005, at <http://epa.gov/waterscience/fish/advisories/fs2004.pdf>.
- USEPA (U.S. Environmental Protection Agency), 2005g, The national listing of fish advisories database, release of 2004 data: U.S. Environmental Protection Agency, Office of Water, accessed November 9, 2005, at <http://epa.gov/waterscience/fish/advisories/>.
- USEPA (U.S. Environmental Protection Agency), 2005h, Technical overview of ecological risk assessment, risk characterization: U.S. Environmental Protection Agency, accessed November 16, 2005, at [http://www.epa.gov/oppefed1/ecorisk\\_ders/toera\\_risk.htm](http://www.epa.gov/oppefed1/ecorisk_ders/toera_risk.htm).
- USEPA (U.S. Environmental Protection Agency), 2005i, Technical overview of ecological risk assessment, analysis phase— ecological effects characterization: U.S. Environmental Protection Agency, accessed January 9, 2006, at [http://www.epa.gov/oppefed1/ecorisk\\_ders/toera\\_analysis\\_eco.htm](http://www.epa.gov/oppefed1/ecorisk_ders/toera_analysis_eco.htm).
- USEPA (U.S. Environmental Protection Agency), 2005j, Proposed revisions to the aquatic life criteria guidelines—charge to the panel: U.S. Environmental Protection Agency, accessed November 17, 2005, at [http://www.epa.gov/science1/pdf/aquatic\\_life\\_criteria\\_guidelines\\_consultative\\_panel\\_charge.pdf](http://www.epa.gov/science1/pdf/aquatic_life_criteria_guidelines_consultative_panel_charge.pdf).
- U.S. Geological Survey, 1999, The quality of our Nation's waters—nutrients and pesticides: U.S. Geological Survey Circular 1225, 82 p.

Van Metre, P.C., Wilson, J.T., Callender, Edward, and Fuller, C.C., 1998, Similar rates of decrease of persistent, hydrophobic and particle-reactive contaminants in riverine systems: *Environmental Science and Technology*, v. 32, no. 21, p. 3312–3317.

Van Metre, P.C., and Mahler, B.J., 2005, Trends in hydrophobic organic contaminants in urban and reference lake sediments across the United States, 1970–2001: *Environmental Science and Technology*, v. 39, no. 15, p. 5567–5574.

Vogelmann, J.E., Howard, S.M., Yang, L., Larson, C.R., Wylie, B.K., and VanDriel, Nick, 2001, Completion of the 1990's national land cover dataset for the conterminous United States from Landsat Thematic Mapper data and ancillary data sources: *Photogrammetric Engineering and Remote Sensing*, v. 67, p. 650–662.

Whitmore, R.W., Kelly, J.E., and Reading, P.L., 1992, Executive summary, results, and recommendations, Volume 1 of National home and garden pesticide use survey, final report: U.S. Environmental Protection Agency, Research Triangle Institute RTI/5100/17-01F, 140 p.