Clinic-Specific Demographic, Clinical, and Laboratory Data

The remainder of this report provides clinic-specific figures for each of the 27 clinics that participated in GISP in 2005. Individual figures for each clinic show demographic and clinical characteristics of the men with gonorrhea enrolled in GISP, as well as antimicrobial susceptibilities for the N. gonorrhoeae isolates. The number of isolates submitted by each clinic is 300 when the full sample of 25 isolates per month is obtained. However, the number of isolates submitted is lower for many clinics located in areas with low gonorrhea rates. Each page of figures is labeled with the city of the participating clinic and the actual number of isolates on which the clinic's 2005 data are based.

Definitions of terms and abbreviations used in the clinicspecific figures are as follows: **Figure B**: National cases with unknown race were excluded. The "Asian" category includes Native Hawaiians and the "Other" category includes participants who selected more than one race category. The "Other" category is not used in national gonorrhea reporting.

Figure D: Contact=has sexual partner with gonorrhea TOC/Other=test of cure/other

Figure G: Azi/Ery=azithromycin/ erythromycin Doxy/Tet=doxycycline/tetracycline

Figure H: PPNG=penicillinase-producing N. gonorrhoeae
TRNG=plasmid-mediated
tetracycline resistant N. gonorrhoeae
PPNG-TRNG=plasmid-mediated
penicillin and tetracycline resistant
N. gonorrhoeae
PenR=chromosomally mediated
penicillin resistant N. gonorrhoeae
TetR=chromosomally mediated
tetracycline resistant N. gonorrhoeae
CMRNG=chromosomally mediated
penicillin and tetracycline resistant
N. gonorrhoeae