

TABLE 2.—FINAL 2009 ABCs, TACs, AND OFLS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA

[Values are rounded to the nearest metric ton]

| Species | Area/district ¹ | ABC | TAC | OFL |
|---------------------------------------|----------------------------|---------|--------|---------|
| Pollock ² | Shumagin (610) | 23,700 | 23,700 | n/a |
| | Chirikof (620) | 25,821 | 25,821 | n/a |
| | Kodiak (630) | 18,367 | 18,367 | n/a |
| | WYK (640) | 2,042 | 2,042 | n/a |
| Subtotal | W/C/WYK | 69,930 | 69,930 | 95,940 |
| | SEO (650) | 8,240 | 8,240 | 11,040 |
| Total | | 78,170 | 78,170 | 106,980 |
| Pacific cod ³ | W | 25,932 | 19,449 | n/a |
| | C | 37,901 | 28,426 | n/a |
| | E | 2,660 | 2,394 | n/a |
| | Total | 66,493 | 50,269 | 88,660 |
| Flatfish ⁴ (deep-water) | W | 707 | 707 | n/a |
| | C | 6,927 | 6,927 | n/a |
| | WYK | 995 | 995 | n/a |
| | SEO | 543 | 543 | n/a |
| Total | | 9,172 | 9,172 | 11,583 |
| Rex sole | W | 948 | 948 | n/a |
| | C | 6,241 | 6,241 | n/a |
| | WYK | 483 | 483 | n/a |
| | SEO | 796 | 796 | n/a |
| Total | | 8,468 | 8,468 | 11,065 |
| Flathead sole | W | 13,001 | 2,000 | n/a |
| | C | 29,289 | 5,000 | n/a |
| | WYK | 3,556 | 3,556 | n/a |
| | SEO | 659 | 659 | n/a |
| Total | | 46,505 | 11,215 | 57,962 |
| Flatfish ⁵ (shallow-water) | W | 26,360 | 4,500 | n/a |
| | C | 29,873 | 13,000 | n/a |
| | WYK | 3,333 | 3,333 | n/a |
| | SEO | 1,423 | 1,423 | n/a |
| Total | | 60,989 | 22,256 | 74,364 |
| Arrowtooth flounder | W | 31,080 | 8,000 | n/a |
| | C | 169,371 | 30,000 | n/a |
| | WYK | 15,375 | 2,500 | n/a |
| | SEO | 12,579 | 2,500 | n/a |
| Total | | 228,405 | 43,000 | 269,237 |
| Sablefish ⁶ | W | 1,727 | 1,727 | n/a |
| | C | 5,026 | 5,026 | n/a |
| | WYK | 1,782 | 1,782 | n/a |

TABLE 2.—FINAL 2009 ABCs, TACs, AND OFLS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

| Species | Area/district ¹ | ABC | TAC | OFL |
|---------------------------------------|----------------------------|--------|--------|--------|
| Subtotal | SEO | 3,098 | 3,098 | n/a |
| | E (WYK and SEO) | 4,880 | 4,880 | n/a |
| Total | | 11,633 | 11,633 | 12,924 |
| Pacific ocean perch ⁷ | W | 3,704 | 3,704 | 4,397 |
| | C | 8,225 | 8,225 | 9,764 |
| | WYK | 1,105 | 1,105 | n/a |
| | SEO | 2,038 | 2,038 | n/a |
| | E (WYK and SEO) | 3,143 | 3,143 | 3,732 |
| Total | | 15,072 | 15,072 | 17,893 |
| Shortraker rockfish ⁸ | W | 120 | 120 | n/a |
| | C | 315 | 315 | n/a |
| | E | 463 | 463 | n/a |
| | Total | 898 | 898 | 1,197 |
| Rougheye rockfish ⁹ | W | 124 | 124 | n/a |
| | C | 830 | 830 | n/a |
| | E | 325 | 325 | n/a |
| | Total | 1,279 | 1,279 | 1,540 |
| Other rockfish ^{10 11} | W | 357 | 357 | n/a |
| | C | 569 | 569 | n/a |
| | WYK | 604 | 604 | n/a |
| | SEO | 2,767 | 200 | n/a |
| | Total | 4,297 | 1,730 | 5,624 |
| Northern rockfish ^{11 12} | W | 2,047 | 2,047 | n/a |
| | C | 2,302 | 2,302 | n/a |
| | E | 0 | 0 | n/a |
| | Total | 4,349 | 4,349 | 5,120 |
| Pelagic shelf rockfish ¹³ | W | 986 | 986 | n/a |
| | C | 3,566 | 3,566 | n/a |
| | WYK | 247 | 247 | n/a |
| | SEO | 341 | 341 | n/a |
| | Total | 5,140 | 5,140 | 6,294 |
| Thornyhead rockfish | W | 267 | 267 | n/a |
| | C | 860 | 860 | n/a |
| | E | 783 | 783 | n/a |
| | Total | 1,910 | 1,910 | 2,540 |
| Big skates ¹⁴ | W | 632 | 632 | n/a |
| | C | 2,065 | 2,065 | n/a |
| | E | 633 | 633 | n/a |
| | Total | 3,330 | 3,330 | 4,439 |
| Longnose skates ¹⁵ | W | 78 | 78 | n/a |
| | C | 2,041 | 2,041 | n/a |
| | E | 768 | 768 | n/a |
| | Total | 2,887 | 2,887 | 3,849 |
| Other skates ¹⁶ | GW | 2,104 | 2,104 | 2,806 |
| Demersal shelf rockfish ¹⁷ | SEO | 382 | 382 | 611 |
| Atka mackerel | GW | 4,700 | 1,500 | 6,200 |
| Other species ¹⁸ | GW | n/a | 4,500 | n/a |

TABLE 2.—FINAL 2009 ABCS, TACS, AND OFLS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

| Species | Area/district ¹ | ABC | TAC | OFL |
|---------------------|----------------------------|---------|---------|---------|
| Total ¹⁹ | | 556,183 | 279,264 | 690,888 |

¹ Regulatory areas and districts are defined at 50 CFR 679.2. (W=Western Gulf of Alaska; C=Central Gulf of Alaska; E=Eastern Gulf of Alaska; WYK=West Yakutat District; SEO=Southeast Outside District; GW=Gulf-wide)

² Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is based on an adjusted estimate of the relative distribution of pollock biomass of approximately 26 percent, 49 percent, and 24 percent in Statistical Areas 610, 620, and 630, respectively. During the B season, the apportionment is based on the relative distribution of pollock biomass at 26 percent, 60 percent, and 14 percent in Statistical Areas 610, 620, and 630, respectively. During the C and D seasons, the apportionment is based on the relative distribution of pollock biomass at 43 percent, 21 percent, and 35 percent in Statistical Areas 610, 620, and 630, respectively. Tables 5 and 6 list the 2008 and 2009 seasonal apportionments of pollock. In the WYK District and SEO Districts of the Eastern Regulatory Area, pollock is not divided into seasonal allowances.

³ The annual Pacific cod TAC is apportioned 60 percent to an A season and 40 percent to a B season in the Western and Central Regulatory Areas of the GOA. Pacific cod is allocated 90 percent for processing by the inshore component and 10 percent for processing by the offshore component in the Western and Central Regulatory Areas of the GOA. Table 7 lists the 2008 and 2009 seasonal apportionments and component allocations of the Pacific cod TAC.

⁴ “Deep water flatfish” means Dover sole, Greenland turbot, and deepsea sole.

⁵ “Shallow water flatfish” means flatfish not including “deep water flatfish,” flathead sole, rex sole, or arrowtooth flounder.

⁶ Sablefish is allocated to trawl and hook-and-line gears for 2008 and to trawl gear in 2009. Tables 3 and 4 list the 2008 and 2009 allocations of sablefish.

⁷ “Pacific ocean perch” means *Sebastes alutus*.

⁸ “Shortraker rockfish” means *Sebastes borealis*.

⁹ “Rougheye rockfish” means *Sebastes aleutianus* (rougheye) and *Sebastes melanostictus* (blackspotted).

¹⁰ “Other rockfish” in the Western and Central Regulatory Areas and in the WYK District means slope rockfish and demersal shelf rockfish. The category “other rockfish” in the SEO District means slope rockfish.

¹¹ “Slope rockfish” means *Sebastes aurora* (aurora), *S. melanostomus* (blackgill), *S. paucispinis* (bocaccio), *S. goodei* (chilipepper), *S. crameri* (darkblotch), *S. elongatus* (greenstriped), *S. variegatus* (harlequin), *S. wilsoni* (pygmy), *S. babcocki* (redbanded), *S. proriger* (redstripe), *S. zacentrus* (sharpchin), *S. jordani* (shortbelly), *S. brevispinis* (silvergrey), *S. diploproa* (splitnose), *S. saxicola* (stripetail), *S. miniatus* (vermilion), and *S. reedi* (yellowmouth). In the Eastern Regulatory Area only, slope rockfish also includes northern rockfish, *S. polyspinis*.

¹² “Northern rockfish” means *Sebastes polyspinis*. The 2 mt ABC for northern rockfish in the Eastern Regulatory Area has been combined with the ABC for slope rockfish in the WYK District.

¹³ “Pelagic shelf rockfish” means *Sebastes ciliatus* (dark), *S. variabilis* (dusky), *S. entomelas* (widow), and *S. flavidus* (yellowtail).

¹⁴ Big skate means *Raja binoculata*.

¹⁵ Longnose skate means *Raja rhina*.

¹⁶ Other skates means *Bathyraja* spp.

¹⁷ “Demersal shelf rockfish” means *Sebastes pinniger* (canary), *S. nebulosus* (china), *S. caurinus* (copper), *S. maliger* (quillback), *S. helvomaculatus* (rosethorn), *S. nigrocinctus* (tiger), and *S. ruberrimus* (yelloweye).

¹⁸ “Other species” means sculpins, sharks, squid, and octopus. There is no OFL or ABC for “other species,” the TAC for “other species” is set at less than or equal to 5 percent of the TACs for assessed target species.

¹⁹ The total ABC and OFL is the sum of the ABCs and OFLs for assessed target species.