


Prepared in cooperation with the Commonwealth of Kentucky and other agencies

Water Resources Data Kentucky Water Year 2003



Water-Data Report KY-03-1



CALENDAR FOR WATER YEAR 2003

2002

| OCTOBER | | | | | | | NOVEMBER | | | | | | | DECEMBER | | | | | | |
|---------|----|----|----|----|----|----|----------|----|----|----|----|----|----|----------|----|----|----|----|----|----|
| S | M | T | W | T | F | S | S | M | T | W | T | F | S | S | M | T | W | T | F | S |
| | | 1 | 2 | 3 | 4 | 5 | | | | | | 1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 27 | 28 | 29 | 30 | 31 | | | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 29 | 30 | 31 | | | | |

2003

| JANUARY | | | | | | | FEBRUARY | | | | | | | MARCH | | | | | | |
|---------|----|----|----|----|----|----|----------|----|----|----|----|----|----|-------|----|----|----|----|----|----|
| S | M | T | W | T | F | S | S | M | T | W | T | F | S | S | M | T | W | T | F | S |
| | | | 1 | 2 | 3 | 4 | | | | | | | 1 | | | | | | | 1 |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| 26 | 27 | 28 | 29 | 30 | 31 | | 23 | 24 | 25 | 26 | 27 | 28 | | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| | | | | | | | | | | | | | | 30 | 31 | | | | | |

| APRIL | | | | | | | MAY | | | | | | | JUNE | | | | | | |
|-------|----|----|----|----|----|----|-----|----|----|----|----|----|----|------|----|----|----|----|----|----|
| S | M | T | W | T | F | S | S | M | T | W | T | F | S | S | M | T | W | T | F | S |
| | | | 1 | 2 | 3 | 4 | | | | | 1 | 2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 27 | 28 | 29 | 30 | | | | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 29 | 30 | | | | | |


| JULY | | | | | | | AUGUST | | | | | | | SEPTEMBER | | | | | | |
|------|----|----|----|----|----|----|--------|----|----|----|----|----|----|-----------|----|----|----|----|----|----|
| S | M | T | W | T | F | S | S | M | T | W | T | F | S | S | M | T | W | T | F | S |
| | | | 1 | 2 | 3 | 4 | | | | | | 1 | 2 | | 1 | 2 | 3 | 4 | 5 | 6 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 27 | 28 | 29 | 30 | 31 | | | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 28 | 29 | 30 | | | | |

31

Water Resources Data Kentucky Water Year 2003

By D.L. McClain, A.C. Brown, C.R. Moses, and R.S. Darnell

Water-Data Report KY-03-1



Prepared in cooperation with the
Commonwealth of Kentucky and other agencies



U.S. Department of the Interior
U.S. Geological Survey

U.S. Department of the Interior

Gale A. Norton, Secretary

U.S. Geological Survey

Charles G. Groat, Director

2004

U.S. Geological Survey
9818 Bluegrass Parkway
Louisville, KY 40299-1906
(502) 493-1900

Information about the USGS, Kentucky District is available on the Internet at <http://ky.water.usgs.gov>

Information about all USGS reports and products is available by calling 1-888-ASK-USGS or on the Internet via the World Wide Web at <http://www.usgs.gov/>

Additional earth science information is available by accessing the USGS home page at <http://www.usgs.gov/>

PREFACE

This volume of the annual hydrologic data report of Kentucky is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and water quality provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources.

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data, and who typed, edited, and assembled the report. The authors had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Survey policy and established guidelines. Most of the data were collected, computed, and processed from the District and field offices.

The data were collected, computed, and processed by the following personnel:

| | | |
|------------------|---------------|---------------|
| H.C. Allen | J.D. Filbeck | G.K. McCombs |
| P.J. Bruenderman | B.S. Fink | B.L. Moore |
| S.J. Coutts | M.S. Griffin | S.B. Pickard |
| A.S. Crain | Zeke Hensley | R.E. Puckett |
| A.K. Dirrim | Jeffery Hurst | E.A. Shreve |
| D.W. Eichert | D.W. Keeling | C.R. Wagner |
| P.L. Faith | T.S. LeMaster | D.D. Zettwoch |

This report was prepared in cooperation with the Commonwealth of Kentucky and other agencies under the general supervision of Dennis L. McClain, Supervisory Hydrologic Technician, and Mark A. Ayers, District Chief, Kentucky.

| REPORT DOCUMENTATION PAGE | | | Form Approved OMB No. 0704-0188 | |
|--|--|---|---|--|
| Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. | | | | |
| 1. AGENCY USE ONLY (Leave blank) | | 2. REPORT DATE July 9, 2004 | | 3. REPORT TYPE AND DATES COVERED Annual—October 1, 2002 to September 30, 2003 |
| 4. TITLE AND SUBTITLE Water Resources Data - Kentucky, Water Year 2003 | | | 5. FUNDING NUMBERS | |
| 6. AUTHOR(S) D.L. McClain, A.C. Brown, C.R. Moses, and R.S. Darnell | | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Water Resources Discipline Kentucky District 9818 Bluegrass Parkway Louisville, KY 40299-1906 | | | 8. PERFORMING ORGANIZATION REPORT NUMBER USGS-WDR-KY-03-1 | |
| 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Water Resources Discipline Kentucky District 9818 Bluegrass Parkway Louisville, KY 40299-1906 | | | 10. SPONSORING / MONITORING AGENCY REPORT NUMBER USGS-WDR-KY-03-1 | |
| 11. SUPPLEMENTARY NOTES Prepared in cooperation with the Commonwealth of Kentucky and other agencies. | | | | |
| 12a. DISTRIBUTION / AVAILABILITY STATEMENT No restriction on distribution. This report may be purchased from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. | | | 12b. DISTRIBUTION CODE | |
| 13. ABSTRACT (Maximum 200 words) Water resources data for the 2003 water year for Kentucky consist of records of stage, discharge, and water quality of streams and lakes; and water levels of wells. This report includes daily discharge records for 127 stream-gaging stations. It also includes water-quality data for eight stations sampled at regular intervals, continuous temperature at seven stations, and continuous water quality at nine stations. Ground-water levels are published for 8 recording and 16 partial-record sites. Precipitation data at regular intervals are published for one site. Additional water data were collected at various sites not involved in the systematic data-collection program and are published as miscellaneous measurement and analyses. These data represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State and Federal agencies in Kentucky. | | | | |
| 14. SUBJECT TERMS *Kentucky, *Hydrologic data, *Surface waters, *Water quality, *Ground waters, Gaging stations, Streamflow, Flow rates, Lakes, Wells, Chemical analyses, Suspended sediments, Water temperature, Water levels | | | 15. NUMBER OF PAGES 657 | |
| | | | 16. PRICE CODE | |
| 17. SECURITY CLASSIFICATION OF REPORT Unclassified | | 18. SECURITY CLASSIFICATION OF THIS PAGE | 19. SECURITY CLASSIFICATION OF ABSTRACT | 20. LIMITATION OF ABSTRACT Unclassified |

CONTENTS

| | Page |
|---|------|
| Preface | iii |
| List of gaging stations, in downstream order, for which records are published | vii |
| List of ground-water wells, by county, for which records are published. | x |
| List of precipitation-quality stations, by county, for which records are published. | x |
| Introduction. | 1 |
| Cooperation. | 1 |
| Summary of hydrologic conditions. | 2 |
| Surface water | 2 |
| Quality of water | 2 |
| Ground-water levels | 5 |
| Downstream order system | 5 |
| Numbering system for wells and miscellaneous sites | 5 |
| Special networks and programs | 6 |
| Explanation of stage and water discharge records | 7 |
| Data collection and computation | 7 |
| Data presentation | 8 |
| Station manuscript | 9 |
| Peak discharge greater than base discharge | 10 |
| Data table of daily mean values | 10 |
| Statistics of monthly mean data | 10 |
| Summary statistics | 10 |
| Identifying estimated daily discharge | 12 |
| Accuracy of the records | 12 |
| Other records available | 12 |
| Explanation of precipitation-quality records | 13 |
| On-site measurements and sample collection | 13 |
| Data presentation | 13 |
| Explanation of surface-water quality records | 14 |
| Classification of records | 14 |
| Accuracy of the records | 15 |
| Arrangement of records | 15 |
| On-site measurements and sample collection | 15 |
| Water temperature | 15 |
| Sediment | 16 |
| Laboratory measurements | 16 |
| Data presentation | 16 |
| Remarks codes | 17 |
| Water-quality control data | 18 |
| Blank samples | 18 |
| Reference samples | 19 |
| Replicate samples | 19 |
| Spike samples | 19 |
| Explanation of ground-water level records | 19 |
| Site identification numbers | 19 |
| Data collection and computation | 19 |
| Data presentation | 20 |
| Access to USGS DATA | 22 |
| Definition of terms | 23 |
| Publications on techniques of water-resources investigations | 42 |
| Station records, surface water | 52 |
| Discharge at partial-record stations | 532 |
| Crest-stage partial-record stations | 532 |
| Miscellaneous discharge measurements | 537 |
| Water quality samples taken at miscellaneous sites | 546 |
| Station records, ground water | 592 |
| Ground-water levels listed by county | 592 |
| Station records, precipitation records | 620 |
| Discontinued gaging-station records | 622 |
| Discontinued water-quality records | 630 |
| Discontinued ground-water records | 639 |
| Index | 643 |

ILLUSTRATIONS

| | | Page |
|--------|--|------|
| Figure | 1. Mean discharge during 2003 water year and period of record for three representative gaging stations | .3 |
| | 2. Diagram showing system for numbering wells and miscellaneous sites (latitude and longitude). | .6 |
| | 3. Map showing location of gaging stations in Kentucky | 45 |
| | 4. Map showing location of gaging stations in Fayette County | 46 |
| | 5. Map showing location of gaging stations in Boone, Kenton, and Campbell Counties | 47 |
| | 6. Map showing location of gaging stations in Jefferson County | 48 |
| | 7. Map showing location of surface-water quality stations in Kentucky | 49 |
| | 8. Map showing location of surface-water quality stations in Boone, Kenton, and Campbell Counties | 50 |
| | 9. Map showing location of observation wells in Graves County | 589 |
| | 10. Map showing location of observation wells in downtown Louisville | 590 |
| | 11. Map showing location of observation wells in northeastern Jefferson County | 591 |

TABLES

| | | |
|-------|--|----|
| Table | 1. Mean, maximum, and minimum streamflow for water year 2003 and recurrence intervals at selected stations | .4 |
|-------|--|----|

**SURFACE-WATER STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE
PUBLISHED IN THIS VOLUME**

[Letters after station name designate type of data: (d) discharge, (g) stage, (c) chemical,
(b) biological, (t) water temperature, (s) sediment, (r) recorder]

| | Page |
|---|------------------------|
| STATION NUMBER | |
| OHIO RIVER BASIN | |
| Ohio River: | |
| BIG SANDY RIVER BASIN | |
| Levisa Fork (head of Big Sandy River): | |
| Grapevine Creek near Phyllis (d) | 03207965 52 |
| Levisa Fork at Pikeville (d) | 03209500 54 |
| Johns Creek near Meta (d) | 03210000 56 |
| Levisa Fork at Paintsville (d) | 03212500 58 |
| LITTLE SANDY RIVER BASIN | |
| Little Sandy River at Grayson (d) | 03216500 60 |
| Ohio River at Greenup Dam (c, d) | 03216600 62 |
| TYGARTS CREEK BASIN | |
| Tygarts Creek near Greenup (d) | 03217000 72 |
| KINNICONICK CREEK BASIN | |
| Kinniconick Creek below Trace Creek at Tannery (d) | 03237255 74 |
| Twelvemile Creek Basin: | |
| Twelvemile Creek at Highway 1997 near Alexandria (c, d) | 03238745 76 |
| FOUR MILE CREEK BASIN | |
| Four Mile Creek at Poplar Ridge Road near Alexandria (c, d) | 03238772 88 |
| LICKING RIVER BASIN | |
| Licking River below Mason Fork near Salyersville (d) | 03248300 104 |
| Licking River at Farmers (d) | 03249500 106 |
| Slate Creek at Highway 713 near Mount Sterling (d) | 03250190 108 |
| Fox Creek: | |
| Rock Lick Creek above Unnamed Tributary near Sharkey (d) | 03250310 110 |
| Rock Lick Creek at State Highway 158 near Sharkey (d) | 03250322 112 |
| Licking River near Blue Lick Springs (d) | 03250500 114 |
| North Fork Licking River near Mt. Olivet (d) | 03251200 116 |
| Licking River at Mckinneysburg (d) | 03251500 118 |
| South Fork Licking River: | |
| Hinkston Creek near Carlisle (d) | 03252300 120 |
| Licking River at Catawba (d) | 03253500 122 |
| Cruises Creek at Highway 17 near Piner (c, d) | 03254480 124 |
| Banklick Creek at Hwy 1829 near Erlanger (c, d) | 03254550 136 |
| ELIJAHS CREEK BASIN | |
| Elijahs Creek at Elijahs Creek Road near Hebron (c, d) | 03260100 148 |
| WOOLPER CREEK BASIN | |
| Woolper Creek at Woolper Road near Burlington (c, d) | 03262001 160 |
| GUNPOWDER CREEK BASIN | |
| Gunpowder Creek at Camp Ernst Road near Union (c, d) | 03277075 176 |
| MUD LICK CREEK BASIN | |
| Mud Lick Creek at Highway 42 near Beaverlick (c, d) | 03277130 188 |
| Ohio River at Markland Dam (d) | 03277200 200 |
| KENTUCKY RIVER BASIN | |
| North Fork Kentucky River (head of Kentucky River): | |
| North Fork Kentucky River at Whitesburg (d) | 03277300 202 |
| North Fork Kentucky River at Jackson (d) | 03280000 204 |
| Middle Fork Kentucky River: | |
| Cutshin Creek at Wooton (d) | 03280700 206 |
| Middle Fork Kentucky River at Tallega (d) | 03281000 208 |
| Kentucky River: | |
| Goose Creek at Manchester (d) | 03281100 210 |
| South Fork Kentucky River at Booneville (d) | 03281500 212 |
| Kentucky River at Lock 14 at Heidelberg (d) | 03282000 214 |
| Sturgeon Creek at Cressmont (d) | 03282040 216 |
| Kentucky River at Lock 11 near College Hill (d) | 03282290 218 |
| Red River near Hazel Green (d) | 03282500 220 |
| Red River at Clay City (d) | 03283500 222 |

**SURFACE-WATER STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE
PUBLISHED IN THIS VOLUME--Continued**

[Letters after station name designate type of data: (d) discharge, (g) stage, (c) chemical,
(b) biological, (t) water temperature, (s) sediment, (r) recorder]

| | Page |
|--|----------------|
| | STATION NUMBER |
| OHIO RIVER BASIN--Continued | |
| Ohio River--Continued | |
| KENTUCKY RIVER BASIN--Continued | |
| Kentucky River at Lock 10 near Winchester (d) | 224 |
| Kentucky River at Lock 9 at Valley View (d) | 226 |
| East Hickman Creek: | |
| East Hickman Creek at Andover Village near Cadentown (d) | 228 |
| East Hickman Creek Tributary at Chilesburg Road near Lexington (d) | 230 |
| East Hickman Creek at Delong Road near East Hickman (d) | 232 |
| West Hickman Creek at Ash Grove Pike near East Hickman (d) | 234 |
| Dix River near Danville (d) | 236 |
| Kentucky River at Lock 7 near High Bridge (d) | 238 |
| Kentucky River at Lock 6 near Salvisa (d) | 240 |
| Kentucky River at Lock 4 at Frankfort (c, d) | 242 |
| Elkhorn Creek: | |
| North Elkhorn Creek at Bryant Road near Cadentown (d) | 252 |
| North Elkhorn Creek at Winchester Road near Lexington (d) | 254 |
| North Elkhorn Creek at Bryan Station Road at Montrose (d) | 256 |
| North Elkhorn Creek at Georgetown (d) | 258 |
| Royal Spring at Georgetown (d) | 260 |
| Cane Run at Berea Road near Donerail (d) | 262 |
| South Elkhorn Creek at Fort Springs (d) | 264 |
| Town Branch: | |
| Wolf Run at Old Frankfort Pike at Lexington (d) | 266 |
| Town Branch at Yarnallton Road at Yarnallton(d) | 268 |
| South Elkhorn Creek near Midway (d) | 270 |
| Elkhorn Creek near Frankfort (d) | 272 |
| Kentucky River at Lock 2 at Lockport (d) | 274 |
| Eagle Creek at Glencoe (d) | 276 |
| HARRODS CREEK BASIN | |
| Harrods Creek at Hwy 329 near Goshen (d) | 278 |
| GOOSE CREEK BASIN | |
| Goose Creek at Old Westport Road near St. Matthews (d) | 280 |
| Goose Creek at Highway 42 at Glenview Acres (d) | 282 |
| Little Goose Creek near Harrods Creek (d) | 284 |
| BEARGRASS CREEK BASIN | |
| South Fork Beargrass Creek at Louisville (d) | 286 |
| South Fork Beargrass Creek at Winter Avenue at Louisville (d) | 288 |
| Middle Fork Beargrass Creek at Louisville (d) | 290 |
| Muddy Fork at Mockingbird Valley Road at Louisville (d) | 292 |
| Ohio River at Louisville (d) | 294 |
| MILL CREEK BASIN | |
| Mill Creek Cutoff near Louisville (d) | 296 |
| Mill Creek at Orell Road near Louisville (d) | 298 |
| SALT RIVER BASIN | |
| Salt River at Glensboro (d) | 300 |
| Brashears Creek: | |
| Bullskin Creek near Simpsonville (d) | 302 |
| Brashears Creek at Taylorsville (d) | 304 |
| Cedar Creek at Highway 1442 nwar Shepardsville (d) | 306 |
| Floyds Fork near Pewee Valley (d) | 310 |
| Floyds Fork at Fisherville (d) | 312 |
| Chenoweth Run at Ruckriegal Parkway near Jeffersontown (d) | 314 |
| Chenoweth Run at Gelhaus Lane near Fern Creek (d) | 316 |
| Floyds Fork at Bardstown Road near Mount Washington (d) | 318 |
| Pennsylvania Run at Mt. Washington Road near Louisville (d) | 320 |
| Salt River at Shepherdsville (d) | 322 |
| Long Lick near Clermont (d) | 324 |

**SURFACE-WATER STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE
PUBLISHED IN THIS VOLUME--Continued**

[Letters after station name designate type of data: (d) discharge, (g) stage, (c) chemical,
(b) biological, (t) water temperature, (s) sediment, (r) recorder]

| | Page |
|--|----------------|
| | STATION NUMBER |
| OHIO RIVER BASIN--Continued | |
| Salt River Basin--Continued | |
| Rolling Fork: | |
| Beech Fork at Maud (d) | 326 |
| Beech Fork at Bardstown (d) | 328 |
| Rolling Fork near Boston (d) | 330 |
| Mill Creek near Fort Knox (d) | 332 |
| Pond Creek: | |
| Southern Ditch: | |
| Northern Ditch: | |
| Fern Creek at Old Bardstown Road at Louisville (d) | 334 |
| Northern Ditch at Okolona (d) | 336 |
| Pond Creek near Louisville (d) | 338 |
| Pond Creek at Pendleton Road near Louisville (d) | 340 |
| Brier Creek at Pendleton Road near Louisville (d) | 342 |
| OTTER CREEK BASIN | |
| Otter Creek at Otter Creek Park near Rock Haven (d) | 344 |
| Ohio River at Cannelton Dam (c, d) | 346 |
| GREEN RIVER BASIN | |
| Green River near Campbellsville (t) | 356 |
| Green River at Greensburg (t) | 358 |
| Russell Creek near Columbia (d, t) | 360 |
| Green River at Munfordville (d,t) | 364 |
| Nolin River at White Mills (d) | 368 |
| Nolin River at Kyrock (d) | 370 |
| Green River at Lock 6 at Brownsville (t) | 372 |
| Barren River: | |
| West Fork Drakes Creek near Franklin (d) | 374 |
| Barren River at Bowling Green (d) | 376 |
| Green River at Paradise (d) | 378 |
| Rough River near Dundee (d) | 380 |
| Green River at Lock 2 at Calhoun (d) | 382 |
| Pond River near Apex (d) | 384 |
| Pond River near Madisonville (g) | 386 |
| WABASH RIVER BASIN | |
| Wabash River at New Harmony, IN (c) | 388 |
| TRADEWATER RIVER BASIN | |
| Tradewater River at Olney (d) | 398 |
| Ohio River at Smithland Dam (d) | 400 |
| CUMBERLAND RIVER BASIN | |
| CUMBERLAND RIVER: | |
| Martins Fork Lake at Martins Fork Dam near Smith (c,t) | 402 |
| Martins Fork near Smith (c,d,t) | 430 |
| Cumberland River near Harlan (d) | 440 |
| Yellow Creek near Middlesboro (d) | 442 |
| Cumberland River at Pine St. Bridge at Pineville (d) | 444 |
| Cumberland River at Barbourville (d) | 446 |
| Clear Fork at Saxton (d) | 448 |
| Cumberland River at Williamsburg (d) | 450 |
| Cumberland River at Cumberland Falls (d) | 452 |
| Laurel River: | |
| Lynn Camp Creek at Corbin (d) | 454 |
| Rockcastle River at Billows (d) | 456 |
| South Fork Cumberland River near Stearns (c,d) | 458 |
| South Fork Cumberland River near Yamacraw (c,d) | 468 |

**SURFACE-WATER STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE
PUBLISHED IN THIS VOLUME--Continued**

[Letters after station name designate type of data: (d) discharge, (g) stage, (c) chemical,
(b) biological, (t) water temperature, (s) sediment, (r) recorder]

Page

STATION NUMBER

OHIO RIVER BASIN--Continued

CUMBERLAND RIVER BASIN--Continued

| | | |
|--|--------------------|-----|
| Beaver Creek near Monticello (d) | 03413200 | 478 |
| Little River near Cadiz (d) | 03438000 | 480 |
| Cumberland River near Grand Rivers (c) | 03438220 | 492 |
| Cumberland River at Smithland (c) | 03438500 | 500 |

TENNESSEE RIVER BASIN

| | | |
|--|--------------------|-----|
| Tennessee River at Hwy 60 near Paducah (c) | 03609750 | 504 |
| Clarks River at Almo (d) | 03610200 | 508 |

MASSAC CREEK BASIN

| | | |
|--|--------------------|-----|
| Massac Creek near Paducah (d) | 03611260 | 510 |
| Ohio River at Metropolis, IL (d) | 03611500 | 512 |

BAYOU CREEK BASIN

| | | |
|--|--------------------|-----|
| Bayou Creek near Heath (d) | 03611800 | 514 |
| Bayou Creek near Grahamville (d) | 03611850 | 516 |
| Little Bayou Creek near Grahamville (d) | 03611900 | 518 |
| Ohio River at Lock and Dam 53 near Grand Chain, IL (c) | 03612500 | 520 |

LOWER MISSISSIPPI RIVER BASIN

BAYOU DE CHEIN BASIN:

| | | |
|---|--------------------|-----|
| Bayou De Chein near Clinton (d) | 07024000 | 530 |
|---|--------------------|-----|

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED GROUND-WATER LEVELS

GRAVES COUNTY

| | | |
|--|--|-----|
| Well 365210088391301 (Viola) (r) | | 592 |
|--|--|-----|

JEFFERSON COUNTY

| | | |
|--|--|-----|
| Well 381441085452701 Local number (Lib A-2) (r) | | 594 |
| Well 381504085443202 Local number (CP-7A) | | 596 |
| Well 381518085453402 Local number 86-11 (Courthouse Annex) | | 598 |
| Well 381522085445201 (LSM) | | 600 |
| Well 381613085422801 (Edith Ln. Landfill) | | 600 |
| Well 381638085415801 Local Number (WC-4) | | 600 |
| Well 381648085421201 Local Number (WC-5) | | 601 |
| Well 381653085413302 Local Number (WC-9A) (r) | | 602 |
| Well 381701085414002 Local Number (WC-8A) (r) | | 604 |
| Well 381742085402001 Local Number (WC-13) | | 606 |
| Well 381827085392401 Local Number (WC-26) | | 606 |
| Well 381904085384801 Local Number (WC-27) | | 606 |
| Well 381958085380201 (Thompson Well) | | 607 |
| Well 382007085373801 (Bird Man) | | 607 |
| Well 382026085374301 (Little Dean) | | 607 |
| Well 382032085375601 (Staples) | | 608 |
| Well 382039085375201 Local Number (WP-7) (r) | | 610 |
| Well 382051085380801 (LWC-1) (r) | | 612 |
| Well 382058085373501 (Shirley Avenue) | | 614 |
| Well 382102085380701 (WP-19) | | 614 |
| Well 382105085375101 (Hays-Kennedy) | | 616 |
| Well 382120085374701 (River Fields) | | 618 |
| Well 382124085375401 (Abell) | | 618 |

PRECIPITATION STATION, BY COUNTY FOR WHICH RECORD IS PUBLISHED

ROWAN COUNTY, KENTUCKY

| | | |
|---|--|-----|
| 390706083324900 National Atmospheric Deposition | | 620 |
|---|--|-----|

INTRODUCTION

Water resources data for the 2003 water year for Kentucky consist of records of stage, discharge, and water-quality of streams and lakes; and water levels of wells. This report includes daily discharge records for 127 stream-gaging stations. It also includes water-quality data for 8 stations sampled at regular intervals, continuous temperature at 7 stations, and continuous water-quality at 9 stations. Ground-water levels are published for 8 recording and 16 partial record sites. Precipitation data at a regular interval are published for 1 site. Additional water data were collected at various sites not involved in the systematic data-collection program and are published as miscellaneous measurement and analyses. These data represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State and Federal agencies in Kentucky.

Records of discharge or stage of streams, and contents or stage of lakes and reservoirs were first published in a series of U.S. Geological Survey water-supply papers titled, "Surface Water Supply of the United States." Through September 30, 1960, these water-supply papers were in an annual series and then in a 5-year series for 1961-65 and 1966-70. Records of chemical quality, water temperatures, and suspended sediment were published from 1941 to 1970 in an annual series of water-supply papers titled, "Quality of Surface Waters of the United States." Records of ground-water levels were published from 1944 to 1973 in a series of water-supply papers titled, "Ground-Water Levels in the United States."

Beginning with the 1961 water year and continuing through water year 2003, streamflow data have been released by the U.S. Geological Survey in annual reports on a State-boundary basis. Water-quality records beginning with the 1964 water year, and ground-water data since the 1971 water year have been similarly released either in separate reports or in conjunction with streamflow records. These reports provided rapid release of preliminary water data shortly after the end of the water year. The final data were then released in the water-supply paper series mentioned above. Beginning with the 1975 water year, water data will be released on a State-boundary basis in final form and will not be republished in the water-supply paper series. The 1975 and subsequent water year reports will be in a series which will carry an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this report is identified as "U.S. Geological Survey Water-Data Report KY03-1." These reports are for sale to the public for a nominal fee by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the District Chief at the address given on the back of the title page or by telephone (502) 493-1900.

COOPERATION

The U.S. Geological Survey and organizations of the Commonwealth of Kentucky have had cooperative agreements for the systematic collection of streamflow records since 1938, for ground-water records since 1943, and for water-quality records since 1949. Organizations that assisted in collecting data through cooperative agreements with the Survey are

Ohio River Valley Water Sanitation Commission, Alan Vicory, Executive Director,
Kentucky Cabinet for Health Services, Dr. James Holsinger, Secretary,
Kentucky Geological Survey, Dr. James C. Cobb, Director and State Geologist,
Kentucky Natural Resources and Environmental Protection Cabinet, LaJuanq Wilcher, Secretary,
Kentucky River Authority, Steve Reeder, Executive Director,
Kentucky Transportation Cabinet, Maxwell Clay Bailey, Secretary,
Bullitt County, Kenneth J. Rigdon, Judge/Executive,
Jefferson County, Ken Herndon (Mayor Abramson), Judge/Executive,
Lexington-Fayette Urban County Government, Sandra M. Varellas, Judge/Executive,
Northern Kentucky Sanitation District No. 1, John Lyons, Director of Storm Water Management,

City of Bardstown, Dixie P. Hibbs, Mayor,
City of Frankfort, William I. May, Jr., Mayor,
City of Georgetown, Everette L. Varney, Mayor,
City of Lewisburg, Ken Whitson, Mayor,
City of Lexington, Teresa Ann Isaac, Mayor,
City of Louisville, Jerry Abramson, Mayor,
City of Mt. Sterling, B. D. Wilson, Judge/Executive,
City of Owingsville, Don Kincaid, Mayor,
City of Simpsonville, Steve Eden, Mayor,
Kentucky Heritage Resource Conservation & Development Council, Kenneth Catlett, Chairman,
University of Louisville, Dr. James Ramsey, President, and
Assistance in the form of funds or services was given by the Federal Highway Administration; U.S. Army Corps of Engineers;
the U.S. Environmental Protection Agency, Region IV–Atlanta; and the U.S. Navy.

Organizations that supplied data are acknowledged in station descriptions.

SUMMARY OF HYDROLOGIC CONDITIONS

Surface Water

Monthly and annual mean streamflow for the 2003 water year and the period of record are shown in figure 1 for three representative streamflow-gaging stations in Kentucky.

Based on flow data collected at 20 surface-water gaging stations across Kentucky, recurrence intervals for annual peak flows during the 2003 water year were generally about two years with stations in the east-central part of the State (Kentucky River Basin) having recurrence intervals of less than five years to greater than ten years. One station in the extreme western part of the State (Bayou De Chien Basin) had a recurrence interval of greater than ten years. Low flow recurrence intervals across the State were less than two years with one station in the north-central part of the State (Beargrass Creek Basin) having a recurrence interval of greater than two years. In general, flows were above average (146 percent of the long term average) across the State (table 1).

No major flooding occurred during the 2003 water year.

Quality of Water

Water-quality data were collected primarily within the National Stream Quality Accounting Network (NASQAN) program. During the 2003 water year, six NASQAN stations were operated including Ohio River at Greenup Dam near Greenup, Kentucky (03216600); Ohio River at Cannelton Dam, Kentucky (03302280); Wabash River at New Harmony, Indiana (03378500); Tennessee River at Highway 60 near Paducah, Kentucky (03609750); Cumberland River at Smithland, Kentucky (03438500); and the Ohio River at Grand Chain, Illinois (03612500). Each station is routinely sampled 12 times per year with biweekly sampling in March, April, May, and June, except for the Tennessee River at Highway 60 near Paducah, Kentucky, and the Cumberland River at Smithland, Kentucky stations, which are sampled 6 times per year. Three additional samples are collected at each station during an occurrence of extreme hydrologic events (high flow or low flow). The exceptions are the Tennessee River at Highway 60 near Paducah, Kentucky, and the Cumberland River at Smithland, Kentucky stations, which have completely regulated flow.




Figure 1. Mean discharge during 2003 water year and period of record for three representative gaging stations.

Table 1. Mean, maximum, and minimum streamflow for water year 2003 and recurrence intervals

| Station number | Length of record (years) | Mean | | Maximum | | Minimum | |
|-------------------------------|--------------------------|---------------------------------------|--------------------|--------------------------------------|-----------------------------|---------------------------------------|-----------------------------|
| | | Daily streamflow (ft ³ /s) | Percent of average | Peak streamflow (ft ³ /s) | Recurrence interval (years) | Daily streamflow (ft ³ /s) | Recurrence interval (years) |
| <u>TYGARTS CREEK BASIN</u> | | | | | | | |
| 03217000 | 63 | 449 | 146 | 8500 | >2 | 11 | <2 |
| <u>KENTUCKY RIVER BASIN</u> | | | | | | | |
| 03280700 | 46 | 130 | 141 | 9300 | >5 | 2.5 | <2 |
| 03281100 | 39 | 361 | 139 | 12300 | =5 | 9.5 | <2 |
| 03281500 | 70 | 1691 | 161 | 34500 | >2 | 4.7 | <10 |
| 03282500 | 48 | 117 | 134 | 4850 | >5 | 0.68 | <2 |
| 03283500 | 66 | 681 | 138 | 19600 | >10 | 20 | <2 |
| 03285000 | 61 | 655 | 139 | 18200 | >2 | 5.7 | <2 |
| <u>BEARGRASS CREEK BASIN</u> | | | | | | | |
| 03293000 | 59 | 36.3 | 141 | 1400 | >2 | 0.89 | >2 |
| <u>SALT RIVER BASIN</u> | | | | | | | |
| 03298000 | 59 | 303 | 165 | 8070 | <2 | 10 | <2 |
| 03300400 | 31 | 1059 | 169 | 21400 | >2 | 7.1 | <2 |
| 03301500 | 65 | 2851 | 158 | 26200 | <2 | 127 | <2 |
| <u>GREEN RIVER BASIN</u> | | | | | | | |
| 03307000 | 64 | 374 | 129 | 12600 | >2 | 23 | <2 |
| 03310300 | 44 | 801 | 163 | 8090 | >2 | 70 | >2 |
| 03320500 | 63 | 413 | 151 | 4600 | <2 | 0.38 | <2 |
| <u>CUMBERLAND RIVER BASIN</u> | | | | | | | |
| 03404900 | 30 | 119 | 138 | 3200 | >2 | 3.9 | <2 |
| 03406500 | 67 | 1314 | 140 | 29200 | >2 | 11 | <2 |
| 03410500 | 61 | 2412 | 137 | 54700 | >2 | 116 | <2 |
| 03438000 | 63 | 587 | 164 | 7030 | >2 | 45 | <2 |
| <u>MASSAC CREEK BASIN</u> | | | | | | | |
| 03611260 | 32 | 23.2 | 131 | 2150 | <2 | 0.42 | <2 |
| <u>BAYOU DE CHIEN BASIN</u> | | | | | | | |
| 07024000 | 58 | 131 | 127 | 6240 | >10 | 18 | <2 |

A water-quality study related to the environmental effects of coal mining was started in June 1999 on the Big South Fork River to assist the National Park Service in their assessment of remedial activities in the Big South Fork National River and Recreation Area and the Big South Fork watershed. The selected stations for water-quality monitoring include the Big South Fork near Stearns, Kentucky (03410600) and Big South Fork near Yamacraw,

Kentucky (03410500). Selection of these stations allow investigators to assess any changes in the water-quality of the Big South Fork River from the upstream station (03410600) to the downstream station (03410500) during the abatement of contaminated mine drainage. Each station is sampled every six weeks. The water-quality samples collected are analyzed for major cations and selected trace elements. Temperature, conductivity, and pH are continuously monitored at each station. This study ended in August 2000.

Ground-Water Levels

Most currently monitored observation wells tap the alluvial aquifer underlying downtown Louisville and northeast Jefferson County.

Ground-water levels in these areas of Jefferson County respond to rainfall, pumpage, river stage, and natural flow to the Ohio River. In general many of the wells in the downtown area are starting to rebound after reaching record lows. This rebound can be attributed to at or above normal rainfall in the recent years. Two wells in the eastern part of downtown Louisville reached record lows for the period of record because of short term, localized pumpage. In the northeast part of Jefferson County two wells reached record lows for the period of record because of sustained pumpage in the area over the last few years.

DOWNSTREAM ORDER AND STATION NUMBER

Since October 1, 1950, hydrologic-station records in USGS reports have been listed in order of downstream direction along the main stream. All stations on a tributary entering upstream from a main-stream station are listed before that station. A station on a tributary entering between two main-stream stations is listed between those stations. A similar order is followed in listing stations on first rank, second rank, and other ranks of tributaries. The rank of any tributary on which a station is located with respect to the stream to which it is immediately tributary is indicated by an indentation in that list of stations in the front of this report. Each indentation represents one rank. This downstream order and system of indentation indicates which stations are on tributaries between any two stations and the rank of the tributary on which each station is located.

As an added means of identification, each hydrologic station and partial-record station has been assigned a station number. These station numbers are in the same downstream order used in this report. In assigning a station number, no distinction is made between partial-record stations and other stations; therefore, the station number for a partial-record station indicates downstream-order position in a list composed of both types of stations. Gaps are consecutive. The complete 8-digit (or 10-digit) number for each station such as 09004100, which appears just to the left of the station name, includes a 2-digit part number "09" plus the 6-digit (or 8-digit) downstream order number "004100." In areas of high station density, an additional two digits may be added to the station identification number to yield a 10-digit number. The stations are numbered in downstream order as described above between stations of consecutive 8-digit numbers.

NUMBERING SYSTEM FOR WELLS AND MISCELLANEOUS SITES

The USGS well and miscellaneous site-numbering system is based on the grid system of latitude and longitude. The system provides the geographic location of the well or miscellaneous site and a unique number for each site. The number consists of 15 digits. The first 6 digits denote the degrees, minutes, and seconds of latitude, and the next 7 digits denote degrees, minutes, and seconds of longitude; the last 2 digits are a sequential number for wells within a 1-second grid. In the event that the latitude-longitude coordinates for a well and miscellaneous site are the same, a sequential number such as "01," "02," and so forth, would be assigned as one would for wells (see fig. 2). The 8-digit, downstream order station numbers are not assigned to wells and miscellaneous sites where only random water-quality samples or discharge measurements are taken.




Figure 2. System for numbering wells, springs, and miscellaneous sites (latitude and longitude).

SPECIAL NETWORKS AND PROGRAMS

Hydrologic Benchmark Network is a network of 61 sites in small drainage basins in 39 States that was established in 1963 to provide consistent streamflow data representative of undeveloped watersheds nationwide, and from which data could be analyzed on a continuing basis for use in comparison and contrast with conditions observed in basins more obviously affected by human activities. At selected sites, water-quality information is being gathered on major ions and nutrients, primarily to assess the effects of acid deposition on stream chemistry. Additional information on the Hydrologic Benchmark Program may be accessed from <http://water.usgs.gov/hbn/>.

National Stream-Quality Accounting Network (NASQAN) is a network of sites used to monitor the water quality of large rivers within the Nation's largest river basins. From 1995 through 1999, a network of approximately 40 stations was operated in the Mississippi, Columbia, Colorado, and Rio Grande River Basins. For the period 2000 through 2004, sampling was reduced to a few index stations on the Colorado and Columbia Rivers so that a network of 5 stations could be implemented on the Yukon River. Samples are collected with sufficient frequency that the flux of a wide range of constituents can be estimated. The objective of NASQAN is to characterize the water quality of these large rivers by measuring concentration and mass transport of a wide range of dissolved and suspended constituents, including nutrients, major ions, dissolved and sediment-bound heavy metals, common pesticides, and inorganic and organic forms of carbon. This information will be used (1) to describe the long-term trends and changes in concentration and transport of these constituents; (2) to test findings of the National Water-Quality Assessment (NAWQA) Program; (3) to characterize processes unique to large-river systems such as storage and re-mobilization of sediments and associated contaminants; and (4) to refine existing estimates of off-continent transport of water, sediment, and chemicals for assessing human effects on the world's oceans and for determining global cycles of carbon, nutrients, and other chemicals. Additional information about the NASQAN Program may be accessed from <http://water.usgs.gov/nasqan/>.

The National Atmospheric Deposition Program/National Trends Network (NADP/NTN) is a network of monitoring sites that provide continuous measurement and assessment of the chemical constituents in precipitation

throughout the United States. As the lead Federal agency, the USGS works together with over 100 organizations to provide a long-term, spatial and temporal record of atmospheric deposition generated from this network of 250 precipitation-chemistry monitoring sites. The USGS supports 74 of these 250 sites. This long-term, nationally consistent monitoring program, coupled with ecosystem research, provides critical information toward a national scorecard to evaluate the effectiveness of ongoing and future regulations intended to reduce atmospheric emissions and subsequent impacts to the Nation's land and water resources. Reports and other information on the NADP/NTN Program, as well as data from the individual sites, may be accessed from <http://bqs.usgs.gov/acidrain/>.

The USGS National Water-Quality Assessment (NAWQA) Program is a long-term program with goals to describe the status and trends of water-quality conditions for a large, representative part of the Nation's ground- and surface-water resources; to provide an improved understanding of the primary natural and human factors affecting these observed conditions and trends; and to provide information that supports development and evaluation of management, regulatory, and monitoring decisions by other agencies.

Assessment activities are being conducted in 42 study units (major watersheds and aquifer systems) that represent a wide range of environmental settings nationwide and that account for a large percentage of the Nation's water use. A wide array of chemical constituents is measured in ground water, surface water, streambed sediments, and fish tissues. The coordinated application of comparative hydrologic studies at a wide range of spatial and temporal scales will provide information for water-resources managers to use in making decisions and a foundation for aggregation and comparison of findings to address water-quality issues of regional and national interest.

Communication and coordination between USGS personnel and other local, State, and Federal interests are critical components of the NAWQA Program. Each study unit has a local liaison committee consisting of representatives from key Federal, State, and local water-resources agencies, Indian nations, and universities in the study unit. Liaison committees typically meet semiannually to discuss their information needs, monitoring plans and progress, desired information products, and opportunities to collaborate efforts among the agencies. Additional information about the NAWQA Program may be accessed from <http://water.usgs.gov/nawqa/>.

The USGS National Streamflow Information Program (NSIP) is a long-term program with goals to provide framework streamflow data across the Nation. Included in the program are creation of a permanent Federally funded streamflow network, research on the nature of streamflow, regional assessments of streamflow data and databases, and upgrades in the streamflow information delivery systems. Additional information about NSIP may be accessed from <http://water.usgs.gov/nsip/>.

EXPLANATION OF STAGE- AND WATER-DISCHARGE RECORDS

Data Collection and Computation

The base data collected at gaging stations (figs. 3-5 consist of records of stage and measurements of discharge of streams or canals, and stage, surface area, and volume of lakes or reservoirs. In addition, observations of factors affecting the stage-discharge relation or the stage-capacity relation, weather records, and other information are used to supplement base data in determining the daily flow or volume of water in storage. Records of stage are obtained from a water-stage recorder that is either downloaded electronically in the field to a laptop computer or similar device or is transmitted using telemetry such as GOES satellite, land-line or cellular-phone modems, or by radio transmission. Measurements of discharge are made with a current meter or acoustic Doppler current profiler, using the general methods adopted by the USGS. These methods are described in standard textbooks, USGS Water-Supply Paper 2175, and the Techniques of Water-Resources Investigations of the United States Geological Survey (TWRIs), Book 3, Chapters A1 through A19 and Book 8, Chapters A2 and B2. The methods are consistent with the American Society for Testing and Materials (ASTM) standards and generally follow the standards of the International Organization for Standards (ISO).

For stream-gaging stations, discharge-rating tables for any stage are prepared from stage-discharge curves. If extensions to the rating curves are necessary to express discharge greater than measured, the extensions are made on the basis of indirect measurements of peak discharge (such as slope-area or contracted-opening measurements, or

computation of flow over dams and weirs), step-backwater techniques, velocity-area studies, and logarithmic plotting. The daily mean discharge is computed from gage heights and rating tables, then the monthly and yearly mean discharges are computed from the daily values. If the stage-discharge relation is subject to change because of frequent or continual change in the physical features of the stream channel, the daily mean discharge is computed by the shifting-control method in which correction factors based on individual discharge measurements and notes by engineers and observers are used when applying the gage heights to the rating tables. If the stage-discharge relation for a station is temporarily changed by the presence of aquatic growth or debris on the controlling section, the daily mean discharge is computed by the shifting-control method.

The stage-discharge relation at some stream-gaging stations is affected by backwater from reservoirs, tributary streams, or other sources. Such an occurrence necessitates the use of the slope method in which the slope or fall in a reach of the stream is a factor in computing discharge. The slope or fall is obtained by means of an auxiliary gage at some distance from the base gage.

An index velocity is measured using ultrasonic or acoustic instruments at some stream-gaging stations and this index velocity is used to calculate an average velocity for the flow in the stream. This average velocity along with a stage-area relation is then used to calculate average discharge.

At some stations, stage-discharge relation is affected by changing stage. At these stations, the rate of change in stage is used as a factor in computing discharge.

At some stream-gaging stations in the northern United States, the stage-discharge relation is affected by ice in the winter; therefore, computation of the discharge in the usual manner is impossible. Discharge for periods of ice effect is computed on the basis of gage-height record and occasional winter-discharge measurements. Consideration is given to the available information on temperature and precipitation, notes by gage observers and hydrologists, and comparable records of discharge from other stations in the same or nearby basins.

For a lake or reservoir station, capacity tables giving the volume or contents for any stage are prepared from stage-area relation curves defined by surveys. The application of the stage to the capacity table gives the contents, from which the daily, monthly, or yearly changes are computed.

If the stage-capacity curve is subject to changes because of deposition of sediment in the reservoir, periodic resurveys of the reservoir are necessary to define new stage-capacity curves. During the period between reservoir surveys, the computed contents may be increasingly in error due to the gradual accumulation of sediment.

For some stream-gaging stations, periods of time occur when no gage-height record is obtained or the recorded gage height is faulty and cannot be used to compute daily discharge or contents. Such a situation can happen when the recorder stops or otherwise fails to operate properly, the intakes are plugged, the float is frozen in the well, or for various other reasons. For such periods, the daily discharges are estimated on the basis of recorded range in stage, prior and subsequent records, discharge measurements, weather records, and comparison with records from other stations in the same or nearby basins. Likewise, lake or reservoir volumes may be estimated on the basis of operator's log, prior and subsequent records, inflow-outflow studies, and other information.

Data Presentation

The records published for each continuous-record surface-water discharge station (stream-gaging station) consist of five parts: (1) the station manuscript or description; (2) the data table of daily mean values of discharge for the current water year with summary data; (3) a tabular statistical summary of monthly mean flow data for a designated period, by water year; (4) a summary statistics table that includes statistical data of annual, daily, and instantaneous flows as well as data pertaining to annual runoff, 7-day low-flow minimums, and flow duration; and (5) a hydrograph of discharge.

Station Manuscript

The manuscript provides, under various headings, descriptive information, such as station location; period of record; historical extremes outside the period of record; record accuracy; and other remarks pertinent to station operation and regulation. The following information, as appropriate, is provided with each continuous record of discharge or lake content. Comments follow that clarify information presented under the various headings of the station description.

LOCATION.—Location information is obtained from the most accurate maps available. The location of the gaging station with respect to the cultural and physical features in the vicinity and with respect to the reference place mentioned in the station name is given. River mileages, given for only a few stations, were determined by methods given in "River Mileage Measurement," Bulletin 14, Revision of October 1968, prepared by the Water Resources Council or were provided by the U.S. Army Corps of Engineers.

DRAINAGE AREA.—Drainage areas are measured using the most accurate maps available. Because the type of maps available varies from one drainage basin to another, the accuracy of drainage areas likewise varies. Drainage areas are updated as better maps become available.

PERIOD OF RECORD.—This term indicates the time period for which records have been published for the station or for an equivalent station. An equivalent station is one that was in operation at a time that the present station was not and whose location was such that its flow reasonably can be considered equivalent to flow at the present station.

REVISED RECORDS.—If a critical error in published records is discovered, a revision is included in the first report published following discovery of the error.

GAGE.—The type of gage in current use, the datum of the current gage referred to a standard datum, and a condensed history of the types, locations, and datums of previous gages are given under this heading.

REMARKS.—All periods of estimated daily discharge either will be identified by date in this paragraph of the station description for water-discharge stations or flagged in the daily discharge table. (See section titled Identifying Estimated Daily Discharge.) Information is presented relative to the accuracy of the records, to special methods of computation, and to conditions that affect natural flow at the station. In addition, information may be presented pertaining to average discharge data for the period of record; to extremes data for the period of record and the current year; and, possibly, to other pertinent items. For reservoir stations, information is given on the dam forming the reservoir, the capacity, the outlet works and spillway, and the purpose and use of the reservoir.

COOPERATION.—Records provided by a cooperating organization or obtained for the USGS by a cooperating organization are identified here.

EXTREMES OUTSIDE PERIOD OF RECORD.—Information here documents major floods or unusually low flows that occurred outside the stated period of record. The information may or may not have been obtained by the USGS.

REVISIONS.—Records are revised if errors in published records are discovered. Appropriate updates are made in the USGS distributed data system, NWIS, and subsequently to its Web-based National data system, NWISWeb (<http://water.usgs.gov/nwis/nwis>). Users are encouraged to obtain all required data from NWIS or NWISWeb to ensure that they have the most recent data updates. Updates to NWISWeb are made on an annual basis.

Although rare, occasionally the records of a discontinued gaging station may need revision. Because no current or, possibly, future station manuscript would be published for these stations to document the revision in a REVISED RECORDS entry, users of data for these stations who obtained the record from previously published data reports may wish to contact the District Office (address given on the back of the title page of this report) to determine if the published records were revised after the station was discontinued. If, however, the data for a discontinued station were obtained by computer retrieval, the data would be current. Any published revision of data is always accompanied by revision of the corresponding data in computer storage.

Manuscript information for lake or reservoir stations differs from that for stream stations in the nature of the REMARKS and in the inclusion of a stage-capacity table when daily volumes are given.

Peak Discharge Greater than Base Discharge

Tables of peak discharge above base discharge are included for some stations where secondary instantaneous peak discharge data are used in flood-frequency studies of highway and bridge design, flood-control structures, and other flood-related projects. The base discharge value is selected so an average of three peaks a year will be reported. This base discharge value has a recurrence interval of approximately 1.1 years or a 91-percent chance of exceedence in any 1 year.

Data Table of Daily Mean Values

The daily table of discharge records for stream-gaging stations gives mean discharge for each day of the water year. In the monthly summary for the table, the line headed TOTAL gives the sum of the daily figures for each month; the line headed MEAN gives the arithmetic average flow in cubic feet per second for the month; and the lines headed MAX and MIN give the maximum and minimum daily mean discharges, respectively, for each month. Discharge for the month is expressed in cubic feet per second per square mile (line headed CF5M); or in inches (line headed IN); or in acre-feet (line headed AC-FT). Values for cubic feet per second per square mile and runoff in inches or in acre-feet may be omitted if extensive regulation or diversion is in effect or if the drainage area includes large noncontributing areas. At some stations, monthly and (or) yearly observed discharges are adjusted for reservoir storage or diversion, or diversion data or reservoir volumes are given. These values are identified by a symbol and a corresponding footnote.

Statistics of Monthly Mean Data

A tabular summary of the mean (line headed MEAN), maximum (MAX), and minimum (MIN) of monthly mean flows for each month for a designated period is provided below the mean values table. The water years of the first occurrence of the maximum and minimum monthly flows are provided immediately below those values. The designated period will be expressed as FOR WATER YEARS __-__, BY WATER YEAR (WY), and will list the first and last water years of the range of years selected from the PERIOD OF RECORD paragraph in the station manuscript. The designated period will consist of all of the station record within the specified water years, including complete months of record for partial water years, and may coincide with the period of record for the station. The water years for which the statistics are computed are consecutive, unless a break in the station record is indicated in the manuscript.

Summary Statistics

A table titled SUMMARY STATISTICS follows the statistics of monthly mean data tabulation. This table consists of four columns with the first column containing the line headings of the statistics being reported. The table provides a statistical summary of yearly, daily, and instantaneous flows, not only for the current water year but also for the previous calendar year and for a designated period, as appropriate. The designated period selected, WATER YEARS __-__, will consist of all of the station records within the specified water years, including complete months of record for partial water years, and may coincide with the period of record for the station. The water years for which the statistics are computed are consecutive, unless a break in the station record is indicated in the manuscript. All of the calculations for the statistical characteristics designated ANNUAL (see line headings below), except for the ANNUAL 7-DAY MINIMUM statistic, are calculated for the designated period using complete water years. The other statistical characteristics may be calculated using partial water years.

The date or water year, as appropriate, of the first occurrence of each statistic reporting extreme values of discharge is provided adjacent to the statistic. Repeated occurrences may be noted in the REMARKS paragraph of the manuscript or in footnotes. Because the designated period may not be the same as the station period of record published in the manuscript, occasionally the dates of occurrence listed for the daily and instantaneous extremes in the designated-period column may not be within the selected water years listed in the heading. When the dates of

occurrence do not fall within the selected water years listed in the heading, it will be noted in the REMARKS paragraph or in footnotes. Selected streamflow duration-curve statistics and runoff data also are given. Runoff data may be omitted if extensive regulation or diversion of flow is in effect in the drainage basin.

The following summary statistics data are provided with each continuous record of discharge. Comments that follow clarify information presented under the various line headings of the SUMMARY STATISTICS table.

ANNUAL TOTAL.—The sum of the daily mean values of discharge for the year.

ANNUAL MEAN.—The arithmetic mean for the individual daily mean discharges for the year noted or for the designated period.

HIGHEST ANNUAL MEAN.—The maximum annual mean discharge occurring for the designated period.

LOWEST ANNUAL MEAN.—The minimum annual mean discharge occurring for the designated period.

HIGHEST DAILY MEAN.—The maximum daily mean discharge for the year or for the designated period.

LOWEST DAILY MEAN.—The minimum daily mean discharge for the year or for the designated period.

ANNUAL 7-DAY MINIMUM.—The lowest mean discharge for 7 consecutive days for a calendar year or a water year. Note that most low-flow frequency analyses of annual 7-day minimum flows use a climatic year (April 1-March 31). The date shown in the summary statistics table is the initial date of the 7-day period. This value should not be confused with the 7-day 10-year low-flow statistic.

MAXIMUM PEAK FLOW.—The maximum instantaneous peak discharge occurring for the water year or designated period. Occasionally the maximum flow for a year may occur at midnight at the beginning or end of the year, on a recession from or rise toward a higher peak in the adjoining year. In this case, the maximum peak flow is given in the table and the maximum flow may be reported in a footnote or in the REMARKS paragraph in the manuscript.

MAXIMUM PEAK STAGE.—The maximum instantaneous peak stage occurring for the water year or designated period. Occasionally the maximum stage for a year may occur at midnight at the beginning or end of the year, on a recession from or rise toward a higher peak in the adjoining year. In this case, the maximum peak stage is given in the table and the maximum stage may be reported in the REMARKS paragraph in the manuscript or in a footnote. If the dates of occurrence of the maximum peak stage and maximum peak flow are different, the REMARKS paragraph in the manuscript or a footnote may be used to provide further information.

INSTANTANEOUS LOW FLOW.—The minimum instantaneous discharge occurring for the water year or for the designated period.

ANNUAL RUNOFF.—Indicates the total quantity of water in runoff for a drainage area for the year. Data reports may use any of the following units of measurement in presenting annual runoff data:

Acre-foot (AC-FT) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Cubic feet per square mile (CFSM) is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming the runoff is distributed uniformly in time and area.

Inches (INCHES) indicate the depth to which the drainage area would be covered if all of the runoff for a given time period were uniformly distributed on it.

10 PERCENT EXCEEDS.—The discharge that has been exceeded 10 percent of the time for the designated period.

50 PERCENT EXCEEDS.—The discharge that has been exceeded 50 percent of the time for the designated period.

90 PERCENT EXCEEDS.—The discharge that has been exceeded 90 percent of the time for the designated period.

Data collected at partial-record stations follow the information for continuous-record sites. Data for partial-record discharge stations are presented in two tables. The first table lists annual maximum stage and discharge at crest-stage stations, and the second table lists discharge measurements at low-flow partial-record stations. The tables of partial-record stations are followed by a listing of discharge measurements made at sites other than continuous-record or partial-record stations. These measurements are often made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for a special reason are called measurements at miscellaneous sites.

Identifying Estimated Daily Discharge

Estimated daily-discharge values published in the water-discharge tables of annual State data reports are identified. This identification is shown either by flagging individual daily values with the letter “e” and noting in a table footnote, “e—Estimated,” or by listing the dates of the estimated record in the REMARKS paragraph of the station description.

Accuracy of Field Data and Computed Results

The accuracy of streamflow data depends primarily on (1) the stability of the stage-discharge relation or, if the control is unstable, the frequency of discharge measurements, and (2) the accuracy of observations of stage, measurements of discharge, and interpretations of records.

The degree of accuracy of the records is stated in the REMARKS in the station description. “Excellent” indicates that about 95 percent of the daily discharges are within 5 percent of the true value; “good” within 10 percent; and “fair,” within 15 percent. “Poor” indicates that daily discharges have less than “fair” accuracy. Different accuracies may be attributed to different parts of a given record.

Values of daily mean discharge in this report are shown to the nearest hundredth of a cubic foot per second for discharges of less than 1 ft³/s; to the nearest tenths between 1.0 and 10 ft³/s; to whole numbers between 10 and 1,000 ft³/s; and to 3 significant figures above 1,000 ft³/s. The number of significant figures used is based solely on the magnitude of the discharge value. The same rounding rules apply to discharge values listed for partial-record stations.

Discharge at many stations, as indicated by the monthly mean, may not reflect natural runoff due to the effects of diversion, consumption, regulation by storage, increase or decrease in evaporation due to artificial causes, or to other factors. For such stations, values of cubic feet per second per square mile and of runoff in inches are not published unless satisfactory adjustments can be made for diversions, for changes in contents of reservoirs, or for other changes incident to use and control. Evaporation from a reservoir is not included in the adjustments for changes in reservoir contents, unless it is so stated. Even at those stations where adjustments are made, large errors in computed runoff may occur if adjustments or losses are large in comparison with the observed discharge.

Other Data Records Available

Information of a more detailed nature than that published for most of the stream-gaging stations such as discharge measurements, gage-height records, and rating tables is available from the District office. Also, most stream-gaging station records are available in computer-usable form and many statistical analyses have been made.

Information on the availability of unpublished data or statistical analyses may be obtained from the District office (see address that is shown on the back of the title page of this report).

EXPLANATION OF PRECIPITATION QUALITY RECORDS

The precipitation-quality data presented in this report represent analyses of time-composite samples, most often for a collection period of one week. This is in contrast to most of the published surface-water quality data which represent samples taken of specific times.

On-Site Measurements and Sample Collection

Precipitation samples are collected with wet/dry collectors. The wet/dry collector is the preferred precipitation sampler and consists of a bucket which is open only during periods of wet (rainfall, snow, etc.) precipitation. During dry periods the sample bucket is covered, thus excluding dry-fall precipitation from the sample.

National Trends Network (NTN) stations are equipped with weighing-bucket rain gages, which graphically record rainfall as well as count rainfall events. The other commonly-used recording gage consists of a rainfall catchment pipe and a float-driven digital recorder which periodically records the water-level in the pipe.

Time-composite wet-precipitation samples are collected and brought back to the laboratory and weighed. Rainfall quantity is estimated from the sample weight. A temperature-density correction can be applied if desired but normally this correction results in a very small change in the estimated quantity of rainfall. An estimation of the sampler efficiency is made by computing the ratio of rainfall amount collected in the sample bucket to that measured by the recording rain gage. This collector efficiency ratio is an important indicator of possible collector malfunction. For example, a ratio substantially less than one indicates that the wet/dry collector was not opening properly and thus, excluding rainfall.

After weighing the sample, a small portion is removed for measurement of pH, specific conductance, and, in some instances, titratable acidity. The pH and specific conductance are both determined electrometrically according to methods described in the National Atmospheric Deposition Program "NADP Instruction Manual: Site Operation." The remainder of the sample is then used for laboratory chemical analyses. This portion of the sample is shipped to the

laboratory raw and untreated. In the case of NTN operation, the original bucket is resealed and mailed to the Illinois State Water Survey Central Analytical Laboratory (CAL) for analysis. In all other instances, sample portions are preserved, treated, and analyzed according to specific project requirements.

Data Presentation

Records of precipitation quality are published following the "records of ground-water" section of this report. As with records of daily water discharge and surface-water quality, precipitation-quality records consist of two parts, a station header and a data table. The station header contains the descriptive information pertinent to the establishment, location, and operation of the site. Records are presented alphabetically by county and, within each county, by latitude, longitude, and sequence number. As with ground-water wells, the primary site identifier used for precipitation-quality stations in this report is the 15-digit composite of these three numbers. The following text presents a clarification of the subheadings which follow the station identification number and station name.

LOCATION.--See Data Presentation under "Records of Stage and Water Discharge;" same comments apply.

PERIOD OF RECORD.--This indicates the periods for which there are published precipitation-quality records for the station. Periods of record are presented separately for each type of sample collected at the site (in this report, wet precipitation, dry precipitation, and fog).

INSTRUMENTATION.--In this section, an abbreviated-style listing of the data-recording and sample-collection equipment permanently housed at the site is presented.

REMARKS.--This section is reserved for comments pertaining to unusual or extraordinary circumstances or to qualifying information which must be used accurately interpret the data presented for the site. More general comments which may pertain to several or all of the sites are presented in the "EXPLANATION OF RECORDS" section in the introductory part of the report.

COOPERATION.--Chemical-quality data were provided by National Atmospheric Deposition Program.

EXPLANATION OF WATER-QUALITY RECORDS

Collection and Examination of Data

Surface-water samples for analysis usually are collected at or near stream-gaging stations. The quality-of-water records are given immediately following the discharge records at these stations.

The descriptive heading for water-quality records gives the period of record for all water-quality data; the period of daily record for parameters that are measured on a daily basis (specific conductance, water temperature, sediment discharge, and so forth); extremes for the current year; and general remarks.

For ground-water records, no descriptive statements are given; however, the well number, depth of well, sampling date, or other pertinent data are given in the table containing the chemical analyses of the ground water.

Water Analysis

Most of the methods used for collecting and analyzing water samples are described in the TWRIs. A list of TWRIs is provided in this report.

One sample can define adequately the water quality at a given time if the mixture of solutes throughout the stream cross-section is homogeneous. However, the concentration of solutes at different locations in the cross section may vary widely with different rates of water discharge, depending on the source of material and the turbulence and mixing of the stream. Some streams must be sampled at several verticals to obtain a representative sample needed for an accurate mean concentration and for use in calculating load.

Chemical-quality data published in this report are considered to be the most representative values available for the stations listed. The values reported represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. In the rare case where an apparent inconsistency exists between a reported pH value and the relative abundance of carbon dioxide species (carbonate and bicarbonate), the inconsistency is the result of a slight uptake of carbon dioxide from the air by the sample between measurement of pH in the field and determination of carbonate and bicarbonate in the laboratory.

For chemical-quality stations equipped with digital monitors, the records consist of daily maximum and minimum values (and sometimes mean or median values) for each constituent measured, and are based on 15-minute or 1-hour intervals of recorded data beginning at 0000 hours and ending at 2400 hours for the day of record.

SURFACE-WATER-QUALITY RECORDS

Records of surface-water quality ordinarily are obtained at or near stream-gaging stations because discharge data is useful in the interpretation of surface-water quality. Records of surface-water quality in this report involve a variety of types of data and measurement frequencies.

Classification of Records

Water-quality data for surface-water sites are grouped into one of three classifications. A *continuous-record station* is a site where data are collected on a regularly scheduled basis. Frequency may be one or more times daily, weekly, monthly, or quarterly. A *partial-record station* is a site where limited water-quality data are collected

systematically over a period of years. Frequency of sampling is usually less than quarterly. A *miscellaneous sampling site* is a location other than a continuous- or partial-record station, where samples are collected to give better areal coverage to define water-quality conditions in the river basin.

A careful distinction needs to be made between *continuous records* as used in this report and *continuous recordings* that refer to a continuous graph or a series of discrete values recorded at short intervals. Some records of water quality, such as temperature and specific conductance, may be obtained through continuous recordings; however, because of costs, most data are obtained only monthly or less frequently. Locations of stations for which records on the quality of surface water appear in this report are shown in figures 7-8.

Accuracy of the Records

One of four accuracy classifications is applied for measured physical properties at continuous-record stations on a scale ranging from poor to excellent. The accuracy rating is based on data values recorded before any shifts or corrections are made. Additional consideration also is given to the amount of publishable record and to the amount of data that have been corrected or shifted.

Arrangement of Records

Water-quality records collected at a surface-water daily record station are published immediately following that record, regardless of the frequency of sample collection. Station number and name are the same for both records. Where a surface-water daily record station is not available or where the water quality differs significantly from that at the nearby surface-water station, the continuing water-quality record is published with its own station number and name in the regular downstream-order sequence. Water-quality data for partial-record stations and for miscellaneous sampling sites appear in separate tables following the table of discharge measurements at miscellaneous sites.

On-Site Measurements and Sample Collection

In obtaining water-quality data, a major concern is assuring that the data obtained represent the naturally occurring quality of the water. To ensure this, certain measurements, such as water temperature, pH, and dissolved oxygen, must be made on site when the samples are taken. To assure that measurements made in the laboratory also represent the naturally occurring water, carefully prescribed procedures must be followed in collecting the samples, in treating the samples to prevent changes in quality pending analysis, and in shipping the samples to the laboratory. Procedures for on-site measurements and for collecting, treating, and shipping samples are given in TWRIs Book 1, Chapter D2; Book 3, Chapters A1, A3, and A4; and Book 9, Chapters A1-A9. These TWRIs are listed in this report. Also, detailed information on collecting, treating, and shipping samples can be obtained from the USGS District office (see address that is shown on the back of title page in this report).

Water Temperature

Water temperatures are measured at most of the water-quality stations. In addition, water temperatures are taken at the time of discharge measurements for water-discharge stations. For stations where water temperatures are taken manually once or twice daily, the water temperatures are taken at about the same time each day. Large streams have a small diurnal temperature change; shallow streams may have a daily range of several degrees and may follow closely the changes in air temperature. Some streams may be affected by waste-heat discharges.

At stations where recording instruments are used, either mean temperatures or maximum and minimum temperatures for each day are published. Water temperatures measured at the time of water-discharge measurements are on file in the District office.

Sediment

Suspended-sediment concentrations are determined from samples collected by using depth-integrating samplers. Samples usually are obtained at several verticals in the cross section, or a single sample may be obtained at a fixed point and a coefficient applied to determine the mean concentration in the cross section.

During periods of rapidly changing flow or rapidly changing concentration, samples may be collected more frequently (twice daily or, in some instances, hourly). The published sediment discharges for days of rapidly changing flow or concentration were computed by the subdivided-day method (time-discharge weighted average). Therefore, for those days when the published sediment discharge value differs from the value computed as the product of discharge times mean concentration times 0.0027, the reader can assume that the sediment discharge for that day was computed by the subdivided-day method. For periods when no samples were collected, daily discharges of suspended sediment were estimated on the basis of water discharge, sediment concentrations observed immediately before and after the periods, and suspended-sediment loads for other periods of similar discharge.

At other stations, suspended-sediment samples are collected periodically at many verticals in the stream cross section. Although data collected periodically may represent conditions only at the time of observation, such data are useful in establishing seasonal relations between quality and streamflow and in predicting long-term sediment-discharge characteristics of the stream.

In addition to the records of suspended-sediment discharge, records of the periodic measurements of the particle-size distribution of the suspended sediment and bed material are included for some stations.

Laboratory Measurements

Samples for biochemical oxygen demand (BOD) and indicator bacteria are analyzed locally. All other samples are analyzed in the USGS laboratory in Lakewood, Colorado, unless otherwise noted. Methods used in analyzing sediment samples and computing sediment records are given in TWRI, Book 5, Chapter C1. Methods used by the USGS laboratories are given in the TWRIs, Book 1, Chapter D2; Book 3, Chapter C2; and Book 5, Chapters A1, A3, and A4. These methods are consistent with ASTM standards and generally follow ISO standards.

Data Presentation

For continuing-record stations, information pertinent to the history of station operation is provided in descriptive headings preceding the tabular data. These descriptive headings give details regarding location, drainage area, period of record, type of data available, instrumentation, general remarks, cooperation, and extremes for parameters currently measured daily. Tables of chemical, physical, biological, radiochemical data, and so forth, obtained at a frequency less than daily are presented first. Tables of "daily values" of specific conductance, pH, water temperature, dissolved oxygen, and suspended sediment then follow in sequence.

In the descriptive headings, if the location is identical to that of the discharge gaging station, neither the LOCATION nor the DRAINAGE AREA statements are repeated. The following information is provided with each continuous-record station. Comments that follow clarify information presented under the various headings of the station description.

LOCATION.—See Data Presentation information in the EXPLANATION OF STAGE- AND WATER-DISCHARGE RECORDS section of this report (same comments apply).

DRAINAGE AREA.—See Data Presentation information in the EXPLANATION OF STAGE- AND WATER-DISCHARGE RECORDS section of this report (same comments apply).

PERIOD OF RECORD.—This indicates the time periods for which published water-quality records for the station are available. The periods are shown separately for records of parameters measured daily or continuously and those

measured less than daily. For those measured daily or continuously, periods of record are given for the parameters individually.

INSTRUMENTATION.—Information on instrumentation is given only if a water-quality monitor temperature record, sediment pumping sampler, or other sampling device is in operation at a station.

REMARKS.—Remarks provide added information pertinent to the collection, analysis, or computation of the records.

COOPERATION.—Records provided by a cooperating organization or obtained for the USGS by a cooperating organization are identified here.

EXTREMES.—Maximums and minimums are given only for parameters measured daily or more frequently. For parameters measured weekly or less frequently, true maximums or minimums may not have been obtained. Extremes, when given, are provided for both the period of record and for the current water year.

REVISIONS.—Records are revised if errors in published water-quality records are discovered. Appropriate updates are made in the USGS distributed data system, NWIS, and subsequently to its Web-based National data system, NWISWeb (<http://waterdata.usgs.gov/nwis>). Users of USGS water-quality data are encouraged to obtain all required data from NWIS or NWISWeb to ensure that they have the most recent updates. Updates to the NWISWeb are made on an annual basis.

The surface-water-quality records for partial-record stations and miscellaneous sampling sites are published in separate tables following the table of discharge measurements at miscellaneous sites. No descriptive statements are given for these records. Each station is published with its own station number and name in the regular downstream-order sequence.

Remark Codes

The following remark codes may appear with the water-quality data in this section:

| Printed Output | Remark |
|----------------|---|
| E or e | Estimated value. |
| > | Actual value is known to be greater than the value shown. |
| < | Actual value is known to be less than the value shown. |
| K | Results based on colony count outside the acceptance range (non-ideal colony count). |
| L | Biological organism count less than 0.5 percent (organism may be observed rather than counted). |
| D | Biological organism count equal to or greater than 15 percent (dominant). |
| V | Analyte was detected in both the environmental sample and the associated blanks. |
| & | Biological organism estimated as dominant. |

Water-Quality Control Data

The USGS National Water Quality Laboratory collects quality-control data on a continuing basis to evaluate selected analytical methods to determine long-term method detection levels (LT-MDLs) and laboratory reporting levels (LRLs). These values are re-evaluated each year on the basis of the most recent quality-control data and, consequently, may change from year to year.

This reporting procedure limits the occurrence of false positive error. Falsely reporting a concentration greater than the LT-MDL for a sample in which the analyte is not present is 1 percent or less. Application of the LRL limits the occurrence of false negative error. The chance of falsely reporting a non-detection for a sample in which the analyte is present at a concentration equal to or greater than the LRL is 1 percent or less.

Accordingly, concentrations are reported as less than LRL for samples in which the analyte was either not detected or did not pass identification. Analytes detected at concentrations between the LT-MDL and the LRL and that pass identification criteria are estimated. Estimated concentrations will be noted with a remark code of "E." These data should be used with the understanding that their uncertainty is greater than that of data reported without the E remark code.

Data generated from quality-control (QC) samples are a requisite for evaluating the quality of the sampling and processing techniques as well as data from the actual samples themselves. Without QC data, environmental sample data cannot be adequately interpreted because the errors associated with the sample data are unknown. The various types of QC samples collected by this District office are described in the following section. Procedures have been established for the storage of water-quality-control data within the USGS. These procedures allow for storage of all derived QC data and are identified so that they can be related to corresponding environmental samples. These data are not presented in this report but are available from the District office.

Blank Samples

Blank samples are collected and analyzed to ensure that environmental samples have not been contaminated in the overall data-collection process. The blank solution used to develop specific types of blank samples is a solution that is free of the analytes of interest. Any measured value signal in a blank sample for an analyte (a specific component measured in a chemical analysis) that was absent in the blank solution is believed to be due to contamination. Many types of blank samples are possible; each is designed to segregate a different part of the overall data-collection process. The types of blank samples collected in this district are:

Field blank—A blank solution that is subjected to all aspects of sample collection, field processing preservation, transportation, and laboratory handling as an environmental sample.

Trip blank—A blank solution that is put in the same type of bottle used for an environmental sample and kept with the set of sample bottles before and after sample collection.

Equipment blank—A blank solution that is processed through all equipment used for collecting and processing an environmental sample (similar to a field blank but normally done in the more controlled conditions of the office).

Sampler blank—A blank solution that is poured or pumped through the same field sampler used for collecting an environmental sample.

Filter blank—A blank solution that is filtered in the same manner and through the same filter apparatus used for an environmental sample.

Splitter blank—A blank solution that is mixed and separated using a field splitter in the same manner and through the same apparatus used for an environmental sample.

Preservation blank—A blank solution that is treated with the sampler preservatives used for an environmental sample.

Reference Samples

Reference material is a solution or material prepared by a laboratory. The reference material composition is certified for one or more properties so that it can be used to assess a measurement method. Samples of reference material are submitted for analysis to ensure that an analytical method is accurate for the known properties of the reference material. Generally, the selected reference material properties are similar to the environmental sample properties.

Replicate Samples

Replicate samples are a set of environmental samples collected in a manner such that the samples are thought to be essentially identical in composition. Replicate is the general case for which a duplicate is the special case consisting of two samples. Replicate samples are collected and analyzed to establish the amount of variability in the data contributed by some part of the collection and analytical process. Many types of replicate samples are possible, each of which may yield slightly different results in a dynamic hydrologic setting, such as a flowing stream. The types of replicate samples collected in this district are:

Concurrent samples—A type of replicate sample in which the samples are collected simultaneously with two or more samplers or by using one sampler and alternating the collection of samples into two or more compositing containers.

Sequential samples—A type of replicate sample in which the samples are collected one after the other, typically over a short time.

Split sample—A type of replicate sample in which a sample is split into subsamples, each subsample contemporaneous in time and space.

Spike Samples

Spike samples are samples to which known quantities of a solution with one or more well-established analyte concentrations have been added. These samples are analyzed to determine the extent of matrix interference or degradation on the analyte concentration during sample processing and analysis.

EXPLANATION OF GROUND-WATER-LEVEL RECORDS

Generally, only ground-water-level data from selected wells with continuous recorders from a basic network of observation wells are published in this report. This basic network contains observation wells located so that the most significant data are obtained from the fewest wells in the most important aquifers.

Site Identification Numbers

Each well is identified by means of (1) a 15-digit number that is based on latitude and longitude and (2) a local number that is produced for local needs.

Data Collection and Computation

Measurements are made in many types of wells, under varying conditions of access and at different temperatures; hence, neither the method of measurement nor the equipment can be standardized. At each observation well, however, the equipment and techniques used are those that will ensure that measurements at each well are consistent.

Most methods for collecting and analyzing water samples are described in the TWRI's referred to in the On-site Measurements and Sample Collection and the Laboratory Measurements sections in this report. In addition, TWRI Book 1, Chapter D2, describes guidelines for the collection and field analysis of ground-water samples for selected unstable constituents. Procedures for on-site measurements and for collecting, treating, and shipping samples are given in TWRI's Book 1, Chapter D2; Book 3, Chapters A1, A3, and A4; and Book 9, Chapters A1 through A9. The values in this report represent water-quality conditions at the time of sampling, as much as possible, and that are consistent with available sampling techniques and methods of analysis. These methods are consistent with ASTM standards and generally follow ISO standards. Trained personnel collected all samples. The wells sampled were pumped long enough to ensure that the water collected came directly from the aquifer and had not stood for a long time in the well casing where it would have been exposed to the atmosphere and to the material, possibly metal, comprising the casings.

Water-level measurements in this report are given in feet with reference to land-surface datum (lsd). Land-surface datum is a datum plane that is approximately at land surface at each well. If known, the elevation of the land-surface datum above sea level is given in the well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description. Water levels in wells equipped with recording gages are reported for every fifth day and the end of each month (EOM).

Water levels are reported to as many significant figures as can be justified by the local conditions. For example, in a measurement of a depth of water of several hundred feet, the error in determining the absolute value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given only to a tenth of a foot or a larger unit.

Data Presentation

Water-level data are presented in alphabetical order by county. The primary identification number for a given well is the 15-digit site identification number that appears in the upper left corner of the table. The secondary identification number is the local or county well number. Well locations are shown in figures 9-11 each well is identified on the map by its local well or county well number.

Each well record consists of three parts: the well description, the data table of water levels observed during the water year, and, for most wells, a hydrograph following the data table. Well descriptions are presented in the headings preceding the tabular data.

The following comments clarify information presented in these various headings.

LOCATION.—This paragraph follows the well-identification number and reports the hydrologic-unit number and a geographic point of reference. Latitudes and longitudes used in this report are reported as North American Datum of 1927 unless otherwise specified.

AQUIFER.—This entry designates by name and geologic age the aquifer that the well taps.

WELL CHARACTERISTICS.—This entry describes the well in terms of depth, casing diameter and depth or screened interval, method of construction, use, and changes since construction.

INSTRUMENTATION.—This paragraph provides information on both the frequency of measurement and the collection method used, allowing the user to better evaluate the reported water-level extremes by knowing whether they are based on continuous, monthly, or some other frequency of measurement.

DATUM.—This entry describes both the measuring point and the land-surface elevation at the well. The altitude of the land-surface datum is described in feet above the altitude datum; it is reported with a precision depending on the method of determination. The measuring point is described physically (such as top of casing, top of instrument shelf,

and so forth), and in relation to land surface (such as 1.3 ft above land-surface datum). The elevation of the land-surface datum is described in feet above National Geodetic Vertical Datum of 1929 (NGVD 29); it is reported with a precision depending on the method of determination.

REMARKS.—This entry describes factors that may influence the water level in a well or the measurement of the water level, when various methods of measurement were begun, and the network (climatic, terrane, local, or areal effects) or the special project to which the well belongs.

PERIOD OF RECORD.—This entry indicates the time period for which records are published for the well, the month and year at the start of publication of water-level records by the USGS, and the words “to current year” if the records are to be continued into the following year. Time periods for which water-level records are available, but are not published by the USGS, may be noted.

EXTREMES FOR PERIOD OF RECORD.—This entry contains the highest and lowest instantaneously recorded or measured water levels of the period of published record, with respect to land-surface datum or sea level, and the dates of occurrence.

Water-Level Tables

A table of water levels follows the well description for each well. Water-level measurements in this report are given in feet with reference to either sea level or land-surface datum (lsd). Missing records are indicated by dashes in place of the water-level value.

For wells not equipped with recorders, water-level measurements were obtained periodically by steel or electric tape. Tables of periodic water-level measurements in these wells show the date of measurement and the measured water-level value.

Hydrographs

Hydrographs are a graphic display of water-level fluctuations over a period of time. In this report, current water year and, when appropriate, period-of-record hydrographs are shown. Hydrographs that display periodic water-level measurements show points that may be connected with a dashed line from one measurement to the next. Hydrographs that display recorder data show a solid line representing the mean water level recorded for each day. Missing data are indicated by a blank space or break in a hydrograph. Missing data may occur as a result of recorder malfunctions, battery failures, or mechanical problems related to the response of the recorder’s float mechanism to water-level fluctuations in a well.

GROUND-WATER-QUALITY DATA

Data Collection and Computation

The ground-water-quality data in this report were obtained as a part of special studies in specific areas. Consequently, a number of chemical analyses are presented for some wells within a county but not for others. As a result, the records for this year, by themselves, do not provide a balanced view of ground-water quality Statewide.

Most methods for collecting and analyzing water samples are described in the TWRI. Procedures for on-site measurements and for collecting, treating, and shipping samples are given in TWRI, Book 1, Chapter D2; Book 3, Chapter C2; and Book 5, Chapters A1, A3, and A4. Also, detailed information on collecting, treating, and shipping samples may be obtained from the USGS District office (see address shown on back of title page in this report).

Laboratory Measurements

Analysis for sulfide and measurement of alkalinity, pH, water temperature, specific conductance, and dissolved oxygen are performed on site. All other sample analyses are performed at the USGS laboratory in Lakewood,

Colorado, unless otherwise noted. Methods used by the USGS laboratory are given in TWRI, Book 1, Chapter D2; Book 3, Chapter C2; and Book 5, Chapters A1, A3, and A4.

ACCESS TO USGS WATER DATA

The USGS provides near real-time stage and discharge data for many of the gaging stations equipped with the necessary telemetry and historic daily-mean and peak-flow discharge data for most current or discontinued gaging stations through the World Wide Web (WWW). These data may be accessed from <http://water.usgs.gov>.

Water-quality data and ground-water data also are available through the WWW. In addition, data can be provided in various machine-readable formats on various media. Information about the availability of specific types of data or products, and user charges, can be obtained locally from each Water Discipline District Office (See address that is shown on the back of the title page of this report.)

DEFINITION OF TERMS

Specialized technical terms related to streamflow, water-quality, and other hydrologic data, as used in this report, are defined below. Terms such as algae, water level, and precipitation are used in their common everyday meanings, definitions of which are given in standard dictionaries. Not all terms defined in this alphabetical list apply to every State. See also table for converting English units to International System (SI) Units. Other glossaries that also define water-related terms are accessible from <http://water.usgs.gov/glossaries.html>.

Acid neutralizing capacity (ANC) is the equivalent sum of all bases or base-producing materials, solutes plus particulates, in an aqueous system that can be titrated with acid to an equivalence point. This term designates titration of an “unfiltered” sample (formerly reported as alkalinity).

Acre-foot (AC-FT, acre-ft) is a unit of volume, commonly used to measure quantities of water used or stored, equivalent to the volume of water required to cover 1 acre to a depth of 1 foot and equivalent to 43,560 cubic feet, 325,851 gallons, or 1,233 cubic meters. (See also “Annual runoff”)

Adenosine triphosphate (ATP) is an organic, phosphate-rich compound important in the transfer of energy in organisms. Its central role in living cells makes ATP an excellent indicator of the presence of living material in water. A measurement of ATP therefore provides a sensitive and rapid estimate of biomass. ATP is reported in micrograms per liter.

Adjusted discharge is discharge data that have been mathematically adjusted (for example, to remove the effects of a daily tide cycle or reservoir storage).

Algal growth potential (AGP) is the maximum algal dry weight biomass that can be produced in a natural water sample under standardized laboratory conditions. The growth potential is the algal biomass present at stationary phase and is expressed as milligrams dry weight of algae produced per liter of sample. (See also “Biomass” and “Dry weight”)

Alkalinity is the capacity of solutes in an aqueous system to neutralize acid. This term designates titration of a “filtered” sample.

Annual runoff is the total quantity of water that is discharged (“runs off”) from a drainage basin in a year. Data reports may present annual runoff data as volumes in acre-feet, as discharges per unit of drainage area in cubic feet per second per square mile, or as depths of water on the drainage basin in inches.

Annual 7-day minimum is the lowest mean value for any 7-consecutive-day period in a year. Annual 7-day minimum values are reported herein for the calendar year and the water year (October 1 through September 30). Most low-flow frequency analyses use a climatic year (April 1-March 31), which tends to prevent the low-flow period from being artificially split between adjacent years. The date shown in the summary statistics table is the initial date of the 7-day period. (This value should not be confused with the 7-day, 10-year low-flow statistic.)

Aroclor is the registered trademark for a group of poly-chlorinated biphenyls that were manufactured by the Monsanto Company prior to 1976. Aroclors are assigned specific 4-digit reference numbers dependent upon molecular type and degree of substitution of the biphenyl ring hydrogen atoms by chlorine atoms. The first two digits of a numbered aroclor represent the molecular type, and the last two digits represent the percentage weight of the hydrogen-substituted chlorine.

Artificial substrate is a device that purposely is placed in a stream or lake for colonization of organisms. The artificial substrate simplifies the community structure by standardizing the substrate from which each sample is collected. Examples of artificial substrates are basket samplers (made of wire cages filled with clean streamside rocks) and multiplate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton collection. (See also “Substrate”)

Ash mass is the mass or amount of residue present after the residue from a dry-mass determination has been ashed in a muffle furnace at a temperature of 500°C for 1 hour. Ash mass of zooplankton and phytoplankton is expressed in grams per cubic meter (g/m^3), and periphyton and benthic organisms in grams per square meter (g/m^2). (See also “Biomass” and “Dry mass”)

Aspect is the direction toward which a slope faces with respect to the compass.

Bacteria are microscopic unicellular organisms, typically spherical, rodlike, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, whereas others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Bankfull stage, as used in this report, is the stage at which a stream first overflows its natural banks formed by floods with 1- to 3-year recurrence intervals.

Base discharge (for peak discharge) is a discharge value, determined for selected stations, above which peak discharge data are published. The base discharge at each station is selected so that an average of about three peak flows per year will be published. (See also “Peak flow”)

Base flow is sustained flow of a stream in the absence of direct runoff. It includes natural and human-induced streamflows. Natural base flow is sustained largely by ground-water discharge.

Bed material is the sediment mixture of which a stream-bed, lake, pond, reservoir, or estuary bottom is composed. (See also “Bedload” and “Sediment”)

Bedload is material in transport that primarily is supported by the streambed. In this report, bedload is considered to consist of particles in transit from the bed to the top of the bedload sampler nozzle (an elevation ranging from 0.25 to 0.5 foot). These particles are retained in the bedload sampler. A sample collected with a pressure-differential bedload sampler also may contain a component of the suspended load.

Bedload discharge (tons per day) is the rate of sediment moving as bedload, reported as dry weight, that passes through a cross section in a given time. NOTE: Bedload discharge values in this report may include a component of the suspended-sediment discharge. A correction may be necessary when computing the total sediment discharge by summing the bedload discharge and the suspended-sediment discharge. (See also “Bedload,” “Dry weight,” “Sediment,” and “Suspended-sediment discharge”)

Benthic organisms are the group of organisms inhabiting the bottom of an aquatic environment. They include a number of types of organisms, such as bacteria, fungi, insect larvae and nymphs, snails, clams, and crayfish. They are useful as indicators of water quality.

Biochemical oxygen demand (BOD) is a measure of the quantity of dissolved oxygen, in milligrams per liter, necessary for the decomposition of organic matter by microorganisms, such as bacteria.

Biomass is the amount of living matter present at any given time, expressed as mass per unit area or volume of habitat.

Biomass pigment ratio is an indicator of the total proportion of periphyton that are autotrophic (plants). This also is called the Autotrophic Index.

Blue-green algae (*Cyanophyta*) are a group of phytoplankton and periphyton organisms with a blue pigment in addition to a green pigment called chlorophyll. Blue-green algae can cause nuisance water-quality conditions in lakes and slow-flowing rivers; however, they are found commonly in streams throughout the year. The abundance of blue-green algae in phytoplankton samples is expressed as the number of cells per milliliter (cells/mL) or biovolume in cubic micrometers per milliliter ($\mu\text{m}^3/\text{mL}$). The abundance of blue-green algae in periphyton samples is given in

cells per square centimeter (cells/cm²) or biovolume per square centimeter (μm³/cm²). (See also “Phytoplankton” and “Periphyton”)

Bottom material (See “Bed material”)

Bulk electrical conductivity is the combined electrical conductivity of all material within a doughnut-shaped volume surrounding an induction probe. Bulk conductivity is affected by different physical and chemical properties of the material including the dissolved-solids content of the pore water, and the lithology and porosity of the rock.

Canadian Geodetic Vertical Datum 1928 is a geodetic datum derived from a general adjustment of Canada’s first order level network in 1928.

Cell volume (biovolume) determination is one of several common methods used to estimate biomass of algae in aquatic systems. Cell members of algae are used frequently in aquatic surveys as an indicator of algal production. However, cell numbers alone cannot represent true biomass because of considerable cell-size variation among the algal species. Cell volume (μm³) is determined by obtaining critical cell measurements or cell dimensions (for example, length, width, height, or radius) for 20 to 50 cells of each important species to obtain an average biovolume per cell. Cells are categorized according to the correspondence of their cellular shape to the nearest geometric solid or combinations of simple solids (for example, spheres, cones, or cylinders). Representative formulae used to compute biovolume are as follows:

$$\text{sphere } \frac{4}{3} \pi r^3 \quad \text{cone } \frac{1}{3} \pi r^2 h \quad \text{cylinder } \pi r^2 h.$$

pi (π) is the ratio of the circumference to the diameter of a circle; pi = 3.14159....

From cell volume, total algal biomass expressed as biovolume (μm³/mL) is thus determined by multiplying the number of cells of a given species by its average cell volume and then summing these volumes for all species.

Cells/volume refers to the number of cells of any organism that is counted by using a microscope and grid or counting cell. Many planktonic organisms are multicelled and are counted according to the number of contained cells per sample volume, and generally are reported as cells or units per milliliter (mL) or liter (L).

Cfs-day (See “Cubic foot per second-day”)

Channel bars, as used in this report, are the lowest prominent geomorphic features higher than the channel bed.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with BOD or with carbonaceous organic pollution from sewage or industrial wastes. [See also “Biochemical oxygen demand (BOD)”]

Clostridium perfringens (*C. perfringens*) is a spore-forming bacterium that is common in the feces of human and other warmblooded animals. Clostridial spores are being used experimentally as an indicator of past fecal contamination and the presence of microorganisms that are resistant to disinfection and environmental stresses. (See also “Bacteria”)

Coliphages are viruses that infect and replicate in coliform bacteria. They are indicative of sewage contamination of water and of the survival and transport of viruses in the environment.

Color unit is produced by 1 milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Confined aquifer is a term used to describe an aquifer containing water between two relatively impermeable boundaries. The water level in a well tapping a confined aquifer stands above the top of the confined aquifer and can be

higher or lower than the water table that may be present in the material above it. In some cases, the water level can rise above the ground surface, yielding a flowing well.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool and does not include bank storage.

Continuous-record station is a site where data are collected with sufficient frequency to define daily mean values and variations within a day.

Control designates a feature in the channel that physically affects the water-surface elevation and thereby determines the stage-discharge relation at the gage. This feature may be a constriction of the channel, a bedrock outcrop, a gravel bar, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure, as used in this report, is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of saltwater.

Cubic foot per second (CFS, ft^3/s) is the rate of discharge representing a volume of 1 cubic foot passing a given point in 1 second. It is equivalent to approximately 7.48 gallons per second or approximately 449 gallons per minute, or 0.02832 cubic meters per second. The term "second-foot" sometimes is used synonymously with "cubic foot per second" but is now obsolete.

Cubic foot per second-day (CFS-DAY, Cfs-day, [$\text{ft}^3/\text{s}/\text{d}$]) is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, 1.98347 acre-feet, 646,317 gallons, or 2,446.6 cubic meters. The daily mean discharges reported in the daily value data tables numerically are equal to the daily volumes in cfs-days, and the totals also represent volumes in cfs-days.

Cubic foot per second per square mile [CFSM, $(\text{ft}^3/\text{s})/\text{mi}^2$] is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming the runoff is distributed uniformly in time and area. (See also "Annual runoff")

Daily mean suspended-sediment concentration is the time-weighted mean concentration of suspended sediment passing a stream cross section during a 24-hour day. (See also "Sediment" and "Suspended-sediment concentration")

Daily record station is a site where data are collected with sufficient frequency to develop a record of one or more data values per day. The frequency of data collection can range from continuous recording to data collection on a daily or near-daily basis.

Data collection platform (DCP) is an electronic instrument that collects, processes, and stores data from various sensors, and transmits the data by satellite data relay, line-of-sight radio, and/or landline telemetry.

Data logger is a microprocessor-based data acquisition system designed specifically to acquire, process, and store data. Data usually are downloaded from onsite data loggers for entry into office data systems.

Datum is a surface or point relative to which measurements of height and/or horizontal position are reported. A vertical datum is a horizontal surface used as the zero point for measurements of gage height, stage, or elevation; a horizontal datum is a reference for positions given in terms of latitude-longitude, State Plane coordinates, or Universal Transverse Mercator (UTM) coordinates. (See also "Gage datum," "Land-surface datum," "National Geodetic Vertical Datum of 1929," and "North American Vertical Datum of 1988")

Diatoms (*Bacillariophyta*) are unicellular or colonial algae with a siliceous cell wall. The abundance of diatoms in phytoplankton samples is expressed as the number of cells per milliliter (cells/mL) or biovolume in cubic microme-

ters per milliliter ($\mu\text{m}^3/\text{mL}$). The abundance of diatoms in periphyton samples is given in cells per square centimeter (cells/cm^2) or biovolume per square centimeter ($\mu\text{m}^3/\text{cm}^2$). (See also “Phytoplankton” and “Periphyton”)

Diel is of or pertaining to a 24-hour period of time; a regular daily cycle.

Discharge, or **flow**, is the rate that matter passes through a cross section of a stream channel or other water body per unit of time. The term commonly refers to the volume of water (including, unless otherwise stated, any sediment or other constituents suspended or dissolved in the water) that passes a cross section in a stream channel, canal, pipeline, and so forth, within a given period of time (cubic feet per second). Discharge also can apply to the rate at which constituents, such as suspended sediment, bedload, and dissolved or suspended chemicals, pass through a cross section, in which cases the quantity is expressed as the mass of constituent that passes the cross section in a given period of time (tons per day).

Dissolved refers to that material in a representative water sample that passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal and State agencies that collect water-quality data. Determinations of “dissolved” constituent concentrations are made on sample water that has been filtered.

Dissolved oxygen (DO) is the molecular oxygen (oxygen gas) dissolved in water. The concentration in water is a function of atmospheric pressure, temperature, and dissolved-solids concentration of the water. The ability of water to retain oxygen decreases with increasing temperature or dissolved-solids concentration. Photosynthesis and respiration by plants commonly cause diurnal variations in dissolved-oxygen concentration in water from some streams.

Dissolved solids concentration in water is the quantity of dissolved material in a sample of water. It is determined either analytically by the “residue-on-evaporation” method, or mathematically by totaling the concentrations of individual constituents reported in a comprehensive chemical analysis. During the analytical determination, the bicarbonate (generally a major dissolved component of water) is converted to carbonate. In the mathematical calculation, the bicarbonate value, in milligrams per liter, is multiplied by 0.4926 to convert it to carbonate. Alternatively, alkalinity concentration (as $\text{mg}/\text{L CaCO}_3$) can be converted to carbonate concentration by multiplying by 0.60.

Diversity index (H) (Shannon index) is a numerical expression of evenness of distribution of aquatic organisms. The formula for diversity index is:

$$\bar{d} = - \sum_{i \approx 1}^s \frac{n_i}{n} \log_2 \frac{n_i}{n},$$

where n_i is the number of individuals per taxon, n is the total number of individuals, and s is the total number of taxa in the sample of the community. Index values range from zero, when all the organisms in the sample are the same, to some positive number, when some or all of the organisms in the sample are different.

Drainage area of a stream at a specific location is that area upstream from the location, measured in a horizontal plane, that has a common outlet at the site for its surface runoff from precipitation that normally drains by gravity into a stream. Drainage areas given herein include all closed basins, or noncontributing areas, within the area unless otherwise specified.

Drainage basin is a part of the Earth’s surface that contains a drainage system with a common outlet for its surface runoff. (See “Drainage area”)

Dry mass refers to the mass of residue present after drying in an oven at 105 °C, until the mass remains unchanged. This mass represents the total organic matter, ash and sediment, in the sample. Dry-mass values are expressed in the same units as ash mass. (See also “Ash mass,” “Biomass,” and “Wet mass”)

Dry weight refers to the weight of animal tissue after it has been dried in an oven at 65 °C until a constant weight is achieved. Dry weight represents total organic and inorganic matter in the tissue. (See also “Wet weight”)

Embeddedness is the degree to which gravel-sized and larger particles are surrounded or enclosed by finer-sized particles. (See also “Substrate embeddedness class”)

Enterococcus bacteria commonly are found in the feces of humans and other warmblooded animals. Although some strains are ubiquitous and not related to fecal pollution, the presence of enterococci in water is an indication of fecal pollution and the possible presence of enteric pathogens. Enterococcus bacteria are those bacteria that produce pink to red colonies with black or reddish-brown precipitate after incubation at 41 °C on mE agar (nutrient medium for bacterial growth) and subsequent transfer to EIA medium. Enterococci include *Streptococcus feacalis*, *Streptococcus feacium*, *Streptococcus avium*, and their variants. (See also “Bacteria”)

EPT Index is the total number of distinct taxa within the insect orders Ephemeroptera, Plecoptera, and Trichoptera. This index summarizes the taxa richness within the aquatic insects that generally are considered pollution sensitive; the index usually decreases with pollution.

Escherichia coli (*E. coli*) are bacteria present in the intestine and feces of warmblooded animals. *E. coli* are a member species of the fecal coliform group of indicator bacteria. In the laboratory, they are defined as those bacteria that produce yellow or yellow-brown colonies on a filter pad saturated with urea substrate broth after primary culturing for 22 to 24 hours at 44.5 °C on mTEC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample. (See also “Bacteria”)

Estimated (E) value of a concentration is reported when an analyte is detected and all criteria for a positive result are met. If the concentration is less than the method detection limit (MDL), an E code will be reported with the value. If the analyte is identified qualitatively as present, but the quantitative determination is substantially more uncertain, the National Water Quality Laboratory will identify the result with an E code even though the measured value is greater than the MDL. A value reported with an E code should be used with caution. When no analyte is detected in a sample, the default reporting value is the MDL preceded by a less than sign (<). For bacteriological data, concentrations are reported as estimated when results are based on non-ideal colony counts.

Euglenoids (*Euglenophyta*) are a group of algae that usually are free-swimming and rarely creeping. They have the ability to grow either photosynthetically in the light or heterotrophically in the dark. (See also “Phytoplankton”)

Extractable organic halides (EOX) are organic compounds that contain halogen atoms such as chlorine. These organic compounds are semivolatile and extractable by ethyl acetate from air-dried streambed sediment. The ethyl acetate extract is combusted, and the concentration is determined by microcoulometric determination of the halides formed. The concentration is reported as micrograms of chlorine per gram of the dry weight of the streambed sediment.

Fecal coliform bacteria are present in the intestines or feces of warmblooded animals. They often are used as indicators of the sanitary quality of the water. In the laboratory, they are defined as all organisms that produce blue colonies within 24 hours when incubated at 44.5 °C plus or minus 0.2 °C on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample. (See also “Bacteria”)

Fecal streptococcal bacteria are present in the intestines of warmblooded animals and are ubiquitous in the environment. They are characterized as gram-positive, cocci bacteria that are capable of growth in brain-heart infusion broth. In the laboratory, they are defined as all the organisms that produce red or pink colonies within 48 hours at 35 °C plus or minus 1.0 °C on KF-streptococcus medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample. (See also “Bacteria”)

Fire algae (*Pyrrophyta*) are free-swimming unicells characterized by a red pigment spot. (See also “Phytoplankton”)

Flow-duration percentiles are values on a scale of 100 that indicate the percentage of time for which a flow is not exceeded. For example, the 90th percentile of river flow is greater than or equal to 90 percent of all recorded flow rates.

Gage datum is a horizontal surface used as a zero point for measurement of stage or gage height. This surface usually is located slightly below the lowest point of the stream bottom such that the gage height is usually slightly greater than the maximum depth of water. Because the gage datum is not an actual physical object, the datum is usually defined by specifying the elevations of permanent reference marks such as bridge abutments and survey monuments, and the gage is set to agree with the reference marks. Gage datum is a local datum that is maintained independently of any national geodetic datum. However, if the elevation of the gage datum relative to the national datum (North American Vertical Datum of 1988 or National Geodetic Vertical Datum of 1929) has been determined, then the gage readings can be converted to elevations above the national datum by adding the elevation of the gage datum to the gage reading.

Gage height (G.H.) is the water-surface elevation, in feet above the gage datum. If the water surface is below the gage datum, the gage height is negative. Gage height often is used interchangeably with the more general term “stage,” although gage height is more appropriate when used in reference to a reading on a gage.

Gage values are values that are recorded, transmitted, and/or computed from a gaging station. Gage values typically are collected at 5-, 15-, or 30-minute intervals.

Gaging station is a site on a stream, canal, lake, or reservoir where systematic observations of stage, discharge, or other hydrologic data are obtained.

Gas chromatography/flame ionization detector (GC/FID) is a laboratory analytical method used as a screening technique for semivolatile organic compounds that are extractable from water in methylene chloride.

Geomorphic channel units, as used in this report, are fluvial geomorphic descriptors of channel shape and stream velocity. Pools, riffles, and runs are types of geomorphic channel units considered for National Water-Quality Assessment (NAWQA) Program habitat sampling.

Green algae (*Chlorophyta*) are unicellular or colonial algae with chlorophyll pigments similar to those in terrestrial green plants. Some forms of green algae produce mats or floating “moss” in lakes. The abundance of green algae in phytoplankton samples is expressed as the number of cells per milliliter (cells/mL) or biovolume in cubic micrometers per milliliter ($\mu\text{m}^3/\text{mL}$). The abundance of green algae in periphyton samples is given in cells per square centimeter (cells/cm²) or biovolume per square centimeter ($\mu\text{m}^3/\text{cm}^2$). (See also “Phytoplankton” and “Periphyton”)

Habitat, as used in this report, includes all nonliving (physical) aspects of the aquatic ecosystem, although living components like aquatic macrophytes and riparian vegetation also are usually included. Measurements of habitat typically are made over a wider geographic scale than are measurements of species distribution.

Habitat quality index is the qualitative description (level 1) of instream habitat and riparian conditions surrounding the reach sampled. Scores range from 0 to 100 percent with higher scores indicative of desirable habitat conditions for aquatic life. Index only applicable to wadable streams.

Hardness of water is a physical-chemical characteristic that commonly is recognized by the increased quantity of soap required to produce lather. It is computed as the sum of equivalents of polyvalent cations (primarily calcium and magnesium) and is expressed as the equivalent concentration of calcium carbonate (CaCO₃).

High tide is the maximum height reached by each rising tide. The high-high and low-high tides are the higher and lower of the two high tides, respectively, of each tidal day. See NOAA Web site: <http://www.co-ops.nos.noaa.gov/tideglos.html>

Hilsenhoff's Biotic Index (HBI) is an indicator of organic pollution that uses tolerance values to weight taxa abundances; usually increases with pollution. It is calculated as follows:

$$HBI = \frac{\sum (n)(a)}{N},$$

where n is the number of individuals of each taxon, a is the tolerance value of each taxon, and N is the total number of organisms in the sample.

Horizontal datum (See "Datum")

Hydrologic index stations referred to in this report are continuous-record gaging stations that have been selected as representative of streamflow patterns for their respective regions. Station locations are shown on index maps.

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as defined by the former Office of Water Data Coordination and delineated on the State Hydrologic Unit Maps by the USGS. Each hydrologic unit is identified by an 8-digit number.

Inch (IN., in.), in reference to streamflow, as used in this report, refers to the depth to which the drainage area would be covered with water if all of the runoff for a given time period were distributed uniformly on it. (See also "Annual runoff")

Instantaneous discharge is the discharge at a particular instant of time. (See also "Discharge")

International Boundary Commission Survey Datum refers to a geodetic datum established at numerous monuments along the United States-Canada boundary by the International Boundary Commission.

Island, as used in this report, is a mid-channel bar that has permanent woody vegetation, is flooded once a year, on average, and remains stable except during large flood events.

Laboratory reporting level (LRL) generally is equal to twice the yearly determined long-term method detection level (LT-MDL). The LRL controls false negative error. The probability of falsely reporting a nondetection for a sample that contained an analyte at a concentration equal to or greater than the LRL is predicted to be less than or equal to 1 percent. The value of the LRL will be reported with a "less than" (<) remark code for samples in which the analyte was not detected. The National Water Quality Laboratory (NWQL) collects quality-control data from selected analytical methods on a continuing basis to determine LT-MDLs and to establish LRLs. These values are reevaluated annually on the basis of the most current quality-control data and, therefore, may change. The LRL replaces the term 'non-detection value' (NDV).

Land-surface datum (lsd) is a datum plane that is approximately at land surface at each ground-water observation well.

Latent heat flux (often used interchangeably with latent heat-flux density) is the amount of heat energy that converts water from liquid to vapor (evaporation) or from vapor to liquid (condensation) across a specified cross-sectional area per unit time. Usually expressed in watts per square meter.

Light-attenuation coefficient, also known as the extinction coefficient, is a measure of water clarity. Light is attenuated according to the Lambert-Beer equation:

$$I = I_0 e^{-\lambda L},$$

where I_0 is the source light intensity, I is the light intensity at length L (in meters) from the source, λ is the light-attenuation coefficient, and e is the base of the natural logarithm. The light-attenuation coefficient is defined as

$$\lambda = -\frac{1}{L} \log_e \frac{I}{I_0}$$

Lipid is any one of a family of compounds that are insoluble in water and that make up one of the principal components of living cells. Lipids include fats, oils, waxes, and steroids. Many environmental contaminants such as organochlorine pesticides are lipophilic.

Long-term method detection level (LT-MDL) is a detection level derived by determining the standard deviation of a minimum of 24 method detection limit (MDL) spike-sample measurements over an extended period of time. LT-MDL data are collected on a continuous basis to assess year-to-year variations in the LT-MDL. The LT-MDL controls false positive error. The chance of falsely reporting a concentration at or greater than the LT-MDL for a sample that did not contain the analyte is predicted to be less than or equal to 1 percent.

Low tide is the minimum height reached by each falling tide. The high-low and low-low tides are the higher and lower of the two low tides, respectively, of each tidal day. *See NOAA Web site:*
<http://www.co-ops.nos.noaa.gov/tideglos.html>

Macrophytes are the macroscopic plants in the aquatic environment. The most common macrophytes are the rooted vascular plants that usually are arranged in zones in aquatic ecosystems and restricted in the area by the extent of illumination through the water and sediment deposition along the shoreline.

Mean concentration of suspended sediment (Daily mean suspended-sediment concentration) is the time-weighted concentration of suspended sediment passing a stream cross section during a given time period. (See also “Daily mean suspended-sediment concentration” and “Suspended-sediment concentration”)

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period. (See also “Discharge”)

Mean high or low tide is the average of all high or low tides, respectively, over a specific period.

Mean sea level is a local tidal datum. It is the arithmetic mean of hourly heights observed over the National Tidal Datum Epoch. Shorter series are specified in the name; for example, monthly mean sea level and yearly mean sea level. In order that they may be recovered when needed, such datums are referenced to fixed points known as benchmarks. (See also “Datum”)

Measuring point (MP) is an arbitrary permanent reference point from which the distance to water surface in a well is measured to obtain water level.

Megahertz is a unit of frequency. One megahertz equals one million cycles per second.

Membrane filter is a thin microporous material of specific pore size used to filter bacteria, algae, and other very small particles from water.

Metamorphic stage refers to the stage of development that an organism exhibits during its transformation from an immature form to an adult form. This developmental process exists for most insects, and the degree of difference from the immature stage to the adult form varies from relatively slight to pronounced, with many intermediates. Examples of metamorphic stages of insects are egg-larva-adult or egg-nymph-adult.

Method detection limit (MDL) is the minimum concentration of a substance that can be measured and reported with 99-percent confidence that the analyte concentration is greater than zero. It is determined from the analysis of a sample in a given matrix containing the analyte. At the MDL concentration, the risk of a false positive is predicted to be less than or equal to 1 percent.

Method of Cubatures is a method of computing discharge in tidal estuaries based on the conservation of mass equation.

Methylene blue active substances (MBAS) indicate the presence of detergents (anionic surfactants). The determination depends on the formation of a blue color when methylene blue dye reacts with synthetic anionic detergent compounds.

Micrograms per gram (UG/G, $\mu\text{g/g}$) is a unit expressing the concentration of a chemical constituent as the mass (micrograms) of the element per unit mass (gram) of material analyzed.

Micrograms per kilogram (UG/KG, $\mu\text{g/kg}$) is a unit expressing the concentration of a chemical constituent as the mass (micrograms) of the constituent per unit mass (kilogram) of the material analyzed. One microgram per kilogram is equivalent to 1 part per billion.

Micrograms per liter (UG/L, $\mu\text{g/L}$) is a unit expressing the concentration of chemical constituents in water as mass (micrograms) of constituent per unit volume (liter) of water. One thousand micrograms per liter is equivalent to 1 milligram per liter. One microgram per liter is equivalent to 1 part per billion.

Microsiemens per centimeter (US/CM, $\mu\text{S/cm}$) is a unit expressing the amount of electrical conductivity of a solution as measured between opposite faces of a centimeter cube of solution at a specified temperature. Siemens is the International System of Units nomenclature. It is synonymous with mhos and is the reciprocal of resistance in ohms.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in water as the mass (milligrams) of constituent per unit volume (liter) of water. Concentration of suspended sediment also is expressed in milligrams per liter and is based on the mass of dry sediment per liter of water-sediment mixture.

Minimum reporting level (MRL) is the smallest measured concentration of a constituent that may be reliably reported by using a given analytical method.

Miscellaneous site, miscellaneous station, or miscellaneous sampling site is a site where streamflow, sediment, and/or water-quality data or water-quality or sediment samples are collected once, or more often on a random or discontinuous basis to provide better areal coverage for defining hydrologic and water-quality conditions over a broad area in a river basin.

Most probable number (MPN) is an index of the number of coliform bacteria that, more probably than any other number, would give the results shown by the laboratory examination; it is not an actual enumeration. MPN is determined from the distribution of gas-positive cultures among multiple inoculated tubes.

Multiple-plate samplers are artificial substrates of known surface area used for obtaining benthic invertebrate samples. They consist of a series of spaced, hardboard plates on an eyebolt.

Nanograms per liter (NG/L, ng/L) is a unit expressing the concentration of chemical constituents in solution as mass (nanograms) of solute per unit volume (liter) of water. One million nanograms per liter is equivalent to 1 milligram per liter.

National Geodetic Vertical Datum of 1929 (NGVD 29) is a fixed reference adopted as a standard geodetic datum for elevations determined by leveling. It formerly was called "Sea Level Datum of 1929" or "mean sea level." Although the datum was derived from the mean sea level at 26 tide stations, it does not necessarily represent local mean sea level at any particular place. *See NOAA Web site: <http://www.ngs.noaa.gov/faq.shtml#WhatVD29VD88>* (See "North American Vertical Datum of 1988")

Natural substrate refers to any naturally occurring immersed or submersed solid surface, such as a rock or tree, upon which an organism lives. (See also "Substrate")

Nekton are the consumers in the aquatic environment and consist of large, free-swimming organisms that are capable of sustained, directed mobility.

Nephelometric turbidity unit (NTU) is the measurement for reporting turbidity that is based on use of a standard suspension of formazin. Turbidity measured in NTU uses nephelometric methods that depend on passing specific light of a specific wavelength through the sample.

North American Datum of 1927 (NAD 27) is the horizontal control datum for the United States that was defined by a location and azimuth on the Clarke spheroid of 1866.

North American Datum of 1983 (NAD 83) is the horizontal control datum for the United States, Canada, Mexico, and Central America that is based on the adjustment of 250,000 points including 600 satellite Doppler stations that constrain the system to a geocentric origin. NAD 83 has been officially adopted as the legal horizontal datum for the United States by the Federal government.

North American Vertical Datum of 1988 (NAVD 88) is a fixed reference adopted as the official civilian vertical datum for elevations determined by Federal surveying and mapping activities in the United States. This datum was established in 1991 by minimum-constraint adjustment of the Canadian, Mexican, and United States first-order terrestrial leveling networks.

Open or screened interval is the length of unscreened opening or of well screen through which water enters a well, in feet below land surface.

Organic carbon (OC) is a measure of organic matter present in aqueous solution, suspension, or bottom sediment. May be reported as dissolved organic carbon (DOC), particulate organic carbon (POC), or total organic carbon (TOC).

Organic mass or volatile mass of a living substance is the difference between the dry mass and ash mass and represents the actual mass of the living matter. Organic mass is expressed in the same units as for ash mass and dry mass. (See also "Ash mass," "Biomass," and "Dry mass")

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per area habitat, usually square meter (m²), acre, or hectare. Periphyton, benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually milliliter (mL) or liter (L). Numbers of planktonic organisms can be expressed in these terms.

Organochlorine compounds are any chemicals that contain carbon and chlorine. Organochlorine compounds that are important in investigations of water, sediment, and biological quality include certain pesticides and industrial compounds.

Parameter code is a 5-digit number used in the USGS computerized data system, National Water Information System (NWIS), to uniquely identify a specific constituent or property.

Partial-record station is a site where discrete measurements of one or more hydrologic parameters are obtained over a period of time without continuous data being recorded or computed. A common example is a crest-stage gage partial-record station at which only peak stages and flows are recorded.

Particle size is the diameter, in millimeters (mm), of a particle determined by sieve or sedimentation methods. The sedimentation method uses the principle of Stokes Law to calculate sediment particle sizes. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube, sedigraph) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

Particle-size classification, as used in this report, agrees with the recommendation made by the American Geophysical Union Subcommittee on Sediment Terminology. The classification is as follows:

| Classification | Size (mm) | Method of analysis |
|----------------|------------------|---------------------|
| Clay | >0.00024 - 0.004 | Sedimentation |
| Silt | >0.004 - 0.062 | Sedimentation |
| Sand | >0.062 - 2.0 | Sedimentation/sieve |
| Gravel | >2.0 - 64.0 | Sieve |
| Cobble | >64 - 256 | Manual measurement |
| Boulder | >256 | Manual measurement |

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. For the sedimentation method, most of the organic matter is removed, and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native water analysis.

Peak flow (peak stage) is an instantaneous local maximum value in the continuous time series of streamflows or stages, preceded by a period of increasing values and followed by a period of decreasing values. Several peak values ordinarily occur in a year. The maximum peak value in a year is called the annual peak; peaks lower than the annual peak are called secondary peaks. Occasionally, the annual peak may not be the maximum value for the year; in such cases, the maximum value occurs at midnight at the beginning or end of the year, on the recession from or rise toward a higher peak in the adjoining year. If values are recorded at a discrete series of times, the peak recorded value may be taken as an approximation of the true peak, which may occur between the recording instants. If the values are recorded with finite precision, a sequence of equal recorded values may occur at the peak; in this case, the first value is taken as the peak.

Percent composition or percent of total is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population, in terms of types, numbers, weight, mass, or volume.

Percent shading is a measure of the amount of sunlight potentially reaching the stream. A clinometer is used to measure left and right bank canopy angles. These values are added together, divided by 180, and multiplied by 100 to compute percentage of shade.

Periodic-record station is a site where stage, discharge, sediment, chemical, physical, or other hydrologic measurements are made one or more times during a year but at a frequency insufficient to develop a daily record.

Periphyton is the assemblage of microorganisms attached to and living upon submerged solid surfaces. Although primarily consisting of algae, they also include bacteria, fungi, protozoa, rotifers, and other small organisms. Periphyton are useful indicators of water quality.

Pesticides are chemical compounds used to control undesirable organisms. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides.

pH of water is the negative logarithm of the hydrogen-ion activity. Solutions with pH less than 7.0 standard units are termed "acidic," and solutions with a pH greater than 7.0 are termed "basic." Solutions with a pH of 7.0 are neutral. The presence and concentration of many dissolved chemical constituents found in water are affected, in part, by the hydrogen-ion activity of water. Biological processes including growth, distribution of organisms, and toxicity of the water to organisms also are affected, in part, by the hydrogen-ion activity of water.

Phytoplankton is the plant part of the plankton. They usually are microscopic, and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect

upon the quality of the water. They are the primary food producers in the aquatic environment and commonly are known as algae. (See also "Plankton")

Picocurie (PC, pCi) is one-trillionth (1×10^{-12}) of the amount of radioactive nuclide represented by a curie (Ci). A curie is the quantity of radioactive nuclide that yields 3.7×10^{10} radioactive disintegrations per second (dps). A picocurie yields 0.037 dps, or 2.22 dpm (disintegrations per minute).

Plankton is the community of suspended, floating, or weakly swimming organisms that live in the open water of lakes and rivers. Concentrations are expressed as a number of cells per milliliter (cells/mL) of sample.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Polychlorinated naphthalenes (PCNs) are industrial chemicals that are mixtures of chlorinated naphthalene compounds. They have properties and applications similar to polychlorinated biphenyls (PCBs) and have been identified in commercial PCB preparations.

Pool, as used in this report, is a small part of a stream reach with little velocity, commonly with water deeper than surrounding areas.

Primary productivity is a measure of the rate at which new organic matter is formed and accumulated through photo-synthetic and chemosynthetic activity of producer organisms (chiefly, green plants). The rate of primary production is estimated by measuring the amount of oxygen released (oxygen method) or the amount of carbon assimilated (carbon method) by the plants.

Primary productivity (carbon method) is expressed as milligrams of carbon per area per unit time [$\text{mg C}/(\text{m}^2/\text{time})$] for periphyton and macrophytes or per volume [$\text{mg C}/(\text{m}^3/\text{time})$] for phytoplankton. The carbon method defines the amount of carbon dioxide consumed as measured by radioactive carbon (carbon-14). The carbon-14 method is of greater sensitivity than the oxygen light- and dark-bottle method and is preferred for use with unenriched water samples. Unit time may be either the hour or day, depending on the incubation period. (See also "Primary productivity")

Primary productivity (oxygen method) is expressed as milligrams of oxygen per area per unit time [$\text{mg O}/(\text{m}^2/\text{time})$] for periphyton and macrophytes or per volume [$\text{mg O}/(\text{m}^3/\text{time})$] for phytoplankton. The oxygen method defines production and respiration rates as estimated from changes in the measured dissolved-oxygen concentration. The oxygen light- and dark-bottle method is preferred if the rate of primary production is sufficient for accurate measurements to be made within 24 hours. Unit time may be either the hour or day, depending on the incubation period. (See also "Primary productivity")

Radioisotopes are isotopic forms of elements that exhibit radioactivity. Isotopes are varieties of a chemical element that differ in atomic weight but are very nearly alike in chemical properties. The difference arises because the atoms of the isotopic forms of an element differ in the number of neutrons in the nucleus; for example, ordinary chlorine is a mixture of isotopes having atomic weights of 35 and 37, and the natural mixture has an atomic weight of about 35.453. Many of the elements similarly exist as mixtures of isotopes, and a great many new isotopes have been produced in the operation of nuclear devices such as the cyclotron. There are 275 isotopes of the 81 stable elements, in addition to more than 800 radioactive isotopes.

Reach, as used in this report, is a length of stream that is chosen to represent a uniform set of physical, chemical, and biological conditions within a segment. It is the principal sampling unit for collecting physical, chemical, and biological data.

Recoverable from bed (bottom) material is the amount of a given constituent that is in solution after a representative sample of bottom material has been digested by a method (usually using an acid or mixture of acids) that results in dissolution of readily soluble substances. Complete dissolution of all bottom material is not achieved by the

digestion treatment and thus the determination represents less than the total amount (that is, less than 95 percent) of the constituent in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results. (See also "Bed material")

Recurrence interval, also referred to as return period, is the average time, usually expressed in years, between occurrences of hydrologic events of a specified type (such as exceedances of a specified high flow or nonexceedance of a specified low flow). The terms "return period" and "recurrence interval" do not imply regular cyclic occurrence. The actual times between occurrences vary randomly, with most of the times being less than the average and a few being substantially greater than the average. For example, the 100-year flood is the flow rate that is exceeded by the annual maximum peak flow at intervals whose average length is 100 years (that is, once in 100 years, on average); almost two-thirds of all exceedances of the 100-year flood occur less than 100 years after the previous exceedance, half occur less than 70 years after the previous exceedance, and about one-eighth occur more than 200 years after the previous exceedance. Similarly, the 7-day, 10-year low flow ($7Q_{10}$) is the flow rate below which the annual minimum 7-day-mean flow dips at intervals whose average length is 10 years (that is, once in 10 years, on average); almost two-thirds of the nonexceedances of the $7Q_{10}$ occur less than 10 years after the previous nonexceedance, half occur less than 7 years after, and about one-eighth occur more than 20 years after the previous nonexceedance. The recurrence interval for annual events is the reciprocal of the annual probability of occurrence. Thus, the 100-year flood has a 1-percent chance of being exceeded by the maximum peak flow in any year, and there is a 10-percent chance in any year that the annual minimum 7-day-mean flow will be less than the $7Q_{10}$.

Replicate samples are a group of samples collected in a manner such that the samples are thought to be essentially identical in composition.

Return period (See "Recurrence interval")

Riffle, as used in this report, is a shallow part of the stream where water flows swiftly over completely or partially submerged obstructions to produce surface agitation.

River mileage is the curvilinear distance, in miles, measured upstream from the mouth along the meandering path of a stream channel in accordance with Bulletin No. 14 (October 1968) of the Water Resources Council and typically is used to denote location along a river.

Run, as used in this report, is a relatively shallow part of a stream with moderate velocity and little or no surface turbulence.

Runoff is the quantity of water that is discharged ("runs off") from a drainage basin during a given time period. Runoff data may be presented as volumes in acre-feet, as mean discharges per unit of drainage area in cubic feet per second per square mile, or as depths of water on the drainage basin in inches. (See also "Annual runoff")

Sea level, as used in this report, refers to one of the two commonly used national vertical datums (NGVD 1929 or NAVD 1988). See separate entries for definitions of these datums.

Sediment is solid material that originates mostly from disintegrated rocks; when transported by, suspended in, or deposited from water, it is referred to as "fluvial sediment." Sediment includes chemical and biochemical precipitates and decomposed organic material, such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are affected by environmental and land-use factors. Some major factors are topography, soil characteristics, land cover, and depth and intensity of precipitation.

Sensible heat flux (often used interchangeably with latent sensible heat-flux density) is the amount of heat energy that moves by turbulent transport through the air across a specified cross-sectional area per unit time and goes to heating (cooling) the air. Usually expressed in watts per square meter.

Seven-day, 10-year low flow ($7Q_{10}$) is the discharge below which the annual 7-day minimum flow falls in 1 year out of 10 on the long-term average. The recurrence interval of the $7Q_{10}$ is 10 years; the chance that the annual 7-day minimum flow will be less than the $7Q_{10}$ is 10 percent in any given year. (See also “Annual 7-day minimum” and “Recurrence interval”)

Shelves, as used in this report, are streambank features extending nearly horizontally from the flood plain to the lower limit of persistent woody vegetation.

Sodium adsorption ratio (SAR) is the expression of relative activity of sodium ions in exchange reactions within soil and is an index of sodium or alkali hazard to the soil. Sodium hazard in water is an index that can be used to evaluate the suitability of water for irrigating crops.

Soil heat flux (often used interchangeably with soil heat-flux density) is the amount of heat energy that moves by conduction across a specified cross-sectional area of soil per unit time and goes to heating (or cooling) the soil. Usually expressed in watts per square meter.

Soil-water content is the water lost from the soil upon drying to constant mass at 105 °C; expressed either as mass of water per unit mass of dry soil or as the volume of water per unit bulk volume of soil.

Specific electrical conductance (conductivity) is a measure of the capacity of water (or other media) to conduct an electrical current. It is expressed in microsiemens per centimeter at 25 °C. Specific electrical conductance is a function of the types and quantity of dissolved substances in water and can be used for approximating the dissolved-solids content of the water. Commonly, the concentration of dissolved solids (in milligrams per liter) is from 55 to 75 percent of the specific conductance (in microsiemens). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Stable isotope ratio (per MIL) is a unit expressing the ratio of the abundance of two radioactive isotopes. Isotope ratios are used in hydrologic studies to determine the age or source of specific water, to evaluate mixing of different water, as an aid in determining reaction rates, and other chemical or hydrologic processes.

Stage (See “Gage height”)

Stage-discharge relation is the relation between the water-surface elevation, termed stage (gage height), and the volume of water flowing in a channel per unit time.

Streamflow is the discharge that occurs in a natural channel. Although the term “discharge” can be applied to the flow of a canal, the word “streamflow” uniquely describes the discharge in a surface stream course. The term “streamflow” is more general than “runoff” as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lives.

Substrate embeddedness class is a visual estimate of riffle streambed substrate larger than gravel that is surrounded or covered by fine sediment (<2 mm, sand or finer). Below are the class categories expressed as the percentage covered by fine sediment:

| | | | |
|---|-------------------------------|---|---------------|
| 0 | no gravel or larger substrate | 3 | 26-50 percent |
| 1 | > 75 percent | 4 | 5-25 percent |
| 2 | 51-75 percent | 5 | < 5 percent |

Surface area of a lake is that area (acres) encompassed by the boundary of the lake as shown on USGS topographic maps, or other available maps or photographs. Because surface area changes with lake stage, surface areas listed in this report represent those determined for the stage at the time the maps or photographs were obtained.

Surficial bed material is the upper surface (0.1 to 0.2 foot) of the bed material that is sampled using U.S. Series Bed-Material Samplers.

Surrogate is an analyte that behaves similarly to a target analyte, but that is highly unlikely to occur in a sample. A surrogate is added to a sample in known amounts before extraction and is measured with the same laboratory procedures used to measure the target analyte. Its purpose is to monitor method performance for an individual sample.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of undissolved material in a water-sediment mixture. It is defined operationally as the material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative suspended water-sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment, and, thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures are required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results. Determinations of "suspended, recoverable" constituents are made either by directly analyzing the suspended material collected on the filter or, more commonly, by difference, on the basis of determinations of (1) dissolved and (2) total recoverable concentrations of the constituent. (See also "Suspended")

Suspended sediment is the sediment maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid. (See also "Sediment")

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 foot above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/L). The analytical technique uses the mass of all of the sediment and the net weight of the water-sediment mixture in a sample to compute the suspended-sediment concentration. (See also "Sediment" and "Suspended sediment")

Suspended-sediment discharge (tons/d) is the rate of sediment transport, as measured by dry mass or volume, that passes a cross section in a given time. It is calculated in units of tons per day as follows: concentration (mg/L) x discharge (ft³/s) x 0.0027. (See also "Sediment," "Suspended sediment," and "Suspended-sediment concentration")

Suspended-sediment load is a general term that refers to a given characteristic of the material in suspension that passes a point during a specified period of time. The term needs to be qualified, such as "annual suspended-sediment load" or "sand-size suspended-sediment load," and so on. It is not synonymous with either suspended-sediment discharge or concentration. (See also "Sediment")

Suspended solids, total residue at 105 °C concentration is the concentration of inorganic and organic material retained on a filter, expressed as milligrams of dry material per liter of water (mg/L). An aliquot of the sample is used for this analysis.

Suspended, total is the total amount of a given constituent in the part of a water-sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. Knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total." Determinations of "suspended, total" constituents are made either by directly analyzing portions of the suspended material collected on the filter or, more commonly, by difference, on the basis of determinations of (1) dissolved and (2) total concentrations of the constituent. (See also "Suspended")

Synoptic studies are short-term investigations of specific water-quality conditions during selected seasonal or hydrologic periods to provide improved spatial resolution for critical water-quality conditions. For the period and condi-

tions sampled, they assess the spatial distribution of selected water-quality conditions in relation to causative factors, such as land use and contaminant sources.

Taxa (Species) richness is the number of species (taxa) present in a defined area or sampling unit.

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon a hierarchical scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organisms have in common. For example, the taxonomy of a particular mayfly, *Hexagenia limbata*, is the following:

| | |
|----------|--------------------------|
| Kingdom: | Animal |
| Phylum: | Arthropoda |
| Class: | Insecta |
| Order: | Ephemeroptera |
| Family: | Ephemeridae |
| Genus: | <i>Hexagenia</i> |
| Species: | <i>Hexagenia limbata</i> |

Thalweg is the line formed by connecting points of minimum streambed elevation (deepest part of the channel).

Thermograph is an instrument that continuously records variations of temperature on a chart. The more general term “temperature recorder” is used in the table descriptions and refers to any instrument that records temperature whether on a chart, a tape, or any other medium.

Time-weighted average is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water resulting from the mixing of flow proportionally to the duration of the concentration.

Tons per acre-foot (T/acre-ft) is the dry mass (tons) of a constituent per unit volume (acre-foot) of water. It is computed by multiplying the concentration of the constituent, in milligrams per liter, by 0.00136.

Tons per day (T/DAY, tons/d) is a common chemical or sediment discharge unit. It is the quantity of a substance in solution, in suspension, or as bedload that passes a stream section during a 24-hour period. It is equivalent to 2,000 pounds per day, or 0.9072 metric ton per day.

Total is the amount of a given constituent in a representative whole-water (unfiltered) sample, regardless of the constituent’s physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in both the dissolved and suspended phases of the sample. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as “total.” (Note that the word “total” does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determined at least 95 percent of the constituent in the sample.)

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. This group includes coliforms that inhabit the intestine of warmblooded animals and those that inhabit soils. They are characterized as aerobic or facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria that ferment lactose with gas formation within 48 hours at 35 °C. In the laboratory, these bacteria are defined as all the organisms that produce colonies with a golden-green metallic sheen within 24 hours when incubated at 35 °C plus or minus 1.0 °C on M-Endo medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 milliliters of sample. (See also “Bacteria”)

Total discharge is the quantity of a given constituent, measured as dry mass or volume, that passes a stream cross section per unit of time. When referring to constituents other than water, this term needs to be qualified, such as “total sediment discharge,” “total chloride discharge,” and so on.

Total in bottom material is the amount of a given constituent in a representative sample of bottom material. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as “total in bottom material.”

Total length (fish) is the straight-line distance from the anterior point of a fish specimen’s snout, with the mouth closed, to the posterior end of the caudal (tail) fin, with the lobes of the caudal fin squeezed together.

Total load refers to all of a constituent in transport. When referring to sediment, it includes suspended load plus bed load.

Total organism count is the number of organisms collected and enumerated in any particular sample. (See also “Organism count/volume”)

Total recoverable is the amount of a given constituent in a whole-water sample after a sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the “total” amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data for whole-water samples, equivalent digestion procedures are required of all laboratories performing such analyses because different digestion procedures may produce different analytical results.

Total sediment discharge is the mass of suspended-sediment plus bed-load transport, measured as dry weight, that passes a cross section in a given time. It is a rate and is reported as tons per day. (See also “Bedload,” “Bedload discharge,” “Sediment,” “Suspended sediment,” and “Suspended-sediment concentration”)

Total sediment load or **total load** is the sediment in transport as bedload and suspended-sediment load. The term may be qualified, such as “annual suspended-sediment load” or “sand-size suspended-sediment load,” and so on. It differs from total sediment discharge in that load refers to the material, whereas discharge refers to the quantity of material, expressed in units of mass per unit time. (See also “Sediment,” “Suspended-sediment load,” and “Total load”)

Transect, as used in this report, is a line across a stream perpendicular to the flow and along which measurements are taken, so that morphological and flow characteristics along the line are described from bank to bank. Unlike a cross section, no attempt is made to determine known elevation points along the line.

Turbidity is the reduction in the transparency of a solution because of the presence of suspended and some dissolved substances. The measurement technique records the collective optical properties of the solution that cause light to be scattered and attenuated rather than transmitted in straight lines; the higher the intensity of scattered or attenuated light, the higher the value of the turbidity. Turbidity is expressed in nephelometric turbidity units (NTU). Depending on the method used, the turbidity units as NTU can be defined as the intensity of light of a specified wavelength scattered or attenuated by suspended particles or absorbed at a method specified angle, usually 90 degrees, from the path of the incident light. Currently approved methods for the measurement of turbidity in the USGS include those that conform to USEPA Method 180.1, ASTM D1889-00, and ISO 7027. Measurements of turbidity by these different methods and different instruments are unlikely to yield equivalent values.

Ultraviolet (UV) absorbance (absorption) at 254 or 280 nanometers is a measure of the aggregate concentration of the mixture of UV absorbing organic materials dissolved in the analyzed water, such as lignin, tannin, humic substances, and various aromatic compounds. UV absorbance (absorption) at 254 or 280 nanometers is measured in UV absorption units per centimeter of path length of UV light through a sample.

Unconfined aquifer is an aquifer whose upper surface is a water table free to fluctuate under atmospheric pressure. (See “Water-table aquifer”)

Vertical datum (See “Datum”)

Volatile organic compounds (VOCs) are organic compounds that can be isolated from the water phase of a sample by purging the water sample with inert gas, such as helium, and, subsequently, analyzed by gas chromatography. Many VOCs are human-made chemicals that are used and produced in the manufacture of paints, adhesives, petroleum products, pharmaceuticals, and refrigerants. They often are components of fuels, solvents, hydraulic fluids, paint thinners, and dry-cleaning agents commonly used in urban settings. VOC contamination of drinking-water supplies is a human-health concern because many are toxic and are known or suspected human carcinogens.

Water table is that surface in a ground-water body at which the water pressure is equal to the atmospheric pressure.

Water-table aquifer is an unconfined aquifer within which the water table is found.

Water year in USGS reports dealing with surface-water supply is the 12-month period October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the year ending September 30, 2002, is called the “2002 water year.”

Watershed (See “Drainage basin”)

WDR is used as an abbreviation for “Water-Data Report” in the REVISED RECORDS paragraph to refer to State annual hydrologic-data reports. (WRD was used as an abbreviation for “Water-Resources Data” in reports published prior to 1976.)

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir.

Wet mass is the mass of living matter plus contained water. (See also “Biomass” and “Dry mass”)

Wet weight refers to the weight of animal tissue or other substance including its contained water. (See also “Dry weight”)

WSP is used as an acronym for “Water-Supply Paper” in reference to previously published reports.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movements within the water column and often are large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers. (See also “Plankton”)

TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS OF THE U.S. GEOLOGICAL SURVEY

The USGS publishes a series of manuals, the Techniques of Water-Resources Investigations, describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, section A of book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

Reports in the Techniques of Water-Resources Investigations series, which are listed below, are online at <http://water.usgs.gov/pubs/twri/>. Printed copies are for sale by the USGS, Information Services, Box 25286, Federal Center, Denver, Colorado 80225 (authorized agent of the Superintendent of Documents, Government Printing Office), telephone 1-888-ASK-USGS. Please telephone 1-888-ASK-USGS for current prices, and refer to the title, book number, chapter number, and mention the "U.S. Geological Survey Techniques of Water-Resources Investigations." Products can then be ordered by telephone, or online at <http://www.usgs.gov/sales.html>, or by FAX to (303) 202-4693 of an order form available online at <http://mac.usgs.gov/isb/pubs/forms/>. Prepayment by major credit card or by a check or money order payable to the "U.S. Geological Survey" is required.

Book 1. Collection of Water Data by Direct Measurement

Section D. Water Quality

1–D1. *Water temperature—Influential factors, field measurement, and data presentation*, by H.H. Stevens, Jr., J.F. Ficke, and G.F. Smoot: USGS–TWRI book 1, chap. D1. 1975. 65 p.

1–D2. *Guidelines for collection and field analysis of ground-water samples for selected unstable constituents*, by W.W. Wood: USGS–TWRI book 1, chap. D2. 1976. 24 p.

Book 2. Collection of Environmental Data

Section D. Surface Geophysical Methods

2–D1. *Application of surface geophysics to ground-water investigations*, by A.A.R. Zohdy, G.P. Eaton, and D.R. Mabey: USGS–TWRI book 2, chap. D1. 1974. 116 p.

2–D2. *Application of seismic-refraction techniques to hydrologic studies*, by F.P. Haeni: USGS–TWRI book 2, chap. D2. 1988. 86 p.

Section E. Subsurface Geophysical Methods

2–E1. *Application of borehole geophysics to water-resources investigations*, by W.S. Keys and L.M. MacCary: USGS–TWRI book 2, chap. E1. 1971. 126 p.

2–E2. *Borehole geophysics applied to ground-water investigations*, by W.S. Keys: USGS–TWRI book 2, chap. E2. 1990. 150 p.

Section F. Drilling and Sampling Methods

2–F1. *Application of drilling, coring, and sampling techniques to test holes and wells*, by Eugene Shuter and W.E. Teasdale: USGS–TWRI book 2, chap. F1. 1989. 97 p.

Book 3. Applications of Hydraulics

Section A. Surface-Water Techniques

3–A1. *General field and office procedures for indirect discharge measurements*, by M.A. Benson and Tate Dalrymple: USGS–TWRI book 3, chap. A1. 1967. 30 p.

3–A2. *Measurement of peak discharge by the slope-area method*, by Tate Dalrymple and M.A. Benson: USGS–TWRI book 3, chap. A2. 1967. 12 p.

3–A3. *Measurement of peak discharge at culverts by indirect methods*, by G.L. Bodhaine: USGS–TWRI book 3, chap. A3. 1968. 60 p.

3–A4. *Measurement of peak discharge at width contractions by indirect methods*, by H.F. Matthai: USGS–TWRI book 3, chap. A4. 1967. 44 p.

3–A5. *Measurement of peak discharge at dams by indirect methods*, by Harry Hulsing: USGS–TWRI book 3, chap. A5. 1967. 29 p.

3–A6. *General procedure for gaging streams*, by R.W. Carter and Jacob Davidian: USGS–TWRI book 3, chap. A6. 1968. 13 p.

3–A7. *Stage measurement at gaging stations*, by T.J. Buchanan and W.P. Somers: USGS–TWRI book 3, chap. A7. 1968. 28 p.

3–A8. *Discharge measurements at gaging stations*, by T.J. Buchanan and W.P. Somers: USGS–TWRI book 3, chap. A8. 1969. 65 p.

3–A9. *Measurement of time of travel in streams by dye tracing*, by F.A. Kilpatrick and J.F. Wilson, Jr.: USGS–TWRI book 3, chap. A9. 1989. 27 p.

3–A10. *Discharge ratings at gaging stations*, by E.J. Kennedy: USGS–TWRI book 3, chap. A10. 1984. 59 p.

3–A11. *Measurement of discharge by the moving-boat method*, by G.F. Smoot and C.E. Novak: USGS–TWRI book 3, chap. A11. 1969. 22 p.

3–A12. *Fluorometric procedures for dye tracing*, Revised, by J.F. Wilson, Jr., E.D. Cobb, and F.A. Kilpatrick: USGS–TWRI book 3, chap. A12. 1986. 34 p.

3–A13. *Computation of continuous records of streamflow*, by E.J. Kennedy: USGS–TWRI book 3, chap. A13. 1983. 53 p.

3–A14. *Use of flumes in measuring discharge*, by F.A. Kilpatrick and V.R. Schneider: USGS–TWRI book 3, chap. A14. 1983. 46 p.

3–A15. *Computation of water-surface profiles in open channels*, by Jacob Davidian: USGS–TWRI book 3, chap. A15. 1984. 48 p.

3–A16. *Measurement of discharge using tracers*, by F.A. Kilpatrick and E.D. Cobb: USGS–TWRI book 3, chap. A16. 1985. 52 p.

3–A17. *Acoustic velocity meter systems*, by Antonius Laenen: USGS–TWRI book 3, chap. A17. 1985. 38 p.

3–A18. *Determination of stream reaeration coefficients by use of tracers*, by F.A. Kilpatrick, R.E. Rathbun, Nobuhiro Yotsukura, G.W. Parker, and L.L. DeLong: USGS–TWRI book 3, chap. A18. 1989. 52 p.

3–A19. *Levels at streamflow gaging stations*, by E.J. Kennedy: USGS–TWRI book 3, chap. A19. 1990. 31 p.

- 3–A20. *Simulation of soluble waste transport and buildup in surface waters using tracers*, by F.A. Kilpatrick: USGS–TWRI book 3, chap. A20. 1993. 38 p.
- 3–A21. *Stream-gaging cableways*, by C. Russell Wagner: USGS–TWRI book 3, chap. A21. 1995. 56 p.

Section B. Ground-Water Techniques

- 3–B1. *Aquifer-test design, observation, and data analysis*, by R.W. Stallman: USGS–TWRI book 3, chap. B1. 1971. 26 p.
- 3–B2. *Introduction to ground-water hydraulics, a programmed text for self-instruction*, by G.D. Bennett: USGS–TWRI book 3, chap. B2. 1976. 172 p.
- 3–B3. *Type curves for selected problems of flow to wells in confined aquifers*, by J.E. Reed: USGS–TWRI book 3, chap. B3. 1980. 106 p.
- 3–B4. *Regression modeling of ground-water flow*, by R.L. Cooley and R.L. Naff: USGS–TWRI book 3, chap. B4. 1990. 232 p.
- 3–B4. *Supplement 1. Regression modeling of ground-water flow—Modifications to the computer code for nonlinear regression solution of steady-state ground-water flow problems*, by R.L. Cooley: USGS–TWRI book 3, chap. B4. 1993. 8 p.
- 3–B5. *Definition of boundary and initial conditions in the analysis of saturated ground-water flow systems—An introduction*, by O.L. Franke, T.E. Reilly, and G.D. Bennett: USGS–TWRI book 3, chap. B5. 1987. 15 p.
- 3–B6. *The principle of superposition and its application in ground-water hydraulics*, by T.E. Reilly, O.L. Franke, and G.D. Bennett: USGS–TWRI book 3, chap. B6. 1987. 28 p.
- 3–B7. *Analytical solutions for one-, two-, and three-dimensional solute transport in ground-water systems with uniform flow*, by E.J. Wexler: USGS–TWRI book 3, chap. B7. 1992. 190 p.
- 3–B8. *System and boundary conceptualization in ground-water flow simulation*, by T.E. Reilly: USGS–TWRI book 3, chap. B8. 2001. 29 p.

Section C. Sedimentation and Erosion Techniques

- 3–C1. *Fluvial sediment concepts*, by H.P. Guy: USGS–TWRI book 3, chap. C1. 1970. 55 p.
- 3–C2. *Field methods for measurement of fluvial sediment*, by T.K. Edwards and G.D. Glysson: USGS–TWRI book 3, chap. C2. 1999. 89 p.
- 3–C3. *Computation of fluvial-sediment discharge*, by George Porterfield: USGS–TWRI book 3, chap. C3. 1972. 66 p.

Book 4. Hydrologic Analysis and Interpretation

Section A. Statistical Analysis

- 4–A1. *Some statistical tools in hydrology*, by H.C. Riggs: USGS–TWRI book 4, chap. A1. 1968. 39 p.
- 4–A2. *Frequency curves*, by H.C. Riggs: USGS–TWRI book 4, chap. A2. 1968. 15 p.
- 4–A3. *Statistical methods in water resources*, by D.R. Helsel and R.M. Hirsch: USGS–TWRI book 4, chap. A3. 1991. Available only online at <http://water.usgs.gov/pubs/twri/twri4a3/>. (Accessed August 30, 2002.)

Section B. Surface Water

- 4–B1. *Low-flow investigations*, by H.C. Riggs: USGS–TWRI book 4, chap. B1. 1972. 18 p.
- 4–B2. *Storage analyses for water supply*, by H.C. Riggs and C.H. Hardison: USGS–TWRI book 4, chap. B2. 1973. 20 p.
- 4–B3. *Regional analyses of streamflow characteristics*, by H.C. Riggs: USGS–TWRI book 4, chap. B3. 1973. 15 p.

Section D. Interrelated Phases of the Hydrologic Cycle

- 4–D1. *Computation of rate and volume of stream depletion by wells*, by C.T. Jenkins: USGS–TWRI book 4, chap. D1. 1970. 17 p.

Book 5. Laboratory Analysis

Section A. Water Analysis

- 5–A1. *Methods for determination of inorganic substances in water and fluvial sediments*, by M.J. Fishman and L.C. Friedman, editors: USGS–TWRI book 5, chap. A1. 1989. 545 p.
- 5–A2. *Determination of minor elements in water by emission spectroscopy*, by P.R. Barnett and E.C. Mallory, Jr.: USGS–TWRI book 5, chap. A2. 1971. 31 p.
- 5–A3. *Methods for the determination of organic substances in water and fluvial sediments*, edited by R.L. Wershaw, M.J. Fishman, R.R. Grabbe, and L.E. Lowe: USGS–TWRI book 5, chap. A3. 1987. 80 p.
- 5–A4. *Methods for collection and analysis of aquatic biological and microbiological samples*, by L.J. Britton and P.E. Greeson, editors: USGS–TWRI book 5, chap. A4. 1989. 363 p.
- 5–A5. *Methods for determination of radioactive substances in water and fluvial sediments*, by L.L. Thatcher, V.J. Janzer, and K.W. Edwards: USGS–TWRI book 5, chap. A5. 1977. 95 p.
- 5–A6. *Quality assurance practices for the chemical and biological analyses of water and fluvial sediments*, by L.C. Friedman and D.E. Erdmann: USGS–TWRI book 5, chap. A6. 1982. 181 p.

Section C. Sediment Analysis

- 5–C1. *Laboratory theory and methods for sediment analysis*, by H.P. Guy: USGS–TWRI book 5, chap. C1. 1969. 58 p.

Book 6. Modeling Techniques

Section A. Ground Water

- 6–A1. *A modular three-dimensional finite-difference ground-water flow model*, by M.G. McDonald and A.W. Harbaugh: USGS–TWRI book 6, chap. A1. 1988. 586 p.
- 6–A2. *Documentation of a computer program to simulate aquifer-system compaction using the modular finite-difference ground-water flow model*, by S.A. Leake and D.E. Prudic: USGS–TWRI book 6, chap. A2. 1991. 68 p.
- 6–A3. *A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 1: Model Description and User's Manual*, by L.J. Torak: USGS–TWRI book 6, chap. A3. 1993. 136 p.
- 6–A4. *A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 2: Derivation of finite-element equations and comparisons with analytical solutions*, by R.L. Cooley: USGS–TWRI book 6, chap. A4. 1992. 108 p.
- 6–A5. *A modular finite-element model (MODFE) for areal and axisymmetric ground-water-flow problems, Part 3: Design philosophy and programming details*, by L.J. Torak: USGS–TWRI book 6, chap. A5. 1993. 243 p.
- 6–A6. *A coupled surface-water and ground-water flow model (MODBRANCH) for simulation of stream-aquifer interaction*, by Eric D. Swain and Eliezer J. Wexler: USGS–TWRI book 6, chap. A6. 1996. 125 p.
- 6–A7. *User's guide to SEAWAT: A computer program for simulation of three-dimensional variable-density ground-water flow*, by Weixing Guo and Christian D. Langevin: USGS–TWRI book 6, chap. A7. 2002. 77 p.

Book 7. Automated Data Processing and Computations

Section C. Computer Programs

- 7–C1. *Finite difference model for aquifer simulation in two dimensions with results of numerical experiments*, by P.C. Trescott, G.F. Pinder, and S.P. Larson: USGS–TWRI book 7, chap. C1. 1976. 116 p.
- 7–C2. *Computer model of two-dimensional solute transport and dispersion in ground water*, by L.F. Konikow and J.D. Bredehoeft: USGS–TWRI book 7, chap. C2. 1978. 90 p.
- 7–C3. *A model for simulation of flow in singular and interconnected channels*, by R.W. Schaffranek, R.A. Baltzer, and D.E. Goldberg: USGS–TWRI book 7, chap. C3. 1981. 110 p.

Book 8. Instrumentation

Section A. Instruments for Measurement of Water Level

- 8–A1. *Methods of measuring water levels in deep wells*, by M.S. Garber and F.C. Koopman: USGS–TWRI book 8, chap. A1. 1968. 23 p.
- 8–A2. *Installation and service manual for U.S. Geological Survey manometers*, by J.D. Craig: USGS–TWRI book 8, chap. A2. 1983. 57 p.

Section B. Instruments for Measurement of Discharge

- 8–B2. *Calibration and maintenance of vertical-axis type current meters*, by G.F. Smoot and C.E. Novak: USGS–TWRI book 8, chap. B2. 1968. 15 p.

Book 9. Handbooks for Water-Resources Investigations

Section A. National Field Manual for the Collection of Water-Quality Data

- 9–A1. *National field manual for the collection of water-quality data: Preparations for water sampling*, by F.D. Wilde, D.B. Radtke, Jacob Gibs, and R.T. Iwatsubo: USGS–TWRI book 9, chap. A1. 1998. 47 p.
- 9–A2. *National field manual for the collection of water-quality data: Selection of equipment for water sampling*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibs, and R.T. Iwatsubo: USGS–TWRI book 9, chap. A2. 1998. 94 p.
- 9–A3. *National field manual for the collection of water-quality data: Cleaning of equipment for water sampling*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibs, and R.T. Iwatsubo: USGS–TWRI book 9, chap. A3. 1998. 75 p.
- 9–A4. *National field manual for the collection of water-quality data: Collection of water samples*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibs, and R.T. Iwatsubo: USGS–TWRI book 9, chap. A4. 1999. 156 p.
- 9–A5. *National field manual for the collection of water-quality data: Processing of water samples*, edited by F.D. Wilde, D.B. Radtke, Jacob Gibs, and R.T. Iwatsubo: USGS–TWRI book 9, chap. A5. 1999. 149 p.
- 9–A6. *National field manual for the collection of water-quality data: Field measurements*, edited by F.D. Wilde and D.B. Radtke: USGS–TWRI book 9, chap. A6. 1998. Variously paginated.
- 9–A7. *National field manual for the collection of water-quality data: Biological indicators*, edited by D.N. Myers and F.D. Wilde: USGS–TWRI book 9, chap. A7. 1997 and 1999. Variously paginated.
- 9–A8. *National field manual for the collection of water-quality data: Bottom-material samples*, by D.B. Radtke: USGS–TWRI book 9, chap. A8. 1998. 48 p.
- 9–A9. *National field manual for the collection of water-quality data: Safety in field activities*, by S.L. Lane and R.G. Fay: USGS–TWRI book 9, chap. A9. 1998. 60 p.





Figure 4. Location of surface-water gaging stations in Fayette County, Kentucky.




Base from U.S. Geological Survey digital data 1:100,000, 1983
 Universal Transverse Mercator projection, Zone 16

0 2 4 6 8 10 MILES
 0 2 4 6 8 10 KILOMETERS

EXPLANATION

▲ Surface-water gaging stations
 with downstream-order number

Figure 5. Location of surface-water gaging stations in Boone, Kenton, and Campbell Counties, Kentucky.



Base from U.S. Geological Survey digital data, 1:100,000, 1983
 Universal Transverse Mercator projection, Zone 16




Figure 6. Location of gaging stations in Jefferson County, Kentucky.





Figure 7. Location of surface-water-quality stations in Kentucky.



Base from U.S. Geological Survey digital data 1:100,000, 1983
Universal Transverse Mercator projection, Zone 16

Figure 8. Location of water-quality stations in Boone, Kenton, and Campbell Counties, Kentucky.

[THIS PAGE INTENTIONALLY BLANK.]

BIG SANDY RIVER BASIN

03207965 GRAPEVINE CREEK NEAR PHYLLIS, KY

LOCATION.--Lat 37°25'57", long 82°21'14", Pike County, Hydrologic Unit 05070202, on right bank at the Grapevine Recreation area, 1.3 mi downstream from Dicks Fork, 1.3 mi southwest of Phyllis, and at mile 1.1.

DRAINAGE AREA.--6.20 mi².

PERIOD OF RECORD.--October 1973 to September 1982, April 1989 to September 1992, October 1994 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 780 ft above NGVD of 1929, from topographic map.

REMARKS.--Records fair except those estimated which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 200 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Feb 16 | 0715 | *442 | *2.43 | Jun 15 | 2230 | 326 | 2.19 |
| Apr 10 | 2215 | 213 | 1.88 | Jun 17 | u | 353 | 2.25 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| 1 | 1.7 | 2.0 | 2.3 | 9.8 | 20 | 18 | 7.4 | 24 | 5.7 | e3.1 | 0.53 | 1.4 |
| 2 | 1.7 | 1.3 | 2.1 | 9.5 | 20 | 15 | 7.5 | 17 | 4.0 | e3.2 | 0.55 | 1.2 |
| 3 | 1.0 | 1.6 | 1.9 | 12 | 19 | 13 | 7.6 | 8.6 | 5.4 | e3.4 | 1.6 | 1.4 |
| 4 | 1.2 | 1.5 | 2.0 | 13 | 23 | 11 | 8.7 | 5.7 | 12 | e2.8 | 1.5 | 8.0 |
| 5 | 0.92 | 4.9 | 13 | 14 | 22 | 11 | 12 | 5.2 | 10 | e2.6 | 1.6 | 3.5 |
| 6 | 0.81 | 5.9 | 14 | 14 | 21 | 9.8 | 11 | 4.0 | 7.5 | e2.5 | 1.2 | 2.3 |
| 7 | 0.85 | 3.4 | 9.3 | 13 | 21 | 8.6 | 71 | 5.3 | 36 | 19 | 4.6 | 1.7 |
| 8 | 0.73 | 2.2 | 7.0 | 13 | 18 | 7.9 | 52 | 6.6 | 29 | 5.4 | 2.8 | 1.4 |
| 9 | 0.76 | 1.5 | 6.2 | 12 | 18 | 7.5 | 71 | 8.4 | 16 | 5.7 | 2.2 | 1.1 |
| 10 | 1.4 | 6.9 | 5.3 | 11 | 18 | 6.8 | 83 | 6.6 | 10 | 4.5 | 1.9 | 1.0 |
| 11 | 1.8 | 7.0 | 13 | 10 | 17 | 6.5 | 85 | 5.7 | 8.9 | 6.0 | 1.7 | 0.83 |
| 12 | 1.2 | 4.9 | 15 | 8.9 | 17 | 6.7 | 33 | 4.0 | 6.8 | 5.9 | 2.3 | 0.72 |
| 13 | 1.1 | 3.5 | 12 | e8.2 | 17 | 7.3 | 20 | 3.1 | 5.4 | 8.5 | 10 | 0.67 |
| 14 | 0.74 | 1.9 | 15 | e7.9 | 17 | 6.9 | 15 | 2.5 | 7.3 | 5.0 | 11 | 0.59 |
| 15 | 5.0 | 2.3 | 16 | e7.4 | 119 | 6.5 | 12 | 9.4 | 46 | 3.1 | 11 | 0.73 |
| 16 | 4.3 | 4.3 | 14 | e7.1 | 220 | 6.5 | 10 | 9.2 | 75 | 2.4 | 9.7 | 0.61 |
| 17 | 1.8 | 5.4 | 12 | e6.8 | 73 | 6.4 | 9.4 | 7.6 | e124 | 1.3 | 11 | 0.55 |
| 18 | 1.2 | 4.1 | 10 | e6.6 | 33 | 6.6 | 18 | 9.5 | e80 | 1.0 | 12 | 0.50 |
| 19 | 1.1 | 3.1 | 9.1 | e6.5 | 21 | 6.1 | 16 | 9.0 | e41 | 0.81 | 7.4 | 1.1 |
| 20 | 1.1 | 2.3 | 12 | e6.4 | 15 | 6.0 | 13 | 6.8 | e22 | 0.63 | 3.3 | 0.67 |
| 21 | 0.96 | 3.4 | 12 | e8.0 | 13 | 5.3 | 11 | 12 | e14 | 0.84 | 1.3 | 0.57 |
| 22 | 0.79 | 6.7 | 11 | e7.4 | 97 | 5.0 | 9.7 | 11 | e10 | 1.1 | 9.6 | 3.1 |
| 23 | 0.70 | 6.2 | 10 | e6.8 | 64 | 4.8 | 8.0 | 8.7 | e7.8 | 0.85 | 4.9 | 1.2 |
| 24 | 0.57 | 4.7 | 11 | e6.5 | 31 | 4.6 | 6.6 | 6.4 | e6.2 | 0.59 | 3.1 | 0.49 |
| 25 | 0.87 | 3.8 | 14 | e6.3 | 24 | 4.6 | 6.0 | 4.8 | e5.2 | 0.44 | 2.3 | 0.40 |
| 26 | 0.83 | 3.3 | 15 | e6.0 | 19 | 5.0 | 9.0 | 3.8 | e4.6 | 0.36 | 1.9 | 0.42 |
| 27 | 2.3 | 4.1 | 14 | e5.8 | 18 | 4.6 | 6.6 | 3.4 | e4.3 | 0.31 | 1.7 | 1.6 |
| 28 | 9.4 | 3.2 | 13 | e5.7 | 19 | 4.9 | 6.0 | 3.2 | e3.9 | 0.34 | 1.6 | 1.4 |
| 29 | 21 | 2.8 | 11 | 13 | --- | 5.4 | 5.9 | 7.7 | e3.6 | 2.1 | 1.5 | 0.94 |
| 30 | 6.2 | 2.8 | 9.8 | 22 | --- | 8.1 | 6.1 | 5.6 | e3.3 | 0.81 | 1.4 | 0.75 |
| 31 | 2.9 | --- | 8.8 | 21 | --- | 7.5 | --- | 6.6 | --- | 0.65 | 1.5 | --- |
| TOTAL | 76.93 | 111.0 | 320.8 | 305.6 | 1,034 | 233.9 | 637.5 | 231.4 | 614.9 | 95.23 | 128.68 | 40.84 |
| MEAN | 2.48 | 3.70 | 10.3 | 9.86 | 36.9 | 7.55 | 21.2 | 7.46 | 20.5 | 3.07 | 4.15 | 1.36 |
| MAX | 21 | 7.0 | 16 | 22 | 220 | 18 | 85 | 24 | 124 | 19 | 12 | 8.0 |
| MIN | 0.57 | 1.3 | 1.9 | 5.7 | 13 | 4.6 | 5.9 | 2.5 | 3.3 | 0.31 | 0.53 | 0.40 |
| CFSM | 0.40 | 0.60 | 1.67 | 1.59 | 5.96 | 1.22 | 3.43 | 1.20 | 3.31 | 0.50 | 0.67 | 0.22 |
| IN. | 0.46 | 0.67 | 1.92 | 1.83 | 6.20 | 1.40 | 3.83 | 1.39 | 3.69 | 0.57 | 0.77 | 0.25 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1974 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 3.61 | 5.79 | 7.57 | 13.3 | 13.7 | 17.3 | 13.7 | 11.0 | 7.95 | 3.85 | 3.47 | 2.14 |
| MAX | 28.0 | 31.0 | 18.8 | 42.6 | 36.9 | 53.6 | 30.7 | 47.7 | 23.7 | 23.2 | 14.0 | 5.75 |
| (WY) | (1990) | (1974) | (1979) | (1974) | (2003) | (1975) | (1998) | (1989) | (1998) | (2000) | (2001) | (1989) |
| MIN | 0.32 | 0.27 | 0.98 | 1.44 | 2.55 | 7.12 | 4.62 | 0.71 | 0.64 | 0.32 | 0.31 | 0.38 |
| (WY) | (1992) | (1982) | (1982) | (1981) | (2002) | (1977) | (1982) | (1976) | (1980) | (1991) | (1981) | (1981) |

03207965 GRAPEVINE CREEK NEAR PHYLLIS, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1974 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,910.02 | | 3,830.78 | | 8.35 | |
| ANNUAL MEAN | 7.97 | | 10.5 | | 17.2 1974 | |
| HIGHEST ANNUAL MEAN | | | | | 5.30 1992 | |
| LOWEST ANNUAL MEAN | | | | | 448 Apr 4, 1977 | |
| HIGHEST DAILY MEAN | 150 | May 3 | 220 | Feb 16 | 0.01 | Aug 19, 1982 |
| LOWEST DAILY MEAN | 0.57 | Oct 24 | 0.31 | Jul 27 | 0.04 | Sep 22, 1981 |
| ANNUAL SEVEN-DAY MINIMUM | 0.83 | Oct 20 | 0.57 | Jul 22 | 1,650 | Jun 1, 1974 |
| MAXIMUM PEAK FLOW | | | 442 | Feb 16 | 9.10 | Apr 7, 1977 |
| MAXIMUM PEAK STAGE | | | 2.43 | Feb 16 | 0.01 | Aug 19, 1982 |
| INSTANTANEOUS LOW FLOW | | | | | 1.35 | |
| ANNUAL RUNOFF (CFSM) | 1.29 | | 1.69 | | 18.31 | |
| ANNUAL RUNOFF (INCHES) | 17.46 | | 22.98 | | 17 | |
| 10 PERCENT EXCEEDS | 16 | | 19 | | 3.3 | |
| 50 PERCENT EXCEEDS | 3.1 | | 6.2 | | 0.57 | |
| 90 PERCENT EXCEEDS | 1.3 | | 0.86 | | | |

e Estimated



BIG SANDY RIVER BASIN

03209500 LEVISA FORK AT PIKEVILLE, KY

LOCATION.--Lat 37°27'51", long 82°31'35", Pike County, Hydrologic Unit 05070203, on right bank 20 ft downstream from bridge on State Highway 1426, 0.75 mi downstream from Lanks Branch, 1.0 mi south of Pikeville, 1.5 mi upstream from Harolds Branch, and at mile 117.3.

DRAINAGE AREA.--1,232 mi².

PERIOD OF RECORD.--October 1937 to current year. Gage-height records collected in this vicinity since 1907 are contained in reports of National Weather Service.

REVISED RECORDS.--WRD KY 78-1: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 631.98 ft above NGVD of 1929. Prior to Sept. 23, 1944, nonrecording gage at site 2.3 mi downstream at datum 2.65 ft higher. Sept. 23, 1944 to Sept. 30, 1952, water-stage recorder 2.3 mi downstream at datum 1.65 ft higher. Oct. 1, 1952 to Sept. 30, 1979, at site 2.1 mi downstream at same datum.

REMARKS.--Records good. Flow regulated since March 1965 by John W. Flannagan Lake (station 03208990), since August 1966 by North Fork Pound River Lake (station 03208680) and since October 1968 by Fishtrap Lake (station 03207995).

COOPERATION.--U.S. Army Corps of Engineers, Huntington District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|---------|--------|---------|--------|--------|--------|--------|--------|
| 1 | 261 | 1,190 | 1,160 | 1,210 | 1,220 | 4,640 | 1,010 | 1,280 | 1,530 | 913 | 877 | 1,090 |
| 2 | 255 | 1,110 | 1,100 | 1,160 | 1,170 | 4,310 | 785 | 1,560 | 1,320 | 942 | 700 | 781 |
| 3 | 255 | 965 | 1,040 | 1,410 | 1,260 | 4,020 | 808 | 1,630 | 1,270 | 1,220 | 806 | 600 |
| 4 | 250 | 721 | 1,090 | 2,520 | 1,940 | 3,280 | 689 | 1,550 | 1,330 | 1,090 | 745 | 1,780 |
| 5 | 266 | 621 | 1,850 | 2,580 | 3,010 | 2,590 | 708 | 1,310 | 1,290 | 849 | 931 | 2,430 |
| 6 | 478 | 1,190 | 3,920 | 2,610 | 2,590 | 2,370 | 726 | 1,400 | 1,160 | 856 | 1,050 | 1,110 |
| 7 | 475 | 1,350 | 2,960 | 2,340 | 1,940 | 2,140 | 4,840 | 1,650 | 2,200 | 1,800 | 1,720 | 973 |
| 8 | 274 | 1,160 | 2,640 | 1,930 | 1,590 | 1,800 | 4,700 | 2,130 | 4,050 | 1,540 | 1,990 | 790 |
| 9 | 296 | 1,020 | 2,040 | 1,920 | 1,330 | 1,670 | 10,700 | 2,890 | 3,180 | 994 | 1,340 | 618 |
| 10 | 416 | 981 | 1,260 | 1,470 | 1,120 | 1,660 | 12,800 | 2,930 | 2,410 | 1,360 | 996 | 519 |
| 11 | 493 | 1,740 | 2,440 | 1,340 | 1,140 | 1,380 | 19,400 | 1,990 | 1,550 | 1,970 | 806 | 446 |
| 12 | 556 | 2,610 | 3,810 | 1,270 | 1,150 | 1,380 | 17,400 | 1,710 | 1,500 | 1,540 | 784 | 441 |
| 13 | 553 | 3,680 | 2,980 | 1,180 | 1,040 | 1,300 | 10,800 | 1,340 | 1,290 | 1,650 | 1,000 | 434 |
| 14 | 520 | 3,130 | 3,120 | 1,110 | 1,080 | 1,340 | 6,910 | 1,010 | 1,170 | 1,610 | 826 | 412 |
| 15 | 302 | 1,820 | 3,050 | 1,020 | 7,870 | 1,250 | 3,050 | 1,340 | 2,890 | 1,290 | 702 | 429 |
| 16 | 557 | 1,380 | 3,030 | 908 | 30,000 | 1,230 | 2,710 | 3,920 | 5,310 | 1,030 | 456 | 539 |
| 17 | 1,240 | 1,590 | 2,380 | 910 | 14,000 | 1,310 | 2,570 | 3,260 | 12,900 | 791 | 1,720 | 534 |
| 18 | 889 | 2,200 | 1,810 | 877 | 16,300 | 1,290 | 5,370 | 2,930 | 9,230 | 632 | 2,770 | 357 |
| 19 | 683 | 2,490 | 1,380 | 716 | 13,800 | 1,220 | 6,660 | 3,110 | 10,200 | 595 | 1,570 | 386 |
| 20 | 814 | 2,110 | 1,800 | 657 | 9,980 | 1,080 | 4,450 | 2,360 | 10,200 | 529 | 891 | 404 |
| 21 | 774 | 1,400 | 2,450 | 670 | 6,170 | 1,010 | 3,230 | 5,230 | 6,200 | 491 | 600 | 401 |
| 22 | 645 | 1,670 | 2,040 | 861 | 13,800 | 988 | 2,750 | 5,070 | 2,600 | 597 | 526 | 490 |
| 23 | 612 | 1,990 | 1,970 | 625 | 13,700 | 956 | 2,460 | 3,340 | 2,210 | 712 | 645 | 706 |
| 24 | 392 | 2,020 | 1,670 | 550 | 13,900 | 951 | 1,860 | 3,200 | 1,820 | 927 | 575 | 585 |
| 25 | 370 | 1,780 | 2,220 | 448 | 11,800 | 836 | 1,740 | 2,720 | 1,300 | 770 | 632 | 492 |
| 26 | 459 | 1,460 | 2,530 | 413 | 7,960 | 787 | 2,050 | 2,350 | 1,250 | 556 | 597 | 442 |
| 27 | 494 | 1,400 | 2,110 | 490 | 5,220 | 956 | 1,650 | 1,820 | 1,220 | 489 | 362 | 432 |
| 28 | 727 | 1,240 | 1,640 | 805 | 4,430 | 870 | 1,730 | 1,340 | 1,120 | 472 | 351 | 574 |
| 29 | 916 | 1,200 | 1,540 | 842 | --- | 832 | 1,810 | 1,650 | 1,010 | 1,030 | 363 | 555 |
| 30 | 1,560 | 1,190 | 1,470 | 1,160 | --- | 898 | 1,550 | 1,740 | 953 | 1,270 | 394 | 529 |
| 31 | 1,540 | --- | 1,560 | 1,280 | --- | 1,050 | --- | 1,760 | --- | 1,090 | 652 | --- |
| TOTAL | 18,322 | 48,408 | 66,060 | 37,282 | 190,510 | 51,394 | 137,916 | 71,520 | 95,663 | 31,605 | 28,377 | 20,279 |
| MEAN | 591 | 1,614 | 2,131 | 1,203 | 6,804 | 1,658 | 4,597 | 2,307 | 3,189 | 1,020 | 915 | 676 |
| MAX | 1,560 | 3,680 | 3,920 | 2,610 | 30,000 | 4,640 | 19,400 | 5,230 | 12,900 | 1,970 | 2,770 | 2,430 |
| MIN | 250 | 621 | 1,040 | 413 | 1,040 | 787 | 689 | 1,010 | 953 | 472 | 351 | 357 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1969 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 774 | 1,088 | 1,500 | 2,230 | 2,832 | 2,924 | 2,330 | 1,995 | 1,072 | 643 | 510 | 455 |
| MAX | 3,939 | 3,991 | 5,385 | 6,861 | 6,804 | 8,081 | 7,646 | 6,067 | 3,492 | 2,028 | 1,150 | 1,606 |
| (WY) | (1990) | (1978) | (1973) | (1974) | (2003) | (1975) | (1977) | (1984) | (1979) | (2001) | (2001) | (1989) |
| MIN | 158 | 312 | 300 | 278 | 814 | 529 | 388 | 349 | 210 | 200 | 203 | 168 |
| (WY) | (1970) | (2001) | (1981) | (1981) | (1992) | (1988) | (1986) | (1976) | (1988) | (1988) | (1969) | (1969) |

03209500 LEVISA FORK AT PIKEVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1969 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 540,874 | | 797,336 | | 1,523 | |
| ANNUAL MEAN | 1,482 | | 2,184 | | 2,459 | |
| HIGHEST ANNUAL MEAN | | | | | 1979 | |
| LOWEST ANNUAL MEAN | | | | | 522 | |
| HIGHEST DAILY MEAN | 22,100 | Mar 18 | 30,000 | Feb 16 | 69,300 | Apr 5, 1977 |
| LOWEST DAILY MEAN | 192 | Jan 4 | 250 | Oct 4 | 66 | Dec 3, 1970 |
| ANNUAL SEVEN-DAY MINIMUM | 211 | Aug 30 | 320 | Oct 1 | 103 | Oct 10, 1968 |
| MAXIMUM PEAK FLOW | | | 33,000 | Feb 16 | 85,500 | Jan 30, 1957 |
| MAXIMUM PEAK STAGE | | | 39.97 | Feb 16 | 52.72 | Jan 30, 1957 |
| INSTANTANEOUS LOW FLOW | | | | | 66 | Dec 3, 1970 |
| 10 PERCENT EXCEEDS | 2,930 | | 4,030 | | 3,480 | |
| 50 PERCENT EXCEEDS | 742 | | 1,280 | | 754 | |
| 90 PERCENT EXCEEDS | 234 | | 491 | | 233 | |



BIG SANDY RIVER BASIN
03210000 JOHNS CREEK NEAR META, KY

LOCATION.--Lat 37°34'01", long 82°27'29", Pike County, Hydrologic Unit 05070203, on right bank 100 ft upstream from bridge on U.S. Highway 119, 1,100 ft downstream from Ford Branch, 0.7 mi upstream from Raccoon Creek, 1.2 mi southwest of Meta, and at mile 42.7.

DRAINAGE AREA.--56.3 mi².

PERIOD OF RECORD.--April 1941 to September 1993, October 1994 to current year.

REVISED RECORDS.--WSP 1705: Drainage area. WRD KY-76-1: 1975. WDR KY-87-1: 1986.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 715.66 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Dec. 21, 1965.

REMARKS.--Records good except those estimated which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Army Corps of Engineers, Huntington District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of 1939 reached a stage of 15.6 ft, from floodmark, present datum, at site 600 ft upstream, discharge, 4,500 ft³/s.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,600 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 16 | 0930 | *3,340 | *16.30 | Jun 17 | 1830 | 2,490 | 14.79 |
| Apr 11 | 0130 | 1,870 | 13.42 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| 1 | 7.1 | 33 | 22 | 52 | 87 | 166 | 38 | 51 | 36 | 29 | 14 | 17 |
| 2 | 6.8 | 26 | 19 | 57 | 89 | 153 | 37 | 59 | 28 | 29 | 14 | 12 |
| 3 | 5.1 | 22 | 18 | 74 | 86 | 126 | 34 | 48 | 36 | 31 | 23 | 24 |
| 4 | 6.9 | 22 | 16 | 94 | 118 | 105 | 35 | 41 | 108 | 26 | 26 | 206 |
| 5 | 7.8 | 26 | 107 | 91 | 117 | 93 | 46 | 53 | 81 | 24 | 23 | 58 |
| 6 | 8.4 | 65 | 116 | 82 | 99 | 81 | 38 | 59 | 55 | 23 | 16 | 30 |
| 7 | 7.9 | 57 | 73 | 70 | e77 | 68 | 532 | 44 | 261 | 54 | 95 | 22 |
| 8 | 8.7 | 37 | 56 | 67 | e64 | 61 | 430 | 57 | 267 | 30 | 36 | 21 |
| 9 | 11 | 28 | 46 | 63 | e53 | 56 | 768 | 75 | 136 | 37 | 25 | 17 |
| 10 | 12 | 25 | 39 | 54 | 65 | 51 | 644 | 64 | 83 | 37 | 18 | 15 |
| 11 | 23 | 148 | 138 | 45 | 62 | 45 | 1,010 | 58 | 70 | 63 | 14 | 14 |
| 12 | 24 | 88 | 144 | e33 | 57 | 44 | 357 | 45 | 59 | 53 | 12 | 12 |
| 13 | 11 | 56 | 113 | e30 | 52 | 48 | 227 | 36 | 46 | 89 | 31 | 12 |
| 14 | 7.3 | 41 | 158 | e27 | 54 | 49 | 157 | 31 | 162 | 45 | 16 | 12 |
| 15 | 6.4 | 34 | 157 | e25 | 1,310 | 42 | 119 | 59 | 363 | 32 | 12 | 12 |
| 16 | 64 | 45 | 117 | e24 | 2,210 | 41 | 98 | 80 | 419 | 27 | 13 | 12 |
| 17 | 28 | 87 | 87 | e23 | 649 | 41 | 90 | 66 | 1,050 | 22 | 20 | 9.9 |
| 18 | 15 | 88 | 70 | e22 | 331 | 40 | 200 | 125 | 780 | 20 | 21 | 11 |
| 19 | 10 | 66 | 60 | e21 | 222 | 37 | 183 | 119 | 339 | 19 | 14 | 12 |
| 20 | 11 | 50 | 90 | e20 | 161 | 35 | 139 | 84 | 198 | 18 | 11 | 11 |
| 21 | 12 | 46 | 85 | e22 | 135 | 34 | 114 | 96 | 132 | 19 | 10 | 9.3 |
| 22 | 9.3 | 66 | 77 | e19 | 887 | 32 | 89 | 85 | 97 | 18 | 17 | 19 |
| 23 | 9.5 | 62 | 64 | e17 | 625 | 31 | 73 | 76 | 75 | 15 | 35 | 33 |
| 24 | 7.4 | 51 | 67 | e16 | 339 | 29 | 61 | 62 | 58 | 15 | 15 | 14 |
| 25 | 7.4 | 40 | 100 | e15 | 241 | 27 | 56 | 52 | 50 | 14 | 13 | 13 |
| 26 | 10 | 32 | 104 | e14 | 191 | 28 | 72 | 44 | 43 | 13 | 10 | 11 |
| 27 | 12 | 33 | 89 | e13 | 166 | 27 | 59 | 38 | 40 | 11 | 9.4 | 12 |
| 28 | 44 | 28 | 74 | e12 | 171 | 25 | 50 | 34 | 37 | 13 | 9.4 | 22 |
| 29 | 153 | 27 | 62 | 35 | --- | 25 | 47 | 38 | 35 | 15 | 9.7 | 13 |
| 30 | 113 | 27 | 53 | 93 | --- | 40 | 42 | 36 | 32 | 13 | 14 | 11 |
| 31 | 52 | --- | 46 | 89 | --- | 40 | --- | 36 | --- | 12 | 15 | --- |
| TOTAL | 711.0 | 1,456 | 2,467 | 1,319 | 8,718 | 1,720 | 5,845 | 1,851 | 5,176 | 866 | 611.5 | 697.2 |
| MEAN | 22.9 | 48.5 | 79.6 | 42.5 | 311 | 55.5 | 195 | 59.7 | 173 | 27.9 | 19.7 | 23.2 |
| MAX | 153 | 148 | 158 | 94 | 2,210 | 166 | 1,010 | 125 | 1,050 | 89 | 95 | 206 |
| MIN | 5.1 | 22 | 16 | 12 | 52 | 25 | 34 | 31 | 28 | 11 | 9.4 | 9.3 |
| CFSM | 0.41 | 0.86 | 1.41 | 0.76 | 5.53 | 0.99 | 3.46 | 1.06 | 3.06 | 0.50 | 0.35 | 0.41 |
| IN. | 0.47 | 0.96 | 1.63 | 0.87 | 5.76 | 1.14 | 3.86 | 1.22 | 3.42 | 0.57 | 0.40 | 0.46 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1941 - 2003, BY WATER YEAR (WY)

| | 17.5 | 36.8 | 72.1 | 105 | 138 | 160 | 118 | 73.3 | 41.1 | 27.7 | 18.3 | 15.6 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 175 | 213 | 319 | 413 | 338 | 489 | 356 | 271 | 193 | 167 | 155 | 153 |
| (WY) | (1990) | (1974) | (1973) | (1974) | (1972) | (1955) | (1948) | (1984) | (1979) | (2000) | (1942) | (1966) |
| MIN | 0.000 | 0.23 | 0.95 | 6.57 | 17.5 | 36.0 | 15.8 | 7.33 | 1.99 | 0.42 | 0.35 | 0.000 |
| (WY) | (1954) | (1954) | (1966) | (1966) | (1954) | (1988) | (1963) | (1941) | (1969) | (1944) | (1943) | (1943) |

03210000 JOHNS CREEK NEAR META, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1941 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 24,550.9 | | 31,437.7 | | 68.5 | |
| ANNUAL MEAN | 67.3 | | 86.1 | | 135 | |
| HIGHEST ANNUAL MEAN | | | | | 1974 | |
| LOWEST ANNUAL MEAN | | | | | 24.5 | |
| HIGHEST DAILY MEAN | 1,410 | May 3 | 2,210 | Feb 16 | 3,340 | May 7, 1984 |
| LOWEST DAILY MEAN | 2.9 | Sep 10 | 5.1 | Oct 3 | 0.00 | Oct 1, 1941 |
| ANNUAL SEVEN-DAY MINIMUM | 4.6 | Sep 8 | 7.1 | Oct 1 | 0.00 | Oct 1, 1941 |
| MAXIMUM PEAK FLOW | | | 3,340 | Feb 16 | 7,380 | Mar 12, 1963 |
| MAXIMUM PEAK STAGE | | | 16.30 | Feb 16 | 19.62 | May 7, 1984 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 1, 1941 |
| ANNUAL RUNOFF (CFSM) | 1.19 | | 1.53 | | 1.22 | |
| ANNUAL RUNOFF (INCHES) | 16.22 | | 20.77 | | 16.53 | |
| 10 PERCENT EXCEEDS | 140 | | 155 | | 155 | |
| 50 PERCENT EXCEEDS | 28 | | 41 | | 23 | |
| 90 PERCENT EXCEEDS | 7.7 | | 12 | | 2.2 | |

e Estimated



03212500 LEVISA FORK AT PAINTSVILLE, KY

LOCATION.--Lat 37°48'55", long 82°47'30", Johnson County, Hydrologic Unit 05070203, on left bank 700 ft downstream from bridge on State Highway 40 at Paintsville, 900 ft downstream from Paint Creek, and at mile 65.2.

DRAINAGE AREA.--2,144 mi².

PERIOD OF RECORD.--June 1915 to September 1916, October 1916 to November 1920 (gage heights only), and October 1928 to current year. Monthly discharge only for October to December 1928, published in WSP 1305. Published. (as "at Thelma" prior to 1928.)

REVISED RECORDS.--WSP 953: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 566.84 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Oct. 19, 1954.

REMARKS.--Records good except those estimated which are poor. Flow regulated since May 1950 by Dewey Lake (station 03211000), since March 1965 by John Flannagan Lake (station 03208990), since August 1966 by North Fork Pound River Lake (station 03208680), since October 1968 by Fishtrap Lake (station 03207995).

COOPERATION.--U.S. Army Corps of Engineers, Huntington District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of 1862 reached a stage of 46.6 ft, from levels to floodmark by U.S. Army Corps of Engineers.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|---------|--------|---------|--------|---------|---------|---------|--------|--------|--------|
| 1 | 538 | 2,480 | 1,600 | 2,400 | 2,370 | 8,400 | e1,890 | 2,160 | 2,350 | 1,290 | 1,290 | 1,070 |
| 2 | 377 | 1,710 | 1,550 | 2,470 | 2,220 | 7,990 | 1,660 | 2,260 | 2,000 | 1,320 | 1,060 | 1,320 |
| 3 | 357 | 1,470 | 1,450 | 2,540 | 2,110 | 6,640 | e1,360 | 2,410 | 1,850 | 1,380 | 1,040 | 1,180 |
| 4 | 351 | 1,350 | 1,370 | 2,890 | 2,780 | 6,040 | 1,350 | 2,380 | 2,130 | 1,580 | 1,210 | 3,610 |
| 5 | 333 | 1,400 | 1,540 | 3,680 | 4,340 | 4,980 | 1,380 | 2,290 | 2,290 | 1,350 | 1,210 | 4,940 |
| 6 | 325 | 2,340 | 3,450 | 3,710 | 4,520 | 4,110 | 1,420 | 2,380 | 2,020 | 1,060 | 1,330 | 2,680 |
| 7 | 519 | 2,620 | 4,460 | 3,770 | 3,570 | 3,300 | 4,830 | 2,360 | 3,580 | 1,200 | 1,400 | 1,450 |
| 8 | 527 | 2,240 | 3,620 | 3,090 | 3,040 | 2,880 | 10,200 | 2,450 | 6,500 | 2,140 | 2,520 | 1,230 |
| 9 | 347 | 1,910 | 3,260 | 2,740 | 2,640 | 2,600 | 14,700 | 3,760 | 5,990 | 1,700 | 2,090 | 1,000 |
| 10 | 386 | 1,770 | 2,460 | 2,550 | e2,280 | 2,490 | 20,800 | 5,040 | 4,470 | 1,340 | 1,700 | 825 |
| 11 | 666 | 2,820 | 3,050 | 2,010 | e2,080 | 2,390 | 25,300 | 4,060 | 3,620 | 2,000 | 1,280 | 724 |
| 12 | 730 | 4,090 | 6,750 | 1,900 | 2,080 | 2,150 | 27,700 | 3,160 | 3,420 | 2,330 | 1,000 | 640 |
| 13 | 733 | 4,640 | 6,650 | 1,800 | 1,900 | 2,090 | 24,800 | 2,440 | 3,390 | 2,220 | 975 | 611 |
| 14 | 707 | 4,320 | 7,940 | 1,680 | 1,760 | 2,080 | 15,000 | 1,990 | 2,750 | 2,160 | 1,110 | 601 |
| 15 | 644 | 3,390 | 7,340 | 1,580 | 11,600 | 2,030 | 7,320 | 1,740 | 3,730 | 1,900 | 937 | 598 |
| 16 | 744 | 2,480 | 6,230 | 1,430 | 33,200 | 1,920 | 4,700 | 3,110 | 12,000 | 2,430 | 837 | 618 |
| 17 | 1,020 | 2,460 | 4,950 | 1,420 | 41,100 | 1,870 | 4,220 | 5,270 | 14,300 | 1,640 | 660 | 675 |
| 18 | 1,520 | 3,010 | 3,530 | e1,300 | 32,700 | 1,920 | 10,300 | 5,080 | 19,000 | 1,130 | 2,330 | 675 |
| 19 | 1,150 | 3,800 | 2,800 | e1,180 | 24,500 | 1,860 | 12,700 | 5,940 | 16,500 | 940 | 2,390 | 508 |
| 20 | 950 | 3,420 | 3,560 | e1,110 | 20,400 | 1,840 | 9,150 | 5,280 | 14,000 | 886 | 1,520 | 506 |
| 21 | 1,030 | 3,030 | 4,720 | e1,150 | 15,400 | 1,720 | 7,010 | 4,830 | 14,600 | 776 | 959 | 521 |
| 22 | 937 | 2,300 | 4,190 | e1,380 | 15,700 | 1,590 | 5,790 | 8,860 | 7,790 | 730 | 681 | 586 |
| 23 | 801 | 2,700 | 3,430 | e1,030 | 25,500 | 1,510 | 4,640 | 6,510 | 4,410 | 860 | 608 | 912 |
| 24 | 784 | 2,750 | 3,180 | e860 | 23,700 | 1,450 | 3,770 | 4,420 | 3,110 | 965 | 695 | 952 |
| 25 | 569 | 2,720 | 3,330 | e740 | 22,000 | 1,430 | 3,080 | 4,170 | 2,390 | 1,120 | 701 | 758 |
| 26 | 544 | 2,330 | 3,890 | e700 | 17,800 | 1,330 | 3,190 | 3,430 | 2,010 | 952 | 727 | 654 |
| 27 | 605 | 2,100 | 4,030 | e840 | 13,000 | 1,310 | 3,170 | 2,970 | 1,880 | 759 | 685 | 620 |
| 28 | 1,010 | 1,890 | 3,210 | e1,100 | 9,890 | 1,370 | 2,670 | 2,620 | 1,790 | 670 | 443 | 781 |
| 29 | 2,930 | 1,730 | 2,780 | 1,340 | --- | 1,340 | 2,820 | 2,220 | 1,550 | 673 | 497 | 835 |
| 30 | 4,010 | 1,650 | 2,610 | 1,790 | --- | 1,490 | 2,570 | 2,370 | 1,350 | 1,380 | 500 | 773 |
| 31 | 3,260 | --- | 2,400 | 2,260 | --- | 1,830 | --- | 2,530 | --- | 1,380 | 576 | --- |
| TOTAL | 29,404 | 76,920 | 115,330 | 58,440 | 344,180 | 85,950 | 239,490 | 110,490 | 166,770 | 42,261 | 34,961 | 32,853 |
| MEAN | 949 | 2,564 | 3,720 | 1,885 | 12,290 | 2,773 | 7,983 | 3,564 | 5,559 | 1,363 | 1,128 | 1,095 |
| MAX | 4,010 | 4,640 | 7,940 | 3,770 | 41,100 | 8,400 | 27,700 | 8,860 | 19,000 | 2,430 | 2,520 | 4,940 |
| MIN | 325 | 1,350 | 1,370 | 700 | 1,760 | 1,310 | 1,350 | 1,740 | 1,350 | 670 | 443 | 506 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1969 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,076 | 1,744 | 2,620 | 3,769 | 4,913 | 5,072 | 4,160 | 3,373 | 1,823 | 1,004 | 832 | 691 |
| MAX | 6,560 | 4,908 | 8,870 | 12,030 | 12,290 | 13,160 | 10,040 | 9,664 | 5,559 | 2,678 | 2,244 | 2,054 |
| (WY) | (1990) | (1978) | (1973) | (1974) | (2003) | (1975) | (1987) | (1984) | (2003) | (2000) | (2001) | (1989) |
| MIN | 181 | 447 | 570 | 435 | 1,336 | 963 | 594 | 519 | 278 | 257 | 291 | 239 |
| (WY) | (1970) | (1970) | (1981) | (1981) | (2002) | (1988) | (1986) | (1976) | (1988) | (1988) | (1969) | (1969) |

03212500 LEVISA FORK AT PAINTSVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1969 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 936,915 | | 1,337,049 | | | |
| ANNUAL MEAN | 2,567 | | 3,663 | | 2,577 | |
| HIGHEST ANNUAL MEAN | | | | | 4,234 | 1975 |
| LOWEST ANNUAL MEAN | | | | | 830 | 1988 |
| HIGHEST DAILY MEAN | 25,400 | Mar 19 | 41,100 | Feb 17 | 42,000 | Apr 6, 1977 |
| LOWEST DAILY MEAN | 245 | Jan 6 | 325 | Oct 6 | 98 | Oct 1, 1968 |
| ANNUAL SEVEN-DAY MINIMUM | 273 | Jan 1 | 394 | Oct 3 | 122 | Aug 27, 1969 |
| MAXIMUM PEAK FLOW | | | 41,300 | Feb 17 | 69,700 | Jan 31, 1957 |
| MAXIMUM PEAK STAGE | | | 37.67 | Feb 17 | 45.92 | Jan 31, 1957 |
| INSTANTANEOUS LOW FLOW | | | | | 98 | Oct 1, 1968 |
| 10 PERCENT EXCEEDS | 5,480 | | 7,330 | | 6,140 | |
| 50 PERCENT EXCEEDS | 1,370 | | 2,100 | | 1,230 | |
| 90 PERCENT EXCEEDS | 334 | | 679 | | 368 | |

e Estimated



LITTLE SANDY RIVER BASIN

03216500 LITTLE SANDY RIVER AT GRAYSON, KY

LOCATION.--Lat 38°19'48", long 82°56'22", Carter County, Hydrologic Unit 05090104, on left bank 0.3 mi upstream from bridge on U.S. Highway 60, 0.5 mi downstream from Town Branch, 0.5 mi east of Grayson, and at mile 38.1.

DRAINAGE AREA.--400 mi².

PERIOD OF RECORD.--April 1938 to current year. Prior to October 1964, published as "near Grayson."

REVISED RECORDS.--WSP 1435: 1939(M), 1943(M), 1948(P). WSP 1725: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 557.95 ft above NGVD of 1929. Prior to Aug. 11, 1939, nonrecording gage and Aug. 11, 1939 to Jan. 29, 1965, water-stage recorder at site 1.6 mi downstream at same datum. Apr. 6, 1948 to Jan. 29, 1965, supplementary nonrecording gage 800 ft downstream at same datum.

REMARKS.--Records good. Flow regulated since March 1968 by Grayson Lake (station 03216300).

COOPERATION.--U.S. Army Corps of Engineers, Huntington District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| 1 | 46 | 577 | 141 | 566 | 164 | 2,700 | 194 | 327 | 333 | 112 | 575 | 64 |
| 2 | 42 | 329 | 103 | 1,450 | 170 | 2,020 | 144 | 1,430 | 236 | 104 | 218 | 79 |
| 3 | 40 | 405 | 131 | 1,510 | 211 | 1,110 | 136 | 597 | 185 | 98 | 181 | 123 |
| 4 | 39 | 380 | 126 | 918 | 528 | 535 | 120 | 388 | 341 | 92 | 545 | 350 |
| 5 | 39 | 565 | 128 | 867 | 837 | 498 | 119 | 1,180 | 317 | 87 | 1,570 | 316 |
| 6 | 38 | 2,210 | 127 | 1,030 | 517 | 483 | 135 | 8,330 | 187 | 89 | 1,140 | 81 |
| 7 | 37 | 1,500 | 117 | 877 | 541 | 425 | 829 | 4,010 | 2,020 | 149 | 449 | 67 |
| 8 | 37 | 1,320 | 117 | 357 | 509 | 334 | 1,240 | 3,110 | 2,890 | 121 | 614 | 63 |
| 9 | 37 | 1,050 | 83 | 409 | 412 | 302 | 1,350 | 2,570 | 2,080 | 114 | 971 | 58 |
| 10 | 40 | 643 | 87 | 508 | 198 | 275 | 1,830 | 1,930 | 1,150 | 119 | 1,150 | 54 |
| 11 | 851 | 1,290 | 237 | 302 | 298 | 295 | 1,870 | 1,930 | 335 | 420 | 1,050 | 52 |
| 12 | 1,600 | 1,170 | 856 | 268 | 346 | 275 | 1,470 | 1,590 | 321 | 304 | 1,170 | 50 |
| 13 | 1,030 | 1,330 | 1,080 | 249 | 303 | 260 | 1,140 | 763 | 419 | 294 | 852 | 48 |
| 14 | 555 | 1,080 | 3,160 | 247 | 334 | 378 | 770 | 534 | 406 | 263 | 223 | 47 |
| 15 | 187 | 679 | 3,150 | 230 | 2,360 | 433 | 589 | 700 | 783 | e180 | 221 | 45 |
| 16 | 240 | 862 | 2,420 | 213 | 5,900 | 299 | 537 | 1,290 | 1,860 | 140 | 208 | 44 |
| 17 | 724 | 1,000 | 1,350 | 201 | 8,260 | 329 | 456 | 1,070 | 4,750 | 112 | 201 | 43 |
| 18 | 616 | 984 | 788 | 174 | 4,200 | 415 | 936 | 2,550 | 5,310 | 96 | 176 | 42 |
| 19 | 249 | 860 | 688 | 147 | 3,390 | 331 | 1,460 | 3,250 | 2,860 | 86 | 81 | 42 |
| 20 | 233 | 436 | 1,090 | 140 | 3,200 | 310 | 1,020 | 2,970 | 3,220 | 80 | 74 | 41 |
| 21 | 283 | 407 | 1,030 | 141 | 3,260 | 535 | 917 | 3,010 | 2,910 | 74 | 71 | 42 |
| 22 | 381 | 506 | 853 | 137 | 3,340 | 690 | 945 | 2,220 | 2,730 | 71 | 68 | 43 |
| 23 | 257 | 583 | 769 | 170 | 2,620 | 627 | 610 | 1,110 | 2,320 | 68 | 67 | 46 |
| 24 | 139 | 337 | 469 | 171 | 3,480 | 584 | 482 | 848 | 1,900 | 101 | 66 | 48 |
| 25 | 166 | 316 | 508 | 137 | 3,200 | 453 | 455 | 486 | 1,350 | 93 | 64 | 49 |
| 26 | 158 | 285 | 625 | 85 | 3,100 | 432 | 533 | 472 | 343 | 77 | 60 | 49 |
| 27 | 150 | 167 | 867 | 89 | 3,100 | 380 | 639 | 436 | 297 | 69 | 56 | 50 |
| 28 | 148 | 159 | 712 | 114 | 3,000 | 281 | 502 | 399 | 205 | 74 | 54 | 54 |
| 29 | 302 | 151 | 339 | 156 | --- | 274 | 638 | 344 | 132 | 87 | 52 | 61 |
| 30 | 1,190 | 146 | 393 | 223 | --- | 284 | 571 | 341 | 122 | 78 | 65 | 60 |
| 31 | 1,010 | --- | 582 | 169 | --- | 264 | --- | 358 | --- | 160 | 69 | --- |
| TOTAL | 10,864 | 21,727 | 23,126 | 12,255 | 57,778 | 16,811 | 22,637 | 50,543 | 42,312 | 4,012 | 12,361 | 2,211 |
| MEAN | 350 | 724 | 746 | 395 | 2,064 | 542 | 755 | 1,630 | 1,410 | 129 | 399 | 73.7 |
| MAX | 1,600 | 2,210 | 3,160 | 1,510 | 8,260 | 2,700 | 1,870 | 8,330 | 5,310 | 420 | 1,570 | 350 |
| MIN | 37 | 146 | 83 | 85 | 164 | 260 | 119 | 327 | 122 | 68 | 52 | 41 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1969 - 2003, BY WATER YEAR (WY)

| MEAN | 163 | 331 | 591 | 702 | 936 | 1,008 | 673 | 675 | 319 | 180 | 113 | 110 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 733 | 993 | 2,630 | 1,954 | 2,886 | 3,226 | 2,291 | 2,116 | 1,410 | 841 | 399 | 585 |
| (WY) | (1990) | (1987) | (1979) | (1974) | (1989) | (1997) | (1972) | (1996) | (2003) | (1971) | (2003) | (1979) |
| MIN | 30.1 | 28.4 | 53.6 | 45.2 | 129 | 133 | 109 | 62.1 | 34.4 | 33.6 | 34.7 | 30.4 |
| (WY) | (1981) | (1982) | (1982) | (1981) | (2002) | (1969) | (2001) | (1976) | (1999) | (1999) | (1988) | (1998) |

03216500 LITTLE SANDY RIVER AT GRAYSON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1969 - 2003 | |
|--------------------------|------------------------|--------|---------------------|-------|-------------------------|--------------|
| ANNUAL TOTAL | 206,069 | | 276,637 | | 481 | |
| ANNUAL MEAN | 565 | | 758 | | 838 | |
| HIGHEST ANNUAL MEAN | | | | | 116 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 14,600 | 1969 |
| HIGHEST DAILY MEAN | 10,000 | Mar 20 | 8,330 | May 6 | 18 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 19 | Jan 5 | 37 | Oct 7 | 5.8 | Oct 1, 1968 |
| ANNUAL SEVEN-DAY MINIMUM | 26 | Jan 3 | 38 | Oct 3 | 18 | Nov 1, 1968 |
| MAXIMUM PEAK FLOW | | | 9,850 | May 6 | 24,500 | Sep 22, 1950 |
| MAXIMUM PEAK STAGE | | | 25.41 | May 6 | 30.57 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 1.5 | Oct 12, 1953 |
| 10 PERCENT EXCEEDS | 1,550 | | 2,130 | | 1,370 | |
| 50 PERCENT EXCEEDS | 146 | | 341 | | 161 | |
| 90 PERCENT EXCEEDS | 35 | | 62 | | 39 | |

e Estimated



03216600 OHIO RIVER RIVER AT GREENUP DAM NEAR GREENUP, KY

LOCATION.--Lat 38°×38'48", long 82°×51'×38", Greenup County, Hydrologic Unit 05090103, at left bank at downstream end of lock guidewall in lower pool at Greenup locks, 1.1 mi upstream from Grays Branch, 4.7 mi downstream from Little Sandy River, 5.0 north of Greenup, and at mile 341.5.

DRAINAGE AREA.--62,000 mi², approximately.

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--October 1968 to current year.

GAGE.--Records of Greenup Dam gate operations and hydropower releases are furnished by the U.S. Army Corps of Engineers and are used to determine daily discharge. Water-stage recorder with telemetry in Greenup Dam tailwater for peak stage determinations. Datum of gage is 472.43 ft above NGVD of 1929 or 472.97 ft Ohio River Datum. Auxiliary water-stage recorder is located at the waste water treatment plant in Portsmouth, Ohio, 14.1 mi downstream, established Oct. 1, 1981 and used in slope rating computation from Oct. 1, 1981 to Sept. 30, 1983. Datum of gage is 470.43 ft above NGVD of 1929 or 470.99 ft Ohio River Datum. Record of Greenup Dam headwater, tailwater, gate openings and lockages used to determine discharge from Oct. 1, 1968 to Sept. 30, 1981. Slope rating computation from Oct. 1, 1981 to Sept. 30, 1983, and Branch Flow Model, gate and tailwater rating from Oct. 1, 1983 to current year.

REMARKS.--Records good except for those below 20,000 ft³/s and those estimated, which are poor. Flow regulated by Ohio River system of locks, dams, and reservoirs upstream from the station.

COOPERATION.--U.S. Army Corps of Engineers, Huntington District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 | 23,900 | 86,500 | 60,700 | 93,000 | 50,700 | 190,000 | 89,200 | 66,300 | 96,200 | 35,500 | 113,000 | 89,700 |
| 2 | 16,500 | 66,200 | 56,300 | 157,000 | 57,600 | 178,000 | 96,600 | 53,000 | 124,000 | 33,200 | 91,100 | 105,000 |
| 3 | 18,600 | 45,000 | 51,800 | 200,000 | 63,600 | 183,000 | 96,800 | 64,200 | 139,000 | 50,500 | 86,400 | 178,000 |
| 4 | 16,700 | 40,900 | 47,600 | 251,000 | 78,300 | 182,000 | 89,000 | 62,000 | 176,000 | 50,500 | 116,000 | 200,000 |
| 5 | 18,200 | 41,300 | 38,500 | 209,000 | 136,000 | 172,000 | 103,000 | 76,100 | 209,000 | 71,100 | 129,000 | 205,000 |
| 6 | 18,100 | 72,800 | 40,800 | 190,000 | 135,000 | 184,000 | 103,000 | 132,000 | 192,000 | 70,200 | 108,000 | 201,000 |
| 7 | 8,940 | 74,700 | 43,000 | 171,000 | 123,000 | 211,000 | 143,000 | 130,000 | 174,000 | 37,700 | 97,100 | 160,000 |
| 8 | 15,300 | 90,300 | 44,500 | 149,000 | 106,000 | 206,000 | 179,000 | 124,000 | 187,000 | 73,200 | 102,000 | 115,000 |
| 9 | 12,900 | 72,700 | 37,200 | 137,000 | 95,100 | 185,000 | 204,000 | 108,000 | 185,000 | 101,000 | 113,000 | 77,100 |
| 10 | 8,520 | 69,700 | 40,200 | 121,000 | 82,700 | 181,000 | 261,000 | 160,000 | 176,000 | 136,000 | 122,000 | 63,000 |
| 11 | 31,000 | 84,700 | 40,400 | 117,000 | 71,500 | 186,000 | 266,000 | 276,000 | 155,000 | 162,000 | 134,000 | 64,700 |
| 12 | 20,800 | 102,000 | 61,300 | 103,000 | 56,300 | 176,000 | 270,000 | 312,000 | 141,000 | 176,000 | 129,000 | 46,400 |
| 13 | 18,900 | 102,000 | 98,000 | 83,900 | 62,900 | 157,000 | 271,000 | 306,000 | 129,000 | 153,000 | 113,000 | 33,000 |
| 14 | 25,500 | 127,000 | 164,000 | 67,600 | 53,400 | 150,000 | 209,000 | 236,000 | 135,000 | 118,000 | 96,300 | 41,000 |
| 15 | 17,900 | 110,000 | 198,000 | 60,600 | 88,600 | 169,000 | 183,000 | 158,000 | 171,000 | 80,900 | 88,600 | 30,800 |
| 16 | 42,800 | 88,400 | 190,000 | 68,800 | 171,000 | 184,000 | 153,000 | 172,000 | 189,000 | 60,500 | 83,800 | 35,700 |
| 17 | 54,900 | 84,400 | 167,000 | 51,000 | 288,000 | 177,000 | 125,000 | 175,000 | 208,000 | 74,500 | 93,000 | 46,000 |
| 18 | 64,900 | 107,000 | 140,000 | 36,300 | 303,000 | 169,000 | 105,000 | 185,000 | 286,000 | 41,800 | 95,200 | 40,100 |
| 19 | 51,200 | 135,000 | 120,000 | 40,100 | 187,000 | 179,000 | 95,700 | 193,000 | 282,000 | 71,000 | 81,600 | 72,000 |
| 20 | 41,200 | 128,000 | 114,000 | 31,000 | 150,000 | 187,000 | 108,000 | 198,000 | 214,000 | 50,700 | 77,200 | 139,000 |
| 21 | 30,600 | 106,000 | 141,000 | 41,900 | 142,000 | 174,000 | 94,100 | 186,000 | 203,000 | 51,400 | 57,300 | 143,000 |
| 22 | 26,900 | 97,000 | 176,000 | 39,200 | 169,000 | 164,000 | 108,000 | 192,000 | 183,000 | 42,800 | 43,500 | 130,000 |
| 23 | 37,500 | 109,000 | 174,000 | 27,300 | 211,000 | 163,000 | 111,000 | 173,000 | 154,000 | 99,700 | 38,400 | 108,000 |
| 24 | 22,400 | 95,300 | 140,000 | 37,800 | 382,000 | 158,000 | 84,100 | 154,000 | 109,000 | 157,000 | 29,800 | 121,000 |
| 25 | 17,800 | 85,100 | 127,000 | 30,000 | 406,000 | 142,000 | 78,700 | 143,000 | 92,300 | 166,000 | 24,000 | 135,000 |
| 26 | 22,300 | 80,700 | 131,000 | 31,400 | 387,000 | 127,000 | 82,400 | 144,000 | 64,300 | 130,000 | 36,500 | 125,000 |
| 27 | 28,000 | 69,200 | 139,000 | 22,100 | 332,000 | 123,000 | 59,300 | 120,000 | 39,100 | 102,000 | 28,100 | 90,100 |
| 28 | 21,900 | 73,700 | 129,000 | 24,200 | 205,000 | 113,000 | 65,500 | 95,800 | 56,200 | 85,300 | 67,000 | 91,600 |
| 29 | 41,400 | 76,200 | 105,000 | 36,900 | --- | 103,000 | 51,700 | 81,500 | 41,200 | 116,000 | 54,800 | 103,000 |
| 30 | 65,700 | 62,900 | 85,500 | 35,000 | --- | 103,000 | 52,600 | 99,100 | 46,100 | 138,000 | 15,700 | 115,000 |
| 31 | 85,000 | --- | 79,700 | 44,900 | --- | 93,700 | --- | 85,600 | --- | 114,000 | 68,100 | --- |
| TOTAL | 926,260 | 2,583,700 | 3,180,500 | 2,708,000 | 4,593,700 | 5,069,700 | 3,937,700 | 4,660,600 | 4,556,400 | 2,849,500 | 2,532,500 | 3,104,200 |
| MEAN | 29,880 | 86,120 | 102,600 | 87,350 | 164,100 | 163,500 | 131,300 | 150,300 | 151,900 | 91,920 | 81,690 | 103,500 |
| MAX | 85,000 | 135,000 | 198,000 | 251,000 | 406,000 | 211,000 | 271,000 | 312,000 | 286,000 | 176,000 | 134,000 | 205,000 |
| MIN | 8,520 | 40,900 | 37,200 | 22,100 | 50,700 | 93,700 | 51,700 | 53,000 | 39,100 | 33,200 | 15,700 | 30,800 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1969 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MEAN | 37,780 | 66,960 | 106,500 | 114,600 | 143,000 | 161,200 | 140,900 | 107,700 | 68,860 | 45,480 | 37,040 | 33,730 |
| MAX | 111,300 | 208,600 | 252,700 | 242,700 | 259,100 | 268,600 | 258,400 | 276,700 | 174,000 | 100,700 | 113,600 | 103,500 |
| (WY) | (1980) | (1986) | (1973) | (1974) | (1994) | (1994) | (1994) | (1996) | (1981) | (1972) | (1980) | (2003) |
| MIN | 11,310 | 14,720 | 24,080 | 27,170 | 66,240 | 53,550 | 52,660 | 36,610 | 13,440 | 13,040 | 11,270 | 9,706 |
| (WY) | (1992) | (1999) | (1999) | (1977) | (1978) | (1969) | (1986) | (1976) | (1988) | (1999) | (1988) | (1999) |

03216600 OHIO RIVER AT GREENUP DAM NEAR GREENUP, KY

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1969 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 29,333,580 | | 40,702,760 | | | |
| ANNUAL MEAN | 80,370 | | 111,500 | | 88,350 | |
| HIGHEST ANNUAL MEAN | | | | | 120,100 | 1996 |
| LOWEST ANNUAL MEAN | | | | | 49,760 | 1988 |
| HIGHEST DAILY MEAN | 371,000 | Mar 22 | 406,000 | Feb 25 | 540,000 | Jan 12, 1974 |
| LOWEST DAILY MEAN | 4,850 | Aug 31 | 8,520 | Oct 10 | 3,920 | Jun 11, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 10,700 | Aug 30 | 14,100 | Oct 4 | 7,740 | Sep 22, 1999 |
| MAXIMUM PEAK FLOW | | | 409,000 | Feb 25 | 520,000 | Mar 4, 1997 |
| MAXIMUM PEAK STAGE | | | 52.16 | Feb 25 | 54.50 | Feb 21, 2000 |
| 10 PERCENT EXCEEDS | 187,000 | | 192,000 | | 200,000 | |
| 50 PERCENT EXCEEDS | 55,400 | | 102,000 | | 61,900 | |
| 90 PERCENT EXCEEDS | 14,100 | | 35,300 | | 17,000 | |

e Estimated



03216600 OHIO RIVER AT GREENUP DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Calcium water, fltrd, mg/L (00915) | Magnesium, water, fltrd, mg/L (00925) | Potassium, water, fltrd, mg/L (00935) | Sodium, water, fltrd, mg/L (00930) | Alkalinity, wat flt inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat flt incrm. titr., field, mg/L (00453) | Chloride, water, fltrd, mg/L (00940) | Fluoride, water, fltrd, mg/L (00950) | Silica, water, fltrd, mg/L (00955) | Sulfate water, fltrd, mg/L (00945) | Residue on evap. at 180degC wat flt mg/L (70300) | Ammonia + org-N, water, fltrd, mg/L as N (00623) | Ammonia + org-N, water, unfltrd mg/L as N (00625) |
|-------|--|---|---|--|--|--|--|--|--|--|---|---|--|
| NOV | | | | | | | | | | | | | |
| 26... | 27.9 | 8.53 | 2.46 | 18.0 | 44 | 54 | 13.4 | <0.17 | 5.16 | 49.6 | 148 | 0.21 | 0.31 |
| 26... | 0.04 | <0.008 | 0.01 | <0.09 | -- | -- | 0.98 | 0.05 | <0.13 | <0.01 | -- | -- | -- |
| DEC | | | | | | | | | | | | | |
| 11... | 27.5 | 9.43 | 2.10 | 18.1 | 49 | 60 | 16.8 | <0.17 | 5.35 | 65.6 | 187 | 0.20 | 0.20 |
| 11... | 27.6 | 9.44 | 2.15 | 18.1 | 49 | 60 | 17.1 | <0.17 | 5.39 | 67.9 | 192 | 0.19 | 0.19 |
| JAN | | | | | | | | | | | | | |
| 16... | 26.6 | 8.01 | 1.78 | 19.4 | 38 | 47 | 26.6 | <0.17 | 5.96 | 55.1 | 179 | 0.21 | 0.28 |
| FEB | | | | | | | | | | | | | |
| 12... | 32.7 | 9.81 | 1.89 | 24.5 | 41 | 50 | 32.8 | 0.13 | 5.49 | 67.5 | 222 | 0.28 | 0.41 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 26... | 20.7 | 6.16 | 1.78 | 13.5 | 32 | 40 | 17.8 | 0.10 | 5.36 | 41.4 | 134 | 0.18 | 0.86 |
| MAR | | | | | | | | | | | | | |
| 19... | 28.3 | 8.00 | 1.74 | 16.1 | 43 | 53 | 26.9 | 0.12 | 5.53 | 57.1 | 184 | 0.23 | 0.42 |
| 19... | 28.2 | 8.06 | 1.77 | 16.3 | -- | -- | 28.9 | 0.12 | 5.50 | 57.7 | 187 | 0.23 | 0.44 |
| APR | | | | | | | | | | | | | |
| 10... | 26.1 | 8.19 | 1.81 | 15.2 | 42 | 52 | 21.3 | 0.13 | 5.13 | 57.1 | 177 | 0.15 | 0.64 |
| 24... | 24.5 | 7.69 | 1.83 | 13.3 | 38 | 46 | 15.3 | <0.17 | 5.26 | 51.9 | 160 | 0.22 | 0.25 |
| MAY | | | | | | | | | | | | | |
| 15... | 25.5 | 6.95 | 2.15 | 12.6 | 40 | 49 | 15.3 | <0.2 | 5.70 | 52.3 | 158 | 0.17 | 0.92 |
| 28... | 25.5 | 7.97 | 1.82 | 13.4 | 49 | 60 | 16.0 | <0.2 | 5.70 | 55.0 | 175 | 0.15 | 0.41 |
| 28... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUN | | | | | | | | | | | | | |
| 11... | 20.1 | 6.46 | 1.56 | 10.7 | 35 | 43 | 12.1 | <0.2 | 5.61 | 46.9 | 144 | 0.23 | 0.53 |
| 11... | 24.1 | 7.26 | 1.86 | 11.5 | -- | -- | 11.3 | <0.2 | 6.52 | 48.1 | 139 | 0.16 | 0.42 |
| JUN | | | | | | | | | | | | | |
| 25 | 22.5 | 7.12 | 2.00 | 9.99 | 49 | 60 | 9.87 | <0.2 | 7.04 | 42.3 | 143 | 0.23 | 0.38 |
| JUL | | | | | | | | | | | | | |
| 23... | 34.6 | 10.1 | 2.74 | 19.2 | 50 | 61 | 21.9 | <0.2 | 6.14 | 69.0 | 215 | 0.30 | 0.45 |
| AUG | | | | | | | | | | | | | |
| 13... | 30.6 | 8.15 | 2.67 | 14.6 | 34 | 50 | 16.1 | <0.2 | 6.04 | 47.7 | 174 | 0.22 | 0.54 |
| 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 15... | 27.2 | 7.79 | 2.61 | 12.8 | 53 | 65 | 15.6 | <0.2 | 6.46 | 54.8 | 183 | 0.27 | 0.31 |
| 15... | 0.12 | E.007 | 0.021 | <0.10 | -- | -- | 2.26 | <0.01 | 0.05 | 0.03 | -- | -- | -- |

03216600 OHIO RIVER AT GREENUP DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Arsenic water, fltrd, ug/L (01000) | Boron, water, fltrd, ug/L (01020) | Iron, water, fltrd, ug/L (01046) | Lithium water, fltrd, ug/L (01130) | Selen- ium, water, fltrd, ug/L (01145) | Stront- ium, water, fltrd, ug/L (01080) | Vanad- ium, water, fltrd, ug/L (01085) | 2,6-Di- ethyl- aniline water fltrd 0.7u GF ug/L (82660) | CIAT, water, fltrd, ug/L (04040) | Aceto- chlor, water, fltrd, ug/L (49260) | Ala- chlor, water, fltrd, ug/L (46342) | alpha- HCH, water, fltrd, ug/L (34253) | Atra- zine, water, fltrd, ug/L (39632) |
|-------|--|---|--|--|---|--|---|--|--|---|---|---|---|
| NOV | | | | | | | | | | | | | |
| 26... | 0.3 | 38 | 18 | 5.5 | E.4 | 188 | 0.3 | <0.006 | E.006 | <0.006 | <0.004 | <0.005 | 0.020 |
| 26... | <0.3 | <7 | <10 | <0.5 | <0.5 | <0.20 | <0.1 | -- | -- | -- | -- | -- | -- |
| DEC | | | | | | | | | | | | | |
| 11... | 0.3 | 34 | 25 | 5.4 | E.4 | 199 | 0.3 | <0.006 | E.004 | <0.006 | <0.004 | <0.005 | 0.018 |
| 11... | 0.3 | 36 | 24 | 5.4 | E.3 | 196 | 0.3 | <0.006 | E.004 | <0.006 | <0.004 | <0.005 | 0.014 |
| JAN | | | | | | | | | | | | | |
| 16... | E.2 | 25 | 21 | 4.3 | E.3 | 148 | 0.2 | <0.006 | E.008 | <0.006 | <0.004 | <0.005 | 0.016 |
| FEB | | | | | | | | | | | | | |
| 12... | 0.3 | 39 | 20 | 6.2 | E.5 | 197 | 0.6 | <0.006 | E.008 | <0.006 | <0.004 | <0.005 | 0.015 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 26... | 0.3 | 26 | 32 | 3.3 | E.3 | 67.0 | 0.2 | <0.006 | E.003 | <0.006 | <0.004 | <0.005 | 0.008 |
| MAR | | | | | | | | | | | | | |
| 19... | E.2 | 23 | 13 | 4.3 | <0.5 | 158 | 0.1 | <0.006 | E.012 | <0.006 | <0.004 | <0.005 | 0.023 |
| 19... | E.2 | 23 | E10 | 4.3 | <0.5 | 161 | 0.1 | <0.006 | <0.006 | <0.006 | <0.004 | <0.005 | <0.007 |
| APR | | | | | | | | | | | | | |
| 10... | 0.3 | 29 | 12 | 4.9 | E.3 | 157 | 0.3 | <0.006 | E.006 | E.004 | <0.004 | <0.005 | 0.013 |
| 24... | 0.3 | 28 | E8 | 5.8 | <0.5 | 152 | 0.6 | <0.006 | E.006 | <0.006 | <0.004 | <0.005 | 0.015 |
| MAY | | | | | | | | | | | | | |
| 15... | 0.4 | 31 | 16 | 4.2 | E.4 | 145 | 0.5 | <0.006 | E.019 | 0.064 | <0.004 | <0.005 | 0.400 |
| 28... | 0.4 | 32 | 11 | 4.8 | E.3 | 154 | 0.2 | <0.006 | E.025 | 0.029 | <0.004 | <0.005 | 0.301 |
| 28... | -- | -- | -- | -- | -- | -- | -- | <0.006 | <0.006 | <0.006 | <0.004 | <0.005 | <0.007 |
| JUN | | | | | | | | | | | | | |
| 11... | 0.3 | 25 | 16 | 4.2 | E.3 | 134 | 0.4 | <0.006 | E.016 | 0.022 | <0.004 | <0.005 | 0.193 |
| 11... | 0.3 | 26 | 15 | 4.0 | E.3 | 143 | 0.3 | -- | -- | -- | -- | -- | -- |
| JUN | | | | | | | | | | | | | |
| 25 | 0.3 | 29 | 9 | 3.8 | E.4 | 141 | 0.4 | <0.006 | E.019 | 0.015 | <0.004 | <0.005 | 0.136 |
| JUL | | | | | | | | | | | | | |
| 23... | 0.6 | 48 | <8 | 5.5 | E.4 | 212 | 0.7 | <0.006 | E.036 | 0.035 | 0.011 | <0.005 | 0.301 |
| AUG | | | | | | | | | | | | | |
| 13... | 0.6 | 40 | E6 | 3.9 | E.3 | 153 | 0.7 | <0.006 | E.016 | 0.009 | E.002 | <0.005 | 0.099 |
| 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 15... | 0.6 | 37 | 12 | 4.8 | E.4 | 163 | 0.6 | <0.006 | E.015 | E.005 | <0.004 | <0.005 | 0.038 |
| 15... | <0.3 | <7 | <8 | <0.5 | <0.5 | <0.20 | <0.1 | -- | -- | -- | -- | -- | -- |

03216600 OHIO RIVER AT GREENUP DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | Suspnd. sedi- ment, sieve diametr percent <.063mm (70331) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|-------|--|---|--|--|
| NOV | | | | |
| 26... | <0.002 | <0.009 | 98 | 28 |
| 26... | -- | -- | -- | -- |
| DEC | | | | |
| 11... | <0.002 | <0.009 | 99 | 8 |
| 11... | <0.002 | <0.009 | 99 | 8 |
| JAN | | | | |
| 16... | <0.002 | <0.009 | 98 | 17 |
| FEB | | | | |
| 12... | <0.002 | <0.009 | 100 | 24 |
| 12... | -- | -- | -- | -- |
| 26... | <0.002 | <0.009 | 87 | 299 |
| MAR | | | | |
| 19... | <0.002 | <0.009 | 92 | 61 |
| 19... | <0.002 | <0.009 | 91 | 61 |
| APR | | | | |
| 10... | <0.002 | <0.009 | 79 | 145 |
| 24... | <0.002 | <0.009 | 99 | 25 |
| MAY | | | | |
| 15... | <0.002 | <0.009 | 97 | 214 |
| 28... | <0.002 | <0.009 | 98 | 46 |
| 28... | <0.002 | <0.009 | -- | -- |
| JUN | | | | |
| 11... | <0.002 | <0.009 | 97 | 101 |
| 11... | -- | -- | -- | -- |
| JUN | | | | |
| 25 | <0.002 | <0.009 | 98 | 58 |
| JUL | | | | |
| 23... | <0.002 | <0.009 | 95 | 46 |
| AUG | | | | |
| 13... | <0.002 | <0.009 | 100 | 101 |
| 13... | -- | -- | -- | -- |
| SEP | | | | |
| 15... | <0.002 | <0.009 | 99 | 12 |
| 15... | -- | -- | -- | -- |

Other QA--Grab sample at center vertical (surface only).

E--Laboratory estimated value.

M--Presence of material verified but not quantified.

<--Numeric result is less than the value shown.

TYGARTS CREEK BASIN

03217000 TYGARTS CREEK NEAR GREENUP, KY

LOCATION.--Lat 38°33'51", long 82°57'08", Greenup County, Hydrologic Unit 05090103, on downstream side of center pier of bridge on State Highway 7, 100 ft downstream from Lick Run, 0.4 mi upstream from White Oak Creek, 6.5 mi west of Greenup, and at mile 28.1.

DRAINAGE AREA.--242 mi².

PERIOD OF RECORD.--August 1940 to current year.

REVISED RECORDS.--WSP 1113: 1942-43, 1945-46. WSP 1625: 1958. WSP 1725: Drainage area. WRD KY 79-1: 1948(P), 1950(M), 1952(M), 1962(M), 1967(P), 1970(M), 1972-76(M), 1978(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 547.14 ft above NGVD of 1929.

REMARKS.--Records fair except for daily discharges below 10 ft³/s, and for those estimated, which are poor. Occasional diversion at low flow caused by withdrawal of water for cooling purposes by gas transmission plant above station.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Corps of Engineers, Huntington District.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 17 | 1500 | 4,630 | 15.97 | May 18 | 1730 | 3,590 | 13.85 |
| Feb 23 | 1000 | 4,230 | 15.25 | Jun 7 | 2330 | 4,070 | 14.94 |
| May 7 | 0200 | *8,500 | *19.00 | Jun 18 | 1530 | 4,510 | 15.75 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|-------|--------|-------|--------|--------|--------|-------|-------|-------|
| 1 | 44 | 205 | 124 | 683 | e190 | 363 | 183 | 291 | 155 | 64 | 664 | 75 |
| 2 | 30 | 142 | 114 | 2,180 | e180 | 338 | 169 | 246 | 136 | 57 | 233 | 361 |
| 3 | 26 | 110 | 103 | 908 | 215 | 308 | 158 | 244 | 280 | 52 | 135 | 423 |
| 4 | 20 | 96 | 95 | 625 | 438 | 274 | 149 | 209 | 1,020 | 48 | 211 | 340 |
| 5 | 14 | 164 | 94 | 464 | 693 | 251 | 148 | 1,640 | 511 | 45 | 475 | 161 |
| 6 | 14 | 2,270 | 94 | 385 | e400 | 251 | 148 | 4,950 | 293 | 42 | 339 | 101 |
| 7 | 16 | 856 | 93 | 334 | 318 | 290 | 463 | 5,990 | 2,830 | 53 | 198 | 70 |
| 8 | 14 | 409 | 90 | e300 | e280 | 276 | 1,080 | 2,490 | 2,440 | 56 | 302 | 55 |
| 9 | 11 | 287 | 90 | e270 | e255 | 253 | 2,040 | 817 | 788 | 87 | 192 | 45 |
| 10 | 11 | 879 | 100 | e235 | e230 | 228 | 1,990 | 1,230 | 487 | 83 | 185 | 39 |
| 11 | 342 | 1,900 | 167 | e205 | e215 | 205 | 1,060 | 1,470 | 337 | 132 | 134 | 33 |
| 12 | 537 | 1,080 | 532 | e180 | e205 | 191 | 1,030 | 817 | 341 | 190 | 119 | 29 |
| 13 | 220 | 453 | 600 | 159 | e195 | 186 | 639 | 467 | 293 | 184 | 108 | 26 |
| 14 | 187 | 319 | 2,660 | e140 | e190 | 241 | 446 | 329 | 252 | 93 | 95 | 23 |
| 15 | 115 | 260 | 1,540 | e130 | 2,120 | 301 | 365 | 1,090 | 310 | 78 | 82 | 22 |
| 16 | 239 | 534 | 659 | e115 | 4,350 | 264 | 310 | 3,240 | 454 | 72 | 170 | 20 |
| 17 | 312 | 660 | 435 | e105 | 4,570 | 244 | 274 | 1,340 | 2,420 | 81 | 128 | 17 |
| 18 | 193 | 402 | 403 | e96 | 2,200 | 226 | 531 | 3,370 | 4,140 | 75 | 102 | 16 |
| 19 | 122 | 309 | 376 | e89 | 838 | 209 | 711 | 2,910 | 1,400 | 102 | 80 | 15 |
| 20 | 99 | 266 | 915 | e82 | 674 | 220 | 445 | 1,040 | 611 | 67 | 65 | 15 |
| 21 | 96 | 232 | 720 | e76 | 1,150 | 524 | 359 | 2,200 | 399 | 50 | 57 | 15 |
| 22 | 101 | 249 | 451 | e70 | 2,560 | 551 | 320 | 1,370 | 291 | 42 | 50 | 16 |
| 23 | 87 | 291 | 358 | e65 | 3,880 | 376 | 273 | 674 | 217 | 51 | 49 | 20 |
| 24 | 71 | 258 | 303 | e60 | 1,330 | 306 | 236 | 462 | 169 | 63 | 50 | 30 |
| 25 | 60 | 221 | 311 | e55 | 712 | 268 | 209 | 339 | 138 | 46 | 47 | 27 |
| 26 | 54 | 192 | 347 | e53 | 520 | 242 | 290 | 271 | 115 | 37 | 44 | 29 |
| 27 | 50 | 175 | 302 | e52 | 432 | 221 | 436 | 229 | 100 | 31 | 41 | 30 |
| 28 | 48 | 157 | 271 | e50 | 389 | 200 | 299 | 201 | 88 | 31 | 37 | 34 |
| 29 | 91 | 142 | 253 | e80 | --- | 191 | 288 | 186 | 79 | 64 | 35 | 43 |
| 30 | 600 | 131 | 230 | e280 | --- | 202 | 380 | 182 | 70 | 71 | 34 | 50 |
| 31 | 358 | --- | 208 | e250 | --- | 202 | --- | 171 | --- | 57 | 44 | --- |
| TOTAL | 4,182 | 13,649 | 13,038 | 8,776 | 29,729 | 8,402 | 15,429 | 40,465 | 21,164 | 2,204 | 4,505 | 2,180 |
| MEAN | 135 | 455 | 421 | 283 | 1,062 | 271 | 514 | 1,305 | 705 | 71.1 | 145 | 72.7 |
| MAX | 600 | 2,270 | 2,660 | 2,180 | 4,570 | 551 | 2,040 | 5,990 | 4,140 | 190 | 664 | 423 |
| MIN | 11 | 96 | 90 | 50 | 180 | 186 | 148 | 171 | 70 | 31 | 34 | 15 |
| CFSM | 0.56 | 1.88 | 1.74 | 1.17 | 4.39 | 1.12 | 2.13 | 5.39 | 2.92 | 0.29 | 0.60 | 0.30 |
| IN. | 0.64 | 2.10 | 2.00 | 1.35 | 4.57 | 1.29 | 2.37 | 6.22 | 3.25 | 0.34 | 0.69 | 0.34 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1940 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 55.6 | 151 | 371 | 471 | 611 | 690 | 507 | 406 | 186 | 114 | 82.0 | 65.3 |
| MAX | 509 | 869 | 1,954 | 1,665 | 1,953 | 2,092 | 1,513 | 1,309 | 994 | 645 | 445 | 1,031 |
| (WY) | (1976) | (1987) | (1979) | (1950) | (1989) | (1997) | (1972) | (1996) | (1961) | (1960) | (1979) | (1950) |
| MIN | 0.35 | 0.70 | 3.23 | 31.1 | 20.7 | 80.8 | 90.9 | 27.6 | 4.16 | 3.91 | 2.09 | 1.21 |
| (WY) | (1954) | (1954) | (1954) | (1977) | (1954) | (1941) | (1941) | (1941) | (1999) | (1999) | (1944) | (1998) |

03217000 TYGARTS CREEK NEAR GREENUP, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1940 - 2003 | |
|--------------------------|------------------------|--------|---------------------|-------|-------------------------|--------------|
| ANNUAL TOTAL | 116,021.47 | | 163,723 | | 308 | |
| ANNUAL MEAN | 318 | | 449 | | 589 | |
| HIGHEST ANNUAL MEAN | | | | | 67.5 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 0.00 | 1954 |
| HIGHEST DAILY MEAN | 9,670 | Mar 20 | 5,990 | May 7 | 25,800 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 0.12 | Aug 25 | 11 | Oct 9 | 0.00 | Aug 24, 1952 |
| ANNUAL SEVEN-DAY MINIMUM | 0.12 | Sep 13 | 14 | Oct 4 | 0.00 | Sep 17, 1955 |
| MAXIMUM PEAK FLOW | | | 8,500 | May 7 | 34,400 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 19.00 | May 7 | 23.65 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Aug 24, 1952 |
| ANNUAL RUNOFF (CFSM) | 1.31 | | 1.85 | | 1.27 | |
| ANNUAL RUNOFF (INCHES) | 17.83 | | 25.17 | | 17.28 | |
| 10 PERCENT EXCEEDS | 623 | | 1,050 | | 695 | |
| 50 PERCENT EXCEEDS | 101 | | 211 | | 93 | |
| 90 PERCENT EXCEEDS | 0.59 | | 42 | | 5.0 | |

e Estimated



KINNICONICK CREEK BASIN

03237255 KINNICONICK CREEK BELOW TRACE CREEK AT TANNERY, KY

LOCATION.--Lat 38°32'43", long 83°13'17", Lewis County, Hydrologic Unit 05090201, on bridge on Hwy 9, 0.10 mi downstream from Trace Creek, 0.20 mi west of Tannery, and 9.7 mi upstream from the mouth.

DRAINAGE AREA.--214 mi².

PERIOD OF RECORD.--December 7, 2000 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 533.859 ft above NGVD of 1929.

REMARKS.--Records fair except for those estimated which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 14,600 ft³/s, May 6, gage height, 19.11 ft.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|--------|--------|-------|--------|--------|--------|--------|--------|-------|-------|-------|
| 1 | 24 | 210 | 90 | 1,320 | 161 | 367 | 217 | 419 | 115 | 36 | 48 | 27 |
| 2 | 16 | 131 | 77 | 1,910 | 204 | 408 | 198 | 348 | 92 | 36 | 49 | 1,320 |
| 3 | 12 | 86 | 66 | 861 | 256 | 372 | 175 | 302 | 426 | 31 | 49 | 1,040 |
| 4 | 10 | 67 | 60 | 617 | 734 | 309 | 158 | 228 | 1,490 | 27 | 77 | 748 |
| 5 | 9.9 | 304 | 58 | 477 | 742 | 287 | 156 | 3,380 | 677 | 25 | 231 | 355 |
| 6 | 7.2 | 2,320 | 59 | 394 | 457 | 287 | 154 | 8,670 | 395 | 23 | 177 | 196 |
| 7 | 6.5 | 751 | 56 | 329 | 363 | 294 | 621 | 2,220 | 5,230 | 23 | 97 | 121 |
| 8 | 5.3 | 417 | 50 | 301 | 273 | 280 | 1,030 | 1,390 | 1,480 | 22 | 107 | 84 |
| 9 | 6.1 | 274 | 63 | 277 | 228 | 262 | 3,230 | 718 | 1,070 | 24 | 128 | 63 |
| 10 | 7.8 | 2,060 | 82 | 233 | 236 | 222 | 1,610 | 767 | 638 | 29 | 97 | 49 |
| 11 | 621 | 3,210 | 168 | 185 | 231 | 191 | 900 | 1,160 | 420 | 43 | 141 | 41 |
| 12 | 539 | 975 | 578 | 144 | 199 | 176 | 773 | 913 | 386 | 77 | 511 | 34 |
| 13 | 186 | 505 | 691 | 123 | 156 | 176 | 541 | 533 | 332 | 55 | 194 | 31 |
| 14 | 101 | 326 | 3,450 | e96 | 171 | 256 | 402 | 358 | 283 | 38 | 104 | 27 |
| 15 | 59 | 250 | 1,180 | e86 | 3,460 | 282 | 323 | 1,020 | 392 | 31 | 68 | 25 |
| 16 | 239 | 603 | 687 | e75 | 3,100 | 264 | 273 | 1,970 | 652 | 36 | 51 | 22 |
| 17 | 328 | 666 | 462 | e67 | 2,940 | 244 | 240 | 898 | 1,440 | 40 | 42 | 20 |
| 18 | 157 | 444 | 503 | e60 | 1,200 | 221 | 446 | 2,610 | 2,500 | 38 | 39 | 18 |
| 19 | 82 | 320 | 550 | e55 | 721 | 205 | 469 | 1,760 | 854 | 42 | 37 | 17 |
| 20 | 61 | 256 | 2,140 | e52 | 652 | 1,020 | 367 | 929 | 505 | 33 | 32 | 15 |
| 21 | 86 | 211 | 1,020 | e48 | 1,220 | 2,180 | 448 | 4,060 | 326 | 30 | 29 | 14 |
| 22 | 94 | 219 | 602 | e46 | 4,080 | 965 | 519 | 1,200 | 225 | 29 | 26 | 15 |
| 23 | 62 | 211 | 423 | e45 | 3,470 | 609 | 381 | 672 | 158 | 28 | 25 | 19 |
| 24 | 45 | 181 | 326 | e44 | 1,040 | 442 | 296 | 455 | 114 | 29 | 26 | 42 |
| 25 | 34 | 157 | 332 | e42 | 696 | 342 | 253 | 319 | 85 | 29 | 35 | 34 |
| 26 | 30 | 135 | 305 | e41 | 544 | 285 | 370 | 243 | 67 | 28 | 29 | 26 |
| 27 | 27 | 122 | 252 | e42 | 441 | 239 | 534 | 184 | 56 | 26 | 26 | 23 |
| 28 | 27 | 109 | 233 | e43 | 389 | 203 | 375 | 148 | 48 | 24 | 23 | 26 |
| 29 | 169 | 97 | 217 | 43 | --- | 200 | 408 | 133 | 42 | 34 | 21 | 54 |
| 30 | 871 | 94 | 192 | 78 | --- | 246 | 567 | 134 | 38 | 69 | 20 | 39 |
| 31 | 363 | --- | 178 | 142 | --- | 238 | --- | 129 | --- | 45 | 20 | --- |
| TOTAL | 4,285.8 | 15,711 | 15,150 | 8,276 | 28,364 | 12,072 | 16,434 | 38,270 | 20,536 | 1,080 | 2,559 | 4,545 |
| MEAN | 138 | 524 | 489 | 267 | 1,013 | 389 | 548 | 1,235 | 685 | 34.8 | 82.5 | 152 |
| MAX | 871 | 3,210 | 3,450 | 1,910 | 4,080 | 2,180 | 3,230 | 8,670 | 5,230 | 77 | 511 | 1,320 |
| MIN | 5.3 | 67 | 50 | 41 | 156 | 176 | 154 | 129 | 38 | 22 | 20 | 14 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 75.8 | 274 | 377 | 293 | 551 | 673 | 428 | 784 | 355 | 171 | 87.1 | 63.9 |
| MAX | 138 | 524 | 489 | 473 | 1,013 | 1,079 | 636 | 1,235 | 685 | 454 | 175 | 152 |
| (WY) | (2003) | (2003) | (2003) | (2002) | (2003) | (2002) | (2002) | (2003) | (2003) | (2001) | (2001) | (2003) |
| MIN | 13.3 | 25.1 | 265 | 138 | 192 | 389 | 102 | 511 | 136 | 22.7 | 3.98 | 9.12 |
| (WY) | (2002) | (2002) | (2002) | (2001) | (2002) | (2003) | (2001) | (2001) | (2002) | (2002) | (2002) | (2002) |

03237255 KINNICONICK CREEK BELOW TRACE CREEK AT TANNERY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|-------|-------------------------|--------------|
| ANNUAL TOTAL | 131,711.85 | | 167,282.8 | | | |
| ANNUAL MEAN | 361 | | 458 | | 374 | |
| HIGHEST ANNUAL MEAN | | | | | 458 | |
| LOWEST ANNUAL MEAN | | | | | 290 | |
| HIGHEST DAILY MEAN | 13,600 | Mar 20 | 8,670 | May 6 | 13,600 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 0.00 | Aug 16 | 5.3 | Oct 8 | 0.00 | Aug 16, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.19 | Aug 15 | 7.5 | Oct 4 | 0.19 | Aug 15, 2002 |
| MAXIMUM PEAK FLOW | | | 14,600 | May 6 | 16,300 | Mar 20, 2002 |
| MAXIMUM PEAK STAGE | | | 19.11 | May 6 | 20.28 | Mar 20, 2002 |
| INSTANTANEOUS LOW FLOW | | | 5.3 | Oct 8 | 5.3 | Oct 8, 2002 |
| 10 PERCENT EXCEEDS | 760 | | 1,040 | | 860 | |
| 50 PERCENT EXCEEDS | 110 | | 200 | | 128 | |
| 90 PERCENT EXCEEDS | 2.5 | | 26 | | 5.4 | |

e Estimated



03238745 TWELVEMILE CREEK AT HIGHWAY 1997 NEAR ALEXANDRIA, KY

LOCATION.--Lat 38°57'05", long 84°20'18", Campbell County, Hydrologic Unit 05090201, at bridge on Highway 1997, 1.0 miles upstream from Lick Branch, 2.5 miles east of Alexandria, and 2.8 miles upstream from the mouth.

DRAINAGE AREA.--39.0 mi².

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--January 2001 to current year.

REVISIONS.--WDR KY-01-1: Latitude.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 505.854 ft above NGVD of 1929.

REMARKS.--Records fair except for those estimated which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|---------|---------|-------|-------|-------|-------|-------|---------|-------|-------|---------|
| 1 | 2.8 | 8.5 | 7.4 | 1,150 | 24 | 87 | 24 | 11 | 17 | 4.1 | 5.7 | 35 |
| 2 | 3.6 | 6.1 | 7.0 | 113 | 38 | 154 | 21 | 18 | 12 | 3.7 | 262 | 1,070 |
| 3 | 4.6 | 6.6 | 6.5 | 69 | 53 | 68 | 19 | 15 | 76 | 3.4 | 44 | 58 |
| 4 | 5.7 | 7.5 | 5.9 | 50 | 254 | 44 | 18 | 11 | 41 | 3.2 | 65 | 22 |
| 5 | 8.2 | 94 | 6.6 | 45 | 52 | 111 | 53 | 1,040 | 21 | 6.9 | 68 | 13 |
| 6 | 4.7 | 124 | 6.6 | 59 | 30 | 73 | 28 | 93 | 14 | 3.9 | 22 | 8.2 |
| 7 | 4.8 | 18 | 6.6 | 47 | 27 | 47 | 76 | 271 | 16 | 3.4 | 14 | 6.4 |
| 8 | 4.1 | 9.6 | 7.0 | 40 | 25 | 34 | 45 | 56 | 66 | 3.1 | 13 | 5.5 |
| 9 | 3.9 | 6.1 | 7.5 | 35 | 22 | 29 | 91 | 32 | 33 | 4.7 | 11 | 4.6 |
| 10 | 4.3 | 220 | 7.4 | 30 | 22 | 24 | 54 | 2,050 | 17 | 391 | 9.0 | 4.0 |
| 11 | 16 | 222 | 127 | 26 | 23 | 21 | 34 | 227 | 13 | 83 | 57 | 4.0 |
| 12 | 16 | 36 | 97 | 24 | 21 | 21 | 26 | 55 | 20 | 23 | 47 | 3.2 |
| 13 | 11 | 19 | 127 | 22 | 18 | 53 | 22 | 34 | 19 | 13 | 16 | 2.8 |
| 14 | 8.3 | 14 | 183 | 22 | 20 | 51 | 19 | 28 | 87 | 9.5 | 9.7 | 2.6 |
| 15 | e7.6 | 13 | 46 | 19 | 330 | 31 | 18 | 59 | 37 | 8.0 | 8.4 | 2.3 |
| 16 | e9.4 | 34 | 26 | 19 | 96 | 26 | 17 | 26 | 109 | 146 | 7.6 | 2.0 |
| 17 | e7.8 | 26 | 117 | 19 | 51 | 23 | 17 | 46 | 189 | 24 | 6.5 | 2.2 |
| 18 | e6.4 | 16 | 112 | 19 | 35 | 21 | 20 | 99 | 75 | 13 | 6.2 | 1.9 |
| 19 | e9.8 | 13 | 879 | 19 | 30 | 56 | 16 | 47 | 28 | 11 | 5.2 | 1.8 |
| 20 | e11 | 11 | 445 | 19 | 37 | 113 | 35 | 145 | 23 | 8.4 | 4.2 | 2.2 |
| 21 | e8.2 | 11 | 35 | 18 | 230 | 372 | 482 | 186 | 17 | 9.6 | 3.5 | 2.5 |
| 22 | e6.6 | 18 | 14 | 16 | 1,490 | 66 | 45 | 42 | 13 | 14 | 7.3 | 122 |
| 23 | e12 | 16 | 8.2 | 15 | 247 | 39 | 27 | 28 | 11 | 20 | 4.8 | 43 |
| 24 | 21 | 13 | 6.0 | 15 | 62 | 30 | 21 | 23 | 9.0 | 20 | 4.2 | 13 |
| 25 | 83 | 11 | 14 | 15 | 39 | 26 | 19 | 20 | 7.8 | 15 | 4.6 | 6.3 |
| 26 | 73 | 10 | 8.9 | 16 | 31 | 35 | 17 | 21 | 7.1 | 8.3 | 3.9 | 4.4 |
| 27 | 25 | 9.7 | 5.8 | 16 | 28 | 27 | 15 | 18 | 8.5 | 6.0 | 3.4 | 154 |
| 28 | 18 | 9.0 | 5.3 | 16 | 28 | 23 | 13 | 16 | 7.9 | 11 | 3.0 | 29 |
| 29 | 334 | 8.4 | 4.9 | 22 | --- | 99 | 12 | 23 | 6.0 | 23 | 2.6 | 14 |
| 30 | 61 | 8.2 | 27 | 29 | --- | e44 | 12 | 19 | 4.8 | 10 | 4.6 | 9.2 |
| 31 | 14 | --- | 310 | 21 | --- | e28 | --- | 19 | --- | 6.8 | 8.0 | --- |
| TOTAL | 805.8 | 1,018.7 | 2,666.6 | 2,045 | 3,363 | 1,876 | 1,316 | 4,778 | 1,005.1 | 910.0 | 731.4 | 1,649.1 |
| MEAN | 26.0 | 34.0 | 86.0 | 66.0 | 120 | 60.5 | 43.9 | 154 | 33.5 | 29.4 | 23.6 | 55.0 |
| MAX | 334 | 222 | 879 | 1,150 | 1,490 | 372 | 482 | 2,050 | 189 | 391 | 262 | 1,070 |
| MIN | 2.8 | 6.1 | 4.9 | 15 | 18 | 21 | 12 | 11 | 4.8 | 3.1 | 2.6 | 1.8 |
| CFSM | 0.67 | 0.87 | 2.21 | 1.69 | 3.08 | 1.55 | 1.12 | 3.95 | 0.86 | 0.75 | 0.60 | 1.41 |
| IN. | 0.77 | 0.97 | 2.54 | 1.95 | 3.21 | 1.79 | 1.26 | 4.56 | 0.96 | 0.87 | 0.70 | 1.57 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 36.0 | 52.2 | 92.5 | 50.1 | 61.2 | 62.6 | 53.7 | 110 | 32.8 | 29.4 | 22.5 | 33.3 |
| MAX | 46.1 | 70.4 | 99.0 | 66.0 | 120 | 93.3 | 106 | 160 | 37.5 | 55.3 | 42.4 | 55.0 |
| (WY) | (2002) | (2002) | (2002) | (2003) | (2003) | (2002) | (2002) | (2002) | (2001) | (2001) | (2001) | (2003) |
| MIN | 26.0 | 34.0 | 86.0 | 34.2 | 30.0 | 34.1 | 11.2 | 14.8 | 27.4 | 3.50 | 1.40 | 4.01 |
| (WY) | (2003) | (2003) | (2003) | (2002) | (2002) | (2001) | (2001) | (2001) | (2002) | (2002) | (2002) | (2001) |

03238745 TWELVEMILE CREEK AT HIGHWAY 1997 NEAR ALEXANDRIA, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 19,622.27 | | 22,164.7 | | 60.1 | |
| ANNUAL MEAN | 53.8 | | 60.7 | | 60.7 | |
| HIGHEST ANNUAL MEAN | | | | | 60.7 2003 | |
| LOWEST ANNUAL MEAN | | | | | 59.6 2002 | |
| HIGHEST DAILY MEAN | 1,290 | Apr 28 | 2,050 | May 10 | 2,050 | May 10, 2003 |
| LOWEST DAILY MEAN | 0.68 | Aug 24 | 1.8 | Sep 19 | 0.68 | Aug 24, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.83 | Aug 21 | 2.1 | Sep 15 | 0.83 | Aug 21, 2002 |
| MAXIMUM PEAK FLOW | | | 6,920 | May 10 | 6,920 | May 10, 2003 |
| MAXIMUM PEAK STAGE | | | 9.18 | May 10 | 9.18 | May 10, 2003 |
| ANNUAL RUNOFF (CFSM) | 1.38 | | 1.56 | | 1.54 | |
| ANNUAL RUNOFF (INCHES) | 18.72 | | 21.14 | | 20.95 | |
| 10 PERCENT EXCEEDS | 118 | | 111 | | 113 | |
| 50 PERCENT EXCEEDS | 12 | | 19 | | 16 | |
| 90 PERCENT EXCEEDS | 1.6 | | 4.7 | | 3.0 | |

e Estimated



WATER-QUALITY RECORDS

PERIOD OF RECORD.--December 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 2000 to current year.

pH: December 2000 to current year.

WATER TEMPERATURES: December 2000 to current year.

DISSOLVED OXYGEN: December 2000 to current year.

TURBIDITY: December 2000 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 2620 microsiemens, Dec. 11, 2002; minimum recorded, 91 microsiemens, Sept. 2, 2003.

pH: Maximum recorded, 9.1 units, May 13, 2001 and Jul. 18, 2002; minimum recorded, 6.6 units, Dec. 25-26, 2000.

WATER TEMPERATURES: Maximum recorded, 32.3°C, Aug. 8, 2001; minimum recorded, -0.1°C, Jan. 11-13, 2003.

DISSOLVED OXYGEN: Maximum recorded, 21.2 mg/L, Feb. 27, 28, 2002; minimum recorded, 0.3 mg/L, May 16, 2001.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2001, 2002 and 2003; minimum recorded, 1.1 NTU, Jun. 13, 2002.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 2620 microsiemens, Dec. 11, 2002; minimum recorded, 91 microsiemens, Sept. 2, 2003.

pH: Maximum recorded, 9.0 units, Apr. 3, 2003; minimum recorded, 7.1 units, Oct. 3-5, 2002.

WATER TEMPERATURES: Maximum recorded, 31.7°C, Jul. 8, 2003; minimum recorded, -0.3°C, Jan. 11-13, 2003.

DISSOLVED OXYGEN: Maximum recorded, greater than 20 mg/L, Dec. 7, 2002; minimum recorded, 3.2 mg/L, Aug. 30, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2003; minimum recorded, 3.0 NTU, Apr. 16 and May 19, 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 565 | 479 | 523 | 469 | 429 | 450 | 642 | 624 | 635 | 250 | 134 | 182 |
| 2 | 595 | 565 | 583 | 536 | 466 | 498 | 650 | 631 | 642 | 335 | 227 | 283 |
| 3 | 686 | 591 | 636 | 582 | 536 | 569 | 651 | 632 | 643 | 420 | 335 | 377 |
| 4 | 648 | 544 | 573 | 597 | 574 | 587 | 661 | 642 | 652 | 459 | 420 | 436 |
| 5 | 653 | 547 | 584 | 594 | 333 | 521 | 660 | 625 | 644 | 679 | 459 | 513 |
| 6 | 593 | 551 | 567 | 397 | 340 | 363 | 671 | 638 | 656 | 679 | 529 | 596 |
| 7 | 618 | 593 | 611 | 418 | 364 | 388 | 728 | 664 | 705 | 546 | 530 | 539 |
| 8 | 649 | 607 | 631 | 463 | 418 | 440 | 751 | 707 | 725 | 554 | 545 | 549 |
| 9 | 680 | 642 | 659 | 510 | 462 | 488 | 798 | 732 | 761 | 558 | 550 | 553 |
| 10 | 686 | 673 | 678 | 540 | 188 | 459 | 764 | 716 | 738 | 565 | 558 | 560 |
| 11 | 700 | 552 | 639 | 350 | 229 | 307 | 2,620 | 445 | 815 | 586 | 565 | 570 |
| 12 | 561 | 512 | 530 | 399 | 350 | 372 | 504 | 413 | 431 | 604 | 586 | 592 |
| 13 | 564 | 533 | 544 | 455 | 398 | 424 | 566 | 340 | 431 | 608 | 592 | 602 |
| 14 | 592 | 564 | 574 | 486 | 455 | 473 | 391 | 336 | 356 | 609 | 600 | 603 |
| 15 | 620 | 592 | 610 | 530 | 486 | 504 | 422 | 366 | 395 | 646 | 609 | 627 |
| 16 | 653 | 617 | 640 | 540 | 486 | 508 | 455 | 418 | 434 | 660 | 646 | 653 |
| 17 | 679 | 646 | 664 | 530 | 487 | 504 | 510 | 280 | 408 | 683 | 658 | 665 |
| 18 | 703 | 673 | 687 | 560 | 530 | 546 | 408 | 305 | 386 | 728 | 683 | 707 |
| 19 | 719 | 694 | 706 | 578 | 560 | 572 | 460 | 147 | 344 | 729 | 698 | 712 |
| 20 | 754 | 714 | 738 | 585 | 573 | 580 | 287 | 149 | 223 | 711 | 687 | 696 |
| 21 | 778 | 743 | 761 | 594 | 579 | 586 | 366 | 287 | 329 | 705 | 678 | 693 |
| 22 | 781 | 755 | 761 | 607 | 572 | 586 | 416 | 366 | 392 | 722 | 687 | 704 |
| 23 | 781 | 757 | 768 | 576 | 562 | 569 | 451 | 416 | 431 | 715 | 695 | 708 |
| 24 | 783 | 766 | 773 | 587 | 573 | 581 | 481 | 451 | 465 | 734 | 711 | 727 |
| 25 | 787 | 377 | 669 | 603 | 587 | 598 | 522 | 479 | 500 | 747 | 719 | 734 |
| 26 | 487 | 402 | 434 | 612 | 598 | 605 | 550 | 522 | 540 | 738 | 721 | 730 |
| 27 | 548 | 487 | 522 | 622 | 605 | 613 | 572 | 550 | 561 | 759 | 730 | 739 |
| 28 | 597 | 547 | 573 | 629 | 611 | 620 | 576 | 564 | 568 | 770 | 729 | 747 |
| 29 | 608 | 253 | 434 | 634 | 620 | 629 | 585 | 575 | 579 | 872 | 733 | 790 |
| 30 | 362 | 267 | 317 | 647 | 630 | 639 | 641 | 492 | 590 | 821 | 729 | 769 |
| 31 | 430 | 362 | 398 | --- | --- | --- | 549 | 250 | 412 | 784 | 744 | 762 |
| MONTH | 787 | 253 | 606 | 647 | 188 | 519 | 2,620 | 147 | 529 | 872 | 134 | 617 |

TWELVEMILE CREEK BASIN

03238745 TWELVEMILE CREEK AT HIGHWAY 1997 NEAR ALEXANDRIA, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 7.7 | 7.2 | 7.4 | 8.2 | 7.9 | 8.0 | 8.4 | 7.9 | 8.2 | 7.8 | 7.7 | 7.7 |
| 2 | 7.6 | 7.2 | 7.3 | 8.2 | 7.9 | 8.0 | 8.5 | 7.9 | 8.2 | 7.9 | 7.7 | 7.8 |
| 3 | 7.7 | 7.1 | 7.3 | 8.0 | 7.8 | 7.9 | 8.6 | 7.9 | 8.3 | 8.0 | 7.9 | 8.0 |
| 4 | 7.6 | 7.1 | 7.3 | 7.9 | 7.8 | 7.9 | 8.5 | 8.2 | 8.4 | 8.2 | 8.0 | 8.1 |
| 5 | 7.7 | 7.1 | 7.4 | 7.9 | 7.7 | 7.8 | 8.7 | 8.1 | 8.4 | 8.2 | 8.0 | 8.1 |
| 6 | 7.8 | 7.3 | 7.5 | 7.8 | 7.7 | 7.8 | 8.7 | 8.1 | 8.4 | 8.2 | 8.0 | 8.1 |
| 7 | 8.0 | 7.5 | 7.7 | 8.0 | 7.7 | 7.9 | 8.7 | 8.2 | 8.4 | 8.2 | 8.1 | 8.1 |
| 8 | 8.1 | 7.5 | 7.8 | 8.1 | 7.8 | 7.9 | 8.7 | 8.1 | 8.4 | 8.2 | 8.1 | 8.1 |
| 9 | 8.2 | 7.6 | 7.8 | 8.2 | 7.8 | 7.9 | 8.6 | 8.1 | 8.4 | 8.2 | 8.1 | 8.2 |
| 10 | 8.0 | 7.5 | 7.7 | 8.1 | 7.6 | 7.8 | 8.6 | 8.1 | 8.4 | 8.3 | 8.1 | 8.2 |
| 11 | 7.7 | 7.3 | 7.5 | 7.7 | 7.6 | 7.6 | 8.4 | 7.5 | 7.9 | 8.3 | 8.2 | 8.2 |
| 12 | 7.9 | 7.4 | 7.6 | 7.8 | 7.6 | 7.7 | 7.9 | 7.8 | 7.8 | 8.3 | 8.2 | 8.2 |
| 13 | 8.1 | 7.4 | 7.7 | 8.0 | 7.7 | 7.8 | 7.9 | 7.8 | 7.8 | 8.4 | 8.2 | 8.3 |
| 14 | 8.2 | 7.7 | 7.9 | 8.1 | 7.8 | 7.9 | 7.9 | 7.8 | 7.8 | 8.4 | 8.3 | 8.3 |
| 15 | 8.1 | 7.8 | 7.9 | 7.9 | 7.8 | 7.8 | 8.0 | 7.8 | 7.9 | 8.4 | 8.2 | 8.3 |
| 16 | 8.2 | 7.7 | 7.9 | 7.9 | 7.8 | 7.8 | 8.3 | 7.8 | 8.0 | 8.3 | 8.2 | 8.3 |
| 17 | 8.3 | 7.8 | 8.0 | 8.1 | 7.8 | 8.0 | 7.9 | 7.8 | 7.9 | 8.3 | 8.1 | 8.2 |
| 18 | 8.4 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 | 7.9 | 7.8 | 7.9 | 8.3 | 8.1 | 8.2 |
| 19 | 8.1 | 7.7 | 7.9 | 8.2 | 7.8 | 8.0 | 7.9 | 7.7 | 7.8 | 8.3 | 8.2 | 8.2 |
| 20 | 8.5 | 7.6 | 8.0 | 8.2 | 7.8 | 8.0 | 7.8 | 7.7 | 7.7 | 8.4 | 8.2 | 8.3 |
| 21 | 8.5 | 8.0 | 8.2 | 8.2 | 7.8 | 8.0 | 7.9 | 7.8 | 7.8 | 8.4 | 8.2 | 8.3 |
| 22 | 8.5 | 8.0 | 8.2 | 8.2 | 7.8 | 8.0 | 7.9 | 7.8 | 7.9 | 8.4 | 8.2 | 8.3 |
| 23 | 8.6 | 8.0 | 8.3 | 8.3 | 7.8 | 8.1 | 8.0 | 7.9 | 8.0 | 8.4 | 8.2 | 8.3 |
| 24 | 8.7 | 8.1 | 8.3 | 8.4 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 | 8.3 | 8.2 | 8.3 |
| 25 | 8.4 | 7.7 | 8.0 | 8.3 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 | 8.4 | 8.2 | 8.3 |
| 26 | 7.7 | 7.6 | 7.7 | 8.3 | 7.9 | 8.1 | 8.0 | 7.8 | 7.9 | 8.3 | 8.2 | 8.2 |
| 27 | 8.2 | 7.6 | 7.9 | 8.5 | 7.9 | 8.2 | 8.0 | 7.9 | 8.0 | 8.2 | 8.1 | 8.2 |
| 28 | 8.3 | 7.8 | 8.0 | 8.4 | 8.0 | 8.2 | 8.1 | 7.9 | 8.0 | 8.3 | 8.1 | 8.2 |
| 29 | 8.1 | 7.8 | 7.9 | 8.4 | 7.9 | 8.1 | 8.1 | 8.0 | 8.0 | 8.3 | 8.1 | 8.2 |
| 30 | 7.9 | 7.6 | 7.8 | 8.4 | 7.8 | 8.1 | 8.0 | 7.9 | 8.0 | 8.3 | 8.2 | 8.2 |
| 31 | 8.0 | 7.8 | 7.9 | --- | --- | --- | 7.9 | 7.8 | 7.9 | 8.4 | 8.2 | 8.3 |
| MONTH | 8.7 | 7.1 | 7.8 | 8.5 | 7.6 | 8.0 | 8.7 | 7.5 | 8.0 | 8.4 | 7.7 | 8.2 |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.4 | 8.2 | 8.3 | 8.1 | 8.0 | 8.0 | 8.8 | 8.0 | 8.3 | 8.8 | 8.0 | 8.4 |
| 2 | 8.4 | 8.2 | 8.3 | 8.0 | 7.9 | 7.9 | 8.9 | 8.0 | 8.4 | 8.5 | 8.0 | 8.2 |
| 3 | 8.3 | 8.1 | 8.2 | 8.1 | 7.9 | 8.0 | 9.0 | 7.9 | 8.4 | 8.5 | 8.0 | 8.2 |
| 4 | 8.1 | 8.0 | 8.0 | 8.1 | 8.0 | 8.0 | 8.8 | 7.9 | 8.3 | 8.7 | 8.0 | 8.3 |
| 5 | 8.1 | 8.0 | 8.0 | 8.1 | 8.0 | 8.0 | 8.1 | 7.9 | 8.0 | 8.2 | 7.7 | 7.8 |
| 6 | 8.1 | 7.9 | 8.0 | 8.0 | 7.9 | 8.0 | 8.5 | 7.9 | 8.1 | 7.9 | 7.7 | 7.8 |
| 7 | 8.2 | 8.0 | 8.1 | 8.1 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 | 7.8 | 7.7 | 7.7 |
| 8 | 8.3 | 8.0 | 8.1 | 8.2 | 7.9 | 8.0 | 8.2 | 7.8 | 8.0 | 8.0 | 7.7 | 7.8 |
| 9 | 8.4 | 8.1 | 8.2 | 8.3 | 7.9 | 8.1 | 8.0 | 7.8 | 7.9 | 8.1 | 7.8 | 7.9 |
| 10 | 8.3 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 8.3 | 7.9 | 8.0 | 7.9 | 7.6 | 7.7 |
| 11 | 8.4 | 8.1 | 8.2 | 8.4 | 8.0 | 8.1 | 8.4 | 7.9 | 8.1 | 7.8 | 7.6 | 7.7 |
| 12 | 8.4 | 8.1 | 8.3 | 8.4 | 8.1 | 8.2 | 8.6 | 7.8 | 8.1 | 8.0 | 7.8 | 7.9 |
| 13 | 8.4 | 8.2 | 8.3 | 8.2 | 8.1 | 8.1 | 8.6 | 7.9 | 8.2 | 8.1 | 7.9 | 8.0 |
| 14 | 8.3 | 8.1 | 8.2 | 8.4 | 8.1 | 8.2 | 8.6 | 7.8 | 8.2 | 8.2 | 7.9 | 8.0 |
| 15 | 8.1 | 7.8 | 7.9 | 8.5 | 8.0 | 8.2 | 8.6 | 7.8 | 8.1 | 7.9 | 7.7 | 7.8 |
| 16 | 7.9 | 7.8 | 7.8 | 8.6 | 8.0 | 8.2 | 8.5 | 7.8 | 8.1 | 8.1 | 7.8 | 7.9 |
| 17 | 8.0 | 7.8 | 7.9 | 8.7 | 8.0 | 8.3 | 8.2 | 7.8 | 7.9 | 8.0 | 7.8 | 7.8 |
| 18 | 8.1 | 7.9 | 8.0 | 8.8 | 8.0 | 8.3 | 8.2 | 7.8 | 8.0 | 7.9 | 7.8 | 7.8 |
| 19 | 8.2 | 8.0 | 8.1 | 8.7 | 8.0 | 8.2 | 8.5 | 7.8 | 8.1 | 8.0 | 7.8 | 7.9 |
| 20 | 8.2 | 8.0 | 8.1 | 8.1 | 7.9 | 8.0 | 8.4 | 7.7 | 8.0 | 8.0 | 7.7 | 7.9 |
| 21 | 8.1 | 7.9 | 8.0 | 7.9 | 7.8 | 7.8 | 7.7 | 7.6 | 7.7 | 7.8 | 7.7 | 7.7 |
| 22 | 7.9 | 7.8 | 7.8 | 8.1 | 7.8 | 7.9 | 8.0 | 7.7 | 7.8 | 8.1 | 7.8 | 7.9 |
| 23 | 7.9 | 7.8 | 7.8 | 8.4 | 7.9 | 8.1 | 8.3 | 7.8 | 8.0 | 8.2 | 7.8 | 8.0 |
| 24 | 8.0 | 7.8 | 7.9 | 8.5 | 7.9 | 8.2 | 8.4 | 7.8 | 8.1 | 8.4 | 7.9 | 8.1 |
| 25 | 8.0 | 7.8 | 7.9 | 8.6 | 7.9 | 8.2 | 8.3 | 7.8 | 8.0 | 8.3 | 7.9 | 8.1 |
| 26 | 8.1 | 7.9 | 8.0 | 8.6 | 7.9 | 8.2 | 8.6 | 7.9 | 8.2 | 8.5 | 7.9 | 8.1 |
| 27 | 8.1 | 8.0 | 8.0 | 8.7 | 7.9 | 8.3 | 8.7 | 7.9 | 8.3 | 8.5 | 7.9 | 8.1 |
| 28 | 8.1 | 8.0 | 8.0 | 8.8 | 7.9 | 8.3 | 8.8 | 7.8 | 8.3 | 8.5 | 7.9 | 8.2 |
| 29 | --- | --- | --- | 8.0 | 7.9 | 8.0 | 8.9 | 7.8 | 8.3 | 8.4 | 7.9 | 8.1 |
| 30 | --- | --- | --- | --- | --- | --- | 8.9 | 8.0 | 8.4 | 8.5 | 7.9 | 8.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.3 | 7.9 | 8.1 |
| MONTH | 8.4 | 7.8 | 8.1 | 8.8 | 7.8 | 8.1 | 9.0 | 7.6 | 8.1 | 8.8 | 7.6 | 8.0 |

TWELVEMILE CREEK BASIN

03238745 TWELVEMILE CREEK AT HIGHWAY 1997 NEAR ALEXANDRIA, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 22.5 | 19.9 | 21.0 | 10.6 | 8.0 | 9.4 | 2.7 | 0.7 | 1.6 | 6.7 | 5.2 | 5.9 |
| 2 | 22.8 | 20.7 | 21.6 | 8.3 | 5.1 | 6.8 | 3.2 | 0.5 | 1.8 | 5.2 | 4.4 | 4.9 |
| 3 | 23.3 | 20.5 | 21.9 | 7.1 | 5.6 | 6.7 | 2.9 | 1.0 | 1.7 | 4.4 | 3.2 | 3.7 |
| 4 | 22.9 | 21.4 | 22.1 | 8.2 | 7.1 | 7.7 | 1.0 | 0.2 | 0.4 | 3.8 | 2.5 | 3.1 |
| 5 | 21.4 | 18.1 | 19.6 | 9.8 | 8.0 | 8.5 | 0.7 | 0.0 | 0.2 | 3.2 | 2.0 | 2.8 |
| 6 | 18.1 | 15.2 | 16.8 | 9.2 | 8.6 | 9.0 | 1.1 | 0.1 | 0.4 | 3.3 | 2.3 | 3.0 |
| 7 | 18.3 | 15.3 | 16.9 | 10.8 | 8.0 | 9.1 | 0.8 | 0.0 | 0.3 | 3.3 | 1.4 | 2.2 |
| 8 | 16.0 | 13.0 | 14.6 | 10.9 | 6.8 | 8.8 | 1.6 | 0.2 | 0.8 | 4.8 | 2.0 | 3.1 |
| 9 | 15.8 | 13.4 | 14.5 | 12.4 | 9.0 | 10.6 | 1.3 | 0.1 | 0.6 | 5.5 | 2.7 | 3.8 |
| 10 | 15.8 | 14.7 | 15.3 | 15.5 | 12.3 | 13.4 | 1.7 | 0.3 | 0.9 | 3.5 | 1.4 | 2.9 |
| 11 | 17.6 | 15.6 | 16.6 | 13.9 | 11.8 | 13.1 | 1.8 | 1.0 | 1.6 | 1.5 | -0.3 | 0.6 |
| 12 | 18.8 | 16.9 | 17.7 | 11.8 | 10.1 | 10.8 | 3.0 | 1.8 | 2.3 | 0.2 | -0.3 | -0.1 |
| 13 | 18.4 | 15.4 | 17.1 | 11.2 | 8.7 | 9.9 | 4.1 | 3.0 | 3.5 | 0.4 | -0.3 | 0.0 |
| 14 | 15.4 | 11.7 | 13.2 | 10.3 | 7.9 | 9.1 | 4.4 | 3.9 | 4.2 | 0.4 | -0.2 | 0.1 |
| 15 | 12.2 | 10.9 | 11.7 | 9.3 | 8.4 | 8.8 | 4.8 | 2.9 | 4.0 | 0.2 | -0.2 | -0.1 |
| 16 | 12.3 | 11.2 | 11.7 | 9.0 | 7.2 | 8.0 | 5.4 | 3.7 | 4.4 | -0.1 | -0.2 | -0.2 |
| 17 | 12.0 | 10.1 | 10.9 | 7.4 | 5.9 | 6.9 | 4.3 | 3.5 | 3.8 | 0.0 | -0.2 | -0.2 |
| 18 | 12.1 | 9.5 | 10.7 | 6.5 | 4.1 | 5.5 | 6.1 | 4.3 | 5.1 | 0.0 | -0.2 | -0.1 |
| 19 | 12.9 | 11.7 | 12.4 | 9.0 | 5.8 | 7.3 | 7.7 | 5.8 | 6.8 | 0.0 | -0.2 | -0.1 |
| 20 | 13.5 | 11.2 | 12.3 | 7.9 | 4.4 | 6.4 | 7.6 | 5.7 | 6.7 | 0.0 | -0.2 | -0.1 |
| 21 | 12.6 | 10.3 | 11.4 | 8.4 | 6.2 | 7.4 | 6.2 | 4.7 | 5.3 | 0.2 | -0.2 | -0.1 |
| 22 | 11.3 | 9.0 | 10.2 | 7.9 | 5.6 | 6.4 | 6.2 | 4.2 | 5.2 | 0.0 | -0.2 | -0.1 |
| 23 | 11.9 | 8.9 | 10.3 | 6.6 | 4.4 | 5.5 | 4.3 | 2.6 | 3.6 | -0.1 | -0.2 | -0.2 |
| 24 | 12.2 | 9.7 | 10.7 | 6.7 | 3.3 | 5.0 | 3.8 | 3.3 | 3.5 | 0.0 | -0.2 | -0.1 |
| 25 | 11.9 | 10.1 | 10.7 | 5.8 | 4.3 | 4.8 | 3.5 | 2.5 | 3.0 | 0.0 | -0.2 | -0.1 |
| 26 | 12.1 | 11.6 | 11.9 | 4.7 | 3.2 | 3.6 | 2.5 | 1.6 | 2.0 | -0.1 | -0.2 | -0.2 |
| 27 | 13.1 | 11.5 | 12.2 | 4.0 | 2.6 | 3.2 | 2.8 | 1.3 | 1.8 | -0.1 | -0.2 | -0.2 |
| 28 | 12.7 | 11.2 | 11.9 | 2.6 | 1.0 | 1.9 | 3.1 | 0.7 | 1.8 | -0.1 | -0.2 | -0.1 |
| 29 | 12.2 | 9.9 | 10.8 | 4.9 | 1.0 | 2.6 | 4.0 | 1.1 | 2.3 | -0.1 | -0.2 | -0.1 |
| 30 | 10.2 | 9.5 | 9.8 | 4.9 | 2.3 | 3.9 | 5.0 | 1.6 | 3.2 | -0.1 | -0.2 | -0.2 |
| 31 | 10.7 | 9.2 | 9.8 | --- | --- | --- | 6.7 | 4.6 | 5.5 | 0.1 | -0.2 | -0.1 |
| MONTH | 23.3 | 8.9 | 14.1 | 15.5 | 1.0 | 7.3 | 7.7 | 0.0 | 2.8 | 6.7 | -0.3 | 1.1 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 0.1 | -0.1 | 0.0 | 4.1 | 2.5 | 3.2 | 15.5 | 7.8 | 10.8 | 24.1 | 17.1 | 20.3 |
| 2 | 1.6 | -0.1 | 0.6 | 3.8 | 2.8 | 3.6 | 18.7 | 10.6 | 14.0 | 21.4 | 17.9 | 19.5 |
| 3 | 3.5 | 0.3 | 1.5 | 4.4 | 1.2 | 2.6 | 20.6 | 12.4 | 15.9 | 18.8 | 16.1 | 17.3 |
| 4 | 3.7 | 1.6 | 2.7 | 4.7 | 0.9 | 2.8 | 18.8 | 14.9 | 16.6 | 17.3 | 13.2 | 15.5 |
| 5 | 2.8 | 0.2 | 1.2 | 5.4 | 4.1 | 4.6 | 16.7 | 12.3 | 14.5 | 16.2 | 13.4 | 14.8 |
| 6 | 1.7 | 0.2 | 0.9 | 4.6 | 2.9 | 4.1 | 12.3 | 9.7 | 10.8 | 18.9 | 16.2 | 17.2 |
| 7 | 2.2 | 0.0 | 1.0 | 5.1 | 2.2 | 3.2 | 10.5 | 9.0 | 9.7 | 17.6 | 16.2 | 16.8 |
| 8 | 0.7 | -0.1 | 0.2 | 7.8 | 2.0 | 4.6 | 10.3 | 8.9 | 9.6 | 20.1 | 16.0 | 17.8 |
| 9 | 2.2 | 0.0 | 0.9 | 8.2 | 4.3 | 5.9 | 9.3 | 7.4 | 8.2 | 20.5 | 17.7 | 19.0 |
| 10 | 2.0 | 0.5 | 1.2 | 7.0 | 2.0 | 4.1 | 10.1 | 6.8 | 8.2 | 19.1 | 17.5 | 18.1 |
| 11 | 0.8 | -0.1 | 0.2 | 8.4 | 2.6 | 5.0 | 14.3 | 7.2 | 10.1 | 18.9 | 17.0 | 17.9 |
| 12 | 1.1 | -0.1 | 0.3 | 6.6 | 4.5 | 5.3 | 16.5 | 8.7 | 11.9 | 17.9 | 15.8 | 16.7 |
| 13 | 0.9 | -0.1 | 0.2 | 6.3 | 4.7 | 5.3 | 17.7 | 9.7 | 13.0 | 19.7 | 14.3 | 16.6 |
| 14 | 0.3 | -0.1 | 0.1 | 8.4 | 3.7 | 5.7 | 19.7 | 10.1 | 14.2 | 18.7 | 14.5 | 16.3 |
| 15 | 0.4 | 0.0 | 0.2 | 9.9 | 5.2 | 7.2 | 21.5 | 12.4 | 16.3 | 18.2 | 15.0 | 16.6 |
| 16 | 0.0 | -0.1 | -0.1 | 12.6 | 6.4 | 9.1 | 21.4 | 14.0 | 17.4 | 20.7 | 15.8 | 17.7 |
| 17 | 0.3 | -0.1 | 0.0 | 12.9 | 8.4 | 10.5 | 18.3 | 15.5 | 16.5 | 18.1 | 17.0 | 17.4 |
| 18 | 0.8 | 0.0 | 0.3 | 14.5 | 10.6 | 12.2 | 17.0 | 14.8 | 15.7 | 17.8 | 16.7 | 17.2 |
| 19 | 0.8 | 0.3 | 0.5 | 14.6 | 11.5 | 13.0 | 21.9 | 13.3 | 17.1 | 20.4 | 16.9 | 18.3 |
| 20 | 3.6 | 0.3 | 1.3 | 13.3 | 10.6 | 11.9 | 19.8 | 16.0 | 17.9 | 19.5 | 18.2 | 18.8 |
| 21 | 1.4 | 0.7 | 1.0 | 11.8 | 9.3 | 10.4 | 16.0 | 14.2 | 14.8 | 18.6 | 16.2 | 17.3 |
| 22 | 1.8 | 1.0 | 1.5 | 11.6 | 8.0 | 9.8 | 14.2 | 12.4 | 13.5 | 19.6 | 15.3 | 17.1 |
| 23 | 2.1 | 1.1 | 1.6 | 13.2 | 9.1 | 10.9 | 17.4 | 10.2 | 13.2 | 19.4 | 15.4 | 17.2 |
| 24 | 2.5 | 0.8 | 1.6 | 15.6 | 9.0 | 11.9 | 14.7 | 10.5 | 12.5 | 19.6 | 14.6 | 16.9 |
| 25 | 2.6 | 0.0 | 1.0 | 16.2 | 10.4 | 13.2 | 13.7 | 12.2 | 12.9 | 17.1 | 15.4 | 16.3 |
| 26 | 2.0 | -0.1 | 0.8 | 16.5 | 11.8 | 13.6 | 19.4 | 11.9 | 14.8 | 19.2 | 14.9 | 16.5 |
| 27 | 2.8 | 0.5 | 1.5 | 16.1 | 10.0 | 12.9 | 20.5 | 11.2 | 15.3 | 20.3 | 15.4 | 17.4 |
| 28 | 3.7 | 1.6 | 2.4 | 18.1 | 12.4 | 14.8 | 20.9 | 11.7 | 16.2 | 19.6 | 15.3 | 17.4 |
| 29 | --- | --- | --- | 15.0 | 9.9 | 11.8 | 21.5 | 16.4 | 18.6 | 19.8 | 16.1 | 17.5 |
| 30 | --- | --- | --- | --- | --- | --- | 21.7 | 16.3 | 18.9 | 18.8 | 15.5 | 17.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.6 | 16.3 | 17.0 |
| MONTH | 3.7 | -0.1 | 0.9 | 18.1 | 0.9 | 8.0 | 21.9 | 6.8 | 14.0 | 24.1 | 13.2 | 17.3 |

TWELVEMILE CREEK BASIN

03238745 TWELVEMILE CREEK AT HIGHWAY 1997 NEAR ALEXANDRIA, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 8.6 | 5.0 | 6.6 | 11.1 | 9.0 | 9.8 | 18.6 | 12.5 | 15.0 | 11.6 | 10.6 | 11.2 |
| 2 | 8.6 | 5.1 | 6.3 | 12.0 | 9.3 | 10.5 | 19.7 | 12.9 | 15.4 | 11.4 | 10.4 | 11.1 |
| 3 | 10.6 | 5.4 | 7.0 | 11.5 | 9.4 | 10.3 | 18.5 | 12.2 | 15.0 | 11.9 | 10.5 | 11.0 |
| 4 | 9.2 | 4.8 | 6.2 | 10.4 | 9.1 | 9.7 | 18.1 | 13.1 | 15.3 | 11.4 | 10.4 | 10.9 |
| 5 | 9.3 | 5.6 | 7.1 | 10.1 | 8.8 | 9.3 | 19.6 | 13.1 | 15.8 | 11.6 | 10.4 | 10.9 |
| 6 | 9.3 | 6.2 | 7.5 | 9.2 | 8.6 | 8.9 | 19.9 | 13.2 | 16.0 | 12.1 | 10.3 | 11.1 |
| 7 | 10.5 | 6.1 | 7.9 | 9.9 | 8.5 | 9.0 | 20.5 | 13.4 | 16.3 | 13.0 | 10.6 | 11.4 |
| 8 | 11.8 | 6.9 | 8.9 | 11.3 | 8.5 | 9.6 | 19.9 | 12.8 | 15.8 | 11.7 | 10.3 | 10.9 |
| 9 | 12.2 | 7.3 | 9.1 | 10.7 | 8.2 | 9.2 | 20.1 | 12.8 | 15.8 | 11.7 | 10.0 | 10.7 |
| 10 | 10.2 | 6.7 | 8.2 | 10.3 | 7.4 | 8.6 | 19.2 | 12.6 | 15.4 | 12.1 | 10.2 | 11.0 |
| 11 | 8.7 | 6.1 | 7.4 | 8.9 | 7.9 | 8.2 | 13.8 | 12.0 | 12.8 | 13.5 | 11.2 | 12.0 |
| 12 | 9.9 | 5.9 | 7.5 | 9.4 | 8.2 | 8.9 | 12.8 | 12.1 | 12.5 | 14.6 | 12.6 | 13.6 |
| 13 | 10.6 | 5.8 | 7.7 | 10.8 | 8.8 | 9.5 | 12.4 | 11.8 | 12.0 | 13.8 | 12.6 | 13.0 |
| 14 | 11.5 | 6.9 | 8.8 | 11.4 | 9.2 | 10.0 | 11.9 | 11.5 | 11.7 | 13.2 | 12.4 | 12.7 |
| 15 | 10.8 | 7.6 | 9.0 | 10.2 | 9.2 | 9.6 | 12.9 | 11.3 | 11.9 | 13.9 | 12.9 | 13.4 |
| 16 | 11.3 | 7.5 | 9.0 | 10.3 | 9.5 | 9.9 | 13.8 | 11.3 | 12.1 | 13.8 | 13.0 | 13.3 |
| 17 | 12.6 | 8.0 | 9.9 | 11.8 | 10.0 | 10.7 | 12.3 | 11.5 | 11.8 | 14.0 | 12.9 | 13.3 |
| 18 | 12.4 | 8.3 | 10 | 12.9 | 10.6 | 11.6 | 11.8 | 10.4 | 11.2 | 14.2 | 12.8 | 13.4 |
| 19 | 9.4 | 7.3 | 8.3 | 12.8 | 10.3 | 11.3 | 11.3 | 10.3 | 10.6 | 14.0 | 11.8 | 13.1 |
| 20 | 12.9 | 6.7 | 9.1 | 13.6 | 10.3 | 11.5 | 11.3 | 10.6 | 11.0 | 13.9 | 12.6 | 13.1 |
| 21 | 12.5 | 8.1 | 9.9 | 13.7 | 10.0 | 11.2 | 12.0 | 11.3 | 11.7 | 14.4 | 12.7 | 13.3 |
| 22 | 12.1 | 8.3 | 9.9 | 12.9 | 9.9 | 11.2 | 11.9 | 11.4 | 11.6 | 14.2 | 12.7 | 13.4 |
| 23 | 13.7 | 8.4 | 10.4 | 14.7 | 10.9 | 12.2 | 12.8 | 11.7 | 12.2 | 14.1 | 12.7 | 13.4 |
| 24 | 13.0 | 8.5 | 10.4 | 15.4 | 11.1 | 12.6 | 12.6 | 11.9 | 12.2 | 14.2 | 12.9 | 13.5 |
| 25 | 10.2 | 7.9 | 8.7 | 14.4 | 10.9 | 12.3 | 12.7 | 11.8 | 12.2 | 14.2 | 12.9 | 13.5 |
| 26 | 8.0 | 7.3 | 7.5 | 15.0 | 11.5 | 13.0 | 13.3 | 12.4 | 12.8 | 13.5 | 12.8 | 13.2 |
| 27 | 10.0 | 6.9 | 8.1 | 17.1 | 11.9 | 14.0 | 13.5 | 12.8 | 13.0 | 14.2 | 12.9 | 13.4 |
| 28 | 10.7 | 7.2 | 8.5 | 17.4 | 12.6 | 14.4 | 13.5 | 12.4 | 13.0 | 13.8 | 12.8 | 13.2 |
| 29 | 9.7 | 7.1 | 8.5 | 17.3 | 12.3 | 14.2 | 13.2 | 12.2 | 12.7 | 14.4 | 12.8 | 13.4 |
| 30 | 9.3 | 8.8 | 9.1 | 16.3 | 10.9 | 13.3 | 12.5 | 11.4 | 12.1 | 14.6 | 13.4 | 13.8 |
| 31 | 10.3 | 9.0 | 9.5 | --- | --- | --- | 11.6 | 10.8 | 11.3 | 14.0 | 13.0 | 13.5 |
| MONTH | 13.7 | 4.8 | 8.5 | 17.4 | 7.4 | 10.8 | 20.5 | 10.3 | 13.2 | 14.6 | 10.0 | 12.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 13.9 | 12.8 | 13.3 | 13.4 | 12.2 | 12.9 | 15.1 | 8.5 | 11.4 | 14.6 | 5.6 | 9.2 |
| 2 | 13.9 | 12.6 | 13.3 | 12.9 | 11.9 | 12.4 | 15.8 | 7.6 | 11.0 | 10.7 | 5.4 | 7.5 |
| 3 | 12.7 | 11.1 | 11.9 | 13.5 | 12.2 | 12.8 | 15.8 | 6.9 | 10.6 | 10.1 | 6.1 | 7.7 |
| 4 | 12.9 | 11.3 | 12.1 | 13.6 | 11.9 | 12.8 | 14.5 | 6.7 | 9.5 | 11.9 | 6.7 | 8.7 |
| 5 | 12.4 | 11.5 | 11.9 | 12.1 | 11.2 | 11.6 | 8.6 | 6.6 | 7.8 | 9.2 | 6.9 | 8.4 |
| 6 | 13.1 | 11.7 | 12.2 | 12.0 | 11.0 | 11.6 | 11.9 | 8.1 | 9.5 | 7.6 | 6.7 | 7.3 |
| 7 | 13.0 | 11.9 | 12.2 | 13.0 | 11.7 | 12.3 | 9.4 | 8.6 | 9.0 | 7.7 | 6.7 | 7.0 |
| 8 | 13.6 | 12.1 | 12.8 | 14.0 | 10.5 | 11.9 | 11.2 | 9.0 | 9.8 | 7.3 | 6.2 | 6.8 |
| 9 | 13.3 | 12.0 | 12.7 | 12.5 | 10.5 | 11.6 | 10.0 | 9.2 | 9.6 | 7.1 | 6.0 | 6.4 |
| 10 | 13.1 | 11.9 | 12.3 | 13.6 | 11.5 | 12.5 | 11.4 | 9.4 | 10.3 | 8.5 | 5.9 | 7.2 |
| 11 | 14.8 | 12.2 | 13.2 | 14.0 | 11.8 | 12.6 | 12.3 | 8.7 | 10.3 | 6.9 | 6.6 | 6.8 |
| 12 | 14.8 | 12.2 | 13.6 | 14.0 | 11.7 | 12.5 | 13.0 | 8.1 | 10.2 | 7.6 | 6.9 | 7.2 |
| 13 | 14.2 | 13.1 | 13.7 | 12.8 | 11.7 | 12.1 | 13.7 | 8.0 | 10.2 | 8.3 | 7.0 | 7.6 |
| 14 | 14.2 | 12.4 | 13.3 | 13.8 | 11.6 | 12.6 | 13.6 | 7.3 | 10.0 | 8.8 | 7.1 | 7.9 |
| 15 | 14.4 | 12.3 | 13.7 | 13.9 | 10.9 | 12.2 | 13.1 | 6.8 | 9.4 | 7.8 | 7.1 | 7.4 |
| 16 | 13.4 | 12.2 | 12.6 | 14.6 | 10.1 | 12.1 | 12.2 | 6.2 | 8.8 | 8.9 | 7.0 | 7.7 |
| 17 | 13.0 | 12.1 | 12.5 | 15.2 | 9.5 | 11.9 | 9.3 | 6.0 | 7.5 | 8.2 | 6.9 | 7.4 |
| 18 | 13.0 | 12.0 | 12.4 | 15.8 | 9.1 | 11.6 | 10.3 | 6.8 | 8.2 | 7.9 | 7.3 | 7.6 |
| 19 | 13.2 | 11.9 | 12.4 | 15.0 | 8.8 | 10.7 | 12.3 | 6.5 | 9.0 | 9.0 | 7.4 | 8.0 |
| 20 | 13.2 | 12.0 | 12.4 | 10.2 | 9.2 | 9.7 | 10.6 | 6.3 | 8.2 | 8.6 | 7.4 | 7.9 |
| 21 | 14.1 | 12.4 | 13.1 | 10.6 | 9.3 | 10.3 | 9.2 | 8.2 | 8.6 | 8.6 | 7.7 | 8.1 |
| 22 | 14.2 | 13.4 | 13.8 | 11.4 | 9.8 | 10.5 | 9.7 | 8.5 | 9.0 | 9.6 | 7.7 | 8.5 |
| 23 | 13.7 | 12.5 | 13.2 | 12.6 | 9.6 | 10.8 | 11.5 | 8.7 | 9.9 | 10.2 | 7.7 | 8.7 |
| 24 | 13.9 | 12.7 | 13.2 | 13.6 | 9.0 | 10.9 | 12.4 | 8.7 | 10.2 | 11.1 | 7.6 | 9.0 |
| 25 | 14.4 | 13.0 | 13.8 | 14.5 | 8.5 | 10.7 | 11.9 | 8.6 | 9.7 | 10.5 | 7.4 | 8.7 |
| 26 | 14.4 | 13.5 | 13.9 | 13.9 | 8.6 | 10.5 | 13.9 | 8.3 | 10.6 | 11.8 | 7.2 | 9.0 |
| 27 | 14.2 | 12.9 | 13.7 | 15.3 | 8.4 | 11.2 | 15.1 | 8.1 | 10.9 | 11.9 | 7.0 | 8.8 |
| 28 | 13.9 | 12.7 | 13.3 | 15.5 | 7.8 | 10.8 | 16.3 | 7.6 | 11.1 | 12.1 | 6.8 | 8.8 |
| 29 | --- | --- | --- | 9.8 | 7.7 | 9.0 | 15.6 | 7.2 | 10.5 | 11.3 | 6.5 | 8.2 |
| 30 | --- | --- | --- | --- | --- | --- | 14.8 | 6.3 | 9.7 | 12.2 | 6.9 | 9.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | 6.6 | 8.0 |
| MONTH | 14.8 | 11.1 | 12.9 | 15.8 | 7.7 | 11.6 | 16.3 | 6.0 | 9.7 | 14.6 | 5.4 | 8.0 |

TWELVEMILE CREEK BASIN

03238745 TWELVEMILE CREEK AT HIGHWAY 1997 NEAR ALEXANDRIA, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-------|-----|------|-----|-----|------|-------|-----|------|-------|-----|------|
| | | | | | | | | | | | | |
| 1 | 53 | 25 | 36 | 57 | 37 | 46 | 10 | 7.1 | 9.0 | 710 | 94 | 200 |
| 2 | 96 | 29 | 39 | 130 | 18 | 33 | 15 | 8.5 | 9.6 | 95 | 68 | 85 |
| 3 | 70 | 20 | 38 | 18 | 11 | 14 | 12 | 4.1 | 8.2 | 70 | 42 | 56 |
| 4 | 190 | 21 | 44 | 15 | 8.0 | 9.6 | 7.3 | 4.5 | 5.4 | 42 | 29 | 35 |
| 5 | 66 | 38 | 52 | 210 | 7.0 | 61 | 24 | 5.6 | 7.2 | 61 | 25 | 30 |
| 6 | 51 | 20 | 32 | 160 | 75 | 100 | 19 | 6.7 | 8.2 | 58 | 25 | 32 |
| 7 | 35 | 20 | 22 | 75 | 51 | 62 | 56 | 8.1 | 22 | 35 | 18 | 23 |
| 8 | 34 | 18 | 23 | 53 | 31 | 40 | 120 | 6.5 | 36 | 32 | 16 | 18 |
| 9 | 32 | 20 | 22 | 38 | 18 | 26 | 120 | 9.1 | 21 | 85 | 15 | 18 |
| 10 | 26 | 21 | 23 | 990 | 15 | 150 | 120 | 10 | 38 | 19 | 13 | 15 |
| 11 | 83 | 23 | 52 | 630 | 140 | 340 | 650 | 12 | 180 | 17 | 12 | 14 |
| 12 | 69 | 39 | 47 | 150 | 92 | 120 | 140 | 78 | 110 | 18 | 11 | 13 |
| 13 | 59 | 41 | 44 | 95 | 45 | 66 | 270 | 66 | 130 | 12 | 10 | 11 |
| 14 | 57 | 42 | 44 | 66 | 28 | 38 | 220 | 96 | 140 | 12 | 10 | 11 |
| 15 | 60 | 29 | 38 | 49 | 25 | 29 | 110 | 68 | 80 | 16 | 10 | 11 |
| 16 | 37 | 31 | 33 | 38 | 26 | 33 | 71 | 54 | 61 | 11 | 10 | 11 |
| 17 | 44 | 33 | 36 | 43 | 19 | 26 | 810 | 50 | 210 | 11 | 10 | 11 |
| 18 | 40 | 35 | 36 | 58 | 13 | 18 | 210 | 100 | 140 | 14 | 10 | 11 |
| 19 | 46 | 20 | 34 | 14 | 10 | 12 | 1,000 | 87 | 430 | 16 | 7.0 | 8.8 |
| 20 | 33 | 20 | 25 | 14 | 10 | 12 | 1,000 | 140 | 320 | 8.0 | 7.0 | 7.4 |
| 21 | 31 | 24 | 26 | 18 | 9.9 | 13 | 140 | 81 | 110 | 10 | 7.0 | 8.1 |
| 22 | 36 | 26 | 28 | 19 | 14 | 16 | 83 | 67 | 74 | 11 | 8.0 | 9.0 |
| 23 | 52 | 28 | 30 | 46 | 13 | 18 | 74 | 57 | 62 | 12 | 8.0 | 9.2 |
| 24 | 57 | 31 | 35 | 17 | 12 | 14 | 61 | 47 | 52 | 35 | 8.0 | 9.6 |
| 25 | 600 | 34 | 130 | 15 | 8.4 | 11 | 69 | 55 | 62 | 12 | 9.0 | 10 |
| 26 | 200 | 98 | 140 | 10 | 7.7 | 9.2 | 91 | 46 | 54 | 11 | 8.0 | 9.2 |
| 27 | 99 | 68 | 85 | 9.8 | 5.9 | 7.9 | 150 | 41 | 56 | 11 | 9.0 | 9.6 |
| 28 | 120 | 57 | 65 | 9.4 | 7.1 | 8.0 | 140 | 40 | 45 | 10 | 9.0 | 9.3 |
| 29 | 560 | 31 | 240 | 9.7 | 7.4 | 8.2 | 58 | 40 | 43 | 17 | 9.0 | 12 |
| 30 | 210 | 84 | 120 | 12 | 7.8 | 9.1 | 170 | 42 | 84 | 17 | 13 | 15 |
| 31 | 84 | 53 | 68 | --- | --- | --- | 480 | 98 | 240 | 14 | 10 | 11 |
| MONTH | 600 | 18 | 54 | 990 | 5.9 | 45 | 1,000 | 4.1 | 92 | 710 | 7.0 | 24 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 16 | 11 | 12 | 140 | 27 | 54 | 64 | 48 | 54 | 42 | 5.5 | 16 |
| 2 | 38 | 15 | 22 | 140 | 79 | 110 | 51 | 40 | 46 | 47 | 12 | 21 |
| 3 | 240 | 26 | 37 | 80 | 50 | 61 | 47 | 39 | 42 | 29 | 22 | 25 |
| 4 | 780 | 170 | 390 | 51 | 35 | 43 | 50 | 37 | 42 | 30 | 22 | 24 |
| 5 | 170 | 74 | 110 | 160 | 45 | 91 | 230 | 43 | 130 | 1,000 | 23 | 680 |
| 6 | 82 | 51 | 64 | 100 | 62 | 85 | 160 | 89 | 120 | 490 | 130 | 240 |
| 7 | 53 | 40 | 47 | 74 | 38 | 50 | 350 | 86 | 180 | 1,000 | 56 | 420 |
| 8 | 44 | 30 | 37 | 52 | 26 | 32 | 140 | 90 | 100 | 320 | 120 | 180 |
| 9 | 53 | 29 | 36 | 31 | 18 | 23 | 160 | 87 | 110 | 120 | 82 | 93 |
| 10 | 41 | 22 | 26 | 47 | 10 | 15 | 120 | 73 | 100 | 1,000 | 57 | 530 |
| 11 | 24 | 16 | 20 | 13 | 4.0 | 7.8 | 73 | 46 | 58 | 770 | 150 | 310 |
| 12 | 18 | 13 | 15 | 23 | 4.0 | 5.4 | 47 | 30 | 38 | 150 | 99 | 120 |
| 13 | 15 | 12 | 14 | 250 | 4.0 | 95 | 37 | 24 | 28 | 130 | 86 | 100 |
| 14 | 85 | 12 | 17 | 180 | 50 | 75 | 33 | 23 | 27 | 950 | 77 | 120 |
| 15 | 640 | 85 | 370 | 71 | 51 | 60 | 30 | 18 | 23 | 1,000 | 130 | 330 |
| 16 | 190 | 67 | 100 | 58 | 28 | 40 | 39 | 3.0 | 15 | 150 | 93 | 110 |
| 17 | 130 | 44 | 55 | 40 | 19 | 24 | 20 | 12 | 14 | 250 | 87 | 160 |
| 18 | 55 | 32 | 38 | 49 | 16 | 19 | 27 | 15 | 17 | 240 | 97 | 150 |
| 19 | 44 | 25 | 30 | 430 | 15 | 100 | 30 | 15 | 17 | 150 | 3.0 | 57 |
| 20 | 26 | 13 | 19 | 430 | 150 | 220 | 1,000 | 13 | 110 | 820 | 4.0 | 140 |
| 21 | 320 | 13 | 110 | 990 | 190 | 510 | 1,000 | 180 | 560 | 800 | 110 | 280 |
| 22 | 1,000 | 180 | 650 | 190 | 81 | 120 | 180 | 96 | 130 | 110 | 59 | 79 |
| 23 | 620 | 87 | 200 | 87 | 53 | 66 | 140 | 62 | 77 | 64 | 33 | 44 |
| 24 | 93 | 52 | 67 | 57 | 36 | 44 | 73 | 39 | 50 | 47 | 21 | 29 |
| 25 | 55 | 37 | 46 | 42 | 28 | 33 | 44 | 27 | 32 | 28 | 13 | 20 |
| 26 | 39 | 28 | 33 | 120 | 33 | 52 | 76 | 17 | 27 | 34 | 13 | 18 |
| 27 | 33 | 23 | 27 | 53 | 30 | 39 | 65 | 6.0 | 20 | 51 | 7.0 | 15 |
| 28 | 29 | 21 | 24 | 35 | 25 | 29 | 72 | 7.0 | 32 | 19 | 5.0 | 9.9 |
| 29 | --- | --- | --- | 260 | 28 | 130 | 83 | 6.0 | 25 | 29 | 10 | 16 |
| 30 | --- | --- | --- | --- | --- | --- | 30 | 11 | 13 | 150 | 7.0 | 28 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 260 | 8.0 | 46 |
| MONTH | 1,000 | 11 | 93 | 990 | 4.0 | 77 | 1,000 | 3.0 | 75 | 1,000 | 3.0 | 140 |

FOURMILE CREEK BASIN

03238772 FOURMILE CREEK AT POPLAR RIDGE NEAR ALEXANDRIA, KY

LOCATION.--Lat 38°59'12", long 84°21'55", Campbell County, Hydrologic Unit 05090203, on right bank at bridge on Poplar Ridge Road, 2.5 miles north of Alexandria, 3.0 mi upstream from Tug Creek, and 6.7 mi upstream from the mouth.

DRAINAGE AREA.--3.1 mi².

PERIOD OF RECORD.--March 2001 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 535.243 ft above NGVD of 1929. Gage operated from May 1999 to September 2000 downstream 2.0 mi at different datum. Old site station number is 03238780.

REMARKS.--Water year 2001: Records fair except for estimated records, which are poor.
Water year 2002: Records fair.
Water year 2003: Records fair.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|------|--------|--------|--------|--------|--------|--------|
| 1 | --- | --- | --- | --- | --- | --- | 2.9 | 0.59 | 7.8 | 0.01 | 0.31 | 3.4 |
| 2 | --- | --- | --- | --- | --- | --- | 1.0 | 0.54 | 3.4 | 0.24 | 0.26 | 2.0 |
| 3 | --- | --- | --- | --- | --- | --- | 0.95 | 0.43 | 1.5 | 0.00 | 1.4 | 1.7 |
| 4 | --- | --- | --- | --- | --- | --- | 0.75 | 0.29 | 14 | 0.74 | 0.59 | 0.89 |
| 5 | --- | --- | --- | --- | --- | --- | 0.71 | 0.18 | 6.9 | 0.23 | 0.31 | 0.92 |
| 6 | --- | --- | --- | --- | --- | --- | 4.2 | 0.25 | 59 | 0.00 | 0.18 | 0.82 |
| 7 | --- | --- | --- | --- | --- | --- | 2.9 | 0.11 | 6.6 | 0.90 | 0.10 | 0.63 |
| 8 | --- | --- | --- | --- | --- | --- | 1.3 | 2.8 | 2.7 | 5.7 | 0.04 | 0.75 |
| 9 | --- | --- | --- | --- | --- | --- | 0.85 | 0.29 | 2.1 | 3.7 | 0.00 | 1.7 |
| 10 | --- | --- | --- | --- | --- | 1.3 | 0.81 | 0.15 | 1.8 | 0.57 | 0.25 | 2.5 |
| 11 | --- | --- | --- | --- | --- | 1.3 | 0.74 | 0.25 | 1.5 | 0.06 | 8.5 | 0.75 |
| 12 | --- | --- | --- | --- | --- | 1.3 | 0.74 | 0.99 | 3.5 | 0.00 | e170 | 0.68 |
| 13 | --- | --- | --- | --- | --- | 1.7 | 1.4 | 0.12 | 3.5 | 0.00 | e20 | 0.61 |
| 14 | --- | --- | --- | --- | --- | 1.3 | 1.5 | 0.02 | 1.4 | 0.00 | e1.0 | 0.56 |
| 15 | --- | --- | --- | --- | --- | 1.3 | 2.0 | 0.42 | 6.7 | 0.00 | e0.80 | 0.44 |
| 16 | --- | --- | --- | --- | --- | 1.7 | 1.1 | 0.47 | 2.6 | 0.00 | e0.50 | 0.39 |
| 17 | --- | --- | --- | --- | --- | 1.4 | 1.2 | 2.4 | 0.84 | 0.00 | e0.50 | 0.43 |
| 18 | --- | --- | --- | --- | --- | 1.1 | 1.4 | 14 | 0.33 | e8.2 | e3.7 | 1.1 |
| 19 | --- | --- | --- | --- | --- | 1.1 | 0.98 | 3.7 | 0.24 | e5.3 | e8.2 | 2.1 |
| 20 | --- | --- | --- | --- | --- | 1.3 | 1.6 | 1.8 | 0.24 | e4.0 | e1.0 | 1.4 |
| 21 | --- | --- | --- | --- | --- | 2.5 | 0.83 | 1.0 | 0.46 | e4.2 | e0.50 | 0.74 |
| 22 | --- | --- | --- | --- | --- | 1.5 | 0.63 | 3.4 | 0.49 | e4.7 | e0.40 | 0.65 |
| 23 | --- | --- | --- | --- | --- | 1.2 | 0.55 | 1.1 | 0.24 | e1.2 | e4.6 | 0.45 |
| 24 | --- | --- | --- | --- | --- | 1.0 | 0.68 | 6.0 | 0.12 | e0.75 | e0.80 | 2.0 |
| 25 | --- | --- | --- | --- | --- | 0.91 | 0.41 | 2.0 | 0.01 | e2.3 | e1.3 | 0.90 |
| 26 | --- | --- | --- | --- | --- | 0.82 | 0.46 | 1.8 | 0.00 | e3.8 | e2.5 | 0.49 |
| 27 | --- | --- | --- | --- | --- | 0.72 | 0.70 | 5.9 | 0.00 | e1.2 | e0.90 | 0.38 |
| 28 | --- | --- | --- | --- | --- | 0.72 | 0.64 | 1.9 | 0.02 | e3.5 | e0.85 | 0.30 |
| 29 | --- | --- | --- | --- | --- | 0.79 | 0.57 | 0.90 | 1.0 | e4.3 | e0.80 | 0.29 |
| 30 | --- | --- | --- | --- | --- | 0.73 | 0.58 | 0.63 | 0.00 | e0.94 | 0.76 | 0.26 |
| 31 | --- | --- | --- | --- | --- | 0.76 | --- | 0.64 | --- | e0.56 | 21 | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | 35.08 | 55.07 | 128.99 | 57.10 | 252.05 | 30.23 |
| MEAN | --- | --- | --- | --- | --- | --- | 1.17 | 1.78 | 4.30 | 1.84 | 8.13 | 1.01 |
| MAX | --- | --- | --- | --- | --- | --- | 1.17 | 1.78 | 4.30 | 1.84 | 8.13 | 1.01 |
| (WY) | --- | --- | --- | --- | --- | --- | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) |
| MIN | --- | --- | --- | --- | --- | --- | 1.17 | 1.78 | 4.30 | 1.84 | 8.13 | 1.01 |
| (WY) | --- | --- | --- | --- | --- | --- | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2001, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|-----|-----|-----|-----|-----|-----|--------|--------|--------|--------|--------|--------|
| MEAN | --- | --- | --- | --- | --- | --- | 1.17 | 1.78 | 4.30 | 1.84 | 8.13 | 1.01 |
| MAX | --- | --- | --- | --- | --- | --- | 1.17 | 1.78 | 4.30 | 1.84 | 8.13 | 1.01 |
| (WY) | --- | --- | --- | --- | --- | --- | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) |
| MIN | --- | --- | --- | --- | --- | --- | 1.17 | 1.78 | 4.30 | 1.84 | 8.13 | 1.01 |
| (WY) | --- | --- | --- | --- | --- | --- | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) |

e Estimated

03238772 FOURMILE CREEK AT POPLAR RIDGE NEAR ALEXANDRIA, KY--Continued



FOURMILE CREEK BASIN

03238772 FOURMILE CREEK AT POPLAR RIDGE NEAR ALEXANDRIA, KY--Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|-------|--------|-------|--------|-------|-------|-------|-------|-------|-------|
| 1 | 0.22 | 2.5 | 4.9 | 1.2 | 23 | 0.98 | 2.6 | 20 | 4.1 | 3.3 | 0.32 | 0.00 |
| 2 | 0.22 | 2.7 | 3.7 | 1.2 | 3.9 | 2.4 | 2.6 | 23 | 2.5 | 3.2 | 0.12 | 0.00 |
| 3 | 0.21 | 2.4 | 3.4 | 1.2 | 3.1 | 2.9 | 2.8 | 9.5 | 2.3 | 3.0 | 0.01 | 0.00 |
| 4 | 0.19 | 2.4 | 3.4 | 1.2 | 2.7 | 1.3 | 2.4 | 8.1 | 2.3 | 2.9 | 0.00 | 0.00 |
| 5 | 0.43 | 2.4 | 4.3 | 1.2 | 2.4 | 1.2 | 2.4 | 7.6 | 3.2 | 2.9 | 0.00 | 0.00 |
| 6 | 2.0 | 2.3 | 15 | 1.4 | 2.4 | 1.2 | 2.3 | 32 | 68 | 2.9 | 0.09 | 0.00 |
| 7 | 0.50 | 2.3 | 6.1 | 1.5 | 2.3 | 1.1 | 2.2 | 45 | 7.7 | 2.8 | 0.17 | 0.00 |
| 8 | 0.37 | 2.2 | 7.3 | 1.2 | 2.2 | 1.1 | 2.2 | 42 | 4.4 | 1.3 | 0.00 | 0.00 |
| 9 | 0.39 | 1.2 | 3.1 | 1.1 | 2.1 | 2.9 | 1.9 | 15 | 3.8 | 0.01 | 0.00 | 0.00 |
| 10 | 0.40 | 1.1 | 2.4 | 2.9 | 2.9 | 1.8 | 1.3 | 5.0 | 3.8 | 1.2 | 0.00 | 0.00 |
| 11 | 0.40 | 1.1 | 2.1 | 2.3 | 2.4 | 1.3 | 1.3 | 3.9 | 4.3 | 0.32 | 0.00 | 0.00 |
| 12 | 9.1 | 0.99 | 2.2 | 1.2 | 1.8 | 1.5 | 1.4 | 3.7 | 4.4 | 0.00 | 0.00 | 0.00 |
| 13 | 2.0 | 1.00 | 4.1 | 0.96 | 1.4 | 1.3 | 4.8 | 87 | 5.7 | 0.16 | 0.00 | 0.00 |
| 14 | 23 | 1.0 | 13 | 0.93 | 1.3 | 1.2 | 4.3 | 16 | 4.9 | 0.43 | 0.00 | 0.01 |
| 15 | 3.2 | 0.98 | 4.0 | 0.90 | 1.3 | 5.1 | 2.3 | 4.8 | 4.8 | 0.07 | 0.00 | 3.2 |
| 16 | 8.2 | 0.98 | 35 | 0.77 | 1.3 | 23 | 1.5 | 3.7 | 5.0 | 0.00 | 0.00 | 1.3 |
| 17 | 3.1 | 0.93 | 68 | 0.80 | 1.2 | 3.3 | 2.8 | 61 | 4.1 | 0.00 | 0.00 | 0.65 |
| 18 | 2.5 | 0.94 | 13 | 0.69 | 1.2 | 2.8 | 1.8 | 27 | 4.0 | 0.00 | 0.05 | 0.37 |
| 19 | 2.4 | 1.6 | 4.6 | 0.84 | 1.2 | 27 | 17 | 4.9 | 4.0 | 16 | 0.35 | 0.91 |
| 20 | 2.3 | 2.0 | 3.6 | 0.68 | 2.1 | 45 | 5.8 | 3.6 | 3.9 | 5.5 | 0.29 | 5.5 |
| 21 | 1.5 | 1.2 | 3.2 | 0.82 | 1.7 | 5.0 | 103 | 3.3 | 3.9 | 2.3 | 0.07 | 3.5 |
| 22 | 1.3 | 1.1 | 3.1 | 0.71 | 1.3 | 3.2 | 28 | 3.0 | 3.9 | 0.89 | 0.00 | 1.00 |
| 23 | 30 | 1.0 | 10 | 0.82 | 1.2 | 2.9 | 11 | 2.9 | 3.9 | 0.76 | 0.00 | 0.53 |
| 24 | 61 | 3.9 | 2.5 | 38 | 1.1 | 2.7 | 11 | 2.8 | 3.9 | 0.68 | 0.00 | 0.29 |
| 25 | 10 | 6.1 | 1.9 | 3.6 | 1.1 | 4.3 | 13 | 2.7 | 4.8 | 0.52 | 0.00 | 0.17 |
| 26 | 3.5 | 2.3 | 1.7 | 2.6 | 1.5 | 45 | 8.0 | 2.7 | 4.7 | 0.32 | 0.00 | 5.4 |
| 27 | 3.0 | 28 | 1.7 | 2.4 | 1.1 | 4.5 | 24 | 2.5 | 4.4 | 0.25 | 0.00 | 54 |
| 28 | 2.7 | 23 | 1.6 | 2.3 | 0.98 | 3.4 | 50 | 11 | 4.7 | 0.23 | 0.00 | 2.0 |
| 29 | 2.6 | 52 | 1.5 | 2.2 | --- | 3.2 | 11 | 19 | 3.7 | 1.5 | 0.00 | 1.3 |
| 30 | 2.5 | 25 | 1.4 | 27 | --- | 2.9 | 8.9 | 4.3 | 3.5 | 2.4 | 0.00 | 1.3 |
| 31 | 2.5 | --- | 1.3 | 6.2 | --- | 2.8 | --- | 5.7 | --- | 0.77 | 0.00 | --- |
| TOTAL | 181.73 | 176.62 | 233.1 | 110.82 | 72.18 | 208.28 | 333.6 | 482.7 | 188.6 | 56.61 | 1.47 | 81.43 |
| MEAN | 5.86 | 5.89 | 7.52 | 3.57 | 2.58 | 6.72 | 11.1 | 15.6 | 6.29 | 1.83 | 0.047 | 2.71 |
| MAX | 61 | 52 | 68 | 38 | 23 | 45 | 103 | 87 | 68 | 16 | 0.35 | 54 |
| MIN | 0.19 | 0.93 | 1.3 | 0.68 | 0.98 | 0.98 | 1.3 | 2.5 | 2.3 | 0.00 | 0.00 | 0.00 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2002, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 5.86 | 5.89 | 7.52 | 3.57 | 2.58 | 6.72 | 6.14 | 8.67 | 5.29 | 1.83 | 4.09 | 1.86 |
| MAX | 5.86 | 5.89 | 7.52 | 3.57 | 2.58 | 6.72 | 11.1 | 15.6 | 6.29 | 1.84 | 8.13 | 2.71 |
| (WY) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2001) | (2001) | (2002) |
| MIN | 5.86 | 5.89 | 7.52 | 3.57 | 2.58 | 6.72 | 1.17 | 1.78 | 4.30 | 1.83 | 0.047 | 1.01 |
| (WY) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2001) | (2001) | (2001) | (2002) | (2002) | (2001) |

03238772 FOURMILE CREEK AT POPLAR RIDGE NEAR ALEXANDRIA, KY--Continued

| SUMMARY STATISTICS | FOR 2002 WATER YEAR | | WATER YEARS 2001 - 2002 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2127.14 | | | |
| ANNUAL MEAN | 5.83 | | 5.83 | |
| HIGHEST ANNUAL MEAN | | | 5.83 | 2002 |
| LOWEST ANNUAL MEAN | | | 5.83 | 2002 |
| HIGHEST DAILY MEAN | 103 | Apr 21 | 170 | Aug 12, 2001 |
| LOWEST DAILY MEAN | 0.00 | Jul 12 | 0.00 | Jun 26, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 8 | 0.00 | Aug 8, 2002 |
| MAXIMUM PEAK FLOW | 520 | Apr 21 | 520 | Apr 21, 2002 |
| MAXIMUM PEAK STAGE | 7.18 | Apr 21 | 7.18 | Apr 21, 2002 |
| 10 PERCENT EXCEEDS | 14 | | 14 | |
| 50 PERCENT EXCEEDS | 2.3 | | 2.3 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.00 | |



FOURMILE CREEK BASIN

03238772 FOURMILE CREEK AT POPLAR RIDGE NEAR ALEXANDRIA, KY--Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|--------|--------|-------|--------|-------|--------|-------|-------|-------|
| 1 | 1.3 | 2.5 | 0.49 | 88 | 1.4 | 17 | 2.1 | 1.0 | 0.87 | 0.25 | 0.31 | 16 |
| 2 | 0.93 | 1.7 | 0.48 | 8.6 | 4.6 | 18 | 1.9 | 1.6 | 0.67 | 0.24 | 22 | 19 |
| 3 | 0.70 | 1.4 | 0.46 | 5.4 | 8.7 | 6.6 | 1.7 | 1.4 | 12 | 0.20 | 5.1 | 2.5 |
| 4 | 4.2 | 1.4 | 0.37 | 3.4 | 32 | 7.1 | 1.7 | 1.1 | 2.0 | 0.24 | 16 | 1.8 |
| 5 | 1.4 | 27 | 0.50 | 4.0 | 3.0 | 21 | 8.7 | 97 | 0.96 | 3.9 | 4.2 | 1.5 |
| 6 | 0.39 | 7.5 | 0.60 | 6.2 | 2.1 | 8.1 | 1.9 | 8.2 | 0.72 | 0.25 | 2.5 | 1.4 |
| 7 | 0.27 | 2.0 | 0.56 | 3.7 | 2.1 | 4.9 | 13 | 4.8 | 1.2 | 0.57 | 2.1 | 0.69 |
| 8 | 0.23 | 1.4 | 0.73 | 3.3 | 0.90 | 4.3 | 4.2 | 3.5 | 26 | 0.25 | 1.2 | 0.23 |
| 9 | 0.21 | 0.80 | 0.65 | 2.7 | 0.92 | 4.1 | 7.3 | 3.2 | 4.7 | 4.5 | 0.65 | 0.20 |
| 10 | 0.24 | 28 | 0.56 | 2.4 | 1.3 | 3.5 | 3.6 | 64 | 2.3 | 5.3 | 0.58 | 0.18 |
| 11 | 5.3 | 12 | 35 | 2.1 | 1.0 | 3.4 | 2.4 | 28 | 2.1 | 1.8 | 0.63 | 0.17 |
| 12 | 0.82 | 2.0 | 7.4 | 1.8 | 0.90 | 3.3 | 1.9 | 6.0 | 2.7 | 0.46 | 0.68 | 0.16 |
| 13 | 0.53 | 1.5 | 25 | 1.9 | 0.78 | 11 | 1.6 | 4.4 | 1.0 | 0.37 | 0.39 | 0.15 |
| 14 | 0.36 | 1.4 | 17 | 1.9 | 2.2 | 4.7 | 1.4 | 4.5 | 46 | 0.20 | 0.32 | 0.15 |
| 15 | 0.32 | 2.2 | 2.9 | 1.7 | 39 | 3.6 | 1.4 | 12 | 10 | 1.1 | 0.28 | 0.20 |
| 16 | 0.35 | 3.5 | 2.0 | 1.7 | 5.1 | 2.8 | 1.3 | 3.6 | 4.2 | 1.7 | 0.34 | 0.17 |
| 17 | 0.32 | 1.1 | 34 | 1.6 | 3.1 | 2.0 | 2.1 | 9.2 | 11 | 0.26 | 0.25 | 0.16 |
| 18 | 0.29 | 0.71 | 9.6 | 1.5 | 2.4 | 1.8 | 1.6 | 11 | 3.8 | 0.17 | 0.22 | 0.15 |
| 19 | 0.35 | 0.72 | 77 | 1.5 | 2.3 | 15 | 1.2 | 4.6 | 4.6 | 0.54 | 0.19 | 0.15 |
| 20 | 0.64 | 0.69 | 25 | 0.74 | 3.5 | 8.0 | 8.0 | 11 | 3.2 | 0.16 | 0.20 | 0.16 |
| 21 | 0.40 | 1.3 | 4.3 | 0.56 | 25 | 25 | 24 | 6.4 | 0.97 | 0.87 | 0.21 | 0.16 |
| 22 | 0.35 | 2.3 | 3.1 | 0.48 | 113 | 5.7 | 3.5 | 3.6 | 0.71 | 5.0 | 3.7 | 19 |
| 23 | 0.36 | 1.1 | 2.5 | 0.45 | 24 | 4.0 | 2.7 | 3.0 | 0.58 | 3.9 | 0.66 | 1.6 |
| 24 | 0.43 | 0.80 | 2.5 | 0.38 | 7.3 | 3.2 | 2.2 | 2.6 | 0.54 | 0.71 | 0.31 | 0.91 |
| 25 | 23 | 0.67 | 4.4 | 0.45 | 4.7 | 2.5 | 1.3 | 2.8 | 0.39 | 0.37 | 0.22 | 0.22 |
| 26 | 5.0 | 0.60 | 2.5 | 0.45 | 4.1 | 5.9 | 1.1 | 2.8 | 0.88 | 0.26 | 0.20 | 0.17 |
| 27 | 2.1 | 0.70 | 2.2 | 0.41 | 3.9 | 2.5 | 1.0 | 2.4 | 1.4 | 0.20 | 0.20 | 18 |
| 28 | 1.2 | 0.54 | 2.2 | 0.45 | 4.6 | 2.1 | 0.97 | 2.4 | 0.41 | 2.9 | 0.22 | 1.4 |
| 29 | 36 | 0.55 | 2.1 | 1.3 | --- | 16 | 1.00 | 3.5 | 0.33 | 0.66 | 0.21 | 0.78 |
| 30 | 3.9 | 0.57 | 8.4 | 0.87 | --- | 4.6 | 0.99 | 2.1 | 0.27 | 0.38 | 0.89 | 0.29 |
| 31 | 1.9 | --- | 39 | 0.74 | --- | 2.4 | --- | 2.5 | --- | 0.31 | 1.8 | --- |
| TOTAL | 93.79 | 108.65 | 313.50 | 150.68 | 303.90 | 224.1 | 107.76 | 314.2 | 146.50 | 38.02 | 66.76 | 87.65 |
| MEAN | 3.03 | 3.62 | 10.1 | 4.86 | 10.9 | 7.23 | 3.59 | 10.1 | 4.88 | 1.23 | 2.15 | 2.92 |
| MAX | 36 | 28 | 77 | 88 | 113 | 25 | 24 | 97 | 46 | 5.3 | 22 | 19 |
| MIN | 0.21 | 0.54 | 0.37 | 0.38 | 0.78 | 1.8 | 0.97 | 1.0 | 0.27 | 0.16 | 0.19 | 0.15 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 4.44 | 4.75 | 8.82 | 4.22 | 6.72 | 6.97 | 5.29 | 9.16 | 5.16 | 1.63 | 3.44 | 2.21 |
| MAX | 5.86 | 5.89 | 10.1 | 4.86 | 10.9 | 7.23 | 11.1 | 15.6 | 6.29 | 1.84 | 8.13 | 2.92 |
| (WY) | (2002) | (2002) | (2003) | (2003) | (2003) | (2003) | (2002) | (2002) | (2002) | (2001) | (2001) | (2003) |
| MIN | 3.03 | 3.62 | 7.52 | 3.57 | 2.58 | 6.72 | 1.17 | 1.78 | 4.30 | 1.23 | 0.047 | 1.01 |
| (WY) | (2003) | (2003) | (2002) | (2002) | (2002) | (2002) | (2001) | (2001) | (2001) | (2003) | (2002) | (2001) |

03238772 FOURMILE CREEK AT POPLAR RIDGE NEAR ALEXANDRIA, KY--Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,051.63 | | 1,955.51 | | 5.59 | |
| ANNUAL MEAN | 5.62 | | 5.36 | | 5.83 | |
| HIGHEST ANNUAL MEAN | | | | | 5.36 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 5.36 | 2003 |
| HIGHEST DAILY MEAN | 103 | Apr 21 | 113 | Feb 22 | 170 | Aug 12, 2001 |
| LOWEST DAILY MEAN | 0.00 | Jul 12 | 0.15 | Sep 13 | 0.00 | Jun 26, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 8 | 0.16 | Sep 13 | 0.00 | Aug 8, 2002 |
| MAXIMUM PEAK FLOW | | | 309 | Dec 19 | 520 | Apr 21, 2002 |
| MAXIMUM PEAK STAGE | | | 5.20 | Dec 19 | 7.18 | Apr 21, 2002 |
| 10 PERCENT EXCEEDS | 15 | | 12 | | 13 | |
| 50 PERCENT EXCEEDS | 1.9 | | 1.8 | | 2.1 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.25 | | 0.20 | |



03238772 FOUR MILE CREEK AT POPLAR RIDGE ROAD NEAR ALEXANDRIA, KY

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: April 2001 to current year.

pH: April 2001 to current year.

WATER TEMPERATURES: April 2001 to current year.

DISSOLVED OXYGEN: April 2001 to current year.

TURBIDITY: April 2001 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 2650 microsiemens, Feb. 10, 2003; minimum recorded, 82 microsiemens, Apr 21, 2002.

pH.--Maximum recorded, 8.5 units, Mar. 24, 30, Apr. 1-5, 2002, and Mar. 14, 15, 2003; minimum recorded, 7.0 units, Aug. 19-21, 2002, and July 30, 2003.

WATER TEMPERATURES: Maximum recorded, 26.9°C, July 5, 2002; minimum recorded, -0.1°C, Jan. 12, 13, 15, 17-19, 29, 30 and Feb. 5, 2003.

DISSOLVED OXYGEN: Maximum recorded, 18.0 mg/L, Feb. 24, 2002; minimum recorded 1.7 mg/L, Aug. 19, 2002.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2001, 2002 and 2003; minimum recorded, 0.0 NTU, Jan. 21-23, 2003.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 2650 microsiemens, Feb. 10, 2003; minimum recorded, 133 microsiemens, June 14, 2003.

pH.--Maximum recorded, 8.5 units, Mar. 14, 15, 2003; minimum recorded, 7.0 units, July 30, 2003.

WATER TEMPERATURES: Maximum recorded, 25.3°C, July 8, 2003; minimum recorded, -0.1°C, Jan. 12, 13, 15, 17-19, 29, 30, and Feb. 5, 2003.

DISSOLVED OXYGEN: Maximum recorded, 17.4 mg/L, Feb. 13, 2003; minimum recorded 3.0 mg/L, Aug. 27, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2003, minimum recorded, 0.0 NTU, Jan. 21-23, 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-------|-------|---------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 478 | 454 | 475 | 560 | 548 | 555 | 843 | 829 | 837 | 383 | 139 | 273 |
| 2 | 579 | 469 | 495 | 604 | 550 | 582 | 845 | 836 | 841 | 512 | 383 | 461 |
| 3 | 694 | 488 | 636 | 686 | 604 | 638 | 845 | 835 | 838 | 807 | 512 | 653 |
| 4 | 734 | 506 | 664 | 768 | 686 | 735 | --- | --- | --- | 602 | 575 | 585 |
| 5 | 639 | 506 | 584 | 825 | 278 | 628 | 862 | 848 | 855 | 2,300 | 575 | 836 |
| 6 | 701 | 639 | 673 | 527 | 329 | 462 | 880 | 855 | 861 | 2,560 | 793 | 1,250 |
| 7 | 725 | 694 | 707 | 556 | 527 | 546 | 938 | 880 | 915 | 793 | 673 | 710 |
| 8 | 750 | 725 | 738 | 603 | 556 | 575 | 1,280 | 938 | 1,070 | 690 | 635 | 644 |
| 9 | 768 | 750 | 757 | 707 | 603 | 647 | 1,630 | 1,280 | 1,450 | 642 | 621 | 634 |
| 10 | 783 | 768 | 775 | 802 | 166 | 656 | 1,630 | 1,520 | 1,570 | 622 | 597 | 610 |
| 11 | 839 | 529 | 633 | 514 | 267 | 439 | 2,620 | 494 | 985 | 597 | 567 | 582 |
| 12 | 707 | 617 | 670 | 533 | 514 | 528 | 650 | 524 | 609 | 581 | 552 | 570 |
| 13 | 742 | 706 | 727 | 537 | 526 | 534 | 735 | 327 | 566 | 577 | 554 | 569 |
| 14 | 766 | 742 | 753 | 533 | 526 | 530 | 546 | 407 | 478 | 584 | 562 | 567 |
| 15 | 791 | 766 | 776 | 635 | 527 | 548 | 596 | 546 | 576 | 662 | 577 | 595 |
| 16 | 805 | 790 | 799 | 660 | 579 | 607 | 603 | 596 | 601 | 677 | 593 | 636 |
| 17 | 819 | 804 | 814 | 670 | 610 | 642 | 666 | 214 | 488 | 687 | 591 | 636 |
| 18 | 841 | 819 | 828 | 710 | 670 | 689 | 531 | 335 | 458 | 742 | 663 | 686 |
| 19 | 844 | 837 | 840 | 748 | 710 | 728 | 614 | 138 | 430 | 832 | 698 | 770 |
| 20 | 850 | 837 | 843 | 764 | 748 | 755 | 456 | 209 | 368 | 898 | 699 | 772 |
| 21 | 866 | 841 | 850 | 798 | 760 | 775 | 497 | 456 | 483 | 1,000 | 898 | 967 |
| 22 | 883 | 866 | 877 | 801 | 683 | 722 | 518 | 497 | 511 | 1,010 | 993 | 1,000 |
| 23 | 880 | 868 | 876 | 711 | 683 | 693 | 520 | 516 | 518 | 1,060 | 985 | 1,000 |
| 24 | 868 | 861 | 863 | 740 | 711 | 726 | 543 | 519 | 526 | 1,070 | 1,010 | 1,040 |
| 25 | 866 | 264 | 676 | 771 | 740 | 756 | 898 | 531 | 699 | 1,010 | 971 | 992 |
| 26 | 566 | 413 | 520 | 776 | 771 | 773 | 905 | 703 | 780 | 1,050 | 1,010 | 1,030 |
| 27 | 576 | 566 | 573 | 810 | 773 | 787 | 741 | 619 | 652 | 1,530 | 1,010 | 1,300 |
| 28 | 635 | 576 | 603 | 824 | 810 | 818 | 619 | 588 | 598 | 1,200 | 1,040 | 1,090 |
| 29 | 779 | 243 | 475 | 823 | 810 | 818 | 597 | 573 | 582 | 2,560 | 1,040 | 1,550 |
| 30 | 547 | 431 | 509 | 834 | 802 | 820 | 1,160 | 569 | 709 | 2,490 | 1,770 | 2,220 |
| 31 | 553 | 547 | 550 | --- | --- | --- | 684 | 224 | 493 | 1,770 | 1,440 | 1,580 |
| MONTH | 883 | 243 | 695 | 834 | 166 | 657 | 2,620 | 138 | 712 | 2,560 | 139 | 865 |

FOUR MILE CREEK BASIN

03238772 FOUR MILE CREEK AT POPLAR RIDGE ROAD NEAR ALEXANDRIA, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 7.7 | 7.5 | 7.6 | 8.1 | 8.0 | 8.1 | 7.8 | 7.7 | 7.7 | 7.3 | 7.2 | 7.2 |
| 2 | 7.6 | 7.4 | 7.4 | 8.1 | 8.0 | 8.1 | 7.7 | 7.7 | 7.7 | 7.4 | 7.2 | 7.3 |
| 3 | 7.7 | 7.3 | 7.5 | 8.0 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 | 7.5 | 7.4 | 7.5 |
| 4 | 7.7 | 7.4 | 7.5 | 7.8 | 7.7 | 7.8 | --- | --- | --- | 7.6 | 7.5 | 7.5 |
| 5 | 7.6 | 7.5 | 7.5 | 8.1 | 7.8 | 7.8 | 7.9 | 7.8 | 7.9 | 7.6 | 7.5 | 7.5 |
| 6 | 7.6 | 7.5 | 7.5 | 7.9 | 7.8 | 7.9 | 7.9 | 7.8 | 7.9 | 7.6 | 7.5 | 7.6 |
| 7 | 7.6 | 7.4 | 7.5 | 8.0 | 7.9 | 7.9 | 7.8 | 7.8 | 7.8 | 7.6 | 7.5 | 7.6 |
| 8 | 7.6 | 7.4 | 7.6 | 8.1 | 7.9 | 8.0 | 7.8 | 7.8 | 7.8 | 7.7 | 7.5 | 7.6 |
| 9 | 7.6 | 7.5 | 7.6 | 7.9 | 7.8 | 7.9 | 7.8 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 |
| 10 | 7.6 | 7.5 | 7.6 | 7.9 | 7.6 | 7.8 | 7.9 | 7.7 | 7.8 | 7.7 | 7.6 | 7.6 |
| 11 | 7.8 | 7.6 | 7.8 | 7.8 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 |
| 12 | 7.8 | 7.7 | 7.7 | 7.9 | 7.7 | 7.8 | 7.7 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 |
| 13 | 7.7 | 7.6 | 7.6 | 8.0 | 7.8 | 7.9 | 7.8 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 |
| 14 | 7.6 | 7.6 | 7.6 | 7.9 | 7.8 | 7.9 | 7.7 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 |
| 15 | 7.7 | 7.6 | 7.6 | 7.9 | 7.8 | 7.9 | 7.7 | 7.6 | 7.6 | 7.8 | 7.6 | 7.7 |
| 16 | 7.6 | 7.6 | 7.6 | 7.9 | 7.9 | 7.9 | 7.8 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 |
| 17 | 7.8 | 7.6 | 7.7 | 7.9 | 7.8 | 7.8 | 7.8 | 7.5 | 7.7 | 7.8 | 7.6 | 7.7 |
| 18 | 7.8 | 7.7 | 7.8 | 7.9 | 7.9 | 7.9 | 7.6 | 7.5 | 7.6 | 7.8 | 7.6 | 7.7 |
| 19 | 7.8 | 7.7 | 7.8 | 7.9 | 7.8 | 7.9 | 7.7 | 7.4 | 7.5 | 7.8 | 7.6 | 7.7 |
| 20 | 7.8 | 7.7 | 7.7 | 7.9 | 7.8 | 7.8 | 7.5 | 7.4 | 7.4 | 7.8 | 7.6 | 7.7 |
| 21 | 7.8 | 7.8 | 7.8 | 7.9 | 7.8 | 7.8 | 7.6 | 7.5 | 7.5 | 7.8 | 7.7 | 7.7 |
| 22 | 7.8 | 7.8 | 7.8 | 7.9 | 7.9 | 7.9 | 7.6 | 7.5 | 7.6 | 7.7 | 7.7 | 7.7 |
| 23 | 7.8 | 7.7 | 7.8 | 7.9 | 7.8 | 7.9 | 7.6 | 7.5 | 7.6 | 7.7 | 7.7 | 7.7 |
| 24 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.6 | 7.5 | 7.5 | 7.7 | 7.6 | 7.7 |
| 25 | 8.0 | 7.8 | 7.8 | 7.8 | 7.7 | 7.8 | 7.6 | 7.6 | 7.6 | 7.7 | 7.6 | 7.6 |
| 26 | 8.0 | 7.8 | 8.0 | 7.9 | 7.8 | 7.8 | 7.6 | 7.6 | 7.6 | 7.7 | 7.6 | 7.7 |
| 27 | 8.1 | 8.0 | 8.0 | 7.8 | 7.7 | 7.8 | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.6 |
| 28 | 8.1 | 7.9 | 8.0 | 7.8 | 7.7 | 7.8 | 7.6 | 7.5 | 7.5 | 7.7 | 7.6 | 7.6 |
| 29 | 8.1 | 7.9 | 8.0 | 7.8 | 7.7 | 7.7 | 7.6 | 7.5 | 7.5 | 7.8 | 7.6 | 7.7 |
| 30 | 8.1 | 8.0 | 8.0 | 7.7 | 7.7 | 7.7 | 7.6 | 7.5 | 7.5 | 7.8 | 7.6 | 7.7 |
| 31 | 8.1 | 8.0 | 8.1 | --- | --- | --- | 7.6 | 7.2 | 7.4 | 7.8 | 7.6 | 7.7 |
| MONTH | 8.1 | 7.3 | 7.7 | 8.1 | 7.6 | 7.9 | 7.9 | 7.2 | 7.6 | 7.8 | 7.2 | 7.6 |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 7.8 | 7.6 | 7.7 | 7.9 | 7.6 | 7.7 | 8.2 | 7.9 | 8.1 | 8.0 | 7.7 | 7.8 |
| 2 | 7.9 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 | 8.2 | 7.8 | 8.0 | 7.8 | 7.6 | 7.7 |
| 3 | 7.9 | 7.6 | 7.7 | 8.0 | 7.6 | 7.8 | 8.1 | 7.7 | 7.9 | 8.0 | 7.7 | 7.8 |
| 4 | 7.7 | 7.5 | 7.6 | 8.1 | 7.7 | 7.8 | 8.0 | 7.7 | 7.9 | 8.1 | 7.8 | 7.9 |
| 5 | 7.8 | 7.6 | 7.6 | 7.7 | 7.7 | 7.7 | 8.0 | 7.7 | 7.9 | 7.9 | 7.5 | 7.6 |
| 6 | 7.8 | 7.5 | 7.6 | 8.0 | 7.7 | 7.8 | 8.3 | 7.9 | 8.1 | 7.7 | 7.5 | 7.6 |
| 7 | 7.9 | 7.6 | 7.7 | 8.1 | 7.7 | 7.9 | 8.2 | 7.9 | 8.0 | 7.8 | 7.6 | 7.7 |
| 8 | 7.8 | 7.5 | 7.6 | 8.2 | 7.7 | 7.9 | 8.3 | 7.9 | 8.1 | 7.9 | 7.6 | 7.7 |
| 9 | 7.7 | 7.6 | 7.6 | 8.3 | 7.7 | 7.9 | 8.1 | 8.0 | 8.1 | 7.8 | 7.6 | 7.7 |
| 10 | 7.8 | 7.6 | 7.7 | 8.2 | 7.7 | 7.9 | 8.4 | 8.0 | 8.2 | 7.7 | 7.5 | 7.6 |
| 11 | 7.7 | 7.6 | 7.7 | 8.4 | 7.7 | 8.0 | 8.3 | 7.9 | 8.1 | 7.7 | 7.5 | 7.6 |
| 12 | 7.8 | 7.5 | 7.7 | 8.4 | 7.8 | 8.1 | 8.3 | 7.9 | 8.1 | 7.9 | 7.6 | 7.7 |
| 13 | 7.8 | 7.6 | 7.7 | 8.3 | 7.8 | 7.9 | 8.2 | 7.9 | 8.1 | 8.0 | 7.7 | 7.8 |
| 14 | 7.8 | 7.6 | 7.7 | 8.5 | 7.8 | 8.1 | 8.2 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 |
| 15 | 7.6 | 7.5 | 7.5 | 8.5 | 7.8 | 8.1 | 8.1 | 7.8 | 8.0 | 7.9 | 7.6 | 7.8 |
| 16 | 7.7 | 7.5 | 7.6 | 8.4 | 7.8 | 8.1 | 8.1 | 7.8 | 7.9 | 8.1 | 7.6 | 7.8 |
| 17 | 7.8 | 7.5 | 7.6 | 8.3 | 7.7 | 8.0 | 8.0 | 7.7 | 7.9 | 7.9 | 7.6 | 7.7 |
| 18 | 7.9 | 7.6 | 7.7 | 8.2 | 7.7 | 8.0 | 8.0 | 7.7 | 7.9 | 7.8 | 7.7 | 7.7 |
| 19 | 7.9 | 7.6 | 7.7 | 8.1 | 7.7 | 7.9 | 8.1 | 7.9 | 8.0 | 8.0 | 7.7 | 7.8 |
| 20 | 7.9 | 7.6 | 7.7 | 8.2 | 7.7 | 7.9 | 8.0 | 7.8 | 7.9 | 7.9 | 7.6 | 7.7 |
| 21 | 7.7 | 7.5 | 7.6 | 7.9 | 7.7 | 7.8 | 8.0 | 7.7 | 7.8 | 8.0 | 7.6 | 7.8 |
| 22 | 7.7 | 7.5 | 7.5 | 8.4 | 7.8 | 8.0 | 8.3 | 7.8 | 8.0 | 8.0 | 7.6 | 7.8 |
| 23 | 7.6 | 7.5 | 7.5 | 8.4 | 7.8 | 8.0 | 8.3 | 7.8 | 8.0 | 8.1 | 7.7 | 7.9 |
| 24 | 7.7 | 7.5 | 7.6 | 8.4 | 7.8 | 8.0 | 8.3 | 7.8 | 8.1 | 8.2 | 7.7 | 7.9 |
| 25 | 7.8 | 7.6 | 7.7 | 8.2 | 7.7 | 7.9 | 8.2 | 7.8 | 8.0 | 8.2 | 7.7 | 7.9 |
| 26 | 7.8 | 7.6 | 7.7 | 8.3 | 7.8 | 8.0 | 8.1 | 7.9 | 8.0 | 8.3 | 7.8 | 7.9 |
| 27 | 7.9 | 7.7 | 7.8 | 8.3 | 7.8 | 8.0 | 8.0 | 7.8 | 7.9 | 8.3 | 7.7 | 7.9 |
| 28 | 7.9 | 7.7 | 7.8 | 8.2 | 7.7 | 8.0 | 8.0 | 7.8 | 7.9 | 8.3 | 7.7 | 8.0 |
| 29 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.0 | 7.7 | 7.8 | 8.3 | 7.7 | 7.9 |
| 30 | --- | --- | --- | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.3 | 7.7 | 8.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.7 | 7.9 |
| MONTH | 7.9 | 7.5 | 7.7 | 8.5 | 7.6 | 7.9 | 8.4 | 7.7 | 8.0 | 8.3 | 7.5 | 7.8 |

FOUR MILE CREEK BASIN

03238772 FOUR MILE CREEK AT POPLAR RIDGE ROAD NEAR ALEXANDRIA, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 21.1 | 19.1 | 19.9 | 9.9 | 7.9 | 9.1 | 2.8 | 2.0 | 2.4 | 6.8 | 5.0 | 5.8 |
| 2 | 21.4 | 19.8 | 20.4 | 7.9 | 5.7 | 6.6 | 3.1 | 2.1 | 2.6 | 5.0 | 4.3 | 4.7 |
| 3 | 22.4 | 19.9 | 20.9 | 7.1 | 5.9 | 6.4 | --- | --- | --- | 4.3 | 3.0 | 3.4 |
| 4 | 21.4 | 20.3 | 20.7 | 7.6 | 6.7 | 7.2 | --- | --- | --- | 3.6 | 2.2 | 2.9 |
| 5 | 20.6 | 17.7 | 18.8 | 9.8 | 7.6 | 8.4 | 2.0 | 1.6 | 1.8 | 3.6 | 1.9 | 2.9 |
| 6 | 17.7 | 15.0 | 16.4 | 9.8 | 8.4 | 9.1 | 2.0 | 1.3 | 1.6 | 3.6 | 2.5 | 3.3 |
| 7 | 17.1 | 14.8 | 16.0 | 9.8 | 7.7 | 8.7 | 1.8 | 0.9 | 1.4 | 3.3 | 1.4 | 2.4 |
| 8 | 14.8 | 13.1 | 13.7 | 9.8 | 6.7 | 8.3 | 2.2 | 1.1 | 1.6 | 5.1 | 2.4 | 3.6 |
| 9 | 14.0 | 12.9 | 13.4 | 11.7 | 9.1 | 10.3 | 1.5 | 0.8 | 1.2 | 5.3 | 3.1 | 4.2 |
| 10 | 14.9 | 13.9 | 14.3 | 14.8 | 11.6 | 12.9 | 1.5 | 0.9 | 1.2 | 4.4 | 1.9 | 3.1 |
| 11 | 16.8 | 14.7 | 15.9 | 13.5 | 11.3 | 12.6 | 3.7 | 0.2 | 2.0 | 1.9 | 0.1 | 0.7 |
| 12 | 18.1 | 16.7 | 17.2 | 11.3 | 9.2 | 9.9 | 4.3 | 3.7 | 3.9 | 0.7 | -0.1 | 0.1 |
| 13 | 17.7 | 15.0 | 16.4 | 10.1 | 7.4 | 9.2 | 4.4 | 4.0 | 4.1 | 0.7 | -0.1 | 0.2 |
| 14 | 15.0 | 11.8 | 13.0 | 9.5 | 7.7 | 8.7 | 4.5 | 4.0 | 4.2 | 0.6 | 0.3 | 0.5 |
| 15 | 11.8 | 10.8 | 11.2 | 9.3 | 8.4 | 8.7 | 5.0 | 2.6 | 3.8 | 0.5 | -0.1 | 0.1 |
| 16 | 11.4 | 11.0 | 11.2 | 8.9 | 6.9 | 7.8 | 4.9 | 3.8 | 4.4 | 0.1 | 0.0 | 0.0 |
| 17 | 11.0 | 10.1 | 10.4 | 6.9 | 5.8 | 6.4 | 4.6 | 3.3 | 3.7 | 0.2 | -0.1 | 0.0 |
| 18 | 11.4 | 9.4 | 10.2 | 5.8 | 4.0 | 5.0 | 7.0 | 4.6 | 5.7 | 0.2 | -0.1 | 0.0 |
| 19 | 12.1 | 11.4 | 11.7 | 8.3 | 5.3 | 6.8 | 7.7 | 6.4 | 7.0 | 0.2 | -0.1 | 0.0 |
| 20 | 11.8 | 10.9 | 11.3 | 7.9 | 4.9 | 6.4 | 7.5 | 5.2 | 6.2 | 0.4 | 0.0 | 0.2 |
| 21 | 11.2 | 10.1 | 10.6 | 8.0 | 6.1 | 7.0 | 5.7 | 4.2 | 5.0 | 0.7 | 0.1 | 0.3 |
| 22 | 11.1 | 9.1 | 10.1 | 7.5 | 5.4 | 6.2 | 6.0 | 4.5 | 5.1 | 0.5 | 0.1 | 0.2 |
| 23 | 10.3 | 9.0 | 9.7 | 5.8 | 4.4 | 5.1 | 4.5 | 2.3 | 3.3 | 0.3 | 0.1 | 0.1 |
| 24 | 10.4 | 9.5 | 9.8 | 5.9 | 3.4 | 4.7 | 3.9 | 3.5 | 3.7 | 0.3 | 0.0 | 0.2 |
| 25 | 12.2 | 9.7 | 10.5 | 5.3 | 4.2 | 4.6 | 3.6 | 2.6 | 3.0 | 0.4 | 0.1 | 0.2 |
| 26 | 12.4 | 12.0 | 12.2 | 4.7 | 3.4 | 3.7 | 2.6 | 2.0 | 2.3 | 0.2 | 0.0 | 0.1 |
| 27 | 12.7 | 11.7 | 12.1 | 3.5 | 2.6 | 3.2 | 2.9 | 1.6 | 2.2 | 0.2 | 0.0 | 0.1 |
| 28 | 12.0 | 11.2 | 11.6 | 3.4 | 2.2 | 2.6 | 3.4 | 1.1 | 2.2 | 0.2 | 0.0 | 0.1 |
| 29 | 11.6 | 9.6 | 10.5 | 3.8 | 1.9 | 2.6 | 4.0 | 1.9 | 3.0 | 0.2 | -0.1 | 0.0 |
| 30 | 10.0 | 9.3 | 9.5 | 4.0 | 2.8 | 3.5 | 6.1 | 2.6 | 4.1 | 0.6 | -0.1 | 0.1 |
| 31 | 10.1 | 9.0 | 9.6 | --- | --- | --- | 7.1 | 5.7 | 6.3 | 0.8 | 0.0 | 0.3 |
| MONTH | 22.4 | 9.0 | 13.5 | 14.8 | 1.9 | 7.1 | 7.7 | 0.2 | 3.4 | 6.8 | -0.1 | 1.3 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 0.5 | 0.1 | 0.2 | 4.4 | 2.6 | 3.3 | 14.5 | 7.4 | 10.5 | 21.4 | 16.4 | 18.5 |
| 2 | 1.3 | 0.1 | 0.3 | 3.5 | 2.3 | 3.2 | 17.2 | 11.0 | 14.0 | 19.4 | 17.1 | 18.0 |
| 3 | 4.7 | 0.2 | 1.4 | 4.3 | 0.1 | 1.9 | 18.3 | 12.4 | 15.4 | 17.7 | 15.1 | 16.0 |
| 4 | 4.9 | 1.2 | 3.1 | 6.0 | 0.4 | 2.8 | 17.5 | 14.6 | 16.1 | 15.1 | 12.2 | 13.7 |
| 5 | 1.5 | -0.1 | 0.7 | 5.4 | 3.6 | 4.4 | 16.8 | 10.0 | 12.8 | 17.4 | 13.1 | 15.0 |
| 6 | 1.6 | 0.1 | 0.7 | 3.7 | 2.0 | 3.0 | 10.0 | 7.8 | 8.6 | 19.2 | 15.2 | 16.6 |
| 7 | 1.9 | 0.7 | 1.3 | 5.5 | 1.4 | 2.9 | 11.4 | 8.0 | 9.4 | 17.6 | 15.8 | 16.7 |
| 8 | 1.6 | 0.1 | 0.6 | 8.6 | 1.4 | 4.7 | 10.9 | 9.0 | 9.9 | 20.2 | 15.2 | 17.4 |
| 9 | 2.1 | 0.3 | 0.9 | 7.6 | 4.3 | 5.8 | 10.1 | 7.3 | 8.0 | 20.1 | 16.6 | 18.3 |
| 10 | 1.1 | 0.5 | 0.8 | 5.1 | 1.0 | 3.1 | 11.3 | 6.7 | 8.6 | 19.2 | 17.0 | 17.7 |
| 11 | 0.8 | 0.1 | 0.3 | 6.9 | 1.4 | 3.9 | 14.1 | 6.9 | 10.2 | 19.3 | 16.1 | 17.6 |
| 12 | 1.4 | 0.0 | 0.5 | 6.2 | 3.5 | 4.8 | 14.9 | 8.6 | 11.7 | 17.0 | 14.2 | 15.4 |
| 13 | 1.3 | 0.1 | 0.5 | 6.0 | 4.3 | 5.2 | 15.1 | 9.2 | 12.2 | 18.4 | 12.9 | 15.4 |
| 14 | 0.5 | 0.0 | 0.2 | 8.7 | 2.5 | 5.3 | 16.6 | 9.5 | 13.0 | 17.9 | 13.5 | 15.6 |
| 15 | 0.9 | 0.0 | 0.4 | 10.2 | 4.1 | 6.8 | 18.7 | 12.1 | 15.2 | 18.5 | 14.5 | 16.4 |
| 16 | 0.4 | 0.0 | 0.1 | 12.5 | 6.2 | 9.1 | 19.1 | 13.9 | 16.5 | 19.4 | 14.7 | 16.7 |
| 17 | 0.3 | 0.0 | 0.1 | 12.2 | 8.5 | 10.5 | 17.8 | 14.8 | 15.7 | 18.5 | 16.2 | 16.7 |
| 18 | 0.7 | 0.1 | 0.3 | 13.5 | 10.3 | 11.9 | 15.0 | 13.5 | 14.2 | 17.7 | 15.9 | 16.7 |
| 19 | 0.9 | 0.5 | 0.7 | 13.8 | 10.2 | 12.4 | 18.7 | 12.4 | 15.2 | 20.5 | 16.4 | 18.0 |
| 20 | 3.2 | 0.5 | 1.3 | 14.1 | 9.1 | 11.3 | 17.8 | 15.3 | 16.7 | 19.7 | 17.0 | 18.1 |
| 21 | 2.0 | 1.1 | 1.6 | 12.4 | 9.2 | 10.6 | 15.7 | 13.7 | 14.7 | 19.0 | 15.1 | 16.7 |
| 22 | 2.2 | 0.8 | 1.6 | 12.5 | 7.2 | 9.8 | 14.3 | 11.8 | 12.8 | 19.0 | 14.4 | 16.4 |
| 23 | 2.7 | 0.8 | 1.7 | 13.5 | 9.0 | 11.1 | 15.4 | 8.5 | 11.6 | 18.1 | 14.0 | 16.0 |
| 24 | 2.8 | 0.3 | 1.5 | 15.4 | 8.5 | 11.8 | 13.7 | 9.1 | 11.4 | 18.0 | 13.2 | 15.5 |
| 25 | 1.7 | 0.0 | 0.8 | 15.4 | 10.1 | 12.9 | 13.1 | 11.8 | 12.3 | 17.2 | 14.6 | 15.6 |
| 26 | 1.5 | 0.0 | 0.6 | 15.5 | 10.4 | 12.8 | 16.8 | 11.7 | 13.6 | 17.8 | 14.3 | 15.7 |
| 27 | 2.9 | 0.4 | 1.5 | 14.1 | 8.5 | 11.5 | 16.9 | 11.2 | 13.8 | 18.4 | 14.7 | 16.4 |
| 28 | 3.8 | 1.6 | 2.6 | 16.6 | 11.5 | 14.0 | 17.7 | 11.5 | 14.5 | 18.1 | 14.7 | 16.5 |
| 29 | --- | --- | --- | 15.5 | 8.7 | 10.6 | 19.3 | 15.8 | 17.1 | 18.5 | 15.5 | 16.8 |
| 30 | --- | --- | --- | --- | --- | --- | 19.3 | 15.8 | 17.3 | 18.0 | 14.8 | 16.3 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.5 | 16.0 | 16.5 |
| MONTH | 4.9 | -0.1 | 0.9 | 16.6 | 0.1 | 7.6 | 19.3 | 6.7 | 13.1 | 21.4 | 12.2 | 16.5 |

FOUR MILE CREEK BASIN

03238772 FOUR MILE CREEK AT POPLAR RIDGE ROAD NEAR ALEXANDRIA, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 7.9 | 6.3 | 7.0 | 9.8 | 9.1 | 9.4 | 12.8 | 11.2 | 11.9 | 12.5 | 10.7 | 11.5 |
| 2 | 7.1 | 5.2 | 6.2 | 9.5 | 8.8 | 9.1 | 13.0 | 11.9 | 12.3 | 11.6 | 11.0 | 11.4 |
| 3 | 6.8 | 5.4 | 6.2 | 8.8 | 7.5 | 7.8 | 13.0 | 11.9 | 12.4 | 12.5 | 11.4 | 12.0 |
| 4 | 6.8 | 4.5 | 5.5 | 7.6 | 6.4 | 6.8 | --- | --- | --- | 12.9 | 12.0 | 12.4 |
| 5 | 7.2 | 5.6 | 6.1 | 9.6 | 6.4 | 7.6 | 13.6 | 11.9 | 12.6 | 12.9 | 11.9 | 12.3 |
| 6 | 6.5 | 5.4 | 5.8 | 9.0 | 8.5 | 8.7 | 13.8 | 12.2 | 12.8 | 12.7 | 11.9 | 12.3 |
| 7 | 5.9 | 4.7 | 5.0 | 9.6 | 8.8 | 9.1 | 14.2 | 12.6 | 13.3 | 13.4 | 12.3 | 12.9 |
| 8 | 5.3 | 4.7 | 5.1 | 9.7 | 8.7 | 9.1 | 13.8 | 12.4 | 13.0 | 13.0 | 11.7 | 12.4 |
| 9 | 5.3 | 4.9 | 5.0 | 8.7 | 7.5 | 7.9 | 14.1 | 12.5 | 13.1 | 12.8 | 11.6 | 12.1 |
| 10 | 6.1 | 5.2 | 5.5 | 9.5 | 6.9 | 7.5 | 13.9 | 12.6 | 13.1 | 13.3 | 11.6 | 12.5 |
| 11 | 7.9 | 5.8 | 7.3 | 8.8 | 8.3 | 8.5 | 13.3 | 11.4 | 12.1 | 14.5 | 12.7 | 13.7 |
| 12 | 7.0 | 6.1 | 6.6 | 9.6 | 8.5 | 9.2 | 11.4 | 11.0 | 11.2 | 15.0 | 13.7 | 14.4 |
| 13 | 6.6 | 5.2 | 5.6 | 10.0 | 9.2 | 9.6 | 11.7 | 10.5 | 11.0 | 14.8 | 13.5 | 14.1 |
| 14 | 6.1 | 5.6 | 5.8 | 10.2 | 9.2 | 9.7 | 11.2 | 10.8 | 11.0 | 14.4 | 13.4 | 13.8 |
| 15 | 6.4 | 5.7 | 6.0 | 9.9 | 9.1 | 9.5 | 12.1 | 10.5 | 11.3 | 15.4 | 13.7 | 14.5 |
| 16 | 6.7 | 6.0 | 6.3 | 10.2 | 9.7 | 10 | 12.2 | 10.4 | 11.2 | 14.6 | 13.9 | 14.2 |
| 17 | 6.8 | 6.0 | 6.5 | 10.9 | 9.9 | 10.3 | 12.4 | 10.9 | 11.4 | 15.4 | 13.7 | 14.4 |
| 18 | 7.5 | 6.6 | 6.9 | 11.3 | 10.5 | 10.8 | 11.2 | 10.0 | 10.7 | 15.6 | 14.0 | 14.6 |
| 19 | 7.5 | 6.2 | 7.0 | 10.9 | 10.1 | 10.6 | 11.2 | 10.0 | 10.4 | 15.6 | 13.7 | 14.5 |
| 20 | 6.7 | 5.9 | 6.2 | 10.7 | 9.9 | 10.2 | 10.5 | 10.1 | 10.3 | 15.0 | 13.4 | 14.2 |
| 21 | 7.0 | 6.5 | 6.8 | 10.5 | 9.8 | 10.1 | 11.0 | 10.3 | 10.6 | 15.9 | 14.0 | 14.8 |
| 22 | 6.6 | 6.1 | 6.3 | 10.7 | 9.6 | 10.2 | 10.8 | 10.5 | 10.7 | 16.2 | 14.4 | 15.1 |
| 23 | 6.4 | 6.1 | 6.2 | 11.5 | 10.3 | 10.8 | 12.0 | 10.6 | 11.4 | 15.8 | 14.4 | 15.0 |
| 24 | 6.6 | 6.2 | 6.3 | 11.5 | 10.6 | 11.1 | 11.6 | 11.1 | 11.3 | 16.4 | 14.6 | 15.2 |
| 25 | 10.2 | 6.3 | 7.7 | 11.2 | 10.4 | 10.8 | 11.9 | 11.1 | 11.5 | 16.5 | 14.4 | 15.1 |
| 26 | 9.3 | 8.6 | 8.9 | 11.7 | 10.3 | 10.9 | 12.3 | 11.5 | 11.9 | 15.1 | 14.0 | 14.5 |
| 27 | 9.1 | 8.4 | 8.7 | 12.7 | 11.0 | 11.7 | 12.6 | 11.9 | 12.2 | 15.7 | 13.8 | 14.3 |
| 28 | 8.6 | 7.7 | 8.1 | 13.0 | 11.7 | 12.2 | 12.6 | 11.5 | 12.2 | 15.4 | 14.1 | 14.7 |
| 29 | 10.7 | 7.2 | 8.9 | 12.9 | 12.0 | 12.4 | 12.5 | 11.4 | 11.9 | 16.1 | 13.8 | 14.7 |
| 30 | 9.8 | 8.6 | 9.6 | 12.5 | 11.0 | 11.6 | 11.9 | 10.6 | 11.3 | 16.8 | 13.9 | 15.0 |
| 31 | 10.1 | 9.4 | 9.7 | --- | --- | --- | 11.3 | 10.5 | 10.8 | 16.9 | 13.9 | 15.3 |
| MONTH | 10.7 | 4.5 | 6.7 | 13.0 | 6.4 | 9.8 | 14.2 | 10.0 | 11.7 | 16.9 | 10.7 | 13.8 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 16.1 | 13.7 | 14.7 | 15.3 | 13.9 | 14.3 | 12.6 | 8.9 | 10.4 | 9.5 | 6.6 | 7.8 |
| 2 | 16.2 | 13.9 | 14.5 | 14.7 | 14.0 | 14.3 | 11.9 | 7.3 | 9.4 | 7.6 | 5.5 | 6.5 |
| 3 | 14.8 | 11.9 | 13.9 | 16.2 | 14.3 | 15.2 | 11.6 | 6.7 | 8.9 | 8.4 | 5.4 | 6.6 |
| 4 | 13.8 | 12.6 | 13.2 | 16.2 | 13.6 | 14.9 | 10.8 | 6.4 | 8.5 | 10.6 | 6.6 | 8.3 |
| 5 | 15.6 | 13.4 | 14.5 | 14.1 | 13.6 | 13.8 | 9.6 | 7.3 | 8.6 | 9.4 | 7.1 | 8.2 |
| 6 | 15.8 | 13.8 | 14.6 | 16.0 | 14.0 | 14.9 | 14.0 | 8.8 | 11.0 | 7.4 | 6.6 | 7.2 |
| 7 | 16.0 | 13.4 | 14.5 | 16.6 | 13.8 | 15.1 | 11.4 | 9.0 | 9.9 | 7.4 | 6.6 | 7.0 |
| 8 | 16.4 | 14.1 | 15.1 | 16.5 | 12.4 | 14.7 | 12.5 | 9.0 | 10.4 | 8.0 | 6.4 | 7.2 |
| 9 | 16.5 | 14.1 | 15.1 | 16.8 | 12.4 | 14.4 | 11.2 | 9.4 | 10.3 | 8.0 | 6.5 | 7.3 |
| 10 | 16.1 | 13.6 | 14.8 | 17.4 | 13.5 | 15.3 | 14.1 | 10.0 | 11.5 | 8.7 | 6.8 | 7.5 |
| 11 | 16.4 | 13.9 | 14.9 | 17.2 | 12.1 | 14.9 | 14.5 | 9.1 | 11.3 | 7.8 | 7.2 | 7.4 |
| 12 | 17.2 | 14.0 | 15.5 | 16.5 | 11.2 | 13.1 | 14.2 | 8.6 | 11.0 | 8.5 | 7.3 | 7.8 |
| 13 | 17.4 | 14.8 | 16.0 | 13.2 | 10.8 | 11.5 | 13.7 | 8.3 | 10.7 | 8.8 | 7.3 | 8.0 |
| 14 | 17.0 | 14.3 | 15.4 | 16.2 | 10.7 | 13.1 | 12.8 | 8.4 | 10.4 | 9.7 | 7.2 | 8.4 |
| 15 | 15.0 | 14.1 | 14.5 | 16.7 | 10.3 | 12.9 | 11.8 | 7.8 | 9.6 | 8.9 | 7.7 | 8.3 |
| 16 | 15.5 | 14.2 | 14.7 | 16.7 | 9.6 | 12.7 | 11.2 | 7.5 | 9.1 | 9.8 | 7.6 | 8.5 |
| 17 | 16.0 | 14.3 | 14.9 | 16.9 | 8.8 | 12.4 | 8.6 | 6.2 | 7.3 | 8.7 | 7.5 | 8.2 |
| 18 | 16.6 | 14.3 | 15.1 | 15.7 | 8.0 | 11.7 | 9.9 | 6.5 | 7.8 | 8.9 | 8.0 | 8.6 |
| 19 | 16.7 | 14.1 | 15.0 | 12.4 | 7.8 | 9.8 | 11.6 | 7.1 | 9.0 | 9.0 | 7.6 | 8.2 |
| 20 | 16.8 | 13.9 | 14.8 | 11.7 | 8.2 | 9.9 | 9.3 | 6.7 | 8.0 | 8.0 | 7.3 | 7.6 |
| 21 | 15.1 | 13.6 | 14.2 | 9.9 | 8.2 | 9.3 | 8.9 | 7.8 | 8.4 | 8.8 | 6.8 | 7.8 |
| 22 | 15.7 | 14.2 | 14.7 | 12.9 | 8.6 | 10.5 | 10.2 | 7.6 | 8.7 | 8.4 | 6.3 | 7.2 |
| 23 | 15.2 | 14.5 | 14.8 | 13.5 | 8.4 | 10.4 | 11.4 | 8.4 | 9.6 | 8.7 | 6.5 | 7.5 |
| 24 | 15.3 | 14.5 | 14.9 | 13.6 | 8.2 | 10.3 | 11.8 | 7.8 | 9.7 | 9.2 | 6.6 | 7.7 |
| 25 | 16.0 | 14.7 | 15.4 | 13.4 | 7.7 | 10 | 10.4 | 7.5 | 8.9 | 8.4 | 6.4 | 7.2 |
| 26 | 16.1 | 14.8 | 15.4 | 12.2 | 7.6 | 9.6 | 11.7 | 8.0 | 9.7 | 9.0 | 6.8 | 7.6 |
| 27 | 15.9 | 14.3 | 15.1 | 13.6 | 7.7 | 10.3 | 11.0 | 8.1 | 9.4 | 8.5 | 6.4 | 7.3 |
| 28 | 15.8 | 14.0 | 14.7 | 12.4 | 7.2 | 9.5 | 10.9 | 8.4 | 9.4 | 9.0 | 6.3 | 7.4 |
| 29 | --- | --- | --- | 9.8 | 7.1 | 9.0 | 10.7 | 7.6 | 8.9 | 8.4 | 6.8 | 7.5 |
| 30 | --- | --- | --- | --- | --- | --- | 10.0 | 7.1 | 8.4 | 9.2 | 6.4 | 7.6 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 6.5 | 7.1 |
| MONTH | 17.4 | 11.9 | 14.8 | 17.4 | 7.1 | 12.3 | 14.5 | 6.2 | 9.5 | 10.6 | 5.4 | 7.6 |

FOUR MILE CREEK BASIN

03238772 FOUR MILE CREEK AT POPLAR RIDGE ROAD NEAR ALEXANDRIA, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 61 | 25 | 40 | 21 | 4.5 | 13 | 9.6 | 7.5 | 8.6 | 700 | 69 | 170 |
| 2 | 78 | 19 | 29 | 22 | 5.5 | 10 | 9.4 | 8.2 | 8.7 | 69 | 27 | 42 |
| 3 | 180 | 34 | 70 | 10 | 5.3 | 7.8 | 12 | 9.0 | 9.5 | 39 | 22 | 27 |
| 4 | 320 | 29 | 86 | 11 | 3.6 | 6.7 | --- | --- | --- | 25 | 18 | 21 |
| 5 | 170 | 35 | 70 | 420 | 6.4 | 82 | 3.5 | 0.8 | 1.8 | 26 | 17 | 21 |
| 6 | 140 | 25 | 34 | 180 | 43 | 72 | 3.3 | 0.8 | 1.8 | 30 | 19 | 24 |
| 7 | 230 | 22 | 34 | 95 | 26 | 40 | 5.0 | 1.5 | 3.1 | 69 | 14 | 19 |
| 8 | 25 | 18 | 21 | 67 | 27 | 41 | 5.0 | 3.1 | 3.9 | 180 | 11 | 25 |
| 9 | 30 | 18 | 21 | 220 | 29 | 80 | 6.0 | 2.6 | 4.1 | 16 | 12 | 14 |
| 10 | 21 | 15 | 18 | 1,000 | 10 | 110 | 4.7 | 3.2 | 3.9 | 15 | 10 | 13 |
| 11 | 240 | 20 | 110 | 250 | 57 | 99 | 320 | 3.8 | 110 | 18 | 11 | 13 |
| 12 | 71 | 48 | 59 | 67 | 34 | 46 | 75 | 38 | 49 | 18 | 11 | 13 |
| 13 | 160 | 49 | 65 | 45 | 30 | 36 | 500 | 27 | 110 | 20 | 10 | 14 |
| 14 | 68 | 52 | 62 | 49 | 25 | 34 | 100 | 45 | 66 | 14 | 9.0 | 11 |
| 15 | 230 | 29 | 62 | 45 | 22 | 30 | 47 | 28 | 36 | 14 | 11 | 12 |
| 16 | 61 | 25 | 29 | 66 | 26 | 41 | 33 | 22 | 27 | 17 | 9.0 | 12 |
| 17 | 39 | 27 | 29 | 29 | 14 | 23 | 1,000 | 23 | 180 | 18 | 9.0 | 11 |
| 18 | 59 | 18 | 25 | 18 | 12 | 15 | 130 | 50 | 73 | 18 | 9.0 | 11 |
| 19 | 22 | 16 | 18 | 14 | 11 | 12 | 1,000 | 47 | 240 | 17 | 8.0 | 9.8 |
| 20 | 47 | 19 | 22 | 14 | 8.3 | 11 | 200 | 76 | 110 | 12 | 1.0 | 5.9 |
| 21 | 26 | 20 | 23 | 25 | 7.0 | 10 | 80 | 54 | 64 | 4.0 | 0.0 | 1.3 |
| 22 | 34 | 22 | 25 | 70 | 25 | 44 | 59 | 46 | 52 | 5.0 | 0.0 | 2.0 |
| 23 | 31 | 25 | 26 | 26 | 14 | 20 | 51 | 43 | 47 | 7.0 | 0.0 | 2.1 |
| 24 | 39 | 27 | 32 | 14 | 11 | 12 | 52 | 41 | 45 | 6.0 | 1.0 | 1.9 |
| 25 | 840 | 32 | 150 | 13 | 10 | 11 | 120 | 52 | 74 | 6.0 | 2.0 | 3.0 |
| 26 | 110 | 56 | 70 | 13 | 8.7 | 9.8 | 54 | 41 | 46 | 13 | 2.0 | 4.5 |
| 27 | 61 | 48 | 55 | 10 | 8.5 | 9.4 | 48 | 40 | 44 | 8.0 | 3.0 | 4.4 |
| 28 | 53 | 45 | 48 | 10 | 8.3 | 9.0 | 53 | 39 | 45 | 8.0 | 3.0 | 4.3 |
| 29 | 470 | 44 | 110 | 9.1 | 7.9 | 8.8 | 49 | 39 | 43 | 33 | 4.0 | 12 |
| 30 | 62 | 19 | 36 | 9.8 | 7.8 | 8.9 | 190 | 42 | 95 | 35 | 11 | 19 |
| 31 | 30 | 10 | 17 | --- | --- | --- | 510 | 67 | 160 | 22 | 9.0 | 14 |
| MONTH | 840 | 10 | 48 | 1,000 | 3.6 | 32 | 1,000 | 0.8 | 59 | 700 | 0.0 | 18 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 23 | 11 | 15 | 200 | 78 | 100 | 48 | 32 | 38 | 36 | 22 | 29 |
| 2 | 120 | 18 | 42 | 120 | 93 | 100 | 46 | 32 | 38 | 61 | 30 | 42 |
| 3 | 420 | 30 | 65 | 100 | 81 | 91 | 48 | 37 | 41 | 72 | 40 | 55 |
| 4 | 1,000 | 63 | 210 | 120 | 74 | 88 | 49 | 34 | 40 | 52 | 24 | 37 |
| 5 | 74 | 43 | 55 | 590 | 83 | 140 | 730 | 34 | 220 | 980 | 26 | 320 |
| 6 | 58 | 29 | 40 | 91 | 65 | 76 | 74 | 50 | 60 | 170 | 120 | 140 |
| 7 | 46 | 29 | 37 | 69 | 53 | 61 | 550 | 53 | 150 | 150 | 99 | 120 |
| 8 | 44 | 22 | 31 | 61 | 44 | 51 | 99 | 63 | 76 | 100 | 61 | 84 |
| 9 | 31 | 20 | 26 | 69 | 42 | 48 | 110 | 60 | 82 | 160 | 37 | 59 |
| 10 | 33 | 24 | 29 | 53 | 33 | 42 | 88 | 54 | 66 | 970 | 45 | 330 |
| 11 | 34 | 25 | 29 | 48 | 19 | 34 | 63 | 43 | 51 | 430 | 83 | 130 |
| 12 | 35 | 23 | 28 | 36 | 18 | 25 | 58 | 48 | 53 | 88 | 60 | 74 |
| 13 | 42 | 26 | 32 | 460 | 20 | 140 | 58 | 37 | 47 | 74 | 44 | 62 |
| 14 | 79 | 24 | 40 | 130 | 41 | 65 | 54 | 33 | 43 | 100 | 9.0 | 35 |
| 15 | 420 | 76 | 170 | 42 | 24 | 32 | 55 | 25 | 40 | 950 | 23 | 150 |
| 16 | 85 | 55 | 65 | 37 | 24 | 30 | 48 | 18 | 31 | 200 | 2.0 | 24 |
| 17 | 59 | 48 | 53 | 36 | 23 | 28 | 100 | 23 | 38 | 160 | 11 | 62 |
| 18 | 55 | 46 | 50 | 36 | 22 | 27 | 71 | 22 | 41 | 84 | 45 | 58 |
| 19 | 51 | 44 | 48 | 910 | 22 | 180 | 39 | 16 | 26 | 77 | 31 | 45 |
| 20 | 50 | 13 | 28 | 230 | 62 | 100 | 990 | 18 | 79 | 320 | 37 | 91 |
| 21 | 270 | 13 | 79 | 370 | 66 | 170 | 990 | 80 | 230 | 210 | 49 | 90 |
| 22 | 1,000 | 100 | 310 | 140 | 56 | 74 | 88 | 46 | 69 | 67 | 35 | 48 |
| 23 | 130 | 93 | 110 | 69 | 46 | 57 | 65 | 27 | 45 | 75 | 38 | 50 |
| 24 | 99 | 82 | 90 | 60 | 46 | 53 | 48 | 27 | 37 | 68 | 35 | 49 |
| 25 | 98 | 81 | 88 | 80 | 41 | 51 | 43 | 23 | 31 | 70 | 38 | 53 |
| 26 | 91 | 79 | 85 | 140 | 65 | 93 | 41 | 19 | 27 | 74 | 39 | 57 |
| 27 | 86 | 77 | 82 | 120 | 51 | 67 | 39 | 20 | 30 | 67 | 39 | 53 |
| 28 | 87 | 73 | 80 | 59 | 50 | 55 | 38 | 21 | 29 | 67 | 41 | 53 |
| 29 | --- | --- | --- | 310 | 52 | 130 | 39 | 22 | 27 | 110 | 58 | 82 |
| 30 | --- | --- | --- | --- | --- | --- | 40 | 23 | 31 | 74 | 46 | 61 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 110 | 49 | 75 |
| MONTH | 1,000 | 11 | 72 | 910 | 18 | 76 | 990 | 16 | 61 | 980 | 2.0 | 84 |

03248300 LICKING RIVER BELOW MASON FORK NEAR SALYERSVILLE, KY

LOCATION.--Lat 37°45'50", long 83°03'29", Magoffin County, Hydrologic Unit 05100101, on left bank downstream side of bridge on State Highway 1090, 0.9 mi southeast of Salyersville, 2.2 mi upstream from Burning Fork and at mile 272.2.

DRAINAGE AREA.--107 mi²

PERIOD OF RECORD.--October 2001 to current year.

REVISIONS.--The maximum discharge for WY 2002 has been revised to 2,630 ft³/s May 3, gage height is 14.92 ft.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 840 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-------|-------|-------|--------|-------|--------|-------|-------|-------|-------|-------|
| 1 | 11 | 90 | 58 | 261 | e103 | 302 | 136 | 95 | 68 | 56 | 24 | 23 |
| 2 | 9.8 | 70 | 53 | 385 | e105 | 287 | 122 | 146 | 60 | 70 | 30 | 24 |
| 3 | 10 | 59 | 49 | 259 | e101 | 242 | 112 | 141 | 62 | 60 | 36 | 36 |
| 4 | 9.2 | 55 | 44 | 217 | e261 | 212 | 106 | 111 | 109 | 52 | 57 | 399 |
| 5 | 8.8 | 102 | 54 | 188 | e272 | 197 | 129 | 127 | 98 | 47 | 78 | 262 |
| 6 | 8.3 | 358 | 72 | 170 | e198 | 183 | 126 | 206 | 74 | 48 | 46 | 82 |
| 7 | 8.0 | 178 | 62 | 152 | e170 | 160 | 793 | 140 | 440 | 42 | 33 | 50 |
| 8 | 7.5 | 110 | 73 | 139 | e138 | 147 | 657 | 119 | 471 | 37 | 37 | 35 |
| 9 | 7.4 | 87 | 84 | 127 | e118 | 137 | 1,580 | 252 | 217 | 33 | 30 | 28 |
| 10 | 9.3 | 75 | 86 | e100 | e112 | 125 | 1,250 | 227 | 144 | 34 | 26 | 23 |
| 11 | 52 | 232 | 319 | e89 | e104 | 117 | 1,200 | 196 | 351 | 57 | 23 | 20 |
| 12 | 55 | 199 | 532 | e80 | e100 | 111 | 649 | 161 | 1,100 | 49 | 21 | 18 |
| 13 | 34 | 120 | 424 | e74 | e94 | 113 | 406 | 118 | 530 | 49 | 26 | 17 |
| 14 | 28 | 92 | 1,290 | e69 | e110 | 112 | 297 | 97 | 446 | 40 | 21 | 16 |
| 15 | 20 | 84 | 631 | e66 | e1,220 | 102 | 236 | 95 | 292 | 33 | 18 | 15 |
| 16 | 71 | 157 | 353 | e63 | e2,700 | 96 | 200 | 130 | 983 | 34 | 17 | 15 |
| 17 | 80 | 181 | 243 | e61 | e1,880 | 92 | 210 | 107 | 1,640 | 32 | 19 | 16 |
| 18 | 42 | 163 | 193 | e58 | e581 | 90 | 991 | 199 | 614 | 28 | 40 | 14 |
| 19 | 28 | 138 | 160 | e56 | 558 | 89 | 953 | 170 | 407 | 26 | 27 | 13 |
| 20 | 24 | 120 | 338 | e55 | 416 | 94 | 405 | 135 | 323 | 25 | 19 | 11 |
| 21 | 23 | 105 | 323 | e54 | 384 | 96 | 464 | 141 | 250 | 24 | 16 | 11 |
| 22 | 21 | 119 | 231 | e52 | 1,630 | 86 | 393 | 139 | 184 | 24 | 15 | 13 |
| 23 | 19 | 113 | 187 | e49 | 1,840 | 80 | 284 | 120 | 142 | 32 | 14 | 49 |
| 24 | 16 | 97 | 172 | e47 | 713 | 76 | 223 | 107 | 114 | 30 | 14 | 31 |
| 25 | 14 | 87 | 265 | e46 | 487 | 72 | 194 | 93 | 97 | 26 | 13 | 19 |
| 26 | 17 | 78 | 253 | e44 | 389 | 78 | 186 | 84 | 84 | 23 | 11 | 16 |
| 27 | 20 | 81 | 206 | e42 | 342 | 77 | 158 | 77 | 77 | 20 | 11 | 17 |
| 28 | 120 | 74 | 181 | e40 | 344 | 71 | 131 | 73 | 73 | 19 | 10 | 40 |
| 29 | 524 | 67 | 162 | e52 | --- | 96 | 120 | 85 | 66 | 27 | 9.9 | 34 |
| 30 | 421 | 63 | 144 | e85 | --- | 140 | 107 | 87 | 60 | 36 | 12 | 23 |
| 31 | 141 | --- | 129 | e103 | --- | 153 | --- | 74 | --- | 25 | 17 | --- |
| TOTAL | 1,859.3 | 3,554 | 7,371 | 3,283 | 15,470 | 4,033 | 12,818 | 4,052 | 9,576 | 1,138 | 770.9 | 1,370 |
| MEAN | 60.0 | 118 | 238 | 106 | 552 | 130 | 427 | 131 | 319 | 36.7 | 24.9 | 45.7 |
| MAX | 524 | 358 | 1,290 | 385 | 2,700 | 302 | 1,580 | 252 | 1,640 | 70 | 78 | 399 |
| CFSM | 0.56 | 1.11 | 2.22 | 0.99 | 5.16 | 1.22 | 3.99 | 1.22 | 2.98 | 0.34 | 0.23 | 0.43 |
| IN. | 0.65 | 1.24 | 2.56 | 1.14 | 5.38 | 1.40 | 4.46 | 1.41 | 3.33 | 0.40 | 0.27 | 0.48 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| MEAN | 34.4 | 64.2 | 130 | 93.1 | 295 | 220 | 338 | 190 | 116 | 33.1 | 14.4 | 19.4 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 60.0 | 118 | 238 | 106 | 552 | 311 | 427 | 436 | 319 | 58.8 | 24.9 | 45.7 |
| (WY) | (2003) | (2003) | (2003) | (2003) | (2003) | (2002) | (2003) | (2002) | (2003) | (2002) | (2003) | (2003) |

03248300 LICKING RIVER BELOW MASON FORK NEAR SALYERSVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 50,264.9 | | 65,295.2 | | | |
| ANNUAL MEAN | 138 | | 179 | | 142 | |
| HIGHEST ANNUAL MEAN | | | | | 179 2003 | |
| HIGHEST DAILY MEAN | 2,580 | May 3 | 2,700 | Feb 16 | 2,700 | Feb 16, 2003 |
| LOWEST DAILY MEAN | 4.3 | Sep 11 | 7.4 | Oct 9 | 2.7 | Sep 19, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 4.8 | Sep 9 | 8.4 | Oct 4 | 2.8 | Sep 13, 2001 |
| MAXIMUM PEAK FLOW | | | 3,710 | | 3,710 | |
| MAXIMUM PEAK STAGE | | | 17.75 | | 17.75 | |
| ANNUAL RUNOFF (CFSM) | 1.29 | | 1.67 | | 1.33 | |
| ANNUAL RUNOFF (INCHES) | 17.48 | | 22.70 | | 18.09 | |
| 10 PERCENT EXCEEDS | 361 | | 401 | | 353 | |
| 50 PERCENT EXCEEDS | 39 | | 90 | | 44 | |
| 90 PERCENT EXCEEDS | 10 | | 17 | | 9.3 | |

e Estimated



03249500 LICKING RIVER AT FARMERS, KY

LOCATION.--Lat 38°06'55", long 83°32'36", Bath County, Hydrologic Unit 05100101, on left bank, 0.2 mi downstream from Hog Hollow, 0.8 mi downstream from Cave Run Dam, 1.9 mi south of Farmers, 4.5 mi upstream from Triplett Creek, and at mile 174.

DRAINAGE AREA.--827 mi².

PERIOD OF RECORD.--July 1915 to June 1920 (gage heights only), April 1928 to September 1931, December 1936 to February 1937 (in WSP 838), April 1938 to September 1994, October 2002 to current year. All figures of discharge above 2,000 ft³/s prior to April 1938 are unreliable and should not be used. Gage-height records collected at former site since 1915 are contained in reports of National Weather Service.

REVISED RECORDS.--WSP 1275: 1928-31, 1937. WSP 1505: 1950(P). WSP 1705; 1952, drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 646.55 ft above sea level. See WRD-KY-90-1 for history of changes prior to Oct. 20, 1965.

REMARKS.--Records good. Discharge values published are days with mean values, 1,040 ft³/s and below: Flow regulated by Cave Run Dam beginning December 1973 (station 03249498). High Flow only regulated prior to December 1973 (Cave Run Dam under construction). Diversion above station from Cave Run Lake for Fish Hatchery; return flow of which enters Licking River below station.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-------|-------|-----|-------|-----|-----|-----|-----|-------|
| 1 | 224 | --- | 236 | --- | 586 | --- | --- | 599 | 528 | --- | 228 | 89 |
| 2 | 220 | --- | 212 | --- | 586 | --- | --- | 602 | 527 | --- | 226 | 168 |
| 3 | 203 | --- | 205 | --- | 718 | --- | --- | 605 | 747 | --- | 236 | 235 |
| 4 | 195 | --- | 202 | --- | --- | --- | 1,030 | 605 | 950 | 595 | 257 | 225 |
| 5 | 192 | --- | 505 | --- | --- | --- | 1,040 | --- | 514 | 430 | 491 | 222 |
| 6 | 191 | --- | 919 | --- | --- | --- | 869 | --- | 236 | 240 | --- | 221 |
| 7 | 186 | --- | 448 | --- | --- | --- | --- | --- | --- | 243 | --- | 229 |
| 8 | 82 | --- | 241 | --- | --- | --- | --- | --- | --- | 241 | --- | 241 |
| 9 | 22 | --- | 219 | 1,010 | --- | --- | --- | --- | --- | 240 | 990 | 229 |
| 10 | --- | --- | 212 | 1,010 | 761 | --- | --- | --- | --- | 237 | 615 | 243 |
| 11 | 675 | --- | --- | 848 | 1,020 | --- | --- | --- | --- | 236 | 619 | 240 |
| 12 | --- | --- | --- | 554 | 849 | --- | --- | --- | --- | 236 | --- | 227 |
| 13 | --- | --- | --- | 554 | 569 | --- | --- | --- | --- | 241 | --- | 221 |
| 14 | --- | --- | --- | 432 | 570 | --- | --- | --- | --- | 244 | --- | 233 |
| 15 | --- | --- | --- | 237 | --- | --- | --- | --- | --- | 242 | 231 | 245 |
| 16 | --- | --- | --- | 218 | --- | --- | --- | --- | --- | 253 | 234 | 233 |
| 17 | --- | --- | --- | 345 | --- | --- | --- | --- | --- | 243 | 241 | 230 |
| 18 | --- | --- | --- | 569 | 254 | --- | --- | --- | --- | 241 | 238 | 223 |
| 19 | --- | --- | --- | 569 | --- | --- | --- | --- | --- | 258 | 225 | 221 |
| 20 | 974 | --- | --- | 480 | --- | --- | --- | --- | --- | 270 | 223 | 236 |
| 21 | 610 | --- | --- | 240 | --- | --- | --- | --- | --- | 265 | 223 | 247 |
| 22 | 239 | 898 | --- | 228 | --- | --- | --- | --- | --- | 250 | 180 | 250 |
| 23 | 191 | 570 | --- | 223 | --- | --- | --- | --- | --- | 250 | 116 | 245 |
| 24 | 113 | 570 | --- | 219 | --- | --- | --- | --- | --- | 253 | 116 | 240 |
| 25 | 228 | 571 | --- | 212 | 160 | --- | --- | --- | --- | 273 | 112 | 224 |
| 26 | 209 | 571 | --- | 208 | --- | --- | 966 | --- | --- | 251 | 104 | 218 |
| 27 | 202 | 568 | --- | 202 | --- | --- | 605 | --- | --- | 259 | 86 | 217 |
| 28 | 211 | 569 | --- | 217 | --- | --- | 600 | --- | --- | 272 | 89 | 225 |
| 29 | 251 | 568 | --- | 248 | --- | --- | 596 | 583 | --- | 231 | 88 | 234 |
| 30 | 223 | 520 | --- | 370 | --- | --- | 596 | 550 | --- | 234 | 87 | 223 |
| 31 | --- | --- | --- | 585 | --- | --- | --- | 532 | --- | 247 | 86 | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6,734 |
| MEAN | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 224 |
| MAX | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 250 |
| MIN | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 89 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1974 - 2003, BY WATER YEAR (WY)


| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 539 | 807 | 1,429 | 1,652 | 1,875 | 2,089 | 1,617 | 1,106 | 808 | 331 | 301 | 409 |
| MAX | 2,336 | 1,988 | 3,096 | 3,692 | 3,717 | 3,670 | 4,061 | 3,350 | 2,521 | 1,620 | 836 | 2,360 |
| (WY) | (1990) | (1990) | (1986) | (1991) | (1991) | (1989) | (1994) | (1984) | (1983) | (1981) | (1979) | (1974) |
| MIN | 25.2 | 19.7 | 310 | 138 | 507 | 286 | 51.0 | 41.1 | 41.7 | 40.2 | 35.5 | 80.5 |
| (WY) | (1979) | (1979) | (1982) | (1981) | (1984) | (1983) | (1986) | (1976) | (1988) | (1988) | (1988) | (2002) |

03249500 LICKING RIVER AT FARMERS, KY—Continued

SUMMARY STATISTICS

WATER YEARS 1974-2003

| | | | |
|--------------------------|--------|--------|------|
| ANNUAL MEAN | 1,078 | | |
| HIGHEST ANNUAL MEAN | 1,754 | | 1994 |
| LOWEST ANNUAL MEAN | 496 | | 1988 |
| HIGHEST DAILY MEAN | 7,820 | Jan 15 | 1974 |
| LOWEST DAILY MEAN | 6.1 | Jul 21 | 1983 |
| ANNUAL SEVEN-DAY MINIMUM | 14 | Oct 4 | 1978 |
| MAXIMUM PEAK FLOW | 24,000 | Feb 28 | 1962 |
| MAXIMUM PEAK STAGE | 31.10 | Feb 9 | 1918 |
| INSTANTANEOUS LOW FLOW | 0.70 | Oct 14 | 1930 |
| 10 PERCENT EXCEEDS | 3,310 | | |
| 50 PERCENT EXCEEDS | 349 | | |
| 90 PERCENT EXCEEDS | 65 | | |



03250190 SLATE CREEK AT HIGHWAY 713 NEAR MOUNT STERLING, KY

LOCATION.--Lat 38°01'26", long 83°49'54", Montgomery County, Hydrologic Unit 05100101, on right downstream side of bridge on Highway 713, 0.2 mi below Greenbrier Creek, 1.0 mi above Town Branch, 6.4 mi east of Mount Sterling, and at mile 43.2.

DRAINAGE AREA.--84.5 mi²

PERIOD OF RECORD.--March 2000 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 800 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--City of Mount Sterling.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-------|-------|-------|--------|-------|-------|--------|-------|-------|---------|---------|
| 1 | 17 | 129 | 29 | 605 | 76 | 168 | 48 | 24 | 37 | 10 | 39 | 286 |
| 2 | 11 | 93 | 27 | 443 | 87 | 133 | 39 | 38 | 27 | 9.7 | 18 | 392 |
| 3 | 8.7 | 74 | 26 | 296 | 80 | 106 | 35 | 239 | 306 | 9.0 | 43 | 523 |
| 4 | 7.0 | 69 | 21 | 218 | 511 | 90 | 32 | 65 | 239 | 7.9 | 1,140 | 374 |
| 5 | 40 | 608 | e20 | 168 | 228 | 84 | 64 | 897 | 98 | 6.8 | 1,370 | 110 |
| 6 | 17 | 916 | e19 | 129 | e140 | 93 | 60 | 545 | 55 | 6.0 | 191 | 58 |
| 7 | 12 | 280 | e19 | 101 | e110 | 84 | 965 | 250 | 2,410 | 5.4 | 83 | 39 |
| 8 | 8.8 | 168 | 27 | e78 | 99 | 73 | 295 | 151 | 423 | 5.0 | 68 | e28 |
| 9 | 6.7 | 118 | 47 | e66 | 89 | 65 | 764 | 1,010 | 270 | 4.7 | 48 | e22 |
| 10 | 663 | 907 | 49 | e56 | 113 | 53 | 430 | 1,300 | 111 | 61 | 49 | e19 |
| 11 | 1,910 | 1,030 | 311 | e47 | 105 | 45 | 338 | 584 | 103 | 134 | 152 | e16 |
| 12 | 318 | 329 | 295 | 43 | 91 | 45 | 239 | 267 | 188 | 28 | 269 | e12 |
| 13 | 406 | 200 | 480 | e38 | 71 | 80 | 149 | 118 | 129 | 18 | 56 | e10 |
| 14 | 115 | 140 | 1,940 | e36 | 102 | 180 | 101 | 74 | 286 | 11 | 53 | e7.4 |
| 15 | 66 | 131 | 473 | e33 | 2,920 | 105 | 74 | 418 | 474 | 8.3 | 58 | e6.0 |
| 16 | 167 | 408 | 318 | e30 | 5,200 | 83 | 60 | 623 | 854 | 8.1 | 22 | e4.8 |
| 17 | 121 | 263 | 223 | e27 | 2,660 | 70 | 86 | 477 | 1,020 | 11 | 19 | e4.0 |
| 18 | 69 | 167 | 187 | e25 | 431 | 61 | 294 | 1,070 | 950 | 7.3 | 16 | e3.3 |
| 19 | 51 | 128 | 168 | e24 | 307 | 186 | 114 | 491 | 274 | 6.0 | 12 | e2.8 |
| 20 | 71 | 103 | 532 | e22 | 268 | 1,140 | 76 | 325 | 137 | 5.5 | 9.9 | e2.6 |
| 21 | 76 | 87 | 249 | e21 | 282 | 474 | 87 | 578 | 87 | 5.5 | e8.4 | e2.4 |
| 22 | 56 | 91 | 161 | e20 | 1,200 | 266 | 75 | 303 | 62 | 6.0 | e7.0 | e2.1 |
| 23 | 43 | 77 | 116 | e19 | 790 | 165 | 55 | 173 | 73 | 328 | e6.2 | 75 |
| 24 | 37 | 63 | 125 | 18 | 389 | 115 | 44 | 111 | 103 | 130 | e5.8 | 36 |
| 25 | 33 | 55 | 279 | e17 | 310 | 90 | 39 | 76 | 59 | 31 | e7.0 | 29 |
| 26 | 52 | 58 | 187 | e17 | 245 | 77 | 40 | 59 | 23 | 17 | e6.4 | 28 |
| 27 | 49 | 64 | 162 | e16 | 210 | 65 | 33 | 47 | 20 | 12 | e5.4 | 83 |
| 28 | 99 | 49 | 138 | e16 | 207 | 55 | 27 | 44 | 18 | 11 | e4.2 | 86 |
| 29 | 694 | 41 | 115 | 46 | --- | 83 | 31 | 100 | 15 | 24 | e3.7 | 50 |
| 30 | 428 | 36 | 90 | 126 | --- | 95 | 31 | 110 | 12 | 14 | 24 | 34 |
| 31 | 199 | --- | 77 | 71 | --- | 63 | --- | 54 | --- | 11 | 26 | --- |
| TOTAL | 5,851.2 | 6,882 | 6,910 | 2,872 | 17,321 | 4,492 | 4,725 | 10,621 | 8,863 | 952.2 | 3,820.0 | 2,345.4 |
| MEAN | 189 | 229 | 223 | 92.6 | 619 | 145 | 158 | 343 | 295 | 30.7 | 123 | 78.2 |
| MAX | 1,910 | 1,030 | 1,940 | 605 | 5,200 | 1,140 | 965 | 1,300 | 2,410 | 328 | 1,370 | 523 |
| MIN | 6.7 | 36 | 19 | 16 | 71 | 45 | 27 | 24 | 12 | 4.7 | 3.7 | 2.1 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2000 - 2003, BY WATER YEAR (WY)

| | 2000 | 2001 | 2002 | 2003 | 2000 | 2001 | 2002 | 2003 | 2000 | 2001 | 2002 | 2003 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 73.2 | 89.3 | 131 | 96.2 | 286 | 239 | 135 | 181 | 95.4 | 70.6 | 57.8 | 29.1 |
| MAX | 189 | 229 | 223 | 131 | 619 | 512 | 169 | 343 | 295 | 215 | 123 | 78.2 |
| (WY) | (2003) | (2003) | (2003) | (2002) | (2003) | (2002) | (2000) | (2003) | (2003) | (2001) | (2003) | (2003) |
| MIN | 4.26 | 8.88 | 74.5 | 65.1 | 43.5 | 135 | 50.7 | 3.11 | 11.4 | 5.45 | 12.2 | 5.30 |
| (WY) | (2001) | (2001) | (2001) | (2001) | (2002) | (2000) | (2001) | (2000) | (2002) | (2002) | (2002) | (2001) |

03250190 SLATE CREEK AT HIGHWAY 713 NEAR MOUNT STERLING, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2000 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 56,156.18 | | 75,654.8 | | 134 | |
| ANNUAL MEAN | 154 | | 207 | | 207 | |
| HIGHEST ANNUAL MEAN | | | | | 81.4 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 207 | 2001 |
| HIGHEST DAILY MEAN | 6,610 | Mar 20 | 5,200 | Feb 16 | 6,610 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 0.00 | Aug 23 | 2.1 | Sep 22 | 0.00 | Sep 22, 2000 |
| ANNUAL SEVEN-DAY MINIMUM | 1.8 | Jul 30 | 3.1 | Sep 16 | 0.25 | Sep 5, 2000 |
| MAXIMUM PEAK FLOW | | | 7,270 | Feb 16 | 9,380 | Mar 20, 2002 |
| MAXIMUM PEAK STAGE | | | 21.07 | Feb 16 | 22.65 | Mar 20, 2002 |
| 10 PERCENT EXCEEDS | 381 | | 478 | | 315 | |
| 50 PERCENT EXCEEDS | 39 | | 75 | | 37 | |
| 90 PERCENT EXCEEDS | 2.7 | | 9.4 | | 2.2 | |

e Estimated



03250310 ROCK LICK CREEK ABOVE UNNAMED TRIBUTARY NEAR SHARKEY, KY

LOCATION.--Lat 38°15'04", long 83°33'58", Fleming County, Hydrologic Unit 05100101, on right bank, 1.1 miles above Drip Springs, 1.3 miles north of Sharkey, and 2.7 mi above mouth.

DRAINAGE AREA.--1.66 mi²

PERIOD OF RECORD.--October 1996 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 694.94 ft above NGVD of 1929. Gage moved 50 ft downstream August 8, 2002.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|------|-------|-------|
| 1 | 0.22 | 0.85 | 0.38 | 20 | 2.0 | 2.1 | 1.2 | 0.81 | 0.67 | 0.22 | 0.07 | 3.8 |
| 2 | 0.17 | 0.65 | 0.38 | 6.1 | 2.2 | 1.8 | 1.1 | 0.69 | 0.62 | 0.20 | 0.08 | 16 |
| 3 | 0.14 | 0.53 | 0.33 | 3.9 | 2.0 | 1.4 | 1.0 | 0.62 | 13 | 0.18 | 0.10 | 7.8 |
| 4 | 0.13 | 0.55 | e0.30 | 2.5 | 12 | 1.2 | 0.95 | 0.55 | 4.6 | 0.17 | 0.18 | 3.2 |
| 5 | 0.17 | 18 | e0.27 | 1.9 | 2.8 | 1.2 | 1.2 | 31 | 2.2 | 0.15 | 0.20 | 1.4 |
| 6 | 0.16 | 6.7 | e0.25 | 1.6 | 1.8 | 1.7 | 1.2 | 16 | 1.4 | 0.17 | 0.17 | 0.95 |
| 7 | 0.13 | 2.0 | e0.24 | 1.4 | 1.5 | 1.5 | 15 | 19 | 34 | 0.26 | 0.16 | 0.70 |
| 8 | 0.15 | 1.2 | 0.29 | 1.4 | e1.2 | 1.3 | 4.9 | 5.6 | 8.0 | 0.26 | 0.31 | 0.55 |
| 9 | 0.14 | 0.95 | 0.59 | 1.2 | 1.3 | 1.1 | 29 | 3.6 | 6.2 | 0.20 | 0.92 | 0.43 |
| 10 | 0.24 | 20 | 0.84 | 1.0 | 1.4 | 0.97 | 6.5 | 15 | 2.3 | 0.66 | 7.0 | 0.35 |
| 11 | 15 | 15 | 6.4 | 0.86 | 1.3 | 0.88 | 5.4 | 20 | 1.5 | 0.71 | 11 | 0.29 |
| 12 | 1.9 | 2.7 | 3.8 | e0.76 | 1.1 | 0.87 | 3.5 | 5.3 | 1.3 | 0.43 | 3.0 | 0.26 |
| 13 | 0.93 | 1.5 | 18 | e0.66 | 1.0 | 5.0 | 2.2 | 3.5 | 1.1 | 0.34 | 1.1 | 0.22 |
| 14 | 0.60 | 1.1 | 20 | e0.59 | 2.4 | 3.6 | 1.7 | 2.5 | 1.5 | 0.24 | 0.74 | 0.20 |
| 15 | 0.46 | 2.3 | 5.7 | e0.52 | 47 | 2.1 | 1.4 | 20 | 9.3 | 0.15 | 0.52 | 0.18 |
| 16 | 2.0 | 5.7 | 2.9 | e0.46 | 48 | 1.6 | 1.2 | 8.3 | 25 | 0.13 | 0.40 | 0.17 |
| 17 | 1.1 | 2.4 | 1.9 | e0.41 | 16 | 1.4 | 1.2 | 22 | 20 | 0.10 | 0.31 | 0.16 |
| 18 | 0.67 | 1.5 | 1.9 | e0.37 | 5.3 | 1.2 | 2.1 | 29 | 5.7 | 0.08 | 0.25 | 0.15 |
| 19 | 0.50 | 1.2 | e3.5 | e0.34 | 3.4 | 7.5 | 1.4 | 10 | 2.7 | 0.08 | 0.21 | 0.15 |
| 20 | 0.80 | 1.0 | e10 | e0.31 | 6.3 | 12 | 0.97 | 35 | 1.6 | 0.06 | 0.18 | 0.15 |
| 21 | 0.78 | 0.91 | 3.3 | e0.28 | 5.9 | 5.5 | 0.74 | 20 | 1.2 | 0.06 | 0.17 | 0.15 |
| 22 | 0.56 | 0.91 | 2.1 | e0.26 | 27 | 2.9 | 0.64 | 3.7 | 0.95 | 0.05 | 4.9 | 0.32 |
| 23 | 0.42 | 0.81 | 1.5 | e0.24 | 9.0 | 2.1 | 0.55 | 1.9 | 0.77 | 0.07 | 1.6 | 0.29 |
| 24 | 0.35 | 0.70 | 1.3 | e0.23 | 5.1 | 1.6 | 0.49 | 1.4 | 0.63 | 0.07 | 0.77 | 0.28 |
| 25 | 0.31 | 0.60 | 2.1 | e0.22 | 3.8 | 1.3 | 0.46 | 1.0 | 0.49 | 0.05 | 0.50 | 0.25 |
| 26 | 0.27 | 0.54 | 1.5 | e0.20 | 2.6 | 1.2 | 0.57 | 0.92 | 0.41 | 0.05 | 0.37 | 0.22 |
| 27 | 0.24 | 0.48 | 1.2 | e0.19 | 2.1 | 1.1 | 0.58 | 0.80 | 0.36 | 0.05 | 0.29 | 0.34 |
| 28 | 0.25 | 0.46 | 1.1 | e0.18 | 2.4 | 1.0 | 0.43 | 0.78 | 0.30 | 0.07 | 0.23 | 0.43 |
| 29 | 7.5 | 0.42 | 0.99 | 2.9 | --- | 2.7 | 1.8 | 1.0 | 0.27 | 0.06 | 0.25 | 0.39 |
| 30 | 2.5 | 0.42 | 0.90 | 2.9 | --- | 2.0 | 1.1 | 0.89 | 0.25 | 0.05 | 1.4 | 0.33 |
| 31 | 1.2 | --- | 0.87 | 1.6 | --- | 1.4 | --- | 0.81 | --- | 0.06 | 1.1 | --- |
| TOTAL | 39.99 | 92.08 | 94.83 | 55.48 | 217.9 | 73.22 | 90.48 | 281.67 | 148.32 | 5.43 | 38.48 | 40.11 |
| MEAN | 1.29 | 3.07 | 3.06 | 1.79 | 7.78 | 2.36 | 3.02 | 9.09 | 4.94 | 0.18 | 1.24 | 1.34 |
| MAX | 15 | 20 | 20 | 20 | 48 | 12 | 29 | 35 | 34 | 0.71 | 11 | 16 |
| MIN | 0.13 | 0.42 | 0.24 | 0.18 | 1.0 | 0.87 | 0.43 | 0.55 | 0.25 | 0.05 | 0.07 | 0.15 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1996 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 0.22 | 0.65 | 1.35 | 1.96 | 4.44 | 3.33 | 2.02 | 2.54 | 1.75 | 1.81 | 0.54 | 0.38 |
| MAX | 1.29 | 3.07 | 3.06 | 3.42 | 11.4 | 8.93 | 4.05 | 9.09 | 4.94 | 10.4 | 1.24 | 1.34 |
| (WY) | (2003) | (2003) | (2003) | (1998) | (2000) | (1997) | (1998) | (2003) | (2003) | (2001) | (2003) | (2003) |
| MIN | 0.009 | 0.037 | 0.31 | 0.29 | 0.42 | 2.07 | 0.49 | 0.14 | 0.046 | 0.003 | 0.005 | 0.000 |
| (WY) | (1998) | (1999) | (1998) | (2000) | (2002) | (1998) | (1999) | (1999) | (2000) | (1999) | (1999) | (1999) |

03250310 ROCK LICK CREEK ABOVE UNNAMED TRIBUTARY NEAR SHARKEY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1996 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 526.05 | | 1,177.99 | | 1.72 | |
| ANNUAL MEAN | 1.44 | | 3.23 | | 3.23 | |
| HIGHEST ANNUAL MEAN | | | | | 0.65 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 0.65 | 1999 |
| HIGHEST DAILY MEAN | 21 | Apr 28 | 48 | Feb 16 | 227 | Jul 9, 2001 |
| LOWEST DAILY MEAN | 0.00 | Jun 21 | 0.05 | Jul 22 | 0.00 | Sep 15, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Sep 6 | 0.06 | Jul 25 | 0.00 | Sep 15, 1997 |
| MAXIMUM PEAK FLOW | | | 277 | Jun 16 | 916 | Jul 8, 2001 |
| MAXIMUM PEAK STAGE | | | 4.79 | Jun 16 | 6.51 | Jul 8, 2001 |
| 10 PERCENT EXCEEDS | 3.1 | | 8.1 | | 3.0 | |
| 50 PERCENT EXCEEDS | 0.44 | | 1.0 | | 0.34 | |
| 90 PERCENT EXCEEDS | 0.02 | | 0.17 | | 0.00 | |


e Estimated



03250322 ROCK LICK CREEK AT HIGHWAY 158 NEAR SHARKEY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1997 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,154.78 | | 3,628.42 | | | |
| ANNUAL MEAN | 5.90 | | 9.94 | | 5.69 | |
| HIGHEST ANNUAL MEAN | | | | | 9.94 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 2.65 | 1999 |
| HIGHEST DAILY MEAN | 157 | Apr 28 | 561 | May 6 | 561 | May 6, 2003 |
| LOWEST DAILY MEAN | 0.00 | Jun 21 | 0.03 | Oct 9 | 0.00 | Sep 21, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jul 31 | 0.20 | Jul 15 | 0.00 | Sep 21, 1997 |
| MAXIMUM PEAK FLOW | | | 885 | May 6 | 3,190 | Jul 8, 2001 |
| MAXIMUM PEAK STAGE | | | 9.13 | May 6 | 10.71 | Mar 2, 1997 |
| 10 PERCENT EXCEEDS | 13 | | 18 | | 11 | |
| 50 PERCENT EXCEEDS | 1.6 | | 2.8 | | 1.3 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.31 | | 0.00 | |

e Estimated



03250500 LICKING RIVER AT BLUE LICK SPRINGS, KY

LOCATION.--Lat 38°25'13", long 83°59'50", Nicholas County, Hydrologic Unit 05100101, at bridge on Highway 68 at Blue Lick Springs, 1.3 mi upstream from Indian Run, 10 mi upstream from Johnson Creek, 10 mi downstream from Fleming Creek and at mile 97.6.

DRAINAGE AREA.--1,785 mi²

PERIOD OF RECORD.--April 1938 to September 1959 and October 2001 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 560.99 ft above NGVD of 1929. Gage operated from April 1938 to September 1959 500 ft downstream at same datum.

REMARKS.--Records fair except for those estimated, which are poor. Flow regulated since December 1973 by Cave Run Lake (station 03249498).

COOPERATION.--National Streamflow Information Program.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge 35,900 ft³/s April 13, 1948, maximum stage 45.0 ft April 13, 1948 from flood mark.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of January 1937 reached a stage of 47.4 ft.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 469 | 2,120 | 951 | 5,330 | 1,360 | 6,440 | 3,650 | 1,340 | 1,400 | 3,810 | 258 | 256 |
| 2 | 366 | 3,080 | 729 | 8,040 | 1,380 | 6,380 | 3,060 | 1,270 | 1,180 | 3,560 | 335 | 1,640 |
| 3 | 326 | 3,400 | 557 | 7,910 | 1,460 | 6,170 | 2,740 | 1,480 | 2,710 | 2,430 | 474 | 3,250 |
| 4 | 309 | 3,250 | 492 | 5,740 | 2,600 | 5,950 | 2,200 | 1,300 | 5,220 | 1,710 | 767 | 2,930 |
| 5 | 277 | 3,740 | 477 | 5,260 | 4,560 | 5,810 | 1,780 | 8,770 | 5,050 | 877 | 2,180 | 2,390 |
| 6 | 258 | 9,510 | 501 | 4,860 | 4,310 | 5,730 | 1,780 | 26,600 | 2,660 | 696 | 3,900 | 1,360 |
| 7 | 250 | 8,960 | 1,190 | 4,240 | 3,610 | 5,780 | 2,600 | 21,000 | 9,110 | 438 | 2,410 | 905 |
| 8 | 231 | 5,850 | 924 | 2,980 | 3,280 | 5,820 | 5,140 | 16,200 | 12,700 | 346 | 2,760 | 723 |
| 9 | 220 | 4,370 | 629 | 2,550 | 2,930 | 6,010 | 8,820 | 8,400 | 11,000 | 374 | 2,350 | 637 |
| 10 | 248 | 7,540 | 590 | 2,040 | 2,320 | 5,970 | 9,750 | 5,890 | 6,310 | 356 | 1,840 | 556 |
| 11 | 2,420 | 13,000 | 926 | 1,860 | 1,690 | 5,870 | 7,840 | 9,650 | 4,860 | 514 | 1,730 | 486 |
| 12 | 6,990 | 11,300 | 2,370 | 1,660 | 1,980 | 5,800 | 5,970 | 8,370 | 4,130 | 613 | 2,640 | 455 |
| 13 | 4,930 | 7,420 | 3,750 | 1,200 | 1,780 | 5,780 | 5,820 | 6,000 | 3,600 | 628 | 3,460 | 411 |
| 14 | 3,910 | 5,120 | 10,700 | 1,100 | 1,340 | 6,260 | 5,510 | 4,710 | 4,800 | 461 | 2,520 | 367 |
| 15 | 4,070 | 4,550 | 12,100 | 1,030 | 8,780 | 6,240 | 5,140 | 4,970 | 7,010 | 383 | 1,870 | 340 |
| 16 | 4,790 | 5,260 | 8,780 | 781 | 15,900 | 6,260 | 4,880 | 7,130 | 8,120 | 341 | 849 | 339 |
| 17 | 4,960 | 6,020 | 5,380 | 697 | 21,600 | 6,110 | 4,720 | 7,900 | 8,550 | 388 | 603 | 341 |
| 18 | 4,150 | 5,250 | 5,240 | 631 | 22,000 | 5,920 | 4,410 | 8,280 | 10,300 | 383 | 560 | 314 |
| 19 | 3,010 | 4,140 | 5,840 | 925 | 18,800 | 6,290 | 3,650 | 11,100 | 9,250 | 307 | 515 | 296 |
| 20 | 2,550 | 2,960 | 8,050 | 1,010 | 8,730 | 10,700 | 3,340 | 9,780 | 5,730 | 280 | 452 | 284 |
| 21 | 1,890 | 2,610 | 5,950 | 953 | 6,530 | 11,000 | 3,180 | 13,900 | 4,840 | 283 | 403 | 270 |
| 22 | 1,350 | 2,390 | 5,690 | 727 | 10,700 | 9,230 | 3,060 | 12,200 | 4,490 | 283 | 376 | 310 |
| 23 | 912 | 1,870 | 5,410 | 583 | 14,500 | 6,380 | 2,900 | 8,200 | 4,220 | 408 | 839 | 398 |
| 24 | 655 | 1,400 | 5,100 | 465 | 12,000 | 6,120 | 2,380 | 5,420 | 4,120 | 427 | 860 | 446 |
| 25 | 502 | 1,230 | 5,080 | 504 | 6,400 | 5,870 | 2,230 | 4,900 | 4,160 | 635 | 525 | 451 |
| 26 | 386 | 1,150 | 5,310 | 485 | 3,430 | 5,870 | 2,090 | 4,530 | 4,130 | 570 | 345 | 393 |
| 27 | 464 | 1,090 | 5,150 | 441 | 3,290 | 5,750 | 1,710 | 4,290 | 4,050 | 375 | 269 | 397 |
| 28 | 439 | 1,050 | 4,900 | 438 | 5,820 | 5,610 | 1,330 | 3,780 | 3,970 | 314 | 226 | 426 |
| 29 | 1,660 | 1,020 | 4,750 | 532 | --- | 5,630 | 1,240 | 2,470 | 3,910 | 315 | 184 | 517 |
| 30 | 4,050 | 988 | 4,460 | 869 | --- | 5,030 | 1,350 | 1,560 | 3,860 | 282 | 166 | 575 |
| 31 | 3,720 | --- | 3,590 | 995 | --- | 4,380 | --- | 1,600 | --- | 255 | 173 | --- |
| TOTAL | 60,762 | 131,638 | 125,566 | 66,836 | 193,080 | 196,160 | 114,270 | 232,990 | 165,440 | 23,042 | 36,839 | 22,463 |
| MEAN | 1,960 | 4,388 | 4,051 | 2,156 | 6,896 | 6,328 | 3,809 | 7,516 | 5,515 | 743 | 1,188 | 749 |
| MAX | 6,990 | 13,000 | 12,100 | 8,040 | 22,000 | 11,000 | 9,750 | 26,600 | 12,700 | 3,810 | 3,900 | 3,250 |
| MIN | 220 | 988 | 477 | 438 | 1,340 | 4,380 | 1,240 | 1,270 | 1,180 | 255 | 166 | 256 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1938 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 218 | 1,002 | 2,309 | 3,779 | 5,358 | 5,415 | 3,911 | 2,455 | 1,584 | 1,280 | 603 | 433 |
| MAX | 1,960 | 4,388 | 7,695 | 12,110 | 14,010 | 12,270 | 11,340 | 7,516 | 7,300 | 5,954 | 2,390 | 4,959 |
| (WY) | (2003) | (2003) | (1952) | (1950) | (1939) | (1955) | (1948) | (2003) | (1950) | (1938) | (1938) | (1950) |
| MIN | 6.09 | 10.8 | 26.8 | 409 | 308 | 1,159 | 807 | 255 | 175 | 40.8 | 40.6 | 14.2 |
| (WY) | (1954) | (1954) | (1954) | (1940) | (1954) | (1941) | (1941) | (1941) | (1949) | (1944) | (1957) | (1953) |

03250500 LICKING RIVER AT BLUE LICK SPRINGS, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1938 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1,053,852 | | 1,369,086 | | 2,330 | |
| ANNUAL MEAN | 2,887 | | 3,751 | | 4,083 | |
| HIGHEST ANNUAL MEAN | | | | | 1950 | |
| LOWEST ANNUAL MEAN | | | | | 644 | |
| HIGHEST DAILY MEAN | 25,500 | Mar 22 | 26,600 | May 6 | 35,200 | Apr 13, 1948 |
| LOWEST DAILY MEAN | 40 | Aug 15 | 166 | Aug 30 | 2.9 | Sep 9, 1957 |
| ANNUAL SEVEN-DAY MINIMUM | 43 | Aug 13 | 231 | Aug 26 | 3.4 | Sep 3, 1957 |
| MAXIMUM PEAK FLOW | | | 28,300 | May 6 | 35,900 | Apr 13, 1948 |
| MAXIMUM PEAK STAGE | | | 36.99 | May 6 | 45.00 | Apr 13, 1948 |
| INSTANTANEOUS LOW FLOW | | | 164 | Aug 10 | 164 | Aug 10, 2003 |
| 10 PERCENT EXCEEDS | 6,850 | | 8,460 | | 6,640 | |
| 50 PERCENT EXCEEDS | 951 | | 2,710 | | 718 | |
| 90 PERCENT EXCEEDS | 89 | | 362 | | 46 | |



03251200 NORTH FORK LICKING RIVER NEAR MOUNT OLIVET, KY

LOCATION.--Lat 38°35'41", long 84°01'13", Bracken County, Hydrologic Unit 05100101, on right bank, downstream side of bridge on State Highway 875, 4 mi northeast of Mt. Olivet, and at mile 26.1.

DRAINAGE AREA.--226 mi²

PERIOD OF RECORD.--June 1991 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 622.46 ft above NGVD of 1929.

REMARKS.--Records fair.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,900 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|-------|------|--------------------------------|------------------|
| Feb 23 | 1100 | *5,100 | *19.59 | May 7 | 1400 | 4,870 | 19.20 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|--------|--------|-------|--------|--------|-------|--------|--------|----------|-------|--------|
| 1 | 22 | 228 | 67 | 1,230 | 166 | 433 | 169 | 170 | 128 | 11 | 38 | 54 |
| 2 | 9.5 | 147 | 58 | 1,500 | 150 | 493 | 145 | 119 | 100 | 7.8 | 305 | 1,730 |
| 3 | 5.4 | 110 | 51 | 727 | 169 | 396 | 129 | 106 | 638 | 5.1 | 98 | 3,020 |
| 4 | 3.8 | 94 | 46 | 467 | 513 | 313 | 116 | 88 | 1,170 | 3.1 | 335 | 3,390 |
| 5 | 3.0 | 288 | 45 | 360 | 660 | 278 | 118 | 1,360 | 584 | 2.0 | 903 | 861 |
| 6 | 1.9 | 1,240 | 48 | 292 | 287 | 256 | 111 | 2,870 | 263 | 1.4 | 510 | 255 |
| 7 | 1.7 | 1,190 | 49 | 254 | 197 | 235 | 218 | 4,430 | 480 | 0.85 | 225 | 166 |
| 8 | 1.4 | 351 | 44 | 226 | 158 | 230 | 453 | 4,020 | 1,600 | 0.50 | 203 | 121 |
| 9 | 1.2 | 209 | 45 | 203 | 137 | 205 | 1,130 | 1,720 | 1,230 | 0.42 | 129 | 90 |
| 10 | 1.3 | 350 | 45 | 175 | 137 | 179 | 2,240 | 1,440 | 562 | 136 | 131 | 70 |
| 11 | 290 | 2,280 | 142 | 148 | 132 | 159 | 1,110 | 3,170 | 300 | 233 | 304 | 54 |
| 12 | 751 | 2,640 | 372 | 122 | 129 | 150 | 524 | 2,920 | 245 | 111 | 306 | 44 |
| 13 | 250 | 676 | 498 | 113 | 116 | 149 | 351 | 906 | 250 | 51 | 123 | 37 |
| 14 | 124 | 282 | 1,760 | 112 | 121 | 171 | 251 | 361 | 626 | 22 | 73 | 31 |
| 15 | 82 | 212 | 2,280 | 104 | 1,640 | 197 | 201 | 397 | 724 | 10 | 49 | 26 |
| 16 | 105 | 374 | 725 | 113 | 3,130 | 182 | 170 | 1,040 | 996 | 8.7 | 38 | 22 |
| 17 | 422 | 567 | 372 | 97 | 3,570 | 161 | 149 | 764 | 1,010 | 7.9 | 41 | 19 |
| 18 | 190 | 390 | 448 | 92 | 3,260 | 148 | 139 | 1,560 | 594 | 201 | 29 | 15 |
| 19 | 104 | 258 | 706 | 82 | 1,180 | 212 | 124 | 1,700 | 533 | 631 | 22 | 12 |
| 20 | 75 | 198 | 2,370 | 76 | 812 | 1,600 | 112 | 928 | 285 | 43 | 16 | 10 |
| 21 | 62 | 164 | 1,980 | 67 | 1,660 | 2,450 | 157 | 1,750 | 192 | 26 | 14 | 10 |
| 22 | 72 | 155 | 575 | 55 | 3,680 | 1,360 | 154 | 1,670 | 147 | 24 | 17 | 43 |
| 23 | 67 | 139 | 329 | 52 | 4,950 | 635 | 145 | 680 | 117 | 21 | 403 | 79 |
| 24 | 48 | 122 | 246 | 42 | 3,590 | 398 | 107 | 363 | 94 | 26 | 254 | 62 |
| 25 | 38 | 109 | 218 | 37 | 1,120 | 297 | 93 | 254 | 74 | 27 | 94 | 52 |
| 26 | 33 | 98 | 203 | 36 | 622 | 240 | 189 | 199 | 55 | 34 | 50 | 39 |
| 27 | 29 | 91 | 181 | 38 | 451 | 198 | 192 | 163 | 42 | 24 | 35 | 164 |
| 28 | 28 | 83 | 161 | 36 | 391 | 171 | 176 | 140 | 31 | 123 | 26 | 108 |
| 29 | 321 | 77 | 149 | 72 | --- | 352 | 152 | 149 | 23 | 57 | 21 | 75 |
| 30 | 1,200 | 73 | 137 | 296 | --- | 249 | 161 | 134 | 16 | 64 | 19 | 71 |
| 31 | 683 | --- | 178 | 282 | --- | 209 | --- | 144 | --- | 77 | 20 | --- |
| TOTAL | 5,025.2 | 13,195 | 14,528 | 7,506 | 33,128 | 12,706 | 9,486 | 35,715 | 13,109 | 1,989.77 | 4,831 | 10,730 |
| MEAN | 162 | 440 | 469 | 242 | 1,183 | 410 | 316 | 1,152 | 437 | 64.2 | 156 | 358 |
| MAX | 1,200 | 2,640 | 2,370 | 1,500 | 4,950 | 2,450 | 2,240 | 4,430 | 1,600 | 631 | 903 | 3,390 |
| MIN | 1.2 | 73 | 44 | 36 | 116 | 148 | 93 | 88 | 16 | 0.42 | 14 | 10 |
| CFSM | 0.72 | 1.95 | 2.07 | 1.07 | 5.24 | 1.81 | 1.40 | 5.10 | 1.93 | 0.28 | 0.69 | 1.58 |
| IN. | 0.83 | 2.17 | 2.39 | 1.24 | 5.45 | 2.09 | 1.56 | 5.88 | 2.16 | 0.33 | 0.80 | 1.77 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1991 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 24.4 | 137 | 342 | 576 | 570 | 698 | 357 | 484 | 271 | 124 | 76.9 | 64.9 |
| MAX | 162 | 454 | 857 | 1,165 | 1,183 | 1,796 | 676 | 1,524 | 779 | 296 | 257 | 358 |
| (WY) | (2003) | (1994) | (1997) | (1994) | (2003) | (1997) | (1994) | (1996) | (1998) | (1992) | (2001) | (2003) |
| MIN | 0.014 | 0.008 | 15.0 | 152 | 213 | 228 | 73.2 | 18.9 | 1.34 | 0.20 | 0.25 | 0.057 |
| (WY) | (2000) | (2000) | (2000) | (2000) | (2002) | (1998) | (1999) | (1999) | (1999) | (1999) | (2002) | (1999) |

03251200 NORTH FORK LICKING RIVER NEAR MOUNT OLIVET, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1991 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 130,561.61 | | 161,948.97 | | 311 | |
| ANNUAL MEAN | 358 | | 444 | | 444 | |
| HIGHEST ANNUAL MEAN | | | | | 175 | |
| LOWEST ANNUAL MEAN | | | | | 1999 | |
| HIGHEST DAILY MEAN | 6,430 | Jan 25 | 4,950 | Feb 23 | 12,400 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 0.00 | Sep 3 | 0.42 | Jul 9 | 0.00 | Oct 10, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Sep 3 | 1.9 | Jul 3 | 0.00 | Oct 17, 1997 |
| MAXIMUM PEAK FLOW | | | 5,100 | Feb 23 | 13,500 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 19.59 | Feb 23 | 34.71 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | 0.36 | Jul 9 | 0.36 | Jul 9, 2003 |
| ANNUAL RUNOFF (CFSM) | 1.58 | | 1.96 | | 1.38 | |
| ANNUAL RUNOFF (INCHES) | 21.49 | | 26.66 | | 18.71 | |
| 10 PERCENT EXCEEDS | 773 | | 1,230 | | 773 | |
| 50 PERCENT EXCEEDS | 101 | | 158 | | 76 | |
| 90 PERCENT EXCEEDS | 0.22 | | 22 | | 0.87 | |



03251500 LICKING RIVER AT MCKINNEYSBURG, KY

LOCATION.--Lat 38°35'52", long 84°16'00", Pendleton County, Hydrologic Unit 05100101, on right bank at downstream side of highway bridge at McKinneysburg, 6.5 mi southeast of Falmouth, 9.0 mi upstream from Blanket Creek, 12.9 mi upstream from South Fork, and at mile 64.6.

DRAINAGE AREA.--2,326 mi².

PERIOD OF RECORD.--July 1924 to August 1926, October 1938 to September 1994, September 2000 to current year. Monthly discharge only for October, November 1938, published in WSP 1305.

REVISED RECORDS.--WSP 1705: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 520.83 ft above NGVD of 1929. July 23, 1924 to August 9, 1926, nonrecording gage at same site, datum unknown. Nov. 18, 1983 to June 30, 1939, nonrecording gage at present site an datum. Oct. 1, 1949 to Sept. 30, 1957, auxiliary water-stage recorder 4.0 mi downstream.

REMARKS.-- Records good except for those estimated, which are poor. Flow regulated since December 1973 by Cave Run Lake (station 03249498).

COOPERATION.--National Streamflow Information Program.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in January 1937 reached a stage of 47.8 ft from flood marks. Flood of March 1997 reached a stage of 55.21 feet from flood marks. Discharge for the March 1997 flood was 74,000 cfs from rating extension.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 543 | 3,220 | 1,150 | 8,860 | 1,630 | 6,970 | 4,190 | 1,680 | 1,700 | 3,630 | 371 | 255 |
| 2 | 422 | 2,760 | 1,050 | 9,520 | 2,380 | 7,370 | 3,480 | 1,540 | 1,440 | 3,570 | 623 | 3,820 |
| 3 | 364 | 3,430 | 789 | 9,820 | 2,620 | 6,960 | 3,120 | 1,760 | 3,990 | 2,820 | 895 | 6,730 |
| 4 | 335 | 3,430 | 666 | 7,210 | 3,260 | 6,510 | 2,600 | 1,540 | 6,260 | 1,920 | 902 | 6,370 |
| 5 | 334 | 3,580 | 623 | 5,930 | 4,780 | 6,270 | 2,150 | 9,120 | 6,500 | 1,320 | 2,880 | 4,850 |
| 6 | 291 | 10,700 | 598 | 5,380 | 5,110 | 6,120 | 1,960 | 28,600 | 4,000 | 874 | 4,290 | 2,320 |
| 7 | 265 | 11,100 | 873 | 4,850 | 4,050 | 6,070 | 2,620 | 27,400 | 6,120 | 764 | 3,430 | 1,370 |
| 8 | 250 | 7,930 | 1,270 | 3,730 | 3,580 | 6,030 | 4,610 | 22,800 | 13,700 | 437 | 3,030 | 1,020 |
| 9 | 235 | 5,030 | 943 | 3,060 | 3,260 | 6,200 | 9,590 | 14,200 | 14,100 | 414 | 2,800 | 823 |
| 10 | 240 | 5,870 | 740 | 2,460 | 2,740 | 6,190 | 12,200 | 9,130 | 8,770 | 1,310 | 2,200 | 713 |
| 11 | 4,330 | 16,100 | 1,200 | 2,090 | 1,980 | 6,040 | 10,800 | 12,400 | 5,750 | 1,750 | 2,090 | 600 |
| 12 | 6,840 | 15,100 | 2,860 | 1,910 | 1,970 | 5,930 | 7,350 | 13,000 | 5,010 | 964 | 2,850 | 517 |
| 13 | 6,910 | 10,900 | 4,130 | 1,580 | 2,010 | 5,880 | 6,450 | 8,670 | 4,070 | 870 | 3,510 | 477 |
| 14 | 4,150 | 6,180 | 11,600 | 1,340 | 1,680 | 6,230 | 5,990 | 5,580 | 4,730 | 723 | 2,910 | 422 |
| 15 | 4,150 | 4,960 | 14,600 | 1,260 | 9,950 | 6,520 | 5,490 | 5,360 | 7,400 | 537 | 2,170 | 378 |
| 16 | 4,280 | 5,730 | 12,400 | 1,140 | 17,800 | 6,460 | 5,100 | 7,940 | 9,650 | 489 | 1,310 | 348 |
| 17 | 5,430 | 6,700 | 6,930 | 1,010 | 23,000 | 6,350 | 4,900 | 8,920 | 9,670 | 430 | 700 | 346 |
| 18 | 4,870 | 6,340 | 6,340 | 1,090 | 24,600 | 6,110 | 4,880 | 10,900 | 10,600 | 472 | 553 | 337 |
| 19 | 3,650 | 4,990 | 7,160 | 1,900 | 22,300 | 6,080 | 4,020 | 12,300 | 10,600 | 1,220 | 503 | 315 |
| 20 | 2,840 | 3,690 | 14,700 | 2,190 | 14,000 | 11,800 | 3,620 | 12,100 | 7,340 | 636 | 445 | 298 |
| 21 | 2,210 | 3,010 | 9,290 | e1,300 | 9,700 | 14,600 | 4,370 | 15,600 | 5,160 | 383 | 382 | 285 |
| 22 | 1,670 | 2,760 | 7,280 | e940 | 17,100 | 12,500 | 3,490 | 14,900 | 4,640 | 353 | 339 | 569 |
| 23 | 1,270 | 2,280 | 6,070 | e680 | 20,700 | 8,320 | 3,250 | 11,100 | 4,280 | 339 | 320 | 800 |
| 24 | 882 | 1,790 | 5,530 | e580 | 17,800 | 6,830 | 2,740 | 6,610 | 4,060 | 887 | 1,360 | 622 |
| 25 | 680 | 1,500 | 5,310 | e520 | 11,100 | 6,390 | 2,370 | 5,300 | 4,050 | 490 | 872 | 556 |
| 26 | 503 | 1,400 | 5,470 | e510 | 5,380 | 6,190 | 3,020 | 4,790 | 4,030 | 832 | 493 | 515 |
| 27 | 458 | 1,330 | 5,450 | e500 | 3,690 | 6,020 | 2,330 | 4,430 | 3,940 | 563 | 323 | 793 |
| 28 | 486 | 1,270 | 5,120 | e540 | 5,480 | 5,810 | 1,820 | 4,140 | 3,830 | 584 | 250 | 1,040 |
| 29 | 2,360 | 1,230 | 4,900 | e600 | --- | 6,490 | 1,910 | 3,190 | 3,760 | 667 | 210 | 684 |
| 30 | 5,800 | 1,190 | 4,720 | 1,090 | --- | 6,140 | 1,720 | 2,060 | 3,690 | 458 | 202 | 665 |
| 31 | 5,490 | --- | 4,400 | 1,550 | --- | 4,920 | --- | 1,700 | --- | 367 | 178 | --- |
| TOTAL | 72,538 | 155,500 | 154,162 | 85,140 | 243,650 | 216,300 | 132,140 | 288,760 | 182,840 | 31,073 | 43,391 | 38,838 |
| MEAN | 2,340 | 5,183 | 4,973 | 2,746 | 8,702 | 6,977 | 4,405 | 9,315 | 6,095 | 1,002 | 1,400 | 1,295 |
| MAX | 6,910 | 16,100 | 14,700 | 9,820 | 24,600 | 14,600 | 12,200 | 28,600 | 14,100 | 3,630 | 4,290 | 6,730 |
| MIN | 235 | 1,190 | 598 | 500 | 1,630 | 4,920 | 1,720 | 1,540 | 1,440 | 339 | 178 | 255 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1974 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,184 | 2,262 | 4,400 | 4,655 | 5,594 | 6,225 | 4,560 | 3,551 | 2,149 | 1,192 | 1,001 | 1,097 |
| MAX | 4,877 | 5,227 | 13,020 | 10,430 | 13,960 | 10,920 | 9,136 | 11,130 | 6,095 | 5,783 | 3,537 | 8,088 |
| (WY) | (1976) | (1987) | (1979) | (1974) | (1989) | (1994) | (1975) | (1983) | (2003) | (1979) | (1979) | (1979) |
| MIN | 121 | 228 | 859 | 275 | 1,382 | 1,006 | 465 | 293 | 100 | 164 | 69.9 | 144 |
| (WY) | (1974) | (1988) | (1981) | (1981) | (2002) | (1983) | (1986) | (1976) | (1988) | (1984) | (1983) | (1987) |

03251500 LICKING RIVER AT MCKINNEYSBURG, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1974 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1,277,788 | | 1,644,332 | | 3,145 | |
| ANNUAL MEAN | 3,501 | | 4,505 | | 5,802 | |
| HIGHEST ANNUAL MEAN | | | | | 1,528 | |
| LOWEST ANNUAL MEAN | | | | | 43,100 | |
| HIGHEST DAILY MEAN | 33,200 | Mar 21 | 28,600 | May 6 | 43,100 | Feb 16, 1989 |
| LOWEST DAILY MEAN | 44 | Aug 17 | 178 | Aug 31 | 44 | Aug 17, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 48 | Aug 15 | 273 | Aug 26 | 48 | Aug 15, 2002 |
| MAXIMUM PEAK FLOW | | | 30,100 | May 6 | 59,100 | Mar 10, 1964 |
| MAXIMUM PEAK STAGE | | | 32.35 | May 6 | 50.26 | Mar 10, 1964 |
| INSTANTANEOUS LOW FLOW | | | 190 | Aug 31 | 190 | Aug 31, 2003 |
| 10 PERCENT EXCEEDS | 8,080 | | 10,700 | | 7,910 | |
| 50 PERCENT EXCEEDS | 1,200 | | 3,430 | | 1,300 | |
| 90 PERCENT EXCEEDS | 87 | | 458 | | 195 | |

e Estimated



LICKING RIVER BASIN

03252300 HINKSTON CREEK NEAR CARLISLE, KY

LOCATION.--Lat 38°14'33", long 84°03'10", Bourbon County, Hydrologic Unit 05100102, at upstream side bridge on State Highway 13, 0.5 mi upstream from Taylors Creek, 5.0 mi south of Carlisle, and at mile 29.0.

DRAINAGE AREA.--154 mi².

PERIOD OF RECORD.--October 1991 to current year.

REVISED RECORDS.--WRD KY-93-1: Drainage area, WRD KY-99-1: Longitude.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 764.88 ft above NGVD of 1929.

REMARKS.--Records fair except for discharges below 10 ft³/s and for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,400 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--|------|-----------------------------------|---------------------|
| Feb 17 | 0900 | *4,340 | *25.64 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|--------|--------|-------|--------|-------|-------|--------|--------|-------|---------|----------|
| 1 | 19 | 187 | 40 | 646 | 84 | 303 | 125 | 51 | 77 | 24 | 10 | 46 |
| 2 | 11 | 119 | 36 | 1,080 | 90 | 268 | 110 | 49 | 63 | 20 | 17 | 286 |
| 3 | 7.1 | 85 | 33 | 630 | 89 | 226 | 97 | 76 | 347 | 19 | 47 | 399 |
| 4 | 6.3 | 74 | 30 | 458 | 299 | 189 | 87 | 56 | 657 | 18 | 499 | 334 |
| 5 | 7.3 | 270 | 32 | 327 | 365 | 171 | 91 | 775 | 288 | 16 | 1,020 | 135 |
| 6 | 7.9 | 1,860 | 32 | 254 | 200 | 155 | 99 | 2,300 | 167 | 14 | 183 | 64 |
| 7 | 43 | 871 | 31 | 200 | 155 | 149 | 300 | 1,060 | 2,120 | 11 | 105 | 40 |
| 8 | 22 | 359 | 29 | 174 | 126 | 129 | 539 | 925 | 2,870 | 10 | 100 | 27 |
| 9 | 12 | 210 | 36 | 155 | 105 | 116 | 1,220 | 399 | 1,420 | 9.1 | 60 | 20 |
| 10 | 9.0 | 1,330 | 42 | 131 | 105 | 100 | 1,280 | 1,380 | 484 | 19 | 66 | 15 |
| 11 | 623 | 2,540 | 174 | 105 | 113 | 87 | 726 | 2,450 | 285 | 116 | 78 | 13 |
| 12 | 712 | 1,270 | 549 | 85 | 111 | 83 | 503 | 1,170 | e224 | 77 | 42 | 9.4 |
| 13 | 200 | 466 | 495 | 73 | 99 | 84 | 328 | 398 | e231 | 41 | 29 | 6.8 |
| 14 | 104 | 263 | 1,880 | e66 | 95 | 206 | 232 | 238 | 180 | 29 | 22 | 5.0 |
| 15 | 64 | 185 | 1,390 | e63 | 2,010 | 235 | 187 | 201 | 258 | 22 | 17 | 4.3 |
| 16 | 72 | 497 | 570 | e59 | 3,540 | 171 | 157 | 737 | 238 | 17 | 44 | 3.4 |
| 17 | 198 | 527 | 346 | e56 | 4,260 | 142 | 136 | 455 | 362 | 14 | 31 | 2.8 |
| 18 | 114 | 327 | 268 | e52 | 3,210 | 124 | 146 | 712 | 440 | 14 | 20 | 2.4 |
| 19 | 69 | 217 | 237 | e50 | 938 | 137 | 139 | 1,260 | 296 | 13 | 14 | 1.3 |
| 20 | 86 | 170 | 1,520 | e47 | 614 | 2,160 | 104 | 630 | 187 | 9.6 | 10 | 0.92 |
| 21 | 117 | 138 | 766 | e45 | 732 | 1,380 | 101 | 1,820 | 139 | 8.4 | 7.1 | 1.6 |
| 22 | 93 | 122 | 380 | e43 | 1,520 | 668 | 94 | 1,140 | 104 | 8.0 | 6.3 | 6.7 |
| 23 | 63 | 105 | 252 | e40 | 2,770 | 408 | 78 | 519 | 83 | 12 | 5.6 | 22 |
| 24 | 47 | 86 | 194 | e37 | 1,490 | 286 | 67 | 317 | 67 | 28 | 5.1 | 46 |
| 25 | 37 | 74 | 279 | e35 | 772 | 219 | 62 | 217 | 56 | 34 | 6.4 | 19 |
| 26 | 30 | 65 | 304 | e33 | 536 | 183 | 61 | 171 | 48 | 23 | 5.2 | 8.7 |
| 27 | 26 | 61 | 232 | e31 | 396 | 159 | 58 | 139 | 42 | 14 | 3.8 | 11 |
| 28 | 31 | 55 | 200 | 33 | 325 | 136 | 50 | 114 | 37 | 10 | 3.0 | 43 |
| 29 | 278 | 50 | 175 | 50 | --- | 149 | 47 | 103 | 33 | 9.3 | 2.5 | 51 |
| 30 | 770 | 45 | 149 | 176 | --- | 202 | 51 | 109 | 29 | 11 | 2.7 | 27 |
| 31 | 389 | --- | 131 | 139 | --- | 159 | --- | 97 | --- | 14 | 2.9 | --- |
| TOTAL | 4,267.6 | 12,628 | 10,832 | 5,373 | 25,149 | 9,184 | 7,275 | 20,068 | 11,832 | 684.4 | 2,464.6 | 1,651.32 |
| MEAN | 138 | 421 | 349 | 173 | 898 | 296 | 242 | 647 | 394 | 22.1 | 79.5 | 55.0 |
| MAX | 770 | 2,540 | 1,880 | 1,080 | 4,260 | 2,160 | 1,280 | 2,450 | 2,870 | 116 | 1,020 | 399 |
| MIN | 6.3 | 45 | 29 | 31 | 84 | 83 | 47 | 49 | 29 | 8.0 | 2.5 | 0.92 |
| CFSM | 0.89 | 2.73 | 2.27 | 1.13 | 5.83 | 1.92 | 1.57 | 4.20 | 2.56 | 0.14 | 0.52 | 0.36 |
| IN. | 1.03 | 3.05 | 2.62 | 1.30 | 6.07 | 2.22 | 1.76 | 4.85 | 2.86 | 0.17 | 0.60 | 0.40 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1992 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 29.9 | 111 | 199 | 358 | 360 | 482 | 191 | 318 | 169 | 74.8 | 66.3 | 17.7 |
| MAX | 138 | 421 | 453 | 675 | 898 | 1,210 | 436 | 875 | 652 | 315 | 277 | 56.5 |
| (WY) | (2003) | (2003) | (1997) | (1994) | (2003) | (1997) | (1994) | (1996) | (1997) | (2001) | (2001) | (1996) |
| MIN | 1.33 | 3.10 | 9.99 | 35.3 | 79.7 | 240 | 40.4 | 17.7 | 14.5 | 8.92 | 3.80 | 0.70 |
| (WY) | (1998) | (2000) | (2000) | (2000) | (2002) | (1998) | (1999) | (1999) | (1999) | (1999) | (2002) | (1999) |

03252300 HINKSTON CREEK NEAR CARLISLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1992 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 84,096.05 | | 111,408.92 | | 198 | |
| ANNUAL MEAN | 230 | | 305 | | 305 | |
| HIGHEST ANNUAL MEAN | | | | | 2003 | |
| LOWEST ANNUAL MEAN | | | | | 2000 | |
| HIGHEST DAILY MEAN | 4,770 | Mar 21 | 4,260 | Feb 17 | 7,520 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 0.02 | Aug 15 | 0.92 | Sep 20 | 0.00 | Aug 11, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.12 | Aug 13 | 2.4 | Sep 15 | 0.00 | Aug 11, 1999 |
| MAXIMUM PEAK FLOW | | | 4,340 | Feb 17 | 7,800 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 25.64 | Feb 17 | 37.00 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | 0.50 | Sep 20 | 0.50 | Sep 20, 2003 |
| ANNUAL RUNOFF (CFSM) | 1.50 | | 1.98 | | 1.28 | |
| ANNUAL RUNOFF (INCHES) | 20.31 | | 26.91 | | 17.44 | |
| 10 PERCENT EXCEEDS | 511 | | 771 | | 460 | |
| 50 PERCENT EXCEEDS | 53 | | 104 | | 51 | |
| 90 PERCENT EXCEEDS | 3.3 | | 10 | | 2.8 | |

e Estimated



LICKING RIVER BASIN

03253500 LICKING RIVER AT CATAWBA, KY

LOCATION.--Lat 38°42'31", long 84°18'38", Pendleton County, Hydrologic Unit 05100101, on left bank 1.0 mi southeast of Catawba, 1.5 mi upstream from Kincaid Creek, 2.3 mi north of Falmouth, and at mile 48.0.

DRAINAGE AREA.--3,300 mi².

PERIOD OF RECORD.--January 1914 to July 1920 (January 1914 to July 1915 and October 1917 to July 1920, gage heights only), July 1928 to current year. Published as "at Falmouth" 1914-16. Gage-height records collected in this vicinity since 1887 are published in reports of the National Weather Service.

REVISED RECORDS.--WSP 853: 1937. WSP 1003: 1943. WSP 1385: 1942. WSP 1705: Drainage.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 500.01 ft above NGVD of 1929 (levels by U.S. Army Corps of Engineers). Jan. 1, 1914 to July 31, 1916, nonrecording gage at site 3.8 mi upstream at datum 12.2 ft higher. July 14, 1916 to July 5, 1920, nonrecording gage at site 1.4 mi downstream at present datum.

REMARKS.--Records good except for those estimated, which are fair. Flow regulated since December 1973 by Cave Run Lake (station 03249498).

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 748 | 5,210 | 1,170 | 15,100 | 2,090 | 8,370 | 4,800 | 2,000 | 1,510 | 3,530 | 474 | 446 |
| 2 | 593 | 3,330 | 1,110 | 14,400 | 2,300 | 9,440 | 3,890 | 1,820 | 1,390 | 3,470 | 2,010 | 7,900 |
| 3 | 480 | 3,580 | 918 | 14,200 | 2,500 | 8,520 | 3,350 | 1,870 | 3,160 | 2,880 | 1,220 | 9,110 |
| 4 | 414 | 3,450 | 782 | 10,500 | 4,540 | 7,630 | 2,880 | 1,760 | 6,150 | 2,010 | 1,020 | 7,950 |
| 5 | 400 | 3,490 | 747 | 8,120 | 6,350 | 7,270 | 2,480 | 11,700 | 6,770 | 1,460 | 3,180 | 6,590 |
| 6 | 364 | 14,300 | 718 | 7,050 | 7,430 | 7,140 | 2,240 | 40,300 | 5,300 | 916 | 5,450 | 3,620 |
| 7 | 338 | 17,200 | 734 | 6,200 | 5,730 | 6,880 | 2,530 | 36,500 | 6,540 | 881 | 4,940 | 2,060 |
| 8 | 301 | 11,600 | 1,240 | 4,890 | 4,810 | 6,640 | 4,790 | 29,900 | 14,800 | 634 | 3,470 | 1,410 |
| 9 | 275 | 6,610 | 1,020 | 3,890 | 4,350 | 6,650 | 10,900 | 19,500 | 16,300 | 541 | 3,460 | 1,070 |
| 10 | 267 | 5,870 | 841 | 3,280 | 3,850 | 6,580 | 16,200 | 14,800 | 12,600 | 2,180 | 2,640 | 894 |
| 11 | 8,420 | 23,400 | 1,520 | 2,740 | 3,170 | 6,360 | 15,300 | 21,900 | 8,060 | 2,790 | 2,950 | 784 |
| 12 | 9,480 | 23,900 | 4,120 | 2,420 | 2,930 | 6,210 | 10,500 | 22,100 | 6,470 | 1,520 | 3,190 | 710 |
| 13 | 10,200 | 15,800 | 5,940 | 2,050 | 3,070 | 6,120 | 8,410 | 14,000 | 5,320 | 1,030 | 3,650 | 642 |
| 14 | 5,250 | 8,510 | 14,900 | 1,650 | 2,790 | 6,410 | 7,330 | 8,060 | 5,250 | 956 | 3,290 | 581 |
| 15 | 4,310 | 6,090 | 20,700 | 1,500 | 14,300 | 6,840 | 6,400 | 6,300 | 8,690 | 837 | 2,420 | 529 |
| 16 | 4,080 | 6,650 | 17,300 | 1,580 | 29,700 | 6,940 | 5,790 | 9,310 | 12,200 | 758 | 1,840 | 481 |
| 17 | 5,180 | 8,240 | 10,200 | 1,230 | 36,200 | 6,850 | 5,420 | 11,900 | 14,100 | 668 | 973 | 454 |
| 18 | 5,070 | 8,440 | 8,830 | 1,110 | 38,000 | 6,500 | 5,900 | 15,600 | 14,100 | 629 | 709 | 448 |
| 19 | 3,960 | 6,430 | 9,070 | 1,050 | 31,800 | 6,420 | 4,900 | 15,400 | 13,400 | 1,030 | 640 | 423 |
| 20 | 2,890 | 4,620 | 23,800 | 1,380 | 20,400 | 12,700 | 4,270 | 15,900 | 9,750 | 1,010 | 608 | 398 |
| 21 | 2,320 | 3,550 | 16,500 | 1,670 | 15,700 | 20,600 | 6,340 | 19,400 | 6,220 | 635 | 572 | 388 |
| 22 | 1,790 | 3,170 | 11,200 | 1,580 | 24,800 | 17,900 | 4,510 | 20,600 | 5,270 | 569 | 533 | 1,440 |
| 23 | 1,460 | 2,770 | 8,170 | 1,070 | 27,600 | 11,800 | 3,720 | 15,600 | 4,690 | 502 | 1,080 | 1,990 |
| 24 | 1,100 | 2,220 | 6,860 | 968 | 23,500 | 8,660 | 3,180 | 9,250 | 4,320 | 756 | 1,140 | 1,050 |
| 25 | 876 | 1,760 | 6,280 | 1,020 | 16,500 | 7,620 | 2,640 | 6,660 | 4,190 | 655 | 1,040 | 775 |
| 26 | 745 | 1,560 | 6,480 | 962 | 8,880 | 7,090 | 3,540 | 5,670 | 4,090 | 708 | 664 | 704 |
| 27 | 617 | 1,440 | 6,790 | 924 | 5,770 | 6,730 | 3,500 | 4,950 | 4,000 | 677 | 491 | 963 |
| 28 | 637 | 1,350 | 6,190 | 1,000 | 6,560 | 6,320 | 2,380 | 4,510 | 3,830 | 662 | 409 | 1,630 |
| 29 | 2,350 | 1,280 | 5,740 | 953 | --- | 7,330 | 2,210 | 3,680 | 3,750 | 756 | 345 | 1,020 |
| 30 | 9,340 | 1,230 | 5,430 | 1,240 | --- | 7,430 | 2,360 | 2,560 | 3,660 | 613 | 1,270 | 844 |
| 31 | 8,750 | --- | 5,730 | 1,770 | --- | 5,760 | --- | 1,860 | --- | 499 | 527 | --- |
| TOTAL | 93,005 | 207,050 | 211,030 | 117,497 | 355,620 | 253,710 | 162,660 | 395,360 | 215,880 | 36,762 | 56,205 | 57,304 |
| MEAN | 3,000 | 6,902 | 6,807 | 3,790 | 12,700 | 8,184 | 5,422 | 12,750 | 7,196 | 1,186 | 1,813 | 1,910 |
| MAX | 10,200 | 23,900 | 23,800 | 15,100 | 38,000 | 20,600 | 16,200 | 40,300 | 16,300 | 3,530 | 5,450 | 9,110 |
| MIN | 267 | 1,230 | 718 | 924 | 2,090 | 5,760 | 2,210 | 1,760 | 1,390 | 499 | 345 | 388 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1974 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,306 | 2,708 | 5,488 | 6,440 | 7,704 | 8,466 | 5,678 | 5,189 | 3,230 | 1,700 | 1,271 | 1,330 |
| MAX | 7,178 | 6,902 | 18,500 | 15,110 | 21,140 | 21,310 | 11,920 | 16,660 | 11,230 | 6,962 | 4,630 | 12,860 |
| (WY) | (1976) | (2003) | (1979) | (1974) | (1989) | (1997) | (1975) | (1983) | (1997) | (1979) | (1974) | (1979) |
| MIN | 79.8 | 107 | 1,008 | 420 | 1,950 | 1,247 | 666 | 342 | 101 | 86.0 | 68.4 | 51.5 |
| (WY) | (2000) | (2000) | (2000) | (1981) | (2002) | (1983) | (1986) | (1999) | (1999) | (1999) | (1999) | (1999) |

03253500 LICKING RIVER AT CATAWBA, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1974 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1,728,142 | | 2,162,083 | | 4,193 | |
| ANNUAL MEAN | 4,735 | | 5,924 | | 7,730 | |
| HIGHEST ANNUAL MEAN | | | | | 1979 | |
| LOWEST ANNUAL MEAN | | | | | 2,006 | |
| HIGHEST DAILY MEAN | 51,000 | Mar 21 | 40,300 | May 6 | 104,000 | Mar 3, 1997 |
| LOWEST DAILY MEAN | 57 | Aug 23 | 267 | Oct 10 | 25 | Jul 8, 1988 |
| ANNUAL SEVEN-DAY MINIMUM | 60 | Aug 17 | 337 | Oct 4 | 38 | Jul 3, 1988 |
| MAXIMUM PEAK FLOW | | | 44,500 | May 6 | 110,000 | Mar 3, 1997 |
| MAXIMUM PEAK STAGE | | | 30.85 | May 6 | 2,002.00 | Mar 21, 2002 |
| INSTANTANEOUS LOW FLOW | | | 262 | Oct 9 | 2.5 | Aug 5, 1930 |
| 10 PERCENT EXCEEDS | 11,900 | | 15,000 | | 10,600 | |
| 50 PERCENT EXCEEDS | 1,440 | | 3,680 | | 1,650 | |
| 90 PERCENT EXCEEDS | 86 | | 639 | | 230 | |



03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY

LOCATION.--Lat 38°50'40", long 84°31'56", Kenton County, Hydrologic Unit 05100101, at bridge on Highway 17, 0.6 mi downstream from Sawyers Fork, 0.9 mi north of Piner, and 7.8 mi upstream from the mouth.

DRAINAGE AREA.--18.0 mi².

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--December 2000 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 656.926 ft above NGVD of 1929.

REMARKS.--Records fair except for those estimated and those above 700 ft³/s, which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|---------|---------|---------|-------|-------|---------|-------|--------|---------|---------|
| 1 | 0.92 | 5.7 | 2.9 | 625 | 5.6 | 63 | 21 | 6.5 | 6.0 | 1.3 | 5.0 | 83 |
| 2 | 0.90 | 13 | 2.5 | 81 | e7.0 | 85 | 17 | 6.1 | 4.7 | 1.1 | 83 | 674 |
| 3 | 2.5 | 24 | 2.5 | 45 | 13 | 48 | 15 | 5.5 | 18 | 0.99 | 27 | 74 |
| 4 | 3.0 | 24 | 2.1 | 32 | 121 | 43 | 13 | 4.7 | 10 | 0.85 | 224 | 41 |
| 5 | 6.7 | 67 | 2.4 | 29 | 22 | 85 | 37 | 443 | 6.9 | 0.73 | 63 | 17 |
| 6 | 2.5 | 39 | 2.8 | 37 | 15 | 53 | 14 | 72 | 5.1 | 0.67 | 24 | 11 |
| 7 | 2.7 | 9.8 | 2.3 | 32 | 12 | 36 | 33 | 37 | 5.5 | 0.68 | 96 | 8.6 |
| 8 | 3.2 | 6.4 | 2.5 | 27 | 9.8 | 29 | 21 | 25 | 70 | 1.0 | e90 | 7.0 |
| 9 | 3.1 | 9.9 | 2.4 | 22 | 9.2 | 24 | 29 | 17 | 30 | 1.6 | 49 | 5.8 |
| 10 | 3.4 | 146 | 2.3 | 17 | 12 | 20 | 25 | 1,610 | 11 | 105 | 21 | 4.9 |
| 11 | e10 | 89 | 41 | 14 | 12 | 18 | 20 | 185 | 8.8 | 18 | 80 | 4.3 |
| 12 | 5.7 | 15 | 37 | 9.3 | 9.6 | 18 | 16 | 54 | 14 | 5.0 | 62 | 3.9 |
| 13 | 4.1 | 9.2 | 79 | 9.3 | 8.9 | 29 | 13 | 29 | 8.9 | 2.7 | 22 | 3.8 |
| 14 | 3.5 | 6.8 | 78 | 8.5 | 11 | 28 | 11 | 21 | 22 | 1.8 | 16 | 3.8 |
| 15 | 3.0 | 6.6 | 44 | 6.8 | 212 | 23 | 10 | 23 | 14 | 21 | 75 | 4.5 |
| 16 | 3.0 | 9.5 | 24 | 6.6 | 53 | 20 | 9.4 | 15 | 8.7 | 40 | 37 | 3.9 |
| 17 | 3.1 | 6.9 | 111 | 6.4 | 30 | 16 | 12 | 56 | 6.7 | 5.2 | 17 | 3.3 |
| 18 | 3.2 | 5.3 | 62 | 5.5 | 20 | 14 | 12 | 55 | 5.8 | 3.0 | 12 | 2.8 |
| 19 | 4.7 | 4.8 | 719 | 5.7 | 18 | 33 | 8.6 | 31 | 5.5 | 14 | 9.0 | 3.0 |
| 20 | 5.2 | 4.0 | 185 | 5.6 | 20 | 39 | 34 | 54 | 12 | 3.6 | 8.2 | 8.0 |
| 21 | 5.0 | 4.1 | 60 | 4.8 | 104 | 57 | 188 | 60 | 4.8 | 5.2 | 5.8 | 3.0 |
| 22 | 4.7 | 6.6 | 36 | 4.1 | 758 | 41 | 42 | 29 | 3.6 | 4.4 | 3.7 | 145 |
| 23 | 5.0 | 4.5 | 20 | 3.8 | 150 | 27 | 20 | 21 | 3.3 | 2.6 | 5.0 | 31 |
| 24 | 5.3 | 4.0 | 17 | 3.2 | 53 | 22 | 16 | 15 | 2.6 | 2.0 | 6.7 | 8.6 |
| 25 | 22 | 3.7 | 20 | 3.9 | 34 | 18 | 14 | 12 | 2.3 | 1.5 | 3.4 | 5.3 |
| 26 | 31 | 3.4 | 11 | 4.0 | 29 | 23 | 11 | 19 | 2.2 | 1.1 | 2.0 | 3.9 |
| 27 | 12 | 3.3 | 11 | 3.7 | 25 | 17 | 9.0 | 9.8 | 3.6 | 0.90 | 3.3 | 183 |
| 28 | 10 | 2.9 | 10 | 4.0 | 24 | 16 | 8.2 | 8.4 | 2.5 | 7.6 | 5.3 | 24 |
| 29 | 106 | 2.9 | 9.6 | 8.5 | --- | 61 | 8.3 | 11 | 1.8 | 4.7 | 2.4 | 11 |
| 30 | 21 | 3.0 | 41 | 8.7 | --- | e33 | 7.2 | 7.3 | 1.4 | 2.2 | 22 | 9.7 |
| 31 | 7.6 | --- | 226 | 4.9 | --- | e24 | --- | 7.2 | --- | 30 | 8.0 | --- |
| TOTAL | 304.02 | 540.3 | 1,866.3 | 1,078.3 | 1,798.1 | 1,063 | 694.7 | 2,949.5 | 301.7 | 290.42 | 1,087.8 | 1,392.1 |
| MEAN | 9.81 | 18.0 | 60.2 | 34.8 | 64.2 | 34.3 | 23.2 | 95.1 | 10.1 | 9.37 | 35.1 | 46.4 |
| MAX | 106 | 146 | 719 | 625 | 758 | 85 | 188 | 1,610 | 70 | 105 | 224 | 674 |
| MIN | 0.90 | 2.9 | 2.1 | 3.2 | 5.6 | 14 | 7.2 | 4.7 | 1.4 | 0.67 | 2.0 | 2.8 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 25.5 | 32.4 | 51.2 | 25.2 | 36.6 | 34.9 | 28.8 | 62.6 | 14.5 | 13.6 | 13.6 | 18.9 |
| MAX | 41.1 | 46.8 | 62.6 | 34.8 | 64.2 | 53.6 | 60.2 | 95.1 | 20.4 | 31.4 | 35.1 | 46.4 |
| (WY) | (2002) | (2002) | (2002) | (2003) | (2003) | (2002) | (2002) | (2003) | (2002) | (2001) | (2003) | (2003) |
| MIN | 9.81 | 18.0 | 30.7 | 11.3 | 21.7 | 16.8 | 2.89 | 3.83 | 10.1 | 0.018 | 0.000 | 3.32 |
| (WY) | (2003) | (2003) | (2001) | (2001) | (2002) | (2001) | (2001) | (2001) | (2003) | (2002) | (2002) | (2001) |

03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 11,279.64 | | 13,366.24 | | | |
| ANNUAL MEAN | 30.9 | | 36.6 | | 36.4 | |
| HIGHEST ANNUAL MEAN | | | | | 36.6 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 36.1 | 2002 |
| HIGHEST DAILY MEAN | 719 | Dec 19 | 1,610 | May 10 | 1,610 | May 10, 2003 |
| LOWEST DAILY MEAN | 0.00 | Jul 8 | 0.67 | Jul 6 | 0.00 | Jul 8, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jul 16 | 0.86 | Jul 2 | 0.00 | Jul 16, 2002 |
| MAXIMUM PEAK FLOW | | | 9,110 | May 10 | 9,110 | May 10, 2003 |
| MAXIMUM PEAK STAGE | | | 11.62 | May 10 | 11.62 | May 10, 2003 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Jul 8, 2002 |
| 10 PERCENT EXCEEDS | 64 | | 68 | | 72 | |
| 50 PERCENT EXCEEDS | 7.0 | | 11 | | 9.1 | |
| 90 PERCENT EXCEEDS | 0.00 | | 2.7 | | 0.06 | |

e Estimated



03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY—Continued
WATER-QUALITY RECORDS

PERIOD OF RECORD.--December 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 2000 to current year.

pH: December 2000 to current year.

WATER TEMPERATURES: December 2000 to current year.

DISSOLVED OXYGEN: December 2000 to current year.

TURBIDITY: December 2000 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 916 microsiemens, Feb. 25, 2001; minimum recorded, 104 microsiemens, May 10, 2003.

pH: Maximum recorded, 8.6 units, March 3, 2001, and March 12, 2003; minimum recorded, 7.1 units, Sept. 2, 2003.

WATER TEMPERATURE: Maximum recorded 27.3°C, Aug. 8, 2001; minimum recorded, 0.2°C, Jan. 11-19, 21-27, 29-31, and Feb. 5, 6, 8-17, 26, 2003.

DISSOLVED OXYGEN: Maximum recorded, 20.0 mg/L, March 10, 2003; minimum recorded, 1.2 mg/L, July 24, 2001.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2001, 2002 and 2003; minimum recorded, 0.0 NTU, Nov. 30, Dec. 2, 2002, and Jan. 12-29, 31, Feb. 1, 2, 2003.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 902 microsiemens, Dec. 11, 2002; minimum recorded, 104 microsiemens, May 10, 2003.

pH: Maximum recorded, 8.6 units, Mar. 12, 2003; minimum recorded, 7.1 units, Sept. 2, 2003.

WATER TEMPERATURES: Maximum recorded, 26.7°C, July 5, 2003; minimum recorded, 0.2°C, Jan. 11-19, 21-27, 29-31, and Feb. 5, 6, 8-17, 26, 2003.

DISSOLVED OXYGEN: Maximum recorded, 20.0 mg/L, March 10, 2003; minimum recorded, 3.5 mg/L, July 9, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, several days in 2003; minimum recorded, 0.0 NTU, Nov. 30, Dec. 2, 2002, and Jan. 12-29, 31, Feb. 1, 2, 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 360 | 332 | 344 | 521 | 494 | 507 | 538 | 519 | 531 | 301 | 133 | 224 |
| 2 | 366 | 341 | 353 | 531 | 510 | 519 | 540 | 520 | 533 | 385 | 301 | 345 |
| 3 | 390 | 350 | 369 | 533 | 526 | 530 | 545 | 524 | 537 | 418 | 381 | 399 |
| 4 | 450 | 386 | 413 | 541 | 531 | 537 | 559 | 541 | 551 | 442 | 415 | 430 |
| 5 | 534 | 449 | 515 | 545 | 365 | 491 | 569 | 533 | 556 | 477 | 438 | 447 |
| 6 | 548 | 524 | 534 | 444 | 360 | 397 | 558 | 532 | 548 | 531 | 446 | 480 |
| 7 | 554 | 528 | 541 | 494 | 444 | 472 | 583 | 545 | 567 | 469 | 455 | 461 |
| 8 | 545 | 527 | 533 | 525 | 494 | 508 | 580 | 547 | 563 | 481 | 464 | 475 |
| 9 | 565 | 520 | 552 | 544 | 512 | 525 | 581 | 554 | 569 | 484 | 475 | 480 |
| 10 | 521 | 423 | 464 | 543 | 189 | 381 | 614 | 557 | 572 | 480 | 467 | 475 |
| 11 | 475 | 390 | 424 | 408 | 249 | 357 | 902 | 405 | 505 | 480 | 461 | 468 |
| 12 | 498 | 475 | 491 | 481 | 408 | 446 | 478 | 407 | 447 | 520 | 480 | 498 |
| 13 | 507 | 497 | 502 | 503 | 481 | 494 | 505 | 346 | 447 | 542 | 520 | 531 |
| 14 | 504 | 497 | 500 | 516 | 503 | 512 | 436 | 345 | 384 | 523 | 512 | 519 |
| 15 | 498 | 483 | 490 | 523 | 515 | 519 | 443 | 433 | 438 | 544 | 515 | 533 |
| 16 | 487 | 464 | 473 | 524 | 516 | 519 | 460 | 442 | 449 | 556 | 540 | 552 |
| 17 | 464 | 451 | 456 | 528 | 523 | 526 | 506 | 261 | 419 | 573 | 542 | 556 |
| 18 | 452 | 440 | 445 | 531 | 526 | 529 | 435 | 296 | 382 | 559 | 540 | 549 |
| 19 | 449 | 431 | 438 | 535 | 529 | 532 | 459 | 117 | 343 | 558 | 540 | 552 |
| 20 | 442 | 422 | 434 | 536 | 530 | 534 | 335 | 183 | 285 | 567 | 543 | 557 |
| 21 | 427 | 411 | 419 | 540 | 523 | 534 | 363 | 334 | 350 | 547 | 533 | 542 |
| 22 | 428 | 403 | 418 | 536 | 524 | 531 | 390 | 352 | 365 | 555 | 535 | 546 |
| 23 | 423 | 406 | 415 | 538 | 530 | 535 | 418 | 390 | 410 | 563 | 537 | 554 |
| 24 | 427 | 413 | 421 | 533 | 521 | 529 | 434 | 416 | 427 | 587 | 559 | 575 |
| 25 | 436 | 313 | 399 | 531 | 524 | 528 | 452 | 414 | 428 | 586 | 571 | 578 |
| 26 | 400 | 370 | 389 | 578 | 528 | 542 | 458 | 416 | 439 | 585 | 567 | 578 |
| 27 | 401 | 362 | 382 | 540 | 529 | 535 | 510 | 458 | 486 | 587 | 574 | 582 |
| 28 | 362 | 347 | 354 | 541 | 529 | 534 | 501 | 491 | 496 | 584 | 571 | 579 |
| 29 | 374 | 260 | 328 | 540 | 528 | 534 | 498 | 493 | 495 | 694 | 529 | 585 |
| 30 | 455 | 349 | 410 | 536 | 520 | 529 | 521 | 391 | 465 | 557 | 502 | 533 |
| 31 | 494 | 454 | 477 | --- | --- | --- | 413 | 205 | 336 | 562 | 542 | 554 |
| MONTH | 565 | 260 | 441 | 578 | 189 | 506 | 902 | 117 | 462 | 694 | 133 | 508 |

03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 7.5 | 7.4 | 7.4 | 8.1 | 8.0 | 8.0 | 8.2 | 8.1 | 8.2 | 7.9 | 7.7 | 7.8 |
| 2 | 7.7 | 7.4 | 7.5 | 8.1 | 8.0 | 8.0 | 8.3 | 8.1 | 8.2 | 8.1 | 7.9 | 8.0 |
| 3 | 7.8 | 7.5 | 7.7 | 8.0 | 8.0 | 8.0 | 8.4 | 8.3 | 8.3 | 8.2 | 8.1 | 8.1 |
| 4 | 7.7 | 7.6 | 7.7 | 8.0 | 8.0 | 8.0 | 8.4 | 8.3 | 8.3 | 8.2 | 8.1 | 8.1 |
| 5 | 7.9 | 7.6 | 7.8 | 8.0 | 7.9 | 8.0 | 8.4 | 8.3 | 8.3 | 8.2 | 8.1 | 8.1 |
| 6 | 7.9 | 7.8 | 7.8 | 8.0 | 7.8 | 7.9 | 8.3 | 8.2 | 8.3 | 8.2 | 8.1 | 8.1 |
| 7 | 7.9 | 7.8 | 7.8 | 8.1 | 7.9 | 8.0 | 8.3 | 8.2 | 8.3 | 8.2 | 8.1 | 8.2 |
| 8 | 8.0 | 7.9 | 8.0 | 8.1 | 8.0 | 8.1 | 8.3 | 8.2 | 8.2 | 8.2 | 8.1 | 8.2 |
| 9 | 8.0 | 8.0 | 8.0 | 8.1 | 8.0 | 8.1 | 8.3 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 |
| 10 | 8.0 | 7.9 | 8.0 | 8.2 | 7.5 | 8.0 | 8.3 | 8.2 | 8.2 | 8.3 | 8.1 | 8.2 |
| 11 | 8.0 | 7.9 | 7.9 | 7.9 | 7.6 | 7.8 | 8.3 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 |
| 12 | 8.0 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 8.2 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 |
| 13 | 8.0 | 7.8 | 7.9 | 8.2 | 8.1 | 8.1 | 8.2 | 7.9 | 8.1 | 8.2 | 8.0 | 8.1 |
| 14 | 8.0 | 7.9 | 8.0 | 8.2 | 8.1 | 8.2 | 8.1 | 7.9 | 8.0 | 8.1 | 8.1 | 8.1 |
| 15 | 8.0 | 8.0 | 8.0 | 8.2 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 8.2 | 8.0 | 8.1 |
| 16 | 8.0 | 8.0 | 8.0 | 8.2 | 8.1 | 8.2 | 8.4 | 8.1 | 8.2 | 8.1 | 8.0 | 8.1 |
| 17 | 8.0 | 7.9 | 8.0 | 8.3 | 8.2 | 8.2 | 8.2 | 7.9 | 8.1 | 8.1 | 8.0 | 8.1 |
| 18 | 8.0 | 8.0 | 8.0 | 8.2 | 8.1 | 8.2 | 8.2 | 7.9 | 8.1 | 8.1 | 8.0 | 8.1 |
| 19 | 8.0 | 7.9 | 7.9 | 8.2 | 8.1 | 8.2 | 8.1 | 7.7 | 8.0 | 8.1 | 8.0 | 8.1 |
| 20 | 8.0 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 8.0 | 7.7 | 7.9 | 8.2 | 8.0 | 8.1 |
| 21 | 8.0 | 7.9 | 8.0 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 | 8.2 | 8.0 | 8.1 |
| 22 | 8.0 | 7.9 | 8.0 | 8.3 | 8.1 | 8.2 | 8.1 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 23 | 8.0 | 7.9 | 8.0 | 8.3 | 8.1 | 8.2 | 8.2 | 8.1 | 8.2 | 8.2 | 8.0 | 8.1 |
| 24 | 8.0 | 7.9 | 8.0 | 8.3 | 8.1 | 8.3 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.1 |
| 25 | 8.0 | 7.7 | 7.9 | 8.3 | 8.1 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.0 | 8.1 |
| 26 | 7.9 | 7.7 | 7.8 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.2 | 8.1 | 8.0 | 8.0 |
| 27 | 8.1 | 7.8 | 7.9 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.2 | 8.0 | 7.9 | 8.0 |
| 28 | 8.1 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 8.3 | 8.2 | 8.2 | 8.0 | 7.8 | 7.9 |
| 29 | 7.9 | 7.6 | 7.7 | 8.2 | 8.1 | 8.2 | 8.3 | 8.2 | 8.2 | 8.1 | 7.8 | 8.0 |
| 30 | 7.9 | 7.7 | 7.8 | 8.2 | 8.1 | 8.1 | 8.3 | 8.1 | 8.2 | 8.2 | 7.9 | 8.0 |
| 31 | 8.1 | 7.8 | 7.9 | --- | --- | --- | 8.1 | 7.8 | 8.0 | 8.2 | 7.9 | 8.1 |
| MONTH | 8.1 | 7.4 | 7.9 | 8.3 | 7.5 | 8.1 | 8.4 | 7.7 | 8.2 | 8.3 | 7.7 | 8.1 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.2 | 7.9 | 8.0 | 8.0 | 7.7 | 7.9 | 8.3 | 7.9 | 8.1 | 8.2 | 7.8 | 8.0 |
| 2 | 8.2 | 7.9 | 8.1 | 7.8 | 7.7 | 7.7 | 8.3 | 7.8 | 8.1 | 8.1 | 7.9 | 8.0 |
| 3 | 8.1 | 7.9 | 8.0 | 7.9 | 7.7 | 7.8 | 8.3 | 7.8 | 8.0 | 8.1 | 7.9 | 8.0 |
| 4 | 7.9 | 7.7 | 7.8 | 8.0 | 7.7 | 7.8 | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 |
| 5 | 8.1 | 7.8 | 7.9 | 7.8 | 7.6 | 7.7 | 8.0 | 7.8 | 7.9 | 8.1 | 7.7 | 7.8 |
| 6 | 8.1 | 7.9 | 8.0 | 8.0 | 7.6 | 7.8 | 8.3 | 7.7 | 8.0 | 8.1 | 7.8 | 7.9 |
| 7 | 8.2 | 8.0 | 8.1 | 8.0 | 7.7 | 7.9 | 8.1 | 7.7 | 8.0 | 8.1 | 7.9 | 8.0 |
| 8 | 8.2 | 8.0 | 8.1 | 8.0 | 7.7 | 7.9 | 8.2 | 7.8 | 8.0 | 8.2 | 7.9 | 8.1 |
| 9 | 8.2 | 8.0 | 8.1 | 8.1 | 7.7 | 7.9 | 8.1 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 |
| 10 | 8.2 | 8.0 | 8.1 | 8.2 | 7.8 | 8.0 | 8.3 | 7.9 | 8.1 | 8.3 | 7.4 | 7.7 |
| 11 | 8.2 | 8.0 | 8.1 | 8.4 | 8.1 | 8.3 | 8.2 | 7.9 | 8.1 | 8.0 | 7.7 | 7.9 |
| 12 | 8.2 | 8.0 | 8.1 | 8.6 | 7.6 | 8.3 | 8.3 | 7.9 | 8.1 | 8.1 | 8.0 | 8.1 |
| 13 | 8.2 | 8.0 | 8.1 | 8.1 | 7.9 | 8.0 | 8.2 | 7.9 | 8.0 | 8.2 | 8.0 | 8.1 |
| 14 | 8.1 | 7.8 | 7.9 | 8.3 | 7.8 | 8.0 | 8.2 | 7.8 | 8.0 | 8.2 | 8.1 | 8.1 |
| 15 | 7.9 | 7.5 | 7.7 | 8.3 | 7.9 | 8.1 | 8.2 | 7.8 | 8.0 | 8.1 | 8.0 | 8.1 |
| 16 | 7.9 | 7.7 | 7.8 | 8.3 | 7.9 | 8.1 | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 |
| 17 | 8.0 | 7.8 | 7.9 | 8.4 | 7.9 | 8.1 | 8.1 | 7.7 | 7.9 | 8.1 | 7.9 | 8.0 |
| 18 | 8.1 | 7.8 | 8.0 | 8.4 | 7.9 | 8.1 | 8.2 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 |
| 19 | 8.1 | 7.9 | 8.0 | 8.2 | 7.8 | 8.0 | 8.4 | 7.9 | 8.1 | 8.3 | 8.0 | 8.1 |
| 20 | 8.1 | 7.9 | 8.0 | 8.3 | 7.8 | 8.0 | 8.2 | 7.6 | 8.0 | 8.1 | 7.9 | 8.0 |
| 21 | 8.0 | 7.6 | 7.8 | 8.0 | 7.8 | 7.9 | 8.0 | 7.6 | 7.8 | 8.2 | 7.9 | 8.1 |
| 22 | 7.6 | 7.4 | 7.5 | 8.3 | 7.8 | 8.1 | 8.2 | 7.9 | 8.1 | 8.2 | 8.0 | 8.1 |
| 23 | 7.8 | 7.5 | 7.7 | 8.3 | 7.8 | 8.1 | 8.3 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 24 | 7.9 | 7.7 | 7.8 | 8.3 | 7.9 | 8.1 | 8.3 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 |
| 25 | 7.9 | 7.8 | 7.9 | 8.3 | 7.9 | 8.1 | 8.2 | 8.0 | 8.1 | 8.2 | 8.1 | 8.2 |
| 26 | 8.0 | 7.8 | 7.9 | 8.3 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 | 8.3 | 8.1 | 8.2 |
| 27 | 8.0 | 7.8 | 7.9 | 8.3 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 | 8.2 | 7.9 | 8.1 |
| 28 | 8.0 | 7.8 | 7.9 | 8.3 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 | 8.2 | 8.0 | 8.1 |
| 29 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 |
| 30 | --- | --- | --- | --- | --- | --- | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 8.0 | 8.1 |
| MONTH | 8.2 | 7.4 | 7.9 | 8.6 | 7.6 | 8.0 | 8.4 | 7.6 | 8.0 | 8.3 | 7.4 | 8.1 |

LICKING RIVER BASIN

03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 20.7 | 17.9 | 19.1 | 8.9 | 7.0 | 8.3 | 1.7 | 0.6 | 1.0 | 7.6 | 5.8 | 6.5 |
| 2 | 21.3 | 19.1 | 20.0 | 7.0 | 5.3 | 6.1 | 1.9 | 0.4 | 1.0 | 5.8 | 4.9 | 5.3 |
| 3 | 21.4 | 19.4 | 20.3 | 6.1 | 5.5 | 5.7 | 1.6 | 0.7 | 1.3 | 4.9 | 3.4 | 4.0 |
| 4 | 21.2 | 20.4 | 20.7 | 6.9 | 6.1 | 6.4 | 0.7 | 0.4 | 0.5 | 3.4 | 2.4 | 3.0 |
| 5 | 20.4 | 17.5 | 18.9 | 9.6 | 6.8 | 7.6 | 0.8 | 0.2 | 0.4 | 3.7 | 2.3 | 3.1 |
| 6 | 17.5 | 15.2 | 16.4 | 9.7 | 8.1 | 9.0 | 0.9 | 0.2 | 0.4 | 4.0 | 3.0 | 3.7 |
| 7 | 16.5 | 14.8 | 16.1 | 8.7 | 7.2 | 8.0 | 0.8 | 0.1 | 0.4 | 3.0 | 1.6 | 2.4 |
| 8 | 14.8 | 12.9 | 13.5 | 9.1 | 6.8 | 8.0 | 1.0 | 0.3 | 0.6 | 4.6 | 2.5 | 3.5 |
| 9 | 13.9 | 12.9 | 13.4 | 11.3 | 8.7 | 9.8 | 0.8 | 0.1 | 0.4 | 5.1 | 3.7 | 4.4 |
| 10 | 14.4 | 13.9 | 14.1 | 14.1 | 11.3 | 12.5 | 0.6 | 0.2 | 0.4 | 4.2 | 1.7 | 3.3 |
| 11 | 16.2 | 14.4 | 15.3 | 13.2 | 11.4 | 12.5 | 2.1 | 0.3 | 1.0 | 1.7 | -0.2 | 0.4 |
| 12 | 17.6 | 16.1 | 16.7 | 11.4 | 8.9 | 9.8 | 4.2 | 2.1 | 3.8 | 0.2 | -0.2 | -0.1 |
| 13 | 17.4 | 14.6 | 16.3 | 8.9 | 7.6 | 8.4 | 5.5 | 4.0 | 4.5 | 0.3 | -0.2 | 0.0 |
| 14 | 14.6 | 11.8 | 12.7 | 8.9 | 7.2 | 8.1 | 5.5 | 4.9 | 5.3 | 0.0 | -0.2 | -0.1 |
| 15 | 11.8 | 10.4 | 10.8 | 8.4 | 7.7 | 8.0 | 5.5 | 3.2 | 4.4 | 0.1 | -0.2 | -0.1 |
| 16 | 11.0 | 10.2 | 10.6 | 8.2 | 6.2 | 7.1 | 5.4 | 4.0 | 4.6 | 0.0 | -0.2 | -0.1 |
| 17 | 10.2 | 9.2 | 9.7 | 6.2 | 5.2 | 5.8 | 5.9 | 3.6 | 4.2 | 0.0 | -0.2 | -0.1 |
| 18 | 10.5 | 8.7 | 9.7 | 5.2 | 3.2 | 4.3 | 7.7 | 5.9 | 6.8 | 0.0 | -0.2 | -0.1 |
| 19 | 11.4 | 10.3 | 10.9 | 7.3 | 4.8 | 6.0 | 8.3 | 7.7 | 7.9 | 0.0 | -0.2 | -0.1 |
| 20 | 11.3 | 10.7 | 11.1 | 6.2 | 4.0 | 5.4 | 8.0 | 6.0 | 7.0 | 0.0 | -0.1 | -0.1 |
| 21 | 10.9 | 9.8 | 10.4 | 7.4 | 5.5 | 6.5 | 6.0 | 4.9 | 5.4 | 0.0 | -0.2 | -0.1 |
| 22 | 10.4 | 8.6 | 9.6 | 7.1 | 5.0 | 5.7 | 6.0 | 4.8 | 5.5 | 0.0 | -0.2 | -0.1 |
| 23 | 10.1 | 8.8 | 9.4 | 5.0 | 3.7 | 4.4 | 4.8 | 2.9 | 3.5 | 0.0 | -0.2 | -0.1 |
| 24 | 10.0 | 8.8 | 9.4 | 4.6 | 2.7 | 3.8 | 3.7 | 3.3 | 3.5 | 0.0 | -0.2 | -0.1 |
| 25 | 11.5 | 9.3 | 10 | 4.4 | 3.5 | 3.9 | 3.5 | 2.1 | 2.7 | 0.0 | -0.2 | -0.1 |
| 26 | 12.1 | 11.5 | 11.9 | 3.8 | 2.3 | 2.8 | 2.1 | 1.3 | 1.7 | -0.1 | -0.2 | -0.1 |
| 27 | 12.6 | 11.6 | 12.0 | 2.7 | 1.7 | 2.2 | 1.9 | 0.9 | 1.4 | -0.1 | -0.2 | -0.1 |
| 28 | 12.0 | 11.1 | 11.6 | 1.7 | 0.7 | 1.2 | 2.5 | 0.6 | 1.6 | -0.1 | -0.1 | -0.1 |
| 29 | 11.6 | 10.1 | 10.7 | 2.4 | 0.5 | 1.4 | 3.1 | 1.3 | 2.3 | 0.0 | -0.2 | -0.1 |
| 30 | 10.1 | 8.7 | 9.2 | 3.0 | 1.7 | 2.7 | 7.1 | 1.9 | 3.8 | 0.2 | -0.2 | -0.1 |
| 31 | 9.4 | 8.4 | 8.9 | --- | --- | --- | 7.6 | 6.7 | 7.2 | 0.2 | -0.2 | -0.1 |
| MONTH | 21.4 | 8.4 | 13.2 | 14.1 | 0.5 | 6.4 | 8.3 | 0.1 | 3.0 | 7.6 | -0.2 | 1.2 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 0.0 | -0.1 | -0.1 | 4.8 | 3.3 | 4.0 | 13.8 | 7.4 | 10.3 | 21.5 | 16.8 | 19.1 |
| 2 | 0.5 | -0.1 | 0.1 | 4.6 | 3.2 | 4.1 | 17.3 | 11.5 | 14.2 | 20.5 | 17.6 | 18.9 |
| 3 | 2.3 | -0.1 | 0.4 | 3.4 | 0.5 | 2.2 | 18.8 | 13.3 | 16.0 | 18.8 | 15.5 | 16.9 |
| 4 | 3.5 | 1.3 | 2.7 | 5.5 | 1.2 | 3.2 | 18.2 | 15.5 | 16.7 | 15.5 | 12.9 | 14.2 |
| 5 | 1.6 | -0.2 | 0.4 | 6.6 | 4.7 | 5.7 | 17.0 | 9.4 | 12.8 | 15.6 | 12.4 | 13.9 |
| 6 | 0.3 | -0.2 | 0.0 | 4.7 | 2.8 | 3.6 | 9.4 | 7.5 | 8.1 | 17.7 | 14.4 | 15.7 |
| 7 | 1.1 | -0.1 | 0.4 | 4.4 | 1.6 | 2.9 | 10.5 | 7.4 | 8.7 | 17.3 | 15.7 | 16.4 |
| 8 | 0.3 | -0.2 | -0.1 | 7.6 | 2.0 | 4.7 | 10.4 | 8.8 | 9.6 | 19.4 | 15.5 | 17.3 |
| 9 | 0.6 | -0.2 | 0.1 | 7.6 | 4.5 | 6.4 | 9.5 | 6.9 | 7.8 | 19.9 | 17.8 | 18.8 |
| 10 | 0.3 | -0.2 | 0.0 | 4.5 | 1.5 | 3.1 | 10.0 | 6.2 | 7.9 | 19.1 | 15.6 | 16.8 |
| 11 | 0.0 | -0.2 | -0.2 | 5.9 | 1.7 | 3.7 | 13.4 | 7.0 | 10.0 | 17.7 | 15.4 | 16.3 |
| 12 | 0.3 | -0.2 | -0.1 | 5.8 | 4.1 | 4.8 | 15.0 | 8.9 | 11.9 | 15.6 | 13.3 | 14.6 |
| 13 | 0.2 | -0.2 | -0.1 | 5.9 | 4.7 | 5.3 | 15.6 | 9.5 | 12.5 | 16.9 | 12.4 | 14.7 |
| 14 | -0.1 | -0.2 | -0.1 | 7.4 | 3.2 | 5.3 | 17.0 | 9.6 | 13.3 | 16.8 | 13.7 | 15.2 |
| 15 | 2.6 | -0.2 | 1.5 | 9.0 | 5.4 | 7.0 | 19.1 | 12.3 | 15.6 | 17.3 | 15.0 | 16.2 |
| 16 | 1.8 | -0.2 | 0.2 | 11.5 | 6.9 | 9.2 | 20.0 | 14.4 | 17.3 | 18.3 | 14.9 | 16.6 |
| 17 | 0.4 | -0.2 | 0.0 | 12.7 | 9.1 | 10.8 | 18.6 | 14.8 | 16.2 | 17.8 | 15.4 | 16.3 |
| 18 | 1.0 | 0.1 | 0.5 | 14.1 | 10.7 | 12.3 | 15.0 | 13.6 | 14.3 | 16.8 | 15.0 | 15.7 |
| 19 | 1.4 | 0.8 | 1.1 | 14.4 | 10.7 | 12.9 | 18.8 | 12.1 | 15.2 | 18.6 | 16.1 | 17.2 |
| 20 | 3.8 | 0.9 | 2.1 | 13.1 | 9.1 | 11.2 | 18.5 | 14.7 | 17.0 | 18.3 | 15.4 | 17.3 |
| 21 | 3.5 | 2.8 | 3.1 | 12.6 | 9.0 | 10.5 | 14.7 | 12.6 | 13.5 | 16.7 | 13.9 | 15.2 |
| 22 | 3.7 | 1.6 | 3.0 | 11.5 | 6.8 | 9.2 | 13.0 | 10.7 | 11.6 | 16.9 | 13.8 | 15.4 |
| 23 | 3.4 | 1.9 | 2.7 | 11.9 | 7.9 | 10 | 13.7 | 7.7 | 10.7 | 16.4 | 13.8 | 15.3 |
| 24 | 2.7 | 1.0 | 1.9 | 13.6 | 8.2 | 10.9 | 12.2 | 9.5 | 11.0 | 16.4 | 13.0 | 14.8 |
| 25 | 2.1 | -0.1 | 0.9 | 14.9 | 10.2 | 12.6 | 12.5 | 11.1 | 11.8 | 15.5 | 14.1 | 14.6 |
| 26 | 1.1 | -0.2 | 0.4 | 14.9 | 11.5 | 13.0 | 16.4 | 11.4 | 13.5 | 15.6 | 13.2 | 14.3 |
| 27 | 2.6 | 0.5 | 1.5 | 13.8 | 9.1 | 11.6 | 17.1 | 10.9 | 14.1 | 17.8 | 14.7 | 16.1 |
| 28 | 4.0 | 2.2 | 3.0 | 16.4 | 11.5 | 13.8 | 18.3 | 11.6 | 15.1 | 17.2 | 14.7 | 16.1 |
| 29 | --- | --- | --- | 14.9 | 8.2 | 10.1 | 20.3 | 16.1 | 18.0 | 17.7 | 15.2 | 16.3 |
| 30 | --- | --- | --- | --- | --- | --- | 19.6 | 16.6 | 18.1 | 17.0 | 15.0 | 16.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.7 | 15.8 | 16.2 |
| MONTH | 4.0 | -0.2 | 0.9 | 16.4 | 0.5 | 7.7 | 20.3 | 6.2 | 13.1 | 21.5 | 12.4 | 16.1 |

LICKING RIVER BASIN

03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | --- | --- | --- | 11.0 | 9.8 | 10.3 | 17.4 | 14.7 | 15.9 | 11.2 | 9.9 | 10.4 |
| 2 | 6.3 | 5.9 | 6.1 | 11.0 | 10.2 | 10.6 | 17.5 | 15.8 | 16.6 | 10.6 | 10.2 | 10.4 |
| 3 | 6.9 | 5.1 | 6.0 | 10.8 | 10.3 | 10.5 | 17.3 | 15.0 | 16.0 | 12.4 | 10.4 | 11.4 |
| 4 | 6.5 | 5.6 | 6.1 | 10.4 | 9.7 | 10 | 17.3 | 15.7 | 16.3 | 13.0 | 12.0 | 12.5 |
| 5 | 7.3 | 5.4 | 6.6 | 9.9 | 9.2 | 9.5 | 17.7 | 15.1 | 16.0 | 12.8 | 12.0 | 12.4 |
| 6 | 7.6 | 6.5 | 7.0 | 9.6 | 8.7 | 9.1 | 17.4 | 14.8 | 16.1 | 12.6 | 11.8 | 12.2 |
| 7 | 7.6 | 6.7 | 7.1 | 10.3 | 9.0 | 9.6 | 17.8 | 15.6 | 16.5 | 13.4 | 12.3 | 12.8 |
| 8 | 8.7 | 7.4 | 7.9 | 10.2 | 9.0 | 9.5 | 17.4 | 15.2 | 16.3 | 12.9 | 11.5 | 12.3 |
| 9 | 8.8 | 8.2 | 8.5 | 9.8 | 8.2 | 8.9 | 17.4 | 15.3 | 16.1 | 12.4 | 11.3 | 11.8 |
| 10 | 8.7 | 7.6 | 8.0 | 9.5 | 7.6 | 8.4 | 17.1 | 15.0 | 16.0 | 13.2 | 11.5 | 12.3 |
| 11 | 8.1 | 7.1 | 7.7 | 8.3 | 7.6 | 8.0 | 16.4 | 12.3 | 13.6 | 14.6 | 12.6 | 13.7 |
| 12 | 7.9 | 6.7 | 7.2 | 10.4 | 7.9 | 9.1 | 12.4 | 11.6 | 12.0 | 15.0 | 13.9 | 14.3 |
| 13 | 7.9 | 6.3 | 7.1 | 11.0 | 9.6 | 10.3 | 12.1 | 10.9 | 11.5 | 14.9 | 13.8 | 14.2 |
| 14 | 9.0 | 7.5 | 8.1 | 11.5 | 10.0 | 10.6 | 11.8 | 10.9 | 11.2 | 14.5 | 13.6 | 13.9 |
| 15 | 8.9 | 8.4 | 8.7 | 10.7 | 10.0 | 10.3 | 13.0 | 10.9 | 11.9 | 15.2 | 13.8 | 14.4 |
| 16 | 9.2 | 8.3 | 8.7 | 11.3 | 10.2 | 10.7 | 13.4 | 10.8 | 11.9 | 14.8 | 13.7 | 14.2 |
| 17 | 10.0 | 8.8 | 9.3 | 12.6 | 10.7 | 11.5 | 12.1 | 10.9 | 11.4 | 14.8 | 13.5 | 14.0 |
| 18 | 10.0 | 9.4 | 9.8 | 13.4 | 11.4 | 12.3 | 11.4 | 9.9 | 10.8 | 15.2 | 13.7 | 14.3 |
| 19 | 9.8 | 8.1 | 8.9 | 12.6 | 11.4 | 12.0 | 10.9 | 9.8 | 10.2 | 14.8 | 13.4 | 14.1 |
| 20 | 9.4 | 7.6 | 8.4 | 13.2 | 11.1 | 12.1 | 10.7 | 10.2 | 10.4 | 15.2 | 13.4 | 14.2 |
| 21 | 9.6 | 8.9 | 9.2 | 13.2 | 11.0 | 11.9 | 11.2 | 10.5 | 10.9 | 15.7 | 13.6 | 14.6 |
| 22 | 9.2 | 8.7 | 9.0 | 13.5 | 10.8 | 12.0 | 11.0 | 10.7 | 10.9 | 15.9 | 13.8 | 14.9 |
| 23 | 9.2 | 8.8 | 9.1 | 14.8 | 11.6 | 13.1 | 12.3 | 10.9 | 11.7 | 15.4 | 13.9 | 14.7 |
| 24 | 9.5 | 8.9 | 9.2 | 15.4 | 12.4 | 13.7 | 11.9 | 11.2 | 11.6 | 16.0 | 14.3 | 15.1 |
| 25 | 9.4 | 8.2 | 8.8 | 15.0 | 12.2 | 13.6 | 12.2 | 11.1 | 11.7 | 16.2 | 14.2 | 15.3 |
| 26 | 8.4 | 7.8 | 8.0 | 15.3 | 12.9 | 14.0 | 13.0 | 12.0 | 12.4 | 15.9 | 13.9 | 14.4 |
| 27 | 9.4 | 7.8 | 8.5 | 17.0 | 13.5 | 15.1 | 13.0 | 12.5 | 12.7 | 14.9 | 13.5 | 14.1 |
| 28 | 9.8 | 7.9 | 8.7 | 17.3 | 14.5 | 15.8 | 12.9 | 12.0 | 12.6 | 14.8 | 13.6 | 14.2 |
| 29 | 9.5 | 7.8 | 8.5 | 16.8 | 14.8 | 15.8 | 12.5 | 11.8 | 12.2 | 16.3 | 13.2 | 14.4 |
| 30 | 9.5 | 8.6 | 9.1 | 16.2 | 13.8 | 14.9 | 11.8 | 9.8 | 11.2 | 16.6 | 13.4 | 14.8 |
| 31 | 10.8 | 9.1 | 9.7 | --- | --- | --- | 10.4 | 9.7 | 9.9 | 16.8 | 13.5 | 15.0 |
| MONTH | 10.8 | 5.1 | 8.2 | 17.3 | 7.6 | 11.4 | 17.8 | 9.7 | 13.0 | 16.8 | 9.9 | 13.6 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 16.1 | 13.3 | 14.5 | 13.5 | 11.5 | 12.1 | 12.8 | 7.9 | 10.3 | 10.1 | 6.4 | 8.0 |
| 2 | 16.4 | 13.2 | 14.5 | 12.6 | 11.5 | 11.9 | 12.5 | 7.1 | 9.3 | 8.2 | 5.3 | 6.9 |
| 3 | 15.0 | 12.0 | 13.6 | 15.3 | 11.7 | 13.1 | 11.8 | 6.5 | 8.7 | 8.5 | 5.4 | 6.8 |
| 4 | 12.6 | 11.6 | 12.1 | 15.7 | 10.3 | 12.8 | 10.8 | 6.2 | 8.1 | 9.6 | 6.6 | 8.0 |
| 5 | 14.7 | 12.4 | 13.6 | 11.8 | 10.2 | 10.5 | 9.7 | 6.6 | 8.3 | 8.9 | 7.8 | 8.4 |
| 6 | 15.1 | 13.4 | 14.0 | 13.9 | 10.5 | 11.8 | 13.0 | 8.8 | 10.6 | 8.2 | 7.1 | 7.9 |
| 7 | 15.5 | 13.1 | 14.1 | 16.8 | 10.6 | 12.4 | 10.5 | 8.8 | 9.8 | 8.8 | 7.2 | 7.9 |
| 8 | 15.9 | 13.7 | 14.6 | 18.1 | 8.9 | 12.4 | 12.7 | 8.6 | 10.2 | 9.5 | 7.2 | 8.3 |
| 9 | 16.1 | 13.4 | 14.5 | 18.4 | 8.5 | 11.3 | 11.8 | 9.0 | 10.2 | 8.6 | 6.7 | 7.4 |
| 10 | 15.6 | 13.2 | 14.2 | 20.0 | 10.1 | 13.9 | 13.4 | 9.8 | 11.2 | 9.1 | 6.7 | 8.4 |
| 11 | 15.6 | 13.3 | 14.2 | 15.7 | 12.0 | 13.5 | 12.8 | 9.0 | 10.6 | 8.8 | 7.3 | 8.3 |
| 12 | 16.5 | 13.3 | 14.7 | 15.5 | 11.3 | 12.8 | 12.9 | 8.4 | 10.2 | 9.4 | 7.7 | 8.6 |
| 13 | 16.6 | 13.9 | 15.0 | 12.9 | 10.7 | 11.6 | 13.1 | 8.1 | 10.2 | 9.1 | 7.8 | 8.5 |
| 14 | 16.1 | 13.5 | 14.5 | 15.3 | 10.9 | 12.6 | 12.5 | 8.2 | 10 | 9.4 | 7.2 | 8.2 |
| 15 | 13.5 | 12.9 | 13.1 | 15.2 | 10.2 | 12.1 | 11.5 | 7.4 | 9.0 | 8.6 | 7.0 | 7.8 |
| 16 | 14.8 | 13.1 | 14.0 | 15.0 | 9.4 | 11.8 | 10.8 | 6.5 | 8.3 | 9.5 | 6.9 | 8.1 |
| 17 | 15.4 | 13.8 | 14.4 | 15.5 | 8.6 | 11.3 | 8.6 | 5.9 | 7.1 | 9.0 | 6.7 | 7.9 |
| 18 | 15.8 | 13.6 | 14.5 | 14.9 | 8.1 | 10.8 | 10.5 | 7.1 | 8.4 | 9.3 | 7.5 | 8.4 |
| 19 | 15.7 | 13.3 | 14.3 | 11.9 | 7.4 | 9.2 | 12.0 | 7.2 | 9.2 | 9.3 | 7.5 | 8.2 |
| 20 | 15.7 | 12.6 | 14.1 | 12.0 | 8.2 | 9.9 | 9.9 | 5.9 | 7.8 | 8.4 | 7.3 | 7.8 |
| 21 | 13.7 | 11.8 | 12.4 | 10.0 | 8.1 | 9.1 | 9.0 | 8.3 | 8.8 | 9.2 | 8.0 | 8.6 |
| 22 | 13.2 | 11.7 | 12.4 | 12.6 | 8.8 | 10.2 | 10.2 | 8.2 | 9.2 | 9.5 | 7.8 | 8.6 |
| 23 | 13.3 | 12.4 | 12.8 | 13.3 | 8.7 | 10.5 | 11.4 | 8.7 | 9.9 | 9.6 | 7.7 | 8.5 |
| 24 | 13.9 | 12.4 | 13.1 | 13.3 | 8.3 | 10.4 | 11.8 | 8.4 | 9.8 | 10.0 | 7.8 | 8.7 |
| 25 | 14.7 | 12.7 | 13.7 | 13.2 | 7.9 | 9.9 | 11.1 | 8.3 | 9.3 | 9.2 | 7.6 | 8.3 |
| 26 | 14.7 | 13.1 | 13.8 | 12.5 | 7.6 | 9.5 | 12.4 | 8.1 | 9.8 | 10.0 | 7.7 | 8.5 |
| 27 | 14.3 | 12.4 | 13.4 | 13.0 | 7.8 | 9.9 | 12.7 | 7.8 | 9.8 | 9.7 | 7.1 | 8.1 |
| 28 | 14.1 | 11.8 | 12.7 | 12.6 | 7.3 | 9.4 | 12.7 | 7.8 | 9.8 | 9.7 | 6.9 | 8.1 |
| 29 | --- | --- | --- | 10.0 | 7.0 | 9.0 | 11.1 | 6.7 | 8.6 | 9.4 | 6.8 | 7.9 |
| 30 | --- | --- | --- | --- | --- | --- | 10.2 | 6.3 | 8.1 | 9.8 | 6.6 | 8.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.3 | 6.6 | 7.5 |
| MONTH | 16.6 | 11.6 | 13.8 | 20.0 | 7.0 | 11.2 | 13.4 | 5.9 | 9.4 | 10.1 | 5.3 | 8.1 |

LICKING RIVER BASIN

03254480 CRUISES CREEK AT HIGHWAY 17 NEAR PINER, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-------|-----|------|-------|-----|------|-------|-----|------|-------|-----|------|
| | | | | | | | | | | | | |
| 1 | 120 | 59 | 84 | 32 | 23 | 26 | 2.0 | 1.0 | 1.2 | 1,000 | 35 | 230 |
| 2 | 61 | 40 | 50 | 520 | 19 | 27 | 2.0 | 0.0 | 1.1 | 76 | 36 | 54 |
| 3 | 43 | 30 | 37 | 20 | 17 | 19 | --- | --- | --- | 40 | 5.0 | 20 |
| 4 | 49 | 22 | 31 | 49 | 15 | 17 | --- | --- | --- | 11 | 2.0 | 6.2 |
| 5 | 45 | 23 | 35 | 170 | 14 | 62 | --- | --- | --- | 7.0 | 2.0 | 4.5 |
| 6 | 45 | 24 | 33 | 130 | 39 | 70 | --- | --- | --- | 12 | 6.0 | 9.7 |
| 7 | 29 | 21 | 25 | 40 | 26 | 31 | --- | --- | --- | 10 | 3.0 | 5.9 |
| 8 | 78 | 12 | 24 | 38 | 18 | 23 | --- | --- | --- | 5.0 | 2.0 | 2.8 |
| 9 | 23 | 18 | 20 | 920 | 17 | 50 | --- | --- | --- | 7.0 | 3.0 | 4.5 |
| 10 | 27 | 21 | 25 | 1,000 | 23 | 220 | --- | --- | --- | 6.0 | 3.0 | 4.4 |
| 11 | 100 | 26 | 59 | 730 | 110 | 210 | 250 | 60 | 99 | 4.0 | 2.0 | 2.9 |
| 12 | 55 | 38 | 44 | 930 | 16 | 110 | 61 | 11 | 28 | 3.0 | 0.0 | 1.7 |
| 13 | 46 | 29 | 38 | 32 | 12 | 17 | 150 | 8.0 | 65 | 0.0 | 0.0 | 0.0 |
| 14 | 33 | 29 | 31 | 15 | 8.5 | 11 | 110 | 20 | 42 | 0.0 | 0.0 | 0.0 |
| 15 | 33 | 30 | 32 | 27 | 8.3 | 13 | 37 | 14 | 23 | 0.0 | 0.0 | 0.0 |
| 16 | 35 | 31 | 33 | 22 | 11 | 15 | 15 | 7.0 | 11 | 0.0 | 0.0 | 0.0 |
| 17 | 36 | 33 | 35 | 16 | 7.7 | 9.8 | --- | --- | --- | 0.0 | 0.0 | 0.0 |
| 18 | 46 | 33 | 35 | 9.7 | 5.4 | 6.7 | 140 | 18 | 46 | 0.0 | 0.0 | 0.0 |
| 19 | 39 | 33 | 36 | 7.4 | 4.2 | 5.8 | 1,000 | 17 | 270 | 0.0 | 0.0 | 0.0 |
| 20 | 43 | 38 | 41 | 7.1 | 4.0 | 5.5 | 310 | 48 | 160 | 0.0 | 0.0 | 0.0 |
| 21 | 53 | 42 | 48 | 42 | 3.8 | 13 | 290 | 110 | 150 | 0.0 | 0.0 | 0.0 |
| 22 | 66 | 48 | 57 | 37 | 6.5 | 13 | 110 | 58 | 90 | 0.0 | 0.0 | 0.0 |
| 23 | 80 | 58 | 68 | 10 | 5.2 | 7.3 | 58 | 43 | 48 | 0.0 | 0.0 | 0.0 |
| 24 | 91 | 66 | 80 | 7.2 | 3.0 | 4.5 | 73 | 39 | 42 | 0.0 | 0.0 | 0.0 |
| 25 | 560 | 81 | 190 | 5.0 | 3.0 | 3.6 | 61 | 29 | 39 | 0.0 | 0.0 | 0.0 |
| 26 | 970 | 150 | 340 | 4.0 | 1.0 | 2.9 | 30 | 18 | 24 | 0.0 | 0.0 | 0.0 |
| 27 | 870 | 130 | 290 | 3.0 | 1.0 | 1.2 | 19 | 15 | 17 | 0.0 | 0.0 | 0.0 |
| 28 | 360 | 120 | 150 | 4.0 | 1.0 | 1.4 | 19 | 15 | 16 | 0.0 | 0.0 | 0.0 |
| 29 | 580 | 120 | 240 | 7.0 | 1.0 | 1.6 | 17 | 14 | 16 | 24 | 0.0 | 2.8 |
| 30 | 330 | 79 | 130 | 8.0 | 0.0 | 2.3 | 140 | 17 | 70 | 9.0 | 1.0 | 5.0 |
| 31 | 84 | 22 | 45 | --- | --- | --- | 910 | 66 | 220 | 5.0 | 0.0 | 2.4 |
| MONTH | 970 | 12 | 77 | 1,000 | 0.0 | 33 | 1,000 | 0.0 | 67 | 1,000 | 0.0 | 12 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 6.0 | 0.0 | 1.6 | 99 | 23 | 52 | 41 | 30 | 33 | 82 | 11 | 51 |
| 2 | 12 | 0.0 | 3.9 | 82 | 45 | 55 | 35 | 29 | 32 | 27 | 14 | 20 |
| 3 | 1,000 | 5.0 | 34 | 47 | 28 | 36 | 50 | 32 | 37 | 32 | 18 | 26 |
| 4 | 1,000 | 36 | 190 | 59 | 24 | 38 | 52 | 36 | 39 | 36 | 18 | 28 |
| 5 | 36 | 13 | 22 | 230 | 30 | 100 | 170 | 41 | 100 | 1,000 | 36 | 420 |
| 6 | 14 | 9.0 | 11 | 92 | 39 | 56 | 79 | 66 | 73 | 140 | 66 | 99 |
| 7 | 10 | 7.0 | 8.6 | 39 | 22 | 29 | 1,000 | 73 | 180 | 90 | 58 | 70 |
| 8 | 11 | 8.0 | 8.9 | 26 | 15 | 20 | 130 | 94 | 110 | 66 | 53 | 59 |
| 9 | 14 | 9.0 | 12 | 19 | 12 | 16 | 170 | 110 | 130 | 68 | 52 | 59 |
| 10 | 13 | 9.0 | 11 | 18 | 3.0 | 8.7 | 160 | 74 | 100 | 1,000 | 18 | 410 |
| 11 | 15 | 12 | 13 | 4.4 | 3.4 | 3.6 | 110 | 44 | 85 | 260 | 110 | 140 |
| 12 | 15 | 12 | 14 | 8.2 | 3.0 | 4.2 | 260 | 79 | 110 | 120 | 63 | 82 |
| 13 | 15 | 13 | 14 | 190 | 3.1 | 41 | 300 | 65 | 170 | 200 | 34 | 51 |
| 14 | 110 | 13 | 20 | 44 | 12 | 26 | 530 | 69 | 330 | 250 | 37 | 53 |
| 15 | 400 | 58 | 170 | 15 | 5.2 | 9.2 | 850 | 120 | 470 | 120 | 44 | 64 |
| 16 | 60 | 20 | 34 | 16 | 5.3 | 8.0 | 440 | 130 | 180 | 69 | 24 | 41 |
| 17 | 21 | 12 | 16 | 12 | 3.4 | 7.4 | 200 | 1.0 | 100 | 320 | 33 | 110 |
| 18 | 13 | 10 | 12 | 16 | 2.5 | 4.9 | 16 | 6.0 | 9.5 | 140 | 52 | 77 |
| 19 | 13 | 10 | 11 | 510 | 1.6 | 83 | 16 | 2.0 | 6.5 | 79 | 36 | 45 |
| 20 | 22 | 7.0 | 13 | 120 | 20 | 60 | 1,000 | 4.0 | 70 | 550 | 34 | 120 |
| 21 | 170 | 18 | 64 | 300 | 39 | 82 | 1,000 | 54 | 260 | 190 | 50 | 94 |
| 22 | 1,000 | 82 | 350 | 41 | 17 | 26 | 77 | 26 | 40 | 64 | 26 | 40 |
| 23 | 140 | 45 | 68 | 22 | 12 | 16 | 38 | 14 | 24 | 37 | 18 | 28 |
| 24 | 47 | 24 | 33 | 20 | 9.0 | 14 | 32 | 15 | 20 | 32 | 16 | 23 |
| 25 | 26 | 12 | 19 | 35 | 11 | 17 | 24 | 13 | 18 | 37 | 11 | 21 |
| 26 | 15 | 11 | 13 | 59 | 15 | 28 | 24 | 8.6 | 16 | 31 | 14 | 22 |
| 27 | 17 | 12 | 13 | 25 | 18 | 21 | 25 | 9.8 | 16 | 33 | 11 | 22 |
| 28 | 32 | 13 | 19 | 51 | 18 | 22 | 30 | 14 | 19 | 44 | 5.0 | 17 |
| 29 | --- | --- | --- | 300 | 24 | 120 | 43 | 22 | 27 | 63 | 12 | 25 |
| 30 | --- | --- | --- | --- | --- | --- | 62 | 32 | 45 | 28 | 8.0 | 18 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22 | 11 | 17 |
| MONTH | 1,000 | 0.0 | 43 | 510 | 1.6 | 35 | 1,000 | 1.0 | 95 | 1,000 | 5.0 | 76 |

03254550 BANKLICK CREEK AT HIGHWAY 1829 NEAR ERLANGER, KY

LOCATION.--Lat 38°58'48", long 84°32'32", Kenton County, Hydrologic Unit 05100101, at bridge on Highway 1829, 2.5 mi below Brushy Fork, 4.6 mi southeast of Erlanger, and at mile 8.2.

DRAINAGE AREA.--30.0 mi².

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--April 1999 to current year.

REVISIONS.--WDR KY-01-1: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 540.33 ft above NGVD of 1929.

REMARKS.--Records fair except for those estimated periods, which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|---------|-------|-------|-------|---------|-------|-------|---------|---------|
| 1 | 5.2 | 14 | 4.7 | 836 | e13 | 72 | 31 | 7.7 | 11 | 1.8 | 2.3 | 161 |
| 2 | 4.3 | 10 | 4.3 | 127 | e19 | 115 | 25 | 13 | 7.9 | 1.5 | 339 | 332 |
| 3 | 3.7 | 8.6 | e4.2 | 77 | e27 | 72 | 21 | 14 | 33 | 1.3 | 56 | e82 |
| 4 | 6.5 | 8.8 | e3.7 | 54 | 162 | 62 | 19 | 7.8 | 22 | 1.2 | 143 | 37 |
| 5 | 14 | 65 | e3.6 | 51 | e42 | 148 | 42 | 733 | 14 | 2.5 | 69 | 20 |
| 6 | 6.0 | 79 | e3.8 | 61 | e31 | 87 | 23 | 104 | 9.3 | 2.5 | 27 | 14 |
| 7 | 4.0 | 27 | e4.3 | 49 | e24 | 56 | 35 | 55 | 9.1 | 1.9 | 192 | 11 |
| 8 | 3.2 | 17 | e4.6 | 42 | e21 | 44 | 29 | 37 | 16 | 1.6 | 254 | 9.0 |
| 9 | 2.7 | 13 | e4.6 | 35 | e19 | 36 | 34 | 29 | 24 | 4.1 | 96 | 7.5 |
| 10 | 2.8 | 116 | e4.4 | 28 | e19 | 28 | 31 | 574 | 11 | 61 | 37 | 6.1 |
| 11 | 24 | 137 | 92 | e25 | e18 | 26 | 25 | 195 | 9.4 | 19 | 31 | 4.8 |
| 12 | 12 | 30 | 74 | e22 | e19 | 24 | 21 | 66 | 18 | 7.6 | 28 | 4.0 |
| 13 | 7.0 | 17 | 115 | e19 | e19 | 53 | 17 | 40 | 14 | 4.3 | 15 | 3.7 |
| 14 | 4.8 | 12 | 128 | e18 | e21 | 52 | 16 | 28 | 35 | 2.9 | 11 | 3.9 |
| 15 | 3.8 | 11 | 46 | e17 | e186 | 38 | 14 | 27 | 24 | 4.8 | 62 | 3.2 |
| 16 | 3.6 | 18 | 27 | e15 | 74 | 32 | 15 | 20 | 19 | 19 | 40 | 2.9 |
| 17 | 3.4 | 12 | 194 | e15 | e43 | 28 | 19 | 29 | 15 | 5.9 | 18 | 2.8 |
| 18 | 3.0 | 9.4 | 124 | e14 | e31 | 24 | 23 | 43 | 15 | 3.3 | 11 | 2.5 |
| 19 | 3.4 | 8.3 | 1,040 | e14 | e26 | 53 | 14 | 27 | 12 | 61 | 11 | 2.3 |
| 20 | 4.2 | 7.5 | 300 | e13 | e28 | 75 | 13 | 26 | 11 | 12 | 8.7 | 2.1 |
| 21 | 4.1 | 7.4 | 76 | e11 | 128 | 66 | 80 | e40 | 7.4 | 17 | 6.1 | 2.0 |
| 22 | 3.4 | 14 | 49 | e10 | 911 | 48 | 28 | e33 | 5.5 | 14 | 4.6 | 360 |
| 23 | 3.0 | 9.1 | 35 | e8.8 | 195 | 36 | 19 | 18 | 4.6 | 37 | 5.2 | 55 |
| 24 | 2.8 | 7.6 | 30 | e8.3 | 79 | 29 | 15 | 15 | 3.9 | 11 | 4.1 | 22 |
| 25 | 128 | 6.8 | 37 | e8.0 | e52 | 26 | 14 | 13 | 3.1 | 6.5 | 3.0 | 12 |
| 26 | 61 | 6.2 | 26 | e8.0 | e43 | 40 | 12 | 18 | 2.8 | 4.2 | 2.4 | 9.0 |
| 27 | 18 | 6.2 | 24 | e8.3 | 36 | 28 | 9.9 | 14 | 7.3 | 3.0 | 2.0 | 248 |
| 28 | 11 | 5.4 | 23 | 9.3 | 34 | 24 | 8.7 | 12 | 4.9 | 7.3 | 1.9 | 43 |
| 29 | 119 | 5.3 | 21 | 17 | --- | 108 | 8.2 | 22 | 3.1 | 9.8 | 1.6 | 23 |
| 30 | 54 | 5.3 | 66 | 26 | --- | 56 | 7.9 | 14 | 2.2 | 4.6 | 2.3 | 16 |
| 31 | 23 | --- | 302 | 13 | --- | 37 | --- | 14 | --- | 3.0 | 16 | --- |
| TOTAL | 548.9 | 693.9 | 2,871.2 | 1,659.7 | 2,320 | 1,623 | 669.7 | 2,288.5 | 374.5 | 336.6 | 1,500.2 | 1,501.8 |
| MEAN | 17.7 | 23.1 | 92.6 | 53.5 | 82.9 | 52.4 | 22.3 | 73.8 | 12.5 | 10.9 | 48.4 | 50.1 |
| MAX | 128 | 137 | 1,040 | 836 | 911 | 148 | 80 | 733 | 35 | 61 | 339 | 360 |
| MIN | 2.7 | 5.3 | 3.6 | 8.0 | 13 | 24 | 7.9 | 7.7 | 2.2 | 1.2 | 1.6 | 2.0 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 22.1 | 18.9 | 60.4 | 40.3 | 74.6 | 47.8 | 44.7 | 51.9 | 20.9 | 12.7 | 17.3 | 18.4 |
| MAX | 66.4 | 45.8 | 92.6 | 53.5 | 143 | 74.3 | 110 | 150 | 41.1 | 29.4 | 48.4 | 50.1 |
| (WY) | (2002) | (2002) | (2003) | (2003) | (2000) | (2002) | (2002) | (2002) | (2001) | (2001) | (2003) | (2003) |
| MIN | 1.65 | 1.27 | 10.5 | 21.3 | 33.0 | 21.4 | 6.62 | 5.10 | 2.71 | 2.59 | 0.21 | 0.071 |
| (WY) | (2000) | (2000) | (2000) | (2001) | (2002) | (2001) | (2001) | (1999) | (1999) | (2002) | (2002) | (1999) |

03254550 BANKLICK CREEK AT HIGHWAY 1829 NEAR ERLANGER, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 17,923.97 | | 16,388.0 | | 38.2 | |
| ANNUAL MEAN | 49.1 | | 44.9 | | 22.1 | |
| HIGHEST ANNUAL MEAN | | | | | 54.8 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 22.1 | 2001 |
| HIGHEST DAILY MEAN | 1,330 | May 8 | 1,040 | Dec 19 | 2,130 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.00 | Sep 13 | 1.2 | Jul 4 | 0.00 | Sep 21, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.03 | Sep 8 | 1.8 | Jul 2 | 0.00 | Sep 21, 1999 |
| MAXIMUM PEAK FLOW | | | 4,650 | Dec 19 | 9,570 | Apr 21, 2002 |
| MAXIMUM PEAK STAGE | | | 9.07 | Dec 19 | 10.65 | Apr 21, 2002 |
| 10 PERCENT EXCEEDS | 95 | | 84 | | 71 | |
| 50 PERCENT EXCEEDS | 13 | | 18 | | 11 | |
| 90 PERCENT EXCEEDS | 0.21 | | 3.4 | | 0.69 | |

e Estimated



WATER-QUALITY RECORDS

PERIOD OF RECORD.--December 2000 to current year.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 2000 to current year.

pH: December 2000 to current year.

WATER TEMPERATURES: December 2000 to current year.

DISSOLVED OXYGEN: December 2000 to current year.

TURBIDITY: December 2000 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

RECORDS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 1570 microsiemens, Dec. 11, 2002; minimum recorded, 124 microsiemens, Dec. 19, 2002.

pH: Maximum recorded, 8.9 units, Mar. 16, 2003; minimum recorded, 7.3 units, Jul. 2, 2003.

WATER TEMPERATURES: Maximum recorded, 32.7°C, Aug. 8, 2001; minimum recorded, 0.5°C, Dec. 4, 5, 2002.

DISSOLVED OXYGEN: Maximum recorded, greater than 20 mg/L, Feb. 28, 2001; minimum recorded, 2.5 mg/L, Jun. 4, 2002.

TURBIDITY: Maximum recorded, greater than 1000 NTU, several days in 2001, 2002, and 2003; minimum recorded, 0.0 NTU, Jan. 22, 25-29, 2003, and Mar. 13, 2003.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 1570 microsiemens, Dec. 11, 2002; minimum recorded, 124 microsiemens, Dec. 19, 2002.

pH: Maximum recorded, 8.9 units, Mar. 16, 2003; minimum recorded, 7.3 units, July 2, 2003.

WATER TEMPERATURES: Maximum recorded, 30.8°C, July 8, 2003; minimum recorded, -0.5°C, Dec. 4, 5, 2002.

DISSOLVED OXYGEN: Maximum recorded, 17.3 mg/L, Jan. 25, 2003; minimum recorded, 3.0 mg/L, July 9, 2003 2002.

TURBIDITY: Maximum recorded, greater than 1000 NTU, several days in 2003; minimum recorded, 0.0 NTU, Jan. 22, 25-29, 2003, and Mar. 13, 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 640 | 616 | 628 | 614 | 582 | 597 | 634 | 614 | 623 | 482 | 442 | 462 |
| 2 | 668 | 633 | 654 | 647 | 614 | 627 | 631 | 609 | 622 | 530 | 482 | 507 |
| 3 | 676 | 655 | 664 | 671 | 644 | 655 | 635 | 610 | 622 | 550 | 523 | 533 |
| 4 | 758 | 640 | 682 | 664 | 649 | 657 | 633 | 620 | 626 | 532 | 511 | 518 |
| 5 | 645 | 570 | 583 | 668 | 432 | 608 | 638 | 615 | 629 | 910 | 509 | 584 |
| 6 | 626 | 594 | 611 | 508 | 403 | 456 | 642 | 618 | 634 | 943 | 675 | 825 |
| 7 | 644 | 624 | 636 | 558 | 508 | 539 | 708 | 628 | 672 | 675 | 576 | 618 |
| 8 | 669 | 639 | 659 | 602 | 558 | 581 | 837 | 707 | 780 | 576 | 568 | 571 |
| 9 | 694 | 657 | 680 | 613 | 596 | 606 | 883 | 829 | 853 | 573 | 568 | 570 |
| 10 | 702 | 672 | 689 | 669 | 310 | 575 | 858 | 833 | 843 | 577 | 568 | 573 |
| 11 | 751 | 552 | 630 | 475 | 307 | 402 | 1,570 | 653 | 926 | 590 | 561 | 576 |
| 12 | 620 | 586 | 604 | 533 | 475 | 507 | 653 | 579 | 595 | 627 | 584 | 601 |
| 13 | 625 | 602 | 615 | 565 | 532 | 546 | 660 | 448 | 582 | 626 | 597 | 611 |
| 14 | 635 | 613 | 622 | 576 | 560 | 566 | 529 | 452 | 486 | 606 | 595 | 601 |
| 15 | 669 | 635 | 656 | 603 | 576 | 585 | 573 | 529 | 553 | 645 | 599 | 622 |
| 16 | 695 | 668 | 682 | 604 | 575 | 584 | 595 | 573 | 584 | 655 | 629 | 647 |
| 17 | 754 | 633 | 687 | 594 | 584 | 590 | 611 | 329 | 519 | 689 | 646 | 659 |
| 18 | 679 | 635 | 663 | 598 | 585 | 592 | 498 | 348 | 431 | 800 | 689 | 733 |
| 19 | 691 | 665 | 677 | 607 | 590 | 600 | 541 | 124 | 378 | 844 | 786 | 813 |
| 20 | 752 | 655 | 710 | 613 | 593 | 604 | 227 | 143 | 192 | 786 | 772 | 776 |
| 21 | 723 | 658 | 697 | 619 | 591 | 606 | 266 | 227 | 247 | 782 | 742 | 766 |
| 22 | 730 | 701 | 719 | 641 | 575 | 597 | 297 | 266 | 282 | 756 | 737 | 745 |
| 23 | 719 | 702 | 712 | 598 | 573 | 586 | 325 | 297 | 310 | 746 | 730 | 738 |
| 24 | 719 | 705 | 713 | 604 | 578 | 590 | 352 | 325 | 339 | 755 | 736 | 744 |
| 25 | 728 | 321 | 575 | 606 | 589 | 598 | 414 | 349 | 379 | 790 | 743 | 771 |
| 26 | 539 | 367 | 471 | 611 | 597 | 603 | 458 | 414 | 443 | 791 | 769 | 782 |
| 27 | 587 | 539 | 567 | 615 | 588 | 603 | 484 | 454 | 467 | 773 | 756 | 765 |
| 28 | 626 | 587 | 606 | 612 | 594 | 602 | 473 | 461 | 465 | 833 | 756 | 788 |
| 29 | 630 | 367 | 501 | 620 | 604 | 612 | 491 | 467 | 478 | 1,020 | 832 | 890 |
| 30 | 537 | 411 | 487 | 631 | 615 | 623 | 514 | 488 | 501 | 1,340 | 967 | 1,160 |
| 31 | 582 | 537 | 562 | --- | --- | --- | 503 | 436 | 476 | 1,220 | 928 | 1,020 |
| MONTH | 758 | 321 | 634 | 671 | 307 | 583 | 1,570 | 124 | 533 | 1,340 | 442 | 696 |

03254550 BANKLICK CREEK AT HIGHWAY 1829 NEAR ERLANGER, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 8.1 | 7.8 | 7.9 | 8.3 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 | 7.9 | 7.7 | 7.7 |
| 2 | 8.7 | 7.7 | 8.1 | 8.3 | 8.0 | 8.1 | 8.4 | 8.1 | 8.2 | 8.0 | 7.7 | 7.9 |
| 3 | 8.7 | 8.3 | 8.5 | 8.4 | 8.0 | 8.2 | 8.3 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 |
| 4 | 8.5 | 8.2 | 8.3 | 8.4 | 8.1 | 8.2 | 8.2 | 7.9 | 8.1 | 8.1 | 8.0 | 8.1 |
| 5 | 8.8 | 8.3 | 8.5 | 8.3 | 8.1 | 8.2 | 8.4 | 7.9 | 8.1 | 8.2 | 8.1 | 8.1 |
| 6 | 8.7 | 8.3 | 8.5 | 8.3 | 8.1 | 8.2 | 8.3 | 8.0 | 8.2 | 8.3 | 8.2 | 8.2 |
| 7 | 8.7 | 8.3 | 8.5 | 8.5 | 8.2 | 8.3 | 8.3 | 8.0 | 8.2 | 8.3 | 8.2 | 8.3 |
| 8 | 8.6 | 8.2 | 8.4 | 8.5 | 8.2 | 8.3 | 8.3 | 8.0 | 8.1 | 8.4 | 8.3 | 8.3 |
| 9 | 8.5 | 8.2 | 8.3 | 8.6 | 8.2 | 8.3 | 8.3 | 8.0 | 8.1 | 8.4 | 8.3 | 8.3 |
| 10 | 8.4 | 8.2 | 8.3 | 8.6 | 8.1 | 8.4 | 8.3 | 8.0 | 8.1 | 8.5 | 8.3 | 8.4 |
| 11 | 8.5 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 | 8.1 | 7.9 | 8.0 | 8.5 | 8.4 | 8.4 |
| 12 | 8.5 | 8.2 | 8.3 | 8.7 | 8.2 | 8.3 | 8.3 | 8.0 | 8.2 | 8.5 | 8.3 | 8.4 |
| 13 | 8.6 | 8.2 | 8.3 | 8.5 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 | 8.5 | 8.4 | 8.4 |
| 14 | 8.6 | 8.2 | 8.4 | 8.5 | 8.2 | 8.3 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.4 |
| 15 | 8.4 | 8.1 | 8.3 | 8.3 | 8.1 | 8.2 | 8.4 | 8.1 | 8.2 | 8.6 | 8.4 | 8.5 |
| 16 | 8.5 | 8.1 | 8.3 | 8.4 | 8.2 | 8.3 | 8.5 | 8.2 | 8.3 | 8.6 | 8.5 | 8.5 |
| 17 | 8.5 | 8.1 | 8.3 | 8.5 | 8.2 | 8.3 | 8.4 | 8.1 | 8.2 | 8.6 | 8.5 | 8.5 |
| 18 | 8.5 | 8.1 | 8.3 | 8.5 | 8.2 | 8.3 | 8.3 | 8.0 | 8.1 | 8.6 | 8.5 | 8.5 |
| 19 | 8.3 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.2 | 7.7 | 8.1 | 8.6 | 8.5 | 8.5 |
| 20 | 8.5 | 8.0 | 8.2 | 8.5 | 8.1 | 8.3 | 8.1 | 7.8 | 8.0 | 8.7 | 8.5 | 8.6 |
| 21 | 8.4 | 8.1 | 8.2 | 8.5 | 8.1 | 8.3 | 8.1 | 8.0 | 8.1 | 8.7 | 8.5 | 8.6 |
| 22 | 8.3 | 8.0 | 8.2 | 8.4 | 8.1 | 8.2 | 8.2 | 8.1 | 8.1 | 8.6 | 8.4 | 8.5 |
| 23 | 8.3 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.2 | 8.1 | 8.2 | 8.6 | 8.4 | 8.5 |
| 24 | 8.2 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.2 | 8.1 | 8.2 | 8.6 | 8.4 | 8.5 |
| 25 | 8.2 | 7.8 | 8.0 | 8.4 | 8.1 | 8.2 | 8.2 | 8.2 | 8.2 | 8.6 | 8.4 | 8.5 |
| 26 | 8.0 | 7.9 | 8.0 | 8.3 | 8.0 | 8.2 | 8.3 | 8.1 | 8.2 | 8.5 | 8.4 | 8.4 |
| 27 | 8.2 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.4 |
| 28 | 8.3 | 7.9 | 8.1 | 8.4 | 8.1 | 8.3 | 8.2 | 8.1 | 8.2 | 8.5 | 8.4 | 8.4 |
| 29 | 8.1 | 7.9 | 8.0 | 8.4 | 8.1 | 8.2 | 8.2 | 8.1 | 8.2 | 8.6 | 8.4 | 8.5 |
| 30 | 8.0 | 7.9 | 7.9 | 8.3 | 8.0 | 8.1 | 8.2 | 8.1 | 8.2 | 8.7 | 8.4 | 8.5 |
| 31 | 8.3 | 7.9 | 8.0 | --- | --- | --- | 8.1 | 7.8 | 8.0 | 8.6 | 8.3 | 8.4 |
| MONTH | 8.8 | 7.7 | 8.2 | 8.7 | 8.0 | 8.2 | 8.5 | 7.7 | 8.1 | 8.7 | 7.7 | 8.4 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.6 | 8.3 | 8.4 | 8.4 | 8.2 | 8.3 | 8.7 | 8.2 | 8.4 | 8.4 | 7.9 | 8.1 |
| 2 | 8.7 | 8.3 | 8.5 | 8.3 | 8.2 | 8.2 | 8.7 | 8.1 | 8.4 | 8.3 | 7.8 | 8.1 |
| 3 | 8.6 | 8.3 | 8.4 | 8.5 | 8.2 | 8.3 | 8.5 | 8.0 | 8.3 | 8.4 | 8.0 | 8.2 |
| 4 | 8.4 | 8.3 | 8.4 | 8.5 | 8.2 | 8.4 | 8.5 | 8.0 | 8.2 | 8.5 | 7.9 | 8.2 |
| 5 | 8.6 | 8.4 | 8.5 | 8.3 | 8.2 | 8.2 | 8.3 | 8.0 | 8.2 | 8.1 | 7.8 | 7.9 |
| 6 | 8.6 | 8.4 | 8.5 | 8.5 | 8.2 | 8.3 | 8.5 | 8.1 | 8.3 | 8.3 | 8.1 | 8.2 |
| 7 | 8.7 | 8.4 | 8.5 | 8.6 | 8.3 | 8.4 | 8.5 | 8.1 | 8.3 | 8.3 | 8.1 | 8.2 |
| 8 | 8.6 | 8.4 | 8.5 | 8.6 | 8.1 | 8.3 | 8.6 | 8.1 | 8.3 | 8.4 | 8.1 | 8.2 |
| 9 | 8.6 | 8.3 | 8.4 | 8.6 | 8.2 | 8.3 | 8.5 | 8.1 | 8.3 | 8.4 | 8.1 | 8.2 |
| 10 | 8.6 | 8.3 | 8.4 | 8.5 | 8.2 | 8.3 | 8.6 | 8.2 | 8.4 | 8.1 | 7.8 | 8.0 |
| 11 | 8.5 | 8.3 | 8.4 | 8.6 | 8.1 | 8.3 | 8.6 | 8.2 | 8.4 | 8.2 | 8.0 | 8.1 |
| 12 | 8.5 | 8.3 | 8.4 | 8.6 | 8.1 | 8.3 | 8.5 | 8.0 | 8.2 | 8.3 | 8.2 | 8.2 |
| 13 | 8.6 | 8.2 | 8.4 | 8.4 | 8.1 | 8.3 | 8.4 | 8.0 | 8.2 | 8.4 | 8.2 | 8.3 |
| 14 | 8.5 | 8.3 | 8.4 | 8.7 | 8.2 | 8.4 | 8.4 | 8.0 | 8.2 | 8.4 | 8.1 | 8.3 |
| 15 | 8.3 | 8.2 | 8.3 | 8.8 | 8.2 | 8.4 | 8.4 | 7.9 | 8.2 | 8.5 | 8.2 | 8.3 |
| 16 | 8.5 | 8.3 | 8.4 | 8.9 | 8.1 | 8.5 | 8.4 | 7.9 | 8.1 | 8.5 | 8.1 | 8.3 |
| 17 | 8.5 | 8.3 | 8.4 | 8.8 | 8.0 | 8.4 | 8.2 | 7.9 | 8.0 | 8.4 | 8.0 | 8.2 |
| 18 | 8.5 | 8.2 | 8.4 | 8.8 | 8.0 | 8.3 | 8.4 | 8.0 | 8.1 | 8.4 | 8.2 | 8.3 |
| 19 | 8.5 | 8.3 | 8.4 | 8.6 | 8.0 | 8.2 | 8.5 | 7.9 | 8.2 | 8.6 | 8.2 | 8.3 |
| 20 | 8.6 | 8.3 | 8.4 | 8.6 | 8.1 | 8.3 | 8.3 | 7.8 | 8.1 | 8.4 | 8.0 | 8.2 |
| 21 | 8.4 | 8.1 | 8.3 | 8.5 | 8.2 | 8.3 | 8.2 | 7.9 | 8.1 | 8.5 | 8.2 | 8.3 |
| 22 | 8.1 | 7.9 | 8.0 | 8.7 | 8.2 | 8.4 | 8.5 | 8.1 | 8.3 | 8.5 | 8.2 | 8.4 |
| 23 | 8.2 | 8.0 | 8.1 | 8.8 | 8.2 | 8.4 | 8.5 | 8.0 | 8.2 | 8.5 | 8.1 | 8.3 |
| 24 | 8.3 | 8.2 | 8.3 | 8.8 | 8.1 | 8.4 | 8.4 | 7.9 | 8.2 | 8.5 | 8.1 | 8.3 |
| 25 | 8.4 | 8.3 | 8.3 | 8.7 | 8.1 | 8.3 | 8.3 | 7.9 | 8.1 | 8.3 | 8.0 | 8.1 |
| 26 | 8.4 | 8.3 | 8.3 | 8.6 | 8.1 | 8.3 | 8.4 | 8.0 | 8.1 | 8.4 | 8.0 | 8.2 |
| 27 | 8.4 | 8.2 | 8.3 | 8.6 | 8.0 | 8.3 | 8.3 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 |
| 28 | 8.4 | 8.2 | 8.3 | 8.6 | 8.1 | 8.3 | 8.3 | 7.8 | 8.0 | 8.4 | 8.0 | 8.1 |
| 29 | --- | --- | --- | 8.3 | 8.0 | 8.2 | 8.3 | 7.8 | 8.0 | 8.4 | 8.0 | 8.2 |
| 30 | --- | --- | --- | 8.6 | 8.2 | 8.3 | 8.3 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.9 | 8.1 |
| MONTH | 8.7 | 7.9 | 8.4 | 8.9 | 8.0 | 8.3 | 8.7 | 7.8 | 8.2 | 8.6 | 7.8 | 8.2 |

03254550 BANKLICK CREEK AT HIGHWAY 1829 NEAR ERLANGER, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 23.0 | 19.6 | 21.0 | 10.1 | 7.2 | 8.8 | 1.4 | -0.1 | 0.6 | 7.2 | 5.3 | 6.1 |
| 2 | 23.9 | 20.1 | 21.7 | 8.2 | 5.0 | 6.6 | 2.1 | -0.4 | 0.6 | 5.3 | 4.4 | 4.9 |
| 3 | 24.4 | 20.6 | 22.3 | 6.9 | 5.4 | 6.4 | 1.3 | -0.3 | 0.4 | 4.4 | 3.0 | 3.6 |
| 4 | 23.3 | 21.1 | 22.1 | 7.7 | 6.8 | 7.2 | 0.0 | -0.5 | -0.3 | 3.4 | 2.0 | 2.8 |
| 5 | 21.2 | 18.4 | 19.8 | 9.0 | 7.3 | 7.9 | 0.5 | -0.5 | -0.1 | 3.6 | 2.2 | 3.0 |
| 6 | 19.9 | 15.4 | 17.7 | 9.1 | 8.1 | 8.7 | 0.8 | 0.0 | 0.2 | 3.9 | 2.6 | 3.5 |
| 7 | 19.5 | 15.8 | 17.6 | 9.8 | 7.2 | 8.3 | 0.6 | 0.0 | 0.2 | 3.1 | 1.5 | 2.3 |
| 8 | 16.7 | 13.2 | 14.9 | 10.4 | 6.8 | 8.4 | 0.9 | 0.0 | 0.3 | 4.7 | 2.0 | 3.2 |
| 9 | 15.7 | 13.6 | 14.7 | 11.4 | 8.6 | 10 | 0.4 | -0.1 | 0.1 | 5.6 | 3.2 | 4.2 |
| 10 | 15.8 | 14.9 | 15.4 | 14.8 | 11.4 | 13.1 | 0.3 | -0.2 | 0.1 | 4.1 | 1.7 | 3.3 |
| 11 | 16.8 | 15.4 | 16.1 | 13.7 | 11.3 | 12.8 | 1.4 | -0.1 | 0.3 | 1.7 | 0.0 | 0.5 |
| 12 | 18.7 | 16.4 | 17.3 | 11.3 | 9.3 | 10.1 | 3.7 | 1.4 | 2.9 | 0.3 | 0.0 | 0.1 |
| 13 | 18.4 | 15.0 | 17.1 | 10.3 | 7.7 | 9.0 | 4.6 | 3.6 | 3.9 | 0.5 | 0.0 | 0.1 |
| 14 | 15.1 | 11.5 | 13.4 | 9.7 | 7.7 | 8.6 | 4.8 | 4.3 | 4.5 | 0.2 | 0.0 | 0.1 |
| 15 | 12.9 | 10.6 | 11.7 | 8.9 | 8.2 | 8.5 | 5.1 | 2.9 | 4.1 | 0.3 | 0.0 | 0.1 |
| 16 | 12.2 | 10.9 | 11.4 | 8.5 | 6.2 | 7.2 | 5.3 | 3.7 | 4.5 | 0.1 | 0.1 | 0.1 |
| 17 | 12.0 | 9.4 | 10.7 | 6.7 | 5.2 | 6.0 | 5.0 | 3.4 | 3.9 | 0.1 | 0.0 | 0.1 |
| 18 | 12.7 | 9.2 | 11.0 | 5.5 | 3.6 | 4.6 | 7.3 | 5.0 | 6.2 | 0.1 | 0.0 | 0.0 |
| 19 | 12.7 | 12.0 | 12.3 | 8.4 | 4.8 | 6.4 | 8.1 | 7.2 | 7.7 | 0.1 | 0.0 | 0.0 |
| 20 | 13.2 | 10.8 | 12.0 | 7.3 | 4.3 | 5.8 | 7.7 | 5.7 | 6.6 | 0.1 | 0.0 | 0.0 |
| 21 | 13.6 | 9.9 | 11.6 | 8.1 | 5.7 | 6.8 | 5.7 | 4.4 | 5.0 | 0.2 | 0.0 | 0.0 |
| 22 | 12.8 | 9.0 | 11.0 | 7.1 | 5.1 | 5.9 | 6.1 | 4.1 | 5.1 | 0.1 | 0.0 | 0.0 |
| 23 | 12.7 | 9.3 | 11.1 | 5.6 | 3.9 | 4.8 | 4.1 | 2.6 | 3.4 | 0.1 | 0.0 | 0.0 |
| 24 | 12.3 | 9.9 | 11.1 | 5.9 | 3.0 | 4.4 | 3.6 | 2.9 | 3.2 | 0.1 | 0.0 | 0.0 |
| 25 | 11.8 | 9.6 | 10.8 | 4.7 | 3.9 | 4.2 | 3.0 | 1.9 | 2.3 | 0.1 | 0.0 | 0.0 |
| 26 | 12.3 | 11.8 | 12.0 | 3.9 | 2.4 | 3.0 | 1.9 | 1.2 | 1.6 | 0.0 | 0.0 | 0.0 |
| 27 | 13.0 | 11.4 | 12.1 | 3.5 | 1.6 | 2.5 | 2.2 | 0.8 | 1.3 | 0.0 | 0.0 | 0.0 |
| 28 | 12.5 | 10.9 | 11.7 | 1.8 | 0.6 | 1.1 | 2.9 | 0.5 | 1.6 | 0.0 | 0.0 | 0.0 |
| 29 | 11.5 | 9.0 | 10.0 | 3.2 | 0.1 | 1.5 | 3.8 | 1.2 | 2.3 | 0.1 | 0.0 | 0.0 |
| 30 | 9.5 | 8.8 | 9.1 | 3.2 | 1.4 | 2.7 | 6.5 | 1.9 | 3.8 | 0.3 | -0.1 | 0.1 |
| 31 | 9.9 | 8.5 | 9.1 | --- | --- | --- | 7.5 | 6.5 | 7.0 | 0.1 | -0.1 | -0.1 |
| MONTH | 24.4 | 8.5 | 14.2 | 14.8 | 0.1 | 6.7 | 8.1 | -0.5 | 2.7 | 7.2 | -0.1 | 1.2 |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 0.1 | -0.1 | -0.1 | 4.8 | 3.0 | 3.8 | 15.5 | 7.6 | 10.9 | 24.1 | 17.3 | 20.2 |
| 2 | 0.5 | -0.1 | 0.1 | 4.3 | 2.7 | 3.7 | 18.8 | 11.0 | 14.5 | 20.9 | 18.1 | 19.4 |
| 3 | 1.4 | -0.1 | 0.3 | 3.9 | 0.1 | 1.9 | 20.6 | 13.1 | 16.5 | 18.4 | 15.9 | 16.8 |
| 4 | 3.4 | 1.2 | 2.7 | 5.6 | 0.8 | 3.1 | 19.2 | 15.5 | 17.2 | 16.4 | 12.8 | 14.9 |
| 5 | 1.7 | -0.1 | 0.6 | 6.1 | 4.3 | 5.3 | 17.4 | 10.7 | 14.1 | 16.6 | 13.1 | 14.7 |
| 6 | 0.8 | -0.1 | 0.3 | 4.3 | 2.3 | 3.4 | 10.7 | 8.6 | 9.5 | 19.7 | 15.5 | 17.0 |
| 7 | 1.9 | -0.1 | 0.7 | 5.2 | 1.7 | 2.9 | 11.0 | 8.4 | 9.5 | 18.4 | 16.9 | 17.6 |
| 8 | 0.6 | -0.1 | 0.0 | 8.6 | 1.7 | 4.9 | 11.3 | 9.0 | 10.0 | 21.5 | 16.0 | 18.5 |
| 9 | 1.1 | -0.1 | 0.3 | 8.2 | 4.0 | 6.1 | 9.7 | 7.5 | 8.2 | 21.3 | 17.9 | 19.5 |
| 10 | 1.1 | 0.0 | 0.4 | 6.1 | 1.0 | 3.4 | 11.8 | 6.7 | 8.8 | 20.0 | 16.6 | 17.7 |
| 11 | 0.4 | -0.2 | 0.0 | 7.1 | 1.3 | 4.0 | 15.5 | 7.1 | 10.8 | 19.0 | 16.1 | 17.2 |
| 12 | 0.7 | -0.1 | 0.1 | 6.6 | 4.0 | 5.0 | 17.2 | 9.2 | 12.8 | 17.0 | 14.3 | 15.5 |
| 13 | 0.4 | -0.2 | 0.0 | 6.3 | 4.6 | 5.4 | 18.1 | 10.1 | 13.7 | 19.4 | 12.7 | 15.7 |
| 14 | 0.0 | -0.2 | -0.1 | 8.6 | 3.2 | 5.6 | 19.5 | 10.3 | 14.6 | 18.6 | 13.8 | 16.1 |
| 15 | 1.1 | -0.1 | 0.5 | 10.5 | 4.8 | 7.2 | 21.6 | 13.1 | 16.9 | 19.6 | 15.4 | 17.4 |
| 16 | 0.8 | -0.1 | 0.0 | 13.8 | 6.8 | 9.9 | 21.8 | 15.0 | 18.3 | 21.3 | 15.4 | 18.0 |
| 17 | 0.1 | -0.1 | 0.0 | 13.8 | 9.4 | 11.6 | 19.2 | 15.9 | 17.0 | 19.1 | 17.2 | 17.7 |
| 18 | 0.7 | -0.1 | 0.2 | 15.1 | 11.1 | 12.9 | 16.6 | 14.9 | 15.7 | 18.7 | 16.9 | 17.6 |
| 19 | 1.0 | 0.3 | 0.6 | 14.8 | 12.1 | 13.5 | 21.3 | 13.2 | 16.9 | 21.5 | 17.2 | 19.0 |
| 20 | 4.0 | 0.3 | 1.7 | 14.3 | 10.2 | 12.2 | 19.7 | 16.4 | 18.1 | 20.1 | 17.9 | 19.2 |
| 21 | 2.9 | 1.8 | 2.4 | 12.6 | 9.9 | 11.8 | 17.6 | 14.7 | 15.9 | 20.1 | 16.0 | 17.0 |
| 22 | 3.1 | 1.6 | 2.4 | 12.4 | 7.9 | 10.2 | 14.7 | 11.8 | 13.4 | 21.6 | 16.5 | 19.8 |
| 23 | 2.8 | 1.4 | 2.2 | 14.0 | 9.3 | 11.5 | 17.0 | 8.6 | 12.4 | 20.5 | 14.8 | 17.6 |
| 24 | 2.8 | 1.0 | 1.9 | 16.1 | 9.2 | 12.4 | 14.0 | 9.8 | 12.1 | 20.3 | 14.0 | 17.1 |
| 25 | 2.4 | -0.1 | 0.8 | 16.8 | 10.8 | 13.7 | 13.3 | 11.8 | 12.4 | 17.9 | 15.4 | 16.4 |
| 26 | 1.6 | -0.1 | 0.5 | 16.8 | 11.7 | 13.8 | 18.9 | 11.5 | 14.4 | 18.7 | 14.3 | 16.3 |
| 27 | 2.6 | 0.2 | 1.3 | 15.6 | 9.7 | 12.6 | 19.9 | 11.0 | 15.2 | 20.5 | 15.0 | 17.5 |
| 28 | 4.0 | 1.5 | 2.6 | 17.8 | 12.2 | 14.8 | 20.9 | 12.0 | 16.3 | 19.6 | 15.4 | 17.7 |
| 29 | --- | --- | --- | 15.4 | 8.9 | 10.8 | 22.0 | 16.6 | 18.9 | 20.9 | 16.0 | 18.1 |
| 30 | --- | --- | --- | 9.3 | 7.1 | 8.1 | 21.7 | 17.0 | 19.0 | 19.5 | 15.6 | 17.6 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.3 | 16.4 | 17.3 |
| MONTH | 4.0 | -0.2 | 0.8 | 17.8 | 0.1 | 8.2 | 22.0 | 6.7 | 14.1 | 24.1 | 12.7 | 17.5 |

03254550 BANKLICK CREEK AT HIGHWAY 1829 NEAR ERLANGER, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 9.1 | 6.2 | 7.4 | 12.5 | 10.4 | 11.2 | 16.0 | 10.0 | 12.9 | --- | --- | --- |
| 2 | 9.7 | 5.9 | 7.3 | 13.5 | 10.8 | 11.9 | 15.2 | 10.3 | 13.0 | 13.0 | 10.1 | 11.6 |
| 3 | 10.3 | 5.9 | 7.7 | 13.6 | 11.0 | 12.0 | 15.5 | 11.1 | 13.0 | 12.4 | 11.7 | 12.2 |
| 4 | 8.3 | 5.4 | 6.6 | 12.9 | 11.0 | 11.6 | 15.2 | 11.8 | 13.3 | 13.0 | 12.2 | 12.5 |
| 5 | 9.2 | 6.5 | 7.6 | 12.3 | 10.9 | 11.1 | 14.4 | 11.5 | 12.7 | 12.8 | 12.2 | 12.5 |
| 6 | 10.2 | 6.8 | 8.3 | 11.3 | 10.7 | 11.0 | 13.4 | 10.9 | 12.1 | 12.9 | 12.3 | 12.5 |
| 7 | 10.5 | 7.0 | 8.4 | 12.7 | 10.6 | 11.4 | 14.2 | 11.2 | 12.2 | 13.6 | 12.7 | 13.1 |
| 8 | 10.9 | 7.4 | 8.9 | 12.9 | 10.1 | 11.3 | 13.4 | 10.9 | 12.0 | 13.3 | 12.1 | 12.7 |
| 9 | 10.4 | 7.7 | 8.9 | 12.4 | 9.4 | 10.7 | 13.7 | 11.4 | 12.3 | 13.0 | 11.9 | 12.5 |
| 10 | 9.3 | 7.4 | 8.3 | 11.2 | 8.7 | 9.6 | 13.4 | 11.4 | 12.3 | 13.6 | 12.2 | 12.9 |
| 11 | 8.6 | 7.5 | 8.3 | 9.1 | 8.5 | 8.8 | 13.0 | 11.3 | 12.2 | 15.0 | 13.4 | 14.4 |
| 12 | 9.4 | 7.6 | 8.4 | 10.5 | 7.6 | 9.1 | 12.6 | 10.5 | 11.7 | 15.4 | 14.4 | 14.8 |
| 13 | 10.6 | 7.3 | 8.4 | 10.6 | 7.5 | 8.3 | 12.2 | 10.7 | 11.3 | 15.5 | 14.4 | 14.8 |
| 14 | 11.8 | 7.9 | 9.7 | 9.7 | 7.6 | 8.4 | 12.0 | 10.2 | 11.3 | 15.2 | 14.3 | 14.7 |
| 15 | 11.4 | 8.8 | 9.9 | 10.6 | 7.5 | 8.5 | 12.9 | 10.1 | 11.5 | 15.9 | 14.6 | 15.1 |
| 16 | 12.2 | 8.8 | 10.2 | 11.2 | 8.0 | 9.2 | 13.4 | 10.2 | 11.4 | 15.5 | 14.6 | 14.9 |
| 17 | 12.6 | 9.3 | 10.7 | 11.0 | 8.7 | 9.5 | 12.7 | 10.5 | 11.5 | 15.5 | 14.5 | 14.9 |
| 18 | 12.5 | 9.2 | 10.7 | 12.1 | 8.9 | 10.2 | 11.9 | 10.2 | 11.0 | 15.8 | 14.2 | 14.8 |
| 19 | 10.8 | 8.6 | 9.6 | 12.9 | 8.6 | 10.1 | 11.3 | 4.3 | 10.3 | 15.7 | 14.2 | 14.7 |
| 20 | 12.6 | 8.5 | 10.2 | 13.3 | 8.8 | 10.2 | 10.3 | 7.2 | 9.3 | 15.6 | 14.1 | 14.7 |
| 21 | 12.4 | 9.1 | 10.4 | 12.5 | 6.8 | 9.4 | 11.5 | 9.1 | 10.5 | 16.4 | 14.3 | 15.0 |
| 22 | 12.1 | 9.0 | 10.3 | 11.4 | 8.5 | 9.8 | 11.1 | 9.0 | 10.1 | 16.6 | 14.3 | 15.1 |
| 23 | 11.6 | 8.9 | 10.3 | 13.9 | 7.7 | 10.7 | 12.0 | 10.9 | 11.6 | 16.6 | 14.4 | 15.2 |
| 24 | 11.2 | 9.3 | 10.3 | 13.5 | 9.1 | 10.8 | 13.1 | 11.7 | 12.5 | 17.2 | 14.4 | 15.5 |
| 25 | 10.5 | 9.1 | 9.6 | 13.8 | 8.8 | 10.6 | 13.4 | 11.9 | 12.8 | 17.3 | 14.3 | 15.4 |
| 26 | 9.3 | 8.9 | 9.1 | 13.5 | 7.5 | 10.7 | 14.4 | 12.9 | 13.6 | 15.4 | 14.1 | 14.7 |
| 27 | 10.4 | 8.9 | 9.5 | 15.2 | 7.8 | 11.5 | 14.7 | 13.6 | 14.3 | 16.3 | 14.4 | 15.0 |
| 28 | 11.2 | 8.9 | 9.8 | 16.1 | 8.9 | 12.0 | 16.0 | 14.3 | 15.2 | 15.5 | 14.3 | 14.8 |
| 29 | 10.1 | 9.1 | 9.7 | 15.2 | 10.0 | 12.4 | 16.2 | 15.0 | 15.5 | 16.8 | 14.3 | 15.1 |
| 30 | 10.5 | 9.9 | 10.1 | 13.7 | 8.7 | 11.4 | 15.8 | 14.4 | 15.2 | 16.8 | 14.4 | 15.3 |
| 31 | 11.6 | 10.2 | 10.7 | --- | --- | --- | 15.3 | 13.9 | 14.8 | 16.6 | 14.3 | 15.1 |
| MONTH | 12.6 | 5.4 | 9.2 | 16.1 | 6.8 | 10.4 | 16.2 | 4.3 | 12.4 | 17.3 | 10.1 | 14.2 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 16.3 | 14.1 | 14.9 | 13.4 | 12.2 | 12.7 | 11.7 | 7.9 | 9.8 | 10.4 | 6.0 | 7.8 |
| 2 | 16.6 | 14.2 | 14.9 | 12.9 | 12.2 | 12.5 | 10.9 | 7.1 | 8.9 | 9.2 | 5.8 | 7.1 |
| 3 | 15.5 | 13.5 | 14.6 | 14.8 | 12.8 | 13.6 | 10.1 | 6.6 | 8.2 | 9.4 | 6.8 | 7.8 |
| 4 | 13.8 | 13.0 | 13.4 | 14.3 | 11.8 | 13.1 | 9.2 | 6.6 | 7.6 | 11.5 | 7.0 | 8.8 |
| 5 | 15.5 | 13.8 | 14.6 | 12.0 | 11.5 | 11.7 | 9.0 | 6.6 | 8.1 | 9.0 | 7.2 | 8.3 |
| 6 | 15.6 | 14.0 | 14.8 | 13.5 | 12.0 | 12.7 | 11.4 | 8.8 | 10.0 | 8.6 | 7.4 | 7.8 |
| 7 | 16.0 | 14.0 | 14.8 | 14.5 | 12.2 | 13.2 | 10.8 | 8.6 | 9.7 | 8.2 | 7.5 | 7.8 |
| 8 | 16.7 | 14.4 | 15.1 | 14.4 | 10.9 | 12.7 | 11.7 | 9.0 | 10.1 | 8.8 | 7.1 | 7.9 |
| 9 | 16.3 | 13.9 | 15.0 | 14.5 | 10.9 | 12.4 | 11.5 | 9.3 | 10.4 | 8.5 | 6.8 | 7.6 |
| 10 | 16.0 | 13.8 | 14.6 | 15.5 | 11.9 | 13.5 | 12.5 | 9.3 | 10.9 | 8.7 | 6.9 | 8.0 |
| 11 | 16.3 | 13.8 | 14.5 | 15.6 | 11.6 | 13.4 | 12.1 | 8.6 | 10.3 | 8.6 | 8.2 | 8.4 |
| 12 | 16.5 | 13.8 | 14.7 | 14.6 | 11.0 | 12.6 | 11.6 | 8.0 | 9.8 | 9.7 | 8.5 | 9.1 |
| 13 | 16.4 | 13.7 | 14.7 | 12.7 | 11.0 | 11.6 | 11.1 | 7.9 | 9.4 | 10.3 | 8.6 | 9.4 |
| 14 | 16.1 | 13.7 | 14.6 | 14.0 | 10.7 | 12.2 | 10.9 | 7.3 | 9.2 | 10.5 | 8.4 | 9.4 |
| 15 | 14.4 | 13.6 | 13.8 | 14.0 | 9.8 | 11.9 | 10.9 | 6.8 | 8.7 | 10.9 | 8.4 | 9.5 |
| 16 | 14.5 | 13.7 | 14.0 | 14.1 | 8.7 | 11.1 | 10.2 | 6.8 | 8.3 | 11.9 | 8.1 | 9.7 |
| 17 | 15.0 | 13.8 | 14.2 | 13.6 | 8.3 | 10.4 | 9.4 | 6.8 | 8.1 | 10.1 | 8.1 | 8.9 |
| 18 | 15.4 | 13.8 | 14.4 | 12.9 | 7.9 | 9.9 | 10.7 | 8.1 | 9.0 | 10.2 | 8.7 | 9.3 |
| 19 | 15.4 | 13.7 | 14.3 | 11.9 | 7.9 | 9.0 | 12.1 | 7.1 | 9.5 | 11.3 | 8.0 | 9.4 |
| 20 | 15.7 | 13.0 | 14.3 | 10.4 | 8.3 | 9.2 | 10.6 | 6.9 | 8.5 | 9.8 | 7.9 | 8.7 |
| 21 | 14.2 | 12.9 | 13.3 | 9.9 | 8.3 | 9.1 | 8.7 | 7.7 | 8.4 | 10.6 | 8.7 | 9.5 |
| 22 | 14.1 | 12.5 | 13.1 | 12.0 | 8.7 | 10.1 | 11.2 | 8.3 | 9.6 | 11.3 | 7.6 | 9.7 |
| 23 | 13.4 | 12.8 | 13.0 | 12.3 | 8.4 | 9.9 | 12.2 | 8.6 | 10.3 | 11.2 | 7.7 | 9.3 |
| 24 | 13.8 | 12.9 | 13.3 | 12.3 | 7.8 | 9.8 | 12.4 | 8.6 | 10.3 | 11.8 | 7.7 | 9.5 |
| 25 | 14.9 | 13.5 | 14.1 | 11.5 | 7.5 | 9.1 | 10.8 | 8.6 | 9.5 | 10.9 | 7.6 | 9.0 |
| 26 | 14.8 | 13.5 | 14.2 | 10.5 | 7.6 | 8.8 | 11.8 | 8.1 | 9.9 | 11.4 | 7.9 | 9.3 |
| 27 | 14.5 | 13.0 | 13.8 | 11.3 | 7.7 | 9.3 | 11.3 | 7.8 | 9.4 | 11.5 | 7.5 | 9.1 |
| 28 | 14.2 | 12.5 | 13.3 | 10.4 | 7.0 | 8.5 | 11.0 | 7.3 | 9.0 | 11.4 | 7.3 | 8.8 |
| 29 | --- | --- | --- | 9.3 | 7.0 | 8.5 | 10.2 | 6.4 | 8.2 | 10.1 | 7.1 | 8.3 |
| 30 | --- | --- | --- | 11.1 | 9.2 | 10.3 | 9.8 | 6.1 | 7.7 | 10.4 | 7.0 | 8.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.2 | 6.7 | 8.0 |
| MONTH | 16.7 | 12.5 | 14.2 | 15.6 | 7.0 | 11.1 | 12.5 | 6.1 | 9.2 | 11.9 | 5.8 | 8.7 |

03254550 BANKLICK CREEK AT HIGHWAY 1829 NEAR ERLANGER, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-------|-----|------|-------|-----|------|-------|-----|------|-------|-----|------|
| | | | | | | | | | | | | |
| 1 | 78 | 38 | 53 | 34 | 23 | 28 | 230 | 4.3 | 11 | --- | --- | --- |
| 2 | 82 | 18 | 44 | 27 | 18 | 21 | 14 | 4.4 | 6.1 | 1,000 | 260 | 770 |
| 3 | 75 | 22 | 42 | 21 | 14 | 17 | 18 | 4.6 | 6.5 | 1,000 | 34 | 230 |
| 4 | 550 | 31 | 110 | 68 | 14 | 24 | 16 | 4.8 | 7.5 | 84 | 20 | 37 |
| 5 | 770 | 48 | 150 | 1,000 | 17 | 190 | 23 | 4.0 | 8.7 | 29 | 15 | 23 |
| 6 | 72 | 36 | 46 | 350 | 49 | 120 | 23 | 3.0 | 6.5 | 33 | 21 | 26 |
| 7 | 240 | 35 | 49 | 65 | 33 | 41 | 6.0 | 4.0 | 4.4 | 29 | 17 | 22 |
| 8 | 69 | 28 | 41 | 42 | 24 | 32 | 8.0 | 3.0 | 4.5 | 20 | 12 | 15 |
| 9 | 72 | 30 | 44 | 30 | 18 | 23 | 10 | 4.0 | 5.3 | 19 | 10 | 12 |
| 10 | 54 | 34 | 42 | 260 | 21 | 83 | 13 | 3.0 | 4.8 | 14 | 8.0 | 11 |
| 11 | 1,000 | 40 | 230 | 260 | 82 | 180 | 560 | 4.0 | 190 | 13 | 5.0 | 8.0 |
| 12 | 140 | 65 | 80 | 95 | 18 | 52 | 140 | 34 | 65 | 28 | 7.0 | 18 |
| 13 | 87 | 56 | 67 | 20 | 10 | 15 | 870 | 24 | 210 | 13 | 6.0 | 8.3 |
| 14 | 62 | 45 | 51 | 18 | 6.4 | 9.5 | 290 | 43 | 93 | 9.0 | 4.0 | 5.3 |
| 15 | 62 | 40 | 47 | 24 | 6.4 | 12 | 46 | 23 | 31 | 8.0 | 3.0 | 5.2 |
| 16 | 56 | 39 | 45 | 800 | 9.7 | 24 | 76 | 19 | 26 | 7.0 | 2.0 | 4.5 |
| 17 | 95 | 42 | 52 | 20 | 7.8 | 10 | 1,000 | 14 | 340 | 5.0 | 2.0 | 3.4 |
| 18 | 64 | 40 | 50 | 10 | 5.1 | 7.2 | 570 | 47 | 120 | 4.0 | 2.0 | 3.1 |
| 19 | 61 | 44 | 53 | 75 | 5.1 | 17 | 1,000 | 42 | 460 | 6.0 | 1.0 | 2.8 |
| 20 | 58 | 43 | 50 | 94 | 4.4 | 26 | 760 | 74 | 250 | 5.0 | 1.0 | 2.6 |
| 21 | 54 | 44 | 48 | 100 | 4.6 | 27 | 81 | 39 | 55 | 5.0 | 1.0 | 2.3 |
| 22 | 65 | 43 | 52 | 94 | 11 | 26 | 48 | 26 | 34 | 4.0 | 0.0 | 1.8 |
| 23 | 79 | 51 | 61 | 16 | 6.9 | 9.5 | 51 | 17 | 25 | 4.0 | 1.0 | 2.1 |
| 24 | 74 | 57 | 64 | 17 | 5.1 | 9.1 | 39 | 11 | 15 | 5.0 | 1.0 | 1.9 |
| 25 | 1,000 | 65 | 390 | 17 | 3.3 | 7.0 | 96 | 11 | 28 | 5.0 | 0.0 | 1.8 |
| 26 | 680 | 140 | 250 | 14 | 3.4 | 5.8 | 31 | 8.0 | 12 | 10 | 0.0 | 1.2 |
| 27 | 200 | 110 | 140 | 14 | 3.6 | 4.9 | 230 | 7.0 | 36 | 12 | 0.0 | 3.5 |
| 28 | 160 | 100 | 120 | 25 | 3.8 | 6.3 | 70 | 8.0 | 16 | 5.0 | 0.0 | 1.2 |
| 29 | 1,000 | 100 | 370 | 15 | 3.9 | 5.4 | 12 | 6.0 | 8.5 | 17 | 0.0 | 4.0 |
| 30 | 230 | 46 | 120 | 10 | 4.1 | 5.9 | 720 | 6.0 | 190 | 19 | 9.0 | 12 |
| 31 | 130 | 18 | 50 | --- | --- | --- | 1,000 | 72 | 360 | 11 | 5.0 | 7.1 |
| MONTH | 1,000 | 18 | 97 | 1,000 | 3.3 | 35 | 1,000 | 3.0 | 85 | 1,000 | 0.0 | 42 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 6.0 | 3.0 | 4.1 | 190 | 49 | 95 | 55 | 26 | 32 | 39 | 9.1 | 21 |
| 2 | 51 | 4.0 | 15 | 180 | 93 | 120 | 46 | 25 | 29 | 770 | 14 | 130 |
| 3 | 1,000 | 10 | 100 | 95 | 73 | 83 | 42 | 29 | 33 | 430 | 42 | 150 |
| 4 | 1,000 | 71 | 430 | 210 | 68 | 99 | 70 | 31 | 38 | 57 | 18 | 37 |
| 5 | 72 | 24 | 44 | 1,000 | 120 | 330 | 970 | 32 | 190 | 990 | 41 | 540 |
| 6 | 160 | 20 | 49 | 190 | 98 | 130 | 76 | 37 | 53 | 330 | 94 | 160 |
| 7 | 59 | 11 | 17 | 98 | 69 | 84 | 260 | 37 | 66 | 180 | 64 | 85 |
| 8 | 19 | 11 | 14 | 94 | 54 | 63 | 69 | 31 | 38 | 91 | 42 | 59 |
| 9 | 17 | 10 | 12 | 68 | 38 | 47 | 64 | 31 | 38 | 150 | 39 | 63 |
| 10 | 43 | 11 | 13 | 50 | 30 | 36 | 39 | 24 | 32 | 990 | 54 | 440 |
| 11 | 150 | 10 | 40 | 34 | 19 | 25 | 73 | 20 | 24 | 410 | 130 | 230 |
| 12 | 160 | 17 | 48 | 23 | 1.0 | 13 | 29 | 16 | 20 | 170 | 82 | 110 |
| 13 | 50 | 19 | 27 | 850 | 0.0 | 120 | 32 | 13 | 17 | 250 | 58 | 84 |
| 14 | 66 | 20 | 28 | 160 | 23 | 59 | 28 | 13 | 18 | 95 | 45 | 61 |
| 15 | 700 | 64 | 310 | 28 | 8.0 | 13 | 50 | 13 | 18 | 83 | 39 | 51 |
| 16 | 100 | 48 | 67 | 18 | 6.0 | 8.5 | 23 | 3.7 | 9.4 | 62 | 38 | 46 |
| 17 | 49 | 36 | 41 | 15 | 6.0 | 9.0 | 440 | 3.1 | 25 | 96 | 42 | 65 |
| 18 | 75 | 29 | 33 | 15 | 5.0 | 7.4 | 55 | 1.9 | 13 | 100 | 46 | 68 |
| 19 | 110 | 24 | 29 | 610 | 3.0 | 120 | 11 | 1.0 | 2.0 | 62 | 34 | 44 |
| 20 | 590 | 20 | 52 | 380 | 35 | 120 | 1,000 | 0.3 | 59 | 220 | 29 | 63 |
| 21 | 510 | 32 | 230 | 66 | 33 | 42 | 1,000 | 120 | 530 | 140 | 56 | 94 |
| 22 | 1,000 | 220 | 740 | 39 | 15 | 24 | 130 | 29 | 64 | 40 | 17 | 23 |
| 23 | 690 | 96 | 230 | 31 | 12 | 15 | 72 | 20 | 31 | 51 | 12 | 27 |
| 24 | 670 | 58 | 160 | 29 | 12 | 16 | 61 | 24 | 32 | 52 | 6.0 | 19 |
| 25 | 66 | 47 | 53 | 40 | 13 | 18 | 66 | 19 | 28 | 44 | 12 | 23 |
| 26 | 52 | 44 | 45 | 54 | 19 | 33 | 39 | 9.5 | 19 | 75 | 15 | 28 |
| 27 | 48 | 42 | 43 | 28 | 15 | 19 | 37 | 10 | 18 | 29 | 13 | 22 |
| 28 | 55 | 41 | 45 | 63 | 17 | 21 | 51 | 13 | 23 | 46 | 18 | 26 |
| 29 | --- | --- | --- | 610 | 21 | 200 | 64 | 9.9 | 20 | 120 | 26 | 54 |
| 30 | --- | --- | --- | 120 | 40 | 67 | 46 | 7.1 | 21 | 55 | 23 | 33 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 74 | 23 | 33 |
| MONTH | 1,000 | 3.0 | 100 | 1,000 | 0.0 | 68 | 1,000 | 0.3 | 51 | 990 | 6.0 | 93 |

03260100 ELIJAHS CREEK AT ELIJAHS CREEK ROAD NEAR HEBRON, KY

LOCATION.--Lat 39°04'47", long 84°41'07", Boone County, Hydrologic Unit 05090203, at bridge on Elijahs Creek Road, 0.6 mi downstream from Interstate 275, 1.3 mi northeast of Hebron, and 2.5 mi upstream from the mouth.

DRAINAGE AREA.--4.03 mi².

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--October 1999 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 759.085 ft above NGVD of 1929.

REMARKS.--2002: Records fair except for those estimated which are poor.

2003: Records fair except for those estimated which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|-------|-------|------|--------|--------|--------|--------|--------|--------|--------|
| 1 | 0.53 | 1.5 | 0.30 | 3.2 | 2.2 | 16 | 2.3 | 1.9 | 0.91 | 0.64 | 0.44 | e204 |
| 2 | 0.31 | 1.3 | 0.33 | 2.6 | 2.8 | 11 | 2.1 | 9.8 | 0.79 | 0.68 | 14 | 42 |
| 3 | 0.51 | 1.4 | 0.40 | 2.1 | 3.7 | 6.8 | 1.8 | 0.85 | 21 | 0.25 | 3.2 | 23 |
| 4 | 19 | 2.0 | 0.18 | 2.3 | 2.0 | 5.4 | 1.3 | 1.0 | 2.1 | 0.21 | 18 | 4.1 |
| 5 | 1.6 | 33 | 0.48 | 2.8 | 1.3 | 27 | 12 | 183 | 1.4 | 0.78 | 2.2 | 1.6 |
| 6 | 0.61 | 5.6 | 0.27 | 2.6 | 1.6 | 6.3 | 1.5 | 6.1 | 1.1 | 14 | 0.83 | 0.84 |
| 7 | 0.42 | 2.1 | 0.23 | 2.2 | 1.5 | 6.5 | 14 | 4.7 | 1.7 | 3.0 | 0.66 | 0.59 |
| 8 | 0.30 | 1.6 | 0.40 | 2.1 | 1.0 | 2.6 | 2.7 | 1.8 | 7.5 | 1.2 | 0.56 | 0.87 |
| 9 | 0.30 | 1.7 | 0.19 | 1.3 | 1.9 | 2.2 | 4.8 | 2.5 | 1.7 | 53 | 0.31 | 0.68 |
| 10 | 0.88 | 93 | 0.17 | 1.1 | 1.9 | 1.8 | 4.0 | 310 | 1.2 | 39 | 0.33 | 0.27 |
| 11 | 21 | 14 | 1.8 | 1.2 | 1.5 | 1.6 | 1.9 | 23 | 3.9 | 2.1 | 1.0 | 0.23 |
| 12 | 1.4 | 1.7 | 1.9 | 1.4 | 1.4 | 1.5 | 1.6 | 3.5 | 26 | 1.0 | 1.2 | 0.23 |
| 13 | 0.88 | 0.81 | 1.9 | 1.7 | 1.6 | 16 | 1.5 | 1.7 | 3.0 | 0.60 | 0.20 | 0.30 |
| 14 | 0.60 | 0.45 | 1.9 | 1.5 | 1.6 | 2.2 | 1.1 | 1.2 | 67 | 0.45 | 8.7 | 0.93 |
| 15 | 0.58 | 3.1 | 1.4 | 1.2 | 1.8 | 5.2 | 0.58 | 1.3 | 35 | 27 | 4.9 | 2.0 |
| 16 | 0.65 | 1.9 | 0.85 | 1.7 | 1.3 | 1.5 | 0.62 | 0.76 | 5.6 | 4.7 | 0.84 | 0.28 |
| 17 | 0.72 | 0.49 | 1.7 | 1.1 | 1.7 | 1.4 | 0.85 | 8.4 | 2.3 | 1.2 | 0.25 | 0.31 |
| 18 | 0.48 | 0.19 | 3.2 | 0.67 | 1.9 | 0.84 | 4.7 | 2.2 | 1.4 | 0.87 | 0.16 | 0.52 |
| 19 | 4.9 | 0.37 | 4.3 | 1.1 | 2.4 | 32 | 1.3 | 1.1 | 1.2 | 65 | 0.18 | 0.71 |
| 20 | 1.2 | 0.18 | 3.3 | 1.8 | 2.3 | 5.4 | 21 | 6.9 | 0.91 | 1.5 | 0.23 | 1.2 |
| 21 | 0.61 | 5.8 | 3.0 | 1.3 | 2.2 | 23 | 18 | 1.8 | 0.56 | 26 | 0.36 | 0.54 |
| 22 | 0.56 | 3.4 | 2.6 | 0.93 | e7.0 | 4.1 | 2.0 | 0.94 | 0.48 | 3.0 | 51 | 25 |
| 23 | 0.54 | 0.45 | 1.9 | 0.70 | e8.1 | 2.8 | 1.6 | 0.70 | 0.42 | 1.7 | 2.1 | 3.3 |
| 24 | 1.1 | 0.21 | 1.9 | 0.83 | e6.6 | 2.6 | 1.6 | 0.57 | 0.46 | 1.2 | 0.67 | 1.5 |
| 25 | 91 | 0.17 | 2.0 | 1.3 | 6.8 | 4.6 | 1.8 | 2.0 | 0.57 | 0.53 | 1.2 | 0.73 |
| 26 | 6.9 | 0.50 | 1.7 | 1.2 | 2.5 | 10 | 1.4 | 1.5 | 11 | 0.30 | 0.55 | 0.19 |
| 27 | 2.2 | 0.48 | 1.7 | 0.65 | 1.9 | 2.6 | 1.2 | 1.5 | 2.2 | 0.25 | 0.59 | 48 |
| 28 | 14 | 0.17 | 1.8 | 1.8 | 7.2 | 2.1 | 1.2 | 8.0 | 0.62 | 11 | 0.23 | 1.5 |
| 29 | 59 | 0.26 | 1.7 | 2.2 | --- | 42 | 1.3 | 7.2 | 0.36 | 0.75 | 3.1 | 0.87 |
| 30 | 5.1 | 0.52 | 4.3 | 1.8 | --- | 7.0 | 1.1 | 1.2 | 0.29 | 0.70 | 2.9 | 0.97 |
| 31 | 2.1 | --- | 5.5 | 1.9 | --- | 5.7 | --- | 2.8 | --- | 0.60 | 46 | --- |
| TOTAL | 239.98 | 178.35 | 53.30 | 50.28 | 79.7 | 259.74 | 112.85 | 599.92 | 202.67 | 263.21 | 166.89 | 367.26 |
| MEAN | 7.74 | 5.95 | 1.72 | 1.62 | 2.85 | 8.38 | 3.76 | 19.4 | 6.76 | 8.49 | 5.38 | 12.2 |
| MAX | 91 | 93 | 5.5 | 3.2 | 8.1 | 42 | 21 | 310 | 67 | 65 | 51 | 204 |
| MIN | 0.30 | 0.17 | 0.17 | 0.65 | 1.0 | 0.84 | 0.58 | 0.57 | 0.29 | 0.21 | 0.16 | 0.19 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2000 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 6.68 | 4.18 | 5.76 | 6.65 | 8.19 | 7.84 | 7.67 | 13.0 | 5.65 | 3.51 | 2.22 | 6.28 |
| MAX | 14.6 | 8.13 | 14.8 | 14.7 | 18.6 | 15.0 | 16.5 | 21.9 | 7.59 | 8.49 | 5.38 | 12.2 |
| (WY) | (2002) | (2002) | (2002) | (2000) | (2000) | (2002) | (2002) | (2002) | (2002) | (2003) | (2003) | (2003) |
| MIN | 1.06 | 0.86 | 1.72 | 1.62 | 2.85 | 1.79 | 1.57 | 4.27 | 3.22 | 0.80 | 0.63 | 0.006 |
| (WY) | (2001) | (2000) | (2003) | (2003) | (2003) | (2001) | (2001) | (2001) | (2001) | (2002) | (2002) | (2001) |

03260100 ELIJAHS CREEK AT ELIJAHS CREEK ROAD NEAR HEBRON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2000 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,136.24 | | 2,574.15 | | 6.46 | |
| ANNUAL MEAN | 8.59 | | 7.05 | | 2.22 | |
| HIGHEST ANNUAL MEAN | | | | | 10.5 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 2.22 | 2001 |
| HIGHEST DAILY MEAN | 236 | Sep 27 | 310 | May 10 | 310 | May 10, 2003 |
| LOWEST DAILY MEAN | 0.01 | Jun 3 | 0.16 | Aug 18 | 0.00 | Oct 2, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.08 | Jun 17 | 0.27 | Dec 4 | 0.00 | Oct 15, 1999 |
| MAXIMUM PEAK FLOW | | | 1,510 | May 10 | 1,510 | May 10, 2003 |
| MAXIMUM PEAK STAGE | | | 7.34 | May 10 | 7.34 | May 10, 2003 |
| 10 PERCENT EXCEEDS | 17 | | 14 | | 11 | |
| 50 PERCENT EXCEEDS | 1.6 | | 1.6 | | 1.3 | |
| 90 PERCENT EXCEEDS | 0.17 | | 0.35 | | 0.16 | |

e Estimated



03260100 ELIJAHS CREEK AT ELIJAHS CREEK ROAD NEAR HEBRON, KY—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: March 2001 to current year.

pH: March 2001 to current year.

WATER TEMPERATURES: March 2001 to current year.

DISSOLVED OXYGEN: March 2001 to current year.

TURBIDITY: March 2001 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good. Turbidity data collected from May 21, 2003 to June 17, 2003 only, due to turbidity probe problems and turbidity probe being removed from the monitor.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 5520 microsiemens, Jan. 17, 2003; minimum recorded, 21 microsiemens, July 18, 2001.

pH: Maximum recorded, 6.7 units, Aug. 1, 13, 17, 18, 2003; minimum recorded, 6.7 units, April 9, 2003.

WATER TEMPERATURES: Maximum recorded, 29.°C, July 8, 2003; minimum recorded, 0.4°C, Dec. 5, 2002.

DISSOLVED OXYGEN: Maximum recorded, 19.9 mg/L, May 6, 2001; minimum recorded, 0.5 mg/L, May 19, 2001.

TURBIDITY: Maximum recorded, greater than 1000 NTU, several days in 2001, 2002 and June 8, 14, 2003; minimum recorded, 0.3 NTU, Sept. 18, 2001.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 5520 microsiemens, Jan. 17, 2003; minimum recorded, 70 microsiemens, July 19, 2003.

pH: Maximum recorded, 8.7 units, Aug. 1, 13, 17, 18, 2003; minimum recorded, 6.7 units, Apr. 9, 2003.

WATER TEMPERATURES: Maximum recorded, 29.6°C, July 8, 2003; minimum recorded, 0.4°C, Dec. 5, 2002.

DISSOLVED OXYGEN: Maximum recorded, 18.4 mg/L, July 5, 2003; minimum recorded, 1.4 mg/L, Mar. 22, 23, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, June 8, 14, 2003; minimum recorded, 1.4 NTU, May 22, 26, 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-------|-------|----------|-------|-------|---------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 952 | 860 | 911 | 914 | 811 | 872 | 1,170 | 1,130 | 1,150 | 567 | 188 | 375 |
| 2 | 967 | 932 | 953 | 981 | 914 | 951 | 1,150 | 1,040 | 1,100 | 590 | 445 | 515 |
| 3 | 978 | 940 | 963 | 1,050 | 978 | 1,010 | 1,050 | 993 | 1,030 | 5,120 | 487 | 2,190 |
| 4 | 980 | 163 | 724 | 1,120 | 925 | 1,070 | 1,160 | 1,040 | 1,120 | 2,790 | 1,370 | 1,890 |
| 5 | 659 | 411 | 573 | 1,040 | 373 | 764 | 1,660 | 983 | 1,080 | 2,960 | 1,240 | 1,890 |
| 6 | 744 | 659 | 701 | 885 | 568 | 754 | --- | --- | --- | 2,680 | 1,440 | 1,820 |
| 7 | 795 | 744 | 766 | 1,030 | 885 | 965 | --- | --- | --- | 1,440 | 1,150 | 1,250 |
| 8 | 822 | 783 | 804 | 1,130 | 1,030 | 1,080 | --- | --- | --- | 1,150 | 824 | 1,090 |
| 9 | 859 | 819 | 836 | 1,200 | 1,130 | 1,170 | --- | --- | --- | 824 | 573 | 700 |
| 10 | 911 | 851 | 881 | 1,190 | 432 | 739 | --- | --- | --- | 701 | 624 | 663 |
| 11 | 900 | 148 | 438 | 627 | 472 | 567 | --- | --- | --- | 675 | 627 | 655 |
| 12 | 737 | 585 | 670 | 696 | 627 | 672 | --- | --- | --- | 709 | 662 | 684 |
| 13 | 810 | 736 | 771 | 764 | 696 | 729 | --- | --- | --- | 683 | 618 | 653 |
| 14 | 851 | 810 | 829 | 830 | 762 | 783 | --- | --- | --- | 4,120 | 606 | 1,340 |
| 15 | 881 | 851 | 862 | 881 | 439 | 784 | --- | --- | --- | 2,520 | 1,000 | 1,570 |
| 16 | 917 | 881 | 898 | 614 | 426 | 527 | --- | --- | --- | 5,490 | 1,140 | 1,760 |
| 17 | 968 | 916 | 942 | 717 | 614 | 666 | --- | --- | --- | 5,520 | 2,960 | 3,950 |
| 18 | 982 | 945 | 970 | 783 | 717 | 752 | --- | --- | --- | --- | --- | --- |
| 19 | 984 | 253 | 556 | 835 | 783 | 806 | 965 | 172 | 462 | --- | --- | --- |
| 20 | 610 | 454 | 552 | 856 | 835 | 847 | 620 | 238 | 424 | --- | --- | --- |
| 21 | 682 | 610 | 642 | 864 | 309 | 620 | 677 | 521 | 598 | --- | --- | --- |
| 22 | 749 | 682 | 710 | 585 | 351 | 485 | 801 | 677 | 738 | --- | --- | --- |
| 23 | 791 | 749 | 766 | 695 | 585 | 644 | 880 | 759 | 841 | --- | --- | --- |
| 24 | 983 | 791 | 848 | 762 | 695 | 728 | 1,040 | 875 | 913 | --- | --- | --- |
| 25 | 1,100 | 125 | 615 | 806 | 762 | 784 | 2,220 | 873 | 1,780 | --- | --- | --- |
| 26 | 616 | 358 | 534 | 908 | 779 | 822 | 3,770 | 2,200 | 3,250 | --- | --- | --- |
| 27 | 777 | 612 | 705 | 917 | 800 | 860 | 3,720 | 2,900 | 3,410 | --- | --- | --- |
| 28 | 785 | 210 | 483 | 1,300 | 889 | 1,070 | 2,930 | 2,020 | 2,570 | --- | --- | --- |
| 29 | 642 | 161 | 425 | 1,340 | 1,300 | 1,320 | 2,120 | 1,780 | 1,980 | --- | --- | --- |
| 30 | 685 | 469 | 596 | 1,300 | 1,140 | 1,200 | 3,300 | 509 | 1,210 | --- | --- | --- |
| 31 | 821 | 685 | 757 | --- | --- | --- | 943 | 348 | 657 | --- | --- | --- |
| MONTH | 1,100 | 125 | 732 | 1,340 | 309 | 835 | 3,770 | 172 | 1,350 | 5,520 | 188 | 1,350 |

03260100 ELIJAHS CREEK AT ELIJAHS CREEK ROAD NEAR HEBRON, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 8.3 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 7.7 | 7.5 | 7.6 |
| 2 | 8.4 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 7.5 | 7.4 | 7.5 |
| 3 | 8.4 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 7.7 | 7.4 | 7.5 |
| 4 | 8.4 | 7.7 | 8.0 | 8.3 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 7.8 | 7.5 | 7.6 |
| 5 | 8.2 | 7.8 | 7.9 | 8.2 | 7.8 | 8.0 | 8.3 | 8.0 | 8.2 | 7.7 | 7.6 | 7.6 |
| 6 | 8.3 | 7.8 | 8.0 | 8.1 | 7.8 | 8.0 | 8.3 | 8.0 | 8.1 | 7.7 | 7.6 | 7.6 |
| 7 | 8.4 | 7.9 | 8.1 | 8.2 | 8.0 | 8.1 | 8.3 | 8.0 | 8.1 | 7.8 | 7.6 | 7.7 |
| 8 | 8.5 | 8.0 | 8.2 | 8.2 | 7.9 | 8.1 | 8.3 | 8.0 | 8.1 | 7.8 | 7.6 | 7.7 |
| 9 | 8.5 | 8.0 | 8.2 | 8.2 | 7.9 | 8.0 | 8.3 | 7.9 | 8.1 | 7.7 | 7.6 | 7.6 |
| 10 | 8.4 | 8.0 | 8.2 | 8.0 | 7.6 | 7.8 | 8.3 | 8.0 | 8.1 | 7.8 | 7.6 | 7.7 |
| 11 | 8.1 | 7.8 | 8.0 | 7.8 | 7.6 | 7.7 | 8.1 | 7.8 | 7.9 | 7.9 | 7.8 | 7.8 |
| 12 | 8.3 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 | 8.2 | 7.9 | 8.0 | 7.8 | 7.7 | 7.8 |
| 13 | 8.4 | 7.9 | 8.1 | 8.0 | 7.8 | 7.9 | 8.2 | 7.9 | 8.0 | 7.9 | 7.7 | 7.8 |
| 14 | 8.4 | 8.0 | 8.2 | 8.5 | 7.8 | 8.0 | 8.2 | 7.9 | 8.0 | 7.9 | 7.7 | 7.8 |
| 15 | 8.4 | 8.0 | 8.2 | 8.0 | 7.7 | 7.9 | 8.3 | 8.0 | 8.1 | 7.9 | 7.7 | 7.8 |
| 16 | 8.5 | 8.1 | 8.2 | 7.9 | 7.7 | 7.8 | 8.2 | 7.9 | 8.1 | 7.8 | 7.5 | 7.7 |
| 17 | 8.4 | 8.1 | 8.2 | 8.1 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | --- | --- | --- |
| 18 | 8.4 | 8.1 | 8.3 | 8.1 | 7.9 | 8.0 | 8.2 | 7.9 | 8.0 | --- | --- | --- |
| 19 | 8.2 | 7.8 | 8.0 | 8.2 | 7.9 | 8.0 | 8.1 | 7.8 | 7.9 | --- | --- | --- |
| 20 | 8.5 | 7.8 | 8.1 | 8.2 | 7.9 | 8.1 | 8.0 | 7.8 | 7.9 | --- | --- | --- |
| 21 | 8.4 | 7.9 | 8.1 | 8.1 | 7.6 | 7.9 | 8.0 | 7.9 | 7.9 | --- | --- | --- |
| 22 | 8.5 | 7.9 | 8.2 | 8.0 | 7.7 | 7.9 | 8.0 | 7.9 | 7.9 | --- | --- | --- |
| 23 | 8.5 | 8.0 | 8.2 | 8.2 | 7.9 | 8.0 | 8.0 | 7.9 | 7.9 | --- | --- | --- |
| 24 | 8.5 | 8.1 | 8.3 | 8.2 | 7.9 | 8.1 | 8.0 | 7.9 | 7.9 | --- | --- | --- |
| 25 | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.9 | --- | --- | --- |
| 26 | 8.0 | 7.8 | 7.9 | 8.3 | 8.1 | 8.2 | 7.8 | 7.7 | 7.7 | --- | --- | --- |
| 27 | 8.1 | 8.0 | 8.0 | 8.3 | 8.0 | 8.1 | 7.8 | 7.7 | 7.8 | --- | --- | --- |
| 28 | 8.1 | 7.8 | 7.9 | 8.2 | 8.0 | 8.1 | 7.9 | 7.7 | 7.8 | --- | --- | --- |
| 29 | 8.0 | 7.9 | 7.9 | 8.2 | 8.0 | 8.0 | 7.9 | 7.8 | 7.9 | --- | --- | --- |
| 30 | 8.2 | 7.9 | 8.1 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.9 | --- | --- | --- |
| 31 | 8.3 | 8.1 | 8.2 | --- | --- | --- | 7.8 | 7.6 | 7.7 | --- | --- | --- |
| MONTH | 8.5 | 7.7 | 8.1 | 8.5 | 7.6 | 8.0 | 8.3 | 7.6 | 8.0 | 7.9 | 7.4 | 7.7 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | 8.0 | 7.7 | 7.8 | 8.0 | 7.5 | 7.8 |
| 2 | --- | --- | --- | --- | --- | --- | 8.1 | 7.8 | 7.9 | 7.9 | 7.2 | 7.6 |
| 3 | --- | --- | --- | --- | --- | --- | 8.3 | 7.8 | 8.0 | 7.8 | 7.6 | 7.7 |
| 4 | --- | --- | --- | --- | --- | --- | 8.4 | 7.8 | 8.0 | 8.0 | 7.7 | 7.8 |
| 5 | --- | --- | --- | --- | --- | --- | 8.1 | 7.7 | 7.8 | 7.8 | 7.5 | 7.7 |
| 6 | --- | --- | --- | --- | --- | --- | 8.0 | 7.7 | 7.8 | 7.9 | 7.6 | 7.7 |
| 7 | --- | --- | --- | --- | --- | --- | 7.8 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 |
| 8 | --- | --- | --- | --- | --- | --- | 7.7 | 7.6 | 7.6 | 7.9 | 7.6 | 7.8 |
| 9 | --- | --- | --- | --- | --- | --- | 8.0 | 6.7 | 7.8 | 7.8 | 7.7 | 7.8 |
| 10 | --- | --- | --- | --- | --- | --- | 8.1 | 7.9 | 8.0 | 7.8 | 7.4 | 7.6 |
| 11 | --- | --- | --- | --- | --- | --- | 8.0 | 7.9 | 8.0 | 7.7 | 7.5 | 7.5 |
| 12 | --- | --- | --- | 7.9 | 7.7 | 7.8 | 8.1 | 8.0 | 8.0 | 7.7 | 7.5 | 7.5 |
| 13 | --- | --- | --- | 7.8 | 7.5 | 7.7 | 8.1 | 8.1 | 8.1 | 7.7 | 7.5 | 7.6 |
| 14 | --- | --- | --- | 7.9 | 7.7 | 7.8 | 8.1 | 8.0 | 8.1 | 7.8 | 7.7 | 7.7 |
| 15 | --- | --- | --- | 7.9 | 7.6 | 7.8 | 8.1 | 7.7 | 7.9 | 8.0 | 7.7 | 7.9 |
| 16 | --- | --- | --- | 8.0 | 7.7 | 7.9 | 8.1 | 7.6 | 7.8 | 8.0 | 7.8 | 7.9 |
| 17 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.1 | 7.5 | 7.8 | 7.8 | 7.4 | 7.6 |
| 18 | --- | --- | --- | 8.1 | 7.8 | 7.9 | 7.7 | 7.5 | 7.6 | 7.6 | 7.4 | 7.6 |
| 19 | --- | --- | --- | 8.0 | 7.6 | 7.8 | 7.9 | 7.5 | 7.7 | 7.7 | 7.6 | 7.6 |
| 20 | --- | --- | --- | 7.9 | 7.7 | 7.8 | 8.0 | 7.4 | 7.7 | 7.8 | 7.4 | 7.7 |
| 21 | --- | --- | --- | 7.8 | 7.6 | 7.7 | 7.7 | 7.4 | 7.5 | 8.1 | 7.5 | 7.8 |
| 22 | --- | --- | --- | 7.9 | 7.7 | 7.8 | 7.7 | 7.5 | 7.6 | 8.1 | 7.9 | 8.0 |
| 23 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 7.7 | 7.6 | 7.6 | 8.2 | 7.9 | 8.0 |
| 24 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 7.7 | 7.5 | 7.6 | 8.2 | 8.0 | 8.1 |
| 25 | --- | --- | --- | 8.0 | 7.7 | 7.9 | 7.8 | 7.6 | 7.6 | 8.1 | 7.7 | 8.0 |
| 26 | --- | --- | --- | 7.8 | 7.6 | 7.7 | 8.1 | 7.6 | 7.8 | 7.9 | 7.7 | 7.8 |
| 27 | --- | --- | --- | 7.9 | 7.6 | 7.8 | 8.2 | 8.1 | 8.2 | 8.0 | 7.8 | 7.9 |
| 28 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 7.8 | 7.5 | 7.7 |
| 29 | --- | --- | --- | 7.8 | 7.4 | 7.5 | 8.3 | 8.1 | 8.2 | 7.8 | 7.5 | 7.6 |
| 30 | --- | --- | --- | --- | --- | --- | 8.1 | 7.9 | 8.0 | 8.1 | 7.7 | 7.9 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.9 | 7.6 | 7.7 |
| MONTH | --- | --- | --- | 8.1 | 7.4 | 7.8 | 8.4 | 6.7 | 7.8 | 8.2 | 7.2 | 7.8 |

03260100 ELIJAHS CREEK AT ELIJAHS CREEK ROAD NEAR HEBRON, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 22.3 | 19.0 | 20.4 | 8.6 | 6.1 | 7.8 | 1.3 | 0.2 | 0.7 | 7.0 | 4.4 | 5.2 |
| 2 | 23.3 | 19.3 | 21.0 | 6.8 | 4.1 | 5.6 | 2.6 | 0.1 | 1.0 | 4.4 | 3.1 | 4.0 |
| 3 | 23.6 | 20.0 | 21.6 | 6.8 | 4.7 | 6.0 | 1.3 | -0.2 | 0.3 | 3.7 | 2.3 | 3.0 |
| 4 | 22.7 | 20.9 | 21.5 | 7.5 | 6.6 | 7.1 | 0.0 | -0.2 | -0.1 | 3.5 | 1.4 | 2.5 |
| 5 | 20.9 | 16.3 | 18.4 | 9.3 | 7.2 | 8.1 | 0.0 | -0.4 | -0.2 | 3.9 | 2.4 | 3.2 |
| 6 | 18.4 | 14.5 | 16.3 | 9.2 | 7.4 | 8.3 | 0.0 | -0.3 | -0.2 | 3.9 | 2.0 | 3.3 |
| 7 | 16.7 | 13.0 | 15.2 | 9.0 | 6.5 | 7.8 | 0.0 | -0.2 | -0.2 | 3.3 | 0.7 | 1.9 |
| 8 | 15.1 | 10.9 | 12.9 | 10.1 | 6.8 | 8.4 | 0.3 | -0.3 | -0.1 | 5.2 | 1.9 | 3.4 |
| 9 | 15.5 | 12.1 | 13.7 | 12.1 | 9.1 | 10.6 | 0.0 | -0.2 | -0.1 | 5.7 | 2.9 | 4.1 |
| 10 | 15.3 | 13.9 | 14.6 | 15.4 | 11.9 | 13.9 | 0.1 | -0.2 | -0.1 | 3.7 | 0.2 | 2.4 |
| 11 | 17.2 | 15.3 | 16.5 | 14.0 | 10.3 | 12.5 | 2.8 | -0.3 | 1.4 | 0.5 | 0.0 | 0.1 |
| 12 | 18.4 | 16.1 | 17.1 | 10.3 | 8.7 | 9.2 | 3.5 | 2.4 | 3.0 | 0.4 | 0.1 | 0.2 |
| 13 | 17.0 | 12.5 | 15.5 | 9.7 | 7.0 | 8.4 | 4.2 | 2.8 | 3.4 | 0.5 | 0.1 | 0.2 |
| 14 | 12.8 | 9.6 | 11.3 | 13.2 | 7.5 | 10.4 | 4.0 | 3.0 | 3.5 | 0.3 | 0.0 | 0.2 |
| 15 | 12.1 | 9.2 | 10.6 | 12.3 | 11.3 | 11.6 | 5.3 | 1.8 | 3.8 | 0.4 | 0.1 | 0.2 |
| 16 | 11.2 | 8.9 | 10.4 | 12.0 | 8.4 | 9.8 | 4.9 | 2.8 | 3.8 | 0.3 | -0.1 | 0.2 |
| 17 | 10.3 | 8.1 | 9.1 | 9.3 | 7.0 | 8.2 | 4.0 | 2.6 | 3.3 | --- | --- | --- |
| 18 | 12.0 | 7.9 | 10 | 7.9 | 5.0 | 6.6 | 7.2 | 3.9 | 5.6 | --- | --- | --- |
| 19 | 13.4 | 11.3 | 12.5 | 10.9 | 7.6 | 9.1 | 8.3 | 6.2 | 7.7 | --- | --- | --- |
| 20 | 12.5 | 10.0 | 11.1 | 10.0 | 5.9 | 8.1 | 8.0 | 4.8 | 6.2 | --- | --- | --- |
| 21 | 12.2 | 9.0 | 10.4 | 11.2 | 8.0 | 9.6 | 5.5 | 3.7 | 4.6 | --- | --- | --- |
| 22 | 12.0 | 7.6 | 9.7 | 9.6 | 6.6 | 7.8 | 5.8 | 3.2 | 4.8 | --- | --- | --- |
| 23 | 11.5 | 7.8 | 9.6 | 7.4 | 5.0 | 6.2 | 4.0 | 1.9 | 3.0 | --- | --- | --- |
| 24 | 11.1 | 8.6 | 9.7 | 7.9 | 4.2 | 6.1 | 3.6 | 2.3 | 3.1 | --- | --- | --- |
| 25 | 12.5 | 8.9 | 10.3 | 6.3 | 4.8 | 5.8 | 3.1 | 1.6 | 2.1 | --- | --- | --- |
| 26 | 12.4 | 11.7 | 12.0 | 4.8 | 3.2 | 3.7 | 1.9 | 1.0 | 1.4 | --- | --- | --- |
| 27 | 12.2 | 11.0 | 11.5 | 4.2 | 1.8 | 3.1 | 2.4 | 0.7 | 1.4 | --- | --- | --- |
| 28 | 11.8 | 10.0 | 10.9 | 2.7 | 1.2 | 1.8 | 3.6 | 0.4 | 2.0 | --- | --- | --- |
| 29 | 10.7 | 7.8 | 9.2 | 4.7 | 0.8 | 2.7 | 4.2 | 1.1 | 2.7 | --- | --- | --- |
| 30 | 9.0 | 8.4 | 8.7 | 4.8 | 1.1 | 3.3 | 7.6 | 2.4 | 5.3 | --- | --- | --- |
| 31 | 9.6 | 8.3 | 8.9 | --- | --- | --- | 8.0 | 7.0 | 7.5 | --- | --- | --- |
| MONTH | 23.6 | 7.6 | 13.2 | 15.4 | 0.8 | 7.6 | 8.3 | -0.4 | 2.6 | 7.0 | -0.1 | 2.1 |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 15.9 | 6.9 | 10.8 | 22.8 | 16.4 | 19.1 |
| 2 | --- | --- | --- | --- | --- | --- | 18.3 | 9.8 | 13.7 | 20.0 | 16.2 | 18.0 |
| 3 | --- | --- | --- | --- | --- | --- | 19.6 | 11.8 | 15.5 | 17.0 | 13.8 | 15.3 |
| 4 | --- | --- | --- | --- | --- | --- | 18.0 | 13.9 | 15.8 | 15.3 | 11.1 | 13.4 |
| 5 | --- | --- | --- | --- | --- | --- | 16.2 | 8.5 | 12.1 | 18.1 | 13.0 | 15.3 |
| 6 | --- | --- | --- | --- | --- | --- | 8.6 | 6.3 | 7.5 | 20.2 | 15.6 | 17.5 |
| 7 | --- | --- | --- | --- | --- | --- | 10.2 | 6.9 | 8.4 | 18.4 | 16.6 | 17.4 |
| 8 | --- | --- | --- | --- | --- | --- | 9.8 | 7.6 | 8.6 | 20.0 | 15.9 | 17.9 |
| 9 | --- | --- | --- | --- | --- | --- | 8.3 | 5.5 | 6.7 | 21.6 | 17.3 | 19.3 |
| 10 | --- | --- | --- | --- | --- | --- | 11.4 | 5.6 | 7.9 | 20.2 | 17.9 | 18.7 |
| 11 | --- | --- | --- | --- | --- | --- | 14.5 | 5.8 | 9.9 | 19.2 | 15.4 | 17.9 |
| 12 | --- | --- | --- | 7.1 | 3.7 | 5.0 | 15.4 | 7.4 | 11.4 | 15.8 | 13.4 | 14.6 |
| 13 | --- | --- | --- | 7.4 | 3.9 | 5.4 | 15.7 | 8.2 | 12.0 | 17.3 | 12.3 | 14.9 |
| 14 | --- | --- | --- | 9.4 | 1.6 | 5.1 | 17.4 | 8.4 | 12.8 | 17.5 | 13.8 | 15.6 |
| 15 | --- | --- | --- | 10.7 | 3.7 | 6.5 | 19.9 | 12.0 | 15.6 | 18.5 | 15.2 | 16.8 |
| 16 | --- | --- | --- | 14.3 | 5.3 | 9.5 | 20.2 | 13.5 | 16.9 | 18.7 | 14.9 | 16.8 |
| 17 | --- | --- | --- | 13.9 | 7.8 | 10.9 | 17.2 | 15.0 | 15.9 | 17.9 | 16.4 | 17.3 |
| 18 | --- | --- | --- | 15.0 | 10.2 | 12.5 | 17.2 | 13.8 | 15.4 | 18.3 | 16.8 | 17.4 |
| 19 | --- | --- | --- | 14.7 | 10.8 | 12.9 | 20.4 | 12.5 | 16.4 | 20.2 | 17.0 | 18.4 |
| 20 | --- | --- | --- | 14.9 | 9.5 | 11.9 | 19.5 | 15.7 | 17.4 | 19.5 | 17.7 | 19.0 |
| 21 | --- | --- | --- | 12.5 | 8.9 | 11.0 | 16.0 | 13.4 | 14.8 | 18.2 | 15.0 | 16.7 |
| 22 | --- | --- | --- | 12.7 | 6.6 | 9.8 | 13.4 | 10.6 | 12.1 | 18.6 | 14.1 | 16.2 |
| 23 | --- | --- | --- | 14.3 | 8.0 | 11.0 | 15.3 | 7.6 | 11.4 | 18.3 | 13.6 | 16.0 |
| 24 | --- | --- | --- | 16.7 | 8.0 | 12.1 | 13.4 | 9.1 | 11.3 | 17.6 | 12.9 | 15.4 |
| 25 | --- | --- | --- | 16.4 | 9.9 | 13.0 | 12.5 | 11.3 | 11.8 | 15.6 | 14.2 | 15.0 |
| 26 | --- | --- | --- | 15.6 | 9.6 | 12.2 | 16.7 | 10.6 | 13.3 | 16.9 | 13.8 | 15.3 |
| 27 | --- | --- | --- | 15.6 | 7.8 | 11.6 | 17.1 | 9.5 | 13.6 | 18.1 | 14.2 | 16.1 |
| 28 | --- | --- | --- | 17.3 | 11.4 | 14.2 | 19.1 | 10.4 | 15.0 | 18.5 | 14.5 | 16.6 |
| 29 | --- | --- | --- | 13.8 | 7.3 | 9.0 | 19.9 | 15.5 | 17.5 | 18.2 | 15.5 | 16.7 |
| 30 | --- | --- | --- | --- | --- | --- | 19.7 | 15.4 | 17.5 | 17.9 | 14.5 | 16.4 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.9 | 15.1 | 16.2 |
| MONTH | --- | --- | --- | 17.3 | 1.6 | 10.2 | 20.4 | 5.5 | 13.0 | 22.8 | 11.1 | 16.7 |

03260100 ELIJAH'S CREEK AT ELIJAH'S CREEK ROAD NEAR HEBRON, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 10.9 | 6.9 | 9.8 | 12.0 | 10.1 | 10.9 | 15.9 | 12.2 | 13.7 | 13.8 | 5.3 | 10.5 |
| 2 | 12.5 | 6.6 | 8.6 | 12.7 | 10.6 | 11.5 | 16.3 | 12.6 | 13.8 | 12.0 | 9.9 | 10.9 |
| 3 | 11.7 | 6.3 | 8.3 | 12.8 | 10.3 | 11.2 | 16.7 | 12.5 | 14.3 | 13.0 | 10.7 | 11.7 |
| 4 | 11.5 | 6.2 | 7.3 | 11.0 | 10.0 | 10.4 | 17.4 | 12.9 | 14.6 | 12.6 | 10.8 | 11.5 |
| 5 | 9.3 | 6.8 | 7.8 | 11.3 | 10.0 | 10.4 | 16.9 | 12.6 | 14.2 | 11.7 | 10.2 | 10.9 |
| 6 | 11.0 | 7.2 | 8.6 | 11.7 | 10.3 | 10.9 | 17.3 | 12.6 | 14.5 | 11.2 | 10.2 | 10.6 |
| 7 | 12.5 | 7.3 | 9.3 | 12.8 | 10.8 | 11.6 | 16.8 | 12.5 | 14.0 | 11.6 | 9.8 | 10.6 |
| 8 | 14.2 | 8.1 | 10.4 | 12.9 | 10.1 | 11.4 | 17.2 | 12.5 | 14.0 | 10.4 | 8.0 | 9.4 |
| 9 | 14.6 | 8.0 | 10.1 | 12.8 | 9.5 | 10.8 | 16.2 | 12.1 | 13.6 | 10.8 | 8.4 | 9.7 |
| 10 | 12.2 | 7.4 | 9.0 | 10.3 | 7.0 | 9.1 | 16.4 | 11.7 | 13.3 | 11.6 | 9.3 | 10.6 |
| 11 | 9.2 | 7.5 | 8.3 | 10.0 | 7.0 | 9.5 | 13.7 | 11.9 | 13.0 | 12.9 | 11.3 | 12.1 |
| 12 | 10.0 | 6.6 | 8.0 | 11.7 | 9.8 | 10.7 | 13.9 | 12.5 | 13.0 | 13.4 | 11.3 | 12.2 |
| 13 | 10.9 | 6.6 | 8.3 | 11.8 | 10.1 | 10.8 | 13.4 | 11.8 | 12.5 | 13.5 | 11.5 | 12.3 |
| 14 | 12.3 | 7.4 | 9.5 | 11.8 | 9.3 | 10.5 | 13.5 | 11.9 | 12.6 | 13.3 | 11.8 | 12.4 |
| 15 | 12.3 | 7.9 | 9.6 | 10.6 | 8.6 | 9.6 | 14.0 | 11.0 | 12.5 | 12.9 | 7.3 | 10.0 |
| 16 | 12.6 | 7.6 | 9.3 | 10.8 | 8.9 | 9.9 | 14.1 | 10.8 | 12.0 | 12.2 | 9.9 | 11.0 |
| 17 | 12.1 | 8.3 | 9.7 | 12.6 | 10.1 | 11.0 | 12.7 | 11.2 | 11.8 | --- | --- | --- |
| 18 | 12.5 | 8.0 | 9.7 | 13.6 | 10.6 | 11.8 | 12.6 | 10.0 | 11.2 | --- | --- | --- |
| 19 | 9.2 | 7.3 | 8.3 | 12.4 | 10.1 | 10.9 | 11.3 | 9.2 | 10.6 | --- | --- | --- |
| 20 | 12.7 | 8.1 | 9.9 | 13.4 | 10.0 | 11.4 | 11.6 | 10.6 | 11.1 | --- | --- | --- |
| 21 | 13.0 | 8.6 | 10.2 | 10.6 | 8.8 | 9.8 | 11.9 | 10.4 | 11.1 | --- | --- | --- |
| 22 | 13.5 | 8.9 | 10.5 | 11.3 | 8.9 | 10.2 | 10.9 | 9.8 | 10.3 | --- | --- | --- |
| 23 | 13.9 | 8.8 | 10.7 | 12.5 | 10.1 | 11.0 | 11.6 | 9.3 | 10.5 | --- | --- | --- |
| 24 | 13.3 | 8.8 | 10.3 | 12.8 | 10.3 | 11.3 | 10.5 | 9.0 | 9.7 | --- | --- | --- |
| 25 | 10.0 | 7.6 | 9.1 | 13.1 | 10.3 | 11.4 | 11.3 | 9.0 | 9.9 | --- | --- | --- |
| 26 | 9.6 | 9.1 | 9.3 | 14.1 | 11.0 | 12.4 | 10.6 | 9.1 | 9.6 | --- | --- | --- |
| 27 | 10.0 | 8.8 | 9.3 | 14.2 | 11.7 | 12.6 | 10.1 | 8.2 | 9.2 | --- | --- | --- |
| 28 | 9.8 | 8.7 | 9.3 | 14.4 | 11.6 | 12.6 | 9.9 | 7.4 | 9.0 | --- | --- | --- |
| 29 | 10.7 | 8.4 | 9.6 | 13.8 | 10.4 | 12.2 | 8.2 | 6.2 | 7.4 | --- | --- | --- |
| 30 | 10.6 | 9.7 | 10.1 | 13.9 | 10.2 | 11.7 | 11.8 | 5.8 | 8.2 | --- | --- | --- |
| 31 | 11.6 | 10.0 | 10.5 | --- | --- | --- | 10.4 | 4.9 | 6.5 | --- | --- | --- |
| MONTH | 14.6 | 6.2 | 9.3 | 14.4 | 7.0 | 11.0 | 17.4 | 4.9 | 11.7 | 13.8 | 5.3 | 11.0 |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | --- | --- | --- | 5.4 | 4.5 | 4.9 | 5.6 | 2.0 | 3.8 |
| 2 | --- | --- | --- | --- | --- | --- | 5.8 | 4.7 | 5.2 | 7.4 | 3.2 | 5.4 |
| 3 | --- | --- | --- | --- | --- | --- | 6.4 | 5.0 | 5.6 | 6.7 | 3.7 | 5.3 |
| 4 | --- | --- | --- | --- | --- | --- | 7.1 | 5.2 | 6.0 | 8.7 | 5.9 | 7.3 |
| 5 | --- | --- | --- | --- | --- | --- | 5.9 | 5.2 | 5.5 | 9.9 | 7.1 | 8.7 |
| 6 | --- | --- | --- | --- | --- | --- | 7.4 | 5.7 | 6.6 | 8.9 | 6.5 | 8.0 |
| 7 | --- | --- | --- | --- | --- | --- | 7.3 | 5.9 | 6.3 | 7.8 | 3.7 | 5.6 |
| 8 | --- | --- | --- | --- | --- | --- | 7.2 | 6.1 | 6.6 | 7.9 | 6.0 | 7.0 |
| 9 | --- | --- | --- | --- | --- | --- | 8.0 | 6.5 | 7.1 | 6.7 | 3.0 | 3.8 |
| 10 | --- | --- | --- | --- | --- | --- | 6.9 | 6.6 | 6.8 | 11.7 | 3.2 | 7.8 |
| 11 | --- | --- | --- | --- | --- | --- | 7.2 | 6.9 | 7.1 | 10.5 | 7.8 | 9.3 |
| 12 | --- | --- | --- | 9.6 | 8.8 | 9.3 | 7.5 | 7.2 | 7.4 | 9.4 | 5.3 | 8.3 |
| 13 | --- | --- | --- | 10.8 | 9.0 | 9.9 | 7.8 | 7.5 | 7.7 | 8.4 | 5.3 | 7.7 |
| 14 | --- | --- | --- | 12.2 | 9.2 | 10.7 | 8.1 | 7.8 | 7.9 | 8.8 | 7.6 | 8.3 |
| 15 | --- | --- | --- | 10.6 | 7.6 | 9.4 | 8.3 | 6.4 | 7.9 | 8.4 | 4.6 | 6.6 |
| 16 | --- | --- | --- | 9.0 | 5.6 | 7.4 | 10.2 | 6.2 | 8.1 | 5.8 | 4.6 | 5.3 |
| 17 | --- | --- | --- | 6.9 | 5.1 | 6.0 | 10.4 | 6.2 | 7.9 | 8.8 | 5.5 | 6.4 |
| 18 | --- | --- | --- | 8.7 | 5.6 | 7.9 | 8.5 | 2.1 | 4.8 | 5.9 | 5.0 | 5.5 |
| 19 | --- | --- | --- | 9.1 | 5.8 | 7.9 | 6.0 | 3.4 | 4.5 | 6.1 | 5.5 | 5.9 |
| 20 | --- | --- | --- | 7.2 | 4.0 | 6.0 | 9.3 | 3.3 | 4.9 | 6.9 | 4.8 | 6.0 |
| 21 | --- | --- | --- | 5.5 | 2.8 | 4.0 | 8.8 | 6.2 | 6.9 | 9.4 | 6.3 | 7.7 |
| 22 | --- | --- | --- | 3.0 | 1.4 | 2.2 | 9.2 | 6.5 | 7.8 | 10.0 | 7.4 | 8.4 |
| 23 | --- | --- | --- | 1.7 | 1.4 | 1.6 | 9.2 | 5.8 | 7.8 | 10.6 | 7.3 | 8.7 |
| 24 | --- | --- | --- | 2.0 | 1.7 | 1.9 | 7.2 | 4.5 | 6.1 | 11.1 | 7.2 | 8.7 |
| 25 | --- | --- | --- | 2.3 | 2.0 | 2.1 | 6.4 | 4.0 | 5.1 | 9.9 | 5.9 | 8.0 |
| 26 | --- | --- | --- | 2.6 | 2.3 | 2.4 | 4.2 | 3.8 | 3.9 | 8.4 | 5.1 | 6.5 |
| 27 | --- | --- | --- | 2.9 | 2.6 | 2.7 | 4.5 | 4.2 | 4.3 | 7.9 | 3.0 | 5.9 |
| 28 | --- | --- | --- | 3.2 | 2.8 | 3.0 | 5.2 | 4.5 | 4.8 | 5.7 | 2.5 | 3.6 |
| 29 | --- | --- | --- | 3.6 | 3.1 | 3.3 | 5.3 | 4.7 | 5.0 | 6.9 | 5.0 | 6.0 |
| 30 | --- | --- | --- | --- | --- | --- | 5.4 | 3.6 | 5.0 | 7.7 | 5.4 | 6.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 2.1 | 3.5 |
| MONTH | --- | --- | --- | 12.2 | 1.4 | 5.4 | 10.4 | 2.1 | 6.2 | 11.7 | 2.0 | 6.6 |

ELIJAHS CREEK BASIN

03260100 ELIJAHS CREEK AT ELIJAHS CREEK ROAD NEAR HEBRON, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 99 | 14 | 44 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 42 | 21 | 27 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 45 | 16 | 22 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 77 | 16 | 22 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 36 | 14 | 19 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 56 | 15 | 26 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 600 | 33 | 79 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 340 | 110 | 140 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 130 | 42 | 77 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 89 | 39 | 46 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 600 | 14 | 50 |

03262001 WOOLPER CREEK AT WOOLPER CREEK ROAD NEAR BURLINGTON, KY

LOCATION.--Lat 39°01'48", long 84°48'15", Boone County, Hydrologic Unit 05090203, at bridge, 1.0 mi upstream from Ashby Fork, 1.1 mi downstream from Double Lick Creek, 4.3 mi west of Burlington, and at mile 4.8.

DRAINAGE AREA.--24.19 mi².

PERIOD OF RECORD.--December 2000 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 490.67 ft NGVD of 1929.

REMARKS.--Water year 2001: Records fair except for periods of estimated records, which are poor.
Water year 2002: Records fair except for periods of estimated records, which are poor.
Water year 2003: Records fair except for periods of estimated records, which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|---------|-------|-------|-------|-------|-------|-------|----------|-------|-------|
| 1 | --- | --- | e3.0 | 4.9 | 31 | 13 | 13 | 1.9 | 11 | 1.4 | 4.7 | 32 |
| 2 | --- | --- | 2.8 | 4.4 | 18 | e11 | 8.1 | 1.8 | 11 | 4.3 | 3.8 | 11 |
| 3 | --- | --- | 2.5 | 4.5 | 19 | e10 | 6.7 | 1.6 | 7.5 | 2.1 | 4.3 | 7.2 |
| 4 | --- | --- | 2.2 | 4.2 | 12 | 36 | 6.1 | 1.5 | 101 | 6.3 | 4.2 | 5.7 |
| 5 | --- | --- | 2.4 | 5.0 | 11 | 34 | 5.5 | 1.5 | 57 | 6.0 | 2.8 | 4.5 |
| 6 | --- | --- | 2.1 | 4.2 | 9.9 | 18 | 10 | 1.4 | 441 | 2.5 | 2.2 | 3.5 |
| 7 | --- | --- | 2.1 | 3.6 | 8.7 | 15 | 17 | 3.6 | 120 | 1.6 | 1.9 | 3.3 |
| 8 | --- | --- | 2.1 | 3.6 | 8.7 | 13 | 8.7 | 15 | 34 | 49 | 1.6 | 33 |
| 9 | --- | --- | 1.8 | 3.0 | 36 | 11 | 7.4 | 5.0 | 19 | 67 | 2.2 | e32 |
| 10 | --- | --- | 1.9 | 2.8 | 80 | 9.9 | 7.2 | 2.5 | 12 | 7.9 | 8.2 | 151 |
| 11 | --- | --- | 71 | 2.7 | 23 | 9.5 | 10 | 2.0 | 9.0 | 3.7 | 14 | 14 |
| 12 | --- | --- | 67 | 2.6 | 17 | 8.8 | e4.8 | 7.5 | 7.0 | 2.5 | 340 | 8.5 |
| 13 | --- | --- | e13 | 2.6 | 14 | 12 | e4.3 | 3.2 | 9.7 | 2.0 | 16 | 6.2 |
| 14 | --- | --- | e38 | 3.1 | 16 | 8.7 | e3.7 | 2.0 | 5.7 | 1.5 | 7.2 | 4.9 |
| 15 | --- | --- | 17 | 6.5 | 37 | 7.9 | 8.5 | 1.6 | 5.0 | 1.2 | 4.5 | 3.9 |
| 16 | --- | --- | 795 | 4.3 | 91 | 12 | 8.0 | 1.5 | 7.1 | 1.0 | 3.4 | 3.4 |
| 17 | --- | --- | 166 | 3.3 | 56 | 12 | 5.3 | 15 | 3.6 | 0.88 | 2.8 | 3.0 |
| 18 | --- | --- | 39 | 3.8 | 25 | 8.9 | 5.2 | 135 | 2.5 | 921 | 4.3 | 6.2 |
| 19 | --- | --- | 24 | 9.6 | 19 | 8.1 | 4.7 | 57 | 2.0 | 364 | 230 | 73 |
| 20 | --- | --- | 21 | 12 | 16 | 8.1 | 9.2 | 18 | 1.8 | 88 | 17 | 27 |
| 21 | --- | --- | 14 | 12 | 13 | 9.8 | 7.7 | 9.4 | 41 | 51 | 8.5 | 10 |
| 22 | --- | --- | 14 | 8.3 | 11 | 8.4 | 5.2 | 30 | 33 | 20 | 5.8 | 7.1 |
| 23 | --- | --- | 11 | 7.6 | 10 | 7.5 | 4.6 | 16 | 8.9 | 11 | 21 | 5.6 |
| 24 | --- | --- | 9.2 | 7.5 | 8.8 | 7.1 | 4.2 | 41 | 5.4 | 7.4 | 7.3 | 231 |
| 25 | --- | --- | 6.2 | 7.0 | 125 | 6.3 | 3.3 | 18 | 3.5 | 8.7 | 5.4 | 22 |
| 26 | --- | --- | 7.8 | 7.1 | 32 | 5.9 | 2.8 | 15 | 2.5 | 52 | 34 | 12 |
| 27 | --- | --- | 9.3 | 6.9 | 20 | 5.7 | 2.6 | 33 | 2.0 | 15 | 21 | 8.9 |
| 28 | --- | --- | 8.1 | 6.6 | 16 | 5.5 | 2.4 | 14 | 1.7 | 14 | 7.6 | 7.5 |
| 29 | --- | --- | 7.4 | 26 | --- | 5.6 | 2.1 | 8.2 | 1.7 | 20 | 5.6 | 6.7 |
| 30 | --- | --- | 7.6 | 144 | --- | 5.5 | 1.9 | 5.6 | 1.7 | 11 | 4.7 | 5.7 |
| 31 | --- | --- | 5.8 | 110 | --- | 5.7 | --- | 4.3 | --- | 6.5 | 104 | --- |
| TOTAL | --- | --- | 1,374.3 | 433.7 | 784.1 | 339.9 | 190.2 | 473.1 | 968.3 | 1,750.48 | 900.0 | 749.8 |
| MEAN | --- | --- | 44.3 | 14.0 | 28.0 | 11.0 | 6.34 | 15.3 | 32.3 | 56.5 | 29.0 | 25.0 |
| MAX | --- | --- | 795 | 144 | 125 | 36 | 17 | 135 | 441 | 921 | 340 | 231 |
| MIN | --- | --- | 1.8 | 2.6 | 8.7 | 5.5 | 1.9 | 1.4 | 1.7 | 0.88 | 1.6 | 3.0 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2001, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|-----|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | --- | --- | 44.3 | 14.0 | 28.0 | 11.0 | 6.34 | 15.3 | 32.3 | 56.5 | 29.0 | 25.0 |
| MAX | --- | --- | 44.3 | 14.0 | 28.0 | 11.0 | 6.34 | 15.3 | 32.3 | 56.5 | 29.0 | 25.0 |
| (WY) | --- | --- | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) |
| MIN | --- | --- | 44.3 | 14.0 | 28.0 | 11.0 | 6.34 | 15.3 | 32.3 | 56.5 | 29.0 | 25.0 |
| (WY) | --- | --- | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) |

e Estimated

03262001 WOOLPER CREEK AT WOOLPER CREEK ROAD NEAR BURLINGTON, KY—Continued



03262001 WOOLPER CREEK AT WOOLPER CREEK ROAD NEAR BURLINGTON, KY—Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|-------|---------|------|-------|--------|-------|--------|-------|------|--------|
| 1 | 4.6 | 13 | 55 | 9.2 | 377 | 12 | 23 | 24 | 11 | 0.67 | 0.62 | 0.23 |
| 2 | 4.2 | 12 | 33 | 8.7 | 57 | 20 | 21 | 51 | 7.9 | 0.53 | 0.36 | 0.07 |
| 3 | 3.8 | 11 | 25 | 8.7 | 38 | 55 | 20 | 23 | 6.1 | 0.41 | 0.18 | 0.00 |
| 4 | 3.6 | 11 | 22 | 7.9 | 29 | 24 | 18 | 18 | 5.0 | 0.33 | 0.04 | 0.00 |
| 5 | 4.6 | 9.8 | 19 | 8.4 | 22 | 21 | 17 | 14 | 149 | 0.27 | 0.00 | 0.00 |
| 6 | 20 | 9.2 | 109 | 9.5 | 21 | 18 | 16 | 70 | 556 | 0.20 | 0.00 | 0.00 |
| 7 | 5.6 | 8.9 | 52 | 10 | 20 | 16 | 15 | 454 | 59 | 0.16 | 0.00 | 0.00 |
| 8 | 4.3 | 8.6 | 48 | 9.1 | 17 | 15 | 14 | e660 | 21 | 0.09 | 0.00 | 0.00 |
| 9 | 4.4 | 8.1 | 34 | e9.5 | 16 | 32 | 19 | 151 | 12 | 0.04 | 0.00 | 0.00 |
| 10 | 3.5 | 7.9 | 26 | e18 | 23 | 25 | 14 | 64 | 8.2 | 0.20 | 0.00 | 0.00 |
| 11 | 3.7 | 7.7 | 22 | 21 | 22 | 18 | 13 | 38 | 5.9 | 0.90 | 0.00 | 0.00 |
| 12 | 47 | 7.2 | 20 | 16 | 18 | 21 | 13 | 30 | 5.1 | 0.53 | 0.00 | 0.00 |
| 13 | 24 | 6.9 | 35 | 14 | 15 | 19 | 411 | 1,080 | 5.7 | 0.36 | 0.00 | 0.00 |
| 14 | 411 | 7.0 | 177 | 12 | 14 | 17 | 144 | 142 | 10 | 0.42 | 0.00 | 0.00 |
| 15 | 60 | 6.8 | 61 | 12 | 14 | 45 | 77 | 56 | 4.0 | 0.34 | 0.00 | 51 |
| 16 | 58 | 6.7 | 358 | 12 | 13 | 311 | 37 | 36 | 9.1 | 0.19 | 0.00 | 4.4 |
| 17 | 34 | 6.4 | 841 | 13 | 12 | 65 | 30 | 124 | 3.3 | 0.26 | 0.00 | 1.6 |
| 18 | 23 | 6.4 | 189 | 12 | 11 | 47 | 27 | 200 | 2.2 | 0.49 | 0.00 | 0.99 |
| 19 | 20 | 7.0 | 54 | 13 | 12 | 167 | e60 | 56 | 1.8 | 0.35 | 0.00 | 0.76 |
| 20 | 16 | 11 | 33 | 14 | 24 | 398 | e80 | 34 | 1.5 | 0.27 | 0.31 | 0.70 |
| 21 | 14 | 7.4 | 26 | 13 | 28 | 77 | e1,150 | 26 | 1.3 | 0.27 | 0.29 | 2.0 |
| 22 | 13 | 6.5 | 22 | 13 | 16 | 44 | e270 | 21 | 1.1 | 0.18 | 0.08 | 2.0 |
| 23 | 167 | 6.2 | 164 | 13 | 14 | 34 | 53 | 17 | 0.96 | 0.16 | 0.00 | 1.3 |
| 24 | 945 | 6.7 | 45 | 415 | 14 | 28 | 41 | 14 | 0.80 | 0.18 | 0.00 | 0.90 |
| 25 | 215 | 12 | 28 | 56 | 13 | 38 | 105 | 12 | 0.79 | 0.08 | 0.00 | 0.60 |
| 26 | 46 | 7.2 | 25 | 32 | 17 | 372 | 33 | 13 | 0.96 | 0.02 | 0.00 | 0.64 |
| 27 | 28 | 77 | 21 | 25 | 15 | 72 | 105 | 29 | 1.2 | 0.00 | 0.00 | e390 |
| 28 | 21 | 323 | 19 | 22 | 13 | 44 | e222 | 19 | 2.6 | 0.00 | 0.00 | 28 |
| 29 | 18 | 413 | 16 | 20 | --- | 36 | 49 | 24 | 1.7 | 0.05 | 0.71 | 7.3 |
| 30 | 16 | 320 | 16 | 168 | --- | 31 | 31 | 18 | 0.95 | 1.3 | 0.87 | 3.7 |
| 31 | 14 | --- | 12 | 88 | --- | 26 | --- | 10 | --- | 1.0 | 0.48 | --- |
| TOTAL | 2,252.3 | 1,351.6 | 2,607 | 1,103.0 | 905 | 2,148 | 3,128 | 3,528 | 896.16 | 10.25 | 3.94 | 496.19 |
| MEAN | 72.7 | 45.1 | 84.1 | 35.6 | 32.3 | 69.3 | 104 | 114 | 29.9 | 0.33 | 0.13 | 16.5 |
| MAX | 945 | 413 | 841 | 415 | 377 | 398 | 1,150 | 1,080 | 556 | 1.3 | 0.87 | 390 |
| MIN | 3.5 | 6.2 | 12 | 7.9 | 11 | 12 | 13 | 10 | 0.79 | 0.00 | 0.00 | 0.00 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2002, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 72.7 | 45.1 | 64.2 | 24.8 | 30.2 | 40.1 | 55.3 | 64.5 | 31.1 | 28.4 | 14.6 | 20.8 |
| MAX | 72.7 | 45.1 | 84.1 | 35.6 | 32.3 | 69.3 | 104 | 114 | 32.3 | 56.5 | 29.0 | 25.0 |
| (WY) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2002) | (2001) | (2001) | (2001) | (2001) |
| MIN | 72.7 | 45.1 | 44.3 | 14.0 | 28.0 | 11.0 | 6.34 | 15.3 | 29.9 | 0.33 | 0.13 | 16.5 |
| (WY) | (2002) | (2002) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2002) | (2002) | (2002) | (2002) |

03262001 WOOLPER CREEK AT WOOLPER CREEK ROAD NEAR BURLINGTON, KY—Continued

| SUMMARY STATISTICS | FOR 2001 CALENDAR YEAR | | FOR 2002 WATER YEAR | | WATER YEARS 2001 - 2002 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 12,800.48 | | 18,429.44 | | | |
| ANNUAL MEAN | 35.1 | | 50.5 | | 50.5 | |
| HIGHEST ANNUAL MEAN | | | | | 50.5 2002 | |
| LOWEST ANNUAL MEAN | | | | | 50.5 2002 | |
| HIGHEST DAILY MEAN | 945 | Oct 24 | 1,150 | Apr 21 | 1,150 | Apr 21, 2002 |
| LOWEST DAILY MEAN | 0.88 | Jul 17 | 0.00 | Jul 27 | 0.00 | Jul 27, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 1.7 | Apr 30 | 0.00 | Aug 5 | 0.00 | Aug 5, 2002 |
| MAXIMUM PEAK FLOW | | | e 5,860 | May 8 | 6,640 | Jul 18, 2001 |
| MAXIMUM PEAK STAGE | | | e 11.30 | May 8 | 12.17 | Jul 18, 2001 |
| INSTANTANEOUS LOW FLOW | | | 0.00 | Sep 14 | 0.00 | Sep 14, 2002 |
| 10 PERCENT EXCEEDS | 57 | | 105 | | 105 | |
| 50 PERCENT EXCEEDS | 8.7 | | 13 | | 13 | |
| 90 PERCENT EXCEEDS | 2.6 | | 0.03 | | 0.03 | |

e Estimated



03262001 WOOLPER CREEK AT WOOLPER CREEK ROAD NEAR BURLINGTON, KY—Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|---------|---------|-------|-------|---------|---------|-------|--------|-------|
| 1 | 2.6 | 13 | 4.9 | 685 | 9.6 | 83 | 20 | 6.1 | 7.3 | 1.8 | 1.1 | 360 |
| 2 | 2.1 | 9.9 | 4.6 | 103 | 27 | 104 | 16 | 25 | 5.4 | 1.6 | 6.4 | 222 |
| 3 | 1.8 | 9.3 | 4.5 | 57 | 42 | 60 | 14 | 21 | 39 | 1.6 | 4.4 | 139 |
| 4 | 3.7 | 8.5 | 3.5 | 36 | 70 | 57 | 13 | 10 | 19 | 1.5 | 41 | 30 |
| 5 | 12 | 71 | 4.3 | 33 | 24 | 121 | 21 | 638 | 12 | 1.2 | 15 | 13 |
| 6 | 2.8 | 66 | 4.9 | 33 | 22 | 67 | 12 | 83 | 8.1 | 1.2 | 4.4 | 8.0 |
| 7 | 2.0 | 21 | 4.1 | 24 | 14 | 44 | 43 | 46 | 7.4 | 6.9 | 2.5 | 5.7 |
| 8 | 1.5 | 13 | 4.3 | 21 | 17 | 34 | 26 | 32 | 26 | 2.4 | 1.7 | 4.6 |
| 9 | 1.3 | 10 | 4.2 | 17 | 12 | 28 | 25 | 28 | 21 | 83 | 1.4 | 3.8 |
| 10 | 1.3 | 322 | 3.5 | 13 | 12 | 22 | 20 | 934 | 9.1 | 136 | 1.4 | 3.3 |
| 11 | 13 | 166 | 79 | 9.6 | 18 | 20 | 17 | 152 | 9.8 | 17 | 1.2 | 2.7 |
| 12 | 5.9 | 36 | 67 | 12 | 11 | 17 | 14 | 26 | 40 | 6.7 | 1.9 | 2.3 |
| 13 | 3.1 | 20 | 99 | 9.3 | 11 | 35 | 11 | 11 | 36 | 4.0 | 1.6 | 2.1 |
| 14 | 2.0 | 14 | 109 | 8.2 | 13 | 30 | 9.9 | 6.9 | 322 | 2.7 | 1.0 | 2.1 |
| 15 | 1.7 | 12 | 37 | 7.8 | 176 | 22 | 9.1 | 5.2 | 256 | 6.2 | 0.77 | 4.0 |
| 16 | 1.5 | 16 | 20 | 8.0 | 51 | 19 | 8.5 | 3.4 | 89 | 36 | 0.65 | 3.6 |
| 17 | 14 | 11 | 65 | 9.1 | 31 | 17 | 9.3 | 6.0 | 36 | 5.6 | 0.54 | 2.5 |
| 18 | 1.3 | 8.8 | 64 | 8.5 | 22 | 15 | 10 | 6.1 | 20 | 3.0 | 0.45 | 2.1 |
| 19 | 2.8 | 7.9 | 908 | 9.8 | 19 | 50 | 8.1 | 2.9 | 15 | 21 | 0.37 | 2.0 |
| 20 | 4.0 | 6.9 | 221 | 9.2 | 23 | 51 | 17 | 5.8 | 12 | 4.2 | 0.28 | 2.0 |
| 21 | 2.0 | 7.1 | 52 | 7.9 | 77 | 67 | 58 | 9.0 | 8.3 | 19 | 0.21 | 2.0 |
| 22 | 1.5 | 17 | 27 | 7.6 | 624 | 35 | 16 | e8.8 | 6.4 | 8.5 | 27 | 23 |
| 23 | 1.3 | 9.3 | 17 | 8.2 | 153 | 24 | 11 | e8.7 | 5.0 | 5.9 | 10 | 9.3 |
| 24 | 1.3 | 7.9 | 14 | 8.4 | 60 | 20 | 10 | 8.7 | 4.0 | 3.0 | 2.3 | 3.8 |
| 25 | 248 | 7.0 | 18 | 10 | 40 | 17 | 10 | 7.8 | 3.2 | 2.3 | 1.3 | 2.6 |
| 26 | 70 | 6.4 | 11 | 10 | 35 | 30 | 10 | 9.7 | 3.2 | 1.7 | 0.95 | 2.0 |
| 27 | 15 | 6.7 | 9.1 | 8.4 | 28 | 19 | 7.5 | 7.5 | 15 | 1.3 | 0.72 | 70 |
| 28 | 31 | 5.7 | 9.0 | 9.5 | 29 | 16 | 6.6 | 12 | 4.0 | 4.9 | 0.64 | 12 |
| 29 | 261 | 5.7 | 8.5 | 13 | --- | 97 | 6.9 | 33 | 2.7 | 3.2 | 0.60 | 5.7 |
| 30 | 60 | 5.9 | 121 | 19 | --- | e39 | 6.4 | 12 | 2.1 | 1.6 | 1.6 | 3.9 |
| 31 | 21 | --- | 272 | 10 | --- | e26 | --- | 9.5 | --- | 1.2 | 46 | --- |
| TOTAL | 792.5 | 921.0 | 2,270.4 | 1,225.5 | 1,670.6 | 1,286 | 466.3 | 2,175.1 | 1,044.0 | 396.2 | 179.38 | 949.1 |
| MEAN | 25.6 | 30.7 | 73.2 | 39.5 | 59.7 | 41.5 | 15.5 | 70.2 | 34.8 | 12.8 | 5.79 | 31.6 |
| MAX | 261 | 322 | 908 | 685 | 624 | 121 | 58 | 934 | 322 | 136 | 46 | 360 |
| MIN | 1.3 | 5.7 | 3.5 | 7.6 | 9.6 | 15 | 6.4 | 2.9 | 2.1 | 1.2 | 0.21 | 2.0 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 49.1 | 37.9 | 67.2 | 29.7 | 40.0 | 40.6 | 42.0 | 66.4 | 32.3 | 23.2 | 11.6 | 24.4 |
| MAX | 72.7 | 45.1 | 84.1 | 39.5 | 59.7 | 69.3 | 104 | 114 | 34.8 | 56.5 | 29.0 | 31.6 |
| (WY) | (2002) | (2002) | (2002) | (2003) | (2003) | (2002) | (2002) | (2002) | (2003) | (2001) | (2001) | (2003) |
| MIN | 25.6 | 30.7 | 44.3 | 14.0 | 28.0 | 11.0 | 6.34 | 15.3 | 29.9 | 0.33 | 0.13 | 16.5 |
| (WY) | (2003) | (2003) | (2001) | (2001) | (2001) | (2001) | (2001) | (2001) | (2002) | (2002) | (2002) | (2002) |

03262001 WOOLPER CREEK AT WOOLPER CREEK ROAD NEAR BURLINGTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 16,202.44 | | 13,376.08 | | | |
| ANNUAL MEAN | 44.4 | | 36.6 | | 43.6 | |
| HIGHEST ANNUAL MEAN | | | | | 50.5 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 36.6 | 2003 |
| HIGHEST DAILY MEAN | 1,150 | Apr 21 | 934 | May 10 | 1,150 | Apr 21, 2002 |
| LOWEST DAILY MEAN | 0.00 | Jul 27 | 0.21 | Aug 21 | 0.00 | Jul 27, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 5 | 0.47 | Aug 15 | 0.00 | Aug 5, 2002 |
| MAXIMUM PEAK FLOW | | | 4,900 | May 10 | 6,640 | Jul 18, 2001 |
| MAXIMUM PEAK STAGE | | | 10.19 | May 10 | 12.17 | Jul 18, 2001 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Sep 14, 2002 |
| 10 PERCENT EXCEEDS | 79 | | 70 | | 77 | |
| 50 PERCENT EXCEEDS | 12 | | 10 | | 12 | |
| 90 PERCENT EXCEEDS | 0.03 | | 1.7 | | 0.53 | |

e Estimated



03262001 WOOLPER CREEK AT WOOLPER ROAD NEAR BURLINGTON, KY

WATER-QUALITY RECORDS

PERIOD OF RECORD.--December 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 2000 to current year.

pH: December 2000 to current year.

WATER TEMPERATURES: December 2000 to current year.

DISSOLVED OXYGEN: December 2000 to current year.

TURBIDITY: December 2000 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 2220 microsiemens, Jan. 30, 2003; minimum recorded, 96 microsiemens, May 8, 2002.

pH: Maximum recorded, 8.8 units, Mar. 14, 16-18, and Apr. 1, 2, 2003; minimum recorded, 7.5 units, Nov. 10, 11, 2002.

WATER TEMPERATURES: Maximum recorded, 31.8°C, Jul. 4, 2002; minimum recorded, -0.3°C, several days in Jan, Feb. and Mar. 2002, and Jan. 11, 12, 14, 30, 31, Feb. 5-8, 10-14, and Mar. 3, 2002.

DISSOLVED OXYGEN: Maximum recorded, 20.0 mg/L, Dec. 4, 6, 2000; minimum recorded, 2.3 mg/L, Aug. 19, 2002.

TURBIDITY: Maximum recorded, greater than 1000 NTU, several days in 2001, 2002 and 2003; minimum recorded, 0.0 NTU, Nov. 7 and Jul. 7-9, 2002.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 2220 microsiemens, Jan. 30, 2003; minimum recorded, 114 microsiemens, Dec. 19, 2002.

pH: Maximum recorded, 8.8 units, Mar. 14, 16-18, and Apr. 1, 2, 2003; minimum recorded, 7.5 units, Nov. 10, 11, 2002.

WATER TEMPERATURES: Maximum recorded, 30.2°C, Jul. 6, 2003; minimum recorded, -0.3°C, Jan. 11, 12, 14, 30, 31, Feb. 5-8, 10-14, 25 and Mar. 3, 2003.

DISSOLVED OXYGEN: Maximum recorded, 17.1 mg/L, Feb. 13, 2003; minimum recorded, 4.7 mg/L, July 7, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2003; minimum recorded, 1.0 NTU, Nov. Nov. 3, 4, 2002.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-------|-------|---------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 567 | 552 | 557 | 555 | 517 | 537 | 539 | 531 | 535 | 291 | 119 | 223 |
| 2 | 571 | 559 | 565 | 588 | 555 | 572 | 541 | 531 | 537 | 376 | 281 | 337 |
| 3 | 568 | 555 | 564 | 611 | 588 | 599 | 541 | 532 | 538 | 726 | 376 | 459 |
| 4 | --- | --- | --- | 636 | 611 | 624 | 547 | 538 | 543 | --- | --- | --- |
| 5 | 550 | 510 | 518 | 646 | 436 | 609 | 549 | 536 | 543 | --- | --- | --- |
| 6 | 530 | 512 | 519 | 553 | 435 | 493 | 579 | 540 | 550 | 636 | 554 | 606 |
| 7 | 538 | 523 | 531 | 621 | 553 | 590 | 701 | 579 | 654 | 595 | 562 | 576 |
| 8 | 546 | 529 | 539 | 654 | 621 | 640 | 990 | 701 | 821 | 562 | 536 | 544 |
| 9 | 558 | 538 | 548 | 687 | 654 | 672 | 1,090 | 990 | 1,040 | 545 | 536 | 541 |
| 10 | 568 | 558 | 562 | 686 | 250 | 560 | 1,110 | 1,060 | 1,090 | 541 | 535 | 538 |
| 11 | 560 | 497 | 523 | 407 | 296 | 365 | 1,090 | 572 | 907 | 543 | 299 | 516 |
| 12 | 516 | 501 | 508 | 449 | 407 | 429 | 572 | 540 | 547 | 577 | 299 | 452 |
| 13 | 536 | 516 | 526 | 479 | 449 | 464 | 560 | 429 | 527 | 581 | 532 | 559 |
| 14 | 557 | 534 | 545 | 493 | 479 | 486 | 478 | 420 | 443 | 561 | 546 | 555 |
| 15 | 570 | 554 | 560 | 499 | 493 | 497 | 499 | 478 | 486 | 585 | 547 | 563 |
| 16 | 582 | 569 | 574 | 519 | 497 | 507 | 519 | 499 | 510 | 617 | 585 | 604 |
| 17 | 589 | 573 | 582 | 520 | 511 | 515 | 528 | 414 | 503 | 689 | 617 | 656 |
| 18 | 597 | 582 | 590 | 519 | 512 | 516 | 466 | 414 | 436 | 806 | 689 | 733 |
| 19 | 598 | 583 | 593 | 527 | 519 | 523 | 471 | 114 | 319 | 932 | 806 | 866 |
| 20 | 605 | 595 | 601 | 530 | 523 | 527 | 336 | 156 | 269 | 1,090 | 932 | 1,050 |
| 21 | 610 | 598 | 603 | 536 | 523 | 530 | 396 | 336 | 370 | 1,020 | 935 | 989 |
| 22 | 622 | 609 | 613 | 530 | 521 | 525 | 427 | 396 | 414 | 935 | 882 | 903 |
| 23 | 627 | 615 | 621 | 527 | 511 | 518 | 445 | 427 | 436 | 882 | 865 | 873 |
| 24 | 631 | 619 | 626 | 524 | 513 | 520 | 456 | 445 | 452 | 875 | 828 | 858 |
| 25 | 631 | 208 | 477 | 532 | 522 | 527 | 553 | 453 | 477 | 838 | 829 | 833 |
| 26 | 473 | 310 | 409 | 537 | 525 | 531 | 747 | 553 | 684 | 866 | 832 | 845 |
| 27 | 529 | 473 | 506 | 537 | 525 | 531 | 727 | 650 | 677 | 874 | 849 | 865 |
| 28 | 531 | 470 | 511 | 535 | 524 | 530 | 650 | 614 | 625 | 922 | 834 | 850 |
| 29 | 478 | 225 | 357 | 537 | 527 | 531 | 615 | 571 | 589 | 1,110 | 922 | 1,040 |
| 30 | 428 | 330 | 388 | 536 | 528 | 532 | 571 | 358 | 476 | 2,220 | 1,040 | 1,680 |
| 31 | --- | --- | --- | --- | --- | --- | 410 | 231 | 340 | 2,160 | 1,750 | 1,970 |
| MONTH | 631 | 208 | 538 | 687 | 250 | 533 | 1,110 | 114 | 559 | 2,220 | 119 | 762 |

03262001 WOOLPER CREEK AT WOOLPER ROAD NEAR BURLINGTON, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 8.1 | 7.9 | 8.0 | 8.0 | 7.9 | 8.0 | 8.4 | 8.1 | 8.3 | 7.8 | 7.6 | 7.7 |
| 2 | 8.1 | 7.9 | 8.0 | 8.1 | 7.9 | 7.9 | 8.5 | 8.1 | 8.3 | 7.9 | 7.7 | 7.8 |
| 3 | 8.2 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 | 8.5 | 8.1 | 8.3 | 8.0 | 7.9 | 7.9 |
| 4 | --- | --- | --- | 8.0 | 7.7 | 7.9 | 8.5 | 8.2 | 8.4 | --- | --- | --- |
| 5 | 8.0 | 7.8 | 7.9 | 8.0 | 7.8 | 7.9 | 8.6 | 8.2 | 8.4 | --- | --- | --- |
| 6 | 8.0 | 7.7 | 7.8 | 7.9 | 7.8 | 7.8 | 8.6 | 8.3 | 8.4 | 8.1 | 8.0 | 8.0 |
| 7 | 8.0 | 7.7 | 7.8 | 8.1 | 7.7 | 7.9 | 8.5 | 8.2 | 8.4 | 8.1 | 7.9 | 8.0 |
| 8 | 8.2 | 7.7 | 7.9 | 8.1 | 7.7 | 7.9 | 8.6 | 8.2 | 8.4 | 8.2 | 8.0 | 8.1 |
| 9 | 8.2 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 8.4 | 8.1 | 8.3 | 8.2 | 8.0 | 8.1 |
| 10 | 8.1 | 7.8 | 7.9 | 7.9 | 7.5 | 7.8 | 8.4 | 8.1 | 8.3 | 8.2 | 8.0 | 8.1 |
| 11 | 8.1 | 7.9 | 8.0 | 7.8 | 7.5 | 7.7 | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 |
| 12 | 8.1 | 7.9 | 8.0 | 7.9 | 7.7 | 7.8 | 8.2 | 8.1 | 8.1 | 8.2 | 7.9 | 8.0 |
| 13 | 8.1 | 7.9 | 8.0 | 7.9 | 7.8 | 7.8 | 8.3 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 14 | 8.2 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 | 8.2 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 15 | 8.2 | 7.9 | 8.0 | 7.9 | 7.8 | 7.9 | 8.5 | 8.0 | 8.2 | 8.2 | 8.0 | 8.1 |
| 16 | 8.2 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 | 8.6 | 8.1 | 8.3 | 8.2 | 8.0 | 8.1 |
| 17 | 8.4 | 7.9 | 8.1 | 8.1 | 7.8 | 7.9 | 8.3 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 18 | 8.3 | 8.0 | 8.1 | 8.1 | 7.8 | 8.0 | 8.5 | 8.0 | 8.2 | 8.2 | 8.0 | 8.1 |
| 19 | 8.1 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 | 8.1 | 7.7 | 7.9 | 8.2 | 8.0 | 8.1 |
| 20 | 8.3 | 8.1 | 8.2 | 8.3 | 7.9 | 8.1 | 7.9 | 7.7 | 7.8 | 8.2 | 8.0 | 8.1 |
| 21 | 8.3 | 8.1 | 8.2 | 8.3 | 7.9 | 8.1 | 8.0 | 7.9 | 8.0 | 8.3 | 8.0 | 8.2 |
| 22 | 8.3 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 8.1 | 8.0 | 8.0 | 8.3 | 8.0 | 8.1 |
| 23 | 8.3 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 24 | 8.4 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 |
| 25 | 8.2 | 7.9 | 8.1 | 8.2 | 8.0 | 8.1 | 8.2 | 8.1 | 8.1 | 8.2 | 7.9 | 8.1 |
| 26 | 8.2 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 | 8.1 | 8.0 | 8.0 |
| 27 | 8.3 | 8.2 | 8.2 | 8.4 | 8.0 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | 7.9 | 8.0 |
| 28 | 8.4 | 8.2 | 8.3 | 8.4 | 8.0 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | 7.9 | 8.0 |
| 29 | 8.2 | 8.1 | 8.2 | 8.4 | 8.1 | 8.3 | 8.2 | 8.0 | 8.1 | 8.3 | 8.0 | 8.1 |
| 30 | 8.2 | 8.1 | 8.2 | 8.4 | 8.1 | 8.2 | 8.0 | 7.8 | 7.9 | 8.3 | 8.0 | 8.2 |
| 31 | --- | --- | --- | --- | --- | --- | 8.0 | 7.7 | 7.8 | 8.3 | 8.0 | 8.2 |
| MONTH | 8.4 | 7.7 | 8.1 | 8.4 | 7.5 | 8.0 | 8.6 | 7.7 | 8.2 | 8.3 | 7.6 | 8.1 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.3 | 8.0 | 8.2 | 8.5 | 8.1 | 8.3 | 8.8 | 8.1 | 8.4 | 8.4 | 7.7 | 8.0 |
| 2 | 8.4 | 8.0 | 8.2 | 8.4 | 8.1 | 8.2 | 8.8 | 8.0 | 8.4 | 8.3 | 7.8 | 8.1 |
| 3 | 8.3 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.7 | 8.0 | 8.3 | 8.3 | 7.9 | 8.1 |
| 4 | 8.3 | 8.0 | 8.1 | 8.6 | 8.2 | 8.4 | 8.6 | 8.0 | 8.3 | 8.6 | 8.0 | 8.3 |
| 5 | 8.4 | 7.9 | 8.1 | 8.2 | 8.1 | 8.1 | 8.5 | 8.0 | 8.2 | 8.2 | 7.7 | 7.9 |
| 6 | 8.5 | 8.0 | 8.2 | 8.6 | 8.1 | 8.3 | 8.7 | 8.1 | 8.4 | 8.3 | 7.9 | 8.1 |
| 7 | 8.5 | 8.1 | 8.3 | 8.6 | 8.2 | 8.4 | 8.3 | 8.0 | 8.2 | 8.3 | 8.0 | 8.1 |
| 8 | 8.5 | 8.1 | 8.3 | 8.7 | 8.2 | 8.4 | 8.5 | 7.9 | 8.2 | 8.5 | 8.0 | 8.3 |
| 9 | 8.5 | 8.1 | 8.3 | 8.7 | 8.2 | 8.4 | 8.5 | 8.0 | 8.2 | 8.5 | 8.0 | 8.2 |
| 10 | 8.5 | 8.1 | 8.3 | 8.6 | 8.2 | 8.4 | 8.7 | 8.1 | 8.4 | 8.2 | 7.8 | 7.9 |
| 11 | 8.5 | 8.1 | 8.3 | 8.6 | 8.2 | 8.4 | 8.7 | 8.0 | 8.3 | 8.0 | 7.9 | 8.0 |
| 12 | 8.5 | 8.1 | 8.3 | 8.6 | 8.2 | 8.4 | 8.7 | 8.0 | 8.3 | 8.1 | 7.9 | 8.0 |
| 13 | 8.5 | 8.1 | 8.3 | 8.6 | 8.1 | 8.3 | 8.6 | 8.0 | 8.3 | 8.1 | 8.0 | 8.0 |
| 14 | 8.4 | 8.1 | 8.3 | 8.8 | 8.0 | 8.4 | 8.5 | 8.0 | 8.2 | 8.2 | 8.0 | 8.1 |
| 15 | 8.2 | 8.0 | 8.1 | 8.7 | 8.0 | 8.4 | 8.5 | 7.9 | 8.2 | 8.3 | 8.0 | 8.1 |
| 16 | 8.3 | 8.1 | 8.2 | 8.8 | 8.0 | 8.4 | 8.4 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 |
| 17 | 8.5 | 8.1 | 8.2 | 8.8 | 8.0 | 8.4 | 8.4 | 7.9 | 8.1 | 8.3 | 7.9 | 8.1 |
| 18 | 8.5 | 8.1 | 8.3 | 8.8 | 8.0 | 8.4 | 8.5 | 8.0 | 8.2 | 8.4 | 7.9 | 8.1 |
| 19 | 8.5 | 8.1 | 8.3 | 8.6 | 7.9 | 8.2 | 8.6 | 8.0 | 8.3 | 8.5 | 7.9 | 8.1 |
| 20 | 8.5 | 8.1 | 8.3 | 8.7 | 8.0 | 8.3 | 8.5 | 7.9 | 8.2 | 8.2 | 7.8 | 8.0 |
| 21 | 8.4 | 8.0 | 8.2 | 8.2 | 8.0 | 8.1 | 8.2 | 7.9 | 8.1 | 8.5 | 7.9 | 8.2 |
| 22 | 8.0 | 7.9 | 7.9 | 8.7 | 8.0 | 8.3 | 8.6 | 8.0 | 8.2 | 8.5 | 7.8 | 8.1 |
| 23 | 8.1 | 7.9 | 8.0 | 8.7 | 7.9 | 8.3 | 8.6 | 8.0 | 8.3 | --- | --- | --- |
| 24 | 8.2 | 8.0 | 8.1 | 8.7 | 7.9 | 8.3 | 8.6 | 7.9 | 8.3 | 8.4 | 7.9 | 8.2 |
| 25 | 8.2 | 8.0 | 8.1 | 8.7 | 7.9 | 8.3 | 8.3 | 7.9 | 8.1 | 8.2 | 7.9 | 8.1 |
| 26 | 8.3 | 8.1 | 8.2 | 8.7 | 7.9 | 8.3 | 8.5 | 8.0 | 8.2 | 8.3 | 8.0 | 8.1 |
| 27 | 8.3 | 8.1 | 8.2 | 8.7 | 7.9 | 8.3 | 8.4 | 7.9 | 8.1 | 8.3 | 7.9 | 8.1 |
| 28 | 8.4 | 8.1 | 8.2 | 8.6 | 7.9 | 8.2 | 8.4 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 |
| 29 | --- | --- | --- | 8.3 | 7.9 | 8.1 | 8.2 | 7.7 | 7.9 | 8.1 | 7.8 | 7.9 |
| 30 | --- | --- | --- | --- | --- | --- | 8.1 | 7.7 | 7.9 | 8.1 | 7.8 | 7.9 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.8 | 7.9 |
| MONTH | 8.5 | 7.9 | 8.2 | 8.8 | 7.9 | 8.3 | 8.8 | 7.7 | 8.2 | 8.6 | 7.7 | 8.1 |

03262001 WOOLPER CREEK AT WOOLPER ROAD NEAR BURLINGTON, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 21.5 | 18.6 | 20.0 | 9.1 | 7.5 | 8.6 | 1.9 | 0.5 | 1.2 | 7.1 | 4.9 | 5.7 |
| 2 | 22.3 | 19.8 | 20.8 | 7.5 | 5.4 | 6.5 | 2.3 | 0.1 | 1.2 | 4.9 | 3.8 | 4.5 |
| 3 | 22.6 | 19.6 | 20.6 | 6.9 | 5.7 | 6.4 | 1.8 | 0.2 | 1.1 | 3.8 | 2.9 | 3.2 |
| 4 | 22.0 | 20.6 | 21.2 | 7.7 | 6.9 | 7.3 | 0.3 | -0.2 | 0.0 | --- | --- | --- |
| 5 | 20.6 | 17.8 | 18.9 | 9.3 | 7.6 | 8.0 | 0.7 | -0.2 | 0.1 | --- | --- | --- |
| 6 | 18.0 | 15.4 | 17.0 | 9.3 | 8.1 | 8.7 | 0.9 | -0.2 | 0.1 | 3.6 | 2.4 | 3.3 |
| 7 | 17.5 | 14.5 | 16.2 | 9.1 | 7.0 | 8.2 | 0.7 | -0.2 | 0.1 | 2.6 | 1.2 | 2.0 |
| 8 | 16.1 | 12.9 | 14.3 | 9.7 | 7.0 | 8.5 | 1.4 | -0.2 | 0.4 | 4.4 | 1.9 | 3.1 |
| 9 | 15.6 | 13.1 | 14.2 | 12.1 | 9.4 | 10.6 | 0.5 | -0.3 | 0.0 | 4.7 | 2.7 | 3.8 |
| 10 | 15.4 | 14.2 | 14.8 | 15.1 | 12.1 | 13.5 | 0.5 | -0.3 | 0.1 | 3.9 | 1.4 | 2.9 |
| 11 | 16.3 | 14.9 | 15.6 | 13.7 | 11.4 | 12.9 | 2.1 | 0.0 | 0.5 | 1.4 | -0.3 | 0.2 |
| 12 | 17.5 | 15.7 | 16.5 | 11.4 | 9.5 | 10.0 | 3.5 | 2.1 | 3.1 | 0.0 | -0.3 | -0.2 |
| 13 | 16.9 | 14.3 | 16.1 | 9.9 | 8.1 | 9.1 | 4.3 | 3.5 | 3.7 | 0.5 | -0.2 | 0.0 |
| 14 | 14.3 | 11.7 | 13.0 | 9.9 | 8.2 | 9.1 | 4.4 | 3.8 | 4.1 | 0.1 | -0.3 | -0.1 |
| 15 | 12.2 | 10.5 | 11.4 | 9.6 | 8.9 | 9.2 | 4.9 | 2.6 | 3.9 | -0.2 | -0.2 | -0.2 |
| 16 | 11.5 | 10.1 | 10.9 | 8.9 | 6.7 | 7.7 | 4.9 | 3.9 | 4.5 | -0.2 | -0.2 | -0.2 |
| 17 | 11.7 | 9.6 | 10.3 | 6.9 | 5.8 | 6.5 | 4.5 | 3.4 | 3.7 | -0.1 | -0.2 | -0.2 |
| 18 | 12.4 | 8.7 | 10.4 | 5.8 | 4.1 | 5.0 | 7.2 | 4.5 | 5.9 | -0.1 | -0.2 | -0.2 |
| 19 | 12.1 | 11.5 | 11.8 | 8.3 | 5.6 | 6.9 | 8.0 | 7.2 | 7.6 | -0.1 | -0.2 | -0.2 |
| 20 | 11.7 | 10.3 | 11.1 | 7.4 | 5.1 | 6.4 | 7.7 | 5.5 | 6.4 | -0.1 | -0.2 | -0.2 |
| 21 | 12.2 | 9.6 | 10.7 | 8.0 | 6.3 | 7.1 | 5.5 | 4.3 | 4.9 | 0.0 | -0.2 | -0.2 |
| 22 | 12.1 | 8.5 | 10.1 | 7.2 | 5.3 | 6.0 | 5.9 | 4.2 | 5.2 | -0.1 | -0.2 | -0.2 |
| 23 | 11.9 | 8.3 | 9.8 | 5.5 | 4.1 | 4.8 | 4.2 | 2.4 | 3.1 | -0.2 | -0.2 | -0.2 |
| 24 | 11.9 | 9.2 | 10.1 | 5.4 | 3.3 | 4.5 | 3.5 | 2.8 | 3.2 | -0.1 | -0.2 | -0.2 |
| 25 | 12.0 | 9.4 | 10.2 | 4.9 | 4.2 | 4.5 | 2.8 | 1.7 | 2.1 | -0.1 | -0.2 | -0.2 |
| 26 | 12.0 | 11.7 | 11.9 | 4.2 | 2.9 | 3.3 | 1.7 | 1.0 | 1.3 | -0.2 | -0.2 | -0.2 |
| 27 | 12.1 | 11.3 | 11.7 | 3.4 | 1.7 | 2.7 | 1.8 | 0.6 | 1.2 | -0.2 | -0.2 | -0.2 |
| 28 | 11.5 | 10.4 | 11.0 | 1.9 | 0.9 | 1.4 | 2.3 | 0.4 | 1.4 | -0.2 | -0.2 | -0.2 |
| 29 | 10.9 | 9.2 | 10 | 3.3 | 0.6 | 1.9 | 3.1 | 1.1 | 2.1 | -0.1 | -0.2 | -0.2 |
| 30 | 9.6 | 8.9 | 9.1 | 3.4 | 1.7 | 2.9 | 7.2 | 2.2 | 4.5 | -0.1 | -0.3 | -0.2 |
| 31 | 9.6 | 8.9 | 9.4 | --- | --- | --- | 7.5 | 7.1 | 7.3 | 0.0 | -0.3 | -0.2 |
| MONTH | 22.6 | 8.3 | 13.5 | 15.1 | 0.6 | 6.9 | 8.0 | -0.3 | 2.7 | 7.1 | -0.3 | 0.9 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 0.2 | -0.2 | -0.1 | 4.3 | 2.8 | 3.5 | 14.6 | 7.4 | 10.6 | 22.6 | 17.0 | 19.5 |
| 2 | 0.7 | -0.2 | 0.0 | 3.5 | 2.1 | 3.1 | 17.2 | 10.9 | 13.9 | 19.8 | 12.3 | 17.5 |
| 3 | 1.3 | -0.2 | 0.4 | 3.0 | -0.3 | 1.4 | 18.5 | 12.8 | 15.6 | 15.7 | 14.1 | 14.6 |
| 4 | 2.6 | 0.6 | 2.0 | 5.0 | 0.5 | 2.7 | 17.8 | 14.8 | 16.3 | 14.4 | 11.8 | 13.4 |
| 5 | 0.6 | -0.3 | 0.1 | 5.2 | 3.5 | 4.6 | 16.9 | 9.9 | 13.2 | 17.0 | 12.6 | 14.6 |
| 6 | 0.4 | -0.3 | 0.0 | 3.7 | 1.9 | 2.9 | 9.9 | 8.0 | 8.6 | 20.1 | 15.4 | 17.2 |
| 7 | 0.8 | -0.3 | 0.1 | 4.8 | 0.9 | 2.4 | 9.9 | 7.7 | 8.6 | 18.1 | 16.8 | 17.4 |
| 8 | 0.0 | -0.3 | -0.2 | 7.6 | 1.5 | 4.4 | 9.7 | 8.3 | 8.9 | 20.3 | 15.8 | 17.9 |
| 9 | 1.0 | -0.2 | 0.2 | 7.1 | 3.8 | 5.7 | 8.6 | 6.7 | 7.3 | 20.3 | 17.3 | 18.7 |
| 10 | 0.6 | -0.3 | 0.1 | 4.3 | 0.7 | 2.6 | 11.1 | 6.0 | 8.1 | 19.6 | 17.1 | 17.9 |
| 11 | 0.0 | -0.3 | -0.2 | 5.6 | 0.9 | 3.2 | 13.9 | 7.0 | 10.2 | 18.3 | 15.5 | 17.1 |
| 12 | 0.3 | -0.3 | -0.2 | 5.7 | 3.6 | 4.5 | 15.1 | 8.8 | 11.8 | 15.9 | 13.8 | 14.8 |
| 13 | 0.0 | -0.3 | -0.2 | 6.0 | 4.3 | 5.0 | 15.5 | 9.4 | 12.4 | 18.1 | 12.3 | 15.0 |
| 14 | -0.1 | -0.3 | -0.2 | 7.7 | 2.6 | 5.0 | 16.7 | 9.7 | 13.2 | 17.1 | 13.4 | 15.3 |
| 15 | 0.7 | -0.2 | 0.1 | 9.6 | 4.3 | 6.7 | 18.9 | 12.3 | 15.6 | 18.2 | 15.0 | 16.6 |
| 16 | 0.0 | -0.2 | -0.2 | 12.2 | 6.6 | 9.3 | 19.1 | 14.2 | 16.9 | 19.1 | 14.9 | 16.8 |
| 17 | -0.1 | -0.2 | -0.2 | 12.5 | 8.8 | 10.7 | 17.6 | 15.4 | 16.0 | 18.1 | 16.4 | 16.9 |
| 18 | 0.4 | -0.2 | 0.0 | 13.4 | 10.3 | 11.9 | 16.8 | 14.3 | 15.4 | 18.7 | 16.4 | 17.4 |
| 19 | 0.7 | 0.0 | 0.3 | 13.5 | 11.2 | 12.7 | 19.5 | 13.1 | 16.3 | 20.3 | 17.2 | 18.5 |
| 20 | 2.8 | -0.1 | 1.1 | 13.6 | 9.8 | 11.6 | 19.1 | 16.1 | 17.5 | 19.5 | 17.4 | 18.6 |
| 21 | 2.1 | 0.7 | 1.4 | 12.5 | 9.4 | 11.1 | 16.5 | 13.9 | 15.0 | 19.7 | 15.6 | 17.4 |
| 22 | 2.4 | 1.0 | 1.8 | 11.6 | 7.2 | 9.6 | 13.9 | 11.3 | 12.7 | 19.6 | 15.2 | 17.1 |
| 23 | 2.4 | 0.7 | 1.5 | 12.8 | 8.8 | 10.8 | 15.0 | 8.4 | 11.6 | --- | --- | --- |
| 24 | 2.3 | 0.2 | 1.3 | 14.5 | 8.6 | 11.5 | 13.0 | 9.9 | 11.6 | 18.1 | 13.8 | 16.0 |
| 25 | 1.4 | -0.3 | 0.4 | 14.7 | 10.2 | 12.6 | 12.5 | 11.5 | 11.8 | 16.6 | 14.7 | 15.3 |
| 26 | 1.1 | -0.2 | 0.3 | 15.1 | 10.8 | 12.8 | 17.2 | 11.1 | 13.7 | 16.2 | 13.8 | 14.9 |
| 27 | 2.4 | 0.0 | 1.1 | 14.0 | 8.7 | 11.5 | 17.8 | 11.4 | 14.7 | 18.7 | 14.4 | 16.4 |
| 28 | 3.6 | 1.3 | 2.4 | 15.9 | 11.7 | 13.7 | 18.7 | 12.1 | 15.6 | 17.9 | 15.1 | 16.6 |
| 29 | --- | --- | --- | 14.3 | 8.2 | 10.0 | 20.9 | 16.1 | 18.1 | 18.2 | 15.2 | 16.4 |
| 30 | --- | --- | --- | --- | --- | --- | 20.5 | 16.7 | 18.4 | 17.5 | 14.6 | 16.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.8 | 15.7 | 16.3 |
| MONTH | 3.6 | -0.3 | 0.5 | 15.9 | -0.3 | 7.5 | 20.9 | 6.0 | 13.3 | 22.6 | 11.8 | 16.6 |

03262001 WOOLPER CREEK AT WOOLPER ROAD NEAR BURLINGTON, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 9.6 | 7.7 | 8.5 | 11.0 | 9.8 | 10.3 | 16.0 | 12.8 | 14.1 | 11.9 | 11.0 | 11.5 |
| 2 | 9.7 | 7.5 | 8.3 | 11.5 | 10.2 | 10.8 | 16.3 | 13.2 | 14.3 | 11.8 | 11.6 | 11.7 |
| 3 | 10.2 | 7.4 | 8.4 | 11.6 | 10.2 | 10.8 | 16.4 | 13.0 | 14.4 | 12.6 | 11.7 | 12.2 |
| 4 | --- | --- | --- | 11.0 | 10.1 | 10.4 | 16.4 | 13.2 | 14.5 | --- | --- | --- |
| 5 | 8.9 | 7.3 | 7.9 | 10.7 | 9.9 | 10.2 | 16.6 | 13.0 | 14.6 | --- | --- | --- |
| 6 | 9.4 | 7.2 | 8.0 | 10.3 | 9.8 | 10 | 16.4 | 13.4 | 14.6 | 12.9 | 11.9 | 12.4 |
| 7 | 9.5 | 6.9 | 7.9 | 11.1 | 9.6 | 10.2 | 16.2 | 13.4 | 14.5 | 13.7 | 12.3 | 12.9 |
| 8 | 10.7 | 7.2 | 8.3 | 10.9 | 8.8 | 10 | 16.5 | 13.4 | 14.6 | 13.3 | 11.5 | 12.4 |
| 9 | 10.4 | 6.9 | 8.1 | 10.3 | 8.0 | 9.1 | 16.8 | 13.2 | 14.6 | 13.1 | 11.5 | 12.1 |
| 10 | 9.2 | 6.6 | 7.6 | 9.1 | 7.7 | 8.3 | 16.3 | 13.3 | 14.4 | 13.7 | 11.7 | 12.6 |
| 11 | 8.8 | 6.9 | 8.1 | 8.7 | 8.1 | 8.4 | 13.5 | 12.5 | 13.1 | 14.8 | 12.7 | 13.8 |
| 12 | 8.9 | 7.1 | 7.9 | 9.6 | 8.4 | 9.1 | 12.6 | 11.8 | 12.2 | 15.2 | 13.4 | 14.1 |
| 13 | 9.4 | 7.0 | 7.8 | 10.6 | 9.1 | 9.6 | 12.4 | 11.5 | 11.9 | 15.1 | 13.3 | 14.0 |
| 14 | 10.0 | 7.3 | 8.5 | 11.0 | 9.4 | 10.0 | 12.2 | 11.4 | 11.7 | 14.9 | 13.3 | 13.9 |
| 15 | 10.8 | 7.9 | 8.8 | 10.3 | 9.4 | 9.7 | 13.7 | 10.9 | 12.1 | 15.7 | 13.4 | 14.3 |
| 16 | 10.6 | 7.8 | 8.8 | 11.1 | 9.7 | 10.4 | 14.2 | 10.9 | 12.0 | 14.6 | 13.3 | 13.8 |
| 17 | 11.5 | 8.0 | 9.2 | 12.2 | 10.3 | 11.0 | 12.3 | 11.2 | 11.6 | 15.2 | 13.3 | 14.0 |
| 18 | 11.0 | 8.0 | 9.1 | 12.8 | 10.7 | 11.6 | 12.5 | 10.1 | 11.2 | 15.6 | 13.3 | 14.2 |
| 19 | 8.9 | 7.4 | 8.2 | 12.4 | 10.3 | 11.2 | 11.1 | 10.0 | 10.5 | 15.6 | 13.3 | 14.1 |
| 20 | 10.8 | 8.6 | 9.4 | 13.0 | 10.3 | 11.4 | 11.5 | 10.9 | 11.3 | 15.3 | 13.2 | 14.1 |
| 21 | 10.5 | 8.4 | 9.2 | 13.3 | 10.2 | 11.1 | 12.2 | 11.4 | 11.8 | 16.2 | 13.3 | 14.4 |
| 22 | 10.7 | 8.3 | 9.3 | 12.5 | 10.2 | 11.2 | 11.9 | 11.5 | 11.6 | 16.3 | 13.3 | 14.5 |
| 23 | 10.8 | 8.4 | 9.3 | 14.2 | 11.0 | 12.3 | 13.2 | 11.8 | 12.5 | 16.2 | 13.4 | 14.6 |
| 24 | 11.2 | 8.2 | 9.3 | 14.5 | 11.3 | 12.5 | 12.9 | 12.0 | 12.3 | 16.9 | 13.4 | 14.9 |
| 25 | 10.6 | 7.9 | 9.1 | 13.4 | 11.2 | 12.0 | 13.3 | 12.0 | 12.7 | 16.8 | 13.4 | 14.8 |
| 26 | 9.9 | 9.4 | 9.7 | 14.2 | 11.7 | 12.8 | 13.9 | 12.8 | 13.3 | 14.7 | 13.3 | 13.9 |
| 27 | 10.1 | 9.1 | 9.5 | 15.4 | 12.2 | 13.5 | 14.2 | 13.0 | 13.5 | 15.9 | 13.5 | 14.4 |
| 28 | 10.2 | 9.1 | 9.6 | 15.9 | 12.8 | 14.0 | 14.2 | 12.5 | 13.3 | 15.3 | 13.4 | 14.2 |
| 29 | 10.7 | 9.2 | 10.0 | 15.4 | 12.2 | 13.8 | 14.0 | 12.3 | 13.0 | 16.4 | 13.3 | 14.5 |
| 30 | 10.6 | 10.2 | 10.4 | 15.0 | 11.8 | 13.0 | 12.4 | 10.9 | 11.8 | 16.4 | 13.7 | 14.7 |
| 31 | --- | --- | --- | --- | --- | --- | 11.1 | 10.8 | 10.9 | 16.2 | 13.5 | 14.5 |
| MONTH | 11.5 | 6.6 | 8.8 | 15.9 | 7.7 | 11.0 | 16.8 | 10.0 | 12.9 | 16.9 | 11.0 | 13.7 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 15.9 | 13.0 | 14.2 | 14.8 | 13.1 | 13.7 | 11.6 | 7.1 | 9.3 | 10.0 | 6.1 | 7.5 |
| 2 | 15.9 | 13.4 | 14.4 | 14.1 | 13.4 | 13.6 | 11.2 | 6.3 | 8.5 | 10.2 | 6.4 | 8.2 |
| 3 | 14.5 | 12.8 | 13.7 | 15.9 | 13.8 | 14.6 | 10.3 | 6.0 | 7.8 | 10.1 | 8.4 | 9.0 |
| 4 | 13.6 | 12.5 | 13.1 | 15.6 | 12.5 | 14.1 | 9.6 | 5.8 | 7.2 | 12.2 | 8.2 | 9.7 |
| 5 | 15.9 | 12.2 | 14.1 | 12.9 | 12.5 | 12.6 | 9.3 | 6.0 | 7.8 | 10.5 | 8.5 | 9.9 |
| 6 | 16.1 | 13.0 | 14.4 | 15.0 | 12.9 | 13.8 | 11.6 | 7.8 | 9.3 | 10.2 | 8.7 | 9.5 |
| 7 | 16.6 | 13.3 | 14.9 | 15.3 | 12.7 | 14.0 | 10.0 | 7.7 | 8.5 | 10.4 | 8.9 | 9.5 |
| 8 | 16.7 | 12.3 | 14.5 | 15.4 | 11.1 | 13.3 | 10.2 | 7.7 | 8.6 | 11.7 | 8.3 | 9.8 |
| 9 | 16.8 | 13.9 | 15.0 | 14.8 | 11.1 | 12.8 | 10.6 | 7.9 | 9.1 | 11.5 | 8.2 | 9.5 |
| 10 | 16.4 | 13.7 | 14.7 | 15.5 | 12.1 | 13.8 | 11.6 | 7.5 | 9.6 | 10.4 | 8.0 | 9.5 |
| 11 | 16.6 | 13.0 | 14.7 | 15.4 | 11.9 | 13.7 | 11.3 | 6.7 | 8.9 | 10.2 | 9.3 | 9.8 |
| 12 | 16.8 | 13.2 | 14.9 | 14.6 | 10.7 | 12.6 | 11.4 | 6.7 | 8.6 | 10.5 | 9.4 | 10.0 |
| 13 | 17.1 | 13.2 | 15.0 | 13.0 | 10.6 | 11.3 | 11.4 | 6.6 | 8.5 | 10.9 | 9.0 | 10 |
| 14 | 16.5 | 13.7 | 14.8 | 14.2 | 10.2 | 12.0 | 11.1 | 6.4 | 8.4 | 10.9 | 8.9 | 9.9 |
| 15 | 14.3 | 13.9 | 14.1 | 13.8 | 9.2 | 11.4 | 11.0 | 6.1 | 8.2 | 11.0 | 8.7 | 9.7 |
| 16 | 14.9 | 13.4 | 14.0 | 13.4 | 8.4 | 10.6 | 11.2 | 6.0 | 8.0 | 11.8 | 8.3 | 9.9 |
| 17 | 15.5 | 13.6 | 14.3 | 13.1 | 7.9 | 10.1 | 10.3 | 6.2 | 8.0 | 10.7 | 8.3 | 9.5 |
| 18 | 15.8 | 13.6 | 14.4 | 12.6 | 7.5 | 9.4 | 12.6 | 7.4 | 9.2 | 12.1 | 8.6 | 10.0 |
| 19 | 15.7 | 13.4 | 14.2 | 11.5 | 7.4 | 8.8 | 14.0 | 7.4 | 10.1 | 13.1 | 8.4 | 9.9 |
| 20 | 15.9 | 12.9 | 14.1 | 10.9 | 7.9 | 9.5 | 12.8 | 7.2 | 9.5 | 10.6 | 7.8 | 9.3 |
| 21 | 14.4 | 12.8 | 13.4 | 9.6 | 8.0 | 8.9 | 10.5 | 9.1 | 9.7 | 12.7 | 8.7 | 10.4 |
| 22 | 14.2 | 13.0 | 13.6 | 12.3 | 8.4 | 10.1 | 13.3 | 9.1 | 10.7 | 15.0 | 8.5 | 11.1 |
| 23 | 14.4 | 13.8 | 14.1 | 12.4 | 7.9 | 9.7 | 14.5 | 9.0 | 11.5 | --- | --- | --- |
| 24 | 15.0 | 14.0 | 14.4 | 12.0 | 7.2 | 9.3 | 14.8 | 8.9 | 11.5 | 14.6 | 9.7 | 11.6 |
| 25 | 15.5 | 13.9 | 14.8 | 11.7 | 7.1 | 8.7 | 11.8 | 8.9 | 9.9 | 12.4 | 9.2 | 10.5 |
| 26 | 15.6 | 14.5 | 15.0 | 11.2 | 7.0 | 8.7 | 13.4 | 8.0 | 10.4 | 12.6 | 9.2 | 10.7 |
| 27 | 15.6 | 13.8 | 14.7 | 11.4 | 6.7 | 8.7 | 12.4 | 7.6 | 9.6 | 12.3 | 8.3 | 10.2 |
| 28 | 15.4 | 13.4 | 14.3 | 10.8 | 6.1 | 8.0 | 11.5 | 6.7 | 8.8 | 11.1 | 7.7 | 9.5 |
| 29 | --- | --- | --- | 9.8 | 6.3 | 8.8 | 10.3 | 6.3 | 7.8 | 10.2 | 8.3 | 9.7 |
| 30 | --- | --- | --- | --- | --- | --- | 9.2 | 6.0 | 7.2 | 10.4 | 8.0 | 9.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 7.6 | 8.3 |
| MONTH | 17.1 | 12.2 | 14.3 | 15.9 | 6.1 | 11.3 | 14.8 | 5.8 | 9.0 | 15.0 | 6.1 | 9.7 |

03262001 WOOLPER CREEK AT WOOLPER ROAD NEAR BURLINGTON, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-------|-----|------|-------|-----|------|-------|-----|------|-------|-----|------|
| | | | | | | | | | | | | |
| 1 | 21 | 12 | 16 | 12 | 6.0 | 8.2 | 4.9 | 2.9 | 3.7 | 1,000 | 78 | 260 |
| 2 | 19 | 9.0 | 12 | 11 | 3.0 | 4.8 | 6.9 | 2.9 | 3.8 | 78 | 44 | 56 |
| 3 | 13 | 6.0 | 9.3 | 5.0 | 1.0 | 3.0 | 4.0 | 3.0 | 3.4 | 46 | 33 | 40 |
| 4 | --- | --- | --- | 3.0 | 1.0 | 2.0 | 4.9 | 2.9 | 3.0 | 33 | 12 | 25 |
| 5 | 240 | 28 | 65 | 260 | 2.0 | 4.9 | 4.9 | 2.8 | 3.2 | 31 | 14 | 26 |
| 6 | 55 | 11 | 25 | 160 | 24 | 58 | 3.7 | 2.7 | 2.7 | 32 | 13 | 29 |
| 7 | 18 | 11 | 14 | 25 | 14 | 19 | 3.7 | 2.6 | 2.8 | 32 | 28 | 30 |
| 8 | 13 | 8.0 | 11 | 15 | 11 | 12 | 3.5 | 2.5 | 2.5 | 29 | 26 | 27 |
| 9 | 15 | 4.0 | 9.4 | 12 | 9.0 | 10 | 3.5 | 2.4 | 2.7 | 28 | 26 | 27 |
| 10 | 12 | 5.0 | 9.1 | 1,000 | 10 | 340 | 3.4 | 2.3 | 2.4 | 28 | 26 | 27 |
| 11 | 210 | 8.0 | 70 | 450 | 46 | 110 | 190 | 2.3 | 86 | 28 | 26 | 27 |
| 12 | 58 | 33 | 46 | 48 | 21 | 32 | 79 | 21 | 37 | 28 | 23 | 27 |
| 13 | 42 | 21 | 27 | 22 | 11 | 16 | 230 | 16 | 67 | 28 | 26 | 27 |
| 14 | 28 | 17 | 20 | 13 | 7.0 | 9.6 | 170 | 26 | 55 | 27 | 26 | 26 |
| 15 | 21 | 15 | 17 | 10 | 6.1 | 8.1 | 27 | 14 | 18 | 28 | 26 | 27 |
| 16 | 16 | 14 | 15 | 12 | 8.1 | 9.5 | 14 | 9.7 | 12 | 28 | 27 | 27 |
| 17 | 23 | 14 | 15 | 9.2 | 6.2 | 7.8 | 280 | 8.7 | 71 | 27 | 26 | 27 |
| 18 | 20 | 14 | 15 | 7.2 | 2.2 | 4.7 | 190 | 22 | 53 | 27 | 26 | 27 |
| 19 | 19 | 11 | 14 | 5.3 | 4.3 | 4.6 | 1,000 | 22 | 390 | 27 | 26 | 26 |
| 20 | 18 | 15 | 16 | 5.3 | 3.3 | 4.1 | 290 | 54 | 110 | 27 | 26 | 26 |
| 21 | 15 | 12 | 14 | 6.4 | 3.4 | 4.4 | 56 | 30 | 40 | 27 | 26 | 26 |
| 22 | 18 | 12 | 13 | 16 | 5.4 | 11 | 31 | 22 | 26 | 27 | 26 | 26 |
| 23 | 14 | 12 | 12 | 12 | 6.5 | 9.1 | 22 | 17 | 19 | 27 | 26 | 26 |
| 24 | 12 | 11 | 12 | 9.5 | 4.6 | 6.2 | 18 | 15 | 17 | 27 | 26 | 27 |
| 25 | 1,000 | 11 | 220 | 5.6 | 2.6 | 4.8 | 19 | 16 | 17 | 27 | 26 | 27 |
| 26 | 220 | 49 | 91 | 4.7 | 2.6 | 3.8 | 17 | 15 | 16 | 27 | 26 | 27 |
| 27 | 50 | 33 | 39 | 4.7 | 2.7 | 3.8 | 15 | 14 | 15 | 27 | 27 | 27 |
| 28 | 300 | 33 | 120 | 4.7 | 2.7 | 3.8 | 16 | 14 | 14 | 27 | 24 | 26 |
| 29 | 1,000 | 85 | 260 | 4.8 | 2.8 | 3.8 | 16 | 13 | 14 | 31 | 26 | 27 |
| 30 | 96 | 20 | 50 | 85 | 2.8 | 4.4 | 800 | 13 | 180 | 31 | 27 | 29 |
| 31 | --- | --- | --- | --- | --- | --- | 580 | 53 | 170 | 29 | 28 | 28 |
| MONTH | 1,000 | 4.0 | 43 | 1,000 | 1.0 | 26 | 1,000 | 2.3 | 47 | 1,000 | 12 | 36 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 29 | 28 | 28 | 140 | 56 | 82 | 17 | 13 | 15 | 14 | 3.0 | 6.8 |
| 2 | 100 | 29 | 43 | 130 | 72 | 85 | 24 | 14 | 15 | 990 | 6.7 | 170 |
| 3 | 100 | 56 | 70 | 79 | 53 | 62 | 16 | 13 | 14 | 670 | 60 | 220 |
| 4 | 310 | 64 | 130 | 100 | 55 | 70 | 17 | 13 | 14 | 78 | 17 | 30 |
| 5 | 68 | 57 | 62 | 250 | 98 | 140 | 29 | 15 | 21 | 990 | 46 | 460 |
| 6 | 60 | 52 | 56 | 98 | 62 | 75 | 20 | 17 | 18 | 120 | 34 | 60 |
| 7 | 56 | 51 | 54 | 66 | 47 | 56 | 460 | 17 | 130 | 52 | 23 | 31 |
| 8 | 57 | 41 | 50 | 52 | 31 | 41 | 140 | 25 | 50 | 28 | 18 | 22 |
| 9 | 59 | 53 | 55 | 36 | 27 | 31 | 27 | 22 | 24 | 25 | 14 | 20 |
| 10 | 58 | 54 | 56 | 31 | 17 | 25 | 23 | 16 | 20 | 990 | 17 | 320 |
| 11 | 67 | 48 | 56 | 26 | 9.0 | 16 | 19 | 13 | 15 | 990 | 63 | 190 |
| 12 | 62 | 41 | 54 | 11 | 3.0 | 5.4 | 14 | 10 | 12 | 63 | 26 | 40 |
| 13 | 61 | 50 | 57 | 98 | 5.0 | 33 | 12 | 8.0 | 9.4 | 27 | 16 | 21 |
| 14 | 64 | 48 | 54 | 110 | 13 | 44 | 9.0 | 2.0 | 6.1 | 19 | 11 | 14 |
| 15 | 550 | 62 | 200 | 13 | 9.0 | 11 | 5.0 | 1.0 | 3.0 | 16 | 8.0 | 11 |
| 16 | 75 | 44 | 57 | 18 | 9.0 | 12 | 4.0 | 2.0 | 2.4 | 11 | 6.0 | 8.2 |
| 17 | 53 | 44 | 48 | 13 | 11 | 12 | 3.9 | 2.2 | 2.6 | 16 | 7.0 | 9.3 |
| 18 | 46 | 43 | 45 | 15 | 11 | 13 | 6.1 | 3.2 | 3.9 | 20 | 6.0 | 11 |
| 19 | 45 | 42 | 43 | 490 | 13 | 120 | 10 | 3.9 | 5.3 | 10 | 3.0 | 5.3 |
| 20 | 71 | 14 | 44 | 420 | 38 | 100 | 1,000 | 6.3 | 62 | 140 | 4.0 | 23 |
| 21 | 160 | 47 | 75 | 310 | 40 | 110 | 1,000 | 71 | 460 | 100 | 23 | 39 |
| 22 | 1,000 | 99 | 390 | 91 | 36 | 66 | 71 | 17 | 34 | --- | --- | --- |
| 23 | 210 | 72 | 100 | 67 | 33 | 57 | 20 | 9.2 | 13 | --- | --- | --- |
| 24 | 74 | 56 | 63 | 76 | 35 | 62 | 14 | 6.7 | 8.9 | 6.4 | 2.3 | 3.7 |
| 25 | 63 | 55 | 58 | 150 | 42 | 71 | 9.5 | 6.8 | 8.0 | 12 | 4.5 | 6.1 |
| 26 | 57 | 52 | 54 | 100 | 73 | 90 | 11 | 7.1 | 9.4 | 10 | 7.2 | 8.5 |
| 27 | 55 | 52 | 53 | 350 | 64 | 90 | 14 | 7.0 | 9.4 | 20 | 7.7 | 9.2 |
| 28 | 56 | 52 | 54 | 790 | 78 | 94 | 12 | 8.8 | 10 | 990 | 8.9 | 65 |
| 29 | --- | --- | --- | 850 | 47 | 150 | 13 | 9.2 | 11 | 700 | 54 | 190 |
| 30 | --- | --- | --- | --- | --- | --- | 48 | 12 | 16 | 87 | 28 | 38 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 36 | 28 | 29 |
| MONTH | 1,000 | 14 | 75 | 850 | 3.0 | 63 | 1,000 | 1.0 | 34 | 990 | 2.3 | 71 |

03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY

LOCATION.--Lat 38°59'39", long 84°42'58", Boone County, Hydrologic Unit 05090203, on upstream right wing wall of bridge on Camp Ernst Road, 0.65 mi below South Fork Gunpowder Creek, 3.8 mi northwest of Union, and 14.2 mi above the mouth.

DRAINAGE AREA.--36.6 mi².

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--April 1999 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 683.066 ft above NGVD of 1929.

REMARKS.--Records fair except for periods of estimated records, which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|-------|-------|-------|---------|-------|----------|----------|----------|
| 1 | 6.3 | 17 | 6.5 | 1,030 | 20 | 151 | 33 | 11 | 8.0 | 0.91 | 0.35 | 331 |
| 2 | 4.7 | 12 | 5.8 | 182 | 50 | 172 | 31 | 113 | 5.1 | 0.60 | 412 | 342 |
| 3 | 8.4 | 9.9 | 6.1 | 99 | 62 | 89 | 25 | 31 | 86 | 0.46 | 51 | e360 |
| 4 | 75 | 9.5 | 4.6 | 58 | 240 | 78 | 18 | 16 | 19 | 0.25 | 704 | 56 |
| 5 | 34 | 71 | 5.6 | 61 | 42 | 182 | 88 | e980 | 10 | 3.3 | 117 | 19 |
| 6 | 9.3 | 95 | 9.9 | 65 | 27 | 108 | 24 | 140 | 6.2 | 1.4 | 28 | 12 |
| 7 | 6.8 | 30 | 8.7 | 41 | 26 | 63 | 79 | 84 | 9.9 | 5.3 | 21 | 8.1 |
| 8 | 4.4 | 18 | 11 | 33 | 18 | 46 | 34 | 45 | 91 | 2.0 | 14 | 6.3 |
| 9 | 2.9 | 14 | 11 | 27 | 19 | 38 | 52 | 47 | 27 | 254 | 171 | 4.9 |
| 10 | 2.4 | 252 | 12 | 22 | 24 | 27 | 31 | 989 | 9.9 | 276 | 185 | 4.0 |
| 11 | 99 | 163 | 237 | 25 | 23 | 25 | 24 | 275 | 20 | 20 | 113 | 2.4 |
| 12 | 17 | 38 | 108 | 15 | 18 | 24 | 18 | 72 | 81 | 11 | 39 | 1.2 |
| 13 | 8.8 | 23 | 177 | 13 | 19 | 93 | 17 | 39 | 29 | 4.2 | 14 | 0.76 |
| 14 | 5.4 | 17 | 159 | 12 | 50 | 52 | 13 | 25 | 125 | 1.6 | 15 | 0.67 |
| 15 | 3.9 | 23 | 52 | 11 | 372 | 34 | 12 | 26 | 110 | 56 | 11 | 6.5 |
| 16 | 3.2 | 40 | 31 | 9.2 | 92 | 29 | 13 | 16 | 33 | 76 | 8.9 | 1.8 |
| 17 | 5.5 | 18 | 150 | 11 | 54 | 27 | 21 | 64 | 15 | 5.2 | 3.7 | 0.54 |
| 18 | 3.0 | 13 | 124 | 9.3 | 35 | 24 | 20 | 47 | 10 | 2.0 | 1.9 | 0.27 |
| 19 | 22 | 12 | e810 | 9.4 | 38 | 133 | 11 | 22 | 9.8 | 164 | 1.1 | 0.14 |
| 20 | 15 | 11 | e350 | 9.2 | 64 | 97 | 42 | 47 | 13 | 7.3 | 0.42 | 0.18 |
| 21 | 5.7 | 21 | 79 | 7.5 | 249 | 156 | 120 | 43 | 5.5 | 90 | 0.20 | 0.11 |
| 22 | 3.9 | 44 | 46 | 6.4 | 1,230 | 63 | 21 | 23 | 3.9 | 36 | 82 | 295 |
| 23 | 2.5 | 16 | 31 | 6.8 | 286 | 44 | 12 | 13 | 3.1 | 46 | 14 | 18 |
| 24 | 1.9 | 12 | 26 | 5.0 | 111 | 32 | 9.9 | 9.1 | 2.2 | 7.6 | 4.3 | 5.8 |
| 25 | 394 | 10 | 58 | 10 | 66 | 28 | 14 | 8.0 | 1.7 | 3.1 | 1.1 | 2.4 |
| 26 | 97 | 9.4 | 26 | 8.5 | 52 | 70 | 10 | 23 | 32 | 1.2 | 0.45 | 0.81 |
| 27 | 24 | 13 | 22 | 6.9 | 43 | 28 | 9.6 | 9.8 | 44 | 0.59 | 0.30 | 398 |
| 28 | 40 | 9.5 | 22 | 7.0 | 62 | 24 | 6.8 | 25 | 6.3 | 28 | 0.27 | 23 |
| 29 | 324 | 8.1 | 21 | 40 | --- | 270 | 6.5 | 58 | 4.4 | 4.5 | 0.26 | 10 |
| 30 | 73 | 8.1 | 229 | 26 | --- | 78 | 6.2 | 12 | 2.0 | 1.5 | 10 | 5.9 |
| 31 | 29 | --- | 472 | 18 | --- | 47 | --- | 14 | --- | 0.35 | 180 | --- |
| TOTAL | 1,332.0 | 1,037.5 | 3,311.2 | 1,884.2 | 3,392 | 2,332 | 822.0 | 3,326.9 | 823.0 | 1,110.36 | 2,204.25 | 1,916.78 |
| MEAN | 43.0 | 34.6 | 107 | 60.8 | 121 | 75.2 | 27.4 | 107 | 27.4 | 35.8 | 71.1 | 63.9 |
| MAX | 394 | 252 | 810 | 1,030 | 1,230 | 270 | 120 | 989 | 125 | 276 | 704 | 398 |
| MIN | 1.9 | 8.1 | 4.6 | 5.0 | 18 | 24 | 6.2 | 8.0 | 1.7 | 0.25 | 0.20 | 0.11 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 40.5 | 26.0 | 74.9 | 50.6 | 92.1 | 64.1 | 53.0 | 67.6 | 35.6 | 29.4 | 27.2 | 31.3 |
| MAX | 99.1 | 51.1 | 107 | 67.8 | 151 | 102 | 118 | 149 | 55.0 | 76.6 | 71.1 | 63.9 |
| (WY) | (2002) | (2002) | (2003) | (2000) | (2000) | (2002) | (2002) | (2002) | (2000) | (2001) | (2003) | (2003) |
| MIN | 7.91 | 5.68 | 31.8 | 21.9 | 44.8 | 22.5 | 10.9 | 9.25 | 9.79 | 4.00 | 2.89 | 1.01 |
| (WY) | (2001) | (2000) | (2000) | (2001) | (2001) | (2001) | (2001) | (1999) | (1999) | (2002) | (2002) | (1999) |

03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 22,499.72 | | 23,492.19 | | | |
| ANNUAL MEAN | 61.6 | | 64.4 | | 52.9 | |
| HIGHEST ANNUAL MEAN | | | | | 67.6 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 32.8 | 2001 |
| HIGHEST DAILY MEAN | 1,170 | Apr 21 | 1,230 | Feb 22 | 1,370 | Jan 3, 2000 |
| LOWEST DAILY MEAN | 0.00 | Jul 6 | 0.11 | Sep 21 | 0.00 | Sep 10, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 3 | 1.3 | Jun 30 | 0.00 | Sep 10, 1999 |
| MAXIMUM PEAK FLOW | | | 4,190 | Aug 4 | 6,590 | May 8, 2002 |
| MAXIMUM PEAK STAGE | | | 7.17 | Aug 4 | 8.22 | May 8, 2002 |
| INSTANTANEOUS LOW FLOW | | | 0.03 | Sep 21 | 0.03 | Sep 21, 2003 |
| 10 PERCENT EXCEEDS | 137 | | 161 | | 110 | |
| 50 PERCENT EXCEEDS | 18 | | 21 | | 13 | |
| 90 PERCENT EXCEEDS | 0.04 | | 2.3 | | 1.1 | |

e Estimated



03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--November 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: November 2000 to current year.

pH: November 2000 to current year.

WATER TEMPERATURES: November 2000 to current year.

DISSOLVED OXYGEN: November 2000 to current year.

TURBIDITY: November 2000 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 6310 microsiemens, Jan. 29, 2003; minimum recorded, 118 microsiemens, July 18, 2001.

pH: Maximum recorded, 10.4 units, Aug. 12, 2001; minimum recorded, 6.5 units, Aug. 23, 2003.

WATER TEMPERATURES: Maximum recorded, 31.8°C, June 18, 2001; minimum recorded, -0.3°C, Jan. 29, 30, and Feb. 11-14, 2003.

DISSOLVED OXYGEN: Maximum recorded, 16.9 mg/L, Dec. 1, 2002; minimum recorded, 0.7 mg/L, Aug. 14, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2001, 2002 and 2003; minimum recorded, 0.0 NTU, several days in Nov. and Dec. 2002, and Feb., July, Aug. and Sept. 2003.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 6310 microsiemens, Jan. 29, 2003; minimum recorded, 169 microsiemens, Jan. 1, 2003.

pH: Maximum recorded, 8.8 units, Jan. 22, 2003; minimum recorded, 6.5 units, Aug. 23, 2003.

WATER TEMPERATURES: Maximum recorded, 30.5°C, Jul. 8, 2003; minimum recorded, 0.3°C, Jan. 29, 30, and Feb. 11-14, 2003.

DISSOLVED OXYGEN: Maximum recorded, 16.9 mg/L, Dec. 1, 2002; minimum recorded, 0.7 mg/L, Aug. 14, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, several days in 2003; minimum recorded, 0.0 NTU, several days in Nov. and Dec. 2002, and Feb., July, Aug., and Sept. 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-------|-------|---------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 673 | 644 | 657 | 641 | 600 | 620 | 758 | 743 | 751 | 377 | 169 | 277 |
| 2 | 696 | 671 | 678 | 667 | 641 | 654 | 745 | 699 | 722 | 436 | 317 | 381 |
| 3 | 701 | 666 | 682 | 680 | 663 | 670 | 731 | 711 | 724 | 1,160 | 436 | 797 |
| 4 | 685 | 324 | 595 | 717 | 676 | 698 | 758 | 722 | 738 | 1,170 | 779 | 993 |
| 5 | 475 | 344 | 422 | 720 | 330 | 600 | 1,050 | 739 | 794 | 1,590 | 736 | 890 |
| 6 | 508 | 475 | 489 | 521 | 348 | 450 | 2,160 | 950 | 1,420 | 1,750 | 1,040 | 1,320 |
| 7 | 585 | 508 | 538 | 593 | 521 | 558 | 2,620 | 1,980 | 2,150 | 1,040 | 864 | 945 |
| 8 | 617 | 585 | 608 | 621 | 591 | 606 | --- | --- | --- | 906 | 814 | 845 |
| 9 | 609 | 529 | 563 | 652 | 621 | 639 | --- | --- | --- | 898 | 800 | 826 |
| 10 | 552 | 532 | 544 | 684 | 259 | 527 | --- | --- | --- | 894 | 812 | 832 |
| 11 | 640 | 340 | 432 | 489 | 272 | 411 | --- | --- | --- | 952 | 806 | 857 |
| 12 | 517 | 429 | 478 | 566 | 482 | 533 | --- | --- | --- | 917 | 864 | 880 |
| 13 | 575 | 517 | 550 | 606 | 559 | 582 | --- | --- | --- | 887 | 855 | 872 |
| 14 | 618 | 575 | 590 | 613 | 587 | 597 | --- | --- | --- | 867 | 838 | 851 |
| 15 | 629 | 606 | 616 | 660 | 608 | 624 | --- | --- | --- | 984 | 843 | 898 |
| 16 | 648 | 629 | 638 | 709 | 536 | 601 | --- | --- | --- | 1,040 | 984 | 1,020 |
| 17 | 666 | 647 | 655 | 584 | 545 | 566 | --- | --- | --- | 1,520 | 179 | 1,220 |
| 18 | 677 | 648 | 668 | 616 | 584 | 602 | --- | --- | --- | 2,930 | 1,520 | 2,070 |
| 19 | 753 | 614 | 665 | 635 | 616 | 626 | 676 | 206 | 454 | 3,370 | 2,930 | 3,270 |
| 20 | 614 | 533 | 562 | 650 | 628 | 639 | 443 | 254 | 371 | 3,280 | 2,730 | 3,040 |
| 21 | 579 | 549 | 562 | 677 | 605 | 646 | 469 | 424 | 449 | 2,740 | 2,290 | 2,510 |
| 22 | 582 | 561 | 577 | 688 | 509 | 556 | 531 | 461 | 508 | 2,370 | 2,230 | 2,320 |
| 23 | 586 | 571 | 581 | 551 | 523 | 538 | 587 | 526 | 553 | 2,240 | 2,050 | 2,150 |
| 24 | 593 | 576 | 586 | 578 | 551 | 568 | 595 | 555 | 576 | 2,070 | 1,830 | 1,920 |
| 25 | 600 | 217 | 464 | 609 | 577 | 599 | 1,070 | 559 | 787 | 2,020 | 1,900 | 1,960 |
| 26 | 545 | 339 | 467 | 637 | 608 | 620 | 1,680 | 1,070 | 1,450 | 2,100 | 2,000 | 2,040 |
| 27 | 627 | 545 | 593 | 692 | 637 | 663 | 1,690 | 1,120 | 1,420 | 2,600 | 2,020 | 2,180 |
| 28 | 670 | 411 | 560 | 856 | 692 | 754 | 1,220 | 964 | 1,070 | 3,230 | 2,590 | 2,860 |
| 29 | 606 | 266 | 436 | 943 | 791 | 883 | 966 | 817 | 889 | 6,310 | 3,230 | 4,180 |
| 30 | 552 | 401 | 491 | 791 | 744 | 766 | 1,030 | 562 | 744 | 4,790 | 2,780 | 3,630 |
| 31 | 610 | 551 | 585 | --- | --- | --- | 582 | 284 | 473 | 2,910 | 2,300 | 2,610 |
| MONTH | 753 | 217 | 566 | 943 | 259 | 613 | 2,620 | 206 | 852 | 6,310 | 169 | 1,660 |

03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 8.3 | 8.0 | 8.1 | 8.6 | 8.4 | 8.5 | 8.2 | 7.9 | 8.0 | 7.9 | 7.7 | 7.9 |
| 2 | 8.3 | 8.0 | 8.1 | 8.6 | 8.4 | 8.5 | 8.1 | 7.8 | 7.9 | 7.9 | 7.8 | 7.9 |
| 3 | 8.4 | 8.0 | 8.2 | 8.5 | 8.3 | 8.4 | 8.0 | 7.8 | 7.9 | 8.3 | 7.9 | 8.1 |
| 4 | 8.4 | 7.8 | 8.1 | 8.5 | 8.3 | 8.4 | 8.3 | 7.7 | 7.9 | 8.4 | 8.1 | 8.3 |
| 5 | 8.2 | 7.8 | 8.0 | 8.6 | 8.0 | 8.3 | 8.2 | 7.9 | 8.1 | 8.4 | 8.2 | 8.3 |
| 6 | 8.4 | 8.0 | 8.2 | 8.4 | 8.0 | 8.2 | 8.3 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 |
| 7 | 8.4 | 8.0 | 8.2 | 8.5 | 8.2 | 8.4 | 8.2 | 8.0 | 8.1 | 8.5 | 8.2 | 8.3 |
| 8 | 8.6 | 8.1 | 8.3 | 8.6 | 8.3 | 8.4 | 8.3 | 8.0 | 8.2 | 8.5 | 8.3 | 8.4 |
| 9 | 8.5 | 8.1 | 8.3 | 8.6 | 8.2 | 8.4 | 8.3 | 8.0 | 8.1 | 8.5 | 8.2 | 8.3 |
| 10 | 8.4 | 7.9 | 8.1 | 8.6 | 7.8 | 8.1 | 8.4 | 8.0 | 8.2 | 8.5 | 8.2 | 8.3 |
| 11 | 8.0 | 7.8 | 7.9 | 8.2 | 7.8 | 8.0 | 8.2 | 7.8 | 8.0 | 8.5 | 8.4 | 8.4 |
| 12 | 8.3 | 7.8 | 8.0 | 8.3 | 8.0 | 8.2 | 8.0 | 7.8 | 7.9 | 8.5 | 8.3 | 8.4 |
| 13 | 8.3 | 7.9 | 8.1 | 8.5 | 8.1 | 8.3 | 8.1 | 7.8 | 8.0 | 8.5 | 8.3 | 8.4 |
| 14 | 8.4 | 8.0 | 8.2 | 8.6 | 8.2 | 8.4 | 8.3 | 7.8 | 8.0 | 8.5 | 8.3 | 8.4 |
| 15 | 8.5 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 8.5 | 8.3 | 8.4 |
| 16 | 8.5 | 8.1 | 8.2 | 8.2 | 8.0 | 8.1 | 8.3 | 7.9 | 8.1 | 8.5 | 8.3 | 8.4 |
| 17 | 8.5 | 8.1 | 8.3 | 8.5 | 8.0 | 8.2 | 8.0 | 7.8 | 8.0 | 8.5 | 8.3 | 8.4 |
| 18 | 8.5 | 8.1 | 8.3 | 8.5 | 8.2 | 8.3 | 8.1 | 7.8 | 7.9 | 8.5 | 8.3 | 8.4 |
| 19 | 8.2 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.2 | 7.6 | 7.8 | 8.5 | 8.2 | 8.3 |
| 20 | 8.4 | 7.9 | 8.1 | 8.4 | 8.0 | 8.2 | 7.7 | 7.6 | 7.6 | 8.5 | 8.3 | 8.4 |
| 21 | 8.5 | 8.0 | 8.2 | 8.5 | 8.0 | 8.2 | 8.1 | 7.7 | 8.0 | 8.6 | 8.3 | 8.4 |
| 22 | 8.5 | 8.0 | 8.2 | 8.1 | 7.8 | 8.0 | 8.1 | 8.0 | 8.0 | 8.8 | 8.3 | 8.5 |
| 23 | 8.5 | 7.9 | 8.2 | 8.5 | 7.9 | 8.2 | 8.3 | 8.1 | 8.2 | 8.4 | 8.3 | 8.4 |
| 24 | 8.5 | 7.9 | 8.2 | 8.4 | 7.9 | 8.2 | 8.3 | 8.2 | 8.2 | 8.5 | 8.2 | 8.3 |
| 25 | 8.2 | 7.7 | 7.9 | 8.3 | 7.9 | 8.1 | 8.2 | 8.1 | 8.2 | 8.4 | 8.2 | 8.3 |
| 26 | 8.0 | 7.7 | 7.8 | 8.3 | 7.9 | 8.1 | 8.4 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 |
| 27 | 8.2 | 7.9 | 8.0 | 8.3 | 8.0 | 8.1 | 8.5 | 8.3 | 8.4 | 8.3 | 8.1 | 8.2 |
| 28 | 8.1 | 7.8 | 8.0 | 8.2 | 7.9 | 8.1 | 8.5 | 8.3 | 8.4 | 8.2 | 8.1 | 8.2 |
| 29 | 8.0 | 7.7 | 7.8 | 8.2 | 7.9 | 8.1 | 8.4 | 8.1 | 8.3 | 8.4 | 8.1 | 8.2 |
| 30 | 8.4 | 7.9 | 8.2 | 8.0 | 7.7 | 7.9 | 8.2 | 7.7 | 8.0 | 8.4 | 8.1 | 8.2 |
| 31 | 8.6 | 8.4 | 8.5 | --- | --- | --- | 7.8 | 7.6 | 7.7 | 8.5 | 8.2 | 8.3 |
| MONTH | 8.6 | 7.7 | 8.1 | 8.6 | 7.7 | 8.2 | 8.5 | 7.6 | 8.1 | 8.8 | 7.7 | 8.3 |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.5 | 8.2 | 8.3 | 8.6 | 8.3 | 8.4 | 8.7 | 7.9 | 8.3 | 8.2 | 7.8 | 7.9 |
| 2 | 8.5 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 | 8.6 | 8.0 | 8.3 | --- | --- | --- |
| 3 | 8.4 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 | 8.6 | 7.8 | 8.2 | 7.8 | 7.6 | 7.7 |
| 4 | 8.3 | 7.9 | 8.0 | 8.2 | 8.1 | 8.1 | 8.4 | 7.8 | 8.0 | 7.9 | 7.7 | 7.8 |
| 5 | 7.9 | 7.9 | 7.9 | 8.1 | 7.9 | 8.0 | 8.0 | 7.7 | 7.8 | --- | --- | --- |
| 6 | 7.9 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 8.5 | 7.8 | 8.2 | 8.0 | 7.7 | 7.8 |
| 7 | 7.9 | 7.8 | 7.9 | 8.1 | 8.0 | 8.1 | 8.3 | 7.8 | 8.0 | 7.9 | 7.7 | 7.8 |
| 8 | 8.1 | 7.8 | 7.9 | 8.2 | 8.0 | 8.1 | 8.1 | 7.7 | 7.9 | 8.0 | 7.7 | 7.9 |
| 9 | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 | 8.1 | 7.9 | 8.0 | 8.0 | 7.7 | 7.9 |
| 10 | 8.2 | 7.9 | 8.0 | 8.3 | 8.1 | 8.3 | 8.2 | 7.8 | 8.0 | 7.8 | 7.5 | 7.6 |
| 11 | 8.3 | 7.9 | 8.1 | 8.3 | 8.2 | 8.2 | 8.2 | 7.8 | 8.0 | 7.8 | 7.6 | 7.7 |
| 12 | 8.3 | 8.0 | 8.2 | 8.5 | 8.1 | 8.3 | 8.0 | 7.8 | 7.9 | 8.0 | 7.8 | 7.9 |
| 13 | 8.4 | 8.2 | 8.3 | 8.2 | 7.9 | 8.0 | 8.1 | 7.8 | 8.0 | 8.0 | 7.8 | 7.9 |
| 14 | 8.3 | 8.1 | 8.2 | 8.5 | 7.9 | 8.1 | 8.1 | 7.8 | 7.9 | 8.1 | 7.8 | 7.9 |
| 15 | 8.3 | 8.1 | 8.2 | 8.4 | 7.9 | 8.1 | 8.1 | 7.8 | 8.0 | 8.1 | 7.9 | 8.0 |
| 16 | 8.1 | 7.9 | 8.0 | 8.5 | 7.8 | 8.1 | 8.2 | 7.8 | 8.0 | 8.2 | 7.9 | 8.0 |
| 17 | 8.1 | 7.9 | 8.0 | 8.5 | 7.7 | 8.1 | 8.0 | 7.7 | 7.9 | 8.0 | 7.6 | 7.8 |
| 18 | 8.1 | 7.9 | 8.0 | 8.4 | 7.7 | 8.0 | 8.0 | 7.7 | 7.9 | 7.9 | 7.5 | 7.7 |
| 19 | 8.3 | 8.0 | 8.1 | 8.2 | 7.5 | 7.8 | 8.2 | 7.7 | 7.9 | 8.1 | 7.6 | 7.9 |
| 20 | 8.4 | 8.1 | 8.2 | 7.6 | 7.3 | 7.4 | 8.1 | 7.6 | 7.9 | 8.2 | 7.7 | 7.9 |
| 21 | 8.3 | 8.0 | 8.1 | 7.5 | 7.3 | 7.4 | 7.8 | 7.5 | 7.7 | 8.2 | 7.8 | 8.0 |
| 22 | 8.1 | 8.0 | 8.1 | 7.8 | 7.4 | 7.6 | 8.3 | 7.7 | 8.0 | 8.4 | 7.9 | 8.1 |
| 23 | 8.3 | 8.1 | 8.2 | 8.0 | 7.5 | 7.8 | 8.4 | 7.9 | 8.1 | 8.3 | 7.9 | 8.1 |
| 24 | 8.5 | 8.3 | 8.4 | 8.2 | 7.7 | 7.9 | 8.5 | 7.9 | 8.2 | 8.4 | 7.9 | 8.2 |
| 25 | 8.6 | 8.4 | 8.5 | 8.0 | 7.6 | 7.8 | 8.2 | 7.9 | 8.0 | 8.4 | 7.9 | 8.1 |
| 26 | 8.6 | 8.4 | 8.5 | 7.8 | 7.5 | 7.6 | 8.1 | 7.8 | 8.0 | 8.3 | 7.9 | 8.1 |
| 27 | 8.7 | 8.5 | 8.6 | 8.1 | 7.5 | 7.8 | 8.1 | 7.8 | 7.9 | 8.6 | 7.8 | 8.1 |
| 28 | 8.7 | 8.4 | 8.6 | 8.2 | 7.6 | 7.9 | 7.9 | 7.8 | 7.8 | 8.6 | 7.7 | 8.2 |
| 29 | --- | --- | --- | 8.0 | 7.6 | 7.8 | 7.8 | 7.5 | 7.6 | 8.3 | 7.7 | 8.0 |
| 30 | --- | --- | --- | 8.1 | 7.8 | 7.8 | 8.0 | 7.6 | 7.8 | 8.7 | 7.8 | 8.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.9 | 8.2 |
| MONTH | 8.7 | 7.8 | 8.2 | 8.6 | 7.3 | 8.0 | 8.7 | 7.5 | 8.0 | 8.7 | 7.5 | 7.9 |

03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 22.6 | 19.9 | 21.0 | 9.1 | 7.2 | 8.4 | 1.4 | 0.0 | 0.6 | 7.3 | 4.9 | 5.7 |
| 2 | 23.3 | 20.6 | 21.7 | 7.2 | 4.9 | 6.1 | 2.2 | -0.1 | 0.8 | 4.9 | 4.1 | 4.6 |
| 3 | 23.4 | 20.6 | 22.0 | 6.6 | 5.3 | 6.2 | 1.3 | -0.1 | 0.5 | 4.1 | 3.0 | 3.4 |
| 4 | 23.1 | 21.3 | 22.1 | 7.4 | 6.6 | 7.0 | 0.1 | -0.1 | 0.0 | 3.4 | 1.9 | 2.8 |
| 5 | 21.3 | 18.3 | 19.4 | 9.2 | 7.2 | 7.9 | 0.1 | -0.1 | 0.0 | 3.8 | 2.6 | 3.3 |
| 6 | 18.4 | 15.4 | 17.2 | 9.2 | 7.9 | 8.5 | 0.1 | -0.2 | -0.1 | 3.8 | 2.4 | 3.4 |
| 7 | 17.6 | 15.3 | 16.5 | 9.0 | 6.8 | 7.9 | 0.0 | -0.2 | -0.1 | 2.9 | 1.0 | 2.0 |
| 8 | 15.9 | 12.8 | 14.4 | 9.5 | 7.0 | 8.3 | 0.4 | -0.2 | 0.0 | 4.7 | 1.9 | 3.2 |
| 9 | 15.8 | 13.1 | 14.3 | 11.8 | 9.1 | 10.4 | 0.0 | -0.2 | -0.1 | 5.5 | 3.5 | 4.5 |
| 10 | 15.6 | 14.4 | 14.9 | 15.1 | 11.8 | 13.5 | 0.2 | -0.2 | 0.0 | 4.2 | 1.2 | 3.1 |
| 11 | 17.1 | 15.3 | 16.3 | 14.0 | 11.2 | 12.8 | 2.9 | -0.2 | 1.1 | 1.2 | -0.2 | 0.1 |
| 12 | 18.6 | 16.8 | 17.6 | 11.2 | 9.1 | 9.7 | 3.8 | 2.9 | 3.3 | 0.0 | -0.2 | -0.1 |
| 13 | 18.2 | 14.5 | 16.6 | 9.3 | 7.5 | 8.6 | 4.0 | 3.5 | 3.7 | 0.2 | -0.1 | 0.0 |
| 14 | 14.5 | 11.6 | 13.0 | 9.5 | 7.8 | 8.7 | 4.1 | 3.5 | 3.8 | 0.2 | -0.1 | 0.0 |
| 15 | 12.4 | 10.3 | 11.4 | 9.1 | 8.4 | 8.7 | 5.0 | 2.5 | 3.9 | -0.1 | -0.1 | -0.1 |
| 16 | 11.6 | 10.2 | 11.0 | 8.4 | 6.2 | 7.2 | 5.1 | 3.9 | 4.5 | 0.0 | -0.1 | 0.0 |
| 17 | 11.5 | 9.1 | 10.1 | 6.4 | 5.2 | 5.8 | 4.3 | 3.3 | 3.6 | 0.0 | -0.2 | -0.1 |
| 18 | 12.0 | 8.7 | 10.3 | 5.2 | 3.3 | 4.4 | 7.1 | 4.3 | 5.7 | -0.1 | -0.2 | -0.1 |
| 19 | 12.3 | 11.0 | 11.7 | 7.5 | 5.0 | 6.4 | 8.1 | 6.6 | 7.5 | 0.0 | -0.2 | -0.1 |
| 20 | 12.1 | 10.5 | 11.4 | 6.8 | 4.5 | 6.0 | 7.8 | 5.4 | 6.5 | 0.1 | -0.1 | 0.0 |
| 21 | 12.2 | 9.8 | 10.9 | 8.0 | 6.0 | 7.0 | 5.4 | 4.1 | 4.8 | 0.1 | -0.2 | -0.1 |
| 22 | 11.9 | 8.6 | 10.2 | 7.3 | 5.1 | 6.0 | 5.7 | 4.1 | 5.0 | 0.0 | -0.2 | -0.1 |
| 23 | 11.2 | 8.6 | 10 | 5.2 | 3.7 | 4.6 | 4.1 | 2.5 | 3.3 | -0.1 | -0.2 | -0.2 |
| 24 | 10.9 | 8.9 | 9.8 | 5.1 | 3.0 | 4.3 | 3.5 | 2.7 | 3.2 | -0.1 | -0.2 | -0.2 |
| 25 | 12.3 | 9.2 | 10.3 | 5.0 | 4.0 | 4.5 | 2.7 | 1.8 | 2.2 | -0.1 | -0.2 | -0.1 |
| 26 | 12.3 | 11.9 | 12.1 | 4.0 | 2.4 | 3.0 | 1.8 | 1.1 | 1.4 | -0.1 | -0.2 | -0.1 |
| 27 | 12.6 | 11.4 | 12.0 | 2.6 | 1.4 | 2.1 | 2.1 | 0.7 | 1.3 | -0.1 | -0.2 | -0.2 |
| 28 | 11.7 | 10.6 | 11.2 | 1.7 | 0.5 | 1.0 | 2.9 | 0.7 | 1.8 | -0.1 | -0.2 | -0.1 |
| 29 | 11.2 | 8.5 | 9.6 | 3.3 | 0.1 | 1.5 | 3.8 | 1.5 | 2.7 | 0.0 | -0.3 | -0.2 |
| 30 | 9.2 | 8.6 | 8.8 | 3.5 | 1.4 | 2.8 | 7.2 | 2.6 | 4.8 | 0.2 | -0.3 | -0.1 |
| 31 | 9.5 | 8.4 | 8.9 | --- | --- | --- | 7.7 | 6.9 | 7.3 | 0.3 | -0.2 | -0.1 |
| MONTH | 23.4 | 8.4 | 13.8 | 15.1 | 0.1 | 6.6 | 8.1 | -0.2 | 2.7 | 7.3 | -0.3 | 1.1 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 0.2 | -0.2 | 0.0 | 4.5 | 3.0 | 3.7 | 14.8 | 7.9 | 11.2 | 23.6 | 17.8 | 19.4 |
| 2 | 0.1 | -0.3 | -0.1 | 3.6 | 2.2 | 3.2 | 16.2 | 11.0 | 13.7 | --- | --- | --- |
| 3 | 2.5 | -0.1 | 0.5 | 3.5 | 0.0 | 1.8 | 18.9 | 13.1 | 15.9 | 16.1 | 14.7 | 15.4 |
| 4 | 4.9 | 0.8 | 3.1 | 6.0 | 1.0 | 3.3 | 17.8 | 14.9 | 16.2 | 15.5 | 11.7 | 13.9 |
| 5 | 1.0 | -0.1 | 0.3 | 5.8 | 4.0 | 5.2 | 16.7 | 9.6 | 13.0 | --- | --- | --- |
| 6 | 1.1 | -0.1 | 0.4 | 4.0 | 2.4 | 3.3 | 9.6 | 7.6 | 8.4 | 20.1 | 16.5 | 18.1 |
| 7 | 1.8 | -0.2 | 0.6 | 5.1 | 1.6 | 3.0 | 10.7 | 7.3 | 8.7 | 19.2 | 17.5 | 18.4 |
| 8 | 0.4 | -0.2 | -0.1 | 8.4 | 2.1 | 5.3 | 10.2 | 8.4 | 9.2 | 21.3 | 16.9 | 19.0 |
| 9 | 0.9 | -0.2 | 0.3 | 8.4 | 4.3 | 6.3 | 8.9 | 6.4 | 7.3 | 21.2 | 18.4 | 19.8 |
| 10 | 1.0 | -0.1 | 0.3 | 5.0 | 0.6 | 3.2 | 11.2 | 5.6 | 8.0 | 20.1 | 18.0 | 18.7 |
| 11 | 0.5 | -0.3 | -0.1 | 6.8 | 1.5 | 4.3 | 14.8 | 7.0 | 10.7 | 19.8 | 17.1 | 18.3 |
| 12 | 0.2 | -0.3 | -0.2 | 6.8 | 4.8 | 5.5 | 15.9 | 8.9 | 12.5 | 17.1 | 14.7 | 15.9 |
| 13 | 0.2 | -0.3 | -0.1 | 6.9 | 5.1 | 5.8 | 16.2 | 9.7 | 13.1 | 18.8 | 13.3 | 16.0 |
| 14 | 0.2 | -0.3 | -0.1 | 8.4 | 3.1 | 5.7 | 18.1 | 10.1 | 14.2 | 18.6 | 14.7 | 16.6 |
| 15 | 1.4 | -0.2 | 0.6 | 10.3 | 5.2 | 7.6 | 20.5 | 12.9 | 16.9 | 19.3 | 15.9 | 17.7 |
| 16 | 0.5 | -0.2 | 0.0 | 13.7 | 7.2 | 10.4 | 21.4 | 14.6 | 18.4 | 20.5 | 15.9 | 18.2 |
| 17 | 0.4 | -0.2 | 0.0 | 14.0 | 9.8 | 12.0 | 19.5 | 15.9 | 17.3 | 19.2 | 17.6 | 18.0 |
| 18 | 0.6 | -0.1 | 0.2 | 15.1 | 11.6 | 13.3 | 17.3 | 14.7 | 15.8 | 19.3 | 17.4 | 18.2 |
| 19 | 1.0 | 0.2 | 0.6 | 15.1 | 12.3 | 13.8 | 20.9 | 13.4 | 17.2 | 21.5 | 17.8 | 19.4 |
| 20 | 3.9 | 0.2 | 1.7 | 15.0 | 10.8 | 12.8 | 20.1 | 16.5 | 18.3 | 20.4 | 18.3 | 19.6 |
| 21 | 2.9 | 1.4 | 2.1 | 13.3 | 10.0 | 11.7 | 17.5 | 14.7 | 16.0 | 20.2 | 16.0 | 18.1 |
| 22 | 2.4 | 1.2 | 1.8 | 12.0 | 7.8 | 10.2 | 14.7 | 11.7 | 13.3 | 20.7 | 15.5 | 18.1 |
| 23 | 2.7 | 0.6 | 1.6 | 14.2 | 9.2 | 11.6 | 15.7 | 8.4 | 12.3 | 19.7 | 15.2 | 17.7 |
| 24 | 2.8 | 0.2 | 1.6 | 15.2 | 9.1 | 12.2 | 14.0 | 10.3 | 12.4 | 19.5 | 14.2 | 17.2 |
| 25 | 1.9 | -0.1 | 0.8 | 16.0 | 10.8 | 13.5 | 13.5 | 12.2 | 12.6 | 17.7 | 15.5 | 16.3 |
| 26 | 1.8 | -0.1 | 0.8 | 15.7 | 11.0 | 13.4 | 18.1 | 11.4 | 14.4 | 17.8 | 14.2 | 15.9 |
| 27 | 2.9 | 0.4 | 1.6 | 14.9 | 9.4 | 12.4 | 19.2 | 11.3 | 15.4 | 20.4 | 15.0 | 17.5 |
| 28 | 4.6 | 1.8 | 3.0 | 17.0 | 12.7 | 14.8 | 20.9 | 12.3 | 16.8 | 19.6 | 15.6 | 17.7 |
| 29 | --- | --- | --- | 15.0 | 8.5 | 10.1 | 21.8 | 16.9 | 19.2 | 19.2 | 15.9 | 17.3 |
| 30 | --- | --- | --- | 8.5 | 6.9 | 7.6 | 21.2 | 17.4 | 19.3 | 18.9 | 15.1 | 17.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.8 | 16.2 | 17.0 |
| MONTH | 4.9 | -0.3 | 0.8 | 17.0 | 0.0 | 8.2 | 21.8 | 5.6 | 13.9 | 23.6 | 11.7 | 17.6 |

03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 9.7 | 7.2 | 8.1 | 12.1 | 10.4 | 11.1 | 16.9 | 13.0 | 14.5 | 13.0 | 10.7 | 12.3 |
| 2 | 10.2 | 7.0 | 8.1 | 12.9 | 10.8 | 11.9 | 16.8 | 12.7 | 14.6 | 13.2 | 11.6 | 12.4 |
| 3 | 10.9 | 7.1 | 8.5 | 13.2 | 11.1 | 11.9 | 16.9 | 13.1 | 14.8 | 13.3 | 11.4 | 12.3 |
| 4 | 11.0 | 6.7 | 7.7 | 12.5 | 10.8 | 11.3 | 15.7 | 12.3 | 14.0 | 13.2 | 11.7 | 12.3 |
| 5 | 9.1 | 7.4 | 8.1 | 11.9 | 10.2 | 10.8 | 15.1 | 11.7 | 13.1 | 12.6 | 11.3 | 11.9 |
| 6 | 10.3 | 7.7 | 8.7 | 11.0 | 9.9 | 10.5 | 15.5 | 12.3 | 13.7 | 12.3 | 11.2 | 11.6 |
| 7 | 10.8 | 7.6 | 8.8 | 12.2 | 10.2 | 10.9 | 16.4 | 12.3 | 13.9 | 13.1 | 10.8 | 12.0 |
| 8 | 12.6 | 8.5 | 10.1 | 12.3 | 9.8 | 10.8 | 16.6 | 13.8 | 14.9 | 11.8 | 9.7 | 10.9 |
| 9 | 12.4 | 8.6 | 10 | 12.1 | 9.0 | 10.2 | 16.0 | 13.5 | 14.5 | 10.6 | 9.1 | 9.7 |
| 10 | 11.2 | 8.2 | 9.3 | 9.2 | 8.0 | 8.8 | 16.2 | 13.3 | 14.4 | 10.4 | 8.5 | 9.6 |
| 11 | 8.9 | 8.1 | 8.5 | 9.8 | 8.5 | 9.1 | 14.1 | 12.0 | 13.1 | 12.9 | 8.3 | 10.8 |
| 12 | 10.0 | 7.8 | 8.6 | 11.0 | 9.1 | 9.9 | 12.7 | 11.4 | 11.9 | 11.4 | 7.8 | 9.5 |
| 13 | 10.8 | 7.6 | 8.9 | 11.8 | 9.7 | 10.5 | 12.7 | 11.0 | 11.8 | 11.7 | 9.8 | 10.6 |
| 14 | 12.0 | 8.7 | 10.1 | 12.9 | 9.8 | 10.9 | 12.9 | 11.8 | 12.3 | 11.4 | 9.6 | 10.4 |
| 15 | 12.5 | 9.5 | 10.7 | 11.5 | 9.7 | 10.3 | 13.9 | 11.6 | 12.8 | 12.9 | 10.5 | 11.5 |
| 16 | 12.9 | 9.4 | 10.7 | 11.4 | 9.9 | 10.6 | 14.1 | 11.5 | 12.4 | 12.6 | 10.9 | 11.5 |
| 17 | 13.1 | 9.8 | 11.2 | 14.0 | 10.6 | 11.9 | 13.4 | 11.9 | 12.5 | 15.2 | 10.8 | 12.5 |
| 18 | 12.6 | 9.9 | 11.0 | 15.2 | 11.1 | 12.8 | 12.3 | 10.0 | 11.4 | 15.5 | 12.7 | 13.8 |
| 19 | 10.1 | 9.1 | 9.5 | 14.6 | 11.0 | 12.2 | 11.6 | 10.0 | 10.6 | 15.0 | 12.6 | 13.5 |
| 20 | 12.2 | 9.0 | 10.2 | 15.4 | 10.8 | 12.6 | 11.6 | 10.1 | 11.1 | 15.0 | 12.6 | 13.6 |
| 21 | 12.3 | 9.1 | 10.3 | 15.6 | 10.6 | 12.2 | 12.7 | 10.6 | 12.0 | 15.8 | 12.8 | 13.9 |
| 22 | 12.9 | 9.5 | 10.7 | 12.9 | 10.5 | 11.5 | 13.2 | 10.8 | 12.5 | 16.1 | 12.6 | 13.9 |
| 23 | 13.3 | 9.6 | 11.0 | 15.9 | 11.2 | 13.0 | 15.1 | 12.1 | 13.3 | 15.0 | 12.1 | 13.3 |
| 24 | 13.5 | 9.6 | 11.0 | 16.2 | 11.9 | 13.5 | 14.3 | 12.5 | 13.5 | 15.6 | 12.0 | 13.4 |
| 25 | 10.5 | 9.5 | 9.9 | 15.6 | 11.6 | 13.1 | 14.4 | 12.6 | 13.7 | 15.3 | 11.2 | 12.8 |
| 26 | 10.0 | 9.2 | 9.6 | 16.1 | 12.3 | 13.9 | 15.1 | 13.2 | 14.3 | 12.6 | 11.2 | 11.9 |
| 27 | 10.6 | 9.0 | 9.6 | 15.6 | 13.0 | 13.8 | 16.5 | 13.6 | 14.3 | 13.6 | 10.8 | 11.9 |
| 28 | 10.3 | 8.9 | 9.5 | 16.4 | 13.2 | 14.4 | 15.0 | 12.8 | 13.9 | 13.0 | 11.0 | 11.9 |
| 29 | 11.0 | 9.1 | 10 | 16.2 | 11.8 | 14.0 | 13.7 | 10.7 | 12.1 | 14.5 | 10.7 | 12.2 |
| 30 | 11.1 | 10.2 | 10.6 | 14.1 | 11.8 | 12.9 | 12.2 | 8.3 | 10.4 | 12.9 | 10.8 | 11.7 |
| 31 | 11.9 | 10.4 | 10.9 | --- | --- | --- | 12.0 | 7.5 | 9.7 | 12.9 | 10.1 | 11.1 |
| MONTH | 13.5 | 6.7 | 9.7 | 16.4 | 8.0 | 11.7 | 16.9 | 7.5 | 13.0 | 16.1 | 7.8 | 12.0 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 12.2 | 9.4 | 10.6 | 11.2 | 8.4 | 10.2 | 12.0 | 8.5 | 10.1 | 8.9 | 5.7 | 6.7 |
| 2 | 12.5 | 10.3 | 11.4 | 10.7 | 8.5 | 10 | 11.0 | 8.3 | 9.4 | --- | --- | --- |
| 3 | 11.7 | 9.3 | 10.7 | 12.1 | 9.3 | 10.7 | 11.3 | 6.4 | 9.0 | 6.8 | 4.2 | 5.5 |
| 4 | 11.8 | 9.7 | 10.9 | 11.3 | 6.8 | 9.3 | 10.2 | 6.2 | 8.0 | 7.5 | 4.7 | 6.2 |
| 5 | 13.6 | 11.2 | 12.2 | 7.6 | 3.6 | 6.0 | 9.3 | 4.9 | 7.2 | --- | --- | --- |
| 6 | 13.7 | 10.1 | 11.9 | 8.8 | 4.7 | 6.9 | 12.4 | 8.2 | 10.0 | 8.1 | 7.1 | 7.4 |
| 7 | 13.2 | 10.1 | 11.4 | 7.5 | 3.6 | 4.9 | 11.3 | 5.5 | 9.6 | 8.0 | 5.8 | 6.8 |
| 8 | 12.8 | 9.7 | 11.1 | 7.4 | 1.7 | 3.7 | 8.8 | 5.4 | 6.0 | 7.7 | 5.9 | 6.7 |
| 9 | 11.5 | 7.7 | 9.9 | 6.0 | 1.5 | 3.0 | 8.1 | 5.6 | 6.6 | 7.9 | 5.0 | 6.2 |
| 10 | 11.7 | 7.7 | 9.7 | 7.4 | 2.7 | 5.0 | 10.8 | 5.9 | 7.2 | 7.8 | 5.1 | 6.8 |
| 11 | 12.2 | 8.7 | 9.5 | 7.2 | 2.1 | 4.9 | 10.3 | 6.1 | 8.0 | 7.9 | 7.1 | 7.6 |
| 12 | 11.3 | 8.2 | 9.8 | 13.1 | 3.6 | 8.3 | 8.2 | 6.3 | 7.0 | 9.1 | 7.3 | 8.2 |
| 13 | 11.3 | 7.4 | 9.3 | 12.5 | 10.5 | 11.4 | 10.6 | 6.8 | 8.3 | 9.2 | 7.9 | 8.5 |
| 14 | 11.3 | 8.0 | 9.6 | 15.0 | 11.7 | 13.2 | 7.7 | 6.7 | 7.2 | 9.8 | 7.8 | 8.5 |
| 15 | 11.6 | 9.6 | 10.8 | 15.7 | 10.2 | 12.6 | 9.4 | 6.9 | 8.0 | 9.0 | 7.4 | 8.2 |
| 16 | 13.2 | 9.0 | 10.6 | 13.3 | 10.1 | 11.3 | 8.9 | 3.8 | 7.2 | 10.2 | 7.3 | 8.5 |
| 17 | 14.6 | 8.9 | 11.6 | 12.5 | 9.3 | 11.0 | 7.3 | 3.8 | 5.8 | 7.9 | 5.3 | 7.1 |
| 18 | 15.3 | 11.3 | 12.9 | 11.3 | 7.4 | 9.6 | 5.9 | 3.1 | 4.6 | 7.6 | 5.3 | 6.6 |
| 19 | 13.4 | 11.7 | 12.4 | 9.1 | 7.4 | 8.2 | 8.7 | 5.1 | 6.5 | 9.3 | 6.3 | 7.6 |
| 20 | 13.1 | 11.0 | 12.0 | 9.9 | 8.1 | 8.9 | 5.8 | 2.0 | 4.6 | 8.6 | 7.0 | 7.7 |
| 21 | 12.4 | 11.1 | 11.7 | 8.9 | 6.9 | 7.9 | 8.3 | 5.3 | 6.9 | 9.7 | 7.4 | 8.4 |
| 22 | 12.6 | 11.9 | 12.3 | 11.3 | 8.1 | 9.5 | 11.2 | 7.4 | 9.1 | 10.3 | 6.7 | 8.5 |
| 23 | 12.9 | 11.9 | 12.5 | 12.0 | 8.3 | 9.7 | 12.7 | 8.5 | 10.3 | 9.2 | 6.4 | 7.7 |
| 24 | 13.4 | 12.0 | 12.7 | 12.6 | 8.3 | 10.1 | 13.4 | 8.3 | 10.7 | 10.1 | 7.0 | 8.3 |
| 25 | 13.7 | 12.4 | 13.0 | 12.7 | 6.3 | 9.3 | 11.0 | 6.4 | 9.2 | 10.3 | 7.2 | 8.7 |
| 26 | 13.4 | 11.9 | 12.8 | 7.3 | 3.4 | 4.7 | 10.8 | 6.3 | 8.0 | 9.8 | 5.2 | 8.1 |
| 27 | 12.9 | 11.2 | 12.2 | 10.9 | 3.8 | 7.0 | 11.0 | 4.5 | 8.5 | 11.2 | 5.2 | 8.3 |
| 28 | 12.3 | 10.2 | 11.2 | 10.2 | 5.7 | 7.6 | 5.4 | 2.5 | 4.1 | 12.3 | 5.9 | 8.9 |
| 29 | --- | --- | --- | 9.1 | 5.4 | 7.9 | 6.7 | 2.5 | 4.8 | 9.4 | 6.6 | 8.3 |
| 30 | --- | --- | --- | 9.3 | 7.7 | 8.6 | 8.4 | 5.2 | 6.6 | 11.4 | 7.4 | 9.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.7 | 7.1 | 8.5 |
| MONTH | 15.3 | 7.4 | 11.3 | 15.7 | 1.5 | 8.4 | 13.4 | 2.0 | 7.6 | 12.3 | 4.2 | 7.7 |

03277075 GUNPOWDER CREEK AT CAMP ERNST ROAD NEAR UNION, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-------|-----|------|
| | | | | | | | | | | | | |
| 1 | 19 | 4.2 | 7.9 | 9.3 | 3.0 | 5.9 | 18 | 6.2 | 9.2 | 860 | 120 | 330 |
| 2 | 8.1 | 2.0 | 3.5 | 4.0 | 2.0 | 3.3 | 34 | 4.3 | 8.8 | 240 | 38 | 140 |
| 3 | 9.0 | 3.0 | 5.2 | 5.0 | 2.0 | 3.6 | 12 | 2.0 | 4.3 | 160 | 19 | 53 |
| 4 | 730 | 1.0 | 140 | 5.0 | 0.0 | 1.3 | 4.0 | 0.0 | 1.0 | 20 | 12 | 16 |
| 5 | 250 | 36 | 82 | 550 | 0.0 | 120 | 8.3 | 1.1 | 4.1 | 20 | 11 | 13 |
| 6 | 38 | 19 | 29 | 160 | 17 | 49 | 6.5 | 1.6 | 3.0 | 25 | 16 | 19 |
| 7 | 31 | 10 | 15 | 28 | 11 | 19 | 8.0 | 2.9 | 4.5 | 27 | 9.0 | 15 |
| 8 | 14 | 6.0 | 8.0 | 20 | 11 | 16 | 13 | 3.1 | 4.4 | 17 | 7.0 | 8.6 |
| 9 | 17 | 8.0 | 11 | 14 | 4.0 | 6.5 | 16 | 4.5 | 7.0 | 10 | 5.0 | 7.0 |
| 10 | 13 | 9.0 | 10 | 1,000 | 4.0 | 130 | 29 | 4.7 | 5.3 | 8.0 | 5.0 | 6.1 |
| 11 | 250 | 9.0 | 140 | 780 | 29 | 140 | 580 | 6.0 | 210 | 14 | 5.0 | 7.3 |
| 12 | 95 | 30 | 48 | 31 | 18 | 23 | 76 | 25 | 39 | 9.0 | 6.0 | 6.5 |
| 13 | 32 | 19 | 24 | 19 | 9.0 | 13 | 610 | 20 | 150 | 6.0 | 5.0 | 5.6 |
| 14 | 22 | 15 | 18 | 24 | 9.0 | 15 | 190 | 29 | 66 | 15 | 4.0 | 6.4 |
| 15 | 16 | 13 | 14 | 38 | 9.0 | 14 | 30 | 16 | 22 | 6.0 | 5.0 | 5.4 |
| 16 | 18 | 12 | 14 | 49 | 25 | 34 | 19 | 13 | 15 | 6.0 | 4.0 | 5.4 |
| 17 | 18 | 11 | 14 | 26 | 11 | 17 | 960 | 11 | 180 | 81 | 1.0 | 4.6 |
| 18 | 17 | 12 | 13 | 13 | 8.0 | 9.5 | 190 | 17 | 53 | 2.0 | 1.0 | 1.6 |
| 19 | 26 | 10 | 17 | 9.0 | 7.0 | 7.6 | 990 | 16 | 320 | 2.0 | 1.0 | 1.3 |
| 20 | 36 | 23 | 29 | 9.0 | 6.0 | 7.0 | 300 | 66 | 130 | 190 | 1.0 | 9.2 |
| 21 | 24 | 16 | 20 | 69 | 6.0 | 14 | 71 | 27 | 43 | 14 | 1.0 | 6.5 |
| 22 | 19 | 14 | 15 | 77 | 36 | 54 | 36 | 22 | 26 | 310 | 4.0 | 65 |
| 23 | 16 | 13 | 14 | 37 | 17 | 25 | 52 | 17 | 23 | 64 | 12 | 24 |
| 24 | 16 | 12 | 13 | 17 | 11 | 13 | 24 | 15 | 18 | 18 | 10 | 12 |
| 25 | 1,000 | 10 | 310 | 13 | 8.0 | 9.4 | 46 | 19 | 36 | 14 | 9.0 | 11 |
| 26 | 270 | 52 | 110 | 10 | 7.0 | 8.1 | 32 | 23 | 26 | 13 | 9.0 | 9.9 |
| 27 | 140 | 31 | 56 | 820 | 8.5 | 99 | 35 | 22 | 26 | 13 | 9.0 | 11 |
| 28 | 160 | 31 | 84 | 26 | 9.2 | 14 | 34 | 27 | 30 | 12 | 9.0 | 10 |
| 29 | 990 | 40 | 250 | 150 | 8.1 | 51 | 63 | 30 | 46 | 80 | 10 | 29 |
| 30 | 91 | 9.9 | 34 | 240 | 10 | 48 | 920 | 49 | 280 | 210 | 38 | 73 |
| 31 | 10 | 3.5 | 5.8 | --- | --- | --- | 770 | 140 | 340 | 140 | 43 | 76 |
| MONTH | 1,000 | 1.0 | 50 | 1,000 | 0.0 | 32 | 990 | 0.0 | 69 | 860 | 1.0 | 32 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 100 | 49 | 79 | 140 | 21 | 50 | 350 | 110 | 200 | 13 | 8.0 | 10 |
| 2 | 190 | 33 | 99 | 140 | 40 | 61 | 990 | 130 | 240 | --- | --- | --- |
| 3 | 600 | 51 | 190 | 51 | 36 | 42 | 250 | 110 | 130 | 790 | 120 | 260 |
| 4 | 1,000 | 72 | 350 | 120 | 38 | 58 | 130 | 98 | 110 | 130 | 82 | 96 |
| 5 | 120 | 54 | 71 | 290 | 100 | 170 | 760 | 98 | 340 | --- | --- | --- |
| 6 | 93 | 49 | 57 | 1,000 | 87 | 200 | 200 | 120 | 140 | 170 | 130 | 140 |
| 7 | 51 | 44 | 48 | 1,000 | 77 | 130 | 200 | 120 | 150 | 230 | 120 | 160 |
| 8 | 49 | 43 | 45 | 93 | 79 | 83 | 130 | 76 | 95 | 290 | 140 | 190 |
| 9 | 51 | 42 | 45 | 92 | 80 | 85 | 100 | 76 | 89 | 350 | 140 | 220 |
| 10 | 54 | 44 | 47 | 230 | 81 | 97 | 79 | 60 | 73 | 1,000 | 180 | 560 |
| 11 | 59 | 48 | 51 | 110 | 46 | 81 | 67 | 48 | 61 | 390 | 130 | 210 |
| 12 | 56 | 50 | 52 | 520 | 9.2 | 38 | 48 | 35 | 38 | 160 | 140 | 150 |
| 13 | 58 | 55 | 56 | 300 | 8.8 | 120 | 50 | 15 | 37 | 150 | 120 | 140 |
| 14 | 420 | 58 | 83 | 220 | 23 | 69 | 17 | 10 | 14 | 140 | 89 | 130 |
| 15 | 990 | 80 | 240 | 340 | 16 | 67 | 21 | 6.0 | 12 | 130 | 110 | 120 |
| 16 | 82 | 34 | 50 | 600 | 25 | 140 | 19 | 2.1 | 6.5 | 120 | 84 | 98 |
| 17 | 40 | 17 | 28 | --- | --- | --- | 71 | 3.0 | 15 | 94 | 61 | 81 |
| 18 | 26 | 7.0 | 14 | --- | --- | --- | 54 | 14 | 30 | 75 | 61 | 68 |
| 19 | 13 | 0.0 | 5.3 | 1,000 | 2.0 | 260 | 25 | 13 | 16 | 76 | 44 | 69 |
| 20 | 49 | 3.0 | 13 | 680 | 33 | 180 | 960 | 16 | 120 | 240 | 37 | 100 |
| 21 | 1,000 | 10 | 240 | 670 | 42 | 180 | 960 | 220 | 540 | 200 | 31 | 85 |
| 22 | 1,000 | 84 | 420 | 43 | 22 | 30 | 690 | 190 | 460 | 32 | 12 | 20 |
| 23 | 940 | 27 | 160 | 32 | 19 | 26 | 570 | 130 | 250 | 23 | 12 | 17 |
| 24 | 28 | 11 | 18 | 40 | 24 | 31 | 550 | 100 | 240 | 22 | 12 | 15 |
| 25 | 34 | 6.0 | 10 | 62 | 27 | 36 | 420 | 95 | 200 | 29 | 11 | 16 |
| 26 | 10 | 5.0 | 7.2 | 120 | 58 | 74 | 350 | 93 | 190 | 38 | 11 | 19 |
| 27 | 9.0 | 3.0 | 5.2 | 160 | 73 | 110 | 610 | 99 | 280 | 110 | 8.0 | 19 |
| 28 | 31 | 5.0 | 11 | 170 | 85 | 130 | 290 | 84 | 150 | 1,000 | 9.0 | 120 |
| 29 | --- | --- | --- | 1,000 | 120 | 390 | 580 | 93 | 290 | 840 | 45 | 140 |
| 30 | --- | --- | --- | 430 | 160 | 240 | 520 | 3.0 | 190 | 45 | 16 | 29 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 33 | 14 | 23 |
| MONTH | 1,000 | 0.0 | 89 | 1,000 | 2.0 | 110 | 990 | 2.1 | 160 | 1,000 | 8.0 | 110 |

03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY

LOCATION.--Lat 38°50'42", long 84°43'15", Boone County, Hydrologic Unit 05090203, at bridge on Highway 42 2.8 mi southwest of Beaverlick, 2.9 mi upstream from the mouth, and 3.0 mi downstream from the confluence of Fullers Creek and McCoys Fork.

DRAINAGE AREA.--36.4 mi².

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--December 2000 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 487.73 ft above NGVD of 1929.

REMARKS.--Records fair except for those below 1.0 ft³/s cfs and those estimated which are poor.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|---------|-------|-------|------|---------|-------|-------|---------|---------|
| 1 | 3.7 | 11 | 5.7 | 1,170 | 12 | 101 | 35 | 11 | 12 | 2.8 | 6.7 | e100 |
| 2 | 3.0 | 7.8 | 5.1 | 181 | 16 | 140 | 29 | 11 | 9.2 | 2.4 | 212 | 836 |
| 3 | 3.5 | 9.6 | 5.0 | 97 | 25 | 78 | 25 | 9.5 | 27 | 2.2 | 75 | 164 |
| 4 | 3.9 | 11 | 4.4 | 63 | 198 | 59 | 23 | 9.0 | 20 | 2.0 | 251 | 77 |
| 5 | 11 | 71 | 4.6 | 58 | 42 | 123 | 48 | 810 | 13 | 1.7 | 108 | 39 |
| 6 | 6.2 | 72 | 5.6 | 68 | 28 | 86 | 25 | 129 | 9.8 | 1.6 | 97 | 26 |
| 7 | 4.3 | 18 | 5.1 | 56 | 25 | 58 | 33 | 67 | 9.7 | 4.3 | 372 | 20 |
| 8 | 3.8 | 13 | 5.7 | 47 | 22 | 46 | 28 | 45 | 45 | 3.3 | 146 | 16 |
| 9 | 3.5 | 11 | 5.6 | 39 | 20 | 38 | 34 | 36 | 34 | 8.4 | 55 | 14 |
| 10 | 3.5 | 195 | 5.5 | 30 | 20 | 30 | 31 | 2,080 | 16 | 174 | 68 | 11 |
| 11 | 14 | 170 | 83 | 23 | 23 | 28 | 26 | 318 | 14 | 44 | 80 | 9.7 |
| 12 | 10 | 31 | 67 | 21 | 18 | 27 | 23 | 101 | 18 | 18 | 54 | 8.4 |
| 13 | 6.1 | 19 | 106 | 20 | 16 | 57 | 19 | 56 | 14 | 11 | 26 | 7.7 |
| 14 | 4.4 | 15 | 134 | 19 | 20 | 49 | 18 | 41 | 22 | 7.6 | 19 | 7.2 |
| 15 | 3.8 | 14 | 45 | 15 | 422 | 37 | 16 | 46 | 18 | 34 | 27 | 7.3 |
| 16 | 3.8 | 18 | 28 | 15 | 108 | 33 | 15 | 29 | 13 | 98 | 16 | 7.3 |
| 17 | 3.3 | 13 | 231 | 15 | 58 | 29 | 18 | 56 | 11 | 18 | 12 | 6.7 |
| 18 | 3.2 | 11 | 157 | 13 | 38 | 27 | 23 | 76 | 10 | 11 | 9.5 | 6.0 |
| 19 | 3.7 | 9.4 | 677 | 14 | 32 | 75 | 16 | 43 | 9.5 | 119 | 7.7 | 5.2 |
| 20 | 4.6 | 8.5 | 439 | 13 | 38 | 82 | 32 | 48 | 22 | 22 | 6.8 | 5.1 |
| 21 | 5.1 | 8.4 | 100 | 12 | 202 | 75 | 198 | 82 | 11 | 26 | 6.0 | 5.3 |
| 22 | 5.1 | 13 | 58 | 10 | 1,400 | 55 | 41 | 41 | 7.6 | 20 | 6.9 | 495 |
| 23 | 4.5 | 9.9 | 40 | 9.2 | 292 | 42 | 27 | 30 | 6.1 | 17 | 12 | 63 |
| 24 | 4.1 | 8.3 | 33 | 7.9 | 106 | 34 | 22 | 23 | 5.1 | 11 | 7.1 | 21 |
| 25 | 77 | 7.7 | 39 | 8.9 | 64 | 30 | 20 | 20 | 4.7 | 8.0 | 5.2 | 13 |
| 26 | 43 | 7.1 | 29 | 9.5 | 51 | 40 | 18 | 24 | 3.9 | 6.2 | 4.5 | 10 |
| 27 | 11 | 7.1 | 25 | 9.1 | 42 | 28 | 14 | 17 | 6.0 | 5.1 | 4.0 | 358 |
| 28 | 7.4 | 6.6 | 24 | 9.3 | 40 | 25 | 13 | 15 | 5.8 | 42 | 13 | 42 |
| 29 | 131 | 6.3 | 22 | 15 | --- | e166 | 13 | 19 | 3.9 | 22 | 6.0 | 16 |
| 30 | 37 | 6.3 | 105 | 24 | --- | e70 | 12 | 14 | 3.0 | 11 | 36 | 10 |
| 31 | 16 | --- | 440 | 12 | --- | e43 | --- | 14 | --- | 7.8 | 27 | --- |
| TOTAL | 444.5 | 809.0 | 2,934.3 | 2,103.9 | 3,378 | 1,811 | 895 | 4,320.5 | 404.3 | 761.4 | 1,776.4 | 2,406.9 |
| MEAN | 14.3 | 27.0 | 94.7 | 67.9 | 121 | 58.4 | 29.8 | 139 | 13.5 | 24.6 | 57.3 | 80.2 |
| MAX | 131 | 195 | 677 | 1,170 | 1,400 | 166 | 198 | 2,080 | 45 | 174 | 372 | 836 |
| MIN | 3.0 | 6.3 | 4.4 | 7.9 | 12 | 25 | 12 | 9.0 | 3.0 | 1.6 | 4.0 | 5.1 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 33.4 | 38.7 | 87.2 | 48.5 | 70.6 | 61.5 | 68.7 | 109 | 28.8 | 31.7 | 25.1 | 35.3 |
| MAX | 52.5 | 50.5 | 114 | 67.9 | 121 | 97.3 | 165 | 180 | 41.2 | 69.6 | 57.3 | 80.2 |
| (WY) | (2002) | (2002) | (2002) | (2003) | (2003) | (2002) | (2002) | (2002) | (2001) | (2001) | (2003) | (2003) |
| MIN | 14.3 | 27.0 | 53.3 | 19.6 | 44.9 | 28.6 | 11.9 | 8.49 | 13.5 | 0.76 | 0.79 | 10.1 |
| (WY) | (2003) | (2003) | (2001) | (2001) | (2002) | (2001) | (2001) | (2001) | (2003) | (2002) | (2002) | (2001) |

03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 22,254.29 | | 22,045.2 | | 64.1 | |
| ANNUAL MEAN | 61.0 | | 60.4 | | 60.4 | |
| HIGHEST ANNUAL MEAN | | | | | 67.8 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 60.4 | 2003 |
| HIGHEST DAILY MEAN | 1,720 | Apr 21 | 2,080 | May 10 | 2,080 | May 10, 2003 |
| LOWEST DAILY MEAN | 0.00 | Jul 8 | 1.6 | Jul 6 | 0.00 | Jul 8, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 2 | 2.2 | Jun 30 | 0.00 | Aug 2, 2002 |
| MAXIMUM PEAK FLOW | | | 10,000 | May 10 | 12,600 | Apr 21, 2002 |
| MAXIMUM PEAK STAGE | | | 9.46 | May 10 | 10.26 | Apr 21, 2002 |
| 10 PERCENT EXCEEDS | 111 | | 107 | | 118 | |
| 50 PERCENT EXCEEDS | 14 | | 20 | | 16 | |
| 90 PERCENT EXCEEDS | 0.00 | | 5.1 | | 0.77 | |

e Estimated



03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--December 2002 to September 2003.

COOPERATION.--Northern Kentucky Sanitation District No. 1.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 2000 to current year.

pH: December 2000 to current year.

WATER TEMPERATURES: December 2000 to current year.

DISSOLVED OXYGEN: December 2000 to current year.

TURBIDITY: December 2000 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

TURBIDITY: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 1580 microsiemens, Feb. 21, 2003; minimum recorded, 113 microsiemens, Apr. 21, 2002.

pH: Maximum recorded, 9.0 units, Dec. 2, 3, 5, 6, and 9, 2000; minimum recorded, 7.2 units, Mar. 9, 2003.

WATER TEMPERATURES: Maximum recorded, 33.8°C, Jun. 25, 2002; minimum recorded, -0.2°C, Jan. 11-31, and Feb. 1, 2, 5-17, 26, 2003.

DISSOLVED OXYGEN: Maximum recorded, 18.4 mg/L, Dec. 7, 2002; minimum recorded, 1.5 mg/L, Sept. 8, 2002.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2001, 2002 and 2003; minimum recorded, 0.0 NTU, Feb. 25 and April 2, 6-8, Oct. 31, Nov. 1, 2, 4, 5, 14, 16, 20, 21, 2002, and Mar. 30, 2003.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 1580 microsiemens, Feb. 21, 2003; minimum recorded, 116 microsiemens, Jan. 1, 2003, and May 10, 2003.

pH: Maximum recorded, 8.8 units, Oct. 8, 2002; minimum recorded, 7.2 units, Mar. 9, 2003.

WATER TEMPERATURES: Maximum recorded, 32.4°C, July 5, 2003; minimum recorded, 0.2°C, Jan. 11-31, and Feb. 1, 2, 5-17, 26, 2003.

DISSOLVED OXYGEN: Maximum recorded, 18.4 mg/L, Dec. 7, 2002; minimum recorded, 2.1 mg/L, July 7, 2003.

TURBIDITY: Maximum recorded, greater than 1000 NTU, many days in 2003; minimum recorded, 0.0 NTU, Oct. 31, Nov. 1, 2, 4, 5, 14, 16, 20, 21, 2002, and Mar. 10, 2003.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 589 | 555 | 570 | 580 | 568 | 573 | 604 | 590 | 597 | 326 | 116 | 223 |
| 2 | 594 | 561 | 582 | 596 | 570 | 586 | 605 | 583 | 600 | 404 | 326 | 376 |
| 3 | 605 | 567 | 589 | 604 | 596 | 600 | 610 | 594 | 601 | 583 | 404 | 468 |
| 4 | 622 | 554 | 601 | 619 | 603 | 610 | 659 | 610 | 619 | 583 | 501 | 529 |
| 5 | 699 | 618 | 671 | 628 | 444 | 582 | 629 | 609 | 619 | 508 | 488 | 494 |
| 6 | 696 | 648 | 670 | 495 | 423 | 455 | 636 | 620 | 627 | 934 | 502 | 724 |
| 7 | 660 | 612 | 638 | 555 | 495 | 529 | 667 | 636 | 653 | 635 | 534 | 573 |
| 8 | 636 | 587 | 615 | 585 | 555 | 569 | 665 | 653 | 660 | 534 | 513 | 523 |
| 9 | 617 | 592 | 606 | 604 | 585 | 594 | 760 | 664 | 702 | 515 | 506 | 512 |
| 10 | 614 | 591 | 606 | 608 | 235 | 536 | 897 | 760 | 816 | 506 | 495 | 499 |
| 11 | 704 | 578 | 642 | 469 | 285 | 393 | 1,180 | 734 | 938 | 500 | 490 | 493 |
| 12 | 656 | 584 | 603 | 516 | 466 | 497 | 824 | 644 | 687 | 521 | 500 | 512 |
| 13 | 609 | 589 | 600 | 542 | 516 | 529 | 649 | 547 | 618 | 534 | 502 | 519 |
| 14 | 610 | 592 | 601 | 552 | 540 | 545 | 586 | 523 | 548 | 528 | 486 | 498 |
| 15 | 622 | 608 | 615 | 555 | 548 | 552 | 585 | 566 | 570 | 509 | 491 | 499 |
| 16 | --- | --- | --- | 581 | 553 | 563 | 583 | 570 | 578 | 559 | 501 | 507 |
| 17 | 642 | 624 | 636 | 583 | 572 | 578 | 593 | 361 | 516 | 608 | 505 | 537 |
| 18 | 643 | 621 | 632 | 580 | 565 | 573 | 496 | 377 | 445 | 614 | 551 | 563 |
| 19 | 654 | 630 | 643 | 573 | 561 | 568 | 502 | 133 | 363 | 651 | 572 | 591 |
| 20 | 662 | 637 | 651 | 577 | 562 | 570 | 225 | 144 | 193 | 656 | 607 | 627 |
| 21 | 671 | 650 | 661 | 588 | 562 | 580 | 247 | 225 | 236 | 723 | 656 | 695 |
| 22 | 676 | 659 | 668 | 596 | 580 | 587 | 259 | 247 | 253 | 724 | 689 | 707 |
| 23 | 682 | 661 | 672 | 609 | 588 | 597 | 265 | 259 | 262 | 772 | 700 | 717 |
| 24 | 685 | 656 | 675 | 591 | 569 | 581 | 274 | 265 | 268 | 732 | 708 | 723 |
| 25 | 685 | 394 | 600 | 591 | 577 | 583 | 282 | 274 | 279 | 740 | 724 | 732 |
| 26 | 500 | 387 | 445 | 625 | 583 | 591 | 354 | 281 | 307 | 756 | 730 | 733 |
| 27 | 566 | 500 | 537 | 601 | 588 | 594 | 397 | 354 | 384 | 753 | 737 | 743 |
| 28 | 601 | 566 | 583 | 599 | 583 | 591 | 394 | 334 | 360 | 748 | 737 | 742 |
| 29 | 609 | 384 | 491 | 598 | 587 | 592 | 334 | 316 | 322 | 825 | 737 | 762 |
| 30 | 514 | 396 | 461 | 604 | 591 | 597 | 319 | 260 | 301 | 1,360 | 817 | 1,140 |
| 31 | 568 | 514 | 544 | --- | --- | --- | 302 | 176 | 248 | 1,450 | 1,280 | 1,390 |
| MONTH | 704 | 384 | 604 | 628 | 235 | 563 | 1,180 | 133 | 489 | 1,450 | 116 | 624 |

03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 8.4 | 7.5 | 7.9 | 8.4 | 8.2 | 8.3 | 8.5 | 8.2 | 8.3 | 8.0 | 7.8 | 7.9 |
| 2 | 8.5 | 7.8 | 8.1 | 8.4 | 8.2 | 8.3 | 8.6 | 8.2 | 8.3 | 8.1 | 8.0 | 8.1 |
| 3 | 8.6 | 7.7 | 8.1 | 8.3 | 8.1 | 8.2 | 8.5 | 8.2 | 8.3 | 8.2 | 8.0 | 8.1 |
| 4 | 8.5 | 7.7 | 8.0 | 8.3 | 8.1 | 8.2 | 8.5 | 8.2 | 8.3 | 8.1 | 8.0 | 8.1 |
| 5 | 8.4 | 7.8 | 8.1 | 8.3 | 7.9 | 8.2 | 8.5 | 8.1 | 8.3 | 8.2 | 8.0 | 8.2 |
| 6 | 8.6 | 7.9 | 8.2 | 8.2 | 8.0 | 8.1 | 8.5 | 8.2 | 8.3 | 8.2 | 8.1 | 8.1 |
| 7 | 8.7 | 7.8 | 8.2 | 8.4 | 8.1 | 8.3 | 8.5 | 8.1 | 8.3 | 8.3 | 8.1 | 8.2 |
| 8 | 8.8 | 7.8 | 8.3 | 8.5 | 8.2 | 8.3 | 8.5 | 8.2 | 8.3 | 8.4 | 8.3 | 8.3 |
| 9 | 8.6 | 7.9 | 8.3 | 8.5 | 8.2 | 8.3 | 8.5 | 8.1 | 8.3 | 8.4 | 8.3 | 8.4 |
| 10 | 8.3 | 7.8 | 8.1 | 8.5 | 7.9 | 8.3 | 8.4 | 8.1 | 8.2 | 8.5 | 8.3 | 8.4 |
| 11 | 8.0 | 7.7 | 7.9 | 8.2 | 7.9 | 8.1 | 8.1 | 7.8 | 7.9 | 8.5 | 8.4 | 8.5 |
| 12 | 8.2 | 7.8 | 8.0 | 8.3 | 8.1 | 8.2 | 8.0 | 7.9 | 8.0 | 8.5 | 8.4 | 8.4 |
| 13 | 8.4 | 7.8 | 8.1 | 8.4 | 8.2 | 8.3 | 8.0 | 7.9 | 8.0 | 8.6 | 8.4 | 8.5 |
| 14 | 8.5 | 7.9 | 8.2 | 8.5 | 8.2 | 8.3 | 8.0 | 7.9 | 8.0 | 8.6 | 8.5 | 8.5 |
| 15 | 8.4 | 7.9 | 8.1 | 8.4 | 8.2 | 8.3 | 8.3 | 7.9 | 8.1 | 8.6 | 8.5 | 8.5 |
| 16 | --- | --- | --- | 8.3 | 8.2 | 8.2 | 8.3 | 8.0 | 8.1 | 8.7 | 8.5 | 8.6 |
| 17 | 8.4 | 7.9 | 8.1 | 8.5 | 8.1 | 8.3 | 8.2 | 7.8 | 8.0 | 8.7 | 8.6 | 8.7 |
| 18 | 8.5 | 8.0 | 8.3 | 8.5 | 8.2 | 8.4 | 8.1 | 7.8 | 8.0 | 8.7 | 8.6 | 8.7 |
| 19 | 8.3 | 7.9 | 8.1 | 8.5 | 8.2 | 8.4 | 8.0 | 7.7 | 7.9 | 8.7 | 8.5 | 8.6 |
| 20 | 8.6 | 7.8 | 8.2 | 8.6 | 8.2 | 8.4 | 7.9 | 7.7 | 7.8 | 8.7 | 8.5 | 8.6 |
| 21 | 8.5 | 7.9 | 8.2 | 8.6 | 8.1 | 8.4 | 7.9 | 7.8 | 7.9 | 8.7 | 8.5 | 8.6 |
| 22 | 8.5 | 7.9 | 8.2 | 8.5 | 8.2 | 8.3 | 8.0 | 7.8 | 7.9 | 8.7 | 8.5 | 8.6 |
| 23 | 8.6 | 7.9 | 8.3 | 8.6 | 8.2 | 8.3 | 8.0 | 7.9 | 7.9 | 8.6 | 8.4 | 8.5 |
| 24 | 8.6 | 8.0 | 8.3 | 8.6 | 8.2 | 8.4 | 8.0 | 7.9 | 8.0 | 8.7 | 8.4 | 8.5 |
| 25 | 8.3 | 7.8 | 8.0 | 8.5 | 8.2 | 8.3 | 8.0 | 7.9 | 8.0 | 8.7 | 8.4 | 8.5 |
| 26 | 8.0 | 7.8 | 7.9 | 8.5 | 8.1 | 8.3 | 8.0 | 8.0 | 8.0 | 8.5 | 8.3 | 8.4 |
| 27 | 8.1 | 7.8 | 7.9 | 8.6 | 8.2 | 8.4 | 8.0 | 7.9 | 8.0 | 8.5 | 8.2 | 8.3 |
| 28 | 8.2 | 7.9 | 8.0 | 8.6 | 8.2 | 8.4 | 8.0 | 8.0 | 8.0 | 8.5 | 8.3 | 8.4 |
| 29 | 7.9 | 7.7 | 7.8 | 8.5 | 8.2 | 8.4 | 8.1 | 8.0 | 8.0 | 8.6 | 8.3 | 8.4 |
| 30 | 8.0 | 7.8 | 7.9 | 8.5 | 8.1 | 8.3 | 8.0 | 7.9 | 8.0 | 8.5 | 8.1 | 8.3 |
| 31 | 8.3 | 7.9 | 8.0 | --- | --- | --- | 8.0 | 7.9 | 7.9 | 8.5 | 8.2 | 8.3 |
| MONTH | 8.8 | 7.5 | 8.1 | 8.6 | 7.9 | 8.3 | 8.6 | 7.7 | 8.1 | 8.7 | 7.8 | 8.4 |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.5 | 8.2 | 8.4 | 7.7 | 7.4 | 7.6 | 8.5 | 8.1 | 8.3 | 8.4 | 7.7 | 8.0 |
| 2 | 8.5 | 8.1 | 8.3 | 7.6 | 7.4 | 7.5 | 8.6 | 8.0 | 8.3 | 8.4 | 7.6 | 8.0 |
| 3 | 8.3 | 8.1 | 8.2 | 7.8 | 7.5 | 7.6 | 8.6 | 8.0 | 8.3 | 8.2 | 7.6 | 7.9 |
| 4 | 8.2 | 8.0 | 8.1 | 7.8 | 7.5 | 7.6 | 8.4 | 7.9 | 8.1 | 8.3 | 7.5 | 7.9 |
| 5 | 8.4 | 8.1 | 8.2 | 7.6 | 7.3 | 7.4 | 8.1 | 7.9 | 8.0 | 7.8 | 7.4 | 7.6 |
| 6 | 8.3 | 8.0 | 8.2 | 7.7 | 7.3 | 7.5 | 8.3 | 7.9 | 8.1 | 7.9 | 7.7 | 7.8 |
| 7 | 8.4 | 8.1 | 8.2 | 7.8 | 7.4 | 7.6 | 8.3 | 8.0 | 8.2 | 7.9 | 7.7 | 7.8 |
| 8 | 8.3 | 8.1 | 8.2 | 7.8 | 7.4 | 7.6 | 8.3 | 8.0 | 8.2 | 8.0 | 7.7 | 7.9 |
| 9 | 8.2 | 8.0 | 8.1 | 7.8 | 7.2 | 7.5 | 8.2 | 8.0 | 8.1 | 8.0 | 7.7 | 7.9 |
| 10 | 8.2 | 8.0 | 8.1 | 8.4 | 7.4 | 7.8 | 8.3 | 8.0 | 8.1 | 7.9 | 7.4 | 7.5 |
| 11 | 8.2 | 8.0 | 8.1 | 8.6 | 8.2 | 8.4 | 8.3 | 8.0 | 8.2 | 7.8 | 7.5 | 7.7 |
| 12 | 8.2 | 8.0 | 8.1 | 8.6 | 8.2 | 8.4 | 8.3 | 8.0 | 8.1 | 7.7 | 7.6 | 7.6 |
| 13 | 8.1 | 7.8 | 8.0 | 8.4 | 8.1 | 8.3 | 8.3 | 8.0 | 8.1 | 7.9 | 7.6 | 7.7 |
| 14 | 8.1 | 7.9 | 8.0 | 8.7 | 8.0 | 8.4 | 8.4 | 7.9 | 8.1 | 7.9 | 7.7 | 7.8 |
| 15 | 7.9 | 7.7 | 7.8 | 8.7 | 8.1 | 8.4 | 8.4 | 7.8 | 8.0 | 7.9 | 7.7 | 7.8 |
| 16 | 7.9 | 7.7 | 7.8 | 8.7 | 8.1 | 8.4 | 8.4 | 7.7 | 8.1 | 8.1 | 7.7 | 7.9 |
| 17 | 8.0 | 7.7 | 7.8 | 8.7 | 8.1 | 8.4 | 8.3 | 7.8 | 8.0 | 7.7 | 7.6 | 7.7 |
| 18 | 8.0 | 7.8 | 7.9 | 8.7 | 8.1 | 8.4 | 8.3 | 7.9 | 8.1 | 7.9 | 7.6 | 7.7 |
| 19 | 8.0 | 7.8 | 7.9 | 8.4 | 8.0 | 8.2 | 8.5 | 7.9 | 8.2 | 8.2 | 7.7 | 7.9 |
| 20 | 8.0 | 7.7 | 7.8 | 8.6 | 7.9 | 8.2 | 8.4 | 7.6 | 8.1 | 8.1 | 7.9 | 8.0 |
| 21 | 7.8 | 7.6 | 7.7 | 8.4 | 8.0 | 8.2 | 8.0 | 7.6 | 7.8 | 8.2 | 7.8 | 8.0 |
| 22 | 7.6 | 7.5 | 7.5 | 8.6 | 8.0 | 8.4 | 8.2 | 7.9 | 8.0 | 8.3 | 7.9 | 8.1 |
| 23 | 7.6 | 7.4 | 7.5 | 8.7 | 8.1 | 8.4 | 8.2 | 7.8 | 8.1 | 8.3 | 7.9 | 8.1 |
| 24 | 7.7 | 7.5 | 7.6 | 8.6 | 8.0 | 8.3 | 8.2 | 7.9 | 8.1 | 8.3 | 7.9 | 8.1 |
| 25 | 7.7 | 7.6 | 7.7 | 8.6 | 8.0 | 8.3 | 8.1 | 7.9 | 8.0 | 8.1 | 7.9 | 8.0 |
| 26 | 7.7 | 7.6 | 7.6 | 8.6 | 8.0 | 8.3 | 8.4 | 7.9 | 8.1 | 8.3 | 7.9 | 8.1 |
| 27 | 7.7 | 7.5 | 7.6 | 8.5 | 8.0 | 8.3 | 8.4 | 7.8 | 8.0 | 8.3 | 7.8 | 8.1 |
| 28 | 7.7 | 7.6 | 7.6 | 8.6 | 8.1 | 8.3 | 8.5 | 7.7 | 8.0 | 8.3 | 7.8 | 8.0 |
| 29 | --- | --- | --- | 8.2 | 7.9 | 8.0 | 8.5 | 7.8 | 8.1 | 8.2 | 7.8 | 8.0 |
| 30 | --- | --- | --- | --- | --- | --- | 8.5 | 7.7 | 8.1 | 8.3 | 7.8 | 8.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.8 | 7.9 |
| MONTH | 8.5 | 7.4 | 7.9 | 8.7 | 7.2 | 8.1 | 8.6 | 7.6 | 8.1 | 8.4 | 7.4 | 7.9 |

03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 24.0 | 19.6 | 21.4 | 10.1 | 7.5 | 8.8 | 2.9 | 0.7 | 1.6 | 7.5 | 5.7 | 6.4 |
| 2 | 24.3 | 20.4 | 22.1 | 8.5 | 5.5 | 7.0 | 3.5 | 0.4 | 1.7 | 5.7 | 4.9 | 5.2 |
| 3 | 24.8 | 20.4 | 22.5 | 6.9 | 5.6 | 6.4 | 2.5 | 0.5 | 1.4 | 4.9 | 3.3 | 4.0 |
| 4 | 23.4 | 21.3 | 22.2 | 7.4 | 6.6 | 7.0 | 0.6 | 0.0 | 0.3 | 3.5 | 2.4 | 3.1 |
| 5 | 21.5 | 18.5 | 20.2 | 9.0 | 7.2 | 7.8 | 0.7 | 0.0 | 0.2 | 3.6 | 2.5 | 3.2 |
| 6 | 20.5 | 16.0 | 18.2 | 9.1 | 8.2 | 8.8 | 1.4 | 0.0 | 0.4 | 4.1 | 3.0 | 3.7 |
| 7 | 20.3 | 16.2 | 17.9 | 9.5 | 7.2 | 8.3 | 1.1 | 0.0 | 0.3 | 3.0 | 1.7 | 2.5 |
| 8 | 17.1 | 13.0 | 15.2 | 9.9 | 6.7 | 8.3 | 2.2 | 0.2 | 0.9 | 4.6 | 2.3 | 3.4 |
| 9 | 16.5 | 13.8 | 15.1 | 11.4 | 8.5 | 9.9 | 1.7 | -0.1 | 0.6 | 5.4 | 3.6 | 4.5 |
| 10 | 15.8 | 15.0 | 15.4 | 14.9 | 11.3 | 13.0 | 1.1 | 0.0 | 0.5 | 4.5 | 2.1 | 3.5 |
| 11 | 16.6 | 15.6 | 16.1 | 13.8 | 11.7 | 13.0 | 1.8 | 0.5 | 0.9 | 2.1 | -0.2 | 0.8 |
| 12 | 18.9 | 16.6 | 17.5 | 11.7 | 9.3 | 10.1 | 3.9 | 1.8 | 3.2 | 0.3 | -0.2 | 0.0 |
| 13 | 18.9 | 15.2 | 17.4 | 9.9 | 7.9 | 9.0 | 4.6 | 3.8 | 4.0 | 0.5 | -0.2 | 0.0 |
| 14 | 16.3 | 12.5 | 14.2 | 9.2 | 7.6 | 8.4 | 4.9 | 4.4 | 4.6 | 0.1 | -0.2 | -0.1 |
| 15 | 13.1 | 10.7 | 11.8 | 8.5 | 8.2 | 8.4 | 5.1 | 3.0 | 4.2 | 0.4 | -0.2 | -0.1 |
| 16 | 12.2 | 10.6 | 11.4 | 8.3 | 6.5 | 7.4 | 5.5 | 4.4 | 4.9 | -0.1 | -0.2 | -0.2 |
| 17 | 12.4 | 9.6 | 11.1 | 6.5 | 5.3 | 6.1 | 5.3 | 3.8 | 4.3 | 0.1 | -0.2 | -0.1 |
| 18 | 14.4 | 9.1 | 11.6 | 5.6 | 3.7 | 4.8 | 7.7 | 5.3 | 6.6 | 0.1 | -0.2 | -0.1 |
| 19 | 12.7 | 12.2 | 12.4 | 8.3 | 5.1 | 6.6 | 8.1 | 7.5 | 7.9 | 0.1 | -0.2 | -0.1 |
| 20 | 13.9 | 11.0 | 12.4 | 7.6 | 4.5 | 6.1 | 8.0 | 5.9 | 6.8 | 0.0 | -0.2 | -0.1 |
| 21 | 14.5 | 10.1 | 12.0 | 8.4 | 5.9 | 7.0 | 5.9 | 4.7 | 5.3 | 0.2 | -0.2 | -0.1 |
| 22 | 13.3 | 9.0 | 11.3 | 7.1 | 5.3 | 6.1 | 6.2 | 4.8 | 5.4 | 0.1 | -0.2 | -0.1 |
| 23 | 13.7 | 9.1 | 11.3 | 5.9 | 4.0 | 4.9 | 4.8 | 3.0 | 3.6 | 0.0 | -0.2 | -0.2 |
| 24 | 13.5 | 9.8 | 11.3 | 6.1 | 3.0 | 4.5 | 3.8 | 3.3 | 3.5 | 0.1 | -0.2 | -0.1 |
| 25 | 11.5 | 10.1 | 10.7 | 4.8 | 3.9 | 4.3 | 3.3 | 2.1 | 2.6 | 0.1 | -0.2 | -0.1 |
| 26 | 12.3 | 11.5 | 12.0 | 4.1 | 2.8 | 3.2 | 2.1 | 1.4 | 1.7 | -0.1 | -0.2 | -0.2 |
| 27 | 13.2 | 11.6 | 12.2 | 4.1 | 1.9 | 2.8 | 2.5 | 1.1 | 1.6 | -0.1 | -0.2 | -0.2 |
| 28 | 12.9 | 11.2 | 12.0 | 2.2 | 1.0 | 1.5 | 2.7 | 0.7 | 1.7 | -0.1 | -0.2 | -0.1 |
| 29 | 11.9 | 9.7 | 10.5 | 4.1 | 0.4 | 2.2 | 3.6 | 1.3 | 2.4 | 0.0 | -0.2 | -0.2 |
| 30 | 9.7 | 8.9 | 9.2 | 3.7 | 1.7 | 2.9 | 6.9 | 2.2 | 4.0 | 0.1 | -0.2 | -0.2 |
| 31 | 9.6 | 8.6 | 9.1 | --- | --- | --- | 7.7 | 6.9 | 7.2 | 0.0 | -0.2 | -0.1 |
| MONTH | 24.8 | 8.6 | 14.4 | 14.9 | 0.4 | 6.8 | 8.1 | -0.1 | 3.0 | 7.5 | -0.2 | 1.2 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 0.0 | -0.2 | -0.1 | 4.6 | 3.3 | 4.0 | 14.2 | 7.6 | 10.8 | 23.5 | 17.9 | 20.5 |
| 2 | 0.7 | -0.2 | 0.1 | 4.5 | 3.1 | 4.0 | 17.5 | 11.5 | 14.5 | 21.9 | 18.5 | 20.2 |
| 3 | 2.4 | -0.1 | 0.5 | 3.7 | 0.6 | 2.3 | 19.2 | 13.7 | 16.4 | 19.7 | 16.1 | 18.0 |
| 4 | 3.2 | 0.4 | 2.5 | 5.2 | 1.2 | 3.2 | 18.8 | 16.1 | 17.3 | 16.4 | 13.7 | 15.2 |
| 5 | 1.4 | -0.2 | 0.6 | 6.5 | 5.1 | 5.8 | 17.3 | 11.0 | 14.2 | 16.9 | 13.0 | 14.8 |
| 6 | 0.6 | -0.2 | 0.1 | 5.1 | 2.8 | 3.8 | 11.0 | 8.5 | 9.4 | 18.6 | 15.7 | 17.0 |
| 7 | 1.2 | -0.2 | 0.3 | 5.1 | 1.9 | 3.2 | 10.5 | 8.2 | 9.2 | 18.0 | 17.0 | 17.5 |
| 8 | 0.5 | -0.2 | 0.0 | 8.0 | 2.3 | 5.2 | 10.7 | 9.0 | 9.8 | 20.3 | 16.5 | 18.4 |
| 9 | 1.5 | -0.2 | 0.4 | 8.0 | 5.0 | 6.8 | 9.7 | 7.3 | 8.3 | 20.4 | 18.6 | 19.5 |
| 10 | 0.7 | -0.2 | 0.2 | 5.1 | 2.1 | 3.8 | 10.8 | 6.6 | 8.4 | 20.0 | 16.9 | 17.7 |
| 11 | 0.2 | -0.2 | -0.1 | 6.4 | 2.0 | 4.3 | 14.1 | 7.5 | 10.7 | 18.7 | 16.4 | 17.3 |
| 12 | 1.0 | -0.2 | 0.1 | 6.5 | 4.4 | 5.3 | 15.9 | 9.8 | 12.7 | 16.4 | 14.2 | 15.4 |
| 13 | 0.4 | -0.2 | 0.0 | 6.4 | 5.1 | 5.7 | 16.8 | 10.7 | 13.6 | 17.9 | 13.2 | 15.4 |
| 14 | 0.0 | -0.2 | -0.1 | 8.2 | 3.9 | 6.0 | 18.2 | 11.1 | 14.6 | 17.4 | 14.4 | 16.0 |
| 15 | 2.1 | -0.2 | 1.0 | 10.2 | 5.6 | 7.8 | 20.4 | 13.6 | 16.9 | 18.2 | 15.9 | 17.0 |
| 16 | 1.5 | -0.2 | 0.2 | 12.7 | 7.8 | 10.3 | 20.7 | 15.3 | 18.2 | 19.8 | 15.9 | 17.7 |
| 17 | 0.1 | -0.2 | -0.1 | 13.0 | 9.9 | 11.5 | 18.7 | 15.9 | 17.1 | 18.3 | 16.8 | 17.4 |
| 18 | 0.8 | -0.1 | 0.3 | 14.5 | 11.3 | 12.9 | 16.4 | 14.7 | 15.5 | 18.4 | 16.4 | 17.3 |
| 19 | 1.5 | 0.8 | 1.1 | 14.7 | 11.9 | 13.4 | 20.2 | 13.3 | 16.7 | 20.0 | 17.3 | 18.6 |
| 20 | 4.2 | 0.9 | 2.3 | 14.3 | 10.6 | 12.4 | 19.9 | 15.7 | 18.1 | 19.5 | 17.3 | 18.8 |
| 21 | 3.1 | 2.1 | 2.8 | 13.2 | 9.9 | 11.8 | 16.7 | 14.1 | 14.8 | 18.7 | 15.5 | 17.0 |
| 22 | 3.3 | 1.9 | 2.7 | 11.9 | 8.0 | 10.1 | 14.2 | 11.5 | 13.0 | 18.8 | 15.1 | 16.9 |
| 23 | 3.0 | 1.6 | 2.4 | 13.4 | 9.3 | 11.4 | 15.4 | 9.5 | 12.3 | 18.2 | 14.9 | 16.7 |
| 24 | 2.6 | 1.2 | 1.9 | 14.4 | 9.3 | 12.0 | 13.3 | 10.7 | 12.2 | 17.6 | 14.2 | 16.0 |
| 25 | 2.2 | 0.1 | 1.1 | 15.3 | 10.9 | 13.3 | 12.9 | 12.0 | 12.4 | 16.1 | 14.7 | 15.4 |
| 26 | 1.3 | -0.2 | 0.5 | 16.0 | 12.0 | 13.8 | 17.9 | 12.0 | 14.5 | 16.8 | 14.0 | 15.2 |
| 27 | 2.4 | 0.5 | 1.5 | 14.8 | 10.2 | 12.7 | 19.1 | 12.3 | 15.7 | 18.8 | 15.2 | 16.7 |
| 28 | 4.0 | 2.1 | 3.0 | 16.7 | 12.7 | 14.7 | 19.9 | 12.9 | 16.5 | 18.2 | 15.2 | 16.9 |
| 29 | --- | --- | --- | 15.2 | 8.9 | 10.5 | 22.0 | 16.9 | 19.0 | 18.7 | 16.0 | 17.2 |
| 30 | --- | --- | --- | --- | --- | --- | 21.7 | 17.5 | 19.4 | 18.7 | 15.8 | 17.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.5 | 16.2 | 17.0 |
| MONTH | 4.2 | -0.2 | 0.9 | 16.7 | 0.6 | 8.3 | 22.0 | 6.6 | 14.1 | 23.5 | 13.0 | 17.2 |

03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 11.4 | 5.9 | 8.1 | 13.9 | 12.0 | 12.7 | 17.7 | 13.4 | 15.1 | 11.6 | 9.8 | 10.9 |
| 2 | 12.6 | 6.0 | 8.5 | 14.5 | 12.2 | 13.1 | 18.0 | 13.9 | 15.4 | 11.7 | 11.2 | 11.4 |
| 3 | 13.0 | 5.7 | 8.6 | 14.2 | 12.0 | 12.8 | 18.0 | 13.7 | 15.6 | 12.4 | 11.4 | 11.9 |
| 4 | 11.9 | 5.4 | 7.3 | 13.4 | 11.6 | 12.2 | 17.6 | 14.3 | 15.6 | 12.8 | 12.0 | 12.4 |
| 5 | 10.5 | 5.8 | 8.0 | 12.7 | 11.1 | 11.7 | 17.7 | 13.9 | 15.5 | 12.7 | 12.1 | 12.3 |
| 6 | 12.6 | 6.8 | 9.1 | 11.7 | 11.0 | 11.3 | 18.1 | 14.2 | 15.6 | 12.5 | 12.0 | 12.3 |
| 7 | 13.6 | 6.4 | 9.3 | 12.6 | 10.6 | 11.5 | 18.4 | 14.2 | 15.7 | 13.4 | 12.4 | 12.9 |
| 8 | 14.6 | 7.0 | 10.1 | 12.8 | 10.2 | 11.3 | 17.8 | 13.7 | 15.3 | 13.0 | 11.8 | 12.5 |
| 9 | 12.8 | 7.2 | 9.6 | 12.3 | 9.2 | 10.5 | 18.0 | 14.0 | 15.5 | 12.7 | 11.7 | 12.1 |
| 10 | 9.5 | 7.1 | 8.2 | 11.4 | 8.1 | 9.7 | 17.0 | 13.6 | 14.9 | 13.2 | 11.8 | 12.5 |
| 11 | 8.9 | 6.6 | 7.9 | 9.9 | 8.8 | 9.3 | 13.9 | 13.1 | 13.5 | 14.6 | 12.9 | 13.9 |
| 12 | 9.5 | 7.1 | 8.2 | 10.8 | 9.0 | 9.7 | 13.4 | 12.3 | 12.8 | 15.0 | 14.0 | 14.5 |
| 13 | 11.0 | 7.0 | 8.5 | 11.6 | 9.6 | 10.5 | 12.7 | 12.1 | 12.3 | 15.0 | 14.2 | 14.5 |
| 14 | 12.7 | 7.7 | 9.7 | 12.2 | 10.0 | 10.8 | 12.7 | 12.0 | 12.2 | 14.9 | 14.1 | 14.5 |
| 15 | 11.5 | 8.3 | 9.6 | 11.2 | 10.0 | 10.4 | 13.9 | 11.8 | 12.7 | 15.6 | 14.3 | 14.9 |
| 16 | --- | --- | --- | 11.6 | 10.2 | 10.8 | 13.8 | 11.6 | 12.4 | 15.4 | 14.4 | 14.7 |
| 17 | 13.6 | 8.6 | 10.4 | 13.2 | 10.9 | 11.8 | 12.5 | 11.4 | 11.9 | 15.8 | 14.3 | 14.9 |
| 18 | 14.4 | 9.2 | 11.3 | 14.1 | 11.4 | 12.5 | 11.6 | 10.4 | 11.2 | 16.0 | 14.5 | 15.1 |
| 19 | 9.9 | 8.4 | 9.2 | 14.0 | 11.2 | 12.2 | 10.9 | 10.4 | 10.6 | 16.0 | 14.4 | 15.0 |
| 20 | 14.5 | 8.1 | 10.8 | 14.4 | 11.2 | 12.4 | 10.9 | 10.1 | 10.5 | 16.0 | 14.3 | 15.0 |
| 21 | 13.9 | 8.8 | 10.9 | 14.7 | 10.8 | 11.9 | 10.7 | 9.6 | 10.3 | 16.4 | 14.4 | 15.2 |
| 22 | 14.1 | 9.0 | 11.1 | 13.2 | 10.7 | 11.8 | 10.2 | 9.7 | 10 | 16.6 | 14.5 | 15.3 |
| 23 | 14.7 | 9.2 | 11.5 | 15.4 | 11.5 | 13.0 | 11.2 | 10.0 | 10.7 | 16.7 | 14.4 | 15.3 |
| 24 | 14.6 | 9.1 | 11.3 | 16.0 | 12.1 | 13.5 | 11.1 | 10.3 | 10.7 | 17.7 | 14.6 | 15.7 |
| 25 | 10.5 | 8.9 | 9.7 | 15.0 | 11.8 | 13.0 | 11.2 | 10.2 | 10.8 | 17.7 | 14.5 | 15.7 |
| 26 | 10.0 | 9.5 | 9.7 | 15.2 | 12.2 | 13.4 | 11.8 | 11.1 | 11.4 | 15.4 | 14.5 | 14.9 |
| 27 | 11.2 | 9.4 | 10.1 | 16.7 | 12.7 | 14.3 | 11.9 | 11.2 | 11.5 | 16.8 | 14.3 | 15.3 |
| 28 | 11.8 | 9.3 | 10.3 | 17.3 | 13.4 | 14.9 | 11.9 | 11.0 | 11.4 | 16.7 | 14.4 | 15.3 |
| 29 | 11.3 | 9.2 | 10.2 | 17.0 | 13.0 | 14.8 | 11.5 | 10.6 | 11.0 | 17.1 | 14.4 | 15.5 |
| 30 | 11.1 | 10.4 | 10.7 | 16.0 | 12.4 | 13.9 | 10.8 | 9.8 | 10.4 | 17.1 | 14.4 | 15.5 |
| 31 | 12.5 | 10.7 | 11.5 | --- | --- | --- | 11.1 | 9.2 | 9.8 | 16.9 | 14.3 | 15.4 |
| MONTH | 14.7 | 5.4 | 9.6 | 17.3 | 8.1 | 12.1 | 18.4 | 9.2 | 12.7 | 17.7 | 9.8 | 14.1 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 16.6 | 14.3 | 15.2 | 13.9 | 12.7 | 13.2 | 13.2 | 9.0 | 11.2 | 12.4 | 6.2 | 8.8 |
| 2 | 16.7 | 14.4 | 15.4 | 13.6 | 12.9 | 13.3 | 12.8 | 8.2 | 10.3 | 11.4 | 6.0 | 8.3 |
| 3 | 15.8 | 13.4 | 14.7 | 15.3 | 13.5 | 14.3 | 11.9 | 7.8 | 9.5 | 11.2 | 5.7 | 8.0 |
| 4 | 13.9 | 13.0 | 13.4 | 15.1 | 12.6 | 14.0 | 10.6 | 7.4 | 8.6 | 13.2 | 6.7 | 9.2 |
| 5 | 15.5 | 13.6 | 14.6 | 13.0 | 12.3 | 12.5 | 9.9 | 7.4 | 8.8 | 9.6 | 7.4 | 8.7 |
| 6 | 15.8 | 14.3 | 14.8 | 14.5 | 12.6 | 13.5 | 12.3 | 9.0 | 10.6 | 8.6 | 7.3 | 8.1 |
| 7 | 16.0 | 14.3 | 15.0 | 15.2 | 12.8 | 13.9 | 11.8 | 9.8 | 10.6 | 8.0 | 6.9 | 7.5 |
| 8 | 16.8 | 14.6 | 15.4 | 15.1 | 11.5 | 13.5 | 12.4 | 9.7 | 10.7 | 8.3 | 6.5 | 7.4 |
| 9 | 16.3 | 14.4 | 15.2 | 14.6 | 11.5 | 12.9 | 11.9 | 9.9 | 10.8 | 7.7 | 6.4 | 6.9 |
| 10 | 16.1 | 14.1 | 15.0 | 15.7 | 12.4 | 13.9 | 12.5 | 10.1 | 11.3 | 9.0 | 6.3 | 8.1 |
| 11 | 16.4 | 14.2 | 15.2 | 15.2 | 11.8 | 13.5 | 12.1 | 9.5 | 10.7 | 8.5 | 7.8 | 8.1 |
| 12 | 16.9 | 14.4 | 15.5 | 14.9 | 11.5 | 12.7 | 12.2 | 9.3 | 10.5 | 8.8 | 7.0 | 8.0 |
| 13 | 17.2 | 14.4 | 15.6 | 13.0 | 11.1 | 11.8 | 11.9 | 9.0 | 10.2 | 9.0 | 7.3 | 8.2 |
| 14 | 16.6 | 14.3 | 15.2 | 14.8 | 10.8 | 12.6 | 11.7 | 8.3 | 10 | 9.4 | 8.2 | 8.8 |
| 15 | 14.8 | 13.7 | 14.2 | 14.5 | 9.8 | 12.0 | 11.0 | 7.6 | 9.2 | 9.2 | 7.9 | 8.6 |
| 16 | 15.0 | 13.9 | 14.5 | 14.3 | 9.2 | 11.4 | 11.2 | 7.2 | 8.9 | 9.7 | 7.6 | 8.6 |
| 17 | 15.5 | 14.5 | 14.9 | 13.6 | 8.7 | 10.8 | 9.5 | 6.9 | 8.1 | 8.6 | 7.4 | 7.9 |
| 18 | 15.7 | 14.4 | 14.9 | 12.9 | 8.3 | 10.0 | 10.6 | 7.7 | 8.8 | 8.7 | 7.3 | 8.0 |
| 19 | 15.6 | 14.2 | 14.7 | 11.4 | 8.0 | 9.3 | 11.9 | 6.9 | 9.2 | 9.9 | 7.3 | 8.2 |
| 20 | 15.7 | 13.5 | 14.5 | 10.9 | 8.3 | 9.6 | 10.3 | 6.5 | 8.1 | 9.4 | 7.5 | 8.2 |
| 21 | 14.7 | 13.4 | 13.8 | 10.6 | 8.3 | 9.5 | 8.4 | 7.4 | 8.1 | 9.8 | 7.8 | 8.7 |
| 22 | 14.4 | 13.6 | 13.9 | 12.4 | 9.0 | 10.6 | 10.3 | 7.6 | 9.0 | 10.2 | 7.7 | 8.8 |
| 23 | 14.1 | 13.5 | 13.8 | 12.9 | 8.8 | 10.4 | 11.3 | 8.5 | 9.8 | 10.7 | 7.5 | 8.9 |
| 24 | 14.4 | 13.6 | 14.0 | 12.6 | 8.4 | 10.3 | 11.7 | 8.4 | 9.8 | 10.9 | 7.5 | 9.1 |
| 25 | 14.9 | 13.8 | 14.3 | 12.3 | 8.1 | 9.8 | 10.8 | 8.4 | 9.3 | 10.1 | 6.8 | 8.3 |
| 26 | 14.9 | 14.0 | 14.4 | 11.5 | 8.0 | 9.4 | 12.0 | 7.7 | 9.7 | 10.9 | 6.6 | 8.4 |
| 27 | 14.6 | 13.5 | 14.1 | 12.7 | 8.1 | 10.2 | 12.2 | 7.6 | 9.5 | 11.2 | 6.4 | 8.4 |
| 28 | 14.4 | 13.0 | 13.7 | 11.8 | 8.0 | 9.6 | 12.4 | 7.4 | 9.5 | 11.0 | 6.8 | 8.4 |
| 29 | --- | --- | --- | 11.0 | 8.0 | 10.2 | 12.8 | 7.4 | 9.5 | 9.9 | 5.8 | 7.7 |
| 30 | --- | --- | --- | --- | --- | --- | 12.1 | 7.0 | 9.0 | 10.8 | 5.9 | 8.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 5.4 | 7.1 |
| MONTH | 17.2 | 13.0 | 14.6 | 15.7 | 8.0 | 11.7 | 13.2 | 6.5 | 9.6 | 13.2 | 5.4 | 8.2 |

03277130 MUD LICK CREEK AT HIGHWAY 42 NEAR BEAVERLICK, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-------|-----|------|-------|-----|------|-------|-----|------|
| | | | | | | | | | | | | |
| 1 | 17 | 8.0 | 12 | 3.0 | 0.0 | 1.1 | 3.0 | 2.0 | 2.1 | 910 | 5.0 | 200 |
| 2 | 22 | 7.0 | 10 | 3.0 | 0.0 | 0.6 | 3.0 | 1.0 | 1.9 | 150 | 25 | 63 |
| 3 | 38 | 6.0 | 11 | 7.9 | 1.0 | 1.5 | 1.4 | 0.3 | 0.9 | 79 | 9.0 | 23 |
| 4 | 47 | 7.0 | 12 | 3.0 | 0.0 | 0.7 | 1.8 | 0.5 | 1.2 | 10 | 6.0 | 7.8 |
| 5 | 26 | 9.0 | 14 | 200 | 0.0 | 44 | 3.1 | 0.8 | 1.7 | 7.0 | 5.0 | 5.9 |
| 6 | 60 | 9.0 | 12 | 140 | 29 | 69 | 2.5 | 1.2 | 2.3 | 8.0 | 6.0 | 7.3 |
| 7 | 77 | 10 | 14 | 29 | 12 | 18 | 3.6 | 1.8 | 2.6 | 7.0 | 4.0 | 5.1 |
| 8 | 12 | 10 | 11 | 26 | 10 | 13 | 3.1 | 2.0 | 2.9 | 4.3 | 2.0 | 3.5 |
| 9 | 71 | 11 | 14 | 18 | 9.4 | 13 | 17 | 3.1 | 4.0 | 4.0 | 3.0 | 3.5 |
| 10 | 40 | 10 | 17 | 1,000 | 6.8 | 160 | 4.8 | 3.5 | 3.7 | 11 | 3.0 | 5.8 |
| 11 | 88 | 13 | 45 | 990 | 35 | 220 | 150 | 3.8 | 90 | 5.0 | 3.0 | 4.0 |
| 12 | 83 | 29 | 40 | 35 | 8.3 | 17 | 81 | 24 | 43 | 5.0 | 3.0 | 4.3 |
| 13 | 33 | 25 | 28 | 10 | 3.0 | 5.8 | 180 | 21 | 59 | 5.0 | 4.0 | 4.7 |
| 14 | 45 | 22 | 26 | 3.0 | 0.0 | 1.6 | 120 | 31 | 62 | 4.0 | 4.0 | 4.0 |
| 15 | 60 | 22 | 24 | 3.0 | 1.0 | 1.3 | 31 | 17 | 22 | 5.0 | 4.0 | 4.2 |
| 16 | --- | --- | --- | 4.0 | 0.0 | 2.2 | 18 | 14 | 15 | 5.0 | 4.0 | 4.4 |
| 17 | 26 | 23 | 25 | 5.0 | 1.0 | 2.3 | 1,000 | 15 | 210 | 5.0 | 4.0 | 4.1 |
| 18 | 29 | 22 | 23 | 3.0 | 2.0 | 2.1 | 280 | 27 | 75 | 5.0 | 4.0 | 4.5 |
| 19 | 31 | 23 | 25 | 5.0 | 1.0 | 2.1 | 1,000 | 27 | 350 | 5.0 | 4.0 | 4.9 |
| 20 | 29 | 24 | 26 | 7.0 | 0.0 | 1.2 | 630 | 7.0 | 67 | 5.0 | 4.0 | 4.6 |
| 21 | 27 | 24 | 25 | 17 | 0.0 | 2.2 | 7.0 | 7.0 | 7.0 | 5.0 | 4.0 | 4.6 |
| 22 | 37 | 22 | 26 | 3.0 | 2.0 | 2.4 | 7.0 | 7.0 | 7.0 | 5.0 | 4.0 | 4.9 |
| 23 | 25 | 22 | 23 | 3.0 | 1.0 | 1.7 | 7.0 | 7.0 | 7.0 | 6.0 | 4.0 | 5.0 |
| 24 | 26 | 22 | 24 | 4.0 | 1.0 | 2.0 | 7.0 | 7.0 | 7.0 | 5.0 | 5.0 | 5.0 |
| 25 | 520 | 23 | 130 | 2.0 | 1.0 | 1.7 | 7.0 | 7.0 | 7.0 | 5.0 | 5.0 | 5.0 |
| 26 | 350 | 65 | 150 | 7.0 | 1.0 | 1.4 | 8.0 | 7.0 | 7.2 | 6.0 | 5.0 | 5.0 |
| 27 | 71 | 41 | 53 | 4.0 | 1.0 | 1.5 | 8.0 | 7.0 | 7.8 | 6.0 | 5.0 | 5.3 |
| 28 | 48 | 32 | 36 | 2.0 | 1.0 | 1.9 | 8.0 | 7.0 | 7.7 | 6.0 | 5.0 | 5.8 |
| 29 | 420 | 33 | 150 | 2.0 | 1.0 | 1.6 | 8.0 | 7.0 | 7.7 | 8.0 | 5.0 | 6.6 |
| 30 | 150 | 26 | 64 | 3.0 | 1.0 | 1.7 | 110 | 7.0 | 10 | 12 | 8.0 | 9.8 |
| 31 | 39 | 0.0 | 14 | --- | --- | --- | 280 | 2.9 | 11 | 10 | 9.0 | 9.6 |
| MONTH | 520 | 0.0 | 36 | 1,000 | 0.0 | 20 | 1,000 | 0.3 | 36 | 910 | 2.0 | 14 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 9.0 | 8.0 | 8.3 | 100 | 64 | 76 | 9.0 | 6.0 | 7.1 | 10 | 1.6 | 4.4 |
| 2 | 10 | 8.0 | 8.6 | 100 | 88 | 96 | 12 | 5.0 | 7.3 | 24 | 2.2 | 5.1 |
| 3 | 210 | 10 | 20 | 130 | 95 | 110 | 14 | 4.0 | 7.5 | 5.7 | 2.7 | 4.2 |
| 4 | 350 | 47 | 130 | 140 | 120 | 130 | 15 | 8.0 | 11 | 18 | 1.0 | 4.0 |
| 5 | 49 | 36 | 41 | 150 | 95 | 120 | 67 | 11 | 36 | 990 | 11 | 540 |
| 6 | 38 | 33 | 35 | 290 | 89 | 110 | 41 | 20 | 29 | 150 | 44 | 73 |
| 7 | 37 | 32 | 34 | 98 | 69 | 83 | 29 | 19 | 21 | 61 | 42 | 47 |
| 8 | 42 | 35 | 36 | 72 | 35 | 57 | 26 | 21 | 24 | 54 | 22 | 36 |
| 9 | 37 | 35 | 36 | 52 | 2.0 | 33 | 41 | 25 | 31 | 66 | 24 | 30 |
| 10 | 41 | 34 | 36 | 30 | 0.0 | 11 | 60 | 31 | 36 | 1,000 | 21 | 370 |
| 11 | 36 | 33 | 35 | 6.0 | 3.0 | 4.3 | 57 | 16 | 35 | 200 | 74 | 110 |
| 12 | 36 | 35 | 35 | 8.0 | 5.0 | 5.7 | 63 | 29 | 44 | 93 | 9.7 | 57 |
| 13 | 39 | 36 | 37 | 200 | 5.0 | 56 | --- | --- | --- | 97 | 8.7 | 41 |
| 14 | 56 | 39 | 41 | 79 | 17 | 40 | --- | --- | --- | 87 | 21 | 30 |
| 15 | 220 | 56 | 110 | 18 | 8.0 | 12 | --- | --- | --- | 88 | 36 | 57 |
| 16 | 58 | 41 | 49 | 15 | 7.0 | 9.0 | --- | --- | --- | 41 | 27 | 34 |
| 17 | 43 | 39 | 41 | 15 | 7.0 | 8.6 | --- | --- | --- | 140 | 31 | 68 |
| 18 | 47 | 36 | 39 | 13 | 2.0 | 6.7 | 17 | 4.0 | 7.8 | 160 | 61 | 100 |
| 19 | 39 | 36 | 38 | 280 | 4.0 | 67 | 8.0 | 2.0 | 4.1 | 130 | 11 | 54 |
| 20 | 43 | 32 | 37 | 280 | 17 | 71 | 1,000 | 4.0 | 91 | 120 | 19 | 35 |
| 21 | 100 | 36 | 56 | 30 | 16 | 22 | 1,000 | 72 | 360 | 120 | 34 | 71 |
| 22 | 780 | 63 | 250 | 25 | 9.0 | 15 | 90 | 17 | 36 | 70 | 15 | 25 |
| 23 | 130 | 58 | 76 | 17 | 5.0 | 7.8 | 18 | 8.1 | 14 | 60 | 11 | 17 |
| 24 | 60 | 53 | 56 | 8.0 | 4.0 | 6.5 | 64 | 7.0 | 11 | 16 | 9.0 | 12 |
| 25 | 59 | 52 | 55 | 12 | 4.0 | 6.3 | 22 | 3.5 | 8.6 | 73 | 8.0 | 14 |
| 26 | 58 | 54 | 56 | 18 | 5.0 | 11 | 14 | 4.4 | 6.3 | 38 | 11 | 13 |
| 27 | 59 | 52 | 56 | 9.0 | 3.0 | 5.6 | 14 | 3.9 | 6.3 | 15 | 10 | 12 |
| 28 | 64 | 52 | 56 | 9.0 | 4.0 | 5.8 | 14 | 1.0 | 2.9 | 15 | 10 | 13 |
| 29 | --- | --- | --- | 340 | 6.0 | 130 | 7.5 | 1.6 | 3.9 | 17 | 12 | 15 |
| 30 | --- | --- | --- | --- | --- | --- | 15 | 2.1 | 4.0 | 26 | 14 | 16 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19 | 14 | 16 |
| MONTH | 780 | 8.0 | 54 | 340 | 0.0 | 45 | 1,000 | 1.0 | 34 | 1,000 | 1.0 | 62 |

03277200 OHIO RIVER AT MARKLAND DAM NEAR WARSAW, KY

LOCATION.--Lat 38°46'29", long 84°57'52". Gallatin County, Hydrologic Unit 05090203, at left end of Markland Dam, 0.4 mi upstream from Stephens Creek, 3.4 mi west of Warsaw, and at mile 531.5.

DRAINAGE AREA.--83,170 mi², approximately.

PERIOD OF RECORD.--May 1970 to current year.

REVISED RECORDS.--WDR KY-88-1: 1987.

GAGE.--Water-stage recorder with telemetry in tailwater gage. Datum of headwater gage 0.5 mi upstream is 443 ft Ohio River datum. Datum of tailwater gage 0.4 mi downstream is 35 ft lower. Records of Markland Dam gate operations, headwater gage readings, and turbine flow are furnished by U.S. Army Corps of Engineers.

REMARKS.--Records good except for estimated period and those below 20,000 ft³/s, which are poor. Daily discharge computed from head, gate openings, turbine flow, and tailwater rating. Flow regulated by Ohio River system of locks, dams, and reservoirs upstream from station.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Jan. 26, 1937, reached a stage of 76.1 ft (tailwater gage).

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 | 40,900 | 94,700 | 50,700 | 190,000 | 49,200 | 297,000 | 115,000 | 58,100 | 96,800 | 49,200 | 113,000 | 104,000 |
| 2 | 12,600 | 82,600 | 52,300 | 202,000 | 60,300 | 248,000 | 108,000 | 64,400 | 105,000 | 31,500 | 122,000 | 179,000 |
| 3 | 23,900 | 57,400 | 52,300 | 233,000 | 77,300 | 238,000 | 111,000 | 57,800 | 137,000 | 44,100 | 106,000 | 244,000 |
| 4 | 24,400 | 44,700 | 42,000 | 271,000 | 83,400 | 216,000 | 106,000 | 69,400 | 169,000 | 52,000 | 106,000 | 254,000 |
| 5 | 11,800 | 47,000 | 40,800 | 277,000 | 125,000 | 229,000 | 100,000 | 129,000 | 208,000 | 57,500 | 145,000 | 267,000 |
| 6 | 18,500 | 69,700 | 38,800 | 269,000 | 158,000 | 238,000 | 109,000 | 190,000 | 242,000 | 78,800 | 150,000 | 272,000 |
| 7 | 13,900 | 100,000 | 38,400 | 239,000 | 162,000 | 244,000 | 125,000 | 215,000 | 237,000 | 70,800 | 139,000 | 258,000 |
| 8 | 9,280 | 101,000 | 44,700 | 208,000 | 140,000 | 260,000 | 173,000 | 215,000 | 229,000 | 82,000 | 109,000 | 199,000 |
| 9 | 14,900 | 102,000 | 47,400 | 178,000 | 118,000 | 273,000 | 218,000 | 191,000 | 248,000 | 120,000 | 115,000 | 129,000 |
| 10 | 16,000 | 87,700 | 40,500 | 158,000 | 101,000 | 260,000 | 269,000 | 244,000 | 240,000 | 183,000 | 124,000 | 77,000 |
| 11 | 21,000 | 141,000 | 44,200 | 142,000 | 89,600 | 242,000 | 295,000 | 359,000 | 216,000 | 210,000 | 133,000 | 64,700 |
| 12 | 40,200 | 147,000 | 55,900 | 133,000 | 71,900 | 239,000 | 296,000 | 336,000 | 188,000 | 226,000 | 145,000 | 61,200 |
| 13 | 26,800 | 143,000 | 87,600 | 114,000 | 64,700 | 222,000 | 293,000 | 351,000 | 169,000 | 230,000 | 141,000 | 40,200 |
| 14 | 30,700 | 131,000 | 150,000 | 92,700 | 68,500 | 205,000 | 287,000 | 346,000 | 163,000 | 197,000 | 161,000 | 35,700 |
| 15 | 28,200 | 137,000 | 216,000 | 70,800 | 84,200 | 200,000 | 263,000 | 279,000 | 202,000 | 140,000 | 95,800 | 39,500 |
| 16 | 26,000 | 113,000 | 244,000 | 75,700 | 164,000 | 208,000 | 214,000 | 218,000 | 246,000 | 101,000 | 91,800 | 31,700 |
| 17 | 57,700 | 95,900 | 240,000 | 72,900 | 259,000 | 219,000 | 172,000 | 220,000 | 261,000 | 74,400 | 87,800 | 42,300 |
| 18 | 59,600 | 95,800 | 202,000 | 47,800 | 322,000 | 221,000 | 136,000 | 231,000 | 300,000 | 77,300 | 93,600 | 44,300 |
| 19 | 59,600 | 113,000 | 182,000 | 48,300 | 324,000 | 201,000 | 112,000 | 245,000 | 318,000 | 58,600 | 95,300 | 43,300 |
| 20 | 46,100 | 138,000 | 234,000 | 44,300 | 281,000 | 219,000 | 106,000 | 248,000 | 321,000 | 75,500 | 76,100 | 96,000 |
| 21 | 32,600 | 122,000 | 200,000 | 38,400 | 208,000 | 238,000 | 125,000 | 261,000 | 289,000 | 57,700 | 73,000 | 132,000 |
| 22 | 25,000 | 103,000 | 194,000 | 47,500 | 226,000 | 244,000 | 117,000 | 269,000 | 249,000 | 53,700 | 50,200 | 146,000 |
| 23 | 31,500 | 105,000 | 216,000 | 39,800 | 312,000 | 228,000 | 122,000 | 256,000 | 217,000 | 71,800 | 67,400 | 139,000 |
| 24 | 29,900 | 109,000 | 206,000 | 35,100 | e358,000 | 205,000 | 117,000 | 226,000 | 169,000 | 129,000 | 35,800 | 111,000 |
| 25 | 26,100 | 99,000 | 167,000 | 39,800 | e396,000 | 187,000 | 91,000 | 187,000 | 121,000 | 168,000 | 30,000 | 121,000 |
| 26 | 30,400 | 83,700 | 146,000 | 39,700 | e429,000 | 175,000 | 84,600 | 168,000 | 98,500 | 169,000 | 28,000 | 133,000 |
| 27 | 25,600 | 82,400 | 149,000 | 27,800 | e453,000 | 158,000 | 84,900 | 158,000 | 64,500 | 135,000 | 32,300 | 133,000 |
| 28 | 27,600 | 69,200 | 152,000 | 26,100 | 353,000 | 142,000 | 66,800 | 131,000 | 49,800 | 102,000 | 34,600 | 114,000 |
| 29 | 37,500 | 68,300 | 144,000 | 38,000 | --- | 138,000 | 66,500 | 106,000 | 55,400 | 90,300 | 51,700 | 107,000 |
| 30 | 84,200 | 69,300 | 120,000 | 38,600 | --- | 138,000 | 64,500 | 93,800 | 41,400 | 118,000 | 54,800 | 123,000 |
| 31 | 90,100 | --- | 120,000 | 48,100 | --- | 130,000 | --- | 102,000 | --- | 132,000 | 71,700 | --- |
| TOTAL | 1,022,580 | 2,952,400 | 3,917,600 | 3,485,400 | 5,538,100 | 6,662,000 | 4,547,300 | 6,224,500 | 5,650,400 | 3,385,200 | 2,878,900 | 3,740,900 |
| MEAN | 32,990 | 98,410 | 126,400 | 112,400 | 197,800 | 214,900 | 151,600 | 200,800 | 188,300 | 109,200 | 92,870 | 124,700 |
| MAX | 90,100 | 147,000 | 244,000 | 277,000 | 453,000 | 297,000 | 296,000 | 359,000 | 321,000 | 230,000 | 161,000 | 272,000 |
| MIN | 9,280 | 44,700 | 38,400 | 26,100 | 49,200 | 130,000 | 64,500 | 57,800 | 41,400 | 31,500 | 28,000 | 31,700 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1970 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MEAN | 46,320 | 81,510 | 136,300 | 143,400 | 175,300 | 207,000 | 178,100 | 141,900 | 93,160 | 59,170 | 45,240 | 40,450 |
| MAX | 144,100 | 230,600 | 288,700 | 289,900 | 291,200 | 338,500 | 292,200 | 370,100 | 219,100 | 109,500 | 146,200 | 143,800 |
| (WY) | (1980) | (1986) | (1973) | (1974) | (1975) | (1997) | (1972) | (1996) | (1981) | (1972) | (1980) | (1979) |
| MIN | 13,910 | 16,810 | 29,220 | 34,060 | 77,100 | 98,440 | 61,160 | 43,510 | 15,030 | 13,890 | 13,060 | 9,033 |
| (WY) | (1992) | (1999) | (1999) | (1977) | (1992) | (1990) | (1986) | (1976) | (1999) | (1999) | (1988) | (1999) |

03277200 OHIO RIVER AT MARKLAND DAM NEAR WARSAW, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1970 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 36,944,280 | | 50,005,280 | | | |
| ANNUAL MEAN | 101,200 | | 137,000 | | 112,300 | |
| HIGHEST ANNUAL MEAN | | | | | 157,300 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 60,450 | 1988 |
| HIGHEST DAILY MEAN | 412,000 | Mar 23 | 453,000 | Feb 27 | 579,000 | Mar 6, 1997 |
| LOWEST DAILY MEAN | 3,210 | Sep 3 | 9,280 | Oct 8 | 3,210 | Sep 3, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 8,370 | Sep 8 | 15,100 | Oct 5 | 7,310 | Jul 1, 1988 |
| MAXIMUM PEAK FLOW | | | | | 582,000 | Mar 6, 1997 |
| MAXIMUM PEAK STAGE | | | 45.65 | Feb 26 | 60.72 | Mar 6, 1997 |
| 10 PERCENT EXCEEDS | 258,000 | | 259,000 | | 258,000 | |
| 50 PERCENT EXCEEDS | 63,300 | | 118,000 | | 79,000 | |
| 90 PERCENT EXCEEDS | 13,200 | | 38,400 | | 20,000 | |

e Estimated



03277300 NORTH FORK KENTUCKY RIVER AT WHITESBURG, KY

LOCATION.--Lat 37°07'03", long 82°49'29", Letcher County, Hydrologic Unit 05100201, on downstream side of bridge on State Highway 15 at Whitesburg, 0.6 mile downstream from Solomon Branch, and at mile 405.4

DRAINAGE AREA.--66.4 mi².

PERIOD OF RECORD.--October 1952 to September 1954 and October 1957 to September 1975 (crest-stage partial-record), October 1987 to September 1998 (gage heights only), October 1998 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 1,127.924 ft above NGVD of 1929. Prior to October 1, 1998, crest-stage gage and recording gage at same site and datum 1.0 ft higher.

REMARKS.--Records fair except for those estimated, which are poor. Small diversions by City of Whitesburg waterworks.

COOPERATION.--Kentucky River Authority and U.S. Army Corps of Engineers, Louisville District.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,400 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 16 | 0730 | *3,360 | *9.54 | Apr 10 | 1930 | 2,400 | 7.75 |
| Feb 22 | 1130 | 1,760 | 6.38 | Jun 17 | 1615 | 1,430 | 5.64 |
| Apr 8 | 2145 | 1,760 | 6.38 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 12 | 25 | 26 | 52 | 60 | 199 | 70 | 75 | 87 | 53 | 60 | e49 |
| 2 | 12 | 19 | 24 | 47 | 55 | 177 | 70 | 74 | 75 | 52 | 46 | e35 |
| 3 | 11 | 16 | 22 | 56 | 53 | 151 | 68 | 71 | 74 | 50 | 78 | e80 |
| 4 | 9.4 | 19 | 25 | 58 | 105 | 134 | 66 | 69 | 90 | 44 | 82 | e240 |
| 5 | 10 | 21 | 188 | 58 | 96 | 122 | 72 | 89 | 73 | 41 | 117 | 146 |
| 6 | 9.9 | 44 | 117 | 56 | 78 | 113 | 67 | 117 | 70 | 48 | 114 | 89 |
| 7 | 8.3 | 40 | 74 | 53 | 73 | 99 | 434 | 83 | 341 | 71 | 278 | 70 |
| 8 | 8.0 | 30 | 58 | e49 | 61 | 91 | 659 | 126 | 255 | 41 | 130 | 59 |
| 9 | 7.7 | 24 | 48 | e46 | 54 | 84 | 959 | 237 | 145 | 56 | 84 | 51 |
| 10 | 8.9 | 22 | 43 | e43 | e51 | 77 | 1,400 | 144 | 105 | 64 | 63 | 44 |
| 11 | 13 | 127 | 94 | e41 | e48 | 74 | 1,000 | 116 | 90 | 86 | 51 | 41 |
| 12 | 15 | 78 | 86 | e38 | e46 | 72 | 429 | 89 | 96 | 102 | 43 | 38 |
| 13 | 11 | 59 | 78 | e35 | 45 | 81 | 305 | 76 | 76 | 113 | 36 | 35 |
| 14 | 11 | 44 | 148 | e32 | 49 | 79 | 245 | 72 | 89 | 66 | 32 | 33 |
| 15 | 10 | 36 | 116 | e30 | 545 | 73 | 201 | 130 | 133 | 79 | 30 | 32 |
| 16 | 44 | 44 | 87 | e27 | 1,960 | 72 | 172 | 193 | 127 | 62 | 33 | 30 |
| 17 | 28 | 65 | 72 | e25 | 499 | 71 | 155 | 151 | 470 | 47 | 169 | 29 |
| 18 | 19 | 63 | 63 | e24 | 285 | 70 | 267 | 276 | 386 | 39 | 92 | 26 |
| 19 | 14 | 55 | 56 | e23 | 214 | 68 | 217 | 175 | 296 | 35 | 46 | 27 |
| 20 | 14 | 50 | 75 | e22 | 174 | 66 | 175 | 126 | 198 | 33 | 36 | 25 |
| 21 | 15 | 49 | 67 | e21 | 151 | 62 | 152 | 318 | 144 | 38 | 30 | 24 |
| 22 | 14 | 53 | 61 | e20 | 1,090 | 58 | 130 | 263 | 116 | 50 | 28 | 51 |
| 23 | 12 | 46 | 53 | e19 | 665 | 54 | 116 | 185 | 99 | 52 | 28 | 55 |
| 24 | 11 | 40 | 59 | e19 | 333 | 52 | 106 | 142 | 86 | 40 | 24 | 29 |
| 25 | 10 | 34 | 72 | e18 | 265 | 51 | 102 | 116 | 76 | 32 | 22 | 25 |
| 26 | 11 | 32 | 66 | e18 | 224 | 53 | 123 | 105 | 71 | 29 | 21 | 24 |
| 27 | 9.9 | 40 | 61 | e17 | 201 | 51 | 100 | 94 | 67 | 28 | 20 | 25 |
| 28 | 35 | 32 | 57 | e22 | 217 | 48 | 89 | 89 | 64 | 44 | e19 | 31 |
| 29 | 51 | 31 | 53 | 46 | --- | 49 | 85 | 116 | 59 | 191 | e18 | 22 |
| 30 | 44 | 28 | 48 | 62 | --- | 55 | 80 | 123 | 55 | 82 | e17 | 20 |
| 31 | 32 | --- | 45 | 61 | --- | 69 | --- | 101 | --- | 64 | e55 | --- |
| TOTAL | 521.1 | 1,266 | 2,142 | 1,138 | 7,697 | 2,575 | 8,114 | 4,141 | 4,113 | 1,832 | 1,902 | 1,485 |
| MEAN | 16.8 | 42.2 | 69.1 | 36.7 | 275 | 83.1 | 270 | 134 | 137 | 59.1 | 61.4 | 49.5 |
| MAX | 51 | 127 | 188 | 62 | 1,960 | 199 | 1,400 | 318 | 470 | 191 | 278 | 240 |
| MIN | 7.7 | 16 | 22 | 17 | 45 | 48 | 66 | 69 | 55 | 28 | 17 | 20 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 11.7 | 18.3 | 36.3 | 76.6 | 116 | 110 | 139 | 87.2 | 53.6 | 57.5 | 29.8 | 20.7 |
| MAX | 16.8 | 42.2 | 69.1 | 146 | 275 | 164 | 270 | 134 | 137 | 126 | 61.4 | 49.5 |
| (WY) | (2003) | (2003) | (2003) | (2002) | (2003) | (2002) | (2003) | (2003) | (2003) | (2000) | (2003) | (2003) |
| MIN | 9.08 | 9.90 | 13.6 | 24.6 | 56.8 | 45.5 | 80.2 | 52.9 | 17.6 | 13.4 | 7.66 | 5.47 |
| (WY) | (2000) | (2002) | (2000) | (2000) | (2000) | (2000) | (2001) | (1999) | (1999) | (1999) | (1999) | (1999) |

03277300 NORTH FORK KENTUCKY RIVER AT WHITESBURG, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 25,663.8 | | 36,926.1 | | 62.7 | |
| ANNUAL MEAN | 70.3 | | 101 | | 45.8 | |
| HIGHEST ANNUAL MEAN | | | | | 101 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 45.8 | 2000 |
| HIGHEST DAILY MEAN | 1,780 | Mar 18 | 1,960 | Feb 16 | 1,960 | Feb 16, 2003 |
| LOWEST DAILY MEAN | 6.1 | Sep 13 | 7.7 | Oct 9 | 1.9 | Oct 8, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 6.4 | Sep 8 | 8.9 | Oct 4 | 3.8 | Sep 13, 1999 |
| MAXIMUM PEAK FLOW | | | 3,360 | Feb 16 | 7,730 | Jan 29, 1957 |
| MAXIMUM PEAK STAGE | | | 9.54 | Feb 16 | 14.90 | Jan 29, 1957 |
| 10 PERCENT EXCEEDS | 117 | | 195 | | 123 | |
| 50 PERCENT EXCEEDS | 38 | | 59 | | 33 | |
| 90 PERCENT EXCEEDS | 10 | | 20 | | 8.2 | |

e Estimated



KENTUCKY RIVER BASIN

03280000 NORTH FORK KENTUCKY RIVER AT JACKSON, KY

LOCATION.--Lat 37°32'46", long 83°22'21", Breathitt County, Hydrologic Unit 05100201, on left bank at city water plant on Armory Drive at Jackson, 2.8 mi downstream from Quicksand Creek, and at mile 305.0.

DRAINAGE AREA.--1,101 mi².

PERIOD OF RECORD.--June 1928 to September 1931, December 1936 to February 1937, April 1938 to current year. Gage-height records collected at same site during periods 1904-07, 1921-31, and February to December 1934 (above 8.0 ft only), January 1935 to September 1976 are published in reports of National Weather Service.

REVISED RECORDS.--WSP 853: 1929(M). WSP 1335: 1928(M), 1929, 1931(M). WSP 1435: 1954-55. WSP 1505: 1948. WSP 1555: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 697.67 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Aug. 22, 1980.

REMARKS.--Records good except for those estimated, which are poor. Small diversions by City of Jackson waterworks. Flow regulated by Carr Fork Lake (station 03277446) beginning January 1976.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and Kentucky River Authority.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|---------|--------|---------|--------|---------|--------|--------|--------|
| 1 | 306 | 940 | 445 | 1,650 | 1,520 | 3,600 | 1,390 | 1,070 | 1,110 | 875 | 971 | 978 |
| 2 | 261 | 721 | 404 | 2,330 | 1,420 | 3,420 | 1,260 | 1,390 | 977 | 810 | 1,060 | 767 |
| 3 | 235 | 601 | 380 | 1,860 | 1,280 | 2,940 | 1,170 | 1,260 | 899 | 704 | 911 | 841 |
| 4 | 215 | 468 | 360 | 1,650 | 2,210 | 2,270 | 1,090 | 1,050 | 1,190 | 612 | 1,630 | 6,030 |
| 5 | 191 | 498 | 507 | 1,520 | 2,660 | 2,030 | 1,150 | 1,090 | 1,250 | 597 | 3,170 | 4,200 |
| 6 | 189 | 1,370 | 2,140 | 1,420 | 2,270 | 1,880 | 1,360 | 1,840 | 1,030 | 592 | 2,090 | 1,790 |
| 7 | 180 | 1,200 | 1,690 | 1,270 | 1,980 | 1,720 | 5,750 | 1,660 | 2,650 | 605 | 1,280 | 971 |
| 8 | 179 | 953 | 1,250 | 1,160 | 1,660 | 1,520 | 9,990 | 2,290 | 4,250 | 849 | 1,120 | 707 |
| 9 | 182 | 777 | 1,120 | e1,000 | 1,380 | 1,390 | 14,700 | 7,570 | 3,190 | 678 | 995 | 559 |
| 10 | 199 | 656 | 957 | e920 | e1,320 | 1,290 | 17,000 | 5,440 | 1,990 | 899 | 740 | 460 |
| 11 | 389 | 1,350 | 1,740 | e820 | e1,280 | 1,180 | 19,500 | 3,110 | 1,720 | 2,030 | 614 | 410 |
| 12 | 505 | 1,780 | 3,290 | e760 | e1,200 | 1,120 | 14,300 | 2,390 | 2,770 | 1,550 | 625 | 340 |
| 13 | 381 | 1,320 | 2,940 | e680 | 1,170 | 1,070 | 6,430 | 1,740 | 2,240 | 2,170 | 553 | 306 |
| 14 | 360 | 1,020 | 6,840 | e640 | 1,140 | 1,100 | 4,510 | 1,320 | 1,910 | 1,670 | 486 | 279 |
| 15 | 324 | 831 | 4,790 | e620 | 8,770 | 1,110 | 3,700 | 1,250 | 4,300 | 1,060 | 443 | 262 |
| 16 | 341 | 979 | 3,200 | e610 | 27,300 | 1,030 | 3,230 | 2,830 | 8,870 | 831 | 413 | 272 |
| 17 | 722 | 1,020 | 2,210 | e590 | 29,700 | 973 | 2,770 | 2,770 | 8,760 | 712 | 423 | 283 |
| 18 | 641 | 1,180 | 1,640 | e580 | 14,400 | 950 | 4,390 | 4,990 | 15,900 | 602 | 519 | 268 |
| 19 | 472 | 1,200 | 1,390 | e560 | 5,550 | 924 | 5,120 | 4,750 | 9,500 | 520 | 901 | 253 |
| 20 | 390 | 1,080 | 2,350 | e550 | 4,250 | 915 | 3,650 | 3,330 | 6,970 | 472 | 560 | 245 |
| 21 | 358 | 955 | 2,910 | e540 | 3,690 | 882 | 3,100 | 2,980 | 4,360 | 441 | 451 | 240 |
| 22 | 327 | 916 | 2,260 | e530 | 8,030 | 834 | 2,680 | 4,740 | 3,380 | 458 | 401 | 297 |
| 23 | 300 | 910 | 1,700 | e852 | 18,300 | 776 | 2,220 | 3,550 | 2,840 | 486 | 360 | 903 |
| 24 | 266 | 809 | 1,500 | e772 | 8,950 | 732 | 1,850 | 2,530 | 2,120 | 780 | 339 | 860 |
| 25 | 234 | 716 | 2,060 | e670 | 5,220 | 699 | 1,580 | 1,960 | 1,380 | 625 | 315 | 684 |
| 26 | 251 | 646 | 2,300 | e600 | 4,320 | 665 | 1,730 | 1,610 | 1,130 | 487 | 291 | 370 |
| 27 | 264 | 611 | 1,950 | e570 | 3,780 | 681 | 1,780 | 1,360 | 1,030 | 417 | 271 | 350 |
| 28 | 529 | 565 | 1,690 | e550 | 3,630 | 665 | 1,460 | 1,220 | 978 | 406 | 261 | 798 |
| 29 | 2,140 | 533 | 1,490 | 795 | --- | 689 | 1,250 | 1,210 | 876 | 519 | 257 | 635 |
| 30 | 3,070 | 495 | 1,290 | 1,650 | --- | 889 | 1,110 | 1,520 | 753 | 1,250 | 309 | 496 |
| 31 | 1,470 | --- | 1,130 | 1,600 | --- | 1,230 | --- | 1,390 | --- | 865 | 561 | --- |
| TOTAL | 15,871 | 27,100 | 59,923 | 30,319 | 168,380 | 41,174 | 141,220 | 77,210 | 100,323 | 25,572 | 23,320 | 25,854 |
| MEAN | 512 | 903 | 1,933 | 978 | 6,014 | 1,328 | 4,707 | 2,491 | 3,344 | 825 | 752 | 862 |
| MAX | 3,070 | 1,780 | 6,840 | 2,330 | 29,700 | 3,600 | 19,500 | 7,570 | 15,900 | 2,170 | 3,170 | 6,030 |
| MIN | 179 | 468 | 360 | 530 | 1,140 | 665 | 1,090 | 1,050 | 753 | 406 | 257 | 240 |
| CFSM | 0.47 | 0.82 | 1.76 | 0.89 | 5.46 | 1.21 | 4.28 | 2.26 | 3.04 | 0.75 | 0.68 | 0.78 |
| IN. | 0.54 | 0.92 | 2.02 | 1.02 | 5.69 | 1.39 | 4.77 | 2.61 | 3.39 | 0.86 | 0.79 | 0.87 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1977 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 470 | 830 | 1,514 | 1,903 | 2,606 | 2,617 | 2,370 | 1,853 | 1,083 | 535 | 435 | 308 |
| MAX | 4,189 | 3,019 | 4,649 | 5,168 | 6,392 | 7,268 | 5,944 | 7,189 | 4,166 | 1,484 | 945 | 1,154 |
| (WY) | (1990) | (1986) | (1992) | (1979) | (1994) | (1994) | (1998) | (1984) | (1989) | (2000) | (1977) | (1989) |
| MIN | 92.8 | 152 | 196 | 155 | 790 | 541 | 452 | 526 | 136 | 90.2 | 85.6 | 37.5 |
| (WY) | (1981) | (1982) | (1981) | (1981) | (1988) | (1988) | (1986) | (2001) | (1988) | (1988) | (1988) | (1999) |

03280000 NORTH FORK KENTUCKY RIVER AT JACKSON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1977 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 493,755 | | 736,266 | | 1,370 | |
| ANNUAL MEAN | 1,353 | | 2,017 | | 477 | |
| HIGHEST ANNUAL MEAN | | | | | 2,570 1994 | |
| LOWEST ANNUAL MEAN | | | | | 477 1988 | |
| HIGHEST DAILY MEAN | 17,900 | Mar 19 | 29,700 | Feb 17 | 52,200 | May 8, 1984 |
| LOWEST DAILY MEAN | 45 | Sep 13 | 179 | Oct 8 | 21 | Sep 20, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 49 | Sep 9 | 191 | Oct 4 | 26 | Sep 17, 1999 |
| MAXIMUM PEAK FLOW | | | 31,600 | Feb 17 | 53,500 | Jan 30, 1957 |
| MAXIMUM PEAK STAGE | | | 37.29 | Feb 17 | 43.10 | Feb 4, 1939 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 16, 1930 |
| ANNUAL RUNOFF (CFSM) | 1.23 | | 1.83 | | 1.24 | |
| ANNUAL RUNOFF (INCHES) | 16.68 | | 24.88 | | 16.91 | |
| 10 PERCENT EXCEEDS | 2,930 | | 4,250 | | 3,120 | |
| 50 PERCENT EXCEEDS | 641 | | 1,090 | | 633 | |
| 90 PERCENT EXCEEDS | 135 | | 346 | | 129 | |

e Estimated



03280700 CUTSHIN CREEK AT WOOTON, KY

LOCATION.--Lat 37°09'54", long 83°18'29", Leslie County, Hydrologic Unit 05100202, on right bank 30 ft upstream from bridge on State Highway 80, 400 ft upstream from Poundmill Branch, 600 ft upstream from Rockhouse Branch, 0.7 mi downstream from Saw Branch, 1.0 mi southwest of Wooton, and at mile 10.7.

DRAINAGE AREA.--61.3 mi².

PERIOD OF RECORD.--October 1957 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 869.84 ft above NGVD of 1929. Prior to Dec. 26, 1957, nonrecording gage at same site and datum.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of January 1957 reached a stage of 19.43 ft, from floodmarks.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|---------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 16 | unknown | *9,300 | *12.94 | Apr 10 | 1800 | 5,510 | 9.84 |
| Feb 22 | 0900 | 3,820 | 8.16 | Jun 17 | 1100 | 4,550 | 8.92 |
| Apr 7 | 0700 | 3,670 | 8.00 | Jun 18 | 1900 | 1,760 | 5.59 |
| Apr 8 | 1930 | 2,530 | 6.65 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|--------|-------|--------|-------|-------|---------|---------|-------|
| 1 | 2.7 | 12 | 9.8 | 138 | 86 | 211 | 102 | 51 | 40 | 23 | 52 | 14 |
| 2 | 2.5 | 8.7 | 8.8 | 125 | 75 | 189 | 93 | 70 | 31 | 19 | 18 | 10 |
| 3 | 2.7 | 7.2 | 8.8 | 122 | 69 | 150 | 83 | 54 | 34 | 18 | 27 | 27 |
| 4 | 2.9 | 7.1 | 14 | 108 | 175 | 125 | 75 | 45 | 52 | 13 | 263 | 272 |
| 5 | 3.7 | 11 | 332 | 100 | 147 | 108 | 116 | 97 | 31 | 12 | 415 | 77 |
| 6 | 4.2 | 33 | 123 | 87 | 118 | 101 | 211 | 88 | 24 | 16 | 165 | 26 |
| 7 | 4.3 | 28 | 74 | 72 | 107 | 85 | 2,040 | 95 | 177 | 21 | 98 | 18 |
| 8 | 3.7 | 16 | 57 | 67 | 82 | 77 | 1,150 | 114 | 129 | 11 | 65 | 13 |
| 9 | 3.5 | 12 | 47 | e58 | 74 | 71 | 1,360 | 212 | 77 | 64 | 44 | 11 |
| 10 | 10 | 10 | 44 | e50 | e69 | 63 | 2,400 | 117 | 51 | 131 | 31 | 10 |
| 11 | 18 | 88 | 228 | e42 | e65 | 60 | 1,130 | 96 | 53 | 179 | 24 | 8.5 |
| 12 | 10 | 40 | 141 | e37 | e62 | 57 | 522 | 69 | 67 | 79 | 21 | 7.6 |
| 13 | 6.6 | 26 | 233 | e34 | 60 | 61 | 295 | 54 | 44 | 151 | 17 | 6.6 |
| 14 | 8.0 | 17 | 474 | e32 | 64 | 61 | 201 | 44 | 78 | 57 | 15 | 6.1 |
| 15 | 5.9 | 15 | 210 | e30 | 1,380 | 57 | 154 | 260 | 250 | 70 | 13 | 9.2 |
| 16 | 31 | 22 | 125 | e28 | 4,410 | 55 | 127 | 337 | 344 | 46 | 14 | 9.1 |
| 17 | 19 | 37 | 89 | e26 | 467 | 54 | 134 | 314 | 1,550 | 28 | 15 | 6.4 |
| 18 | 8.8 | 36 | 70 | e25 | 379 | 54 | 268 | 566 | 1,180 | 19 | 14 | 5.3 |
| 19 | 6.3 | 34 | 67 | e24 | 238 | 51 | 196 | 282 | 1,080 | 15 | 11 | 4.9 |
| 20 | 6.9 | 29 | 268 | e23 | 173 | 50 | 154 | 179 | 431 | 12 | 14 | 5.8 |
| 21 | 7.9 | 26 | 170 | e29 | 148 | 46 | 129 | 485 | 220 | 11 | 15 | 5.0 |
| 22 | 7.0 | 26 | 116 | e25 | 1,510 | 42 | 106 | 334 | 135 | 17 | 11 | 111 |
| 23 | 5.4 | 20 | 85 | e20 | 595 | 39 | 89 | 215 | 88 | 36 | 10 | 95 |
| 24 | 4.6 | 17 | 152 | e19 | 427 | 37 | 75 | 149 | 57 | 22 | 8.3 | 20 |
| 25 | 5.1 | 14 | 264 | e19 | 294 | 35 | 70 | 108 | 41 | 12 | 7.7 | 12 |
| 26 | 6.6 | 14 | 176 | e19 | 225 | 38 | 103 | 90 | 33 | 8.4 | 7.4 | 9.5 |
| 27 | 6.4 | 16 | 126 | e18 | 194 | 37 | 73 | 75 | 37 | 6.8 | 6.8 | 26 |
| 28 | 54 | 13 | 101 | e18 | 219 | 34 | 65 | 66 | 29 | 6.8 | 6.4 | 47 |
| 29 | 61 | 11 | 82 | 60 | --- | 42 | 60 | 61 | 22 | 19 | 6.7 | 17 |
| 30 | 36 | 11 | 69 | 100 | --- | 76 | 53 | 57 | 19 | 11 | 6.6 | 12 |
| 31 | 19 | --- | 64 | 91 | --- | 108 | --- | 48 | --- | 56 | 15 | --- |
| TOTAL | 373.7 | 657.0 | 4,028.4 | 1,646 | 11,912 | 2,274 | 11,634 | 4,832 | 6,404 | 1,190.0 | 1,436.9 | 902.0 |
| MEAN | 12.1 | 21.9 | 130 | 53.1 | 425 | 73.4 | 388 | 156 | 213 | 38.4 | 46.4 | 30.1 |
| MAX | 61 | 88 | 474 | 138 | 4,410 | 211 | 2,400 | 566 | 1,550 | 179 | 415 | 272 |
| MIN | 2.5 | 7.1 | 8.8 | 18 | 60 | 34 | 53 | 44 | 19 | 6.8 | 6.4 | 4.9 |
| CFSM | 0.20 | 0.36 | 2.12 | 0.87 | 6.94 | 1.20 | 6.33 | 2.54 | 3.48 | 0.63 | 0.76 | 0.49 |
| IN. | 0.23 | 0.40 | 2.44 | 1.00 | 7.23 | 1.38 | 7.06 | 2.93 | 3.89 | 0.72 | 0.87 | 0.55 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1958 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 25.3 | 58.2 | 105 | 143 | 171 | 197 | 166 | 113 | 58.2 | 32.1 | 23.9 | 17.3 |
| MAX | 287 | 309 | 359 | 597 | 425 | 620 | 471 | 449 | 423 | 144 | 107 | 125 |
| (WY) | (1990) | (1978) | (1973) | (1974) | (2003) | (1975) | (1998) | (1983) | (1989) | (1958) | (1966) | (1974) |
| MIN | 0.26 | 5.05 | 3.30 | 6.97 | 27.0 | 21.4 | 16.6 | 14.0 | 3.17 | 2.17 | 1.16 | 0.73 |
| (WY) | (1964) | (2001) | (1966) | (1981) | (1968) | (1988) | (1963) | (1964) | (1988) | (1970) | (1988) | (1969) |

03280700 CUTSHIN CREEK AT WOOTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1958 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 31,904.9 | | 47,290.0 | | 92.1 | |
| ANNUAL MEAN | 87.4 | | 130 | | 27.6 | |
| HIGHEST ANNUAL MEAN | | | | | 212 | 1974 |
| LOWEST ANNUAL MEAN | | | | | 27.6 | 1988 |
| HIGHEST DAILY MEAN | 3,060 | Mar 18 | 4,410 | Feb 16 | 4,890 | May 7, 1984 |
| LOWEST DAILY MEAN | 1.2 | Sep 12 | 2.5 | Oct 2 | 0.00 | Sep 29, 1959 |
| ANNUAL SEVEN-DAY MINIMUM | 1.5 | Sep 8 | 3.3 | Oct 1 | 0.01 | Sep 11, 1964 |
| MAXIMUM PEAK FLOW | | | 9,300 | Feb 16 | 14,200 | Mar 12, 1963 |
| MAXIMUM PEAK STAGE | | | 12.94 | Feb 16 | 16.23 | Mar 12, 1963 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Sep 29, 1959 |
| ANNUAL RUNOFF (CFSM) | 1.43 | | 2.11 | | 1.50 | |
| ANNUAL RUNOFF (INCHES) | 19.36 | | 28.70 | | 20.41 | |
| 10 PERCENT EXCEEDS | 169 | | 243 | | 200 | |
| 50 PERCENT EXCEEDS | 24 | | 51 | | 32 | |
| 90 PERCENT EXCEEDS | 2.8 | | 7.7 | | 2.9 | |

e Estimated



03281000 MIDDLE FORK KENTUCKY RIVER AT TALLEGA, KY

LOCATION.--Lat 37°33'18", long 83°35'38", Lee County, Hydrologic Unit 05100202, on left bank 100 ft downstream of bridge on State Highway 708, 150 ft upstream from Lynam Creek, 0.5 mi southwest of Tallega, 8.3 mi upstream from confluence with North Fork, and at mile 8.3.

DRAINAGE AREA.--537 mi².

PERIOD OF RECORD.--October 1930 to March 1932, October 1939 to current year.

REVISED RECORDS.--WSP 1113: 1931, 1940. WSP 1385: 1931-32, 1948, drainage area. WSP 1505: 1946(M), 1951(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 642.13 ft above NGVD of 1929. Prior to Feb. 6, 1940, nonrecording gage at same site and datum.

REMARKS.--Records good. Flow regulated by Buckhorn Lake beginning December 1960 (station 03280800).

COOPERATION.--U.S.Army Corps of Engineers, Louisville District, and Kentucky River Authority.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | 198 | 612 | 268 | 745 | 1,010 | 4,260 | 557 | 172 | 376 | 242 | 249 | 294 |
| 2 | 197 | 574 | 192 | 1,610 | e900 | 4,220 | 803 | 169 | 362 | 239 | 335 | 427 |
| 3 | 160 | 371 | 148 | 2,010 | e720 | 4,110 | 701 | 160 | 382 | 208 | 722 | e670 |
| 4 | 97 | 340 | 134 | 1,880 | e1,700 | 4,030 | 637 | 150 | 415 | 137 | 1,060 | e3,340 |
| 5 | 96 | 404 | 215 | 1,240 | e2,400 | 3,950 | 668 | 208 | 347 | 161 | 2,780 | 2,570 |
| 6 | 97 | 831 | 309 | 986 | e1,800 | 4,060 | 697 | 312 | 302 | 160 | 2,500 | 1,960 |
| 7 | 94 | 668 | 921 | 811 | e1,400 | 4,020 | 1,610 | 1,380 | 1,010 | 144 | 920 | 869 |
| 8 | 93 | 580 | 1,040 | 669 | e1,050 | 3,900 | 3,870 | 1,340 | 1,690 | 158 | 702 | 426 |
| 9 | 93 | 526 | 1,050 | e540 | e760 | 3,950 | 5,640 | 4,430 | 1,950 | 168 | 522 | 369 |
| 10 | 103 | 515 | 1,020 | e450 | 685 | 3,810 | 5,490 | 3,330 | 898 | 225 | 325 | 301 |
| 11 | 211 | 981 | 1,160 | e390 | 673 | 3,150 | 5,740 | 1,300 | 1,100 | 1,400 | 263 | 193 |
| 12 | 179 | 638 | 1,600 | e350 | 668 | 2,460 | 5,380 | 548 | 1,130 | 1,230 | 250 | 141 |
| 13 | 150 | 595 | 2,250 | e320 | 645 | 1,890 | 4,900 | 820 | 1,510 | 1,060 | 239 | 133 |
| 14 | 126 | 580 | 4,640 | e295 | 598 | 1,330 | 4,340 | 368 | 1,240 | 805 | 197 | 128 |
| 15 | 111 | 567 | 2,880 | e270 | 4,150 | 655 | 4,120 | 597 | 1,690 | 381 | 99 | 127 |
| 16 | 214 | 585 | 2,620 | e250 | 8,520 | 480 | 4,000 | 777 | 3,420 | 258 | 148 | 126 |
| 17 | 227 | 536 | 3,020 | e230 | 9,100 | 426 | 3,930 | 1,840 | 3,480 | 244 | 256 | 133 |
| 18 | 190 | 671 | 2,400 | e215 | 6,380 | 404 | 4,040 | 3,500 | 3,590 | 235 | 225 | 134 |
| 19 | 179 | 655 | 1,140 | e205 | 3,260 | 358 | 4,230 | 3,090 | 5,050 | 231 | 181 | 101 |
| 20 | 288 | 624 | 1,120 | e200 | 3,870 | 389 | 4,160 | 3,290 | 4,880 | 193 | 170 | 65 |
| 21 | 342 | 612 | 1,370 | e245 | 4,060 | 484 | 4,160 | 2,010 | 4,350 | 150 | 157 | 111 |
| 22 | 333 | 730 | 1,930 | e260 | 5,020 | 467 | 4,020 | 2,610 | 4,060 | 132 | 135 | 140 |
| 23 | 258 | 710 | 1,650 | e230 | 5,420 | 321 | 3,300 | 1,790 | 3,890 | 167 | 120 | 508 |
| 24 | 308 | 689 | 1,520 | e210 | 4,310 | 303 | 2,350 | 1,280 | 3,780 | 193 | 99 | 458 |
| 25 | 307 | 671 | 1,310 | e190 | 4,410 | 309 | 1,740 | 972 | 1,220 | 429 | 94 | 269 |
| 26 | 318 | 660 | 1,960 | e180 | e4,200 | 291 | 1,310 | 658 | 283 | 322 | 89 | 202 |
| 27 | 310 | 536 | 1,920 | e175 | e4,250 | 306 | 830 | 441 | 177 | 213 | 58 | 209 |
| 28 | 604 | 368 | 1,390 | e170 | e4,200 | 249 | 459 | 376 | 214 | 135 | 43 | 211 |
| 29 | 1,260 | 335 | 1,010 | 224 | --- | 333 | 264 | 413 | 254 | 80 | 41 | 288 |
| 30 | 1,090 | 330 | 801 | 680 | --- | 379 | 191 | 496 | 248 | 228 | 308 | 323 |
| 31 | 687 | --- | 642 | 1,040 | --- | 446 | --- | 506 | --- | 233 | 514 | --- |
| TOTAL | 8,920 | 17,494 | 43,630 | 17,270 | 86,159 | 55,740 | 84,137 | 39,333 | 53,298 | 10,161 | 13,801 | 15,226 |
| MEAN | 288 | 583 | 1,407 | 557 | 3,077 | 1,798 | 2,805 | 1,269 | 1,777 | 328 | 445 | 508 |
| MAX | 1,260 | 981 | 4,640 | 2,010 | 9,100 | 4,260 | 5,740 | 4,430 | 5,050 | 1,400 | 2,780 | 3,340 |
| MIN | 93 | 330 | 134 | 170 | 598 | 249 | 191 | 150 | 177 | 80 | 41 | 65 |
| CFSM | 0.54 | 1.09 | 2.62 | 1.04 | 5.73 | 3.35 | 5.22 | 2.36 | 3.31 | 0.61 | 0.83 | 0.95 |
| IN. | 0.62 | 1.21 | 3.02 | 1.20 | 5.97 | 3.86 | 5.83 | 2.72 | 3.69 | 0.70 | 0.96 | 1.05 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1961 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 305 | 557 | 915 | 1,270 | 1,467 | 1,676 | 1,203 | 939 | 499 | 228 | 180 | 174 |
| MAX | 2,225 | 1,715 | 2,826 | 3,320 | 3,634 | 3,672 | 3,280 | 2,762 | 2,599 | 687 | 623 | 784 |
| (WY) | (1990) | (1978) | (1973) | (1974) | (1994) | (1994) | (1994) | (1971) | (1989) | (1992) | (1992) | (1989) |
| MIN | 47.5 | 23.8 | 45.5 | 56.8 | 270 | 241 | 98.7 | 57.9 | 49.1 | 43.6 | 33.9 | 45.9 |
| (WY) | (1989) | (2002) | (1966) | (1981) | (1968) | (1988) | (1986) | (1986) | (1988) | (1988) | (2002) | (1987) |

03281000 MIDDLE FORK KENTUCKY RIVER AT TALLEGA, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1961 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 292,417 | | 445,169 | | 781 | |
| ANNUAL MEAN | 801 | | 1,220 | | 1,492 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 267 | |
| HIGHEST DAILY MEAN | 5,050 | Mar 20 | 9,100 | Feb 17 | 10,300 | Feb 27, 1962 |
| LOWEST DAILY MEAN | 24 | Sep 5 | 41 | Aug 29 | 3.7 | Nov 15, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 24 | Sep 5 | 78 | Aug 23 | 4.4 | Nov 10, 2001 |
| MAXIMUM PEAK FLOW | | | 10,400 | Feb 16 | 52,700 | Jan 30, 1957 |
| MAXIMUM PEAK STAGE | | | 26.36 | Feb 16 | 43.33 | Jan 30, 1957 |
| INSTANTANEOUS LOW FLOW | | | | | 0.10 | Oct 12, 1953 |
| ANNUAL RUNOFF (CFSM) | 1.49 | | 2.27 | | 1.45 | |
| ANNUAL RUNOFF (INCHES) | 20.26 | | 30.84 | | 19.77 | |
| 10 PERCENT EXCEEDS | 2,910 | | 4,010 | | 2,520 | |
| 50 PERCENT EXCEEDS | 308 | | 540 | | 298 | |
| 90 PERCENT EXCEEDS | 28 | | 148 | | 63 | |

e Estimated



03281100 GOOSE CREEK AT MANCHESTER, KY

LOCATION.--Lat 37°09'07", long 83°45'37", Clay County, Hydrologic Unit 05100203, on left bank on downstream side of Second Street bridge at Manchester, 0.9 mi upstream from Little Goose Creek, and at mile 21.7.

DRAINAGE AREA.--163 mi².

PERIOD OF RECORD.--October 1964 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gages. Datum of gage is 819.37 ft above NGVD of 1929. Prior to September 15, 1975, nonrecording gage at same site and datum.

REMARKS.--Records good except for those estimated, which are poor. Slight diversions by City of Manchester.

COOPERATION.--Kentucky River Authority.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of June 28, 1947, Jan. 29, 1957, and Mar. 12, 1963, reached a stage of 40.6 ft, discharge, 38,000 ft³/s, 37.3 ft, discharge, 29,800 ft³/s, and 33.5 ft, discharge, 21,500 ft³/s, respectively, present site.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 4,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Feb 16 | 1600 | *12,300 | *27.11 | Apr 11 | 0200 | 6,770 | 20.25 |
| Feb 22 | 2300 | 4,970 | 17.44 | Sep 4 | 1300 | 5,550 | 18.38 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-------|--------|-------|--------|-------|--------|--------|--------|-------|---------|-------|
| 1 | 19 | 110 | 59 | 411 | 403 | 432 | 124 | 124 | 100 | 52 | 55 | 215 |
| 2 | 14 | 75 | 53 | 607 | 311 | 417 | 123 | 123 | 77 | 48 | 43 | 288 |
| 3 | 11 | 57 | 49 | 501 | 259 | 360 | 116 | 119 | 77 | 43 | 91 | 404 |
| 4 | 11 | 51 | 50 | 394 | 814 | 307 | 110 | 94 | 154 | 39 | 272 | 3,510 |
| 5 | 11 | 100 | 941 | 337 | 739 | 278 | 142 | 163 | 127 | 32 | 269 | 442 |
| 6 | 9.7 | 475 | 696 | 286 | 492 | 261 | 168 | 286 | 97 | 60 | 124 | 167 |
| 7 | 10 | 333 | 386 | 234 | 402 | 219 | 3,130 | 343 | 892 | 44 | 99 | 97 |
| 8 | 11 | 195 | 279 | 208 | 301 | 191 | 1,940 | 654 | 821 | 34 | 107 | 69 |
| 9 | 9.7 | 132 | 216 | e170 | 245 | 178 | 3,960 | 430 | 382 | 42 | e74 | 52 |
| 10 | 14 | 99 | 181 | e150 | e230 | 160 | 3,610 | 291 | 237 | 142 | 53 | 41 |
| 11 | 45 | 286 | 642 | e130 | e220 | 145 | 4,160 | 411 | 189 | 387 | 43 | 34 |
| 12 | 59 | 304 | 710 | e109 | e210 | 137 | 945 | 357 | 370 | 197 | 37 | 30 |
| 13 | 68 | 189 | 865 | e96 | 203 | 131 | 562 | 229 | 274 | 170 | 31 | 26 |
| 14 | 39 | 132 | 3,100 | e90 | 221 | 134 | 404 | 164 | 657 | 108 | 25 | 23 |
| 15 | 29 | 112 | 967 | e83 | 2,850 | 118 | 322 | 448 | 1,810 | 73 | 21 | 23 |
| 16 | 66 | 148 | 536 | e80 | 9,680 | 113 | 270 | 811 | 1,360 | 57 | 19 | 20 |
| 17 | 76 | 155 | 370 | e74 | 4,660 | 109 | 288 | 575 | 2,840 | 47 | 66 | 18 |
| 18 | 48 | 155 | 280 | e70 | 997 | 109 | 742 | 1,020 | 2,170 | 38 | 104 | 16 |
| 19 | 33 | 162 | 232 | e66 | 619 | 106 | 580 | 641 | 2,580 | 31 | 44 | 15 |
| 20 | 28 | 161 | 651 | e63 | 528 | 101 | 423 | 408 | 1,320 | 28 | 31 | 14 |
| 21 | 25 | 153 | 619 | e79 | 470 | 94 | 337 | 733 | 655 | 24 | 24 | 13 |
| 22 | 21 | 144 | 439 | e71 | 2,860 | 87 | 271 | 740 | 398 | 37 | 20 | 156 |
| 23 | 18 | 117 | 322 | e62 | 2,710 | 79 | 215 | 468 | 252 | 104 | 17 | 267 |
| 24 | 15 | 98 | 339 | e58 | 908 | 74 | 173 | 340 | 169 | 146 | 15 | 87 |
| 25 | 14 | 87 | 802 | e56 | 618 | 71 | 155 | 243 | 121 | 75 | 13 | 53 |
| 26 | 16 | 80 | 671 | e54 | 494 | 72 | 371 | 189 | 93 | 49 | 12 | 40 |
| 27 | 19 | 81 | 468 | e53 | 423 | 74 | 304 | 153 | 91 | 36 | 10 | 37 |
| 28 | 307 | 72 | 356 | e52 | 429 | 68 | 226 | 134 | 90 | 29 | 9.5 | 76 |
| 29 | 506 | 66 | 286 | 314 | --- | 82 | 180 | 112 | 66 | 34 | 14 | 50 |
| 30 | 439 | 64 | 230 | 860 | --- | e140 | 149 | 118 | 57 | 36 | 66 | 38 |
| 31 | 187 | --- | 195 | 542 | --- | 123 | --- | 102 | --- | 39 | 196 | --- |
| TOTAL | 2,178.4 | 4,393 | 15,990 | 6,360 | 33,296 | 4,970 | 24,500 | 11,023 | 18,526 | 2,281 | 2,004.5 | 6,321 |
| MEAN | 70.3 | 146 | 516 | 205 | 1,189 | 160 | 817 | 356 | 618 | 73.6 | 64.7 | 211 |
| MAX | 506 | 475 | 3,100 | 860 | 9,680 | 432 | 4,160 | 1,020 | 2,840 | 387 | 272 | 3,510 |
| MIN | 9.7 | 51 | 49 | 52 | 203 | 68 | 110 | 94 | 57 | 24 | 9.5 | 13 |
| CFSM | 0.43 | 0.90 | 3.16 | 1.26 | 7.30 | 0.98 | 5.01 | 2.18 | 3.79 | 0.45 | 0.40 | 1.29 |
| IN. | 0.50 | 1.00 | 3.65 | 1.45 | 7.60 | 1.13 | 5.59 | 2.52 | 4.23 | 0.52 | 0.46 | 1.44 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1965 - 2003, BY WATER YEAR (WY)

| | 78.0 | 183 | 352 | 435 | 489 | 518 | 436 | 294 | 162 | 91.7 | 50.6 | 44.8 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 78.0 | 183 | 352 | 435 | 489 | 518 | 436 | 294 | 162 | 91.7 | 50.6 | 44.8 |
| MAX | 600 | 646 | 1,229 | 1,205 | 1,196 | 1,665 | 1,308 | 1,158 | 975 | 381 | 178 | 211 |
| (WY) | (1990) | (1978) | (1991) | (1974) | (1972) | (1975) | (1998) | (1984) | (1989) | (1965) | (1977) | (2003) |
| MIN | 2.13 | 11.4 | 28.3 | 22.9 | 70.5 | 111 | 50.8 | 29.3 | 6.48 | 2.03 | 3.72 | 2.11 |
| (WY) | (1970) | (1988) | (1966) | (1981) | (1968) | (1969) | (1986) | (1965) | (1988) | (1966) | (1988) | (1965) |

03281100 GOOSE CREEK AT MANCHESTER, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1965 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 87,054.4 | | 131,842.9 | | 260 | |
| ANNUAL MEAN | 239 | | 361 | | 456 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 7,450 | Mar 18 | 9,680 | Feb 16 | 13,700 | May 7, 1984 |
| LOWEST DAILY MEAN | 2.6 | Sep 6 | 9.5 | Aug 28 | 0.00 | Oct 8, 1980 |
| ANNUAL SEVEN-DAY MINIMUM | 3.0 | Sep 6 | 10 | Oct 3 | 0.16 | Oct 4, 1980 |
| MAXIMUM PEAK FLOW | | | 12,300 | Feb 16 | 19,200 | May 7, 1984 |
| MAXIMUM PEAK STAGE | | | 27.11 | Feb 16 | 32.85 | May 7, 1984 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 8, 1980 |
| ANNUAL RUNOFF (CFSM) | 1.46 | | 2.22 | | 1.60 | |
| ANNUAL RUNOFF (INCHES) | 19.87 | | 30.09 | | 21.68 | |
| 10 PERCENT EXCEEDS | 509 | | 702 | | 557 | |
| 50 PERCENT EXCEEDS | 72 | | 134 | | 87 | |
| 90 PERCENT EXCEEDS | 6.0 | | 25 | | 6.1 | |

e Estimated



03281500 SOUTH FORK KENTUCKY RIVER AT BOONEVILLE, KY

LOCATION.--Lat 37°28'47", long 83°40'31", Owsley County, Hydrologic Unit 05100203, on right bank 100 ft downstream from Buck Creek, 350 ft downstream from bridge on State Highway 30 at Booneville, 0.3 mi downstream from Meadow Creek, and at mile 11.7.

DRAINAGE AREA.--722 mi².

PERIOD OF RECORD.--March 1925 to September 1931, October 1939 to current year. Monthly discharge only for October 1939, published in WSP 1305.

REVISED RECORDS.--WSP 893: 1929(M). WSP 1335: WSP 1555: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 642.49 ft above NGVD of 1929. See WDR KY-92-1 for history of changes prior to Nov. 27, 1929. Nov. 28, 1929 to July 26, 2000, recording gage 500 ft downstream at present site and datum.

REMARKS.--Records fair except for those estimated, which are poor. Diversions by City of Booneville.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and Kentucky River Authority.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 14,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Feb 17 | 0700 | *34,500 | *38.63 | Apr 11 | 1300 | 19,100 | 28.29 |
| Feb 23 | 1100 | 15,100 | 24.66 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|---------|--------|---------|--------|--------|--------|--------|--------|
| 1 | 159 | 708 | 285 | 1,090 | 1,710 | 1,940 | 706 | 538 | 399 | 287 | 795 | 783 |
| 2 | 116 | 479 | 262 | 2,350 | 1,390 | 1,880 | 694 | 512 | 362 | 266 | 611 | 884 |
| 3 | 89 | 355 | 243 | 2,310 | 1,150 | 1,700 | 646 | 602 | 334 | 245 | 2,370 | 931 |
| 4 | 70 | 295 | 228 | 1,950 | 2,710 | 1,460 | 595 | 562 | 550 | 226 | 6,110 | 7,200 |
| 5 | 60 | 380 | 482 | 1,640 | 4,180 | 1,300 | 622 | 575 | 621 | 223 | 5,210 | 8,050 |
| 6 | 51 | 1,630 | 3,130 | 1,430 | 2,610 | 1,200 | 739 | 1,810 | 468 | 207 | 2,190 | 1,880 |
| 7 | 42 | 1,700 | 1,620 | 1,190 | 1,960 | 1,080 | 5,610 | 1,640 | 1,690 | 190 | 1,610 | 1,130 |
| 8 | 36 | 1,030 | 1,160 | 1,020 | 1,550 | 918 | 9,820 | 3,640 | 3,890 | 272 | 2,020 | 760 |
| 9 | 32 | 713 | 1,000 | e820 | 1,220 | 827 | 11,500 | 5,710 | 2,120 | 203 | 1,210 | 548 |
| 10 | 45 | 556 | 874 | e720 | 1,120 | 753 | 14,100 | 2,340 | 1,250 | 598 | 770 | 421 |
| 11 | 218 | 1,100 | 1,890 | e620 | 1,080 | 672 | 17,800 | 1,560 | 2,050 | 2,310 | 531 | 353 |
| 12 | 279 | 1,640 | 3,850 | e540 | 1,020 | 625 | 9,050 | 1,810 | 3,000 | 1,650 | 437 | 278 |
| 13 | 305 | 1,060 | 3,210 | e450 | 946 | 603 | 3,770 | 1,190 | 3,230 | 2,010 | 350 | 236 |
| 14 | 252 | 737 | 10,600 | e410 | 908 | 609 | 2,330 | 852 | 3,140 | 1,300 | 286 | 206 |
| 15 | 241 | 599 | 7,270 | e380 | 7,480 | 580 | 1,760 | 943 | 7,790 | 814 | 240 | 189 |
| 16 | 254 | 756 | 3,280 | e360 | 24,000 | 528 | 1,440 | 3,210 | 8,540 | 530 | 206 | 173 |
| 17 | 299 | 880 | 2,050 | e340 | 32,400 | 506 | 1,280 | 2,910 | 9,890 | 386 | 226 | 157 |
| 18 | 294 | 828 | 1,510 | e320 | 14,500 | 494 | 2,220 | 4,570 | 11,600 | 306 | 393 | 140 |
| 19 | 235 | 772 | 1,200 | e300 | 4,320 | 490 | 2,740 | 3,930 | 8,990 | 253 | 457 | 125 |
| 20 | 185 | 756 | 2,100 | e290 | 2,730 | 468 | 2,080 | 2,620 | 7,730 | 217 | 282 | 113 |
| 21 | 160 | 709 | 3,420 | e275 | 2,260 | 465 | 1,810 | 2,050 | 3,530 | 191 | 211 | 105 |
| 22 | 145 | 668 | 2,360 | e260 | 6,270 | 432 | 1,500 | 3,190 | 2,000 | 181 | 181 | 185 |
| 23 | 130 | 595 | 1,700 | e250 | 13,900 | 394 | 1,210 | 2,160 | 1,370 | 264 | 160 | 1,200 |
| 24 | 116 | 503 | 1,390 | e240 | 6,680 | 366 | 990 | 1,530 | 999 | 438 | 140 | 932 |
| 25 | 106 | 437 | 2,400 | e230 | 3,630 | 348 | 853 | 1,160 | 741 | 550 | 126 | 465 |
| 26 | 104 | 398 | 3,230 | e220 | 2,660 | 342 | 890 | 906 | 567 | 325 | 116 | 313 |
| 27 | 97 | 384 | 2,350 | e215 | 2,180 | 344 | 1,170 | 743 | 471 | 238 | 109 | 269 |
| 28 | 493 | 363 | 1,780 | e210 | 2,020 | 338 | 902 | 667 | 432 | 208 | 99 | 313 |
| 29 | 2,520 | 331 | 1,430 | 312 | --- | 364 | 742 | 595 | 408 | 1,080 | 94 | 410 |
| 30 | 3,370 | 306 | 1,170 | 1,960 | --- | 502 | 637 | 525 | 328 | 644 | 126 | 319 |
| 31 | 1,310 | --- | 974 | 2,310 | --- | 676 | --- | 482 | --- | 357 | 422 | --- |
| TOTAL | 11,813 | 21,668 | 68,448 | 25,012 | 148,584 | 23,204 | 100,206 | 55,532 | 88,490 | 16,969 | 28,088 | 29,068 |
| MEAN | 381 | 722 | 2,208 | 807 | 5,307 | 749 | 3,340 | 1,791 | 2,950 | 547 | 906 | 969 |
| MAX | 3,370 | 1,700 | 10,600 | 2,350 | 32,400 | 1,940 | 17,800 | 5,710 | 11,600 | 2,310 | 6,110 | 8,050 |
| MIN | 32 | 295 | 228 | 210 | 908 | 338 | 595 | 482 | 328 | 181 | 94 | 105 |
| CFSM | 0.53 | 1.00 | 3.06 | 1.12 | 7.35 | 1.04 | 4.63 | 2.48 | 4.09 | 0.76 | 1.25 | 1.34 |
| IN. | 0.61 | 1.12 | 3.53 | 1.29 | 7.66 | 1.20 | 5.16 | 2.86 | 4.56 | 0.87 | 1.45 | 1.50 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1925 - 2003, BY WATER YEAR (WY)

| MEAN | 209 | 639 | 1,323 | 1,796 | 2,123 | 2,279 | 1,725 | 1,113 | 619 | 395 | 262 | 153 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 2,843 | 2,380 | 4,935 | 5,461 | 5,905 | 7,400 | 4,703 | 5,130 | 2,950 | 2,666 | 1,700 | 969 |
| (WY) | (1990) | (1974) | (1991) | (1974) | (1956) | (1975) | (1998) | (1984) | (2003) | (1941) | (1942) | (2003) |
| MIN | 0.084 | 0.32 | 12.1 | 104 | 178 | 568 | 222 | 119 | 36.7 | 3.67 | 4.56 | 0.68 |
| (WY) | (1954) | (1954) | (1954) | (1981) | (1941) | (1988) | (1963) | (1941) | (1966) | (1944) | (1930) | (1930) |

03281500 SOUTH FORK KENTUCKY RIVER AT BOONEVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1925 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 395,714.9 | | 617,082 | | 1,052 | |
| ANNUAL MEAN | 1,084 | | 1,691 | | 1,808 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 19,100 | Mar 19 | 32,400 | Feb 17 | 51,300 | Jan 30, 1957 |
| LOWEST DAILY MEAN | 4.7 | Sep 11 | 32 | Oct 9 | 0.00 | Oct 11, 1953 |
| ANNUAL SEVEN-DAY MINIMUM | 5.8 | Sep 7 | 48 | Oct 4 | 0.00 | Oct 11, 1953 |
| MAXIMUM PEAK FLOW | | | 34,500 | Feb 17 | 66,100 | Jan 30, 1957 |
| MAXIMUM PEAK STAGE | | | 38.63 | Feb 17 | 43.40 | Jan 30, 1957 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 11, 1953 |
| ANNUAL RUNOFF (CFSM) | 1.50 | | 2.34 | | 1.46 | |
| ANNUAL RUNOFF (INCHES) | 20.39 | | 31.79 | | 19.79 | |
| 10 PERCENT EXCEEDS | 2,430 | | 3,460 | | 2,400 | |
| 50 PERCENT EXCEEDS | 325 | | 709 | | 354 | |
| 90 PERCENT EXCEEDS | 31 | | 190 | | 27 | |

e Estimated



03282000 KENTUCKY RIVER AT LOCK 14, AT HEIDELBERG, KY

LOCATION.--Lat 37°33'19", long 83°46'06", Lee County, Hydrologic Unit 05100204, on right bank 200 ft upstream from lock 14 at Heidelberg, 0.3 mi upstream from Sturgeon Creek, and at mile 249.2.

DRAINAGE AREA.--2,657 mi².

PERIOD OF RECORD.--October 1925 to September 1931, December 1936 to February 1937, July 1938 to current year. Gage-height records collected in this vicinity since 1902 are published in reports of National Weather Service.

REVISED RECORDS.--WSP 1385: 1926-27, 1928(M), 1929, 1931(M), 1937, 1939(M), drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 626.66 ft, Ohio River datum. Prior to September 2, 1939, nonrecording gage at lock 14 at same datum.

REMARKS.--Records fair except for those below 150 ft³/s and for those estimated, which are poor. Flow regulated by Buckhorn Lake beginning December 1960 (station 03280800), and by Carr Fork Lake beginning January 1976 (station 03277446). Small diversions by City of Lexington waterworks.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and Kentucky River Authority.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 831 | 3,220 | 1,250 | 3,060 | 5,200 | 13,000 | 2,510 | 1,830 | 2,350 | 1,440 | 1,840 | 1,910 |
| 2 | 653 | 2,210 | 1,060 | 6,960 | 4,610 | 12,700 | 2,940 | 1,790 | 1,860 | 1,520 | 2,060 | 2,410 |
| 3 | 556 | 1,650 | 903 | 8,170 | 3,790 | 11,900 | 2,630 | 2,100 | 1,750 | 1,400 | 3,790 | 2,060 |
| 4 | 434 | 1,340 | 791 | 7,110 | 5,860 | 10,300 | 2,520 | 1,890 | 1,990 | 1,200 | 9,360 | 11,900 |
| 5 | 376 | 1,360 | 931 | 5,610 | 11,600 | 9,130 | 2,390 | 2,270 | 2,370 | 1,040 | 14,100 | 25,100 |
| 6 | 343 | 4,060 | e4,000 | 4,580 | 9,300 | 8,670 | 2,690 | 4,670 | 2,120 | 1,090 | 9,870 | 9,580 |
| 7 | 326 | 5,080 | 5,410 | 3,870 | 7,240 | 8,300 | 9,260 | 5,980 | 5,690 | 948 | 5,390 | 4,490 |
| 8 | 308 | 3,530 | 4,290 | 3,270 | 5,520 | 7,630 | 30,100 | 7,640 | 13,400 | 1,020 | 4,510 | 2,490 |
| 9 | 300 | 2,590 | 3,780 | 2,940 | 4,160 | 7,170 | 34,500 | 19,300 | 11,600 | 1,280 | 3,450 | 1,810 |
| 10 | 422 | 2,350 | 3,450 | 2,630 | 3,570 | 6,780 | 43,200 | 19,700 | 6,740 | 1,280 | 2,400 | 1,470 |
| 11 | 1,120 | 4,870 | 4,520 | 2,290 | 3,400 | 5,740 | 46,800 | 10,800 | 4,550 | 4,450 | 1,740 | 1,160 |
| 12 | 1,410 | 5,680 | 10,600 | 1,890 | 3,260 | 4,650 | 41,700 | 6,810 | 9,490 | 5,890 | 1,560 | 916 |
| 13 | 1,290 | 4,440 | 11,200 | 1,610 | 3,060 | 3,870 | 28,400 | 4,910 | 9,260 | 5,160 | 1,410 | 779 |
| 14 | 1,130 | 3,230 | 28,400 | 1,480 | 2,880 | 3,340 | 17,500 | 3,220 | 10,500 | 5,150 | 1,230 | 692 |
| 15 | 871 | 2,590 | 24,800 | 1,370 | 21,200 | 2,790 | 13,600 | 3,080 | 16,900 | 3,160 | 979 | 654 |
| 16 | 1,020 | 3,030 | 14,300 | 1,220 | e55,700 | 2,210 | 11,600 | 6,910 | 25,600 | 2,020 | 815 | 621 |
| 17 | 1,230 | 3,310 | 10,100 | 1,230 | e74,000 | 2,000 | 10,600 | 9,910 | 29,300 | 1,610 | 939 | 605 |
| 18 | 1,470 | 3,230 | 7,490 | 987 | e60,200 | 1,890 | 11,400 | 18,400 | 32,900 | 1,370 | 1,270 | 630 |
| 19 | 1,310 | 3,250 | 4,860 | 1,000 | 29,900 | 1,800 | 16,600 | 18,300 | 33,900 | 1,190 | 1,360 | 581 |
| 20 | 1,110 | 3,090 | 5,340 | 1,150 | 12,800 | 1,770 | 14,700 | 14,100 | 29,400 | 1,010 | 1,480 | 506 |
| 21 | 1,060 | 2,820 | 9,770 | 1,210 | 10,500 | 1,890 | 12,500 | 9,760 | 19,200 | 839 | 1,080 | 500 |
| 22 | 966 | 2,730 | 9,050 | 1,080 | 16,700 | 1,810 | 11,500 | 12,000 | 13,200 | 747 | 825 | 621 |
| 23 | 842 | 2,620 | 6,770 | 968 | 39,500 | 1,610 | 9,340 | 11,900 | 10,500 | 909 | 776 | 1,700 |
| 24 | 775 | 2,420 | 5,200 | 650 | 34,600 | 1,420 | 7,100 | 7,880 | 9,060 | 1,100 | 643 | 2,560 |
| 25 | 742 | 2,190 | 5,930 | 673 | 21,900 | 1,390 | 5,390 | 5,420 | 5,330 | 1,810 | 571 | 1,760 |
| 26 | 706 | 2,000 | 9,070 | 772 | 16,700 | 1,310 | 4,540 | 3,900 | 2,740 | 1,460 | 524 | 1,290 |
| 27 | 699 | 1,840 | 8,200 | 778 | 14,300 | 1,320 | 4,400 | 3,000 | 2,040 | 1,110 | 472 | 1,010 |
| 28 | 1,390 | 1,590 | 6,290 | 781 | 13,100 | 1,250 | 3,530 | 2,480 | 1,840 | 833 | 412 | 1,020 |
| 29 | 6,610 | 1,410 | 4,780 | 952 | --- | 1,310 | 2,640 | 2,390 | 1,800 | 1,220 | 386 | 1,470 |
| 30 | 12,000 | 1,350 | 3,870 | 2,770 | --- | 1,570 | 2,130 | 2,660 | 1,600 | 1,650 | 435 | 1,380 |
| 31 | 6,430 | --- | 3,180 | 5,740 | --- | 2,070 | --- | 2,770 | --- | 1,950 | 1,780 | --- |
| TOTAL | 48,730 | 85,080 | 219,585 | 78,801 | 494,550 | 142,590 | 408,710 | 227,770 | 318,980 | 56,856 | 77,457 | 83,675 |
| MEAN | 1,572 | 2,836 | 7,083 | 2,542 | 17,660 | 4,600 | 13,620 | 7,347 | 10,630 | 1,834 | 2,499 | 2,789 |
| MAX | 12,000 | 5,680 | 28,400 | 8,170 | 74,000 | 13,000 | 46,800 | 19,700 | 33,900 | 5,890 | 14,100 | 25,100 |
| MIN | 300 | 1,340 | 791 | 650 | 2,880 | 1,250 | 2,130 | 1,790 | 1,600 | 747 | 386 | 500 |
| CFSM | 0.59 | 1.07 | 2.67 | 0.96 | 6.65 | 1.73 | 5.13 | 2.77 | 4.00 | 0.69 | 0.94 | 1.05 |
| IN. | 0.68 | 1.19 | 3.07 | 1.10 | 6.92 | 2.00 | 5.72 | 3.19 | 4.47 | 0.80 | 1.08 | 1.17 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1977 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,269 | 2,496 | 4,612 | 5,670 | 7,350 | 7,509 | 6,306 | 4,963 | 2,833 | 1,253 | 1,022 | 778 |
| MAX | 10,380 | 7,006 | 14,850 | 14,010 | 17,660 | 18,260 | 15,260 | 16,010 | 10,630 | 3,320 | 3,006 | 3,680 |
| (WY) | (1990) | (1978) | (1991) | (1994) | (2003) | (1994) | (1998) | (1984) | (2003) | (1992) | (1977) | (1989) |
| MIN | 232 | 263 | 582 | 362 | 2,345 | 1,791 | 855 | 910 | 247 | 206 | 154 | 70.1 |
| (WY) | (2000) | (2002) | (1981) | (1981) | (1988) | (1988) | (1986) | (1986) | (1988) | (1988) | (1988) | (1999) |

03282000 KENTUCKY RIVER AT LOCK 14, AT HEIDELBERG, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1977 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--|
| ANNUAL TOTAL | 1,547,887 | | 2,242,784 | | 3,820 | |
| ANNUAL MEAN | 4,241 | | 6,145 | | 6,973 | |
| HIGHEST ANNUAL MEAN | | | | | 1,461 | |
| LOWEST ANNUAL MEAN | | | | | 85,900 | |
| HIGHEST DAILY MEAN | 44,300 | Mar 19 | 74,000 | Feb 17 | May 8, 1984 | |
| LOWEST DAILY MEAN | 79 | Sep 13 | 300 | Oct 9 | Jul 10, 1988 | |
| ANNUAL SEVEN-DAY MINIMUM | 92 | Sep 8 | 358 | Oct 4 | Sep 11, 1999 | |
| MAXIMUM PEAK FLOW | | | 76,500 | Feb 17 | 120,000 | |
| MAXIMUM PEAK STAGE | | | 27.10 | Feb 17 | 35.60 | |
| INSTANTANEOUS LOW FLOW | | | | | 4.0 | |
| ANNUAL RUNOFF (CFSM) | 1.60 | | 2.31 | | 1.44 | |
| ANNUAL RUNOFF (INCHES) | 21.67 | | 31.40 | | 19.53 | |
| 10 PERCENT EXCEEDS | 10,900 | | 14,100 | | 9,740 | |
| 50 PERCENT EXCEEDS | 1,470 | | 2,640 | | 1,570 | |
| 90 PERCENT EXCEEDS | 233 | | 780 | | 279 | |

e Estimated



03282040 STURGEON CREEK AT CRESSMONT, KY

LOCATION.--Lat 37°30'02", long 83°48'37", Lee County, Hydrologic Unit 05100204, on right bank 30 ft downstream of bridge on State Highway 597, 0.2 mi southeast of Cressmont, 0.2 mi upstream from Elkhorn Branch, and 0.5 mi downstream from Granny Dismal Creek.

DRAINAGE AREA.--77.3 mi².

PERIOD OF RECORD.--October 1992 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gages. Datum of gage is 704.53 ft above NGVD of 1929.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Oct 29 | 1800 | 2,660 | 9.25 | Jun 14 | 2015 | 2,290 | 8.67 |
| Dec 14 | 0030 | 2,550 | 9.07 | Jun 15 | 2230 | 3,130 | 9.85 |
| Feb 16 | 1330 | 7,780 | 14.44 | Jun 16 | 1830 | 2,260 | 8.62 |
| Feb 22 | 2015 | 3,210 | 9.96 | Jul 12 | 1745 | 3,010 | 9.69 |
| Apr 10 | 1515 | 2,040 | 8.26 | Aug 3 | 1145 | 2,760 | 9.34 |
| May 9 | 0430 | 4,550 | 11.58 | Aug 4 | 1115 | *9,740 | *15.94 |
| May 15 | 1945 | 3,970 | 10.93 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-------|-------|-------|--------|-------|-------|-------|-------|---------|---------|-------|
| 1 | 9.7 | 106 | 28 | 162 | 89 | 209 | 52 | 35 | 23 | 15 | 99 | 87 |
| 2 | 7.2 | 70 | 24 | 205 | 82 | 191 | 49 | 38 | 17 | 12 | 69 | e50 |
| 3 | 5.2 | 51 | 22 | 210 | 79 | 162 | 46 | 94 | 27 | 9.2 | 995 | e66 |
| 4 | 5.9 | 45 | 20 | 191 | 353 | 138 | 43 | 48 | 51 | 7.0 | 3,120 | e240 |
| 5 | 9.4 | 146 | 49 | 175 | 264 | 124 | 57 | 149 | 32 | 8.6 | 568 | e190 |
| 6 | 11 | 496 | 58 | 151 | 199 | 111 | 51 | 166 | 21 | 32 | 246 | e125 |
| 7 | 11 | 229 | 50 | 123 | 175 | 91 | 528 | 119 | 512 | 9.2 | 291 | e82 |
| 8 | 10 | 143 | 74 | e100 | 131 | 78 | 351 | 111 | 258 | 5.4 | 295 | e56 |
| 9 | 9.2 | 101 | 91 | e86 | 115 | 70 | 846 | 1,350 | 150 | 4.7 | 165 | e37 |
| 10 | 40 | 93 | 93 | e73 | 120 | 59 | 1,320 | 318 | 92 | 32 | 112 | e25 |
| 11 | 173 | 419 | 388 | e63 | 115 | 53 | 942 | 201 | 93 | 113 | 86 | e16 |
| 12 | 91 | 202 | 384 | e53 | 114 | 49 | 449 | 129 | 191 | 538 | 208 | e17 |
| 13 | 58 | 135 | 613 | e49 | 100 | 48 | 275 | 85 | 450 | 270 | 109 | e17 |
| 14 | 44 | 98 | 1,370 | e46 | 106 | 45 | 197 | 61 | 700 | 111 | 72 | e17 |
| 15 | 32 | 99 | 474 | e43 | 1,990 | 40 | 153 | 771 | 1,010 | 61 | 49 | e18 |
| 16 | 64 | 247 | 294 | e41 | 5,010 | 38 | 123 | 585 | 1,350 | 38 | 38 | e18 |
| 17 | 60 | 200 | 211 | e39 | 1,200 | 37 | 198 | 342 | 653 | 24 | 36 | e19 |
| 18 | 41 | 151 | 167 | e37 | 463 | 38 | 383 | 408 | 339 | 16 | 32 | e18 |
| 19 | 33 | 131 | 140 | e36 | 300 | 38 | 258 | 265 | 269 | 12 | 21 | e17 |
| 20 | 32 | 110 | 338 | e35 | 234 | 39 | 194 | 186 | 172 | 9.3 | 16 | e17 |
| 21 | 33 | 94 | 258 | e38 | 206 | 38 | 275 | 151 | 114 | 7.2 | 13 | e16 |
| 22 | 28 | 87 | 204 | e33 | 1,390 | 32 | 214 | 118 | 79 | 8.6 | 10 | e22 |
| 23 | 22 | 67 | 160 | e29 | 970 | 28 | 167 | 93 | 56 | 76 | 8.7 | e37 |
| 24 | 18 | 55 | 162 | e27 | 428 | 25 | 132 | 74 | 40 | 74 | 7.5 | e27 |
| 25 | 17 | 47 | 251 | e26 | 299 | 24 | 113 | 55 | 29 | 31 | 5.3 | e19 |
| 26 | 21 | 43 | 215 | e24 | 243 | 26 | 107 | 46 | 22 | 17 | 3.6 | e13 |
| 27 | 21 | 47 | 185 | e23 | 216 | 26 | 78 | 39 | 24 | 11 | 2.6 | e14 |
| 28 | 365 | 37 | 161 | e22 | 233 | 24 | 58 | 45 | 21 | 33 | 1.9 | e23 |
| 29 | 1,080 | 33 | 137 | 56 | --- | 45 | 49 | 40 | 14 | 240 | 1.5 | e22 |
| 30 | 507 | 33 | 115 | 91 | --- | 60 | 42 | 36 | 11 | 86 | 5.8 | e19 |
| 31 | 180 | --- | 100 | 85 | --- | 53 | --- | 29 | --- | 94 | 107 | --- |
| TOTAL | 3,038.6 | 3,815 | 6,836 | 2,372 | 15,224 | 2,039 | 7,750 | 6,187 | 6,820 | 2,005.2 | 6,793.9 | 1,344 |
| MEAN | 98.0 | 127 | 221 | 76.5 | 544 | 65.8 | 258 | 200 | 227 | 64.7 | 219 | 44.8 |
| MAX | 1,080 | 496 | 1,370 | 210 | 5,010 | 209 | 1,320 | 1,350 | 1,350 | 538 | 3,120 | 240 |
| MIN | 5.2 | 33 | 20 | 22 | 79 | 24 | 42 | 29 | 11 | 4.7 | 1.5 | 13 |
| CFSM | 1.27 | 1.65 | 2.85 | 0.99 | 7.03 | 0.85 | 3.34 | 2.58 | 2.94 | 0.84 | 2.84 | 0.58 |
| IN. | 1.46 | 1.84 | 3.29 | 1.14 | 7.33 | 0.98 | 3.73 | 2.98 | 3.28 | 0.96 | 3.27 | 0.65 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1993 - 2003, BY WATER YEAR (WY)

| | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 31.2 | 67.2 | 110 | 197 | 224 | 249 | 193 | 148 | 103 | 26.3 | 32.0 | 15.7 |
| MAX | 108 | 246 | 221 | 403 | 544 | 540 | 441 | 345 | 304 | 64.7 | 219 | 59.5 |
| (WY) | (1997) | (1997) | (2003) | (1994) | (2003) | (1994) | (1998) | (1995) | (1997) | (2003) | (2003) | (1996) |
| MIN | 1.22 | 2.70 | 16.8 | 30.3 | 76.4 | 65.8 | 49.6 | 22.4 | 2.20 | 1.22 | 0.11 | 0.30 |
| (WY) | (2001) | (2001) | (2000) | (2000) | (2002) | (2003) | (1997) | (2001) | (1999) | (1999) | (1999) | (1999) |

03282040 STURGEON CREEK AT CRESSMONT, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1993 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 50,143.06 | | 64,224.7 | | 116 | |
| ANNUAL MEAN | 137 | | 176 | | 195 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 2000 | |
| HIGHEST DAILY MEAN | 2,090 | Mar 20 | 5,010 | Feb 16 | 5,010 | Feb 16, 2003 |
| LOWEST DAILY MEAN | 0.02 | Sep 10 | 1.5 | Aug 29 | 0.00 | Aug 18, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.03 | Sep 7 | 4.0 | Aug 24 | 0.00 | Aug 18, 1999 |
| MAXIMUM PEAK FLOW | | | 9,720 | Aug 4 | 9,720 | Aug 4, 2003 |
| MAXIMUM PEAK STAGE | | | 15.94 | Aug 4 | 15.94 | Aug 4, 2003 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Aug 18, 1999 |
| ANNUAL RUNOFF (CFSM) | 1.78 | | 2.28 | | 1.50 | |
| ANNUAL RUNOFF (INCHES) | 24.13 | | 30.91 | | 20.34 | |
| 10 PERCENT EXCEEDS | 360 | | 372 | | 263 | |
| 50 PERCENT EXCEEDS | 44 | | 70 | | 39 | |
| 90 PERCENT EXCEEDS | 1.8 | | 16 | | 1.8 | |

e Estimated



03282290 KENTUCKY RIVER AT LOCK 11 NEAR COLLEGE HILL, KY

LOCATION.--Lat 37°47'02", long 84°06'12", Estill County, Hydrologic Unit 05100205, on upstream right bank of Lock 11, 0.6 mi downstream from Flint Creek, 1.0 mi east of College Hill, 1.0 mi upstream from Lick Run, and at mile 201.

DRAINAGE AREA.--3,219 mi² of which 26.1 mi² is non-contributing.

PERIOD OF RECORD.--June 2002 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 575.60 feet above NGVD of 1929.

REMARKS.--Records good except for periods of estimated record which are fair. Flow regulated by Buckhorn Lake beginning December 1960 (station 03280800), and by Carr Fork Lake beginning January 1976 (station 03277446). Small diversions by City of Lexington waterworks.

COOPERATION.--Kentucky River Authority.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 1,110 | 4,870 | 1,520 | 4,090 | 5,670 | 11,500 | 2,590 | 2,420 | 2,980 | 1,580 | 2,530 | 2,310 |
| 2 | 840 | 3,100 | 1,370 | 5,880 | 5,290 | 11,300 | 3,100 | 2,300 | 2,410 | 1,500 | 2,140 | 2,470 |
| 3 | 694 | 2,290 | 1,210 | 8,190 | 4,600 | 10,800 | 3,120 | 2,490 | 2,260 | 1,510 | 2,900 | 3,000 |
| 4 | 594 | 1,780 | 1,100 | 7,760 | 5,410 | 9,800 | 2,950 | 2,470 | 2,380 | 1,340 | 8,630 | 4,820 |
| 5 | 488 | 1,860 | 1,110 | 6,700 | 9,860 | 8,650 | 2,850 | 6,770 | 2,630 | 1,150 | 14,500 | 19,500 |
| 6 | 428 | 4,870 | 2,030 | 5,630 | 9,700 | 8,090 | 3,000 | 9,790 | 2,670 | 1,100 | 10,500 | 12,200 |
| 7 | 376 | 6,310 | 4,850 | 4,890 | 8,010 | 7,790 | 5,990 | 6,870 | 12,700 | 1,120 | 6,970 | 6,030 |
| 8 | 353 | 5,000 | 4,850 | 4,220 | 6,520 | 7,290 | 19,900 | 6,890 | 15,100 | 998 | 5,400 | 3,380 |
| 9 | 337 | 3,620 | 4,220 | 3,740 | 5,270 | 6,800 | 25,400 | 19,900 | 12,400 | 1,110 | 4,390 | 2,240 |
| 10 | 1,190 | 3,770 | 3,890 | 3,370 | 4,500 | 6,540 | 30,500 | 19,000 | 8,680 | 1,560 | 3,350 | 1,730 |
| 11 | 4,130 | 7,810 | e4,900 | 2,970 | 4,190 | 6,020 | 33,700 | 13,000 | 6,110 | 2,470 | 2,450 | 1,390 |
| 12 | 2,530 | 7,740 | e8,900 | 2,570 | 4,020 | 5,220 | 34,900 | 8,030 | 8,350 | 5,600 | 2,080 | 1,120 |
| 13 | 1,680 | 5,960 | e11,500 | 2,150 | 3,810 | 4,510 | 29,600 | 5,960 | 8,490 | 6,020 | 1,800 | 939 |
| 14 | 1,380 | 4,500 | e23,000 | 1,940 | 3,620 | 3,950 | 17,900 | 4,560 | 12,300 | 5,350 | 1,500 | 830 |
| 15 | 1,100 | 3,530 | e26,000 | 1,780 | 17,500 | 3,370 | 12,500 | 3,410 | 19,200 | 4,110 | 1,290 | 744 |
| 16 | 1,080 | 4,100 | e18,000 | 1,620 | 39,400 | 2,770 | 10,600 | 6,170 | 22,200 | 3,120 | 1,280 | 684 |
| 17 | 1,290 | 4,500 | e11,500 | 1,540 | 51,900 | 2,490 | 9,790 | 8,340 | 24,600 | 2,060 | 1,010 | 648 |
| 18 | 1,370 | 4,200 | e8,800 | 1,430 | 55,900 | 2,330 | 11,800 | 13,800 | 24,400 | 1,620 | 1,150 | 636 |
| 19 | 1,380 | 3,940 | e6,800 | 1,290 | 52,900 | 2,420 | 13,100 | 15,800 | 26,300 | 1,340 | 1,240 | 632 |
| 20 | 1,220 | 3,770 | e6,400 | 1,320 | 36,400 | 3,140 | 13,500 | 13,200 | 25,200 | 1,150 | 1,390 | 587 |
| 21 | 1,120 | 3,450 | e8,600 | 1,430 | 14,500 | 2,590 | 12,000 | 10,500 | 18,800 | 993 | 1,270 | 536 |
| 22 | 1,050 | 3,250 | e9,400 | 1,400 | 15,900 | 2,470 | 11,300 | 9,220 | 12,400 | 860 | 985 | 617 |
| 23 | 954 | 3,120 | e7,800 | 1,280 | 27,800 | 2,250 | 9,550 | 10,900 | 9,700 | 936 | 828 | 1,170 |
| 24 | 837 | 2,890 | 6,250 | 1,080 | 30,400 | 1,980 | 7,670 | 8,430 | 8,280 | 1,220 | 748 | 2,340 |
| 25 | 801 | 2,630 | 6,260 | 925 | 23,400 | 1,840 | 6,240 | 6,210 | 6,620 | 1,440 | 654 | 2,260 |
| 26 | 768 | 2,410 | 7,950 | 945 | 15,600 | 1,760 | 5,290 | 4,780 | 3,750 | 1,670 | 589 | 1,660 |
| 27 | 745 | 2,250 | 8,480 | 1,000 | 13,100 | 1,700 | 4,760 | 3,840 | 2,520 | 1,310 | 541 | 1,380 |
| 28 | 1,190 | 2,030 | 7,200 | 1,000 | 12,000 | 1,650 | 4,380 | 3,160 | 2,080 | 1,020 | 485 | 1,360 |
| 29 | 5,840 | 1,770 | 5,850 | 1,240 | --- | 1,670 | 3,490 | 3,070 | 1,910 | 1,350 | 447 | 1,360 |
| 30 | 13,300 | 1,600 | 4,890 | 2,290 | --- | 1,920 | 2,810 | 3,130 | 1,770 | 1,880 | 641 | 1,590 |
| 31 | 9,050 | --- | 4,110 | 4,960 | --- | 2,220 | --- | 3,160 | --- | 2,110 | 1,180 | --- |
| TOTAL | 59,225 | 112,920 | 228,740 | 90,630 | 487,170 | 146,830 | 354,280 | 237,570 | 309,190 | 60,597 | 84,868 | 80,163 |
| MEAN | 1,910 | 3,764 | 7,379 | 2,924 | 17,400 | 4,736 | 11,810 | 7,664 | 10,310 | 1,955 | 2,738 | 2,672 |
| MAX | 13,300 | 7,810 | 26,000 | 8,190 | 55,900 | 11,500 | 34,900 | 19,900 | 26,300 | 6,020 | 14,500 | 19,500 |
| MIN | 337 | 1,600 | 1,100 | 925 | 3,620 | 1,650 | 2,590 | 2,300 | 1,770 | 860 | 447 | 536 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2002 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,910 | 3,764 | 7,379 | 2,924 | 17,400 | 4,736 | 11,810 | 7,664 | 10,310 | 1,541 | 1,518 | 1,550 |
| MAX | 1,910 | 3,764 | 7,379 | 2,924 | 17,400 | 4,736 | 11,810 | 7,664 | 10,310 | 1,955 | 2,738 | 2,672 |
| (WY) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) |
| MIN | 1,910 | 3,764 | 7,379 | 2,924 | 17,400 | 4,736 | 11,810 | 7,664 | 10,310 | 1,126 | 298 | 427 |
| (WY) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2002) | (2002) | (2002) |

03282290 KENTUCKY RIVER AT LOCK 11 NEAR COLLEGE HILL, KY—Continued

| SUMMARY STATISTICS | FOR 2 | 003 WATER YEAR | WATER YEARS 2002 - 2003 | |
|--------------------------|-------|----------------|-------------------------|--------------|
| ANNUAL TOTAL | | 83 | | |
| ANNUAL MEAN | | 70 | 6,170 | |
| HIGHEST ANNUAL MEAN | | | 6,170 | 2003 |
| LOWEST ANNUAL MEAN | | | 6,170 | 2003 |
| HIGHEST DAILY MEAN | | 00 Feb 18 | 55,900 | Feb 18, 2003 |
| LOWEST DAILY MEAN | | 37 Oct 9 | 118 | Sep 12, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | | 67 Oct 3 | 137 | Sep 8, 2002 |
| MAXIMUM PEAK FLOW | | 00 Feb 18 | 56,500 | Feb 18, 2003 |
| MAXIMUM PEAK STAGE | | 35.06 Feb 18 | 35.06 | Feb 18, 2003 |
| 10 PERCENT EXCEEDS | | 00 | 13,600 | |
| 50 PERCENT EXCEEDS | | 50 | 3,250 | |
| 90 PERCENT EXCEEDS | | 90 | 990 | |

e Estimated



03282500 RED RIVER NEAR HAZEL GREEN, KY

LOCATION.--Lat 37°48'44", long 83°27'50", Wolfe County, Hydrologic Unit 05100204, on right bank 600 ft upstream from Buck Creek, 0.3 mi downstream from Chapel Branch, 2.7 mi northwest of Hazel Green, and at mile 72.7.

DRAINAGE AREA.--65.8 mi².

PERIOD OF RECORD.--April 1954 to current year.

REVISED RECORDS.--WRD KY 72-1: 1971.

GAGE.--Water-stage recorder with telemetry, crest-stage gage, and concrete control. Datum of gage is 870.11 ft NGVD of 1929.

REMARKS.--Records good except for daily discharges below 2.0 ft³/s and for those estimated, which are poor.

Cooperation.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,100 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec 14 | 0915 | 1,340 | 5.74 | Feb 16 | 2130 | *4,850 | *14.50 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|----------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 3.2 | 63 | 36 | 112 | 56 | 139 | 56 | 46 | 45 | 15 | 6.2 | 8.5 |
| 2 | 2.0 | 44 | 35 | 193 | 59 | 129 | 55 | 75 | 39 | 14 | 6.2 | 8.8 |
| 3 | 1.4 | 37 | 32 | 171 | 56 | 114 | 51 | 99 | 38 | 13 | 12 | 11 |
| 4 | 1.4 | 31 | 24 | 146 | 174 | 96 | 49 | 66 | 40 | 11 | 55 | 60 |
| 5 | 1.1 | 66 | 24 | 124 | 196 | 90 | 48 | 287 | 44 | 9.5 | 51 | 50 |
| 6 | 1.0 | 302 | 29 | e105 | 128 | 84 | 50 | 480 | 42 | 8.9 | 35 | 25 |
| 7 | 1.0 | 146 | 26 | e86 | 105 | 71 | 319 | 240 | 628 | 8.5 | 26 | 16 |
| 8 | 0.88 | 86 | 26 | e75 | 81 | 63 | 376 | 152 | 422 | 7.8 | 20 | 11 |
| 9 | 0.68 | 62 | 30 | e64 | 66 | 57 | 744 | 334 | 211 | 7.1 | 41 | 9.2 |
| 10 | 26 | 273 | 33 | e56 | e60 | 51 | 637 | 392 | 116 | 7.0 | 32 | 7.8 |
| 11 | 107 | 657 | 117 | e48 | e54 | 48 | 444 | 297 | 87 | 9.7 | 90 | 6.6 |
| 12 | 52 | 294 | 260 | e42 | e51 | 46 | 319 | 180 | 154 | 14 | 178 | 6.8 |
| 13 | 25 | 148 | 318 | e38 | e48 | 47 | 225 | 111 | 146 | 21 | 45 | 7.5 |
| 14 | 26 | 95 | 1,230 | e35 | e60 | 52 | 158 | 79 | 220 | 20 | 27 | 7.6 |
| 15 | 16 | 78 | 519 | e33 | 1,270 | 45 | 122 | 93 | 308 | 14 | 19 | 8.2 |
| 16 | 26 | 156 | 291 | e31 | 3,510 | 44 | 100 | 232 | 458 | 20 | 16 | 9.1 |
| 17 | 36 | 148 | 188 | e30 | 2,670 | 44 | 90 | 164 | 281 | 26 | 15 | 9.7 |
| 18 | 23 | 115 | 138 | e28 | 551 | 43 | 150 | 805 | 208 | 19 | 11 | 9.1 |
| 19 | 16 | 97 | 110 | e27 | 317 | 43 | 144 | 494 | 148 | 13 | 10 | 9.0 |
| 20 | 12 | 85 | 222 | e26 | 228 | 46 | 121 | 268 | 130 | 9.8 | 9.0 | 8.9 |
| 21 | 14 | 74 | 214 | e25 | 189 | 55 | 201 | 214 | 89 | 8.4 | 7.7 | 8.9 |
| 22 | 12 | 81 | 160 | e24 | 490 | 49 | 161 | 161 | 63 | 7.5 | 7.1 | 9.9 |
| 23 | 10 | 72 | 118 | e23 | 725 | 45 | 121 | 122 | 48 | 8.0 | 7.0 | 20 |
| 24 | 8.7 | 65 | 103 | e22 | 371 | 44 | 93 | 96 | 40 | 10 | 6.2 | 13 |
| 25 | 8.1 | 58 | 137 | e21 | 265 | 42 | 84 | 74 | 36 | 9.9 | 5.0 | 7.1 |
| 26 | 7.4 | 52 | 127 | e20 | 207 | 40 | 86 | 60 | 29 | 8.8 | 4.7 | 4.3 |
| 27 | 7.6 | 51 | 113 | e19 | 172 | 39 | 71 | 51 | 23 | 7.5 | 3.7 | 4.8 |
| 28 | 41 | 44 | 101 | e18 | 162 | 38 | 58 | 49 | 22 | 6.1 | 3.4 | 12 |
| 29 | 280 | 41 | 90 | 22 | --- | 38 | 53 | 64 | 20 | 5.6 | 3.2 | 12 |
| 30 | 441 | 38 | 77 | 42 | --- | 41 | 47 | 69 | 17 | 6.0 | 5.5 | 8.5 |
| 31 | 115 | --- | 69 | 56 | --- | 53 | --- | 53 | --- | 6.2 | 8.3 | --- |
| TOTAL | 1,322.46 | 3,559 | 4,997 | 1,762 | 12,321 | 1,836 | 5,233 | 5,907 | 4,152 | 352.3 | 766.2 | 390.3 |
| MEAN | 42.7 | 119 | 161 | 56.8 | 440 | 59.2 | 174 | 191 | 138 | 11.4 | 24.7 | 13.0 |
| MAX | 441 | 657 | 1,230 | 193 | 3,510 | 139 | 744 | 805 | 628 | 26 | 178 | 60 |
| MIN | 0.68 | 31 | 24 | 18 | 48 | 38 | 47 | 46 | 17 | 5.6 | 3.2 | 4.3 |
| CFSM | 0.65 | 1.80 | 2.45 | 0.86 | 6.69 | 0.90 | 2.65 | 2.90 | 2.10 | 0.17 | 0.38 | 0.20 |
| IN. | 0.75 | 2.01 | 2.83 | 1.00 | 6.97 | 1.04 | 2.96 | 3.34 | 2.35 | 0.20 | 0.43 | 0.22 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1954 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 16.2 | 49.4 | 110 | 128 | 178 | 190 | 154 | 102 | 48.2 | 33.0 | 25.0 | 13.4 |
| MAX | 138 | 227 | 555 | 357 | 555 | 523 | 472 | 318 | 351 | 159 | 141 | 180 |
| (WY) | (1990) | (1986) | (1979) | (1974) | (1989) | (1955) | (1972) | (1983) | (1997) | (2001) | (1974) | (1974) |
| MIN | 0.22 | 0.54 | 2.76 | 17.5 | 27.6 | 49.1 | 16.6 | 13.9 | 1.19 | 0.99 | 0.27 | 0.048 |
| (WY) | (1964) | (1956) | (1964) | (1981) | (1968) | (1969) | (1986) | (1986) | (1988) | (1999) | (1957) | (1999) |

03282500 RED RIVER NEAR HAZEL GREEN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1954 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 37,246.13 | | 42,598.26 | | 87.1 | |
| ANNUAL MEAN | 102 | | 117 | | 39.6 | |
| HIGHEST ANNUAL MEAN | | | | | 153 | 1994 |
| LOWEST ANNUAL MEAN | | | | | 39.6 | 1969 |
| HIGHEST DAILY MEAN | 1,820 | Mar 20 | 3,510 | Feb 16 | 6,170 | Dec 9, 1978 |
| LOWEST DAILY MEAN | 0.00 | Sep 5 | 0.68 | Oct 9 | 0.00 | Sep 14, 1954 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Sep 5 | 1.1 | Oct 3 | 0.00 | Sep 12, 1955 |
| MAXIMUM PEAK FLOW | | | 4,850 | Feb 16 | 9,080 | Feb 27, 1962 |
| MAXIMUM PEAK STAGE | | | 14.50 | Feb 16 | 22.12 | Feb 27, 1962 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Sep 14, 1954 |
| ANNUAL RUNOFF (CFSM) | 1.55 | | 1.77 | | 1.32 | |
| ANNUAL RUNOFF (INCHES) | 21.06 | | 24.08 | | 17.99 | |
| 10 PERCENT EXCEEDS | 292 | | 270 | | 200 | |
| 50 PERCENT EXCEEDS | 27 | | 48 | | 30 | |
| 90 PERCENT EXCEEDS | 0.69 | | 7.6 | | 1.5 | |

e Estimated



KENTUCKY RIVER BASIN

03283500 RED RIVER AT CLAY CITY, KY

LOCATION.--Lat 37°51'53", long 83°56'01", Powell County, Hydrologic Unit 05100204, on right bank 25 ft upstream from bridge on State Highway 15, 0.1 mi downstream from Skinner Branch, 0.4 mi upstream from Brush Creek, 0.5 mi west of Clay City, and at mile 21.6.

DRAINAGE AREA.--362 mi².

PERIOD OF RECORD.--October 1930 to March 1932, April 1938 to current year. Monthly discharge only for October 1930, published in WSP 1305.

REVISED RECORDS.--WSP 1275: 1931-32. WSP 1385: Drainage area.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 600.47 ft above NGVD of 1929 (levels by U.S. Army Corps of Engineers). Prior to Aug. 14, 1939, nonrecording gages, Aug. 14, 1939, to Aug. 13, 1975, water-stage recorder at site 50 ft downstream at same datum.

REMARKS.--Records good except for periods of estimated record, which are poor. Flow diversions by Clay City Water Plant, which can be significant during low-flow periods.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and Kentucky River Authority.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 5,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|-------|------|-----------------------------------|---------------------|
| Dec 15 | 0900 | 5,180 | 14.79 | Jun 8 | 1900 | 5,700 | 15.44 |
| Feb 17 | 1000 | *19,600 | *23.16 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| 1 | 71 | e430 | 189 | 656 | 377 | 740 | 302 | 266 | 417 | 102 | 103 | 330 |
| 2 | 51 | e300 | 167 | 1,050 | 387 | 670 | 291 | 313 | 353 | 93 | 93 | 367 |
| 3 | 41 | e270 | 153 | 832 | 382 | 605 | 279 | 377 | 451 | 90 | 107 | 582 |
| 4 | 35 | 257 | 142 | 727 | 772 | 537 | 266 | 386 | 575 | 85 | 675 | 1,260 |
| 5 | 29 | e400 | 145 | 622 | 988 | 501 | 307 | 1,090 | 486 | 76 | 1,650 | 612 |
| 6 | 26 | e1,400 | 152 | 550 | 665 | 483 | 328 | 2,380 | 414 | 70 | 495 | 361 |
| 7 | 24 | e900 | 137 | 475 | 568 | 448 | 1,530 | 1,320 | 3,320 | 77 | 330 | 240 |
| 8 | 22 | e600 | 143 | e410 | e480 | 408 | 1,890 | 848 | 5,170 | 70 | 339 | 180 |
| 9 | 20 | e450 | 160 | e370 | e410 | 383 | 2,270 | 1,420 | 2,690 | 58 | 315 | 144 |
| 10 | 889 | e1,300 | 166 | e330 | e420 | 356 | 3,390 | 1,660 | 990 | 132 | 447 | 118 |
| 11 | 3,310 | e2,800 | 343 | e300 | e380 | 330 | 1,990 | 1,490 | 814 | 202 | 718 | 97 |
| 12 | 925 | e2,000 | 752 | e250 | e350 | 320 | 1,530 | 1,140 | 956 | 189 | 502 | 82 |
| 13 | 487 | e850 | 1,010 | e230 | e320 | 334 | 1,050 | 743 | 756 | 196 | 404 | 72 |
| 14 | 325 | e550 | 3,820 | e210 | 333 | 377 | 765 | 570 | 820 | 154 | 244 | 64 |
| 15 | 227 | 488 | 4,700 | e200 | 3,590 | 357 | 614 | 810 | 2,290 | 105 | 227 | 60 |
| 16 | 229 | 788 | 1,720 | e190 | 12,000 | 330 | 524 | 2,170 | 2,020 | 111 | 183 | 54 |
| 17 | 298 | 832 | 974 | e180 | 18,200 | 318 | 536 | 1,140 | 1,740 | 194 | 145 | 48 |
| 18 | e260 | 644 | 724 | e170 | 9,910 | 310 | 829 | 1,860 | 1,090 | 139 | 133 | 43 |
| 19 | e190 | 519 | 602 | e165 | 3,160 | 480 | 695 | 2,460 | 781 | 88 | 109 | 40 |
| 20 | e150 | 460 | 825 | e160 | 1,260 | 953 | 582 | 1,390 | 626 | 68 | 90 | 38 |
| 21 | e190 | 406 | 838 | e155 | 1,030 | 518 | 626 | 1,220 | 515 | 57 | 78 | 35 |
| 22 | e150 | 417 | 668 | e150 | 2,280 | 451 | 864 | 961 | 401 | 51 | 68 | 55 |
| 23 | e130 | 400 | 549 | e145 | 3,650 | 395 | 622 | 741 | 328 | 105 | 63 | 148 |
| 24 | 117 | 349 | 488 | e140 | 2,210 | 362 | 508 | 613 | 267 | 204 | 99 | 146 |
| 25 | 102 | 313 | 612 | e135 | 1,390 | 337 | 451 | 519 | 220 | 128 | 74 | 92 |
| 26 | 105 | 278 | 590 | e130 | 1,050 | 320 | 421 | 459 | 185 | 84 | 58 | 68 |
| 27 | 115 | 257 | 514 | e125 | 864 | 311 | 386 | 414 | 174 | 61 | 49 | 190 |
| 28 | 202 | 240 | 478 | e120 | 803 | 295 | 339 | 381 | 163 | 56 | 43 | 288 |
| 29 | e1,000 | 215 | 449 | 195 | --- | 310 | 301 | 499 | 140 | 55 | 44 | 196 |
| 30 | e1,900 | 204 | 413 | 361 | --- | 337 | 285 | 618 | 119 | 56 | 95 | 130 |
| 31 | e650 | --- | 380 | 366 | --- | 318 | --- | 494 | --- | 59 | 151 | --- |
| TOTAL | 12,270 | 19,317 | 23,003 | 10,099 | 68,229 | 13,194 | 24,771 | 30,752 | 29,271 | 3,215 | 8,131 | 6,140 |
| MEAN | 396 | 644 | 742 | 326 | 2,437 | 426 | 826 | 992 | 976 | 104 | 262 | 205 |
| MAX | 3,310 | 2,800 | 4,700 | 1,050 | 18,200 | 953 | 3,390 | 2,460 | 5,170 | 204 | 1,650 | 1,260 |
| MIN | 20 | 204 | 137 | 120 | 320 | 295 | 266 | 266 | 119 | 51 | 43 | 35 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1931 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 89.2 | 268 | 594 | 765 | 1,010 | 1,068 | 821 | 548 | 310 | 270 | 180 | 105 |
| MAX | 928 | 1,220 | 3,036 | 2,634 | 3,564 | 3,048 | 2,406 | 1,943 | 2,246 | 1,845 | 1,179 | 1,185 |
| (WY) | (1990) | (1987) | (1979) | (1950) | (1989) | (1955) | (1972) | (1995) | (1997) | (1938) | (1938) | (1974) |
| MIN | 4.41 | 9.75 | 19.7 | 43.2 | 127 | 258 | 110 | 54.6 | 23.9 | 5.01 | 18.2 | 6.15 |
| (WY) | (1964) | (1954) | (1954) | (1931) | (1954) | (1969) | (1986) | (1941) | (1988) | (1944) | (1957) | (1984) |

03283500 RED RIVER AT CLAY CITY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1931 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 209,081.7 | | 248,392 | | 495 | |
| ANNUAL MEAN | 573 | | 681 | | 884 | |
| HIGHEST ANNUAL MEAN | | | | | 158 | |
| LOWEST ANNUAL MEAN | | | | | 1989 | |
| HIGHEST DAILY MEAN | 11,900 | Mar 21 | 18,200 | Feb 17 | 26,100 | Dec 9, 1978 |
| LOWEST DAILY MEAN | 6.5 | Sep 13 | 20 | Oct 9 | 1.2 | Aug 10, 1944 |
| ANNUAL SEVEN-DAY MINIMUM | 7.3 | Sep 8 | 28 | Oct 3 | 2.0 | Oct 2, 1930 |
| MAXIMUM PEAK FLOW | | | 19,600 | Feb 17 | 28,800 | Dec 9, 1978 |
| MAXIMUM PEAK STAGE | | | 23.16 | Feb 17 | 26.75 | Dec 9, 1978 |
| INSTANTANEOUS LOW FLOW | | | | | 1.2 | Aug 10, 1944 |
| 10 PERCENT EXCEEDS | 1,540 | | 1,390 | | 1,160 | |
| 50 PERCENT EXCEEDS | 184 | | 357 | | 180 | |
| 90 PERCENT EXCEEDS | 19 | | 72 | | 22 | |

e Estimated



03284000 KENTUCKY RIVER AT LOCK 10 NEAR WINCHESTER, KY

LOCATION.--Lat 37°53'41", long 84°15'44", Madison County, Hydrologic Unit 05100205, on left bank at lock 10, 0.9 mi downstream from Otter Creek, 8.0 mi southwest of Winchester, and at mile 176.4.

DRAINAGE AREA.--3,955 mi².

PERIOD OF RECORD.--October 1907 to current year.

REVISED RECORDS.--WSP 1275: 1908-52. 1955: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 557.37 ft above sea level (Ohio River datum). Feb. 2, 1940 to Aug. 10, 1943, water-stage recorder 1.1 mi upstream at different datum. Aug. 11, 1943 to June 12, 1978, nonrecording gage at present site and datum.

REMARKS.--Records fair. Flow regulated since December 1960 by Buckhorn Lake (station 03280800), since January 1976 by Carr Fork Lake (station 03277446),.

COOPERATION.--Kentucky River Authority and U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 1,400 | 6,280 | 1,910 | 5,180 | 5,840 | 12,600 | 3,030 | 2,870 | 3,340 | 1,800 | 3,030 | 2,610 |
| 2 | 1,020 | 3,990 | 1,750 | 7,360 | 5,610 | 12,200 | 3,380 | 2,800 | 2,810 | 1,660 | 2,490 | 3,220 |
| 3 | 832 | 2,960 | 1,570 | 9,220 | 5,080 | 11,600 | 3,530 | 2,880 | 3,070 | 1,660 | 2,640 | 5,060 |
| 4 | 709 | 2,410 | 1,420 | 8,920 | 6,160 | 10,600 | 3,330 | 2,990 | 3,480 | 1,540 | 6,790 | 6,850 |
| 5 | 584 | 3,830 | 1,390 | 7,690 | 10,200 | 9,300 | 3,310 | 8,650 | 3,210 | 1,310 | 16,000 | 17,500 |
| 6 | 493 | 8,790 | 1,830 | 6,440 | 10,800 | 8,610 | 3,460 | 14,800 | 3,090 | 1,190 | 11,900 | 14,800 |
| 7 | 430 | 8,510 | 4,160 | 5,540 | 8,900 | 8,230 | 7,770 | 9,450 | 20,900 | 1,230 | 7,750 | 6,910 |
| 8 | 394 | 6,440 | 4,880 | 4,830 | 7,240 | 7,700 | 19,200 | 8,020 | 20,800 | 1,110 | 5,730 | 3,980 |
| 9 | 375 | 4,650 | 4,360 | 4,300 | 5,880 | 7,120 | 27,300 | 22,600 | 17,800 | 1,140 | 4,760 | 2,680 |
| 10 | 2,370 | 6,620 | 4,060 | 3,890 | 5,060 | 6,780 | 34,200 | 22,300 | 11,200 | 1,970 | 3,910 | 2,070 |
| 11 | 12,900 | 12,600 | 5,260 | 3,460 | 4,760 | 6,320 | 40,700 | 17,100 | 7,100 | 2,890 | 3,530 | 1,690 |
| 12 | 6,420 | 11,600 | 9,070 | 3,030 | 4,580 | 5,590 | 42,800 | 10,700 | 8,840 | 5,010 | 3,780 | 1,360 |
| 13 | 3,210 | 7,950 | 12,300 | 2,620 | 4,340 | 4,940 | 36,700 | 7,350 | 9,220 | 5,930 | 2,550 | 1,100 |
| 14 | 2,260 | 5,720 | 25,200 | 2,400 | 4,120 | 4,520 | 21,700 | 5,580 | 12,900 | 5,300 | 2,050 | 967 |
| 15 | 1,720 | 4,570 | 30,300 | 2,200 | 25,800 | 4,020 | 13,900 | 4,330 | 21,600 | 4,380 | 1,710 | 873 |
| 16 | 2,030 | 5,810 | 21,800 | 2,010 | 57,000 | 3,400 | 11,500 | 7,520 | 23,800 | 4,380 | 1,860 | 800 |
| 17 | 2,020 | 6,020 | 13,000 | 1,910 | 72,500 | 3,040 | 10,300 | 10,200 | 27,200 | 2,650 | 1,370 | 748 |
| 18 | 1,950 | 5,380 | 9,810 | 1,810 | 78,700 | 2,860 | 12,700 | 16,300 | 25,700 | 2,050 | 1,310 | 709 |
| 19 | 1,850 | 4,800 | 7,540 | 1,680 | 76,900 | 3,780 | 13,600 | 19,200 | 26,700 | 1,650 | 1,420 | 701 |
| 20 | 1,660 | 4,490 | 8,060 | 1,670 | 61,500 | 8,570 | 14,500 | 16,100 | 26,200 | 1,370 | 1,500 | 671 |
| 21 | 1,530 | 4,110 | 9,240 | 1,760 | 22,500 | 4,910 | 12,700 | 13,500 | 20,700 | 1,160 | 1,470 | 617 |
| 22 | 1,420 | 3,840 | 10,100 | 1,750 | 19,400 | 3,850 | 12,400 | 10,800 | 13,500 | 998 | 1,180 | 680 |
| 23 | 1,260 | 3,710 | 8,640 | 1,630 | 30,700 | 3,320 | 10,600 | 11,800 | 10,100 | 994 | 965 | 1,130 |
| 24 | 1,100 | 3,440 | 6,910 | 1,430 | 36,900 | 2,900 | 8,500 | 9,640 | 8,370 | 1,380 | 876 | 2,170 |
| 25 | 1,000 | 3,140 | 6,950 | 1,220 | 28,600 | 2,630 | 6,900 | 6,950 | 6,990 | 1,610 | 796 | 2,480 |
| 26 | 968 | 2,880 | 8,140 | 1,190 | 18,100 | 2,510 | 5,820 | 5,310 | 4,320 | 1,850 | 709 | 1,890 |
| 27 | 932 | 2,700 | 8,940 | 1,240 | 14,800 | 2,400 | 5,180 | 4,270 | 2,900 | 1,570 | 646 | 1,590 |
| 28 | 1,260 | 2,510 | 7,800 | 1,240 | 13,300 | 2,300 | 4,830 | 3,550 | 2,400 | 1,260 | 592 | 1,810 |
| 29 | 6,350 | 2,240 | 6,450 | 1,480 | --- | 2,360 | 4,040 | 3,420 | 2,130 | 1,410 | 543 | 1,670 |
| 30 | 15,400 | 2,020 | 5,430 | 2,610 | --- | 2,620 | 3,320 | 3,790 | 1,980 | 1,940 | 648 | 1,740 |
| 31 | 11,600 | --- | 4,670 | 4,560 | --- | 2,800 | --- | 3,620 | --- | 2,540 | 1,130 | --- |
| TOTAL | 87,447 | 154,010 | 252,940 | 106,270 | 645,270 | 174,380 | 401,200 | 288,390 | 352,350 | 66,932 | 95,635 | 91,076 |
| MEAN | 2,821 | 5,134 | 8,159 | 3,428 | 23,050 | 5,625 | 13,370 | 9,303 | 11,740 | 2,159 | 3,085 | 3,036 |
| MAX | 15,400 | 12,600 | 30,300 | 9,220 | 78,700 | 12,600 | 42,800 | 22,600 | 27,200 | 5,930 | 16,000 | 17,500 |
| MIN | 375 | 2,020 | 1,390 | 1,190 | 4,120 | 2,300 | 3,030 | 2,800 | 1,980 | 994 | 543 | 617 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1961 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,491 | 3,229 | 6,730 | 8,434 | 10,120 | 11,850 | 9,331 | 6,669 | 3,600 | 1,804 | 1,540 | 1,162 |
| MAX | 12,850 | 10,270 | 23,400 | 25,490 | 25,060 | 27,650 | 26,100 | 19,600 | 15,220 | 4,640 | 4,916 | 6,676 |
| (WY) | (1990) | (1987) | (1979) | (1974) | (1989) | (1975) | (1972) | (1984) | (1997) | (1992) | (1992) | (1974) |
| MIN | 177 | 359 | 416 | 446 | 2,011 | 3,125 | 1,177 | 1,031 | 265 | 292 | 258 | 102 |
| (WY) | (1970) | (2002) | (1966) | (1981) | (1968) | (1988) | (1986) | (1976) | (1988) | (1970) | (1986) | (1999) |

03284000 KENTUCKY RIVER AT LOCK 10 NEAR WINCHESTER, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1961 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1,998,675 | | 2,715,900 | | | |
| ANNUAL MEAN | 5,476 | | 7,441 | | 5,474 | |
| HIGHEST ANNUAL MEAN | | | | | 9,815 | 1994 |
| LOWEST ANNUAL MEAN | | | | | 2,228 | 1988 |
| HIGHEST DAILY MEAN | 64,600 | Mar 21 | 78,700 | Feb 18 | 99,100 | Dec 10, 1978 |
| LOWEST DAILY MEAN | 157 | Sep 13 | 375 | Oct 9 | 22 | Oct 1, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 187 | Sep 9 | 545 | Oct 3 | 72 | Sep 7, 1999 |
| MAXIMUM PEAK FLOW | | | 79,700 | Feb 18 | 101,000 | Dec 10, 1978 |
| MAXIMUM PEAK STAGE | | | 32.41 | Feb 18 | 40.15 | Dec 10, 1978 |
| 10 PERCENT EXCEEDS | 13,800 | | 17,300 | | 13,900 | |
| 50 PERCENT EXCEEDS | 2,260 | | 4,040 | | 2,350 | |
| 90 PERCENT EXCEEDS | 359 | | 1,150 | | 336 | |



03284230 KENTUCKY RIVER AT LOCK 9 AT VALLEY VIEW, KY

LOCATION.--Lat 37°50'36", long 84°26'27", Madison County, Hydrologic Unit 05100205, at Lock and Dam No. 9 at Valley View, 1.0 mi below Tate Creek, and at mile 157.9.

DRAINAGE AREA.--4,101 mi².

PERIOD OF RECORD.--October 1999 to current year.

REVISIONS.--Peak discharge for the water year 2001 has been revised to 34,800 ft³/s February 18, 2001 based on rating number 2.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 538.71 ft above NGVD of 1929.

REMARKS.--Records good except for those estimated, which are fair. Flow regulated by Buckhorn Lake beginning December 1960 (station 03280800), and by Carr Fork Lake beginning January 1976 (station 03277446). Small diversions by City of Lexington waterworks.

COOPERATION.--Kentucky River Authority.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 72,600 ft³/s, Feb. 18, 19, gage height, 36.12 ft.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 1,390 | 7,690 | 1,910 | 6,000 | 6,590 | 13,200 | 2,980 | 2,920 | 3,800 | 1,760 | 3,240 | 2,340 |
| 2 | 871 | 4,750 | 1,730 | 8,430 | 6,470 | 12,800 | 3,360 | 2,760 | 3,170 | 1,570 | 2,550 | 3,520 |
| 3 | 729 | 3,340 | 1,520 | 10,200 | 5,910 | 12,200 | 3,650 | 2,810 | 3,390 | 1,540 | 2,450 | 6,180 |
| 4 | 592 | 2,580 | 1,350 | 10,200 | 6,940 | 11,200 | 3,420 | 2,980 | 4,230 | 1,450 | 6,020 | 8,080 |
| 5 | 484 | 3,970 | 1,310 | 8,950 | 10,500 | 10,000 | 3,390 | 8,620 | 3,710 | 1,230 | 15,400 | 16,100 |
| 6 | 382 | 10,400 | 1,520 | 7,630 | 11,800 | 9,270 | 3,530 | 16,300 | 3,510 | 1,150 | 12,900 | 16,500 |
| 7 | 325 | 9,760 | 3,820 | 6,610 | 10,000 | 8,870 | 7,650 | 10,700 | 22,300 | 1,150 | 8,820 | 8,300 |
| 8 | 274 | 7,710 | 5,320 | 5,710 | 8,360 | 8,350 | 17,900 | 9,010 | 22,200 | 1,040 | 6,460 | 4,770 |
| 9 | 261 | 5,550 | 4,750 | 5,020 | 6,920 | 7,760 | 26,800 | 22,400 | 19,100 | 1,060 | 5,300 | 2,960 |
| 10 | 1,530 | 7,700 | 4,410 | 4,510 | 5,900 | 7,370 | 31,200 | 23,400 | 13,000 | 1,780 | 4,250 | 2,140 |
| 11 | 15,100 | 13,900 | 5,550 | 4,020 | 5,450 | 6,950 | 35,100 | 18,500 | 8,460 | 3,080 | 3,480 | 1,680 |
| 12 | 8,320 | 13,000 | 9,440 | 3,450 | 5,210 | 6,180 | 36,300 | 12,200 | 9,380 | 4,950 | 4,180 | 1,310 |
| 13 | 3,980 | 9,400 | 12,700 | 2,910 | 4,940 | 5,430 | 33,900 | 8,580 | 10,200 | 6,460 | 2,650 | 1,060 |
| 14 | 2,480 | 6,860 | 24,600 | 2,580 | 4,680 | 4,880 | 23,300 | 6,560 | 12,900 | 5,860 | 2,020 | 912 |
| 15 | 1,820 | 5,330 | 29,500 | 2,340 | 25,100 | 4,340 | 14,800 | 4,950 | 22,100 | 4,940 | 1,560 | 813 |
| 16 | 2,170 | 6,840 | 23,500 | 2,140 | 55,600 | 3,630 | 12,200 | 7,510 | 23,800 | 5,410 | 1,720 | 732 |
| 17 | 2,160 | 7,150 | 14,400 | 2,000 | 69,300 | 3,120 | 11,100 | 10,700 | 27,600 | 3,090 | 1,300 | 668 |
| 18 | 1,960 | 6,400 | 11,000 | 1,870 | 71,800 | 2,890 | 13,300 | 16,100 | 26,500 | 2,120 | 1,130 | 634 |
| 19 | 1,830 | 5,580 | 8,840 | 1,720 | 71,700 | 3,530 | 14,000 | 19,600 | 26,700 | 1,630 | 1,220 | 616 |
| 20 | 1,690 | 5,100 | 9,520 | 1,670 | 63,000 | 10,200 | 15,100 | 17,000 | 26,500 | 1,310 | 1,280 | 599 |
| 21 | 1,520 | 4,640 | 10,100 | 1,740 | 27,900 | 6,280 | 13,400 | 14,600 | 21,900 | 1,100 | 1,340 | 552 |
| 22 | 1,390 | 4,280 | 11,100 | 1,760 | 20,000 | 4,510 | 12,900 | 11,900 | 14,700 | 957 | 1,100 | 607 |
| 23 | 1,240 | 4,100 | 9,850 | 1,650 | 29,100 | 3,730 | 11,300 | 12,400 | 11,100 | 890 | 896 | 936 |
| 24 | 1,080 | 3,780 | 8,090 | 1,460 | 33,500 | 3,130 | 9,310 | 10,800 | 9,330 | 1,140 | 779 | 1,810 |
| 25 | 954 | 3,410 | 7,990 | 1,240 | 29,200 | 2,710 | 7,650 | 8,150 | 8,010 | 1,390 | 703 | 2,510 |
| 26 | 923 | 3,060 | 8,950 | 1,170 | 19,400 | 2,520 | 6,450 | 6,350 | 5,240 | 1,670 | 616 | 2,000 |
| 27 | 880 | 2,820 | 9,940 | 1,200 | 15,600 | 2,360 | 5,620 | 5,010 | 3,280 | 1,490 | 542 | 1,700 |
| 28 | 1,020 | 2,600 | 8,970 | 1,210 | 14,000 | 2,230 | 5,190 | 4,180 | 2,500 | 1,190 | 494 | e1,670 |
| 29 | 5,460 | 2,300 | 7,570 | 1,370 | --- | 2,310 | 4,400 | 3,840 | 2,140 | 1,190 | 451 | 1,650 |
| 30 | 15,600 | 2,060 | 6,390 | 2,500 | --- | 2,600 | 3,540 | 4,290 | 1,970 | 1,690 | 593 | 1,700 |
| 31 | 13,100 | --- | 5,440 | 4,600 | --- | 2,730 | --- | 4,130 | --- | 2,300 | 857 | --- |
| TOTAL | 91,515 | 176,060 | 271,080 | 117,860 | 644,870 | 187,280 | 392,740 | 309,250 | 372,720 | 67,587 | 96,301 | 95,049 |
| MEAN | 2,952 | 5,869 | 8,745 | 3,802 | 23,030 | 6,041 | 13,090 | 9,976 | 12,420 | 2,180 | 3,106 | 3,168 |
| MAX | 15,600 | 13,900 | 29,500 | 10,200 | 71,800 | 13,200 | 36,300 | 23,400 | 27,600 | 6,460 | 15,400 | 16,500 |
| MIN | 261 | 2,060 | 1,310 | 1,170 | 4,680 | 2,230 | 2,980 | 2,760 | 1,970 | 890 | 451 | 552 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,023 | 1,815 | 4,057 | 3,943 | 11,120 | 8,096 | 8,885 | 6,644 | 4,734 | 2,776 | 2,302 | 1,163 |
| MAX | 2,952 | 5,869 | 8,745 | 6,483 | 23,030 | 13,990 | 13,090 | 12,320 | 12,420 | 4,145 | 3,933 | 3,168 |
| (WY) | (2003) | (2003) | (2003) | (2002) | (2003) | (2002) | (2003) | (2002) | (2003) | (2001) | (2001) | (2003) |
| MIN | 256 | 366 | 1,317 | 1,452 | 3,892 | 4,572 | 3,631 | 1,652 | 2,056 | 1,195 | 287 | 392 |
| (WY) | (2000) | (2002) | (2000) | (2000) | (2002) | (2000) | (2001) | (2001) | (2000) | (2002) | (2002) | (2002) |

03284230 KENTUCKY RIVER AT LOCK 9 AT VALLEY VIEW, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,076,892 | | 2,822,312 | | 4,671 | |
| ANNUAL MEAN | 5,690 | | 7,732 | | 7,732 | |
| HIGHEST ANNUAL MEAN | | | | | 2,909 | |
| LOWEST ANNUAL MEAN | | | | | 2000 | |
| HIGHEST DAILY MEAN | 65,900 | Mar 21 | 71,800 | Feb 18 | 71,800 | Feb 18, 2003 |
| LOWEST DAILY MEAN | 44 | Sep 13 | 261 | Oct 9 | 40 | Oct 1, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 71 | Sep 9 | 435 | Oct 3 | 67 | Oct 1, 1999 |
| MAXIMUM PEAK FLOW | | | 72,600 | | 72,600 | |
| MAXIMUM PEAK STAGE | | | 36.12 | | 36.12 | |
| 10 PERCENT EXCEEDS | 15,100 | | 17,400 | | 12,000 | |
| 50 PERCENT EXCEEDS | 2,170 | | 4,510 | | 1,870 | |
| 90 PERCENT EXCEEDS | 236 | | 1,070 | | 302 | |

e Estimated



03284520 EAST HICKMAN CREEK AT ANDOVER VILLAGE NEAR CADENTOWN, KY

LOCATION.--Lat 37°59'50", long 84°24'20", Fayette County, Hydrologic Unit 05100205, on right wingwall, downstream side of culvert in Andover Village, 1.6 mi west of intersection of Todds Road and Walnut Hill-Chilesburg Road, and at mile 12.4.

DRAINAGE AREA.--1.58 mi².

PERIOD OF RECORD.--October 1997 to current year.

GAGE.--Water-stage recorder with telemetry. Elevation of gage is 980 ft above NGVD of 1929 from topographic map.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Lexington-Fayette Urban County Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|-------|--------|-------|-------|--------|--------|-------|-------|--------|
| 1 | 0.33 | 1.6 | 0.22 | 11 | 1.0 | 3.2 | 1.1 | 0.75 | 0.70 | 0.27 | 0.53 | 12 |
| 2 | 0.26 | 1.5 | 0.21 | 6.3 | 0.90 | 2.6 | 0.93 | 1.5 | 0.53 | 0.27 | 0.39 | 23 |
| 3 | 0.23 | 3.2 | 0.19 | 4.7 | 1.8 | 2.2 | 0.78 | 1.1 | 11 | 0.27 | 0.37 | 37 |
| 4 | 0.72 | 1.1 | 0.17 | 3.3 | 7.5 | 1.8 | 0.69 | 0.68 | 2.6 | 0.24 | 6.3 | 14 |
| 5 | 0.50 | 17 | 0.21 | 2.6 | 3.1 | 1.7 | 3.3 | 29 | 1.6 | 0.20 | 1.0 | 7.1 |
| 6 | 0.24 | 11 | 0.20 | 2.1 | 2.1 | 1.4 | 2.0 | 9.2 | 2.8 | 0.19 | 0.60 | 4.2 |
| 7 | 0.19 | 5.5 | 0.22 | 1.7 | e1.7 | 1.2 | 7.9 | 16 | 36 | 0.18 | 0.71 | 2.9 |
| 8 | 0.18 | 2.7 | 0.37 | 2.1 | e1.5 | 1.1 | 4.8 | 14 | 12 | 0.17 | 0.57 | 2.2 |
| 9 | 0.18 | 1.8 | 0.32 | e1.6 | e1.3 | 1.0 | 9.6 | 31 | 6.3 | 0.65 | 0.44 | 1.7 |
| 10 | 27 | 32 | 0.29 | e1.2 | e1.2 | 0.89 | 6.9 | 10 | 3.4 | 4.0 | 0.33 | 1.5 |
| 11 | 38 | 19 | 4.8 | e0.96 | e1.1 | 0.85 | 5.6 | 22 | 2.9 | 1.1 | 0.31 | 1.4 |
| 12 | 11 | 7.9 | 3.1 | e0.72 | e1.0 | 1.1 | 3.6 | 7.6 | 3.4 | 1.1 | 0.31 | 1.3 |
| 13 | 5.7 | 4.0 | 12 | e0.64 | e0.96 | 2.5 | 2.4 | 4.5 | 2.1 | 0.48 | 0.28 | 1.1 |
| 14 | 2.9 | 2.2 | 13 | e0.56 | 2.6 | 1.6 | 1.8 | 3.2 | 14 | 0.35 | 0.27 | 1.00 |
| 15 | 3.8 | 7.2 | 6.0 | e0.51 | 47 | 1.2 | 1.5 | 14 | 7.0 | 0.30 | 6.2 | 0.99 |
| 16 | 5.3 | 10 | 3.0 | e0.47 | 44 | 1.1 | 1.2 | 6.0 | 3.8 | 7.4 | 1.7 | 0.94 |
| 17 | 2.5 | 5.9 | 1.8 | e0.42 | 16 | 1.1 | 10 | 9.1 | 13 | 0.85 | 0.75 | 0.76 |
| 18 | 1.9 | 3.0 | 1.2 | e0.38 | 8.9 | 1.0 | 6.3 | 7.3 | 8.8 | 0.52 | 0.56 | 0.75 |
| 19 | 2.6 | 1.8 | 12 | e0.36 | 6.8 | 5.0 | 3.5 | 4.9 | 3.5 | 0.45 | 0.48 | 0.74 |
| 20 | 6.4 | 1.2 | 11 | e0.34 | 5.9 | 6.0 | 2.4 | 6.5 | 2.1 | 0.41 | 0.43 | 0.83 |
| 21 | 3.4 | 1.1 | 5.8 | e0.37 | 5.8 | 4.0 | 3.7 | 10 | 1.5 | 0.62 | 0.41 | 0.91 |
| 22 | 2.0 | 0.96 | 4.0 | e0.33 | 21 | 2.7 | 1.9 | 5.2 | 1.2 | 2.5 | 0.37 | 4.8 |
| 23 | 1.3 | 0.50 | 2.6 | e0.30 | 11 | 2.1 | 1.4 | 3.2 | 0.90 | 3.3 | 0.35 | 2.0 |
| 24 | 1.2 | 0.37 | 4.6 | e0.28 | 7.6 | 1.7 | 1.1 | 2.2 | 0.69 | 1.1 | 0.33 | 0.69 |
| 25 | 1.9 | 0.27 | 6.2 | e0.27 | 5.7 | 1.4 | 1.1 | 1.8 | 0.59 | 0.60 | 0.34 | 0.47 |
| 26 | 6.2 | 0.28 | 4.1 | e0.26 | 4.4 | 1.7 | 1.6 | 1.4 | 0.48 | 0.48 | 0.33 | 0.42 |
| 27 | 4.9 | 0.25 | 2.9 | e0.25 | 3.9 | 1.2 | 0.93 | 1.3 | 0.46 | 0.34 | 0.32 | 4.1 |
| 28 | 8.9 | 0.20 | 2.3 | e0.24 | 3.9 | 1.1 | 0.81 | 1.3 | 0.36 | 1.0 | 0.32 | 1.2 |
| 29 | 12 | 0.18 | 1.9 | 1.3 | --- | 4.6 | 1.7 | 2.3 | 0.34 | 1.0 | 0.50 | 0.75 |
| 30 | 6.4 | 0.21 | 1.7 | 0.93 | --- | 1.9 | 0.92 | 1.1 | 0.30 | 0.44 | 2.7 | 0.56 |
| 31 | 2.7 | --- | 2.3 | 0.59 | --- | 1.2 | --- | 0.85 | --- | 1.1 | 38 | --- |
| TOTAL | 160.83 | 143.92 | 108.70 | 47.08 | 219.66 | 62.14 | 91.46 | 228.98 | 144.35 | 31.88 | 66.50 | 131.31 |
| MEAN | 5.19 | 4.80 | 3.51 | 1.52 | 7.84 | 2.00 | 3.05 | 7.39 | 4.81 | 1.03 | 2.15 | 4.38 |
| MAX | 38 | 32 | 13 | 11 | 47 | 6.0 | 10 | 31 | 36 | 7.4 | 38 | 37 |
| MIN | 0.18 | 0.18 | 0.17 | 0.24 | 0.90 | 0.85 | 0.69 | 0.68 | 0.30 | 0.17 | 0.27 | 0.42 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1.61 | 1.33 | 2.03 | 2.86 | 4.10 | 3.65 | 2.64 | 3.24 | 2.42 | 1.65 | 0.69 | 1.39 |
| MAX | 5.19 | 4.80 | 3.51 | 5.69 | 7.84 | 6.57 | 5.34 | 7.39 | 6.73 | 4.78 | 2.15 | 4.38 |
| (WY) | (2003) | (2003) | (2003) | (1998) | (2003) | (2002) | (1998) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 0.19 | 0.37 | 1.02 | 1.18 | 1.00 | 2.00 | 0.82 | 0.31 | 0.41 | 0.20 | 0.046 | 0.013 |
| (WY) | (2001) | (1999) | (2000) | (2001) | (2002) | (2003) | (2001) | (1999) | (1999) | (2002) | (1999) | (1999) |

03284520 EAST HICKMAN CREEK AT ANDOVER VILLAGE NEAR CADENTOWN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1,047.13 | | 1,436.81 | | | |
| ANNUAL MEAN | 2.87 | | 3.94 | | 2.29 | |
| HIGHEST ANNUAL MEAN | | | | | 3.94 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 1.48 | 1999 |
| HIGHEST DAILY MEAN | 63 | Mar 20 | 47 | Feb 15 | 63 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 0.00 | Aug 4 | 0.17 | Dec 4 | 0.00 | Sep 20, 1998 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 4 | 0.20 | Nov 28 | 0.00 | Aug 31, 1999 |
| MAXIMUM PEAK FLOW | | | 269 | | 269 | Aug 31, 2003 |
| MAXIMUM PEAK STAGE | | | 4.78 | | 4.78 | Aug 31, 2003 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 1, 1999 |
| 10 PERCENT EXCEEDS | 6.6 | | 10 | | 6.0 | |
| 50 PERCENT EXCEEDS | 0.88 | | 1.5 | | 0.62 | |
| 90 PERCENT EXCEEDS | 0.05 | | 0.30 | | 0.06 | |


e Estimated



03284525 EAST HICKMAN CREEK TRIBUTARY AT CHILESBURG ROAD NEAR LEXINGTON, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 745.17 | | | |
| ANNUAL MEAN | 2.046 | | 1.06 | |
| HIGHEST ANNUAL MEAN | | | 2.04 | 2003 |
| LOWEST ANNUAL MEAN | | | 0.54 | 1999 |
| HIGHEST DAILY MEAN | 26 | Aug 31 | 75 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 0.03 | Jun 2 | 0.00 | Sep 17, 1998 |
| ANNUAL SEVEN-DAY MINIMUM | 0.07 | Aug 22 | 0.00 | Sep 27, 1998 |
| MAXIMUM PEAK FLOW | 232 | Aug 31 | 232 | Aug 31, 2003 |
| MAXIMUM PEAK STAGE | 4.06 | Aug 31 | 4.06 | Aug 31, 2003 |
| INSTANTANEOUS LOW FLOW | | | 0.00 | Oct 1, 1998 |
| 10 PERCENT EXCEEDS | 5.7 | | 2.7 | |
| 50 PERCENT EXCEEDS | 0.60 | | 0.14 | |
| 90 PERCENT EXCEEDS | 0.14 | | 0.00 | |

e Estimated



03284530 EAST HICKMAN CREEK AT DELONG ROAD NEAR EAST HICKMAN, KY

LOCATION.--Lat 37°56'59", long 84°27'19", Fayette County, Hydrologic Unit 05100205, on right bank, downstream side of bridge on DeLong Road, 1.0 mi north of intersection with Walnut Hill Road, 1.6 mi south of intersection with Armstrong Mill Road, 2.0 mi north of East Hickman, and at mile 7.6.

DRAINAGE AREA.--15.1 mi².

PERIOD OF RECORD.--October 1997 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 913.491 ft above NGVD of 1929.

REMARKS.--Records fair except for those estimated and those below 1.0 ft³/s, which are poor.

COOPERATION.--Lexington-Fayette Urban County Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|-------|---------|-------|-------|---------|---------|-------|--------|----------|
| 1 | 5.4 | 15 | 5.1 | 91 | 8.4 | 27 | 9.6 | 7.1 | 6.5 | 1.9 | 8.1 | 302 |
| 2 | 4.9 | 9.3 | 5.4 | 70 | 7.9 | 22 | 8.5 | 6.5 | 4.6 | 1.8 | 5.3 | 197 |
| 3 | 3.9 | 6.7 | 8.5 | 49 | 9.1 | e16 | 7.1 | 12 | 79 | 1.8 | 4.3 | 368 |
| 4 | 3.3 | 7.3 | 5.7 | 34 | 72 | e13 | 6.3 | 7.1 | 46 | 1.8 | 33 | 173 |
| 5 | 5.5 | 95 | 6.5 | e25 | 38 | e12 | 22 | 212 | 20 | 1.5 | 22 | 62 |
| 6 | 3.2 | 143 | 4.2 | e20 | 29 | 14 | 18 | 121 | 14 | 1.4 | 9.7 | 29 |
| 7 | 1.3 | 68 | 4.3 | e16 | 24 | 10 | 77 | 97 | 313 | 1.6 | 6.1 | 17 |
| 8 | 1.7 | 37 | 5.1 | e14 | 18 | 8.8 | 49 | 71 | 121 | 1.3 | 4.5 | 12 |
| 9 | 1.1 | 21 | 6.3 | e13 | 14 | 8.8 | 93 | 327 | 82 | 4.2 | 2.9 | 7.8 |
| 10 | 152 | 249 | 6.7 | e11 | 15 | 11 | 74 | 92 | 38 | 14 | 2.3 | 5.7 |
| 11 | 390 | 247 | 33 | e9.0 | 14 | 12 | 57 | 143 | 30 | 14 | 4.4 | 4.6 |
| 12 | 107 | 93 | 36 | e8.0 | 12 | 11 | 33 | 75 | 28 | 8.0 | 4.0 | 3.2 |
| 13 | 52 | 51 | 78 | e7.0 | 8.8 | 19 | 22 | 37 | 21 | 6.7 | 2.3 | 2.5 |
| 14 | 22 | 29 | 162 | e6.4 | 13 | 19 | 20 | 23 | 121 | 4.1 | 1.6 | 2.3 |
| 15 | 15 | 52 | 70 | e5.6 | 380 | 12 | 19 | 62 | 132 | 2.6 | 5.8 | 2.0 |
| 16 | 40 | 101 | 44 | e5.1 | 500 | 9.6 | 18 | 80 | 66 | 76 | 56 | 1.8 |
| 17 | 20 | 65 | 34 | e4.7 | 317 | 8.6 | 63 | 64 | 73 | 18 | 16 | 1.3 |
| 18 | 15 | 38 | 29 | e4.4 | 109 | 7.9 | 84 | 52 | 122 | 8.1 | 6.7 | 1.7 |
| 19 | 7.3 | 25 | 69 | e4.0 | 59 | 22 | 36 | 34 | 47 | 5.3 | 3.4 | 1.5 |
| 20 | 30 | 19 | 158 | e3.7 | 52 | 50 | 22 | 28 | 25 | 3.5 | 1.5 | 1.4 |
| 21 | 19 | 16 | 70 | e3.5 | 49 | 30 | 27 | 88 | 15 | 3.7 | 1.2 | 0.95 |
| 22 | 10 | 17 | 42 | e3.4 | 192 | 22 | 18 | 48 | 11 | 7.9 | 0.97 | 24 |
| 23 | 7.4 | 12 | 29 | e3.3 | 140 | 18 | 13 | 27 | 8.1 | 41 | 1.1 | 26 |
| 24 | 5.8 | 9.8 | 36 | e3.3 | 83 | 14 | 10 | 18 | 6.6 | 25 | 0.94 | 6.1 |
| 25 | 3.3 | 9.2 | 59 | e3.2 | 60 | 11 | 8.5 | 14 | 4.8 | 9.7 | 0.84 | 2.9 |
| 26 | 4.4 | 9.7 | 40 | e3.2 | 40 | 14 | 16 | 12 | 3.6 | 5.2 | 0.91 | 1.9 |
| 27 | 4.9 | 8.6 | 30 | e3.2 | 32 | 11 | 8.6 | 9.5 | 3.3 | 3.3 | 0.85 | 20 |
| 28 | 6.8 | 6.9 | 24 | e3.2 | 33 | 8.8 | 6.6 | 8.6 | 2.8 | 4.3 | 0.84 | 14 |
| 29 | 44 | 5.9 | 19 | e3.5 | --- | 34 | 11 | 16 | 2.5 | 28 | 1.1 | 5.7 |
| 30 | 50 | 5.9 | 18 | 9.8 | --- | e18 | 9.3 | 13 | 2.0 | 9.2 | 2.4 | 2.8 |
| 31 | 27 | --- | 21 | 6.2 | --- | e12 | --- | 8.6 | --- | 8.5 | 181 | --- |
| TOTAL | 1,063.2 | 1,472.3 | 1,158.8 | 446.7 | 2,329.2 | 506.5 | 866.5 | 1,813.4 | 1,448.8 | 323.4 | 392.05 | 1,300.15 |
| MEAN | 34.3 | 49.1 | 37.4 | 14.4 | 83.2 | 16.3 | 28.9 | 58.5 | 48.3 | 10.4 | 12.6 | 43.3 |
| MAX | 390 | 249 | 162 | 91 | 500 | 50 | 93 | 327 | 313 | 76 | 181 | 368 |
| MIN | 1.1 | 5.9 | 4.2 | 3.2 | 7.9 | 7.9 | 6.3 | 6.5 | 2.0 | 1.3 | 0.84 | 0.95 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 7.18 | 9.88 | 17.6 | 16.9 | 41.1 | 30.4 | 19.5 | 29.3 | 17.6 | 11.3 | 6.01 | 12.2 |
| MAX | 34.3 | 49.1 | 37.4 | 36.4 | 83.2 | 54.7 | 34.3 | 58.5 | 48.3 | 28.7 | 12.6 | 43.3 |
| (WY) | (2003) | (2003) | (2003) | (1999) | (2003) | (2002) | (2002) | (2003) | (2003) | (1998) | (2003) | (2003) |
| MIN | 1.00 | 1.25 | 1.70 | 3.94 | 27.6 | 12.9 | 7.25 | 1.86 | 1.24 | 3.40 | 0.092 | 0.18 |
| (WY) | (1998) | (1999) | (2000) | (2000) | (1999) | (1998) | (1999) | (2000) | (1999) | (1999) | (1999) | (1999) |

03284530 EAST HICKMAN CREEK AT DELONG ROAD NEAR EAST HICKMAN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 9,866.92 | | 13,121.00 | | 18.1 | |
| ANNUAL MEAN | 27.0 | | 35.9 | | 35.9 | |
| HIGHEST ANNUAL MEAN | | | | | 9.86 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 0.00 | 1999 |
| HIGHEST DAILY MEAN | 494 | Apr 28 | 500 | Feb 16 | 512 | Jul 20, 1998 |
| LOWEST DAILY MEAN | 0.00 | Aug 7 | 0.84 | Aug 25 | 0.00 | Aug 1, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Sep 8 | 0.92 | Aug 22 | 0.00 | Aug 17, 1999 |
| MAXIMUM PEAK FLOW | | | 807 | Aug 31 | 1,470 | Feb 18, 2000 |
| MAXIMUM PEAK STAGE | | | 5.90 | Aug 31 | 6.31 | Mar 20, 2002 |
| INSTANTANEOUS LOW FLOW | | | 0.74 | Aug 25 | 0.00 | Sep 13, 2002 |
| 10 PERCENT EXCEEDS | 70 | | 86 | | 46 | |
| 50 PERCENT EXCEEDS | 6.7 | | 13 | | 4.0 | |
| 90 PERCENT EXCEEDS | 0.31 | | 2.5 | | 0.45 | |

e Estimated



03284555 WEST HICKMAN CREEK AT ASH GROVE PIKE NEAR EAST HICKMAN, KY

LOCATION.--Lat 37°56'04", long 84°30'08", Jessamine County, Hydrologic Unit 05100205, on center pier, downstream side of bridge on Ash Grove Pike (#1980), 0.7 mi northwest of intersection with Macker Road, 1.9 mi northwest of East Hickman, 2.4 mi southeast of Nicholasville Road (US 27); and at mile 28.3.

DRAINAGE AREA.--20.5 mi².

PERIOD OF RECORD.--October 1997 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 868.402 ft above NGVD of 1929.

REMARKS.--Records fair except those estimated, which are poor.

COOPERATION.--Lexington-Fayette Urban County Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 43 | 64 | 28 | 188 | 42 | 73 | 38 | 38 | 40 | 30 | 47 | 197 |
| 2 | 36 | 39 | 26 | 108 | 40 | 64 | 33 | 38 | 38 | 30 | 39 | 460 |
| 3 | 32 | 34 | 24 | 91 | 45 | e56 | 31 | 43 | 255 | 30 | 40 | 691 |
| 4 | 39 | 39 | 23 | 74 | 166 | 51 | 27 | 38 | 109 | 30 | 77 | 276 |
| 5 | 37 | 239 | 25 | 65 | 78 | 44 | 79 | 520 | 74 | 30 | 43 | 135 |
| 6 | 30 | 175 | 26 | 57 | 62 | 40 | 51 | 221 | 58 | 31 | 38 | 85 |
| 7 | 28 | 104 | 28 | 50 | 62 | 37 | 204 | 210 | e430 | 30 | 37 | 64 |
| 8 | 25 | 80 | 34 | 47 | 54 | 36 | 109 | 156 | e200 | 30 | 50 | 49 |
| 9 | 25 | 68 | 33 | 43 | 48 | 34 | 208 | 673 | e130 | 91 | 39 | 41 |
| 10 | 473 | 558 | 32 | 37 | 47 | 32 | 134 | 210 | e98 | 176 | 34 | 35 |
| 11 | 700 | 339 | 121 | 39 | 45 | 27 | 115 | 322 | e88 | 82 | 172 | 31 |
| 12 | 222 | 152 | 86 | 35 | 43 | 34 | 79 | 168 | 94 | 55 | 76 | 28 |
| 13 | e150 | 103 | 207 | 33 | 39 | 62 | 59 | 113 | e86 | 44 | 47 | 27 |
| 14 | e100 | 80 | 245 | 34 | 54 | 46 | 47 | 87 | e180 | 40 | 66 | 26 |
| 15 | e77 | 161 | 133 | 31 | 765 | 40 | 42 | 204 | e155 | 37 | 174 | 24 |
| 16 | 95 | 181 | 95 | 29 | 713 | 36 | 40 | 151 | e230 | 331 | 172 | 22 |
| 17 | 67 | 115 | 80 | 29 | 365 | 33 | 206 | 191 | 162 | 73 | 96 | 21 |
| 18 | 55 | 87 | 69 | 30 | 211 | 31 | 145 | 136 | 133 | 53 | 69 | 21 |
| 19 | 51 | 73 | 237 | 28 | 153 | 80 | 89 | 103 | 92 | 45 | 53 | 20 |
| 20 | 89 | 63 | 241 | 28 | 134 | 76 | 63 | 121 | 66 | 39 | 45 | 20 |
| 21 | 66 | 65 | 130 | 25 | 126 | 60 | 88 | 192 | 53 | 47 | 40 | 21 |
| 22 | 64 | 63 | 96 | 24 | 413 | 51 | 51 | 116 | 45 | 79 | 37 | 133 |
| 23 | 57 | 53 | 73 | 24 | 264 | 45 | 42 | 89 | 41 | 114 | 36 | 65 |
| 24 | 54 | 36 | 92 | 23 | 179 | 39 | 37 | 67 | 36 | 67 | 34 | 45 |
| 25 | 53 | 32 | 109 | 24 | 134 | 34 | 35 | 57 | 34 | 46 | 32 | 38 |
| 26 | 54 | 34 | 79 | 24 | 104 | 42 | 82 | 52 | 33 | 39 | 30 | 35 |
| 27 | 52 | 34 | 67 | 23 | 90 | 36 | 45 | 48 | 35 | 36 | 30 | 88 |
| 28 | 55 | 30 | 59 | 24 | 85 | 32 | 41 | 51 | 33 | 54 | 30 | 54 |
| 29 | 119 | 28 | 52 | 45 | --- | 144 | 73 | 69 | 32 | 91 | 39 | 42 |
| 30 | 78 | 28 | 48 | 38 | --- | 62 | 38 | 49 | 31 | 42 | 67 | 36 |
| 31 | 62 | --- | 61 | 33 | --- | 46 | --- | 45 | --- | 65 | 315 | --- |
| TOTAL | 3,088 | 3,157 | 2,659 | 1,383 | 4,561 | 1,523 | 2,331 | 4,578 | 3,091 | 1,987 | 2,104 | 2,830 |
| MEAN | 99.6 | 105 | 85.8 | 44.6 | 163 | 49.1 | 77.7 | 148 | 103 | 64.1 | 67.9 | 94.3 |
| MAX | 700 | 558 | 245 | 188 | 765 | 144 | 208 | 673 | 430 | 331 | 315 | 691 |
| MIN | 25 | 28 | 23 | 23 | 39 | 27 | 27 | 38 | 31 | 30 | 30 | 20 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) |
|--|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|------|------|--------|
| | 41.8 | 99.6 | 26.3 | (2003) | 45.1 | 105 | 23.6 | (2003) | 58.5 | 85.8 | 33.4 | (2003) | 67.4 | 103 | 42.6 | (1999) | 93.5 | 163 | 37.5 | (2003) |
| | 87.9 | 148 | 49.1 | (2002) | 70.0 | 110 | 39.6 | (1998) | 87.0 | 148 | 31.0 | (2003) | 87.0 | 148 | 49.1 | (2002) | 70.0 | 110 | 39.6 | (1998) |
| | 64.8 | 135 | 26.7 | (1998) | 54.6 | 105 | 25.6 | (1999) | 64.8 | 135 | 26.7 | (1998) | 54.6 | 105 | 25.6 | (1999) | 64.8 | 135 | 26.7 | (1998) |
| | 42.0 | 67.9 | 20.6 | (2003) | 42.0 | 67.9 | 20.6 | (2003) | 47.5 | 94.3 | 18.9 | (2003) | 47.5 | 94.3 | 18.9 | (2003) | 47.5 | 94.3 | 18.9 | (2003) |

03284555 WEST HICKMAN CREEK AT ASH GROVE PIKE NEAR EAST HICKMAN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 27,305 | | 33,292 | | 63.2 | |
| ANNUAL MEAN | 74.8 | | 91.2 | | 91.2 | |
| HIGHEST ANNUAL MEAN | | | | | 45.0 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 1,190 | 1999 |
| HIGHEST DAILY MEAN | 1,190 | Mar 20 | 765 | Feb 15 | 1,190 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 20 | Jul 9 | 20 | Sep 19 | 12 | Nov 5, 1998 |
| ANNUAL SEVEN-DAY MINIMUM | 21 | Jul 6 | 21 | Sep 15 | 17 | Aug 16, 1999 |
| MAXIMUM PEAK FLOW | | | 2,800 | May 9 | 3,040 | Jul 20, 1998 |
| MAXIMUM PEAK STAGE | | | 7.04 | May 9 | 7.43 | Jul 20, 1998 |
| INSTANTANEOUS LOW FLOW | | | | | 1.4 | Nov 5, 1998 |
| 10 PERCENT EXCEEDS | 151 | | 194 | | 121 | |
| 50 PERCENT EXCEEDS | 40 | | 53 | | 38 | |
| 90 PERCENT EXCEEDS | 25 | | 30 | | 22 | |

e Estimated



03285000 DIX RIVER NEAR DANVILLE, KY

LOCATION.--Lat 37°38'31", long 84°39'39", Garrard County, Hydrologic Unit 05100205, on right bank 50 ft downstream from bridge on State Highway 52, 1.4 mi downstream from Hanging Fork, 6 mi east of Danville, and at mile 34.6.

DRAINAGE AREA.--318 mi².

PERIOD OF RECORD.--May to August 1905 (gage heights only), October 1942 to current year. Published as "Dicks River," 1905.

REVISED RECORDS.--WSP 1555: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 750.10 ft above NGVD of 1929. Prior to Dec. 21, 1942, nonrecording gage at same site and datum. May to August 1905, nonrecording gage at site 6 mi downstream at different datum.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 8,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|-------|------|-----------------------------------|---------------------|
| Oct 11 | 0700 | 8,910 | 9.78 | Jun 7 | 1400 | 14,100 | 11.83 |
| Feb 16 | 1900 | *18,200 | *13.12 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|----------|--------|--------|-------|--------|--------|--------|--------|--------|-------|---------|-------|
| 1 | 48 | 588 | 134 | 577 | 364 | 685 | 257 | 183 | 106 | 206 | 1,190 | e105 |
| 2 | 33 | 404 | 118 | 1,280 | 333 | 589 | 218 | 228 | 86 | 145 | 395 | e300 |
| 3 | 24 | 303 | 109 | 944 | 293 | 499 | 190 | 210 | 122 | 98 | 236 | 945 |
| 4 | 18 | 252 | 102 | 815 | 1,740 | 420 | 172 | 164 | 258 | 72 | 214 | 1,050 |
| 5 | 13 | 597 | 103 | 638 | 1,220 | 374 | 198 | 2,960 | 186 | 57 | 235 | 507 |
| 6 | 10 | e3,260 | 179 | 513 | 715 | 349 | 413 | 2,630 | 136 | 47 | 177 | 255 |
| 7 | 7.7 | e1,150 | 185 | 412 | 598 | 315 | 1,720 | 1,140 | 9,000 | 41 | 130 | 160 |
| 8 | 6.3 | 734 | 178 | 356 | 496 | 274 | 1,300 | 1,150 | 5,740 | 37 | 218 | 113 |
| 9 | 5.7 | 503 | 250 | 320 | 422 | 246 | 1,170 | 793 | 2,130 | 36 | 190 | 82 |
| 10 | 178 | 1,530 | 292 | 277 | 357 | 217 | 2,610 | 570 | 1,090 | 181 | 126 | 64 |
| 11 | 5,370 | 4,250 | 1,530 | 228 | 379 | 195 | 2,300 | 1,050 | 786 | 1,560 | 87 | 51 |
| 12 | 1,350 | 1,690 | e1,740 | 185 | 380 | 182 | 1,200 | 720 | 1,840 | 682 | 70 | 43 |
| 13 | 575 | 867 | e1,520 | 159 | 349 | 176 | 792 | 419 | 1,110 | 378 | 58 | 36 |
| 14 | 331 | 589 | 4,600 | e143 | 307 | 168 | 572 | 304 | 1,620 | 247 | 50 | 32 |
| 15 | 230 | 555 | 1,790 | e133 | 6,230 | 157 | 441 | 260 | 2,660 | 169 | 43 | 29 |
| 16 | 531 | 2,080 | 1,070 | e125 | 13,100 | 147 | 355 | 323 | 1,830 | 779 | 37 | 26 |
| 17 | 517 | 1,290 | 764 | e116 | e8,840 | 140 | 562 | 369 | 2,520 | 566 | 34 | 23 |
| 18 | 322 | 843 | 596 | e107 | e2,180 | 136 | 2,610 | 1,120 | 1,260 | 253 | 62 | 20 |
| 19 | 226 | 619 | 501 | e100 | 993 | 426 | 974 | 806 | 849 | 169 | 38 | 17 |
| 20 | 191 | 501 | 1,940 | e95 | 798 | 3,140 | 637 | 510 | 582 | 126 | 30 | 15 |
| 21 | 190 | 410 | 1,200 | e88 | 772 | 1,100 | 1,050 | 729 | 410 | 96 | 25 | 13 |
| 22 | 171 | 365 | 778 | e84 | 3,260 | 682 | 823 | 767 | 306 | 83 | 22 | 17 |
| 23 | 141 | 311 | 558 | e80 | 3,680 | 491 | 519 | 530 | 237 | 110 | 18 | 103 |
| 24 | 117 | 260 | 469 | e76 | 1,790 | 387 | 392 | 385 | 188 | 174 | 16 | 104 |
| 25 | 98 | 225 | 1,020 | e73 | 1,260 | 317 | 330 | 294 | 152 | 184 | 14 | 78 |
| 26 | 87 | 199 | 864 | e70 | 934 | 286 | 860 | 240 | 124 | 103 | 12 | 49 |
| 27 | 85 | 185 | 622 | e67 | 776 | 269 | 472 | 201 | 135 | 68 | e9.9 | 46 |
| 28 | 714 | 174 | 515 | e66 | 739 | 229 | 325 | 172 | 119 | 78 | e8.7 | 69 |
| 29 | 2,290 | 157 | 437 | e120 | --- | 280 | 257 | 158 | 89 | 424 | e8.5 | 56 |
| 30 | 2,310 | 146 | 366 | 722 | --- | e474 | 214 | 146 | 73 | 180 | e5.9 | 50 |
| 31 | 964 | --- | 318 | 479 | --- | e297 | --- | 129 | --- | 584 | e11 | --- |
| TOTAL | 17,153.7 | 25,037 | 24,848 | 9,448 | 53,305 | 13,647 | 23,933 | 19,660 | 35,744 | 7,933 | 3,771.0 | 4,458 |
| MEAN | 553 | 835 | 802 | 305 | 1,904 | 440 | 798 | 634 | 1,191 | 256 | 122 | 149 |
| MAX | 5,370 | 4,250 | 4,600 | 1,280 | 13,100 | 3,140 | 2,610 | 2,960 | 9,000 | 1,560 | 1,190 | 1,050 |
| MIN | 5.7 | 146 | 102 | 66 | 293 | 136 | 172 | 129 | 73 | 36 | 5.9 | 13 |
| CFSM | 1.74 | 2.62 | 2.52 | 0.96 | 5.99 | 1.38 | 2.51 | 1.99 | 3.75 | 0.80 | 0.38 | 0.47 |
| IN. | 2.01 | 2.93 | 2.91 | 1.11 | 6.24 | 1.60 | 2.80 | 2.30 | 4.18 | 0.93 | 0.44 | 0.52 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1943 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 103 | 300 | 649 | 787 | 984 | 1,002 | 670 | 477 | 289 | 173 | 93.1 | 149 |
| MAX | 1,323 | 1,471 | 3,656 | 3,140 | 4,129 | 3,059 | 2,736 | 2,618 | 1,732 | 1,692 | 527 | 3,430 |
| (WY) | (1980) | (1987) | (1979) | (1950) | (1989) | (1997) | (1972) | (1983) | (1997) | (1996) | (1958) | (1979) |
| MIN | 0.000 | 0.030 | 0.69 | 17.0 | 72.1 | 174 | 57.1 | 51.8 | 8.83 | 0.31 | 0.93 | 0.013 |
| (WY) | (1953) | (1954) | (1954) | (1981) | (1954) | (1983) | (1986) | (1976) | (1988) | (1944) | (1952) | (1953) |

03285000 DIX RIVER NEAR DANVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1943 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 235,626.58 | | 238,937.7 | | 471 | |
| ANNUAL MEAN | 646 | | 655 | | 1,184 | |
| HIGHEST ANNUAL MEAN | | | | | 1979 | |
| LOWEST ANNUAL MEAN | | | | | 1954 | |
| HIGHEST DAILY MEAN | 12,800 | Mar 20 | 13,100 | Feb 16 | 35,100 | Jul 20, 1996 |
| LOWEST DAILY MEAN | 0.50 | Sep 15 | 5.7 | Oct 9 | 0.00 | Jul 21, 1944 |
| ANNUAL SEVEN-DAY MINIMUM | 0.61 | Sep 12 | 10 | Aug 25 | 0.00 | Jul 29, 1944 |
| MAXIMUM PEAK FLOW | | | 18,200 | Feb 16 | 52,400 | Jul 20, 1996 |
| MAXIMUM PEAK STAGE | | | 13.12 | Feb 16 | 21.81 | Dec 9, 1978 |
| ANNUAL RUNOFF (CFSM) | 2.03 | | 2.06 | | 1.48 | |
| ANNUAL RUNOFF (INCHES) | 27.56 | | 27.95 | | 20.10 | |
| 10 PERCENT EXCEEDS | 1,520 | | 1,530 | | 1,060 | |
| 50 PERCENT EXCEEDS | 161 | | 286 | | 123 | |
| 90 PERCENT EXCEEDS | 1.6 | | 42 | | 3.0 | |

e Estimated



KENTUCKY RIVER BASIN

03286500 KENTUCKY RIVER AT LOCK 7 NEAR HIGH BRIDGE, KY

LOCATION.--Lat 37°48'53", long 84°43'26", Jessamine County, Hydrologic Unit 05100205, on right bank at Lock 7, 0.45 mi northwest of High Bridge, 1.2 mi downstream from Dix River, 3.8 mi upstream of U.S. Highway 68 bridge, and at mile 117.

DRAINAGE AREA.--5,036 mi².

PERIOD OF RECORD.--October 1901 to September 1924 (gage-heights only), monthly discharge October 1924 to September 1927, December 1992 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 503.92 ft above sea level, Kentucky River datum.

REMARKS.--Estimated daily discharges: Oct. 1 to Sept. 30. Discharge computed using percent of drainage area of Kentucky River at Lock #9 and Lock #6. Record fair above 1,000 ft³/s and poor below. Flow regulated since November 1925 by Herrington Lake, since December 1960 by Buckhorn Lake, since January 1976 by Carr Fork Lake, and by hydroelectric plant at lock 7.

COOPERATION.--Kentucky Utilities.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|---------|
| 1 | e1,940 | e10,300 | e2,420 | e6,700 | e6,750 | e16,000 | e4,080 | e4,020 | e4,470 | e2,320 | e4,400 | e2,720 |
| 2 | e1,500 | e6,450 | e2,650 | e10,000 | e7,100 | e15,400 | e4,400 | e3,700 | e3,900 | e2,160 | e3,600 | e4,310 |
| 3 | e1,250 | e4,380 | e2,230 | e12,100 | e6,600 | e14,700 | e4,720 | e3,660 | e3,940 | e2,100 | e3,080 | e8,000 |
| 4 | e1,110 | e3,820 | e2,200 | e12,000 | e7,600 | e13,600 | e4,580 | e3,510 | e5,050 | e1,980 | e5,550 | e11,400 |
| 5 | e980 | e4,780 | e2,240 | e10,400 | e11,300 | e12,200 | e4,200 | e10,100 | e4,560 | e1,600 | e15,200 | e16,400 |
| 6 | e605 | e13,600 | e2,040 | e9,200 | e13,600 | e11,200 | e4,280 | e23,500 | e4,220 | e1,460 | e15,500 | e21,200 |
| 7 | e466 | e12,800 | e3,620 | e8,150 | e12,200 | e10,600 | e8,250 | e14,900 | e27,200 | e1,460 | e10,600 | e11,400 |
| 8 | e386 | e10,100 | e5,550 | e7,100 | e10,000 | e10,100 | e18,700 | e11,900 | e32,400 | e1,680 | e7,650 | e6,650 |
| 9 | e439 | e6,950 | e5,500 | e6,100 | e8,050 | e9,400 | e31,000 | e26,400 | e26,800 | e1,600 | e6,250 | e4,380 |
| 10 | e1,580 | e9,400 | e5,050 | e5,350 | e7,050 | e8,900 | e37,900 | e30,200 | e18,800 | e2,210 | e5,150 | e3,140 |
| 11 | e19,600 | e18,400 | e6,400 | e5,200 | e6,450 | e8,450 | e43,600 | e24,100 | e11,800 | e3,900 | e4,380 | e2,700 |
| 12 | e13,200 | e17,500 | e11,100 | e4,620 | e5,900 | e7,650 | e45,400 | e16,800 | e11,600 | e5,300 | e4,780 | e1,990 |
| 13 | e6,550 | e12,800 | e14,400 | e4,060 | e5,700 | e6,850 | e43,500 | e11,300 | e12,800 | e7,050 | e3,630 | e1,470 |
| 14 | e4,070 | e9,300 | e29,000 | e3,290 | e5,500 | e6,250 | e31,700 | e8,550 | e14,400 | e6,750 | e2,580 | e1,260 |
| 15 | e2,720 | e7,350 | e37,200 | e3,040 | e29,600 | e5,650 | e18,800 | e6,550 | e28,800 | e5,900 | e2,010 | e1,200 |
| 16 | e3,100 | e9,050 | e31,800 | e2,700 | e62,500 | e4,950 | e14,600 | e8,150 | e29,200 | e6,450 | e2,110 | e1,260 |
| 17 | e3,400 | e9,600 | e19,500 | e2,460 | e78,000 | e4,340 | e13,100 | e11,800 | e34,600 | e4,850 | e1,800 | e1,130 |
| 18 | e3,040 | e8,600 | e14,000 | e2,310 | e82,000 | e4,040 | e15,800 | e17,600 | e34,200 | e3,080 | e1,490 | e1,060 |
| 19 | e2,550 | e7,500 | e11,400 | e2,170 | e82,000 | e4,400 | e16,700 | e23,200 | e33,000 | e2,340 | e1,490 | e995 |
| 20 | e2,200 | e6,800 | e12,600 | e2,040 | e72,500 | e12,700 | e17,700 | e21,000 | e32,800 | e1,820 | e1,530 | e745 |
| 21 | e2,280 | e6,250 | e12,700 | e2,040 | e35,400 | e9,350 | e16,200 | e17,900 | e28,000 | e1,520 | e1,600 | e710 |
| 22 | e2,380 | e5,650 | e13,500 | e2,100 | e26,200 | e6,500 | e15,400 | e14,900 | e19,100 | e1,390 | e1,420 | e955 |
| 23 | e2,100 | e4,800 | e12,400 | e2,060 | e36,800 | e5,300 | e13,800 | e14,200 | e13,800 | e1,360 | e1,180 | e1,380 |
| 24 | e1,740 | e4,440 | e9,750 | e1,900 | e42,900 | e4,580 | e11,600 | e13,000 | e11,200 | e1,620 | e1,020 | e2,020 |
| 25 | e1,610 | e4,360 | e9,100 | e1,660 | e39,800 | e4,020 | e9,500 | e9,900 | e9,650 | e1,930 | e905 | e2,840 |
| 26 | e1,380 | e4,130 | e10,200 | e1,540 | e27,200 | e3,760 | e8,100 | e7,850 | e7,000 | e2,070 | e800 | e2,470 |
| 27 | e1,200 | e3,770 | e11,800 | e1,540 | e20,000 | e3,440 | e7,150 | e6,150 | e4,530 | e2,000 | e705 | e2,100 |
| 28 | e1,400 | e3,220 | e10,800 | e1,540 | e17,400 | e3,330 | e6,550 | e5,050 | e3,420 | e1,600 | e635 | e2,060 |
| 29 | e5,500 | e2,820 | e8,800 | e1,620 | --- | e3,460 | e5,700 | e4,530 | e2,680 | e1,680 | e590 | e2,200 |
| 30 | e17,600 | e2,540 | e7,650 | e2,620 | --- | e3,850 | e4,860 | e4,840 | e2,450 | e2,360 | e670 | e2,200 |
| 31 | e16,800 | --- | e6,400 | e4,510 | --- | e3,930 | --- | e4,780 | --- | e2,720 | e1,080 | --- |
| TOTAL | 124,676 | 231,460 | 334,000 | 142,120 | 766,100 | 238,900 | 481,870 | 384,040 | 476,370 | 86,260 | 113,385 | 122,345 |
| MEAN | 4,022 | 7,715 | 10,770 | 4,585 | 27,360 | 7,706 | 16,060 | 12,390 | 15,880 | 2,783 | 3,658 | 4,078 |
| MAX | 19,600 | 18,400 | 37,200 | 12,100 | 82,000 | 16,000 | 45,400 | 30,200 | 34,600 | 7,050 | 15,500 | 21,200 |
| MIN | 386 | 2,540 | 2,040 | 1,540 | 5,500 | 3,330 | 4,080 | 3,510 | 2,450 | 1,360 | 590 | 710 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1992 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,399 | 3,098 | 5,881 | 10,190 | 12,620 | 15,310 | 11,030 | 9,357 | 6,248 | 2,466 | 1,845 | 1,069 |
| MAX | 4,022 | 9,309 | 12,670 | 22,370 | 27,360 | 29,500 | 21,390 | 22,020 | 18,360 | 4,867 | 4,660 | 4,078 |
| (WY) | (2003) | (1997) | (1994) | (1994) | (2003) | (1997) | (1994) | (1995) | (1997) | (1998) | (2001) | (2003) |
| MIN | 324 | 456 | 1,567 | 1,876 | 4,614 | 5,553 | 3,730 | 1,973 | 417 | 435 | 306 | 153 |
| (WY) | (1998) | (2002) | (2000) | (2000) | (2002) | (2000) | (1999) | (2001) | (1999) | (1999) | (1999) | (1999) |

03286500 KENTUCKY RIVER AT LOCK 7 NEAR HIGH BRIDGE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1992 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,622,870 | | 3,501,526 | | | |
| ANNUAL MEAN | 7,186 | | 9,593 | | 6,680 | |
| HIGHEST ANNUAL MEAN | | | | | 11,250 | 1994 |
| LOWEST ANNUAL MEAN | | | | | 3,371 | 2000 |
| HIGHEST DAILY MEAN | 82,000 | Mar 21 | 82,000 | Feb 18 | 87,900 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 79 | Sep 13 | 386 | Oct 8 | 79 | Sep 13, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 109 | Sep 9 | 748 | Oct 3 | 109 | Sep 9, 2002 |
| MAXIMUM PEAK FLOW | | | 83,700 | Feb 18 | 92,800 | Mar 10, 1994 |
| MAXIMUM PEAK STAGE | | | 34.48 | Feb 18 | 37.90 | Mar 10, 1994 |
| 10 PERCENT EXCEEDS | 19,500 | | 22,000 | | 16,900 | |
| 50 PERCENT EXCEEDS | 2,920 | | 5,500 | | 2,720 | |
| 90 PERCENT EXCEEDS | 327 | | 1,490 | | 445 | |

e Estimated



03287000 KENTUCKY RIVER AT LOCK 6, NEAR SALVISA, KY

LOCATION.--Lat 37°55'32", long 84°49'17", Woodford County, Hydrologic Unit 05100205, on right bank at lock 6, 1.5 mi upstream from Clear Creek, 2.1 mi east of Salvisa, and at mile 96.2.

DRAINAGE AREA.--5,102 mi², of which about 101 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--October 1925 to current year. Prior to October 1953, published as "at lock 6, at Warwick."

REVISED RECORDS.--WSP 1385: 1926-27, 1928(M), 1929, 1931(M), 1932, 1933-34(M), 1935, 1937, drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 489.90 ft, Kentucky River datum. Prior to November 1934, nonrecording gage at same site and datum. Auxiliary water-stage recorder with telemetry, at lock 5, 14 mi downstream. Prior to Sept. 30, 1981, nonrecording gage at same site and datum.

REMARKS.--Records good above 1,000 ft³/s, fair below. Flow regulated since November 1925 by Herrington Lake, since December 1960 by Buckhorn Lake, since January 1976 by Carr Fork Lake, and by hydroelectric plant at lock 7.

COOPERATION.--Kentucky River Authority, U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|---------|
| 1 | 2,190 | 11,200 | 2,510 | 6,100 | 5,450 | 16,100 | 4,550 | 4,480 | 4,310 | 2,520 | 4,850 | 2,580 |
| 2 | 1,960 | 7,170 | 3,200 | 9,830 | 6,280 | 15,200 | 4,720 | 4,050 | 3,930 | 2,410 | 4,090 | 4,330 |
| 3 | 1,620 | 4,700 | 2,620 | 11,800 | 6,020 | 14,500 | 5,010 | 3,910 | 3,740 | 2,330 | 3,170 | 8,460 |
| 4 | 1,510 | 4,520 | 2,760 | 11,500 | 6,770 | 13,600 | 4,990 | 3,380 | 4,950 | 2,210 | 3,730 | 12,900 |
| 5 | 1,370 | 4,720 | 2,910 | 9,970 | 9,850 | 12,300 | 4,260 | 9,750 | 4,600 | 1,710 | 11,500 | 13,100 |
| 6 | 743 | 14,600 | 2,230 | 9,130 | 12,900 | 11,100 | 4,250 | 27,300 | 4,150 | 1,520 | 15,300 | 22,300 |
| 7 | 537 | 13,600 | 2,570 | 8,240 | 12,100 | 10,500 | 7,120 | 16,800 | 27,300 | 1,530 | 10,400 | 12,700 |
| 8 | 439 | 10,800 | 4,590 | 7,200 | 9,770 | 9,990 | 15,600 | 12,800 | 37,900 | 2,090 | 7,400 | 7,500 |
| 9 | 563 | 7,120 | 5,260 | 6,050 | 7,650 | 9,350 | 29,400 | 25,400 | 30,300 | 1,930 | 6,030 | 5,180 |
| 10 | 1,300 | 9,380 | 4,700 | 5,220 | 6,950 | 8,780 | 37,800 | 32,000 | 21,800 | 2,250 | 5,150 | 3,690 |
| 11 | 20,900 | 19,900 | 6,030 | 5,490 | 6,240 | 8,400 | 44,400 | 25,700 | 13,400 | 4,040 | 4,520 | 3,370 |
| 12 | 16,500 | 19,200 | 10,700 | 5,050 | 5,420 | 7,810 | 46,700 | 18,800 | 11,800 | 4,520 | 4,460 | 2,390 |
| 13 | 8,300 | 14,200 | 13,400 | 4,580 | 5,420 | 7,120 | 45,800 | 12,100 | 13,100 | 6,240 | 4,040 | 1,660 |
| 14 | 5,140 | 10,300 | 28,000 | 3,440 | 5,330 | 6,540 | 35,100 | 9,090 | 13,100 | 6,330 | 2,700 | 1,400 |
| 15 | 3,240 | 8,180 | 38,500 | 3,230 | 28,700 | 6,060 | 19,700 | 7,080 | 30,700 | 5,740 | 2,120 | 1,420 |
| 16 | 3,570 | 9,770 | 35,000 | 2,790 | e57,000 | 5,490 | 14,400 | 7,150 | 29,400 | 6,350 | 2,120 | 1,640 |
| 17 | 4,180 | 10,500 | 21,500 | 2,470 | e71,000 | 4,900 | 12,600 | 10,500 | 35,800 | 5,960 | 2,030 | 1,450 |
| 18 | 3,700 | 9,420 | 14,700 | 2,340 | e76,000 | 4,570 | 15,500 | 15,600 | 36,100 | 3,590 | 1,610 | 1,350 |
| 19 | 2,880 | 8,200 | 11,900 | 2,240 | e77,000 | 4,510 | 16,400 | 22,600 | 33,400 | 2,710 | 1,500 | 1,240 |
| 20 | 2,340 | 7,430 | 13,700 | 2,040 | e68,000 | 13,000 | 17,000 | 21,400 | 33,400 | 2,050 | 1,510 | 760 |
| 21 | 2,720 | 6,870 | 13,100 | 1,950 | e37,000 | 11,100 | 16,200 | 18,000 | 29,400 | 1,700 | 1,560 | 749 |
| 22 | 3,080 | 6,070 | 13,400 | 2,060 | 28,200 | 7,470 | 15,000 | 15,400 | 20,300 | 1,620 | 1,500 | 1,170 |
| 23 | 2,710 | 4,610 | 12,700 | 2,100 | 38,100 | 6,100 | 13,900 | 13,100 | 13,900 | 1,660 | 1,280 | 1,630 |
| 24 | 2,170 | 4,270 | 9,630 | 2,010 | 45,100 | 5,350 | 11,700 | 12,800 | 11,100 | 1,870 | 1,080 | 1,840 |
| 25 | 2,070 | 4,570 | 8,430 | 1,820 | 44,000 | 4,770 | 9,680 | 9,860 | 9,550 | 2,170 | 954 | 2,610 |
| 26 | 1,650 | 4,550 | 9,600 | 1,650 | 30,700 | 4,460 | 8,350 | 7,970 | 7,680 | 2,110 | 855 | 2,500 |
| 27 | 1,330 | 4,110 | 11,500 | 1,610 | 21,000 | 4,020 | 7,500 | 6,220 | 5,080 | 2,190 | 750 | 2,130 |
| 28 | 1,580 | 3,260 | 10,600 | 1,620 | 17,700 | 3,960 | 6,750 | 5,010 | 3,790 | 1,770 | 666 | 2,090 |
| 29 | 4,270 | 2,840 | 8,410 | 1,560 | --- | 4,130 | 6,060 | 4,380 | 2,760 | 1,910 | 627 | 2,380 |
| 30 | 16,200 | 2,570 | 7,470 | 2,180 | --- | 4,550 | 5,430 | 4,450 | 2,500 | 2,670 | 614 | 2,330 |
| 31 | 17,800 | --- | 6,180 | 3,390 | --- | 4,550 | --- | 4,540 | --- | 2,640 | 1,130 | --- |
| TOTAL | 138,562 | 248,630 | 337,800 | 140,660 | 745,650 | 250,280 | 485,870 | 391,620 | 499,240 | 90,340 | 109,246 | 128,849 |
| MEAN | 4,470 | 8,288 | 10,900 | 4,537 | 26,630 | 8,074 | 16,200 | 12,630 | 16,640 | 2,914 | 3,524 | 4,295 |
| MAX | 20,900 | 19,900 | 38,500 | 11,800 | 77,000 | 16,100 | 46,700 | 32,000 | 37,900 | 6,350 | 15,300 | 22,300 |
| MIN | 439 | 2,570 | 2,230 | 1,560 | 5,330 | 3,960 | 4,250 | 3,380 | 2,500 | 1,520 | 614 | 749 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1961 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,894 | 3,981 | 8,581 | 10,600 | 12,590 | 14,800 | 11,470 | 8,384 | 4,647 | 2,255 | 1,966 | 1,665 |
| MAX | 13,680 | 12,450 | 31,030 | 31,910 | 34,850 | 33,640 | 35,920 | 26,910 | 18,890 | 5,441 | 6,238 | 10,860 |
| (WY) | (1990) | (1987) | (1979) | (1974) | (1989) | (1975) | (1972) | (1983) | (1997) | (1998) | (1992) | (1974) |
| MIN | 312 | 467 | 525 | 502 | 2,655 | 3,769 | 1,491 | 1,127 | 362 | 420 | 277 | 188 |
| (WY) | (1981) | (2002) | (1966) | (1981) | (1968) | (1983) | (1986) | (1976) | (1988) | (1999) | (1986) | (1999) |

03287000 KENTUCKY RIVER AT LOCK 6, NEAR SALVISA, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1961 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,716,256 | | 3,566,747 | | 6,877 | |
| ANNUAL MEAN | 7,442 | | 9,772 | | 11,050 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 83,800 | Mar 21 | 77,000 | Feb 19 | 125,000 | Dec 10, 1978 |
| LOWEST DAILY MEAN | 105 | Sep 13 | 439 | Oct 8 | 83 | Sep 4, 1984 |
| ANNUAL SEVEN-DAY MINIMUM | 130 | Sep 9 | 792 | Aug 24 | 112 | Nov 8, 1991 |
| MAXIMUM PEAK FLOW | | | 77,500 | Feb 19 | 130,000 | Dec 10, 1978 |
| MAXIMUM PEAK STAGE | | | 33.90 | Feb 19 | 49.04 | Dec 10, 1978 |
| 10 PERCENT EXCEEDS | 20,500 | | 22,400 | | 17,400 | |
| 50 PERCENT EXCEEDS | 3,050 | | 5,430 | | 2,980 | |
| 90 PERCENT EXCEEDS | 354 | | 1,620 | | 467 | |

e Estimated



03287500 KENTUCKY RIVER AT LOCK 4, AT FRANKFORT, KY

LOCATION.--Lat 38°12'06", long 84°52'54", Franklin County, Hydrologic Unit 05100205, on left bank at downstream side of Broadway Street Bridge at Frankfort, 300 ft upstream from Benson Creek, 0.8 mi upstream from lock 4, and at mile 65.8. Records include flow of Benson Creek.

DRAINAGE AREA.--5,411 mi², (includes that of Benson Creek), of which about 120 mi² does not contribute directly to surface runoff.

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--March 1905 to July 1906 (gage heights only), October 1925 to current year. Monthly discharge only October 1930 to February 1931, October, November 1931, and May to September 1932, published in WSP 1305. Gage-height records collected in this vicinity September 1887 to December 1889, January to May 1893, and since April 1901 are contained in reports of the National Weather Service.

REVISED RECORDS.--WSP 1113: 1941-42. WSP 1385: 1926-27, 1929(M), 1932-33, 1935-37, 1938(M), drainage area. WSP 1555: 1932(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 462.10 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Jan. 28, 1982.

REMARKS.--Record fair except those for estimated daily discharges and flow below 1000 ft³/s, which are poor. Flow regulated since November 1925 by Herrington Lake, since December 1960 by Buckhorn Lake, since January 1976 by Carr Fork Lake, and by hydroelectric plant at lock 7.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District, Kentucky River Authority, and City of Frankfort.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|---------|
| 1 | 2,320 | 14,100 | 2,360 | 10,300 | 5,330 | 17,800 | 4,850 | 4,940 | 4,340 | 2,390 | 4,260 | 2,380 |
| 2 | 1,930 | 8,830 | 2,920 | 11,300 | 6,860 | 16,800 | 4,980 | 4,260 | 3,910 | 2,280 | 4,400 | 6,400 |
| 3 | 1,680 | 5,820 | 2,740 | 13,500 | 6,700 | 16,100 | 5,270 | 4,230 | 4,770 | 2,190 | 3,560 | 10,600 |
| 4 | 1,470 | 4,790 | 2,510 | 13,600 | 7,860 | 15,200 | 5,360 | 3,430 | 5,410 | 2,130 | 3,140 | 15,700 |
| 5 | 1,550 | 6,530 | 2,960 | 11,700 | 10,600 | 13,800 | 4,860 | 12,300 | 5,020 | 1,640 | 9,260 | 13,700 |
| 6 | 908 | 16,400 | 2,150 | 10,700 | 13,700 | 12,500 | 4,330 | 29,300 | 4,270 | 1,430 | 16,900 | 22,800 |
| 7 | 616 | 16,200 | 2,180 | 9,330 | 13,900 | 11,700 | 6,640 | 22,100 | 19,300 | 1,320 | 12,500 | 16,200 |
| 8 | 507 | 13,300 | 4,230 | 8,400 | 12,400 | 11,100 | 15,000 | 15,800 | 38,800 | 1,810 | 9,150 | 9,270 |
| 9 | 491 | 8,910 | 5,450 | 7,250 | 11,700 | 10,500 | 27,700 | 26,900 | 32,200 | 1,850 | 6,850 | 6,080 |
| 10 | 910 | 11,900 | 5,080 | 5,800 | 7,790 | 9,800 | 35,900 | 33,600 | 24,600 | e2,210 | 5,810 | 4,110 |
| 11 | 22,700 | 23,700 | 7,000 | 6,040 | 7,300 | 9,320 | 41,800 | 31,000 | 15,900 | 4,230 | e5,610 | 3,520 |
| 12 | 21,700 | 22,200 | 11,900 | 5,580 | 6,170 | 8,720 | 45,000 | 22,900 | 13,100 | 4,650 | e4,740 | 2,670 |
| 13 | 11,300 | 17,000 | 14,600 | 4,970 | 5,970 | 7,930 | 45,100 | 14,800 | 14,200 | 6,420 | 4,830 | 1,670 |
| 14 | 6,760 | 12,500 | 26,200 | 3,840 | 5,880 | 7,230 | 37,600 | 10,900 | 14,000 | 6,950 | 3,050 | 1,370 |
| 15 | 3,800 | 9,840 | 36,800 | 3,230 | e31,000 | 6,630 | 23,000 | 9,140 | 28,600 | 6,460 | 2,220 | 1,270 |
| 16 | 3,620 | 11,000 | 36,000 | 3,020 | e59,900 | 5,990 | 16,200 | 8,560 | 30,500 | 6,890 | 2,220 | 1,560 |
| 17 | 4,600 | 12,300 | 25,300 | 2,480 | e73,000 | 5,250 | 14,400 | 11,900 | 34,300 | 7,490 | 2,140 | 1,440 |
| 18 | 4,130 | 11,100 | 17,300 | 2,320 | e80,000 | 4,770 | 16,900 | 16,500 | 35,600 | 4,210 | 1,700 | 1,270 |
| 19 | 3,400 | 9,640 | 15,900 | 2,200 | e82,000 | 4,840 | 17,700 | 23,000 | 33,100 | 2,910 | 1,490 | 1,320 |
| 20 | 2,490 | 8,550 | 19,000 | 2,030 | e76,000 | 11,900 | 17,900 | 23,500 | 33,000 | 2,110 | 1,530 | 901 |
| 21 | 2,630 | 7,850 | 15,900 | 1,890 | e50,000 | 14,400 | 18,100 | 21,100 | 30,300 | 1,710 | 1,560 | 777 |
| 22 | 3,270 | 7,130 | 15,100 | 1,950 | 38,600 | 9,290 | 16,500 | 18,000 | 22,700 | 1,650 | 3,180 | 5,200 |
| 23 | 3,000 | 5,210 | 14,600 | 2,060 | 39,100 | 7,190 | 15,500 | 14,800 | 15,800 | 1,730 | 2,710 | 2,580 |
| 24 | 2,190 | 4,620 | 11,900 | e2,100 | 44,300 | 6,120 | 13,200 | 14,500 | 12,500 | 1,820 | 1,240 | 1,890 |
| 25 | 2,060 | 4,560 | 10,700 | e2,000 | 45,300 | 5,290 | 11,000 | 11,600 | 10,700 | 2,080 | 1,020 | 2,580 |
| 26 | 1,880 | 4,910 | 10,800 | e1,850 | 34,900 | 4,830 | 9,960 | 9,080 | 8,960 | e2,080 | 945 | 2,620 |
| 27 | 1,340 | 4,470 | 12,800 | e1,800 | 23,600 | 4,370 | 8,700 | 7,310 | 5,870 | e2,190 | 793 | 2,320 |
| 28 | 1,480 | 3,530 | 12,500 | e1,750 | 19,500 | 4,030 | 7,610 | 5,480 | 4,160 | e1,820 | 737 | 2,160 |
| 29 | 5,280 | 2,860 | 10,100 | e1,650 | --- | 4,540 | 7,000 | 4,620 | 2,850 | e1,750 | 702 | 2,270 |
| 30 | 15,900 | 2,530 | 8,500 | 2,080 | --- | e4,740 | 6,120 | 4,440 | 2,320 | 2,560 | 937 | 2,530 |
| 31 | 20,000 | --- | 8,040 | 2,960 | --- | 4,950 | --- | 4,590 | --- | 2,600 | 1,200 | --- |
| TOTAL | 155,912 | 292,280 | 373,520 | 159,680 | 819,360 | 277,630 | 504,180 | 444,580 | 511,080 | 93,560 | 120,384 | 149,158 |
| MEAN | 5,029 | 9,743 | 12,050 | 5,151 | 29,260 | 8,956 | 16,810 | 14,340 | 17,040 | 3,018 | 3,883 | 4,972 |
| MAX | 22,700 | 23,700 | 36,800 | 13,600 | 82,000 | 17,800 | 45,100 | 33,600 | 38,800 | 7,490 | 16,900 | 22,800 |
| MIN | 491 | 2,530 | 2,150 | 1,650 | 5,330 | 4,030 | 4,330 | 3,430 | 2,320 | 1,320 | 702 | 777 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1961 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 2,004 | 4,281 | 9,134 | 11,200 | 13,290 | 15,730 | 11,950 | 8,814 | 4,891 | 2,410 | 2,112 | 1,799 |
| MAX | 13,240 | 13,700 | 33,220 | 33,500 | 35,680 | 34,760 | 36,690 | 28,200 | 20,840 | 6,446 | 6,433 | 10,980 |
| (WY) | (1990) | (1987) | (1979) | (1974) | (1989) | (1975) | (1972) | (1983) | (1997) | (1998) | (1992) | (1974) |
| MIN | 289 | 542 | 566 | 540 | 2,885 | 4,175 | 1,518 | 1,142 | 417 | 568 | 260 | 207 |
| (WY) | (1981) | (1966) | (1966) | (1981) | (1968) | (1983) | (1986) | (1976) | (1988) | (1970) | (2002) | (1999) |

03287500 KENTUCKY RIVER AT LOCK 4, AT FRANKFORT, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1961 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,915,777 | | 3,901,324 | | 7,273 | |
| ANNUAL MEAN | 7,988 | | 10,690 | | 11,860 | |
| HIGHEST ANNUAL MEAN | | | | | 1979 | |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 81,100 | Mar 21 | 82,000 | Feb 19 | 116,000 | Dec 10, 1978 |
| LOWEST DAILY MEAN | 78 | Sep 13 | 491 | Oct 9 | 78 | Sep 13, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 88 | Sep 8 | 905 | Aug 25 | 88 | Sep 8, 2002 |
| MAXIMUM PEAK FLOW | | | 82,500 | Feb 19 | 118,000 | Dec 9, 1978 |
| MAXIMUM PEAK STAGE | | | 35.16 | Feb 19 | 48.47 | Dec 10, 1978 |
| 10 PERCENT EXCEEDS | 23,100 | | 24,100 | | 18,100 | |
| 50 PERCENT EXCEEDS | 3,230 | | 6,170 | | 3,240 | |
| 90 PERCENT EXCEEDS | 210 | | 1,710 | | 510 | |

e Estimated



03287500 KENTUCKY RIVER AT LOCK 4 AT FRANKFORT, KY

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 2002 to September 2003.

COOPERATION.--Kentucky River Authority

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: June 2001 to current year.

pH: June 2001 to current year.

WATER TEMPERATURES: June 2001 to current year.

DISSOLVED OXYGEN: June 2001 to current year.

INSTRUMENTATION.-- Water-quality monitor with telemetry.

REMARKS.--

SPECIFIC CONDUCTANCE: Records good.

pH: Records good.

WATER TEMPERATURES: Records good.

DISSOLVED OXYGEN: Records good.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE: Maximum recorded, 634 microsiemens, Dec 28-29, 2001; minimum recorded, 96 microsiemens, Feb. 20, 2003.

pH: Maximum recorded, 9.9 units, Aug. 19, 2003; minimum recorded, 6.7 units, Aug 31, and Sept 1, 3-5, 2001.

WATER TEMPERATURES: Maximum recorded, 31.3°C, Aug 5, 2002; minimum recorded, 3.3°C, Jan 8-9, 2002.

DISSOLVED OXYGEN: Maximum recorded, 15.4 mg/L, Jan 23, 2002; minimum recorded, 0.2 mg/L, Sept 13, 2001.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 552 microsiemens, Aug. 10, 2003; minimum recorded, 96 microsiemens, Feb. 20, 2003.

pH: Maximum recorded, 9.9 units, Aug. 19, 2003; minimum recorded, 6.8 units, Aug 19, 2003.

WATER TEMPERATURES: Maximum recorded, 28.9°C, Aug. 28, 2003; minimum recorded, 1.3°C, Jan. 27, 2003.

DISSOLVED OXYGEN: Maximum recorded, 14.3 mg/L, Aug. 28, 2003; minimum recorded, 3.5 mg/L, Oct. 1, 2002.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 512 | 469 | 487 | 519 | 470 | 505 | 361 | 353 | 358 | 284 | 280 | 283 |
| 2 | 469 | 386 | 430 | 509 | 463 | 485 | 364 | 352 | 356 | 289 | 284 | 286 |
| 3 | 386 | 343 | 361 | 488 | 466 | 479 | 364 | 355 | 359 | 290 | 279 | 285 |
| 4 | 350 | 339 | 344 | 489 | 467 | 475 | 365 | 362 | 364 | 284 | 280 | 282 |
| 5 | 392 | 347 | 368 | 495 | 454 | 481 | 362 | 344 | 357 | 291 | 280 | 282 |
| 6 | 416 | 392 | 405 | 454 | 396 | 433 | 344 | 331 | 337 | --- | --- | --- |
| 7 | 433 | 416 | 424 | 402 | 357 | 382 | 331 | 322 | 327 | 280 | 278 | 278 |
| 8 | 446 | 428 | 435 | 359 | 350 | 353 | 322 | 307 | 312 | 286 | 279 | 282 |
| 9 | 459 | 444 | 450 | 362 | 356 | 360 | 314 | 305 | 310 | 288 | 279 | 284 |
| 10 | 481 | 459 | 469 | 362 | 339 | 349 | 331 | 306 | 317 | 299 | 288 | 292 |
| 11 | 522 | 411 | 482 | 340 | 306 | 324 | 364 | 331 | 352 | 303 | 299 | 301 |
| 12 | 476 | 383 | 421 | 344 | 329 | 336 | 364 | 354 | 359 | 309 | 301 | 306 |
| 13 | 471 | 386 | 424 | 357 | 328 | 342 | 390 | 357 | 367 | 310 | 302 | 307 |
| 14 | 488 | 471 | 484 | 359 | 334 | 347 | 410 | 376 | 394 | 302 | 296 | 298 |
| 15 | 494 | 484 | 489 | 334 | 325 | 333 | 384 | 295 | 335 | 296 | 294 | 295 |
| 16 | 493 | 456 | 483 | 327 | 292 | 315 | 295 | 234 | 255 | 296 | 295 | 295 |
| 17 | 456 | 405 | 423 | 325 | 319 | 323 | 234 | 183 | 199 | 298 | 296 | 297 |
| 18 | 408 | 404 | 405 | 337 | 317 | 324 | 194 | 183 | 187 | 300 | 297 | 298 |
| 19 | 431 | 406 | 422 | 356 | 337 | 348 | 216 | 194 | 203 | 300 | 298 | 299 |
| 20 | 415 | 399 | 405 | 365 | 356 | 361 | 236 | 215 | 228 | 299 | 298 | 298 |
| 21 | 415 | 384 | 401 | 366 | 359 | 364 | 245 | 236 | 240 | 309 | 292 | 302 |
| 22 | 421 | 390 | 407 | 359 | 348 | 354 | 264 | 245 | 255 | 310 | 306 | 309 |
| 23 | 408 | 376 | 389 | 348 | 336 | 341 | 266 | 263 | 264 | 310 | 306 | 308 |
| 24 | 407 | 376 | 387 | 336 | 329 | 332 | 267 | 265 | 266 | 307 | 306 | 306 |
| 25 | 442 | 379 | 414 | 329 | 321 | 325 | 270 | 266 | 268 | 309 | 306 | 307 |
| 26 | 445 | 436 | 442 | 321 | 319 | 320 | 269 | 260 | 263 | 311 | 309 | 309 |
| 27 | 436 | 423 | 430 | 331 | 320 | 325 | 273 | 258 | 262 | 312 | 309 | 311 |
| 28 | 423 | 384 | 406 | 348 | 331 | 340 | 284 | 273 | 281 | 313 | 310 | 311 |
| 29 | 385 | 359 | 370 | 354 | 348 | 350 | 280 | 276 | 277 | 322 | 313 | 315 |
| 30 | 502 | 363 | 431 | 356 | 344 | 350 | 286 | 277 | 282 | 322 | 316 | 320 |
| 31 | 470 | 409 | 429 | --- | --- | --- | 286 | 277 | 280 | 322 | 320 | 321 |
| MONTH | 522 | 339 | 423 | 519 | 292 | 369 | 410 | 183 | 297 | 322 | 278 | 299 |

03287500 KENTUCKY RIVER AT LOCK 4 AT FRANKFORT, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 7.5 | 7.4 | 7.4 | 7.7 | 7.6 | 7.6 | 7.9 | 7.8 | 7.9 | 8.6 | 8.6 | 8.6 |
| 2 | 7.6 | 7.4 | 7.5 | 7.7 | 7.6 | 7.7 | 7.9 | 7.8 | 7.9 | 8.6 | 8.6 | 8.6 |
| 3 | 7.6 | 7.5 | 7.5 | 7.7 | 7.6 | 7.6 | 8.0 | 7.9 | 8.0 | 8.6 | 8.6 | 8.6 |
| 4 | 7.6 | 7.5 | 7.5 | 7.6 | 7.6 | 7.6 | 8.0 | 8.0 | 8.0 | 8.6 | 8.6 | 8.6 |
| 5 | 7.6 | 7.5 | 7.5 | 7.7 | 7.6 | 7.6 | 8.2 | 8.0 | 8.0 | 8.7 | 8.6 | 8.6 |
| 6 | 7.7 | 7.5 | 7.5 | 7.7 | 7.6 | 7.7 | 8.2 | 8.2 | 8.2 | --- | --- | --- |
| 7 | 7.7 | 7.5 | 7.6 | 7.6 | 7.5 | 7.6 | 8.2 | 8.2 | 8.2 | 8.7 | 8.7 | 8.7 |
| 8 | 7.8 | 7.6 | 7.7 | 7.6 | 7.5 | 7.6 | 8.2 | 8.2 | 8.2 | 8.7 | 8.7 | 8.7 |
| 9 | 7.7 | 7.6 | 7.6 | 7.6 | 7.5 | 7.6 | 8.2 | 8.2 | 8.2 | 8.7 | 8.7 | 8.7 |
| 10 | 7.6 | 7.6 | 7.6 | 7.7 | 7.6 | 7.6 | 8.2 | 8.2 | 8.2 | 8.7 | 8.7 | 8.7 |
| 11 | 7.7 | 7.5 | 7.6 | 7.7 | 7.5 | 7.6 | 8.3 | 8.2 | 8.2 | 8.7 | 8.7 | 8.7 |
| 12 | 7.5 | 7.4 | 7.4 | 7.5 | 7.4 | 7.5 | 8.4 | 8.2 | 8.3 | 8.8 | 8.7 | 8.8 |
| 13 | 7.5 | 7.4 | 7.4 | 7.5 | 7.4 | 7.5 | 8.4 | 8.3 | 8.3 | 8.8 | 8.7 | 8.8 |
| 14 | 7.6 | 7.5 | 7.6 | 7.5 | 7.5 | 7.5 | 8.3 | 8.2 | 8.3 | 8.8 | 8.7 | 8.7 |
| 15 | 7.6 | 7.6 | 7.6 | 7.5 | 7.5 | 7.5 | 8.3 | 8.2 | 8.2 | 8.7 | 8.7 | 8.7 |
| 16 | 7.6 | 7.6 | 7.6 | 7.5 | 7.5 | 7.5 | 8.3 | 8.1 | 8.2 | 8.7 | 8.7 | 8.7 |
| 17 | 7.7 | 7.6 | 7.7 | 7.5 | 7.5 | 7.5 | 8.1 | 8.1 | 8.1 | 8.7 | 8.7 | 8.7 |
| 18 | 7.7 | 7.7 | 7.7 | 7.6 | 7.5 | 7.5 | 8.2 | 8.1 | 8.2 | 8.7 | 8.7 | 8.7 |
| 19 | 7.7 | 7.7 | 7.7 | 7.6 | 7.6 | 7.6 | 8.3 | 8.2 | 8.3 | 8.8 | 8.7 | 8.8 |
| 20 | 7.7 | 7.7 | 7.7 | 7.7 | 7.6 | 7.6 | 8.4 | 8.3 | 8.4 | 8.8 | 8.7 | 8.7 |
| 21 | 7.7 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 | 8.4 | 8.4 | 8.4 | 8.8 | 8.1 | 8.4 |
| 22 | 7.7 | 7.6 | 7.7 | 7.7 | 7.7 | 7.7 | 8.5 | 8.4 | 8.5 | 8.1 | 8.1 | 8.1 |
| 23 | 7.7 | 7.6 | 7.7 | 7.8 | 7.7 | 7.8 | 8.5 | 8.5 | 8.5 | 8.1 | 8.1 | 8.1 |
| 24 | 7.7 | 7.6 | 7.7 | 7.8 | 7.7 | 7.7 | 8.5 | 8.5 | 8.5 | 8.1 | 8.1 | 8.1 |
| 25 | 7.7 | 7.6 | 7.6 | 7.7 | 7.7 | 7.7 | 8.5 | 8.5 | 8.5 | 8.1 | 8.0 | 8.1 |
| 26 | 7.6 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 | 8.6 | 8.5 | 8.6 | 8.0 | 8.0 | 8.0 |
| 27 | 7.6 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 | 8.6 | 8.6 | 8.6 | 8.1 | 8.0 | 8.1 |
| 28 | 7.6 | 7.6 | 7.6 | 7.9 | 7.8 | 7.9 | 8.6 | 8.5 | 8.6 | 8.1 | 8.1 | 8.1 |
| 29 | 7.6 | 7.5 | 7.6 | 7.9 | 7.8 | 7.9 | 8.6 | 8.5 | 8.5 | 8.1 | 8.0 | 8.1 |
| 30 | 7.7 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 | 8.6 | 8.5 | 8.6 | 8.1 | 8.0 | 8.0 |
| 31 | 7.6 | 7.6 | 7.6 | --- | --- | --- | 8.6 | 8.5 | 8.6 | 8.1 | 8.0 | 8.1 |
| MONTH | 7.8 | 7.4 | 7.6 | 7.9 | 7.4 | 7.6 | 8.6 | 7.8 | 8.3 | 8.8 | 8.0 | 8.5 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 8.1 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 | 8.2 | 8.1 | 8.1 | 7.6 | 7.6 | 7.6 |
| 2 | 8.1 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 | 8.2 | 8.2 | 8.2 | 7.6 | 7.6 | 7.6 |
| 3 | 8.0 | 8.0 | 8.0 | 8.2 | 8.1 | 8.1 | 8.3 | 8.2 | 8.2 | 7.6 | 7.6 | 7.6 |
| 4 | 8.1 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 | 8.3 | 8.2 | 8.2 | 7.6 | 7.6 | 7.6 |
| 5 | 8.0 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 | 8.3 | 8.2 | 8.2 | 7.6 | 7.4 | 7.6 |
| 6 | 8.0 | 7.9 | 7.9 | 8.2 | 8.1 | 8.2 | 8.4 | 8.2 | 8.3 | 7.7 | 7.6 | 7.7 |
| 7 | 7.9 | 7.9 | 7.9 | 8.2 | 8.0 | 8.1 | 8.4 | 8.1 | 8.3 | 7.7 | 7.6 | 7.6 |
| 8 | 7.9 | 7.9 | 7.9 | 8.1 | 8.0 | 8.0 | 8.3 | 8.1 | 8.2 | 7.7 | 7.6 | 7.7 |
| 9 | 7.9 | 7.8 | 7.9 | 8.1 | 8.1 | 8.1 | 8.4 | 7.9 | 8.0 | 7.7 | 7.5 | 7.6 |
| 10 | 7.9 | 7.8 | 7.8 | 8.1 | 8.1 | 8.1 | 7.9 | 7.8 | 7.9 | 7.7 | 7.5 | 7.6 |
| 11 | 7.9 | 7.8 | 7.8 | 8.1 | 8.0 | 8.1 | 7.9 | 7.8 | 7.8 | 7.7 | 7.6 | 7.7 |
| 12 | 7.9 | 7.8 | 7.8 | 8.1 | 8.1 | 8.1 | 7.9 | 7.8 | 7.9 | 7.8 | 7.6 | 7.7 |
| 13 | 7.9 | 7.8 | 7.9 | 8.1 | 8.0 | 8.1 | 7.8 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 |
| 14 | 7.8 | 7.8 | 7.8 | 8.1 | 8.0 | 8.1 | 7.8 | 7.7 | 7.7 | 7.8 | 7.8 | 7.8 |
| 15 | 7.8 | 7.8 | 7.8 | 8.1 | 8.0 | 8.0 | 7.7 | 7.4 | 7.6 | 7.9 | 7.8 | 7.8 |
| 16 | 7.8 | 7.7 | 7.7 | 8.1 | 8.0 | 8.0 | 7.5 | 7.5 | 7.5 | 7.9 | 7.7 | 7.8 |
| 17 | 7.8 | 7.6 | 7.8 | 8.0 | 8.0 | 8.0 | 7.6 | 7.5 | 7.5 | 7.8 | 7.8 | 7.8 |
| 18 | 7.7 | 7.5 | 7.6 | 8.1 | 8.0 | 8.0 | 7.7 | 7.6 | 7.6 | 7.9 | 7.8 | 7.8 |
| 19 | 7.6 | 7.5 | 7.5 | 8.1 | 8.0 | 8.1 | 7.6 | 7.6 | 7.6 | 7.9 | 7.8 | 7.8 |
| 20 | 7.5 | 7.4 | 7.5 | 8.1 | 7.9 | 8.0 | 7.6 | 7.6 | 7.6 | 7.9 | 7.8 | 7.8 |
| 21 | 7.5 | 7.4 | 7.4 | 8.2 | 8.1 | 8.1 | 7.6 | 7.6 | 7.6 | 7.9 | 7.8 | 7.8 |
| 22 | 7.4 | 7.4 | 7.4 | 8.1 | 8.1 | 8.1 | 7.6 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 |
| 23 | 7.5 | 7.4 | 7.4 | 8.1 | 8.0 | 8.0 | 7.6 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 |
| 24 | 7.5 | 7.4 | 7.5 | 8.0 | 8.0 | 8.0 | 7.6 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 |
| 25 | 7.6 | 7.5 | 7.6 | 8.1 | 8.0 | 8.1 | 7.6 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 |
| 26 | 7.6 | 7.5 | 7.5 | 8.1 | 8.0 | 8.1 | 7.6 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 |
| 27 | 7.9 | 7.5 | 7.5 | 8.1 | 8.1 | 8.1 | 7.7 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 |
| 28 | 8.1 | 7.9 | 8.1 | 8.1 | 8.1 | 8.1 | 7.6 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 |
| 29 | --- | --- | --- | 8.2 | 8.1 | 8.2 | 7.6 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 |
| 30 | --- | --- | --- | --- | --- | --- | 7.6 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.7 | 7.7 |
| MONTH | 8.1 | 7.4 | 7.8 | 8.2 | 7.9 | 8.1 | 8.4 | 7.4 | 7.8 | 7.9 | 7.4 | 7.7 |

03287500 KENTUCKY RIVER AT LOCK 4 AT FRANKFORT, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 22.8 | 22.4 | 22.6 | 15.0 | 13.9 | 14.6 | 7.9 | 7.5 | 7.7 | 6.2 | 6.0 | 6.1 |
| 2 | 22.4 | 20.8 | 21.8 | 13.9 | 13.1 | 13.4 | 7.7 | 7.2 | 7.5 | 6.5 | 6.1 | 6.3 |
| 3 | 20.8 | 18.9 | 19.8 | 13.1 | 12.7 | 12.8 | 7.3 | 6.9 | 7.1 | 6.1 | 5.8 | 6.0 |
| 4 | 18.9 | 18.4 | 18.6 | 12.7 | 12.3 | 12.5 | 6.9 | 6.1 | 6.6 | 6.1 | 5.9 | 6.0 |
| 5 | 20.3 | 18.7 | 19.3 | 12.3 | 12.2 | 12.2 | 6.1 | 5.4 | 5.7 | 6.0 | 5.8 | 5.8 |
| 6 | 20.8 | 19.4 | 19.9 | 12.4 | 11.9 | 12.2 | 5.4 | 5.0 | 5.2 | --- | --- | --- |
| 7 | 20.6 | 19.8 | 20.2 | 12.3 | 12.0 | 12.1 | 5.0 | 4.7 | 4.9 | 5.5 | 5.3 | 5.5 |
| 8 | 20.3 | 19.6 | 19.9 | 12.2 | 11.9 | 12.1 | 6.0 | 4.8 | 5.5 | 5.7 | 5.2 | 5.5 |
| 9 | 20.2 | 19.6 | 19.8 | 12.4 | 12.1 | 12.3 | 6.3 | 5.3 | 5.6 | 5.7 | 5.6 | 5.6 |
| 10 | 19.8 | 19.5 | 19.6 | 12.8 | 12.3 | 12.5 | 6.3 | 5.3 | 5.8 | 5.7 | 5.2 | 5.6 |
| 11 | 20.5 | 17.8 | 19.5 | 13.2 | 12.6 | 13.0 | 5.3 | 4.5 | 4.8 | 5.2 | 5.0 | 5.1 |
| 12 | 19.7 | 16.9 | 18.8 | 13.2 | 12.8 | 13.0 | 5.1 | 4.5 | 4.8 | 5.1 | 4.6 | 4.7 |
| 13 | 19.4 | 18.9 | 19.2 | 13.0 | 12.7 | 12.9 | 5.8 | 5.1 | 5.4 | 4.7 | 4.5 | 4.6 |
| 14 | 19.1 | 18.3 | 18.7 | 12.7 | 12.5 | 12.6 | 5.3 | 3.9 | 4.9 | 4.8 | 4.6 | 4.7 |
| 15 | 18.3 | 17.5 | 17.9 | 12.5 | 12.2 | 12.4 | 4.8 | 3.8 | 4.5 | 4.6 | 4.3 | 4.4 |
| 16 | 17.5 | 16.8 | 17.2 | 12.2 | 11.6 | 12.0 | 5.8 | 4.7 | 5.2 | 4.4 | 4.2 | 4.3 |
| 17 | 16.8 | 16.2 | 16.4 | 11.6 | 11.3 | 11.5 | 6.6 | 5.8 | 6.2 | 4.2 | 3.6 | 3.9 |
| 18 | 16.2 | 15.8 | 16.0 | 11.3 | 11.0 | 11.1 | 7.1 | 6.6 | 6.8 | 3.8 | 3.5 | 3.7 |
| 19 | 16.5 | 16.0 | 16.4 | 11.1 | 10.9 | 11.0 | 7.6 | 7.1 | 7.2 | 3.6 | 3.2 | 3.4 |
| 20 | 16.3 | 15.9 | 16.1 | 11.0 | 10.7 | 10.8 | 8.0 | 7.6 | 7.8 | 3.3 | 3.1 | 3.2 |
| 21 | 15.9 | 15.4 | 15.7 | 10.9 | 10.7 | 10.8 | 7.8 | 7.4 | 7.5 | 3.2 | 2.9 | 3.0 |
| 22 | 15.8 | 15.4 | 15.6 | 10.9 | 10.5 | 10.7 | 7.6 | 7.5 | 7.6 | 3.2 | 2.8 | 3.0 |
| 23 | 15.5 | 15.1 | 15.4 | 10.6 | 10.5 | 10.5 | 7.5 | 7.1 | 7.2 | 3.0 | 2.3 | 2.7 |
| 24 | 15.5 | 15.0 | 15.2 | 10.5 | 10.2 | 10.4 | 7.1 | 6.8 | 6.9 | 2.3 | 2.0 | 2.1 |
| 25 | 15.4 | 15.0 | 15.2 | 10.4 | 10.1 | 10.3 | 6.8 | 6.4 | 6.6 | 2.1 | 1.9 | 1.9 |
| 26 | 15.6 | 15.4 | 15.5 | 10.1 | 9.3 | 9.7 | 6.4 | 6.0 | 6.1 | 1.9 | 1.6 | 1.8 |
| 27 | 16.1 | 15.3 | 15.5 | 9.3 | 8.8 | 9.0 | 6.1 | 5.9 | 6.0 | 1.6 | 1.3 | 1.4 |
| 28 | 15.6 | 15.3 | 15.5 | 8.8 | 8.3 | 8.5 | 6.0 | 5.9 | 6.0 | 1.5 | 1.4 | 1.4 |
| 29 | 15.3 | 14.5 | 14.9 | 8.6 | 8.0 | 8.3 | 6.2 | 6.0 | 6.1 | 1.6 | 1.4 | 1.5 |
| 30 | 14.6 | 14.3 | 14.5 | 8.6 | 7.9 | 8.4 | 6.2 | 5.9 | 6.0 | 1.8 | 1.5 | 1.7 |
| 31 | 14.5 | 14.1 | 14.3 | --- | --- | --- | 6.2 | 5.9 | 6.0 | 2.1 | 1.7 | 1.8 |
| MONTH | 22.8 | 14.1 | 17.6 | 15.0 | 7.9 | 11.5 | 8.0 | 3.8 | 6.2 | 6.5 | 1.3 | 3.9 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 2.3 | 2.1 | 2.2 | 5.6 | 5.5 | 5.6 | 11.5 | 10.9 | 11.2 | 16.1 | 15.5 | 15.8 |
| 2 | 2.5 | 2.1 | 2.3 | 5.6 | 5.3 | 5.5 | 12.2 | 11.2 | 11.7 | 16.4 | 15.9 | 16.1 |
| 3 | 2.7 | 2.0 | 2.2 | 5.3 | 5.0 | 5.2 | 12.9 | 12.1 | 12.5 | 16.3 | 16.0 | 16.2 |
| 4 | 2.9 | 2.7 | 2.8 | 5.4 | 5.0 | 5.2 | 13.3 | 12.8 | 13.1 | 16.0 | 15.5 | 15.7 |
| 5 | 3.2 | 2.6 | 3.0 | 5.7 | 5.4 | 5.5 | 13.3 | 12.8 | 13.1 | 16.2 | 15.5 | 15.7 |
| 6 | 2.6 | 2.0 | 2.1 | 5.7 | 5.6 | 5.6 | 12.8 | 12.3 | 12.5 | 17.1 | 15.1 | 16.4 |
| 7 | 2.8 | 2.2 | 2.5 | 6.0 | 5.5 | 5.7 | 12.9 | 12.2 | 12.5 | 16.7 | 16.3 | 16.5 |
| 8 | 2.4 | 2.2 | 2.3 | 6.6 | 5.9 | 6.2 | 14.3 | 12.7 | 13.5 | 17.2 | 16.5 | 16.7 |
| 9 | 2.8 | 2.1 | 2.5 | 7.0 | 6.6 | 6.7 | 14.1 | 13.0 | 13.4 | 17.0 | 16.7 | 16.8 |
| 10 | 3.1 | 2.5 | 2.7 | 6.9 | 6.6 | 6.8 | 13.4 | 12.1 | 12.7 | 17.7 | 17.0 | 17.5 |
| 11 | 3.1 | 2.6 | 2.8 | 7.4 | 6.7 | 7.0 | 12.9 | 11.5 | 11.8 | 18.2 | 17.7 | 18.0 |
| 12 | 3.0 | 2.8 | 2.9 | 7.4 | 7.1 | 7.2 | 11.7 | 11.2 | 11.3 | 18.1 | 17.7 | 18.0 |
| 13 | 3.8 | 3.0 | 3.4 | 7.5 | 7.1 | 7.3 | 11.2 | 10.8 | 10.9 | 17.7 | 17.4 | 17.6 |
| 14 | 3.7 | 3.6 | 3.6 | 7.7 | 7.2 | 7.4 | 11.4 | 10.8 | 11.1 | 17.7 | 17.4 | 17.5 |
| 15 | 4.6 | 3.7 | 4.0 | 8.2 | 7.7 | 8.0 | 12.0 | 11.4 | 11.6 | 17.5 | 17.1 | 17.3 |
| 16 | 4.8 | 4.1 | 4.5 | 8.7 | 8.1 | 8.4 | 12.5 | 11.9 | 12.2 | 17.6 | 16.7 | 17.1 |
| 17 | 4.2 | 3.8 | 4.0 | 9.0 | 8.7 | 8.9 | 12.7 | 12.5 | 12.6 | 17.7 | 17.1 | 17.4 |
| 18 | 4.2 | 3.8 | 4.1 | 9.4 | 9.0 | 9.2 | 13.0 | 12.7 | 12.8 | 18.5 | 16.7 | 17.4 |
| 19 | 4.2 | 4.1 | 4.2 | 9.4 | 9.2 | 9.3 | 13.9 | 13.0 | 13.4 | 18.9 | 17.8 | 18.4 |
| 20 | 4.5 | 4.2 | 4.4 | 9.6 | 9.3 | 9.4 | 14.2 | 13.6 | 13.9 | 18.3 | 18.1 | 18.2 |
| 21 | 4.8 | 4.5 | 4.6 | 10.3 | 9.3 | 9.8 | 14.6 | 14.1 | 14.4 | 18.2 | 17.2 | 17.7 |
| 22 | 5.5 | 4.8 | 5.1 | 11.2 | 10.2 | 10.7 | 14.5 | 14.1 | 14.4 | 17.6 | 17.0 | 17.3 |
| 23 | 6.0 | 5.2 | 5.5 | 11.2 | 10.9 | 11.0 | 14.3 | 13.8 | 14.0 | 17.7 | 17.3 | 17.5 |
| 24 | 6.0 | 5.9 | 5.9 | 11.4 | 10.8 | 11.1 | 14.2 | 14.0 | 14.1 | 18.0 | 17.4 | 17.7 |
| 25 | 6.5 | 5.9 | 6.1 | 11.8 | 11.4 | 11.6 | 14.3 | 14.1 | 14.1 | 18.0 | 17.7 | 17.8 |
| 26 | 6.5 | 6.3 | 6.5 | 12.1 | 11.7 | 11.8 | 14.4 | 14.0 | 14.2 | 17.8 | 17.5 | 17.7 |
| 27 | 6.3 | 5.8 | 6.1 | 12.3 | 11.7 | 12.0 | 14.7 | 14.1 | 14.4 | 18.3 | 17.7 | 17.9 |
| 28 | 5.8 | 5.6 | 5.6 | 12.5 | 12.0 | 12.3 | 15.2 | 14.5 | 14.9 | 18.4 | 18.1 | 18.3 |
| 29 | --- | --- | --- | 12.4 | 12.0 | 12.2 | 15.4 | 14.7 | 15.0 | 18.4 | 17.5 | 18.2 |
| 30 | --- | --- | --- | --- | --- | --- | 15.6 | 15.4 | 15.5 | 18.3 | 17.1 | 17.6 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.6 | 18.3 | 18.4 |
| MONTH | 6.5 | 2.0 | 3.9 | 12.5 | 5.0 | 8.4 | 15.6 | 10.8 | 13.1 | 18.9 | 15.1 | 17.3 |

KENTUCKY RIVER BASIN

03287500 KENTUCKY RIVER AT LOCK 4 AT FRANKFORT, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 4.5 | 3.5 | 3.9 | 9.3 | 9.0 | 9.1 | 10.6 | 10.0 | 10.3 | 12.1 | 11.8 | 11.9 |
| 2 | 5.5 | 3.9 | 4.6 | 9.4 | 9.1 | 9.3 | 11.0 | 10.1 | 10.6 | 12.0 | 11.6 | 11.8 |
| 3 | 7.5 | 4.4 | 5.7 | 9.2 | 9.0 | 9.1 | 11.9 | 10.6 | 11.3 | 12.3 | 11.9 | 12.1 |
| 4 | 7.2 | 5.8 | 6.1 | 9.1 | 9.0 | 9.0 | 11.8 | 10.8 | 11.3 | 12.3 | 12.1 | 12.2 |
| 5 | 7.4 | 5.6 | 6.0 | 9.2 | 9.0 | 9.1 | 12.2 | 11.2 | 11.8 | 12.3 | 12.2 | 12.2 |
| 6 | 7.3 | 5.3 | 5.9 | 9.3 | 8.7 | 9.1 | 12.1 | 11.8 | 12.0 | --- | --- | --- |
| 7 | 6.9 | 5.3 | 5.8 | 9.4 | 9.0 | 9.2 | 12.2 | 12.0 | 12.1 | 12.5 | 12.2 | 12.3 |
| 8 | 7.3 | 5.2 | 5.9 | 9.3 | 9.1 | 9.2 | 12.3 | 11.7 | 11.9 | 12.4 | 12.0 | 12.2 |
| 9 | 6.3 | 5.1 | 5.5 | 9.1 | 8.8 | 9.0 | 12.2 | 11.7 | 12.0 | 12.1 | 11.9 | 12.0 |
| 10 | 5.8 | 5.1 | 5.4 | 8.8 | 8.6 | 8.7 | 12.4 | 11.8 | 12.1 | 12.0 | 10.6 | 11.6 |
| 11 | 8.3 | 5.4 | 7.2 | 8.8 | 8.3 | 8.6 | 12.7 | 12.3 | 12.6 | 11.0 | 10.6 | 10.8 |
| 12 | 8.5 | 8.0 | 8.3 | 9.0 | 8.2 | 8.8 | 12.8 | 12.5 | 12.6 | 11.3 | 10.6 | 11.0 |
| 13 | 8.7 | 8.4 | 8.5 | 9.2 | 8.3 | 9.1 | 12.7 | 12.3 | 12.6 | 11.7 | 10.9 | 11.2 |
| 14 | 8.7 | 8.5 | 8.6 | 9.2 | 8.9 | 9.1 | 13.8 | 12.5 | 12.9 | 11.1 | 10.7 | 11.0 |
| 15 | 8.7 | 8.5 | 8.6 | 9.0 | 8.8 | 8.9 | 13.8 | 12.8 | 13.2 | 11.3 | 10.8 | 11.0 |
| 16 | 8.6 | 8.4 | 8.5 | 9.0 | 8.8 | 8.9 | 12.8 | 12.1 | 12.4 | 11.3 | 10.7 | 11.0 |
| 17 | 8.6 | 8.3 | 8.5 | 9.3 | 9.0 | 9.2 | 12.2 | 12.0 | 12.1 | 12.0 | 10.8 | 11.1 |
| 18 | 8.7 | 8.4 | 8.6 | 9.4 | 9.2 | 9.3 | 12.2 | 11.9 | 12.0 | 11.3 | 10.8 | 11.0 |
| 19 | 8.6 | 8.3 | 8.5 | 9.3 | 9.0 | 9.3 | 12.0 | 11.6 | 11.8 | 11.5 | 10.7 | 11.1 |
| 20 | 8.5 | 8.2 | 8.4 | 9.3 | 8.8 | 9.2 | 11.6 | 11.3 | 11.5 | 11.7 | 10.8 | 11.2 |
| 21 | 8.5 | 8.3 | 8.4 | 9.2 | 8.9 | 9.0 | 11.7 | 11.4 | 11.6 | 13.6 | 10.9 | 12.5 |
| 22 | 8.5 | 8.2 | 8.4 | 9.2 | 8.6 | 9.0 | 11.7 | 11.5 | 11.6 | 13.4 | 13.1 | 13.2 |
| 23 | 8.5 | 8.2 | 8.4 | 9.3 | 8.9 | 9.1 | 12.0 | 11.7 | 11.9 | 13.5 | 13.1 | 13.3 |
| 24 | 8.5 | 8.2 | 8.4 | 10.2 | 9.1 | 9.3 | 12.0 | 11.9 | 12.0 | 13.8 | 13.4 | 13.6 |
| 25 | 8.5 | 8.0 | 8.3 | 9.9 | 9.3 | 9.5 | 11.9 | 11.7 | 11.8 | 13.9 | 13.6 | 13.8 |
| 26 | 8.3 | 8.0 | 8.2 | 9.9 | 9.4 | 9.6 | 12.1 | 11.8 | 12.0 | 14.1 | 13.7 | 13.9 |
| 27 | 8.2 | 8.0 | 8.1 | 10.0 | 9.6 | 9.9 | 12.4 | 12.1 | 12.2 | 14.1 | 11.0 | 12.1 |
| 28 | 8.2 | 7.7 | 8.0 | 10.2 | 9.8 | 10 | 12.4 | 12.3 | 12.3 | 11.9 | 10.6 | 11.1 |
| 29 | 8.2 | 7.8 | 8.0 | 11.0 | 9.7 | 10.2 | 12.3 | 12.1 | 12.2 | 13.2 | 10.3 | 11.4 |
| 30 | 9.0 | 7.7 | 8.5 | 10.9 | 9.5 | 10.2 | 12.3 | 12.0 | 12.2 | 12.6 | 10.7 | 11.5 |
| 31 | 9.3 | 8.9 | 9.1 | --- | --- | --- | 12.2 | 12.0 | 12.1 | 12.7 | 11.9 | 12.4 |
| MONTH | 9.3 | 3.5 | 7.4 | 11.0 | 8.2 | 9.2 | 13.8 | 10.0 | 12.0 | 14.1 | 10.3 | 11.9 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 12.8 | 12.2 | 12.5 | 12.9 | 12.8 | 12.9 | 10.4 | 10.2 | 10.3 | 9.3 | 8.8 | 9.1 |
| 2 | 13.0 | 12.2 | 12.6 | 12.8 | 12.7 | 12.8 | 10.5 | 8.1 | 9.6 | 8.9 | 8.6 | 8.8 |
| 3 | 13.3 | 12.3 | 12.7 | 12.9 | 12.7 | 12.9 | 9.3 | 7.5 | 8.3 | 8.8 | 8.5 | 8.6 |
| 4 | 12.8 | 12.1 | 12.4 | 12.9 | 12.7 | 12.8 | 9.0 | 7.5 | 8.0 | 9.0 | 6.3 | 8.0 |
| 5 | 13.0 | 12.1 | 12.5 | 12.7 | 12.4 | 12.6 | 8.7 | 7.8 | 8.0 | 7.2 | 6.1 | 6.7 |
| 6 | 13.6 | 13.0 | 13.4 | 12.5 | 12.3 | 12.4 | 9.2 | 7.8 | 8.4 | 7.7 | 6.8 | 7.3 |
| 7 | 13.8 | 13.1 | 13.4 | 12.4 | 12.3 | 12.3 | 8.9 | 8.1 | 8.3 | --- | --- | --- |
| 8 | 13.7 | 13.2 | 13.4 | 12.3 | 11.9 | 12.1 | 9.2 | 7.6 | 8.2 | --- | --- | --- |
| 9 | 13.6 | 12.7 | 13.1 | 12.1 | 11.7 | 11.9 | 12.8 | 7.5 | 130 | --- | --- | --- |
| 10 | 13.0 | 12.4 | 12.7 | 12.0 | 11.7 | 11.9 | --- | --- | --- | --- | --- | --- |
| 11 | 12.8 | 12.3 | 12.6 | 12.0 | 11.8 | 11.9 | --- | --- | --- | --- | --- | --- |
| 12 | 12.8 | 12.1 | 12.4 | 11.9 | 11.7 | 11.8 | --- | --- | --- | 9.2 | 8.2 | 9.1 |
| 13 | 12.4 | 11.6 | 12.0 | 11.8 | 11.5 | 11.7 | --- | --- | --- | 9.2 | 9.0 | 9.1 |
| 14 | 12.2 | 11.8 | 12.0 | 11.7 | 11.5 | 11.7 | --- | --- | --- | 9.1 | 9.0 | 9.1 |
| 15 | 12.6 | 11.8 | 12.2 | 11.7 | 11.2 | 11.5 | --- | --- | --- | 9.1 | 8.1 | 8.9 |
| 16 | --- | --- | --- | 11.5 | 11.3 | 11.4 | 10.7 | 10.4 | 10.6 | 8.9 | 8.5 | 8.8 |
| 17 | --- | --- | --- | 11.4 | 11.0 | 11.2 | 10.5 | 10.0 | 10.2 | 8.9 | 8.8 | 8.9 |
| 18 | --- | --- | --- | 11.2 | 10.9 | 11.1 | 10.2 | 9.9 | 10.0 | 9.2 | 8.9 | 9.1 |
| 19 | --- | --- | --- | 11.0 | 10.7 | 10.9 | 10.2 | 10.0 | 10.1 | 9.2 | 9.0 | 9.1 |
| 20 | --- | --- | --- | 11.0 | 10.7 | 10.8 | 10.1 | 9.9 | 10 | 9.2 | 9.0 | 9.1 |
| 21 | --- | --- | --- | 11.2 | 10.8 | 11.0 | 10.0 | 9.7 | 9.8 | 9.3 | 9.0 | 9.1 |
| 22 | --- | --- | --- | 10.8 | 10.3 | 10.6 | 9.9 | 9.7 | 9.8 | 9.3 | 9.0 | 9.2 |
| 23 | --- | --- | --- | 10.4 | 10.2 | 10.3 | 10.0 | 9.8 | 9.9 | 9.1 | 8.9 | 9.0 |
| 24 | --- | --- | --- | 10.5 | 10.3 | 10.4 | 9.9 | 9.7 | 9.8 | 9.1 | 8.6 | 9.0 |
| 25 | --- | --- | --- | 10.5 | 7.7 | 8.8 | 9.8 | 9.5 | 9.7 | 9.0 | 8.8 | 8.9 |
| 26 | --- | --- | --- | 10.1 | 7.7 | 9.1 | 9.6 | 9.3 | 9.4 | 8.9 | 8.6 | 8.8 |
| 27 | --- | --- | --- | 10.2 | 9.9 | 10.1 | 9.5 | 9.3 | 9.4 | 8.7 | 8.5 | 8.6 |
| 28 | 13.0 | 12.8 | 12.9 | 10.1 | 9.8 | 10.0 | 9.4 | 9.1 | 9.3 | 8.6 | 8.3 | 8.5 |
| 29 | --- | --- | --- | 10.1 | 9.8 | 10.0 | 9.4 | 9.2 | 9.2 | 8.6 | 8.2 | 8.4 |
| 30 | --- | --- | --- | --- | --- | --- | 9.5 | 9.0 | 9.1 | 8.6 | 8.3 | 8.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 8.1 | 8.3 |
| MONTH | 13.8 | 11.6 | 12.7 | 12.9 | 7.7 | 11.3 | 12.8 | 7.5 | 14.4 | 9.3 | 6.1 | 8.7 |

03287580 NORTH ELKHORN CREEK AT BRYANT ROAD NEAR CADENTOWN, KY

LOCATION.--Lat 38°01'42", long 84°24'07", Fayette County, Hydrologic Unit 05100205, on right bank, downstream side of bridge on Bryant Road, 0.7 miles northeast of intersection with I-75, 1.6 miles southeast of intersection of US 60 (Winchester Road), 1.8 miles northeast of Cadentown, and at mile 90.3.

DRAINAGE AREA.--2.20 mi².

PERIOD OF RECORD.--October 1997 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 942.109 ft above NGVD of 1929.

REMARKS.--Records fair except for those below 2.0 ft³/s and those estimated, which are poor.

COOPERATION.--Lexington-Fayette County Urban Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|-------|-------|-------|-------|-------|--------|--------|-------|-------|--------|
| 1 | 0.20 | 2.3 | 1.1 | 16 | 1.0 | 4.0 | 0.84 | 0.71 | 1.7 | 0.48 | 0.53 | 19 |
| 2 | 0.12 | 2.1 | 1.2 | 11 | 1.0 | 3.4 | 0.75 | 0.74 | 1.2 | 0.45 | 0.46 | 29 |
| 3 | 0.06 | 1.9 | 1.1 | 7.6 | 1.2 | 2.9 | 0.74 | 0.99 | 9.4 | 0.42 | 0.47 | 46 |
| 4 | 0.07 | 1.0 | 1.2 | 5.5 | 8.7 | 2.3 | 0.94 | 0.76 | 6.4 | 0.38 | 1.2 | 16 |
| 5 | 0.22 | 11 | 1.6 | 4.4 | 3.4 | 2.1 | 1.9 | 51 | 3.3 | 0.34 | 0.99 | 5.8 |
| 6 | 0.10 | 12 | 1.6 | 3.6 | 3.5 | 1.9 | 1.6 | 24 | 2.2 | 0.30 | 0.74 | 2.9 |
| 7 | 0.02 | 6.7 | 1.6 | 3.0 | 3.9 | 1.8 | 8.2 | 28 | 46 | 0.27 | 0.75 | 1.9 |
| 8 | 0.00 | 4.4 | 1.8 | e2.7 | 3.2 | 1.3 | 5.9 | 21 | 17 | 0.23 | 0.83 | 0.98 |
| 9 | 0.00 | 3.1 | 1.8 | e2.5 | 2.7 | 0.83 | 13 | 50 | 12 | 2.7 | 0.64 | 1.1 |
| 10 | 8.6 | 34 | 1.9 | e2.3 | 2.9 | 0.81 | 9.5 | 18 | 6.3 | 4.7 | 0.54 | 1.4 |
| 11 | 21 | 33 | 8.0 | e2.1 | 2.7 | 0.76 | 7.4 | 36 | 4.5 | 1.8 | 0.50 | 0.70 |
| 12 | 4.0 | 11 | 11 | e2.0 | 2.6 | 0.81 | 4.6 | 14 | 4.3 | 0.96 | 0.45 | 0.56 |
| 13 | 3.0 | 6.2 | 18 | e1.9 | 1.7 | 1.6 | 2.9 | 7.1 | 3.3 | 0.73 | 0.30 | 0.50 |
| 14 | 1.7 | 4.1 | 25 | e1.8 | 3.7 | 2.0 | 2.1 | 4.5 | 11 | 0.57 | 0.23 | 0.45 |
| 15 | 1.1 | 6.8 | 11 | e1.8 | 60 | 1.7 | 1.2 | 25 | 15 | 0.51 | 0.29 | 0.43 |
| 16 | 1.4 | 13 | 6.6 | e1.7 | 75 | 1.5 | 1.1 | 15 | 8.8 | 5.7 | 0.75 | 0.38 |
| 17 | 1.2 | 8.9 | 4.8 | e1.6 | 38 | 0.99 | 8.2 | 12 | 7.8 | 1.9 | 0.48 | 0.33 |
| 18 | 0.95 | 5.6 | 4.1 | e1.5 | 14 | 0.81 | 9.3 | 11 | 7.8 | 1.2 | 0.33 | 0.29 |
| 19 | 1.0 | 4.0 | 13 | e1.3 | 8.9 | 3.2 | 4.2 | 8.0 | 4.8 | 0.90 | 0.25 | 0.31 |
| 20 | 2.8 | 3.0 | 22 | e1.2 | 8.3 | 9.1 | 2.6 | 6.7 | 3.0 | 0.73 | 0.21 | 0.33 |
| 21 | 2.4 | 2.8 | 9.7 | e1.1 | 8.3 | 5.5 | 2.7 | 16 | 2.2 | 0.74 | 0.16 | 0.33 |
| 22 | 2.1 | 2.6 | 6.2 | e1.0 | 42 | 3.2 | 2.0 | 9.0 | 1.6 | 0.82 | 0.13 | 1.8 |
| 23 | 1.9 | 2.3 | 4.1 | e0.95 | 24 | 2.3 | 1.8 | 5.5 | 0.99 | 1.2 | 0.12 | 0.95 |
| 24 | 1.7 | 2.1 | 4.9 | e0.90 | 12 | 2.1 | 1.3 | 3.7 | 0.84 | 1.1 | 0.08 | 0.67 |
| 25 | 1.7 | 1.6 | 9.0 | e0.86 | 7.8 | 1.8 | 0.81 | 2.9 | 0.75 | 0.80 | 0.04 | 0.52 |
| 26 | 1.6 | 1.1 | 6.2 | e0.82 | 5.6 | 1.4 | 0.74 | 2.0 | 0.68 | 0.63 | 0.03 | 0.43 |
| 27 | 1.6 | 1.0 | 4.7 | e0.79 | 4.5 | 0.86 | 0.63 | 1.3 | 0.69 | 0.52 | 0.01 | 0.86 |
| 28 | 1.7 | 0.93 | 3.7 | e0.76 | 4.5 | 1.2 | 0.59 | 1.2 | 0.61 | 0.51 | 0.00 | 0.69 |
| 29 | 4.5 | 0.89 | 3.0 | 1.1 | --- | 2.4 | 0.81 | 1.7 | 0.53 | 0.52 | 0.00 | 0.77 |
| 30 | 4.4 | 0.95 | 2.7 | 0.99 | --- | 2.1 | 0.78 | 1.5 | 0.50 | 0.45 | 3.5 | 1.2 |
| 31 | 3.0 | --- | 2.9 | 0.88 | --- | 1.2 | --- | 1.5 | --- | 0.51 | 25 | --- |
| TOTAL | 74.14 | 190.37 | 195.5 | 85.65 | 355.1 | 67.87 | 99.13 | 380.80 | 185.19 | 33.07 | 40.01 | 136.58 |
| MEAN | 2.39 | 6.35 | 6.31 | 2.76 | 12.7 | 2.19 | 3.30 | 12.3 | 6.17 | 1.07 | 1.29 | 4.55 |
| MAX | 21 | 34 | 25 | 16 | 75 | 9.1 | 13 | 51 | 46 | 5.7 | 25 | 46 |
| MIN | 0.00 | 0.89 | 1.1 | 0.76 | 1.0 | 0.76 | 0.59 | 0.71 | 0.50 | 0.23 | 0.00 | 0.29 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 0.56 | 1.26 | 2.09 | 3.02 | 5.28 | 4.39 | 2.66 | 4.06 | 2.39 | 1.29 | 0.34 | 0.93 |
| MAX | 2.39 | 6.35 | 6.31 | 6.35 | 12.7 | 7.99 | 6.19 | 12.3 | 7.61 | 6.20 | 1.29 | 4.55 |
| (WY) | (2003) | (2003) | (2003) | (1998) | (2003) | (2002) | (1998) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 0.000 | 0.000 | 0.068 | 0.25 | 0.48 | 2.19 | 0.73 | 0.20 | 0.028 | 0.016 | 0.000 | 0.000 |
| (WY) | (2000) | (2000) | (2000) | (2000) | (2002) | (2003) | (2001) | (1999) | (1999) | (1999) | (1999) | (1999) |

03287580 NORTH ELKHORN CREEK AT BRYANT ROAD NEAR CADENTOWN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1,009.20 | | 1,843.41 | | | |
| ANNUAL MEAN | 2.76 | | 5.05 | | 2.34 | |
| HIGHEST ANNUAL MEAN | | | | | 5.05 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 0.83 | 2000 |
| HIGHEST DAILY MEAN | 98 | Mar 20 | 75 | Feb 16 | 98 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 0.00 | Jun 23 | 0.00 | Oct 8 | 0.00 | Oct 1, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jul 5 | 0.04 | Aug 23 | 0.00 | Oct 1, 1997 |
| MAXIMUM PEAK FLOW | | | 169 | May 8 | 281 | Jun 29, 1998 |
| MAXIMUM PEAK STAGE | | | 4.75 | May 8 | 5.11 | Jun 29, 1998 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Jul 1, 2001 |
| 10 PERCENT EXCEEDS | 6.7 | | 12 | | 5.6 | |
| 50 PERCENT EXCEEDS | 0.54 | | 1.8 | | 0.47 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.43 | | 0.00 | |

e Estimated



03287590 NORTH ELKHORN CREEK AT WINCHESTER ROAD NEAR LEXINGTON, KY

LOCATION.--Lat 38°02'54", long 84°24'40", Fayette County, Hydrologic Unit 05100205, on right bank, downstream side of culvert on Winchester Road (US 60), 0.5 miles east of I-75, 0.8 miles west of intersection with Bryant Road (1425), 2.2 miles east of Lexington, and at mile 89.1.

DRAINAGE AREA.--4.05 mi².

PERIOD OF RECORD.--October 1997 to current year.

REVISIONS.--Maximum discharge for the water year 1998 has been revised to 720 ft³/s, July 20, 1998, gage height, 6.78 ft.

GAGE.--Water-stage recorder with telemetry. Elevation of gage is 921.258 ft above NGVD of 1929.

REMARKS.--Records fair except for discharges below 8.0 cfs, above 250 cfs, and those estimated, which are poor.

COOPERATION.--Lexington-Fayette County Urban Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|
| 1 | 0.51 | 4.6 | 1.7 | 25 | 2.6 | 7.8 | 3.1 | 2.4 | 2.4 | 0.82 | 1.2 | 25 |
| 2 | 0.40 | 4.1 | 1.6 | 13 | 2.1 | 6.8 | 2.6 | 4.6 | 2.0 | 0.80 | 0.94 | 50 |
| 3 | 0.30 | 3.8 | 1.5 | 8.9 | 3.4 | 5.9 | 2.5 | 4.2 | 26 | 0.79 | 1.4 | 74 |
| 4 | 1.5 | 3.3 | 1.4 | 6.1 | 18 | 4.6 | 2.6 | 2.5 | 10 | 0.76 | 5.2 | 26 |
| 5 | 0.95 | 31 | 1.5 | 4.8 | 5.5 | 4.2 | 10 | 133 | 5.4 | 0.67 | 2.2 | 11 |
| 6 | 0.27 | 22 | 1.6 | 4.0 | 4.1 | 3.7 | 6.7 | 30 | 4.7 | 0.60 | 1.3 | 6.6 |
| 7 | 0.19 | 11 | 1.7 | 3.5 | 4.5 | 3.3 | 28 | 36 | 101 | 0.60 | 1.1 | 4.8 |
| 8 | 0.21 | 7.5 | 2.4 | e3.1 | 4.0 | 2.8 | 16 | 32 | 28 | 0.53 | 1.3 | 3.0 |
| 9 | 0.19 | 6.1 | 2.7 | e2.8 | 3.5 | 1.9 | 32 | 162 | 17 | 15 | 1.0 | 2.7 |
| 10 | 29 | 83 | 2.6 | e2.6 | 3.4 | 1.5 | 23 | 29 | 9.0 | 18 | 0.91 | 3.2 |
| 11 | 75 | 55 | 14 | e2.4 | 3.2 | 1.4 | 19 | 91 | 7.1 | 5.4 | 1.2 | 2.0 |
| 12 | 12 | 17 | 12 | e2.3 | 2.9 | 2.3 | 13 | 21 | 6.5 | 2.7 | 0.94 | 1.6 |
| 13 | 7.3 | 9.9 | 28 | e2.2 | 2.8 | 7.1 | 8.7 | 12 | 5.4 | 1.8 | 0.76 | 1.5 |
| 14 | 4.6 | 6.8 | 33 | e2.1 | 6.2 | 6.0 | 6.9 | 7.6 | 19 | 1.3 | 0.60 | 1.4 |
| 15 | 4.5 | 16 | 15 | e2.1 | 134 | 4.7 | 4.5 | 86 | 21 | 1.0 | 4.9 | 1.4 |
| 16 | 5.5 | 22 | 9.0 | e2.0 | 162 | 4.2 | 3.7 | 23 | 15 | 24 | 2.9 | 1.3 |
| 17 | 3.6 | 13 | 7.7 | e2.0 | 63 | 3.1 | 27 | 23 | 14 | 4.0 | 1.3 | 1.2 |
| 18 | 2.6 | 8.5 | 6.5 | e1.9 | 27 | 2.5 | 20 | 17 | 12 | 2.3 | 0.86 | 1.2 |
| 19 | 3.2 | 6.6 | 30 | e1.9 | 18 | 12 | 11 | 12 | 7.1 | 1.6 | 0.68 | 1.2 |
| 20 | 8.2 | 5.2 | 30 | e1.8 | 17 | 18 | 8.0 | 13 | 5.0 | 1.2 | 0.62 | 1.3 |
| 21 | 5.2 | 5.5 | 13 | e1.8 | 17 | 12 | 11 | 25 | 3.7 | 2.7 | 0.64 | 1.2 |
| 22 | 4.1 | 4.9 | 8.7 | e1.7 | 77 | 8.2 | 6.6 | 13 | 2.8 | 3.4 | 0.69 | 14 |
| 23 | 3.6 | 3.9 | 6.1 | e1.7 | 39 | 6.4 | 5.5 | 7.8 | 1.7 | 6.7 | 0.62 | 4.3 |
| 24 | 3.2 | 3.6 | 9.4 | e1.6 | 22 | 5.7 | 4.5 | 5.5 | 1.5 | 3.0 | 0.52 | 2.5 |
| 25 | 3.6 | 3.0 | 13 | e1.6 | 14 | 5.0 | 3.0 | 4.4 | 1.2 | 1.7 | 0.45 | 2.0 |
| 26 | 3.5 | 2.8 | 8.6 | e1.5 | 9.8 | 5.4 | 3.8 | 3.4 | 1.1 | 1.2 | 0.45 | 1.5 |
| 27 | 3.0 | 2.3 | 6.6 | e1.5 | 8.9 | 3.0 | 2.5 | 2.3 | 1.5 | 1.0 | 0.53 | 7.5 |
| 28 | 5.1 | 2.0 | 5.5 | e1.4 | 9.0 | 3.1 | 2.2 | 2.7 | 1.0 | 1.5 | 0.53 | 3.3 |
| 29 | 13 | 1.9 | 4.6 | e2.0 | --- | 14 | 5.5 | 4.6 | 0.97 | 1.7 | 1.2 | 2.5 |
| 30 | 8.8 | 1.9 | 4.3 | e4.7 | --- | 6.7 | 2.9 | 2.7 | 0.90 | 0.97 | 18 | 3.3 |
| 31 | 5.8 | --- | 5.7 | e2.1 | --- | 4.5 | --- | 2.2 | --- | 2.4 | 71 | --- |
| TOTAL | 218.92 | 368.2 | 289.4 | 116.1 | 683.9 | 177.8 | 295.8 | 814.9 | 333.97 | 110.14 | 125.94 | 262.5 |
| MEAN | 7.06 | 12.3 | 9.34 | 3.75 | 24.4 | 5.74 | 9.86 | 26.3 | 11.1 | 3.55 | 4.06 | 8.75 |
| MAX | 75 | 83 | 33 | 25 | 162 | 18 | 32 | 162 | 101 | 24 | 71 | 74 |
| MIN | 0.19 | 1.9 | 1.4 | 1.4 | 2.1 | 1.4 | 2.2 | 2.2 | 0.90 | 0.53 | 0.45 | 1.2 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1.86 | 3.11 | 5.46 | 7.53 | 12.9 | 10.8 | 6.61 | 9.38 | 5.03 | 4.62 | 1.42 | 2.73 |
| MAX | 7.06 | 12.3 | 11.2 | 13.7 | 24.4 | 21.5 | 12.3 | 26.3 | 15.3 | 18.6 | 4.06 | 8.75 |
| (WY) | (2003) | (2003) | (2001) | (1999) | (2003) | (2002) | (1998) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 0.33 | 0.67 | 1.40 | 2.25 | 2.66 | 5.74 | 1.49 | 0.49 | 0.78 | 0.24 | 0.16 | 0.14 |
| (WY) | (1998) | (2000) | (2000) | (2000) | (2002) | (2003) | (1999) | (1999) | (2001) | (2002) | (1999) | (1999) |

03287590 NORTH ELKHORN CREEK AT WINCHESTER ROAD NEAR LEXINGTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,528.92 | | 3,797.57 | | 5.92 | |
| ANNUAL MEAN | 6.93 | | 10.4 | | 10.4 | |
| HIGHEST ANNUAL MEAN | | | | | 10.4 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 3.11 | 2000 |
| HIGHEST DAILY MEAN | 235 | Mar 20 | 162 | Feb 16 | 357 | Jul 20, 1998 |
| LOWEST DAILY MEAN | 0.00 | Jul 9 | 0.19 | Oct 7 | 0.00 | Oct 5, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 3 | 0.52 | Oct 3 | 0.00 | Oct 5, 1997 |
| MAXIMUM PEAK FLOW | | | 758 | May 9 | 758 | May 9, 2003 |
| MAXIMUM PEAK STAGE | | | 6.89 | May 9 | 6.89 | May 9, 2003 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Nov 8, 2000 |
| 10 PERCENT EXCEEDS | 15 | | 24 | | 13 | |
| 50 PERCENT EXCEEDS | 2.0 | | 4.0 | | 1.6 | |
| 90 PERCENT EXCEEDS | 0.05 | | 1.0 | | 0.06 | |

e Estimated



03287600 NORTH ELKHORN CREEK AT BRYAN STATION ROAD AT MONTROSE, KY

LOCATION.--Lat 38°04'35", long 84°24'48", Fayette County, Hydrologic Unit 05100205, on right bank, downstream side of bridge on Bryan Station Road (Highway 57), 100 ft southwest of intersection of Briar Hill Road (Highway 1970) and Bryan Station Road (Highway 57), 0.5 miles northwest of Montrose, and at mile 86.0.

DRAINAGE AREA.--21.5 mi².

PERIOD OF RECORD.--October 1997 to current year.

REVISIONS.--Maximum discharge for the water year 1998 has been revised to 2480 ft³/s, June 29, 1998, gage height, 10.23 ft.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 892.042 ft above NGVD of 1929.

REMARKS.--Records fair except for those below 10 ft³/s, those estimated, and record from June 26 to Sept. 27, which are poor.

COOPERATION.--Lexington-Fayette Urban County Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|---------|-------|-------|-------|---------|---------|---------|-------|-------|-------|
| 1 | 2.8 | 22 | 9.6 | 147 | e11 | 39 | 12 | 8.4 | 9.0 | 3.9 | 6.2 | 116 |
| 2 | 1.9 | 17 | e8.9 | 85 | e13 | 33 | 11 | 11 | 7.7 | 3.5 | 3.9 | 129 |
| 3 | 1.3 | 14 | e8.4 | 61 | 17 | 28 | 9.7 | 16 | 99 | 2.9 | 6.1 | 171 |
| 4 | 3.1 | 14 | e8.2 | 44 | 109 | 22 | 9.0 | 9.4 | 47 | 2.6 | 9.8 | 78 |
| 5 | 11 | 128 | 9.0 | 36 | 45 | 20 | 28 | 414 | 24 | 2.4 | 7.4 | 32 |
| 6 | 7.4 | 125 | 9.0 | 28 | 31 | 17 | 13 | 144 | 17 | 2.0 | 4.6 | 18 |
| 7 | 3.7 | 61 | 9.0 | 23 | 29 | 15 | 87 | 145 | 365 | 1.9 | 4.5 | 14 |
| 8 | 1.3 | 40 | 11 | e20 | 26 | 14 | 46 | 84 | 130 | 1.8 | 5.6 | 11 |
| 9 | 0.93 | 27 | 13 | e18 | 24 | 12 | 129 | 485 | 95 | 43 | 3.5 | 6.4 |
| 10 | 77 | 348 | 11 | e16 | 21 | 9.7 | 86 | 127 | 50 | 79 | 2.7 | 5.8 |
| 11 | 330 | 308 | 58 | e14 | 20 | 9.5 | 72 | 306 | 36 | 33 | 8.4 | 4.3 |
| 12 | 78 | 90 | 58 | e12 | 19 | 13 | 46 | 98 | 33 | 12 | 6.1 | 3.3 |
| 13 | 40 | 55 | 128 | e10 | 17 | 27 | 31 | 51 | 26 | 8.5 | 2.8 | 3.0 |
| 14 | 22 | 38 | 184 | e9.2 | 28 | 21 | 23 | 32 | 54 | 5.6 | 2.4 | 2.7 |
| 15 | 17 | e31 | 84 | e8.2 | 557 | 16 | 18 | 237 | 124 | 4.4 | 5.1 | 2.6 |
| 16 | 32 | e92 | 54 | e7.4 | 649 | 15 | 15 | 121 | 99 | 76 | 28 | 2.0 |
| 17 | 19 | e64 | 44 | e6.8 | 319 | 14 | 84 | 109 | 80 | 16 | 5.7 | 1.6 |
| 18 | 14 | 47 | 38 | e6.2 | 125 | 12 | 76 | 86 | 55 | 9.2 | 3.4 | 1.4 |
| 19 | 12 | 35 | 137 | e5.8 | 82 | 35 | 38 | 61 | 33 | 6.8 | 2.3 | 1.4 |
| 20 | 30 | 26 | 184 | e5.4 | 78 | 65 | 26 | 53 | 22 | 5.2 | 1.7 | 1.8 |
| 21 | 19 | 25 | 78 | e5.2 | 82 | 45 | 34 | 133 | 16 | 7.3 | 1.6 | 1.7 |
| 22 | 15 | 25 | 52 | e5.0 | 354 | 30 | 20 | 69 | 13 | 13 | 1.6 | 41 |
| 23 | 11 | 18 | 35 | e4.9 | 201 | 24 | 15 | 43 | 9.6 | 27 | 1.8 | 16 |
| 24 | 10 | 16 | 44 | e4.7 | 107 | 20 | 13 | 28 | 8.1 | 12 | 1.6 | 7.1 |
| 25 | 9.6 | 14 | 69 | e4.6 | 76 | 17 | 12 | 21 | 6.7 | 6.3 | 1.1 | 5.3 |
| 26 | 12 | 13 | 47 | e4.5 | 55 | 18 | 21 | 17 | 6.1 | 4.1 | 1.1 | 3.9 |
| 27 | 8.7 | 13 | 36 | e4.4 | 45 | 14 | 11 | 13 | 7.2 | 3.2 | 1.1 | 26 |
| 28 | 14 | 11 | 30 | e4.3 | 45 | 12 | 8.9 | 12 | 5.0 | 4.6 | 1.1 | 12 |
| 29 | 70 | 11 | 24 | e6.0 | --- | 48 | 19 | 20 | 4.0 | 6.9 | 1.2 | 6.9 |
| 30 | 58 | 11 | 21 | e14 | --- | 24 | 10 | 13 | 3.4 | 3.5 | 34 | 5.5 |
| 31 | 33 | --- | 28 | e12 | --- | 16 | --- | 10 | --- | 13 | 70 | --- |
| TOTAL | 964.73 | 1,739 | 1,530.1 | 632.6 | 3,185 | 705.2 | 1,023.6 | 2,976.8 | 1,484.8 | 420.6 | 236.4 | 730.7 |
| MEAN | 31.1 | 58.0 | 49.4 | 20.4 | 114 | 22.7 | 34.1 | 96.0 | 49.5 | 13.6 | 7.63 | 24.4 |
| MAX | 330 | 348 | 184 | 147 | 649 | 65 | 129 | 485 | 365 | 79 | 70 | 171 |
| MIN | 0.93 | 11 | 8.2 | 4.3 | 11 | 9.5 | 8.9 | 8.4 | 3.4 | 1.8 | 1.1 | 1.4 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 7.18 | 13.6 | 22.6 | 29.6 | 57.1 | 53.0 | 31.3 | 39.7 | 30.7 | 18.9 | 3.81 | 9.59 |
| MAX | 31.1 | 58.0 | 49.4 | 63.0 | 114 | 126 | 57.0 | 96.0 | 118 | 84.5 | 7.63 | 24.4 |
| (WY) | (2003) | (2003) | (2003) | (1998) | (2003) | (2002) | (1998) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 1.03 | 2.26 | 6.78 | 15.8 | 13.6 | 22.7 | 8.29 | 4.00 | 3.22 | 0.72 | 1.13 | 0.007 |
| (WY) | (1998) | (2000) | (2000) | (2000) | (2002) | (2003) | (1999) | (1999) | (2001) | (2002) | (1998) | (1999) |

03287600 NORTH ELKHORN CREEK AT BRYAN STATION ROAD AT MONTROSE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 13,286.62 | | 15,629.53 | | | |
| ANNUAL MEAN | 36.4 | | 42.8 | | 28.8 | |
| HIGHEST ANNUAL MEAN | | | | | 42.8 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 16.2 | 2000 |
| HIGHEST DAILY MEAN | 1,570 | Mar 20 | 649 | Feb 16 | 1,830 | Jul 20, 1998 |
| LOWEST DAILY MEAN | 0.00 | Jul 24 | 0.93 | Oct 9 | 0.00 | Oct 8, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jul 24 | 1.3 | Aug 23 | 0.00 | Sep 8, 1998 |
| MAXIMUM PEAK FLOW | | | 1,500 | May 9 | 2,480 | Jun 29, 1998 |
| MAXIMUM PEAK STAGE | | | 8.06 | May 9 | 10.23 | Jun 29, 1998 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Aug 7, 1999 |
| 10 PERCENT EXCEEDS | 72 | | 99 | | 64 | |
| 50 PERCENT EXCEEDS | 11 | | 17 | | 7.6 | |
| 90 PERCENT EXCEEDS | 0.10 | | 3.3 | | 0.25 | |

e Estimated



03288100 NORTH ELKHORN CREEK AT GEORGETOWN, KY

LOCATION.--Lat 38°13'10", long 84°33'47", Scott County, Hydrologic Unit 05100205, on right bank, 300 ft upstream of bridge on Highway 25 at Georgetown, 0.4 mi downstream from Dry Run, and at mile 33.4.

DRAINAGE AREA.--147 mi², of which about 8 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--December 1992 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 803.40 ft above NGVD of 1929. Prior to Oct. 1, 1994 at datum 3.40 ft. lower.

REMARKS.--Records good except for those below 80 ft³/s and those estimated, which are fair.

COOPERATION.--City of Georgetown.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,800 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Nov 11 | 0100 | 3,500 | 8.26 | May 5 | 1700 | 3,000 | 7.80 |
| Feb 16 | 2300 | *4,530 | *9.13 | Jun 15 | 2000 | 4,460 | 9.07 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|-------|--------|-------|-------|--------|--------|-------|---------|-------|
| 1 | 37 | 379 | 110 | e599 | 118 | 326 | 160 | 111 | 111 | 41 | 24 | 225 |
| 2 | 25 | 278 | 99 | e742 | e64 | 294 | 140 | 89 | 96 | 35 | 33 | 677 |
| 3 | 21 | 234 | 94 | 597 | e66 | 259 | 126 | 112 | 309 | 27 | 52 | 513 |
| 4 | 18 | 215 | 88 | 460 | 353 | 232 | 117 | 105 | 484 | 23 | 99 | 447 |
| 5 | 35 | 530 | 92 | 371 | 392 | 216 | 138 | 1,190 | 284 | 20 | 115 | 246 |
| 6 | 64 | 1,980 | 89 | 308 | 254 | 204 | 149 | 1,350 | 203 | 17 | 86 | 151 |
| 7 | 55 | 982 | 80 | 256 | 219 | 183 | 195 | 957 | 688 | 15 | 50 | 110 |
| 8 | e36 | 624 | 77 | 232 | e125 | 164 | 316 | 751 | 1,070 | 14 | 111 | 88 |
| 9 | e28 | 462 | 91 | 211 | e105 | 151 | 395 | 795 | 723 | 14 | 121 | 67 |
| 10 | e30 | 1,290 | 103 | 186 | 163 | 137 | 571 | 1,380 | 495 | 62 | 104 | 47 |
| 11 | 1,440 | 2,810 | 216 | 160 | 165 | 127 | 453 | 1,480 | 351 | 174 | 105 | 33 |
| 12 | 1,160 | 1,050 | 477 | 141 | 159 | 124 | 370 | 1,110 | 322 | 117 | 45 | 27 |
| 13 | 584 | 635 | 475 | e125 | 150 | 132 | 283 | 550 | 276 | 65 | 44 | 21 |
| 14 | 391 | 452 | 1,180 | e110 | 155 | 159 | 228 | 369 | 618 | 56 | 35 | 18 |
| 15 | 283 | 365 | 809 | e94 | 2,370 | 154 | 196 | 334 | 1,590 | 36 | 22 | 18 |
| 16 | 284 | 611 | 546 | e86 | 3,610 | 136 | 169 | 809 | 1,160 | 84 | 20 | 16 |
| 17 | 298 | 584 | 402 | e75 | 3,110 | 127 | 186 | 541 | 645 | 155 | 41 | 15 |
| 18 | 245 | 442 | 361 | e66 | 1,170 | 120 | 372 | 624 | 546 | 85 | 34 | 14 |
| 19 | 220 | 346 | 637 | e60 | 733 | 131 | 295 | 549 | 353 | 50 | 19 | 12 |
| 20 | 240 | 279 | 1,910 | e54 | 666 | 310 | 214 | 434 | 259 | 33 | 13 | 11 |
| 21 | 277 | 238 | 917 | e50 | 832 | 738 | 199 | 730 | 203 | 33 | 11 | 10 |
| 22 | 249 | 232 | 587 | e48 | 1,670 | 477 | 186 | 644 | 163 | 52 | 12 | 152 |
| 23 | 223 | 204 | 420 | e48 | 1,700 | 347 | 150 | 453 | 135 | 80 | 28 | 185 |
| 24 | 199 | 175 | 338 | e49 | 912 | 273 | 130 | 327 | 116 | 96 | 15 | 118 |
| 25 | 187 | 158 | 399 | e50 | 672 | 228 | 121 | 252 | 101 | 86 | 10 | 65 |
| 26 | 189 | 145 | 378 | e52 | 520 | 206 | 122 | 217 | 87 | 44 | 9.6 | 37 |
| 27 | 186 | 138 | 317 | e53 | 415 | 182 | 123 | 180 | 74 | 28 | 9.1 | 105 |
| 28 | 175 | 131 | 280 | e57 | 362 | 158 | 104 | 153 | 62 | 21 | 9.1 | 130 |
| 29 | 619 | 122 | 249 | 82 | --- | 204 | 113 | 147 | 53 | 20 | 9.1 | 97 |
| 30 | 964 | 117 | 224 | e65 | --- | 250 | 124 | 151 | 43 | 25 | 31 | 70 |
| 31 | 562 | --- | 222 | e71 | --- | 192 | --- | 129 | --- | 40 | 48 | --- |
| TOTAL | 9,324 | 16,208 | 12,267 | 5,558 | 21,230 | 6,941 | 6,445 | 17,023 | 11,620 | 1,648 | 1,364.9 | 3,725 |
| MEAN | 301 | 540 | 396 | 179 | 758 | 224 | 215 | 549 | 387 | 53.2 | 44.0 | 124 |
| MAX | 1,440 | 2,810 | 1,910 | 742 | 3,610 | 738 | 571 | 1,480 | 1,590 | 174 | 121 | 677 |
| MIN | 18 | 117 | 77 | 48 | 64 | 120 | 104 | 89 | 43 | 14 | 9.1 | 10 |
| CFSM | 2.05 | 3.68 | 2.69 | 1.22 | 5.16 | 1.52 | 1.46 | 3.74 | 2.63 | 0.36 | 0.30 | 0.84 |
| IN. | 2.36 | 4.10 | 3.10 | 1.41 | 5.37 | 1.76 | 1.63 | 4.31 | 2.94 | 0.42 | 0.35 | 0.94 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1993 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 59.4 | 152 | 231 | 352 | 415 | 534 | 225 | 332 | 238 | 113 | 53.2 | 43.9 |
| MAX | 301 | 540 | 564 | 631 | 758 | 1,574 | 408 | 786 | 768 | 560 | 156 | 136 |
| (WY) | (2003) | (2003) | (1997) | (1994) | (2003) | (1997) | (1994) | (1995) | (1997) | (1998) | (1993) | (1996) |
| MIN | 6.82 | 9.49 | 29.7 | 55.1 | 136 | 224 | 62.7 | 25.0 | 19.6 | 12.8 | 4.39 | 2.63 |
| (WY) | (2000) | (2000) | (2000) | (2000) | (2002) | (2003) | (1999) | (1999) | (1994) | (1999) | (2002) | (1999) |

03288100 NORTH ELKHORN CREEK AT GEORGETOWN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1993 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 103,556.8 | | 113,353.9 | | 231 | |
| ANNUAL MEAN | 284 | | 311 | | 114 | |
| HIGHEST ANNUAL MEAN | | | | | 371 | |
| LOWEST ANNUAL MEAN | | | | | 114 | |
| HIGHEST DAILY MEAN | 5,820 | Mar 20 | 3,610 | Feb 16 | 11,000 | Mar 3, 1997 |
| LOWEST DAILY MEAN | 2.2 | Aug 8 | 9.1 | Aug 27 | 1.3 | Sep 18, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 2.3 | Aug 6 | 13 | Aug 23 | 1.6 | Sep 14, 1999 |
| MAXIMUM PEAK FLOW | | | 4,530 | Feb 16 | 19,300 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 9.13 | Feb 16 | 19.01 | Mar 2, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.93 | | 2.11 | | 1.57 | |
| ANNUAL RUNOFF (INCHES) | 26.21 | | 28.69 | | 21.31 | |
| 10 PERCENT EXCEEDS | 663 | | 726 | | 555 | |
| 50 PERCENT EXCEEDS | 94 | | 160 | | 74 | |
| 90 PERCENT EXCEEDS | 4.3 | | 28 | | 9.2 | |

e Estimated



03288110 ROYAL SPRINGS AT GEORGETOWN, KY

LOCATION.--Lat 38°12'34", long 84°33'43", Scott County, Hydrologic Unit 05100205, at Georgetown Water Plant dam, and 0.64 mi upstream from mouth.

PERIOD OF RECORD.--December 1992 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 797.16 ft above NGVD of 1929.

REMARKS.--Records fair 10 ft³/s, to 200 ft³/s poor below 10 ft³/s, and for those estimates are poor.

COOPERATION.--City of Georgetown.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|--------|-------|
| 1 | 3.5 | 21 | 17 | 48 | 8.1 | 30 | 18 | 6.0 | 26 | 5.5 | 4.2 | e28 |
| 2 | 2.2 | 37 | 13 | 38 | 8.0 | 29 | 15 | 5.8 | 24 | 4.7 | 3.1 | e35 |
| 3 | 1.8 | 12 | 10 | 40 | 7.8 | 26 | 12 | 14 | 37 | 4.1 | 3.7 | e30 |
| 4 | 1.8 | 9.1 | 8.8 | 36 | 28 | 25 | 11 | 8.2 | 16 | 3.8 | 7.7 | 25 |
| 5 | 14 | 39 | 8.5 | 32 | 25 | 23 | 17 | 33 | 19 | 3.7 | 5.9 | 26 |
| 6 | 6.9 | 33 | 7.9 | 29 | 23 | 22 | 14 | 29 | 32 | 3.4 | 3.9 | 20 |
| 7 | 4.4 | 23 | 7.8 | 26 | 22 | 19 | 27 | 36 | 49 | 2.8 | 4.7 | 15 |
| 8 | 3.0 | 18 | 7.7 | 24 | 21 | 18 | 22 | 31 | 38 | 2.3 | 4.9 | 11 |
| 9 | 2.1 | 11 | 7.6 | 22 | 19 | 16 | 37 | 33 | 39 | 2.9 | 4.3 | 7.6 |
| 10 | 7.9 | 24 | 7.5 | 19 | 17 | 14 | 11 | 40 | 32 | 17 | 3.7 | 6.0 |
| 11 | 38 | 34 | 23 | 17 | 18 | 13 | 9.3 | 43 | 26 | 23 | 5.0 | 4.4 |
| 12 | 33 | 13 | 32 | 20 | 17 | 11 | 6.7 | 36 | 26 | 10 | 15 | 3.7 |
| 13 | 36 | 21 | 40 | 24 | 15 | 18 | 14 | 27 | 21 | 10 | 6.9 | 3.2 |
| 14 | 19 | 23 | 70 | 22 | 17 | 22 | 23 | 21 | 19 | 5.9 | 4.6 | 2.8 |
| 15 | 20 | 21 | 66 | 19 | 48 | 19 | 20 | 22 | 22 | 4.5 | 3.9 | 2.6 |
| 16 | 27 | 23 | 56 | 17 | 41 | 15 | 16 | 28 | 25 | 18 | 14 | 2.1 |
| 17 | 22 | 21 | 51 | 14 | 34 | 13 | 21 | 27 | 21 | 8.0 | 6.8 | 1.9 |
| 18 | 19 | 19 | 48 | 12 | 19 | 12 | 21 | 27 | 17 | 9.7 | 4.1 | 2.0 |
| 19 | 16 | 15 | 46 | 11 | 11 | 14 | 20 | 26 | 18 | 7.1 | 3.0 | 2.3 |
| 20 | 20 | 27 | 37 | 9.3 | 8.7 | 29 | 22 | 23 | 37 | 5.2 | 2.2 | 2.9 |
| 21 | 17 | 41 | 36 | 8.6 | 10 | 24 | 21 | 40 | 33 | 5.0 | 1.6 | 1.4 |
| 22 | 14 | 40 | 27 | 8.2 | 28 | 24 | 17 | 34 | 30 | 6.0 | 1.7 | 23 |
| 23 | 12 | 36 | 28 | 7.5 | 25 | 32 | 14 | 28 | 26 | 6.6 | 1.9 | 27 |
| 24 | 9.7 | 33 | 47 | 6.6 | 15 | 36 | 12 | 21 | 25 | 5.5 | 1.6 | 16 |
| 25 | 8.6 | 30 | 20 | 6.8 | 9.6 | 31 | 11 | 16 | 23 | 4.0 | 1.1 | 11 |
| 26 | 8.3 | 29 | 18 | 6.2 | 6.9 | 27 | e12 | 12 | 18 | 3.2 | 0.81 | 8.0 |
| 27 | 7.0 | 28 | 32 | 5.4 | 4.9 | 23 | e9.0 | 12 | 13 | 2.7 | 0.70 | 18 |
| 28 | 12 | 26 | 44 | 5.3 | 15 | 19 | e8.0 | 34 | 11 | 2.4 | 0.43 | 17 |
| 29 | 34 | 24 | 40 | 6.9 | --- | 35 | 9.0 | 34 | 8.9 | 2.6 | 0.02 | 11 |
| 30 | 26 | 21 | 37 | 7.8 | --- | 35 | 7.7 | 32 | 6.4 | 2.2 | e1.5 | 8.5 |
| 31 | 19 | --- | 37 | 7.6 | --- | 22 | --- | 29 | --- | 3.2 | e20 | --- |
| TOTAL | 465.2 | 752.1 | 930.8 | 556.2 | 522.0 | 696 | 477.7 | 808.0 | 738.3 | 195.0 | 142.96 | 372.4 |
| MEAN | 15.0 | 25.1 | 30.0 | 17.9 | 18.6 | 22.5 | 15.9 | 26.1 | 24.6 | 6.29 | 4.61 | 12.4 |
| MAX | 38 | 41 | 70 | 48 | 48 | 36 | 37 | 43 | 49 | 23 | 20 | 35 |
| MIN | 1.8 | 9.1 | 7.5 | 5.3 | 4.9 | 11 | 6.7 | 5.8 | 6.4 | 2.2 | 0.02 | 1.4 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1993 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 6.30 | 13.1 | 24.3 | 32.2 | 32.6 | 40.2 | 27.0 | 27.2 | 23.6 | 9.88 | 7.27 | 5.37 |
| MAX | 15.0 | 35.9 | 48.3 | 49.0 | 52.5 | 77.5 | 47.5 | 55.9 | 65.1 | 44.1 | 13.0 | 12.7 |
| (WY) | (2003) | (1994) | (1997) | (1996) | (1994) | (1997) | (1994) | (1996) | (1997) | (1998) | (1993) | (1996) |
| MIN | 1.57 | 0.98 | 6.00 | 5.67 | 13.7 | 16.4 | 13.5 | 5.26 | 3.04 | 0.75 | 0.040 | 0.26 |
| (WY) | (1999) | (2000) | (1999) | (2000) | (2000) | (2002) | (2001) | (1999) | (1994) | (2002) | (2002) | (1998) |

03288110 ROYAL SPRINGS AT GEORGETOWN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1993 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 5,848.35 | | 6,656.66 | | 20.5 | |
| ANNUAL MEAN | 16.0 | | 18.2 | | 9.07 | |
| HIGHEST ANNUAL MEAN | | | | | 30.5 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 9.07 | 2000 |
| HIGHEST DAILY MEAN | 70 | Dec 14 | 70 | Dec 14 | 313 | Mar 1, 1997 |
| LOWEST DAILY MEAN | 0.00 | Jul 31 | 0.02 | Aug 29 | 0.00 | Oct 15, 1993 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 2 | 0.88 | Aug 24 | 0.00 | Oct 4, 1997 |
| MAXIMUM PEAK FLOW | | | 106 | Oct 11 | 2,240 | Mar 1, 1997 |
| MAXIMUM PEAK STAGE | | | 5.93 | Oct 11 | 7.30 | Mar 1, 1997 |
| 10 PERCENT EXCEEDS | 38 | | 36 | | 50 | |
| 50 PERCENT EXCEEDS | 12 | | 17 | | 13 | |
| 90 PERCENT EXCEEDS | 0.00 | | 3.3 | | 0.83 | |

e Estimated



03288200 CANE RUN AT BERE A ROAD NEAR DONERAIL, KY

LOCATION.--Lat 38°08'19", long 84°31'02", Fayette County, Hydrologic Unit 05100205, on right bank, upstream side of bridge on Berea Road, 0.2 mi southwest of Ironworks Road (Hwy 1973), 0.8 mi northeast of Georgetown Road (U.S. Hwy 25), 1.0 mi southeast of Donerail, Ky., and 9.0 mi upstream from North Elkhorn Creek.

DRAINAGE AREA.--19.9 mi².

PERIOD OF RECORD.--February 1999 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 850 ft above NGVD of 1929, (from topographic map).

REMARKS.--Records poor.

COOPERATION.--Lexington-Fayette Urban County Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|------|-------|--------|--------|-------|------|-------|
| 1 | 0.00 | 0.38 | 0.00 | e90 | 0.00 | 2.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 13 |
| 2 | 0.00 | 0.00 | 0.00 | e40 | 0.00 | 1.1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 18 |
| 3 | 0.00 | 0.00 | 0.00 | 17 | 0.00 | 0.43 | 0.00 | 0.00 | 19 | 0.00 | 0.00 | 34 |
| 4 | 0.00 | 0.00 | 0.00 | 6.7 | 4.3 | 0.00 | 0.00 | 0.00 | 3.3 | 0.00 | 0.00 | 9.2 |
| 5 | 0.00 | 51 | 0.00 | 3.1 | 0.00 | 0.00 | 0.00 | 83 | 1.1 | 0.00 | 0.00 | 0.00 |
| 6 | 0.00 | 70 | 0.00 | 1.5 | 0.00 | 0.00 | 0.00 | 38 | 0.02 | 0.00 | 0.00 | 0.00 |
| 7 | 0.00 | 31 | 0.00 | 0.17 | 0.00 | 0.00 | 1.2 | 42 | 114 | 0.00 | 0.00 | 0.00 |
| 8 | 0.00 | 11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 21 | 49 | 0.00 | 0.00 | 0.00 |
| 9 | 0.00 | 2.5 | 0.00 | 0.00 | 0.00 | 0.00 | 6.2 | 64 | 31 | 0.00 | 0.00 | 0.00 |
| 10 | 0.63 | 146 | 0.00 | 0.00 | 0.00 | 0.00 | 1.7 | 38 | 12 | 9.5 | 0.00 | 0.00 |
| 11 | 123 | 228 | 0.31 | 0.00 | 0.00 | 0.00 | 0.91 | 76 | 6.5 | 0.68 | 0.42 | 0.00 |
| 12 | 29 | 60 | 0.72 | 0.00 | 0.00 | 0.00 | 0.00 | 39 | 9.5 | 0.00 | 1.1 | 0.00 |
| 13 | 17 | 30 | 18 | 0.00 | 0.00 | 0.00 | 0.00 | 17 | 3.4 | 0.00 | 0.00 | 0.00 |
| 14 | 0.06 | 13 | 58 | 0.00 | 0.00 | 0.00 | 5.3 | 64 | 9.1 | 0.00 | 0.00 | 0.00 |
| 15 | 0.00 | 18 | 32 | 0.00 | 169 | 0.00 | 0.00 | 42 | 4.1 | 0.00 | 0.00 | 0.00 |
| 16 | 0.00 | 29 | 15 | 0.00 | 299 | 0.00 | 0.00 | 24 | 18 | 14 | 0.82 | 0.00 |
| 17 | 0.00 | 14 | 7.1 | 0.00 | 148 | 0.00 | 11 | 24 | 25 | 0.00 | 0.00 | 0.00 |
| 18 | 0.00 | 4.7 | 4.7 | 0.00 | e70 | 0.00 | 2.6 | 19 | 9.4 | 0.00 | 0.00 | 0.00 |
| 19 | 0.00 | 1.9 | 61 | 0.00 | 29 | 0.00 | 0.00 | 10 | 3.6 | 0.00 | 0.00 | 0.00 |
| 20 | 0.00 | 0.46 | 126 | 0.00 | 22 | 0.00 | 0.00 | 6.2 | 1.2 | 0.00 | 0.00 | 0.00 |
| 21 | 0.00 | 0.00 | 50 | 0.00 | 20 | 2.3 | 0.00 | 41 | 0.00 | 0.00 | 0.00 | 0.00 |
| 22 | 0.00 | 0.00 | 28 | 0.00 | 96 | 0.09 | 0.00 | 20 | 0.00 | 0.00 | 0.00 | 8.6 |
| 23 | 0.00 | 0.00 | 12 | 0.00 | 77 | 0.00 | 0.00 | 8.4 | 0.00 | 0.00 | 0.00 | 0.00 |
| 24 | 0.00 | 0.00 | 9.8 | 0.00 | 43 | 0.00 | 0.00 | 2.9 | 0.00 | 0.00 | 0.00 | 0.00 |
| 25 | 0.00 | 0.00 | 17 | 0.00 | 0.75 | 0.00 | 0.00 | 1.2 | 0.00 | 0.00 | 0.00 | 0.00 |
| 26 | 0.00 | 0.00 | 5.8 | 0.00 | 0.00 | 0.00 | 0.00 | 0.28 | 0.00 | 0.00 | 0.00 | 0.00 |
| 27 | 0.00 | 0.00 | 3.5 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.16 |
| 28 | 0.00 | 0.00 | 2.0 | 0.00 | 2.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 29 | 40 | 0.00 | 0.28 | 0.00 | --- | 3.3 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 30 | 28 | 0.00 | 0.00 | 0.00 | --- | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 31 | 6.5 | --- | 0.00 | 0.00 | --- | 0.00 | --- | 0.00 | --- | 0.00 | 1.9 | --- |
| TOTAL | 244.19 | 710.94 | 451.21 | 158.47 | 980.25 | 9.42 | 23.61 | 622.28 | 319.22 | 24.18 | 4.24 | 82.96 |
| MEAN | 7.88 | 23.7 | 14.6 | 5.11 | 35.0 | 0.30 | 0.79 | 20.1 | 10.6 | 0.78 | 0.14 | 2.77 |
| MAX | 123 | 228 | 126 | 90 | 299 | 3.3 | 11 | 83 | 114 | 14 | 1.9 | 34 |
| MIN | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1.99 | 6.36 | 5.44 | 2.62 | 14.0 | 14.2 | 2.72 | 6.97 | 2.28 | 0.59 | 0.18 | 1.38 |
| MAX | 7.88 | 23.7 | 14.6 | 5.11 | 35.0 | 50.3 | 11.3 | 20.1 | 10.6 | 2.15 | 0.68 | 2.77 |
| (WY) | (2003) | (2003) | (2003) | (2003) | (2003) | (2002) | (2002) | (2003) | (2003) | (2001) | (2001) | (2003) |
| MIN | 0.000 | 0.000 | 0.000 | 0.000 | 0.15 | 0.30 | 0.000 | 0.032 | 0.011 | 0.000 | 0.000 | 0.000 |
| (WY) | (2000) | (2000) | (2000) | (2001) | (2002) | (2003) | (1999) | (2000) | (2001) | (1999) | (1999) | (1999) |

03288200 CANE RUN AT BERE A ROAD NEAR DONERAIL, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,873.39 | | 3,630.97 | | | |
| ANNUAL MEAN | 10.6 | | 9.95 | | 5.27 | |
| HIGHEST ANNUAL MEAN | | | | | 9.95 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 1.99 | 2000 |
| HIGHEST DAILY MEAN | 772 | Mar 20 | 299 | Feb 16 | 772 | Mar 20, 2002 |
| LOWEST DAILY MEAN | 0.00 | Jan 1 | 0.00 | Oct 1 | 0.00 | Feb 17, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jan 1 | 0.00 | Oct 1 | 0.00 | Feb 17, 1999 |
| MAXIMUM PEAK FLOW | | | 567 | Nov 11 | 1,750 | Mar 20, 2002 |
| MAXIMUM PEAK STAGE | | | 5.62 | Nov 11 | 7.60 | Mar 20, 2002 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 1, 2001 |
| 10 PERCENT EXCEEDS | 28 | | 29 | | 9.2 | |
| 50 PERCENT EXCEEDS | 0.00 | | 0.00 | | 0.00 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.00 | | 0.00 | |

e Estimated



03289000 SOUTH ELKHORN CREEK AT FORT SPRING, KY

LOCATION.--Lat 38°02'35", long 84°37'35", Fayette County, Hydrologic Unit 05100205, on downstream side of bridge on Fort Spring Road at U.S. Highway 60 at Fort Spring, 1.7 mi upstream from Shannon Run, 6.5 mi west of Lexington, and at mile 42.6.

DRAINAGE AREA.--24.0 mi², of which about 3.0 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--March 1950 to September 1992, October 1997 to current year.

REVISED RECORDS.--WSP 1275: 1951-52. WSP 1505: Drainage area. WSP 1625: 1951-52 (P).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 834.25 ft above NGVD of 1929. Prior to Aug. 12, 1952, and Feb. 18 to Nov. 16, 1965, nonrecording gage and crest-stage gage at same site and datum.

REMARKS.- Records fair.

COOPERATION.--Lexington-Fayette Urban County Government.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 0510 | 1,160 | 7.41 | May 9 | 0350 | *2,180 | *10.51 |
| Nov 5 | 1840 | 795 | 6.49 | May 11 | 1040 | 710 | 7.42 |
| Nov 10 | 0935 | 1,890 | 8.85 | May 15 | 1905 | 625 | 7.15 |
| Nov 11 | 0135 | 1,620 | 8.38 | Jun 7 | 0740 | 889 | 7.93 |
| Dec 13 | 2135 | 644 | 6.03 | Jun 14 | 1735 | 931 | 8.69 |
| Dec 19 | 2210 | 1,450 | 8.04 | Jun 15 | 0010 | 1,000 | 9.24 |
| Feb 16 | 0310 | 1,570 | 8.28 | Aug 7 | 2140 | 502 | 7.74 |
| Feb 22 | 0905 | 764 | 7.58 | Sep 3 | 1610 | 502 | 7.74 |
| May 5 | 1430 | 1,200 | 8.68 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|-------|-------|-------|-------|-------|-------|-------|---------|
| 1 | 14 | 44 | 6.2 | 249 | 18 | 60 | 40 | 25 | 18 | 9.9 | 16 | 94 |
| 2 | 9.6 | 34 | 5.6 | 160 | 17 | 56 | 35 | 23 | 15 | 9.4 | 13 | 161 |
| 3 | 7.9 | 29 | 4.5 | 108 | 17 | 53 | 31 | 21 | 83 | 8.7 | 12 | 308 |
| 4 | 9.8 | 28 | 3.9 | 76 | 140 | 48 | 29 | 18 | 46 | 8.0 | 11 | 165 |
| 5 | 16 | 266 | 4.7 | 59 | 59 | 45 | 49 | 483 | 31 | 7.3 | 9.6 | 70 |
| 6 | 9.0 | 334 | 3.7 | 45 | 41 | 41 | 39 | 217 | 26 | 7.0 | 8.8 | 48 |
| 7 | 7.9 | 151 | 3.6 | 37 | 36 | 36 | 76 | 189 | 471 | 6.6 | 83 | 35 |
| 8 | 8.1 | 88 | 4.9 | 33 | 30 | 32 | 60 | 117 | 207 | 6.1 | 65 | 28 |
| 9 | 7.4 | 63 | 7.6 | 29 | 26 | 29 | 89 | 838 | 131 | 13 | 29 | 22 |
| 10 | 155 | 888 | 7.1 | e24 | 26 | 26 | 84 | 150 | 74 | 40 | 18 | 18 |
| 11 | 650 | 795 | 91 | e21 | 25 | 24 | 77 | 260 | 62 | 24 | 68 | 16 |
| 12 | 226 | 258 | 89 | e18 | 23 | 27 | 64 | 113 | 64 | 16 | 59 | 15 |
| 13 | 144 | 127 | 209 | e15 | 21 | 36 | 56 | 69 | 45 | 14 | 29 | 13 |
| 14 | 73 | 71 | 444 | e13 | 24 | 36 | 50 | 50 | 298 | 11 | 31 | 12 |
| 15 | 54 | 145 | 202 | e11 | 1,050 | 28 | 46 | 148 | 275 | 9.2 | 38 | 12 |
| 16 | 68 | 263 | 95 | e9.4 | 1,470 | 25 | 42 | 80 | 216 | 127 | 112 | 11 |
| 17 | 42 | 165 | 61 | e8.4 | e400 | 23 | 85 | 93 | 97 | 31 | 36 | 9.4 |
| 18 | 32 | 95 | 45 | e7.6 | e200 | 23 | 86 | 77 | 55 | 19 | 24 | 9.0 |
| 19 | 27 | 61 | 298 | e7.2 | e100 | 37 | 60 | 56 | 37 | 16 | 18 | 8.6 |
| 20 | 50 | 42 | 633 | e6.8 | e94 | 57 | 50 | 47 | 27 | 14 | 15 | 8.4 |
| 21 | 35 | 36 | 269 | e6.4 | 95 | 56 | 51 | 110 | 23 | 14 | 14 | 7.9 |
| 22 | 28 | 34 | 148 | e6.2 | 434 | 50 | 43 | 70 | 20 | 27 | 13 | 55 |
| 23 | 23 | 22 | 89 | e5.8 | 284 | 47 | 35 | 49 | 18 | 27 | 14 | 33 |
| 24 | 20 | 17 | 96 | e5.6 | 138 | 43 | 30 | 38 | 17 | 17 | 10 | 17 |
| 25 | 19 | 14 | 132 | e5.3 | 104 | 38 | 27 | 33 | 16 | 14 | 8.4 | 14 |
| 26 | 21 | 12 | 86 | e5.0 | 84 | 40 | 103 | 29 | 15 | 11 | 7.5 | 12 |
| 27 | 17 | 12 | 68 | e4.8 | 73 | 33 | 44 | 26 | 16 | 9.3 | 6.8 | 41 |
| 28 | 22 | 9.3 | 54 | e4.6 | 68 | 32 | 34 | 24 | 14 | 12 | 8.7 | 26 |
| 29 | 155 | 8.5 | 43 | 21 | --- | 72 | 38 | 30 | 12 | 16 | 7.0 | 19 |
| 30 | 115 | 7.8 | 36 | 21 | --- | 55 | 30 | 25 | 11 | 10 | 22 | 15 |
| 31 | 65 | --- | 45 | 16 | --- | 45 | --- | 22 | --- | 18 | 52 | --- |
| TOTAL | 2,130.7 | 4,119.6 | 3,284.8 | 1,039.1 | 5,097 | 1,253 | 1,583 | 3,530 | 2,440 | 572.5 | 858.8 | 1,303.3 |
| MEAN | 68.7 | 137 | 106 | 33.5 | 182 | 40.4 | 52.8 | 114 | 81.3 | 18.5 | 27.7 | 43.4 |
| MAX | 650 | 888 | 633 | 249 | 1,470 | 72 | 103 | 838 | 471 | 127 | 112 | 308 |
| MIN | 7.4 | 7.8 | 3.6 | 4.6 | 17 | 23 | 27 | 18 | 11 | 6.1 | 6.8 | 7.9 |
| CFSM | 3.24 | 6.48 | 5.00 | 1.58 | 8.59 | 1.91 | 2.49 | 5.37 | 3.84 | 0.87 | 1.31 | 2.05 |
| IN. | 3.74 | 7.23 | 5.76 | 1.82 | 8.94 | 2.20 | 2.78 | 6.19 | 4.28 | 1.00 | 1.51 | 2.29 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1950 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 9.64 | 22.6 | 50.3 | 49.1 | 66.3 | 68.9 | 43.6 | 35.0 | 21.2 | 15.7 | 11.7 | 10.2 |
| MAX | 68.7 | 137 | 198 | 159 | 227 | 172 | 145 | 156 | 83.2 | 97.0 | 68.0 | 81.4 |
| (WY) | (2003) | (2003) | (1979) | (1951) | (1989) | (1964) | (1972) | (1983) | (1960) | (1958) | (1974) | (1979) |
| MIN | 0.000 | 0.087 | 0.86 | 4.43 | 6.48 | 11.0 | 10.3 | 3.92 | 1.14 | 0.66 | 0.006 | 0.020 |
| (WY) | (1954) | (1954) | (1954) | (1981) | (1954) | (1954) | (1971) | (1952) | (1954) | (1951) | (1965) | (1953) |

03289000 SOUTH ELKHORN CREEK AT FORT SPRING, KY—Continued

e Estimated



03289193 WOLF RUN AT OLD FRANKFORT PIKE AT LEXINGTON, KY

LOCATION.--Lat 38°04'00", long 84°33'16", Fayette County, Hydrologic Unit 05100205, on left bank, downstream side of bridge on Old Frankfort Pike (1681), at Lexington 0.3 mile southeast of the intersection of Old Frankfort Pike and Viley Road, 0.7 mile northwest of the intersection of Old Frankfort Pike and New Circle Road (Hwy 4), and 0.5 mile above mouth.

DRAINAGE AREA.--9.57 mi².

PERIOD OF RECORD.--October 1997 to current year.

GAGE.--Water-stage recorder with telemetry. Elevation of gage is 860 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records good except those estimated, which are poor.

COOPERATION.--Lexington-Fayette Urban County Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|---------|-------|-------|---------|-------|-------|-------|-------|
| 1 | 5.5 | 11 | 3.4 | 57 | 5.4 | 17 | 7.8 | 9.2 | 8.4 | 8.7 | 11 | 47 |
| 2 | 4.4 | 8.2 | 3.2 | 32 | 4.6 | 15 | 7.2 | 8.9 | 8.1 | 8.9 | 10 | 117 |
| 3 | 3.5 | 6.8 | 3.1 | 25 | 8.3 | 13 | 6.6 | 8.2 | 68 | 8.5 | 11 | 104 |
| 4 | 11 | 7.7 | 3.0 | 19 | 40 | e12 | 6.4 | 7.1 | 17 | 8.4 | 11 | 61 |
| 5 | 6.2 | 72 | 3.0 | 15 | 14 | 10 | 25 | 196 | 11 | 8.2 | 9.5 | 35 |
| 6 | 3.6 | 56 | 3.0 | 13 | 12 | 8.5 | 12 | 61 | 14 | 7.3 | 12 | 21 |
| 7 | 2.5 | 31 | 3.0 | 11 | 12 | 7.8 | 33 | 86 | 155 | 7.2 | 37 | 15 |
| 8 | 2.0 | 18 | 3.9 | 9.7 | 11 | 7.3 | 18 | 75 | 60 | 7.2 | 18 | 13 |
| 9 | 1.8 | 12 | 4.0 | 8.8 | 9.7 | 6.9 | e32 | 421 | 34 | 89 | 11 | 12 |
| 10 | 75 | 302 | 4.4 | 7.5 | 9.7 | 6.6 | e24 | 70 | 22 | 90 | 9.8 | 12 |
| 11 | 203 | 119 | 38 | 6.6 | 8.7 | 6.3 | e19 | 118 | 23 | 23 | 54 | 11 |
| 12 | 73 | 57 | 16 | e5.8 | 7.9 | 8.7 | 15 | 53 | 35 | 13 | 18 | 11 |
| 13 | 45 | 38 | 53 | e5.2 | 7.2 | 16 | 12 | 32 | 21 | 10 | 11 | 10 |
| 14 | 21 | 23 | 62 | e4.7 | 18 | 8.1 | 9.8 | 21 | 137 | 9.6 | 13 | 10 |
| 15 | 21 | 47 | 40 | e4.2 | 160 | 7.0 | 8.7 | 153 | 67 | 9.1 | 119 | 10 |
| 16 | 19 | 47 | 25 | e3.9 | e400 | 6.5 | 7.9 | 50 | 83 | 70 | 56 | 10 |
| 17 | 10 | 32 | 23 | e3.6 | e150 | 6.2 | 54 | 66 | 52 | 12 | 21 | 10 |
| 18 | 7.7 | 20 | 14 | e3.4 | e82 | 6.0 | 26 | 42 | 32 | 11 | 13 | 9.9 |
| 19 | 9.6 | 14 | 95 | e3.3 | 45 | 25 | 14 | 27 | 22 | 10 | 11 | 9.6 |
| 20 | 22 | 11 | 80 | e3.2 | 36 | 19 | 11 | 45 | 17 | 9.6 | 11 | 9.5 |
| 21 | 8.6 | 15 | 46 | e3.1 | 34 | 13 | 15 | 45 | 14 | 12 | 10 | 9.5 |
| 22 | 6.9 | 10 | 31 | e3.0 | 114 | 9.9 | 9.2 | 27 | 12 | 22 | 10 | 73 |
| 23 | 5.8 | 7.1 | 21 | e2.9 | 77 | 8.7 | 8.3 | 20 | 11 | 18 | 10 | 17 |
| 24 | 4.9 | 6.0 | 33 | e2.8 | 53 | 7.9 | 7.7 | 15 | 10 | 12 | 10 | 11 |
| 25 | 5.4 | 5.4 | 28 | e2.8 | 38 | 7.3 | 7.4 | 15 | 10 | 10 | 9.5 | 11 |
| 26 | 5.3 | 5.4 | 19 | e2.7 | 29 | 8.9 | 105 | 12 | 9.6 | 9.5 | 9.5 | 10 |
| 27 | 3.9 | 5.1 | 16 | e2.7 | 27 | 6.8 | 18 | 10 | 10 | 9.0 | 9.5 | 39 |
| 28 | 11 | 4.5 | 13 | e2.6 | 22 | 6.4 | 14 | 11 | 9.4 | 38 | 18 | 12 |
| 29 | 62 | 4.0 | 11 | 6.6 | --- | 45 | 26 | 16 | 9.0 | 27 | 9.4 | 11 |
| 30 | 33 | 3.6 | 11 | 6.4 | --- | 13 | 11 | 9.7 | 8.9 | 9.6 | 31 | 11 |
| 31 | 17 | --- | 23 | 4.8 | --- | 8.8 | --- | 8.8 | --- | 31 | 154 | --- |
| TOTAL | 710.6 | 998.8 | 732.0 | 282.3 | 1,435.5 | 348.6 | 571.0 | 1,738.9 | 990.4 | 618.8 | 748.2 | 742.5 |
| MEAN | 22.9 | 33.3 | 23.6 | 9.11 | 51.3 | 11.2 | 19.0 | 56.1 | 33.0 | 20.0 | 24.1 | 24.8 |
| MAX | 203 | 302 | 95 | 57 | 400 | 45 | 105 | 421 | 155 | 90 | 154 | 117 |
| MIN | 1.8 | 3.6 | 3.0 | 2.6 | 4.6 | 6.0 | 6.4 | 7.1 | 8.1 | 7.2 | 9.4 | 9.5 |
| CFSM | 2.40 | 3.48 | 2.47 | 0.95 | 5.36 | 1.18 | 1.99 | 5.86 | 3.45 | 2.09 | 2.52 | 2.59 |
| IN. | 2.76 | 3.88 | 2.85 | 1.10 | 5.58 | 1.36 | 2.22 | 6.76 | 3.85 | 2.41 | 2.91 | 2.89 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 7.38 | 10.1 | 13.6 | 17.3 | 24.4 | 22.6 | 16.7 | 23.3 | 21.6 | 15.7 | 7.29 | 9.41 |
| MAX | 22.9 | 33.3 | 23.6 | 37.7 | 51.3 | 47.3 | 30.5 | 56.1 | 61.8 | 44.6 | 24.1 | 24.8 |
| (WY) | (2003) | (2003) | (2003) | (1999) | (2003) | (2002) | (2002) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 1.59 | 2.45 | 5.19 | 6.31 | 6.35 | 11.2 | 5.84 | 5.82 | 5.10 | 2.21 | 1.58 | 1.37 |
| (WY) | (2001) | (2000) | (2000) | (2001) | (2002) | (2003) | (2001) | (1999) | (2002) | (2002) | (2002) | (1999) |

03289193 WOLF RUN AT OLD FRANKFORT PIKE AT LEXINGTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 6,806.60 | | 9,917.6 | | 15.7 | |
| ANNUAL MEAN | 18.6 | | 27.2 | | 27.2 | |
| HIGHEST ANNUAL MEAN | | | | | 27.2 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 9.93 | 2000 |
| HIGHEST DAILY MEAN | 507 | Mar 20 | 421 | May 9 | 717 | Jul 20, 1998 |
| LOWEST DAILY MEAN | 0.59 | Sep 12 | 1.8 | Oct 9 | 0.34 | Oct 13, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.61 | Sep 7 | 2.8 | Jan 22 | 0.42 | Oct 7, 1997 |
| MAXIMUM PEAK FLOW | | | 2,550 | May 9 | 3,120 | Jun 29, 1998 |
| MAXIMUM PEAK STAGE | | | 7.17 | May 9 | 7.97 | Jun 29, 1998 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Dec 9, 1999 |
| ANNUAL RUNOFF (CFSM) | 1.95 | | 2.84 | | 1.64 | |
| ANNUAL RUNOFF (INCHES) | 26.46 | | 38.55 | | 22.33 | |
| 10 PERCENT EXCEEDS | 40 | | 64 | | 32 | |
| 50 PERCENT EXCEEDS | 6.0 | | 11 | | 6.2 | |
| 90 PERCENT EXCEEDS | 0.90 | | 4.8 | | 1.0 | |

e Estimated



03289200 TOWN BRANCH AT YARNALLTON ROAD AT YARNALLTON, KY

LOCATION.--Lat 38°06'13", long 84°35'17", Fayette County, Hydrologic Unit 05100205, on the left bank, downstream side of bridge on Yarnallton Road (1977), 0.5 mile southwest of Leestown Road (HWY 421), 1.1 miles northeast of Old Frankfort Pike (HWY 1681), 0.2 mile Southwest of Yarnallton, KY.

DRAINAGE AREA.--30.0 mi².

PERIOD OF RECORD.--October 1997 to current year.

GAGE.--Water-stage recorder with telemetry. Elevation of gage is 830 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those estimated, which are poor. Flow regulated by a Sewage Treatment Plant and Federal Correctional Institute upstream.

COOPERATION.--Lexington-Fayette County Urban Government.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 49 | 94 | 38 | 235 | 42 | 98 | 57 | 57 | 46 | 45 | 67 | 191 |
| 2 | 44 | 73 | 38 | 170 | 38 | 85 | 53 | 54 | 43 | 42 | 52 | 341 |
| 3 | 36 | 62 | 37 | 144 | 39 | e75 | 51 | 63 | 207 | 40 | 53 | 319 |
| 4 | 51 | 65 | 37 | 115 | 152 | 68 | 46 | 48 | 94 | 37 | 57 | 197 |
| 5 | 79 | 290 | 38 | 96 | 77 | 61 | 107 | 534 | 65 | 33 | 48 | 130 |
| 6 | 46 | 295 | 36 | 86 | 66 | 62 | 48 | 284 | 55 | 33 | 43 | 93 |
| 7 | 39 | 182 | 35 | 75 | 68 | e58 | 136 | 349 | 448 | 34 | 83 | 74 |
| 8 | 35 | 133 | 38 | 68 | 57 | e55 | 75 | 230 | 237 | 34 | 88 | 65 |
| 9 | 34 | 99 | 44 | 63 | 52 | e52 | 138 | 904 | 181 | 126 | 74 | 57 |
| 10 | 209 | 597 | 38 | 58 | 56 | e49 | 115 | 300 | 136 | 213 | 51 | 51 |
| 11 | 648 | 634 | 130 | 50 | 53 | 46 | 110 | 407 | 126 | 112 | 110 | 46 |
| 12 | 281 | 285 | 105 | 45 | 51 | 51 | 86 | 250 | 152 | 69 | 94 | 43 |
| 13 | 193 | 191 | 188 | 45 | 47 | 70 | 73 | 177 | 123 | 58 | 61 | 40 |
| 14 | 125 | 143 | 278 | 44 | 60 | 56 | 67 | 126 | 246 | 49 | 54 | 36 |
| 15 | 99 | 188 | 192 | 42 | 573 | 47 | 63 | 291 | 209 | 45 | 86 | 39 |
| 16 | 112 | 192 | 148 | 40 | 829 | 42 | 58 | 214 | 317 | 177 | 224 | 36 |
| 17 | 73 | 148 | 130 | 41 | 524 | 42 | 195 | 227 | 268 | 73 | 79 | 36 |
| 18 | 61 | 122 | 110 | 37 | 312 | 41 | 139 | 186 | 177 | 56 | 62 | 33 |
| 19 | 53 | 99 | 131 | 36 | 235 | 84 | 89 | 145 | 133 | 47 | 54 | 32 |
| 20 | 97 | 84 | 407 | e35 | 201 | 94 | 73 | 134 | 107 | 41 | 47 | 30 |
| 21 | 63 | 83 | 234 | e34 | 186 | 112 | 85 | 244 | 90 | 50 | 42 | 29 |
| 22 | 54 | 82 | 164 | e33 | 447 | 83 | 67 | 153 | 79 | 62 | 40 | 195 |
| 23 | 48 | 63 | 129 | e32 | 362 | 72 | 59 | 118 | 74 | 66 | 39 | 98 |
| 24 | 44 | 57 | 136 | e32 | 267 | 67 | 55 | 91 | 68 | 71 | 33 | 66 |
| 25 | 47 | 55 | 145 | e31 | 205 | 60 | 53 | 80 | 66 | 46 | 34 | 53 |
| 26 | 45 | 53 | 110 | e31 | 159 | 65 | 152 | 68 | 63 | 40 | 33 | 45 |
| 27 | 38 | 51 | 93 | e30 | 136 | 55 | 74 | 60 | 67 | 34 | 33 | 120 |
| 28 | 70 | 44 | 81 | e30 | 122 | 50 | 64 | 58 | 57 | 40 | 66 | 68 |
| 29 | 250 | 42 | 71 | 54 | --- | 149 | 100 | 82 | 51 | 103 | 41 | 57 |
| 30 | 185 | 40 | 68 | 45 | --- | 80 | 65 | 61 | 48 | 49 | 86 | 49 |
| 31 | 127 | --- | 91 | 40 | --- | 62 | --- | 50 | --- | 90 | 189 | --- |
| TOTAL | 3,335 | 4,546 | 3,520 | 1,917 | 5,416 | 2,091 | 2,553 | 6,045 | 4,033 | 2,015 | 2,123 | 2,669 |
| MEAN | 108 | 152 | 114 | 61.8 | 193 | 67.5 | 85.1 | 195 | 134 | 65.0 | 68.5 | 89.0 |
| MAX | 648 | 634 | 407 | 235 | 829 | 149 | 195 | 904 | 448 | 213 | 224 | 341 |
| MIN | 34 | 40 | 35 | 30 | 38 | 41 | 46 | 48 | 43 | 33 | 33 | 29 |
| CFSM | 3.59 | 5.05 | 3.78 | 2.06 | 6.45 | 2.25 | 2.84 | 6.50 | 4.48 | 2.17 | 2.28 | 2.97 |
| IN. | 4.14 | 5.64 | 4.36 | 2.38 | 6.72 | 2.59 | 3.17 | 7.50 | 5.00 | 2.50 | 2.63 | 3.31 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 49.7 | 56.9 | 70.5 | 77.6 | 117 | 109 | 85.1 | 115 | 109 | 79.1 | 46.9 | 55.1 |
| MAX | 108 | 152 | 114 | 117 | 193 | 190 | 127 | 195 | 284 | 199 | 68.5 | 89.0 |
| (WY) | (2003) | (2003) | (2003) | (1998) | (2003) | (2002) | (1998) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 32.1 | 32.0 | 41.2 | 47.8 | 51.5 | 67.5 | 49.6 | 46.5 | 46.4 | 32.3 | 30.3 | 24.9 |
| (WY) | (2000) | (2000) | (2000) | (2001) | (2002) | (2003) | (1999) | (2000) | (2001) | (2002) | (2002) | (1999) |

03289200 TOWN BRANCH AT YARNALLTON ROAD AT YARNALLTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 33,392 | | 40,263 | | 80.6 | |
| ANNUAL MEAN | 91.5 | | 110 | | 113 1998 | |
| HIGHEST ANNUAL MEAN | | | | | 60.8 2000 | |
| LOWEST ANNUAL MEAN | | | | | 1,960 Jul 20, 1998 | |
| HIGHEST DAILY MEAN | 1,480 | Mar 20 | 904 | May 9 | 17 | Nov 29, 1997 |
| LOWEST DAILY MEAN | 22 | Aug 10 | 29 | Sep 21 | 22 | Sep 13, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 22 | Sep 7 | 31 | Jan 22 | 6,750 | Jun 29, 1998 |
| MAXIMUM PEAK FLOW | | | 2,990 | May 9 | 9.12 | Jun 29, 1998 |
| MAXIMUM PEAK STAGE | | | 6.65 | May 9 | 13 | Jul 16, 2001 |
| INSTANTANEOUS LOW FLOW | | | | | 2.69 | |
| ANNUAL RUNOFF (CFSM) | 3.05 | | 3.68 | | 36.52 | |
| ANNUAL RUNOFF (INCHES) | 41.41 | | 49.93 | | 159 | |
| 10 PERCENT EXCEEDS | 189 | | 232 | | 51 | |
| 50 PERCENT EXCEEDS | 51 | | 67 | | 27 | |
| 90 PERCENT EXCEEDS | 26 | | 38 | | | |

e Estimated



03289300 SOUTH ELKHORN CREEK NEAR MIDWAY, KY

LOCATION.--Lat 38°08'27", long 84°38'43", Scott County, Hydrologic Unit 05100205, on right bank, 5 ft upstream from bridge on U.S. Route 62/421, 2.2 mi southeast of Midway, 6.5 mi downstream from Town Branch, and at mile 27.6.

DRAINAGE AREA.--95.0 mi², of which about 12 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--September 1982 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 790 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those estimated, which are poor. Water is diverted from the Kentucky River for use by the city of Lexington and is discharged into Town Branch at a site 17 mi above gage. Discharge partially regulated by low-head turbine, 1 mile upstream, since October 1989. Regulation does not effect peak discharge.

COOPERATION.--Kentucky River Authority.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 1200 | 1,630 | 11.06 | Dec 20 | 0930 | 1,720 | 11.35 |
| Nov 6 | 0130 | 1,220 | 9.76 | Jun 15 | 0930 | 1,180 | 9.56 |
| Nov 11 | 0745 | *2,170 | 12.75 | Jun 17 | 0300 | 1,470 | *10.55 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|
| 1 | 74 | 221 | 70 | 439 | 74 | e300 | e128 | e105 | 94 | 59 | 127 | 410 |
| 2 | 65 | 169 | 68 | 521 | 74 | e265 | e118 | e125 | 82 | 57 | 77 | 388 |
| 3 | 56 | 142 | 66 | 407 | 72 | e230 | e113 | e148 | 252 | 54 | 72 | 699 |
| 4 | 48 | 135 | 62 | 319 | 148 | e200 | e109 | e111 | 285 | 47 | 72 | 606 |
| 5 | 111 | 355 | 63 | 263 | 204 | e170 | e209 | e982 | 170 | 46 | 69 | 320 |
| 6 | 73 | 891 | 63 | 223 | 165 | e156 | e133 | e531 | e150 | 45 | 56 | 207 |
| 7 | 59 | 505 | 55 | 190 | e184 | e142 | e402 | e537 | e800 | 47 | 67 | 154 |
| 8 | 52 | 346 | 59 | e165 | e173 | e135 | e275 | e408 | e620 | 43 | 264 | 120 |
| 9 | 48 | 258 | 69 | e140 | e165 | e124 | e502 | e1,080 | e520 | 43 | 143 | 101 |
| 10 | 158 | 965 | 70 | e125 | e151 | e113 | e405 | e499 | 386 | 246 | 88 | 82 |
| 11 | 1,210 | 1,720 | 137 | e110 | e147 | e112 | e365 | e828 | 313 | 279 | 69 | 71 |
| 12 | 596 | 803 | 247 | e100 | e140 | e134 | e277 | e435 | 315 | 114 | 276 | 63 |
| 13 | 464 | 515 | 236 | e93 | e128 | e205 | e217 | e305 | 274 | 86 | 121 | 55 |
| 14 | 272 | 368 | 683 | e84 | e186 | e172 | e182 | e237 | 280 | 68 | 84 | 51 |
| 15 | 198 | 344 | 565 | e78 | e1,580 | e151 | e159 | e720 | 911 | 61 | 108 | 51 |
| 16 | 221 | 494 | 407 | e72 | e1,700 | e142 | e144 | e486 | 579 | 334 | 338 | 48 |
| 17 | 162 | 385 | 304 | e68 | e1,000 | e135 | e382 | e458 | 1,040 | 203 | 159 | 50 |
| 18 | 130 | 306 | 277 | e65 | e800 | e128 | e373 | e411 | 518 | 117 | 103 | 43 |
| 19 | 108 | 251 | 232 | e61 | e640 | e238 | e247 | e337 | 357 | 88 | 80 | 44 |
| 20 | 160 | 211 | 1,260 | e58 | e580 | e343 | e196 | e306 | 266 | 71 | 67 | 33 |
| 21 | 135 | 186 | 747 | e56 | e620 | e275 | e231 | e580 | 209 | 66 | 58 | 35 |
| 22 | 114 | 190 | 496 | e53 | e1,230 | e214 | e170 | e420 | 169 | 84 | 52 | 159 |
| 23 | 97 | 150 | 361 | e51 | e940 | e186 | e146 | 335 | 141 | 144 | 53 | 253 |
| 24 | 86 | 129 | 296 | e49 | e710 | e167 | e132 | 261 | 120 | 113 | 47 | 113 |
| 25 | 80 | 117 | 367 | e48 | e560 | e154 | e124 | 210 | 104 | 76 | 45 | 81 |
| 26 | 84 | e110 | 306 | e46 | e420 | e159 | e172 | 188 | 92 | 59 | 42 | 67 |
| 27 | 73 | 105 | 261 | e45 | e380 | e136 | e120 | 162 | 89 | 53 | 40 | 126 |
| 28 | 94 | 91 | 228 | e44 | e350 | e126 | e109 | e140 | 79 | 53 | 55 | 139 |
| 29 | 336 | 81 | 199 | 61 | --- | e285 | e164 | e160 | 67 | 124 | 52 | 91 |
| 30 | 478 | 77 | 173 | 103 | --- | e187 | e118 | 143 | 62 | 76 | 76 | 74 |
| 31 | 304 | --- | 161 | 80 | --- | e152 | --- | 110 | --- | 77 | 88 | --- |
| TOTAL | 6,146 | 10,620 | 8,588 | 4,217 | 13,521 | 5,636 | 6,422 | 11,758 | 9,344 | 3,033 | 3,048 | 4,734 |
| MEAN | 198 | 354 | 277 | 136 | 483 | 182 | 214 | 379 | 311 | 97.8 | 98.3 | 158 |
| MAX | 1,210 | 1,720 | 1,260 | 521 | 1,700 | 343 | 502 | 1,080 | 1,040 | 334 | 338 | 699 |
| MIN | 48 | 77 | 55 | 44 | 72 | 112 | 109 | 105 | 62 | 43 | 40 | 33 |
| CFSM | 1.89 | 3.37 | 2.64 | 1.30 | 4.60 | 1.73 | 2.04 | 3.61 | 2.97 | 0.93 | 0.94 | 1.50 |
| IN. | 2.18 | 3.76 | 3.04 | 1.49 | 4.79 | 2.00 | 2.28 | 4.17 | 3.31 | 1.07 | 1.08 | 1.68 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1982 - 2003, BY WATER YEAR (WY)

| MEAN | 67.0 | 129 | 222 | 225 | 290 | 303 | 183 | 216 | 173 | 98.0 | 66.3 | 61.8 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 198 | 354 | 673 | 405 | 1,030 | 1,165 | 366 | 718 | 606 | 443 | 255 | 158 |
| (WY) | (2003) | (2003) | (1991) | (1996) | (1989) | (1997) | (1984) | (1983) | (1997) | (1998) | (1992) | (2003) |
| MIN | 24.5 | 21.1 | 42.6 | 50.4 | 114 | 60.1 | 61.0 | 35.9 | 39.5 | 30.7 | 22.5 | 16.4 |
| (WY) | (2000) | (2000) | (2000) | (1986) | (1993) | (1983) | (1986) | (1999) | (1988) | (2002) | (1999) | (1999) |

03289300 SOUTH ELKHORN CREEK NEAR MIDWAY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1982 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 68,653 | | 87,067 | | | |
| ANNUAL MEAN | 188 | | 239 | | 169 | |
| HIGHEST ANNUAL MEAN | | | | | 276 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 99.6 | 2000 |
| HIGHEST DAILY MEAN | 1,950 | Mar 20 | 1,720 | Nov 11 | 10,700 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 14 | Aug 7 | 33 | Sep 20 | 3.1 | Oct 8, 1994 |
| ANNUAL SEVEN-DAY MINIMUM | 18 | Aug 1 | 43 | Sep 15 | 8.5 | Nov 18, 2000 |
| MAXIMUM PEAK FLOW | | | 2,170 | Nov 11 | 12,300 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 12.75 | Nov 11 | 26.37 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Oct 7, 1992 |
| ANNUAL RUNOFF (CFSM) | 1.79 | | 2.27 | | 1.61 | |
| ANNUAL RUNOFF (INCHES) | 24.32 | | 30.85 | | 21.87 | |
| 10 PERCENT EXCEEDS | 464 | | 520 | | 359 | |
| 50 PERCENT EXCEEDS | 93 | | 148 | | 88 | |
| 90 PERCENT EXCEEDS | 25 | | 55 | | 28 | |

e Estimated



KENTUCKY RIVER BASIN

03289500 ELKHORN CREEK NEAR FRANKFORT, KY

LOCATION.--Lat 38°16'07", long 84°48'53", Franklin County, Hydrologic Unit 05100205, on right bank, 50 ft downstream from bridge on State Highway 1900, 4.2 mi northeast of city limits of Frankfort, 7.4 mi downstream from confluence of North and South Elkhorn Creeks, and at mile 10.4.

DRAINAGE AREA.--473 mi² of which about 70 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--May 1915 to December 1920 (gage heights only, October 1918 to December 1920), December 1939 to August 1984, October 1987 to current year. Published as "at Forks of Elkhorn" 1915-20.

REVISED RECORDS.--WSP 1555: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is approximately 540.20 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Aug. 31, 1970.

REMARKS.--Records fair except for those estimated, which are poor. City of Lexington diverts water from Hickman Creek in Kentucky River Basin for municipal water supply; return flow of which enters tributary above station.

COOPERATION.--Kentucky River Authority.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Aug. 2, 1932, reached a stage of about 17.5 ft, from information by local resident. Flood of January 1937 was about 0.3 ft lower.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 7,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Nov 11 | 1900 | 7,270 | 9.10 | Feb 22 | 2000 | 7,840 | 9.43 |
| Dec 20 | 1130 | 7,010 | 8.95 | May 11 | 1200 | 7,820 | 9.42 |
| Feb 17 | 1030 | *8,030 | *9.54 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|--------|
| 1 | 211 | 1,230 | 263 | 2,460 | 285 | 1,260 | 564 | 388 | 396 | 168 | 120 | 410 |
| 2 | 166 | 873 | 239 | 3,030 | 274 | 1,110 | 477 | 333 | 337 | 152 | 170 | 2,270 |
| 3 | 137 | 676 | 223 | 2,180 | 281 | 988 | 417 | 314 | 716 | 145 | 155 | 2,890 |
| 4 | 118 | 578 | 208 | 1,640 | 536 | 874 | 382 | 327 | 1,450 | 131 | 194 | 2,070 |
| 5 | 118 | 775 | 211 | 1,320 | 1,030 | 793 | 399 | 2,320 | 1,090 | 108 | 235 | 1,360 |
| 6 | 181 | 4,040 | 245 | 1,100 | 763 | 728 | 483 | 5,030 | 734 | 102 | 220 | 795 |
| 7 | 164 | 3,090 | 221 | 912 | 617 | 662 | 509 | 3,790 | 1,340 | 96 | 213 | 526 |
| 8 | 157 | 1,870 | 187 | 782 | 527 | 591 | 790 | 3,450 | 3,090 | 95 | 269 | 379 |
| 9 | 124 | 1,290 | 189 | 702 | 448 | 529 | 996 | 2,770 | 2,500 | e85 | 375 | 299 |
| 10 | 130 | 1,610 | 205 | 610 | 412 | 468 | 1,470 | 5,150 | 1,880 | 138 | 435 | 247 |
| 11 | 2,600 | 6,590 | 457 | 514 | 409 | 425 | 1,380 | 6,200 | 1,370 | 424 | 625 | 205 |
| 12 | 3,800 | 4,640 | 1,120 | 434 | 397 | 405 | 1,160 | 4,390 | 1,250 | 438 | 386 | 174 |
| 13 | 1,720 | 2,480 | e1,240 | 384 | 372 | 397 | 954 | 2,550 | 1,160 | 265 | 367 | 159 |
| 14 | 1,120 | 1,690 | 2,540 | 357 | 368 | 430 | 780 | 1,690 | 1,630 | 188 | 222 | 136 |
| 15 | 740 | 1,270 | 2,900 | 331 | 4,030 | 453 | 665 | 1,280 | 3,820 | 157 | 187 | 126 |
| 16 | 590 | 1,470 | 1,950 | 305 | e7,610 | 397 | 579 | 2,200 | 3,690 | 200 | 229 | 119 |
| 17 | 562 | 1,710 | 1,430 | e280 | e7,660 | 342 | 587 | 2,370 | 2,750 | 552 | 375 | 105 |
| 18 | 456 | 1,360 | 1,250 | e252 | e5,120 | 322 | 1,150 | 2,440 | 2,130 | 370 | 212 | 94 |
| 19 | 363 | 1,100 | 1,630 | e240 | 3,030 | 323 | 1,190 | 2,110 | 1,410 | 236 | 175 | 88 |
| 20 | 340 | 914 | 6,240 | e222 | 2,430 | 539 | 851 | 1,690 | 1,040 | 179 | 139 | 81 |
| 21 | 412 | 771 | 4,060 | e217 | 3,080 | 1,540 | 766 | 2,280 | 782 | 163 | 116 | 69 |
| 22 | 389 | 696 | 2,420 | e209 | 5,420 | 1,780 | 701 | 2,380 | 621 | 169 | 122 | 579 |
| 23 | 343 | 633 | 1,700 | e209 | 6,320 | 1,310 | 589 | 1,800 | 491 | 212 | 619 | 1,140 |
| 24 | 286 | 518 | 1,300 | e211 | 3,930 | 1,040 | 477 | 1,330 | 401 | 269 | 200 | 651 |
| 25 | 254 | 444 | 1,340 | e217 | 2,750 | 852 | 421 | 1,040 | 339 | 246 | 144 | 385 |
| 26 | 237 | 395 | 1,330 | e222 | 2,120 | 724 | 442 | 873 | 293 | 192 | 114 | 267 |
| 27 | 229 | 362 | 1,140 | e230 | 1,700 | 647 | 596 | 726 | 266 | 145 | 92 | 249 |
| 28 | 240 | 337 | 1,010 | e245 | 1,430 | 564 | 459 | 607 | 236 | 121 | 84 | 475 |
| 29 | 944 | 310 | 905 | e261 | --- | 598 | 392 | 537 | 206 | 116 | 84 | 419 |
| 30 | 2,920 | 287 | 792 | e280 | --- | e832 | 438 | 536 | 183 | 157 | 161 | 316 |
| 31 | 1,910 | --- | 799 | e305 | --- | e718 | --- | 481 | --- | 132 | 246 | --- |
| TOTAL | 21,961 | 44,009 | 39,744 | 20,661 | 63,349 | 22,641 | 21,064 | 63,382 | 37,601 | 6,151 | 7,285 | 17,083 |
| MEAN | 708 | 1,467 | 1,282 | 666 | 2,262 | 730 | 702 | 2,045 | 1,253 | 198 | 235 | 569 |
| MAX | 3,800 | 6,590 | 6,240 | 3,030 | 7,660 | 1,780 | 1,470 | 6,200 | 3,820 | 552 | 625 | 2,890 |
| MIN | 118 | 287 | 187 | 209 | 274 | 322 | 382 | 314 | 183 | 85 | 84 | 69 |
| CFSM | 1.76 | 3.65 | 3.19 | 1.66 | 5.62 | 1.81 | 1.74 | 5.08 | 3.11 | 0.49 | 0.58 | 1.42 |
| IN. | 2.03 | 4.07 | 3.67 | 1.91 | 5.86 | 2.09 | 1.95 | 5.86 | 3.48 | 0.57 | 0.67 | 1.58 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1916 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 137 | 335 | 861 | 1,106 | 1,301 | 1,408 | 901 | 688 | 436 | 258 | 175 | 160 |
| MAX | 1,012 | 1,467 | 3,138 | 4,630 | 4,438 | 4,309 | 3,332 | 3,747 | 2,686 | 1,708 | 963 | 2,101 |
| (WY) | (1976) | (2003) | (1979) | (1950) | (1989) | (1964) | (1948) | (1983) | (1997) | (1998) | (1992) | (1979) |
| MIN | 5.94 | 12.1 | 17.3 | 33.8 | 64.5 | 145 | 119 | 51.8 | 31.7 | 15.9 | 17.7 | 9.21 |
| (WY) | (1944) | (1944) | (1944) | (1944) | (1944) | (1941) | (1918) | (1941) | (1944) | (1944) | (1948) | (1953) |

03289500 ELKHORN CREEK NEAR FRANKFORT, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1916 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 323,123 | | 364,931 | | | |
| ANNUAL MEAN | 885 | | 1,000 | | 645 | |
| HIGHEST ANNUAL MEAN | | | | | 1,103 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 126 | 1954 |
| HIGHEST DAILY MEAN | 13,700 | Mar 20 | 7,660 | Feb 17 | 25,000 | Feb 16, 1989 |
| LOWEST DAILY MEAN | 23 | Aug 9 | 69 | Sep 21 | 0.00 | Jan 7, 1940 |
| ANNUAL SEVEN-DAY MINIMUM | 31 | Aug 6 | 97 | Sep 15 | 0.00 | Jan 7, 1940 |
| MAXIMUM PEAK FLOW | | | 8,030 | Feb 17 | 35,900 | Mar 4, 1997 |
| MAXIMUM PEAK STAGE | | | 9.54 | Feb 17 | 17.96 | Mar 3, 1997 |
| ANNUAL RUNOFF (CFSM) | 2.20 | | 2.48 | | 1.60 | |
| ANNUAL RUNOFF (INCHES) | 29.87 | | 33.74 | | 21.77 | |
| 10 PERCENT EXCEEDS | 2,210 | | 2,490 | | 1,620 | |
| 50 PERCENT EXCEEDS | 334 | | 491 | | 209 | |
| 90 PERCENT EXCEEDS | 47 | | 156 | | 35 | |

e Estimated



03290500 KENTUCKY RIVER AT LOCK 2, AT LOCKPORT, KY

LOCATION.--Lat 38°26'20", long 84°57'48", Henry County, Hydrologic Unit 05100205, on left bank at lock 2 at Lockport, 0.1 mi downstream from Sixmile Creek and at mile 31.0.

DRAINAGE AREA.--6,180 mi², of which about 196 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--October 1925 to September 1930, March 1931 to September 1931, December 1931 to April 1932, October 1933 to September 1937, and July 1939 to current year. Monthly discharge only for some periods, published in WSP 1305. Monthly discharge only for June to January 1931, published in WSP 1305; figures of daily discharge published in WSP 698 are unreliable.

REVISED RECORDS.--WSP 1385: 1926-29, 1932, 1934-37, 1945. WSP 1555: Drainage area. See also PERIOD OF RECORD.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 433.36 ft above NGVD of 1929. Prior to August 29, 1975, nonrecording gage at same site and datum. Auxiliary: water-stage recorder with telemetry located in the lower pool at Lock 3.

REMARKS.-- Records good. Flow regulated by Herrington Lake beginning November 1925 (station 03286000), Buckhorn Lake beginning December 1960 (station 03280800), Carr Fork Lake beginning January 1976 (station 03277446), and by hydroelectric plant at lock 7.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1 | 3,050 | 16,800 | 3,020 | 16,700 | 5,060 | 20,000 | 5,680 | 6,050 | 4,820 | 2,740 | 3,850 | 3,140 |
| 2 | 2,530 | 10,400 | 3,230 | 14,100 | 6,920 | 18,600 | 5,600 | 5,170 | 4,420 | 2,640 | 5,200 | 13,400 |
| 3 | 2,160 | 7,320 | 3,470 | 15,500 | 7,130 | 17,400 | 5,740 | 5,000 | 5,450 | 2,520 | 4,840 | 13,900 |
| 4 | 1,840 | 5,520 | 3,000 | 15,500 | 8,780 | 16,100 | 5,880 | 4,360 | 6,670 | 2,450 | 3,970 | 17,400 |
| 5 | 2,040 | 7,390 | 3,440 | 13,400 | 10,500 | 14,700 | 5,730 | 15,100 | 6,260 | 1,990 | 7,150 | 14,700 |
| 6 | 1,490 | 18,400 | 2,920 | 11,500 | 13,300 | 13,300 | 5,040 | 33,100 | 5,140 | 1,650 | 16,500 | 21,600 |
| 7 | 999 | 20,400 | 2,600 | 10,700 | 14,600 | 12,200 | 6,390 | 29,100 | 13,600 | 1,480 | 13,500 | 19,000 |
| 8 | 790 | 15,900 | 3,880 | 9,360 | 12,300 | 11,500 | 13,000 | 20,600 | 41,700 | 1,810 | 10,100 | 10,500 |
| 9 | 701 | 11,000 | 5,480 | 8,300 | 9,860 | 10,800 | 26,200 | 26,000 | 37,700 | 2,120 | 7,650 | 7,000 |
| 10 | 934 | 11,300 | 5,540 | 6,770 | 8,120 | 10,000 | 35,900 | 40,700 | 28,900 | 2,320 | 6,610 | 5,040 |
| 11 | 22,300 | 28,500 | 7,920 | 6,630 | 7,890 | 9,500 | 43,100 | 40,200 | 18,900 | 4,520 | 6,260 | 4,070 |
| 12 | 28,300 | 28,700 | 12,100 | 6,330 | 6,820 | 9,010 | 46,300 | 30,700 | 13,800 | 5,050 | 5,310 | 3,510 |
| 13 | 14,900 | 21,000 | 15,000 | 5,720 | 6,320 | 8,280 | 47,100 | 19,700 | 14,300 | 5,850 | 5,560 | 2,350 |
| 14 | 8,710 | 15,000 | 25,200 | 4,980 | 6,310 | 7,690 | 42,700 | 13,500 | 16,900 | 6,910 | 4,070 | 1,820 |
| 15 | 5,410 | 11,200 | 37,600 | 4,070 | 24,500 | 7,180 | 27,100 | 10,400 | 30,400 | 6,570 | 2,980 | 1,630 |
| 16 | 4,350 | 11,100 | 40,500 | 3,980 | 56,600 | 6,580 | 17,800 | 10,100 | 35,600 | 6,710 | 2,760 | 1,820 |
| 17 | 5,090 | 13,500 | 30,600 | 3,350 | 73,400 | 5,900 | 15,100 | 14,900 | 37,400 | 7,920 | 2,870 | 1,760 |
| 18 | 4,930 | 12,300 | 20,400 | 3,060 | 81,700 | 5,380 | 18,000 | 19,200 | 39,800 | 5,400 | 2,440 | 1,560 |
| 19 | 4,310 | 10,600 | 19,000 | 2,930 | 83,700 | 5,500 | 19,300 | 24,000 | 36,500 | 3,700 | 2,000 | 1,530 |
| 20 | 3,280 | 9,320 | 27,100 | 2,780 | 83,900 | 9,770 | 19,000 | 25,500 | 35,400 | 2,750 | 1,870 | 1,250 |
| 21 | 3,130 | 8,490 | 21,300 | 2,570 | 80,900 | 16,700 | 20,700 | 24,200 | 33,400 | 2,320 | 1,860 | 959 |
| 22 | 3,800 | 7,860 | 17,900 | 2,540 | 63,000 | 11,900 | 17,900 | 21,300 | 25,700 | 2,260 | 3,910 | 8,910 |
| 23 | 3,710 | 6,390 | 16,600 | 2,620 | 49,000 | 8,860 | 16,400 | 16,800 | 17,100 | 2,430 | 6,870 | 6,530 |
| 24 | 2,930 | 5,370 | 13,800 | 2,550 | 48,100 | 7,480 | 14,100 | 15,500 | 12,700 | 2,420 | 2,190 | 3,340 |
| 25 | 2,660 | 5,020 | 12,000 | 2,440 | 48,500 | 6,500 | 11,800 | 12,900 | 10,600 | 2,590 | 1,540 | 3,210 |
| 26 | 2,580 | 5,450 | 11,700 | 2,230 | 41,500 | 5,880 | 10,500 | 9,860 | 9,120 | 2,660 | 1,280 | 3,310 |
| 27 | 1,910 | 5,110 | 13,200 | 2,060 | 28,200 | 5,460 | 9,510 | 8,240 | 6,720 | 2,650 | 1,110 | 3,140 |
| 28 | 1,870 | 4,440 | 13,500 | 2,060 | 22,700 | 4,910 | 8,300 | 6,290 | 4,770 | 2,400 | 986 | 2,900 |
| 29 | 5,820 | 3,650 | 11,400 | 2,100 | --- | 5,730 | 8,970 | 5,360 | 3,520 | 2,140 | 902 | 2,970 |
| 30 | 15,700 | 3,240 | 9,360 | 2,480 | --- | 6,150 | 7,120 | 4,930 | 2,760 | 2,790 | 2,340 | 3,210 |
| 31 | 22,400 | --- | 11,000 | 3,480 | --- | 6,030 | --- | 5,050 | --- | 3,140 | 1,900 | --- |
| TOTAL | 184,624 | 340,670 | 423,760 | 192,790 | 909,610 | 304,990 | 535,960 | 523,810 | 560,050 | 104,900 | 140,378 | 185,459 |
| MEAN | 5,956 | 11,360 | 13,670 | 6,219 | 32,490 | 9,838 | 17,870 | 16,900 | 18,670 | 3,384 | 4,528 | 6,182 |
| MAX | 28,300 | 28,700 | 40,500 | 16,700 | 83,900 | 20,000 | 47,100 | 40,700 | 41,700 | 7,920 | 16,500 | 21,600 |
| MIN | 701 | 3,240 | 2,600 | 2,060 | 5,060 | 4,910 | 5,040 | 4,360 | 2,760 | 1,480 | 902 | 959 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1961 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 2,301 | 4,843 | 10,580 | 12,980 | 15,200 | 18,400 | 13,850 | 10,390 | 5,791 | 2,811 | 2,421 | 2,162 |
| MAX | 14,120 | 13,960 | 39,510 | 37,850 | 40,180 | 40,410 | 41,540 | 34,340 | 23,380 | 8,458 | 8,589 | 14,740 |
| (WY) | (1990) | (1987) | (1979) | (1974) | (1989) | (1975) | (1972) | (1983) | (1997) | (1998) | (1992) | (1979) |
| MIN | 421 | 511 | 668 | 770 | 4,073 | 4,423 | 2,074 | 1,518 | 508 | 545 | 307 | 187 |
| (WY) | (2000) | (2000) | (1966) | (1981) | (1968) | (1983) | (1986) | (1976) | (1988) | (1999) | (1999) | (1999) |

03290500 KENTUCKY RIVER AT LOCK 2, AT LOCKPORT, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1961 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,347,407 | | 4,407,001 | | 8,446 | |
| ANNUAL MEAN | 9,171 | | 12,070 | | 3,891 | |
| HIGHEST ANNUAL MEAN | | | | | 14,030 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 3,891 | 1988 |
| HIGHEST DAILY MEAN | 80,700 | Mar 21 | 83,900 | Feb 20 | 121,000 | Dec 11, 1978 |
| LOWEST DAILY MEAN | 178 | Sep 13 | 701 | Oct 9 | 112 | Sep 16, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 223 | Sep 8 | 1,260 | Oct 4 | 125 | Sep 10, 1999 |
| MAXIMUM PEAK FLOW | | | 84,200 | Feb 20 | 123,000 | Jan 26, 1937 |
| MAXIMUM PEAK STAGE | | | 39.31 | Feb 20 | 56.85 | Jan 24, 1937 |
| 10 PERCENT EXCEEDS | 27,500 | | 28,400 | | 21,500 | |
| 50 PERCENT EXCEEDS | 3,890 | | 6,910 | | 3,800 | |
| 90 PERCENT EXCEEDS | 452 | | 2,180 | | 614 | |



KENTUCKY RIVER BASIN

03291500 EAGLE CREEK AT GLENCOE, KY

LOCATION.--Lat 38°42'18", long 84°49'26", Gallatin County, Hydrologic Unit 05100205, on left bank, at bridge on U.S. Highway 127, 0.6 mi south of Glencoe, 5.8 mi downstream from Tenmile Creek, and at mile 21.6.

DRAINAGE AREA.--437 mi².

PERIOD OF RECORD.--April 1915 to September 1918, October 1918 to December 1920 (gage heights only), May 1928 to September 1931, June 1938 to September 1977, December 1988 to current year. Monthly discharge only for May 1915, June 1938, published in WSP 1305.

REVISED RECORDS.--WSP 1275: 1916-17, 1920(M). WSP 1555: Drainage area. WSP 1908: 1939-40(M), 1943(M), 1945(M), 1948(P), 1950(M), 1956-57(P), 1960(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 508.52 ft above NGVD of 1929. Prior Oct. 1, 1950, nonrecording gages at same site and datum. Oct. 1, 1950 to Oct. 19, 1960, nonrecording gage 600 ft downstream at same datum.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 12,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Dec 20 | 0100 | 16,900 | 15.56 | May 6 | 1200 | 12,500 | 13.20 |
| Jan 1 | 1000 | 15,000 | 14.58 | Jul 10 | 2110 | *25,300 | *19.14 |
| Feb 22 | 2100 | 17,800 | 15.98 | Sep 2 | 1300 | 17,900 | 16.02 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|
| 1 | 114 | 317 | 82 | 10,500 | 174 | 612 | 324 | 405 | 156 | 63 | 49 | 369 |
| 2 | 79 | 196 | 76 | 3,410 | 168 | 1,770 | 281 | 267 | 131 | 58 | 1,640 | 12,300 |
| 3 | 60 | 157 | 70 | 997 | 237 | 938 | 228 | 226 | 179 | 63 | 636 | 4,250 |
| 4 | 50 | 132 | 64 | 579 | 2,510 | 483 | 197 | 199 | 2,400 | 51 | 406 | 1,610 |
| 5 | 45 | 341 | 66 | 440 | 1,480 | 670 | 295 | 6,510 | 534 | 45 | 734 | 547 |
| 6 | 115 | 4,640 | 64 | 395 | 408 | 919 | 255 | 10,700 | 272 | 46 | 416 | 317 |
| 7 | 112 | 1,300 | 62 | 341 | 252 | 608 | 366 | 3,630 | 329 | 40 | 214 | 226 |
| 8 | 86 | 403 | 62 | 300 | 180 | 382 | 571 | 2,410 | 1,920 | e34 | 283 | 162 |
| 9 | 66 | 254 | 62 | 269 | e150 | 321 | 782 | 799 | 2,250 | e120 | 151 | 126 |
| 10 | 55 | 567 | 69 | 232 | e140 | 285 | 1,750 | 4,530 | 576 | e750 | 96 | 104 |
| 11 | 4,770 | 5,060 | 1,740 | 197 | e130 | 240 | 651 | 7,190 | 313 | 3,260 | 1,030 | 87 |
| 12 | 4,830 | 1,720 | 3,110 | 159 | e120 | 234 | 379 | 3,460 | 298 | 879 | 1,330 | 73 |
| 13 | 617 | 477 | 1,440 | e140 | e110 | 274 | 298 | 755 | 617 | 331 | 363 | 61 |
| 14 | 258 | 296 | 3,270 | e130 | e100 | 403 | 237 | 425 | 369 | 205 | 214 | 58 |
| 15 | 152 | 232 | 1,590 | 122 | 5,520 | 310 | 190 | 323 | 3,250 | 137 | 135 | 59 |
| 16 | 99 | 341 | 538 | e110 | 4,530 | 274 | 171 | 264 | 5,360 | 289 | 95 | 56 |
| 17 | 75 | 488 | 1,000 | e100 | 1,180 | 250 | 160 | 1,420 | 3,210 | 135 | 77 | 56 |
| 18 | 61 | 330 | 3,210 | e96 | 756 | 226 | 2,070 | 4,170 | 1,110 | 116 | 77 | 54 |
| 19 | 53 | 233 | 4,020 | e92 | 414 | 260 | 728 | 1,470 | 670 | 98 | 59 | 45 |
| 20 | 48 | 187 | 11,200 | e88 | 318 | 1,470 | 313 | 643 | 367 | 100 | 50 | 36 |
| 21 | 47 | 162 | 2,320 | e82 | 2,160 | 1,600 | 1,980 | 2,970 | 256 | 77 | 40 | 35 |
| 22 | 44 | 171 | 697 | e76 | 11,400 | 1,690 | 1,540 | 1,400 | 197 | 81 | 423 | 3,400 |
| 23 | 41 | 205 | 419 | e72 | 9,570 | 606 | 461 | 518 | 161 | 72 | 5,270 | 4,120 |
| 24 | 37 | 172 | 319 | e71 | 1,630 | 421 | 307 | 349 | 135 | 57 | 625 | 699 |
| 25 | 42 | 142 | 386 | e68 | 664 | 323 | 253 | 276 | 112 | 53 | 211 | 227 |
| 26 | 146 | 125 | 474 | e66 | 442 | 279 | 487 | 258 | 97 | 51 | 118 | 125 |
| 27 | 124 | 114 | 360 | e64 | 364 | 252 | 762 | 226 | 97 | 58 | 65 | 2,950 |
| 28 | 90 | 105 | 283 | e62 | 329 | 222 | 287 | 191 | 145 | 262 | 45 | 414 |
| 29 | 1,310 | 97 | 249 | e60 | --- | 879 | 493 | 191 | 109 | 142 | 38 | 289 |
| 30 | 3,860 | 90 | 318 | 226 | --- | e640 | 1,410 | 199 | 78 | 91 | 4,040 | 155 |
| 31 | 779 | --- | 2,100 | 218 | --- | e450 | --- | 184 | --- | 67 | 548 | --- |
| TOTAL | 18,265 | 19,054 | 39,720 | 19,762 | 45,436 | 18,291 | 18,226 | 56,558 | 25,698 | 7,831 | 19,478 | 33,010 |
| MEAN | 589 | 635 | 1,281 | 637 | 1,623 | 590 | 608 | 1,824 | 857 | 253 | 628 | 1,100 |
| MAX | 4,830 | 5,060 | 11,200 | 10,500 | 11,400 | 1,770 | 2,070 | 10,700 | 5,360 | 3,260 | 5,270 | 12,300 |
| MIN | 37 | 90 | 62 | 60 | 100 | 222 | 160 | 184 | 78 | 34 | 38 | 35 |
| CFSM | 1.35 | 1.45 | 2.93 | 1.46 | 3.71 | 1.35 | 1.39 | 4.17 | 1.96 | 0.58 | 1.44 | 2.52 |
| IN. | 1.55 | 1.62 | 3.38 | 1.68 | 3.87 | 1.56 | 1.55 | 4.81 | 2.19 | 0.67 | 1.66 | 2.81 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1916 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 114 | 341 | 646 | 934 | 1,078 | 1,263 | 914 | 686 | 474 | 249 | 134 | 122 |
| MAX | 1,005 | 1,641 | 1,874 | 3,170 | 3,295 | 5,197 | 2,910 | 3,190 | 2,673 | 1,016 | 755 | 1,355 |
| (WY) | (1976) | (1973) | (1952) | (1950) | (1956) | (1964) | (1948) | (1996) | (1997) | (1957) | (1977) | (1965) |
| MIN | 0.000 | 0.000 | 0.000 | 2.85 | 44.6 | 120 | 131 | 25.5 | 1.56 | 0.14 | 0.000 | 0.000 |
| (WY) | (1931) | (1931) | (1931) | (1931) | (1954) | (1941) | (1976) | (1930) | (1930) | (1930) | (1930) | (1930) |

03291500 EAGLE CREEK AT GLENCOE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1916 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 241,093.69 | | 321,329 | | | |
| ANNUAL MEAN | 661 | | 880 | | 576 | |
| HIGHEST ANNUAL MEAN | | | | | 1,059 | 1973 |
| LOWEST ANNUAL MEAN | | | | | 117 | 1954 |
| HIGHEST DAILY MEAN | 12,500 | Apr 28 | 12,300 | Sep 2 | 39,300 | Mar 10, 1964 |
| LOWEST DAILY MEAN | 0.38 | Sep 16 | 34 | Jul 8 | 0.00 | Jul 15, 1930 |
| ANNUAL SEVEN-DAY MINIMUM | 0.41 | Sep 12 | 45 | Oct 19 | 0.00 | Jul 15, 1930 |
| MAXIMUM PEAK FLOW | | | 25,300 | Jul 10 | 58,300 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 19.14 | Jul 10 | 29.08 | Mar 2, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.51 | | 2.01 | | 1.32 | |
| ANNUAL RUNOFF (INCHES) | 20.52 | | 27.35 | | 17.90 | |
| 10 PERCENT EXCEEDS | 1,730 | | 2,450 | | 1,310 | |
| 50 PERCENT EXCEEDS | 187 | | 262 | | 100 | |
| 90 PERCENT EXCEEDS | 2.2 | | 61 | | 1.3 | |

e Estimated



03292470 HARRODS CREEK AT HIGHWAY 329 NEAR GOSHEN, KY

LOCATION.--Lat 38°21'42", long 85°34'30", Oldham County, Hydrologic Unit 05140101, on downstream side of bridge on Highway 329 (Covered Bridge Road) 0.8 mi upstream from South Fork, 3.1 mi south of Goshen, and at mile 7.29.

DRAINAGE AREA.--70.3 mi².

PERIOD OF RECORD.--December 15, 1998 to current year.

GAGE.--Water-stage recorder with telemetry.

REMARKS.--Records fair except those for estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Nov 10 | 1645 | 7,390 | 8.71 | May 5 | 0705 | 6,850 | 8.40 |
| Feb 15 | 0810 | 3,430 | 6.28 | May 11 | 1120 | 4,000 | 6.64 |
| Feb 22 | 1930 | 4,600 | 7.03 | May 17 | 1245 | 4,360 | 6.88 |
| Apr 17 | 1830 | 3,730 | 6.46 | Sep 27 | 0550 | *9,540 | *10.03 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|----------|--------|
| 1 | e21 | 65 | e18 | e720 | 36 | 160 | 56 | 75 | 31 | 7.9 | e85 | e440 |
| 2 | e22 | 53 | e17 | e490 | 44 | 133 | 50 | 59 | 27 | 7.5 | e430 | e1,995 |
| 3 | e21 | 49 | e16 | e350 | 47 | 101 | 45 | 51 | 36 | 7.6 | e260 | e510 |
| 4 | 31 | 50 | e15 | e260 | 351 | 86 | 43 | 43 | 44 | 7.0 | e530 | e190 |
| 5 | 72 | 366 | e17 | e190 | 101 | 83 | 53 | 3,890 | 34 | 6.4 | e85 | e90 |
| 6 | 43 | 292 | e19 | e160 | 64 | 126 | 50 | 701 | 27 | 6.0 | e170 | 59 |
| 7 | 29 | 124 | e18 | e140 | 56 | 108 | 71 | 370 | 25 | 5.2 | e45 | 43 |
| 8 | 21 | 85 | e52 | e120 | 44 | 86 | 73 | 200 | 31 | 5.2 | e23 | 36 |
| 9 | 18 | 73 | e130 | e104 | 47 | 72 | 60 | 285 | 66 | 6.1 | e11 | 31 |
| 10 | 26 | 2,120 | e400 | e93 | 47 | 59 | 62 | 638 | 34 | 57 | e6.8 | 27 |
| 11 | 749 | 799 | e310 | e83 | 45 | 55 | 54 | 1,800 | 31 | 84 | e7.6 | 24 |
| 12 | 154 | 220 | e210 | e76 | 43 | 55 | 47 | 329 | 117 | 32 | e5.1 | 22 |
| 13 | 78 | e120 | e290 | e70 | 37 | 56 | 42 | 147 | 60 | 18 | e3.3 | 20 |
| 14 | 52 | e83 | e190 | e65 | 47 | 53 | 38 | 98 | 45 | 13 | e2.1 | 19 |
| 15 | 42 | e110 | e104 | e62 | 1,820 | 49 | 37 | 98 | 57 | 11 | e1.6 | 32 |
| 16 | 34 | e86 | e190 | e58 | 537 | 47 | 37 | 89 | 43 | 21 | e1.2 | 28 |
| 17 | 28 | e65 | e350 | e54 | 199 | 44 | 941 | 1,790 | 51 | 15 | e1.1 | 22 |
| 18 | 23 | e60 | e1,900 | e52 | 117 | 43 | 605 | 503 | 33 | 11 | e0.96 | 18 |
| 19 | 22 | e56 | e1,750 | e49 | 96 | 78 | 140 | 191 | 26 | 9.9 | e0.88 | 16 |
| 20 | 23 | e46 | e440 | e47 | 154 | 116 | 89 | 279 | 23 | 8.8 | e0.82 | 16 |
| 21 | 22 | e54 | e180 | e45 | 891 | 100 | 197 | 490 | 18 | 121 | e0.76 | 15 |
| 22 | 20 | e45 | e130 | e44 | 3,110 | 85 | 108 | 175 | 16 | 82 | e210 | 55 |
| 23 | 18 | e37 | e100 | e43 | 987 | 69 | 73 | 109 | 14 | 44 | e35 | 73 |
| 24 | 16 | e33 | e210 | e23 | 333 | 60 | 59 | 79 | 13 | 25 | e6.4 | 38 |
| 25 | 24 | e30 | e140 | e22 | 190 | 54 | 67 | 69 | 12 | 17 | e2.6 | 27 |
| 26 | 50 | e27 | e110 | e20 | 143 | 56 | 398 | 81 | 11 | 12 | e1.2 | 21 |
| 27 | 38 | e25 | e90 | e19 | 118 | 54 | 132 | 59 | 15 | 9.7 | e62 | 3,140 |
| 28 | 37 | e23 | e77 | e18 | 117 | 49 | 84 | 50 | 13 | 9.3 | e21 | 212 |
| 29 | 268 | e21 | e200 | e28 | --- | 93 | 165 | 48 | 10 | 14 | e155 | 84 |
| 30 | 175 | e20 | e620 | e46 | --- | 93 | 108 | 42 | 9.1 | 14 | e1,100 | 49 |
| 31 | 92 | --- | e1,600 | e33 | --- | 64 | --- | 36 | --- | e12 | e660 | --- |
| TOTAL | 2,269 | 5,237 | 9,893 | 3,584 | 9,821 | 2,387 | 3,984 | 12,874 | 972.1 | 699.6 | 3,924.42 | 7,352 |
| MEAN | 73.2 | 175 | 319 | 116 | 351 | 77.0 | 133 | 415 | 32.4 | 22.6 | 127 | 245 |
| MAX | 749 | 2,120 | 1,900 | 720 | 3,110 | 160 | 941 | 3,890 | 117 | 121 | 1,100 | 3,140 |
| MIN | 16 | 20 | 15 | 18 | 36 | 43 | 37 | 36 | 9.1 | 5.2 | 0.76 | 15 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | 79.1 | 113 | 243 | 174 | 277 | 178 | 125 | 202 | 93.2 | 17.9 | 30.4 | 92.0 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 79.1 | 113 | 243 | 174 | 277 | 178 | 125 | 202 | 93.2 | 17.9 | 30.4 | 92.0 |
| MAX | 233 | 253 | 359 | 289 | 526 | 417 | 242 | 441 | 192 | 29.5 | 127 | 245 |
| (WY) | (2002) | (2002) | (2002) | (2000) | (2000) | (2002) | (2002) | (2002) | (2002) | (2001) | (2003) | (2003) |
| MIN | 1.99 | 3.33 | 83.5 | 40.6 | 121 | 77.0 | 25.9 | 16.5 | 32.4 | 6.81 | 0.29 | 0.089 |
| (WY) | (2000) | (2000) | (2000) | (2001) | (1999) | (2003) | (2001) | (1999) | (2003) | (1999) | (1999) | (1999) |

03292470 HARRODS CREEK AT HIGHWAY 329 NEAR GOSHEN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 74,096.0 | | 62,997.12 | | | |
| ANNUAL MEAN | 203 | | 173 | | 148 | |
| HIGHEST ANNUAL MEAN | | | | | 226 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 75.2 | 2001 |
| HIGHEST DAILY MEAN | 3,890 | Mar 26 | 3,890 | May 5 | 7,360 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 1.7 | Sep 12 | 0.76 | Aug 21 | 0.00 | Sep 2, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 2.3 | Aug 29 | 1.0 | Aug 15 | 0.00 | Sep 2, 1999 |
| MAXIMUM PEAK FLOW | | | 9,540 | Sep 27 | 16,500 | Feb 18, 2000 |
| MAXIMUM PEAK STAGE | | | 10.03 | Sep 27 | 14.76 | Feb 18, 2000 |
| 10 PERCENT EXCEEDS | 412 | | 357 | | 275 | |
| 50 PERCENT EXCEEDS | 50 | | 53 | | 30 | |
| 90 PERCENT EXCEEDS | 4.7 | | 12 | | 3.0 | |

e Estimated



03292474 GOOSE CREEK AT OLD WESTPORT ROAD NEAR ST. MATTHEWS, KY

LOCATION.--Lat 38°16'33", long 85°36'22", Jefferson County, Hydrologic Unit 05140101, on left downstream side of bridge on Westport Road, 1.2 mile northeast of St. Matthews, 5.0 miles above Little Goose Creek, and at mile 5.5

DRAINAGE AREA.--6.0 mi².

PERIOD OF RECORD.--October 1996 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records good.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 300 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Dec 19 | 1710 | 345 | 3.42 | May 11 | 0420 | 340 | 3.39 |
| May 5 | 1235 | 323 | 3.28 | Jun 14 | 2220 | *4,050 | *6.03 |
| May 10 | 1710 | 419 | 3.92 | Sep 27 | 0425 | 408 | 3.84 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 6.3 | 4.9 | 3.4 | 96 | 4.0 | 13 | 5.5 | 8.6 | 5.9 | 5.2 | 2.6 | 34 |
| 2 | 5.4 | 4.6 | 3.2 | 46 | 3.6 | 12 | 4.8 | 8.8 | 5.1 | 4.8 | 47 | 77 |
| 3 | 4.7 | 4.6 | 3.2 | 27 | 5.0 | 11 | 4.4 | 7.9 | 7.8 | 4.5 | 33 | 41 |
| 4 | 12 | 4.9 | 3.2 | 21 | 11 | 9.9 | 4.1 | 6.5 | 6.7 | 3.8 | 30 | 24 |
| 5 | 14 | e30 | 3.4 | 18 | 6.9 | 9.6 | 6.0 | 104 | 5.3 | 3.4 | 17 | 18 |
| 6 | 7.6 | 14 | 3.2 | 15 | 5.5 | 9.8 | 4.5 | 52 | 4.6 | 3.3 | 13 | 15 |
| 7 | 5.4 | 9.7 | 3.3 | 13 | 5.3 | 8.4 | 8.7 | 37 | 4.9 | 3.7 | 11 | 13 |
| 8 | 4.4 | 7.8 | 4.0 | 12 | 4.7 | 7.7 | 6.0 | 25 | 9.5 | 3.4 | 8.7 | 11 |
| 9 | 3.5 | 6.6 | 4.4 | 11 | 4.6 | 6.6 | 6.4 | 31 | 6.3 | 4.5 | 6.6 | 9.9 |
| 10 | 6.8 | 43 | 4.4 | 9.3 | 4.8 | 5.8 | 6.4 | 78 | 4.5 | 17 | 5.9 | 7.7 |
| 11 | 48 | 30 | 18 | 8.2 | 4.6 | 5.7 | 5.3 | 110 | 12 | 9.5 | 5.3 | 6.3 |
| 12 | 16 | 15 | 13 | 7.4 | 4.2 | 6.1 | 4.7 | 45 | 16 | 5.7 | 4.7 | 5.6 |
| 13 | 11 | 12 | 14 | 6.8 | 3.8 | 6.0 | 4.2 | 26 | 10 | 4.6 | 3.8 | 5.2 |
| 14 | 8.7 | 10 | 15 | 5.9 | 5.3 | 5.3 | 4.1 | 20 | 266 | 3.6 | 3.5 | 7.7 |
| 15 | 7.6 | 11 | 12 | 5.3 | 35 | 5.1 | 3.8 | 18 | 184 | 3.9 | 3.0 | 10 |
| 16 | 6.6 | 9.7 | 11 | 5.1 | 25 | 4.9 | 3.6 | 15 | 52 | 6.1 | 2.9 | 6.5 |
| 17 | 4.5 | 7.6 | 15 | 4.9 | 18 | 4.7 | 20 | 56 | 35 | 3.6 | 2.8 | 5.3 |
| 18 | 3.8 | 6.7 | 16 | 4.6 | 14 | 5.5 | 14 | 32 | 24 | 3.0 | 2.6 | 4.7 |
| 19 | 3.7 | 6.2 | 134 | 4.3 | 14 | 18 | 9.8 | 21 | 20 | 2.6 | 2.3 | 4.4 |
| 20 | 4.5 | 5.2 | 118 | 4.1 | 17 | 13 | 12 | 21 | 17 | 2.4 | 2.1 | 4.1 |
| 21 | 3.5 | 5.8 | 47 | 3.9 | 32 | 13 | 26 | 21 | 15 | 3.4 | 2.0 | 3.4 |
| 22 | 3.1 | 5.7 | 23 | 3.5 | 87 | 11 | 14 | 16 | 13 | 2.9 | 4.9 | 19 |
| 23 | 2.8 | 4.9 | 18 | 3.2 | 51 | 9.7 | 11 | 14 | 12 | 3.9 | 4.1 | 12 |
| 24 | 2.5 | 4.5 | 19 | 3.2 | 31 | 9.0 | 9.9 | 12 | 10 | 4.4 | 2.9 | 8.3 |
| 25 | 4.3 | 4.2 | 19 | 3.2 | 23 | 7.9 | 27 | 13 | 9.1 | 2.7 | 2.5 | 6.7 |
| 26 | 4.1 | 3.9 | 14 | 3.2 | 19 | 7.9 | 32 | 12 | 9.8 | 2.1 | 2.1 | 5.8 |
| 27 | 3.2 | 3.7 | 13 | 3.2 | 16 | 6.9 | 16 | 10 | 8.9 | 1.9 | 2.1 | 69 |
| 28 | 4.8 | 3.5 | 12 | 3.1 | 14 | 6.3 | 13 | 9.0 | 7.0 | 1.9 | 3.7 | 14 |
| 29 | 8.9 | 3.5 | 11 | 3.6 | --- | 11 | 12 | 9.1 | 6.1 | 2.1 | 4.1 | 9.6 |
| 30 | 7.3 | 3.6 | 24 | 3.4 | --- | 7.5 | 10 | 8.1 | 5.4 | 1.6 | 53 | 8.0 |
| 31 | 5.6 | --- | 45 | 3.1 | --- | 6.3 | --- | 7.2 | --- | 4.2 | 17 | --- |
| TOTAL | 234.6 | 286.8 | 646.7 | 361.5 | 469.3 | 264.6 | 309.2 | 854.2 | 792.9 | 129.7 | 306.2 | 466.2 |
| MEAN | 7.57 | 9.56 | 20.9 | 11.7 | 16.8 | 8.54 | 10.3 | 27.6 | 26.4 | 4.18 | 9.88 | 15.5 |
| MAX | 48 | 43 | 134 | 96 | 87 | 18 | 32 | 110 | 266 | 17 | 53 | 77 |
| MIN | 2.5 | 3.5 | 3.2 | 3.1 | 3.6 | 4.7 | 3.6 | 6.5 | 4.5 | 1.6 | 2.0 | 3.4 |
| CFSM | 1.26 | 1.59 | 3.48 | 1.94 | 2.79 | 1.42 | 1.72 | 4.59 | 4.41 | 0.70 | 1.65 | 2.59 |
| IN. | 1.45 | 1.78 | 4.01 | 2.24 | 2.91 | 1.64 | 1.92 | 5.30 | 4.92 | 0.80 | 1.90 | 2.89 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1997 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 3.90 | 4.35 | 11.9 | 11.8 | 13.8 | 20.6 | 8.47 | 10.6 | 12.4 | 4.34 | 3.42 | 4.24 |
| MAX | 13.4 | 10.0 | 21.8 | 19.4 | 27.5 | 77.1 | 16.5 | 27.6 | 26.4 | 11.0 | 9.88 | 15.5 |
| (WY) | (2002) | (2002) | (1997) | (1999) | (2000) | (1997) | (2002) | (2003) | (2003) | (1998) | (2003) | (2003) |
| MIN | 0.57 | 0.48 | 3.74 | 3.16 | 7.37 | 6.83 | 3.56 | 2.46 | 2.74 | 0.84 | 0.15 | 0.32 |
| (WY) | (1998) | (2000) | (1999) | (2001) | (2002) | (2001) | (2001) | (1999) | (2001) | (2002) | (1999) | (1999) |

03292474 GOOSE CREEK AT OLD WESTPORT ROAD NEAR ST. MATTHEWS, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1997 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,820.53 | | 5,121.9 | | 9.13 | |
| ANNUAL MEAN | 10.5 | | 14.0 | | 14.8 | |
| HIGHEST ANNUAL MEAN | | | | | 5.00 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 2001 | |
| HIGHEST DAILY MEAN | 167 | Mar 26 | 266 | Jun 14 | 800 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 0.02 | Sep 1 | 1.6 | Jul 30 | 0.01 | Aug 16, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.04 | Aug 29 | 2.3 | Jul 26 | 0.02 | Sep 12, 1999 |
| MAXIMUM PEAK FLOW | | | 4,050 | Jun 14 | 4,050 | Jun 14, 2003 |
| MAXIMUM PEAK STAGE | | | 6.03 | Jun 14 | 6.03 | Jun 14, 2003 |
| ANNUAL RUNOFF (CFSM) | 1.74 | | 2.34 | | 1.52 | |
| ANNUAL RUNOFF (INCHES) | 23.69 | | 31.76 | | 20.69 | |
| 10 PERCENT EXCEEDS | 20 | | 30 | | 19 | |
| 50 PERCENT EXCEEDS | 4.4 | | 7.0 | | 3.8 | |
| 90 PERCENT EXCEEDS | 0.28 | | 3.2 | | 0.50 | |

e Estimated



03292475 GOOSE CREEK AT HIGHWAY 42 AT GLENVIEW ACRES, KY

LOCATION.--Lat 38°18'12", long 85°37'41", Jefferson County, Hydrologic Unit 05140101, on downstream side of culvert on U.S. Highway 42, 0.5 mi northeast of Glenview Acres, 1.7 mi above Little Goose Creek, and at mile 2.1.

DRAINAGE AREA.--10.1 mi².

PERIOD OF RECORD.--November 1999 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 430.06 ft above NGVD of 1929.

REMARKS.--Records good, except those for estimated daily discharges which are rated poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Dec 19 | 1740 | 508 | 5.50 | Jun 14 | 2320 | *1,420 | *7.41 |
| May 11 | 0355 | 562 | 5.66 | Sep 27 | 0220 | 799 | 6.26 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|---------|------|-------|-------|-------|------|-------|--------|
| 1 | e9.6 | 8.8 | 3.5 | 164 | 9.1 | 31 | 13 | 21 | 9.8 | 2.7 | e3.1 | 46 |
| 2 | e8.2 | 8.3 | 3.5 | 89 | 8.5 | 28 | 12 | 21 | 8.8 | 2.6 | e47 | 56 |
| 3 | e7.2 | 8.4 | 3.2 | 65 | 11 | 24 | 11 | 19 | 16 | 2.4 | e33 | 14 |
| 4 | e18 | 8.5 | 3.3 | 52 | 33 | 22 | 12 | 15 | 12 | 2.2 | e26 | 7.3 |
| 5 | e21 | 36 | 3.7 | 44 | 16 | 22 | 17 | 160 | 9.6 | 2.0 | e15 | 4.9 |
| 6 | e13 | 27 | 3.4 | 36 | 13 | 23 | 12 | 90 | 8.3 | 1.8 | e11 | 3.8 |
| 7 | e8.5 | 19 | 3.4 | 31 | 12 | 19 | 27 | 73 | 8.6 | 1.9 | e8.1 | 3.1 |
| 8 | e6.7 | 15 | 4.3 | 29 | 11 | 17 | 17 | 53 | 20 | 1.9 | e6.2 | 2.7 |
| 9 | e5.4 | 13 | 5.1 | 26 | 10 | 15 | 18 | 58 | 13 | 2.4 | e5.0 | 2.4 |
| 10 | 35 | 99 | 5.1 | 22 | 11 | 13 | 18 | 121 | 10 | 9.8 | e4.2 | 2.0 |
| 11 | 78 | 50 | 32 | e17 | 10 | 12 | 15 | 169 | 28 | 5.4 | e3.5 | 1.6 |
| 12 | 28 | 24 | 20 | e15 | 9.5 | 14 | 13 | 80 | 37 | 3.7 | e3.1 | 1.4 |
| 13 | 19 | 19 | 21 | e14 | 8.7 | 14 | 11 | 54 | 22 | 3.0 | e2.7 | 1.3 |
| 14 | 15 | 15 | 22 | e13 | 12 | 12 | 10 | 42 | 136 | 2.6 | e2.4 | 2.0 |
| 15 | 13 | 15 | 17 | e12 | 85 | 11 | 9.9 | 37 | 159 | 2.6 | e2.1 | 2.7 |
| 16 | 11 | 13 | 14 | e10 | 64 | 11 | 9.3 | 29 | 25 | 3.8 | e1.9 | 1.7 |
| 17 | 7.5 | 9.6 | 21 | e9.8 | 46 | 10 | 53 | 90 | 15 | 2.8 | e1.7 | 1.4 |
| 18 | 6.1 | 7.9 | 24 | e9.2 | 36 | 12 | 42 | 62 | 11 | 2.4 | e1.6 | 1.3 |
| 19 | 6.1 | 7.3 | 180 | e8.5 | 33 | 46 | 28 | 44 | 9.0 | 2.3 | e1.5 | 1.2 |
| 20 | 7.0 | 6.0 | 129 | e8.0 | 42 | 36 | 24 | 47 | 7.5 | 2.1 | e1.4 | 1.1 |
| 21 | 5.4 | 6.4 | 75 | e7.6 | 75 | 34 | 60 | 53 | 6.6 | 2.9 | e1.3 | 0.99 |
| 22 | 4.9 | 6.8 | 55 | e7.2 | 158 | 26 | 36 | e36 | 5.8 | 2.8 | e3.1 | 7.1 |
| 23 | 4.4 | 5.5 | 43 | e6.9 | 100 | 23 | 28 | e26 | 5.2 | 2.6 | e2.5 | 3.4 |
| 24 | 4.1 | 4.9 | 43 | e6.6 | 71 | 21 | 23 | e21 | 4.7 | e3.1 | e1.9 | 2.3 |
| 25 | 9.5 | 4.5 | 48 | e6.9 | 55 | 18 | 52 | e23 | 4.2 | e1.9 | e1.6 | 1.8 |
| 26 | 8.2 | 4.1 | 35 | e6.4 | 47 | 18 | 75 | e20 | 4.5 | e1.4 | e1.4 | 1.5 |
| 27 | 6.2 | 4.0 | 31 | 6.0 | 40 | 15 | 44 | e17 | 4.6 | e1.3 | e1.3 | 105 |
| 28 | 11 | 3.7 | 28 | 6.6 | 35 | 14 | 35 | e16 | 3.6 | e1.2 | e3.8 | 16 |
| 29 | 19 | 3.7 | 25 | 8.7 | --- | 25 | 32 | e14 | 3.1 | e1.4 | 7.3 | 12 |
| 30 | 14 | 3.8 | 60 | 8.2 | --- | 17 | 25 | e12 | 2.8 | e1.1 | 46 | 9.8 |
| 31 | 10 | --- | 95 | 7.5 | --- | 14 | --- | e11 | --- | 6.8 | 8.4 | --- |
| TOTAL | 420.0 | 457.2 | 1,056.5 | 753.1 | 1,061.8 | 617 | 782.2 | 1,534 | 610.7 | 86.9 | 259.1 | 317.79 |
| MEAN | 13.5 | 15.2 | 34.1 | 24.3 | 37.9 | 19.9 | 26.1 | 49.5 | 20.4 | 2.80 | 8.36 | 10.6 |
| MAX | 78 | 99 | 180 | 164 | 158 | 46 | 75 | 169 | 159 | 9.8 | 47 | 105 |
| MIN | 4.1 | 3.7 | 3.2 | 6.0 | 8.5 | 10 | 9.3 | 11 | 2.8 | 1.1 | 1.3 | 0.99 |
| CFSM | 1.34 | 1.51 | 3.37 | 2.41 | 3.75 | 1.97 | 2.58 | 4.90 | 2.02 | 0.28 | 0.83 | 1.05 |
| IN. | 1.55 | 1.68 | 3.89 | 2.77 | 3.91 | 2.27 | 2.88 | 5.65 | 2.25 | 0.32 | 0.95 | 1.17 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | 12.5 | 12.5 | 23.1 | 16.8 | 28.9 | 20.7 | 18.9 | 27.9 | 12.4 | 4.13 | 4.56 | 13.5 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 12.5 | 12.5 | 23.1 | 16.8 | 28.9 | 20.7 | 18.9 | 27.9 | 12.4 | 4.13 | 4.56 | 13.5 |
| MAX | 21.8 | 15.8 | 34.1 | 24.3 | 41.5 | 37.2 | 30.8 | 49.5 | 20.4 | 8.92 | 8.36 | 19.4 |
| (WY) | (2002) | (2000) | (2003) | (2003) | (2000) | (2002) | (2002) | (2003) | (2003) | (2001) | (2003) | (2000) |
| MIN | 2.17 | 4.19 | 13.5 | 1.99 | 15.7 | 10.3 | 6.85 | 5.09 | 5.23 | 1.64 | 0.71 | 8.66 |
| (WY) | (2001) | (2001) | (2001) | (2001) | (2002) | (2001) | (2001) | (2000) | (2000) | (2002) | (2002) | (2001) |

03292475 GOOSE CREEK AT HIGHWAY 42 AT GLENVIEW ACRES, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 7,509.41 | | 7,956.29 | | 17.0 | |
| ANNUAL MEAN | 20.6 | | 21.8 | | 8.28 | |
| HIGHEST ANNUAL MEAN | | | | | 21.8 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 8.28 | 2001 |
| HIGHEST DAILY MEAN | 260 | Sep 27 | 180 | Dec 19 | 560 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.04 | Sep 13 | 0.99 | Sep 21 | 0.04 | Sep 13, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.08 | Aug 29 | 1.5 | Sep 15 | 0.08 | Aug 29, 2002 |
| MAXIMUM PEAK FLOW | | | 1,420 | Jun 14 | 2,460 | Jan 24, 2002 |
| MAXIMUM PEAK STAGE | | | 7.41 | Jun 14 | 7.83 | Feb 18, 2000 |
| ANNUAL RUNOFF (CFSM) | 2.04 | | 2.16 | | 1.68 | |
| ANNUAL RUNOFF (INCHES) | 27.66 | | 29.30 | | 22.87 | |
| 10 PERCENT EXCEEDS | 51 | | 53 | | 46 | |
| 50 PERCENT EXCEEDS | 7.9 | | 12 | | 6.5 | |
| 90 PERCENT EXCEEDS | 0.53 | | 2.3 | | 1.1 | |

e Estimated



03292480 LITTLE GOOSE CREEK NEAR HARRODS CREEK, KY

LOCATION.--Lat 38°18'45", long 85°37'33", Jefferson County, Hydrologic Unit 05140101, at downstream side of culvert on U.S. Highway 42, 1.1 mi south of Harrods Creek, and at mile 2.0.

DRAINAGE AREA.--5.8 mi².

PERIOD OF RECORD.--December 1998 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 250 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Nov 10 | 1710 | *619 | *7.19 | May 5 | 1910 | 413 | 6.23 |
| Dec 19 | 2120 | 462 | 6.47 | May 10 | 2310 | 524 | 6.76 |
| Jan 1 | 1100 | 276 | 5.53 | May 11 | 0905 | 540 | 6.83 |
| Feb 22 | 1825 | 258 | 5.43 | Jun 14 | 2350 | 613 | 7.16 |
| Apr 26 | 0310 | 270 | 5.50 | Aug 2 | 0630 | 474 | 6.53 |
| May 5 | 1440 | 317 | 5.75 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| 1 | 7.1 | 4.7 | 3.7 | 155 | 4.8 | e10 | 6.9 | 5.6 | 3.4 | 1.9 | 1.7 | e45 |
| 2 | 5.4 | 4.0 | 3.7 | 56 | 4.4 | e9.1 | 6.0 | 5.1 | 3.0 | 1.9 | 88 | e55 |
| 3 | 4.5 | 4.0 | 3.5 | 31 | 4.2 | e8.2 | 5.6 | 5.5 | 7.5 | 1.7 | e54 | e27 |
| 4 | 20 | 4.5 | 3.9 | 23 | 24 | 7.1 | 6.0 | 3.8 | 5.0 | 1.4 | e30 | e18 |
| 5 | 20 | 31 | 4.7 | 19 | 11 | 7.5 | 11 | 157 | 3.7 | 1.2 | e17 | e9.8 |
| 6 | 11 | 16 | 4.6 | 16 | 7.7 | 8.5 | 6.8 | 54 | 3.0 | 1.6 | e12 | e6.6 |
| 7 | 7.7 | 9.3 | 4.8 | 13 | 6.8 | 7.2 | 16 | 44 | 3.6 | 2.0 | e9.0 | e4.8 |
| 8 | 5.8 | 7.2 | 7.6 | 12 | 6.2 | 6.3 | 10 | 21 | 9.2 | 1.3 | e7.3 | e3.7 |
| 9 | 4.0 | 7.2 | 8.4 | 10 | 5.5 | 5.8 | 9.8 | 22 | 5.8 | 1.7 | e5.8 | e2.9 |
| 10 | 24 | 150 | 6.9 | 8.9 | 5.5 | 5.1 | 9.7 | 69 | 3.6 | 18 | e5.0 | e2.2 |
| 11 | 50 | 48 | 43 | 7.6 | 5.9 | 4.7 | 7.9 | 194 | 13 | 8.7 | e4.3 | e1.8 |
| 12 | 18 | 23 | 20 | 6.6 | 5.3 | 5.1 | 6.6 | 39 | 16 | 4.2 | e3.8 | e1.5 |
| 13 | 12 | 17 | 21 | 6.1 | 4.7 | 5.6 | 5.5 | 17 | 7.4 | 2.9 | e3.3 | e1.3 |
| 14 | 8.9 | 14 | 22 | 5.9 | 4.9 | 4.9 | 4.8 | 11 | 28 | 2.2 | e2.9 | e2.7 |
| 15 | 7.4 | 17 | 16 | 5.3 | 53 | 4.5 | 4.4 | 10 | 108 | 1.8 | e2.6 | e2.2 |
| 16 | 5.9 | 13 | 12 | 4.8 | 38 | 4.4 | 4.0 | 8.1 | 19 | 6.7 | e2.3 | e1.8 |
| 17 | 4.4 | 11 | 15 | 4.6 | 25 | 4.2 | 40 | 73 | 8.7 | 3.7 | e2.0 | e1.5 |
| 18 | 3.4 | 9.2 | 22 | 4.2 | 18 | 4.1 | 28 | 29 | 6.3 | 2.5 | e1.8 | e1.3 |
| 19 | 3.6 | 8.2 | 131 | 4.2 | 15 | 24 | 12 | 12 | 5.0 | 1.9 | e1.6 | e1.2 |
| 20 | 4.9 | 7.4 | 139 | 4.0 | 19 | 20 | 8.8 | 11 | 4.0 | 1.3 | e1.5 | e1.1 |
| 21 | 3.5 | 8.8 | 34 | 3.8 | 38 | 17 | 26 | 30 | 3.4 | 2.2 | e1.3 | e1.0 |
| 22 | 3.0 | 8.1 | 24 | 3.5 | 123 | 13 | 12 | 12 | 2.9 | 1.6 | e3.1 | e7.0 |
| 23 | 2.7 | 6.4 | 18 | 3.2 | 68 | 11 | 8.6 | 9.1 | 2.5 | 2.9 | e2.5 | e3.8 |
| 24 | 2.3 | 5.6 | 15 | 3.0 | 29 | 9.1 | 7.0 | 7.3 | 2.3 | 2.7 | e1.9 | e2.6 |
| 25 | 6.6 | 5.2 | 25 | 3.2 | e18 | 7.4 | 9.2 | 9.9 | 2.8 | e1.9 | e1.6 | e2.0 |
| 26 | 5.3 | 4.9 | 16 | 3.2 | e17 | 8.0 | 63 | 8.3 | 3.4 | e1.4 | e1.4 | e1.6 |
| 27 | 3.4 | 4.8 | 13 | 2.8 | e14 | 7.0 | 16 | 6.3 | 4.6 | e1.3 | e1.3 | e105 |
| 28 | 7.1 | 4.5 | 11 | 3.1 | e12 | 6.1 | 9.9 | 5.2 | 2.7 | e1.2 | e3.8 | e15 |
| 29 | 16 | 4.4 | 9.8 | 4.3 | --- | 12 | 9.4 | 6.0 | 2.3 | e1.5 | e9.6 | e12 |
| 30 | 9.8 | 4.1 | 39 | 4.4 | --- | 9.8 | 7.2 | 4.7 | 2.0 | e1.1 | e46 | e9.9 |
| 31 | 6.9 | --- | 59 | 3.7 | --- | 8.0 | --- | 4.0 | --- | 3.0 | e9.0 | --- |
| TOTAL | 294.6 | 462.5 | 756.6 | 435.4 | 587.9 | 264.7 | 378.1 | 893.9 | 292.1 | 89.4 | 337.4 | 351.3 |
| MEAN | 9.50 | 15.4 | 24.4 | 14.0 | 21.0 | 8.54 | 12.6 | 28.8 | 9.74 | 2.88 | 10.9 | 11.7 |
| MAX | 50 | 150 | 139 | 155 | 123 | 24 | 63 | 194 | 108 | 18 | 88 | 105 |
| MIN | 2.3 | 4.0 | 3.5 | 2.8 | 4.2 | 4.1 | 4.0 | 3.8 | 2.0 | 1.1 | 1.3 | 1.0 |
| CFSM | 1.64 | 2.66 | 4.21 | 2.42 | 3.62 | 1.47 | 2.17 | 4.97 | 1.68 | 0.50 | 1.88 | 2.02 |
| IN. | 1.89 | 2.97 | 4.85 | 2.79 | 3.77 | 1.70 | 2.43 | 5.73 | 1.87 | 0.57 | 2.16 | 2.25 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 8.02 | 8.52 | 19.5 | 15.9 | 17.6 | 15.0 | 10.9 | 14.6 | 9.64 | 6.59 | 4.51 | 8.51 |
| MAX | 17.6 | 15.4 | 27.4 | 32.7 | 26.6 | 31.1 | 23.6 | 28.8 | 14.9 | 23.4 | 10.9 | 15.0 |
| (WY) | (2002) | (2003) | (2000) | (1999) | (2000) | (2002) | (2002) | (2003) | (2002) | (2001) | (2003) | (2002) |
| MIN | 0.77 | 3.06 | 9.84 | 2.06 | 12.1 | 5.08 | 2.38 | 3.49 | 5.52 | 1.77 | 0.41 | 0.75 |
| (WY) | (2001) | (2000) | (1999) | (2001) | (2002) | (2001) | (2001) | (2000) | (2001) | (1999) | (1999) | (1999) |

03292480 LITTLE GOOSE CREEK NEAR HARRODS CREEK, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 5,788.45 | | 5,143.9 | | 12.1 | |
| ANNUAL MEAN | 15.9 | | 14.1 | | 7.96 | |
| HIGHEST ANNUAL MEAN | | | | | 16.2 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 7.96 | 2001 |
| HIGHEST DAILY MEAN | 272 | Sep 27 | 194 | May 11 | 322 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.26 | Sep 7 | 1.0 | Sep 21 | 0.00 | Aug 31, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.46 | Sep 4 | 1.4 | Sep 15 | 0.00 | Aug 31, 1999 |
| MAXIMUM PEAK FLOW | | | 619 | Nov 10 | 694 | Feb 18, 2000 |
| MAXIMUM PEAK STAGE | | | 7.19 | Nov 10 | 7.54 | Feb 18, 2000 |
| ANNUAL RUNOFF (CFSM) | 2.73 | | 2.43 | | 2.08 | |
| ANNUAL RUNOFF (INCHES) | 37.13 | | 32.99 | | 28.25 | |
| 10 PERCENT EXCEEDS | 32 | | 29 | | 28 | |
| 50 PERCENT EXCEEDS | 6.9 | | 6.6 | | 4.5 | |
| 90 PERCENT EXCEEDS | 1.3 | | 1.9 | | 0.88 | |

e Estimated



BEARGRASS CREEK BASIN

03292500 SOUTH FORK BEARGRASS CREEK AT LOUISVILLE, KY

LOCATION.--Lat 38°12'41", long 85°42'09", Jefferson County, Hydrologic Unit 05140101, on right bank, 10 ft downstream of Trevilian Way Bridge at Louisville, 4.9 mi upstream from Middle Fork Beargrass, and at mile 6.5.

DRAINAGE AREA.--17.2 mi².

PERIOD OF RECORD.--October 1939 to September 1940, August 1944 to September 1953, October 1954 to September 1983 (High water records only, October 1962 to June 1970), and June 1988 to current year. Monthly discharge only for October to December 1939, published in WSP 1305.

REVISED RECORDS.--WSP 1705: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 445.60 ft, Louisville city datum. Prior to Oct. 29, 1953, at datum 5.00 ft higher. Oct. 29, 1953, to June 24, 1970, at datum 3.00 ft higher. Prior to April 8, 1994, gage located 125 ft upstream at same datum.

REMARKS.--Records good except for those estimated which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 19, 1943 reached a stage of 18.1 ft, present datum, from information furnished by U.S. Army Corps of Engineers, Louisville District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--|------|--------------------------------|------------------|
| Dec 19 | 1755 | *1,520 | *12.50 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|---------|-------|---------|---------|-------|-------|-------|---------|
| 1 | 5.7 | 7.2 | 5.0 | 370 | 5.7 | 20 | e11 | 18 | e7.9 | 6.5 | 4.3 | 95 |
| 2 | 5.4 | 6.5 | 5.8 | 123 | 4.6 | 18 | e9.5 | 13 | e7.0 | 6.8 | 128 | 440 |
| 3 | 4.8 | 6.6 | 6.5 | 79 | 16 | 16 | e8.1 | 12 | e31 | 6.3 | 140 | 120 |
| 4 | 68 | 9.0 | 5.1 | 47 | 30 | 14 | 7.9 | 9.6 | e12 | 5.9 | 134 | 45 |
| 5 | 54 | 95 | 6.9 | 34 | 8.6 | e16 | 28 | 283 | 7.0 | 5.9 | 31 | 23 |
| 6 | 11 | 31 | 8.0 | e23 | 6.7 | e19 | 14 | 56 | 6.7 | 11 | 14 | 15 |
| 7 | 8.1 | 15 | 8.0 | e18 | 7.9 | e21 | 42 | 78 | 8.6 | 11 | 9.8 | 12 |
| 8 | 6.0 | 11 | 12 | e16 | 6.3 | e18 | 14 | 50 | 46 | 7.0 | 7.9 | 11 |
| 9 | 5.1 | 9.5 | 9.5 | e13 | 7.5 | e15 | 25 | 138 | 11 | 79 | 6.1 | 8.3 |
| 10 | 54 | 82 | 9.1 | e11 | 8.2 | e13 | 18 | 85 | 6.9 | 125 | 5.2 | 7.5 |
| 11 | 251 | 44 | 88 | e9.5 | 7.0 | e12 | 12 | 160 | 64 | 40 | 49 | 7.2 |
| 12 | 38 | 17 | 20 | e8.5 | 5.7 | e14 | 10 | 50 | 50 | 13 | 16 | 6.2 |
| 13 | 19 | 12 | 29 | e7.7 | 5.4 | e12 | 8.8 | 31 | 18 | 7.1 | 5.9 | 5.5 |
| 14 | 13 | 10 | 26 | 7.2 | 22 | e10 | 10 | 23 | 12 | 5.4 | 4.4 | 39 |
| 15 | 10 | 19 | 15 | 6.1 | 199 | e9.0 | 7.2 | 27 | 75 | 5.0 | 3.6 | 23 |
| 16 | 8.1 | 13 | 12 | 6.3 | 80 | e8.3 | 6.2 | 18 | 27 | 30 | 3.6 | 8.6 |
| 17 | 6.5 | 9.1 | 69 | 6.0 | 43 | e8.0 | 144 | 191 | 22 | 5.0 | 5.3 | 6.4 |
| 18 | 5.5 | 7.5 | 32 | 5.5 | 29 | e14 | 32 | 50 | 16 | 3.9 | 3.6 | 5.4 |
| 19 | 8.1 | 8.4 | 560 | 5.3 | 38 | e78 | 17 | 28 | 11 | 3.8 | 3.2 | 4.8 |
| 20 | 16 | 6.7 | 231 | 5.4 | 64 | e38 | 89 | 36 | 8.7 | 3.3 | 2.9 | 4.6 |
| 21 | 6.4 | 8.2 | 80 | 4.6 | 102 | e37 | 234 | 32 | 7.1 | 17 | 2.6 | 4.4 |
| 22 | 4.7 | 8.5 | 45 | 4.5 | 323 | e25 | 48 | e26 | 6.3 | 7.3 | 21 | 109 |
| 23 | 4.2 | 5.5 | 27 | 4.0 | 150 | e20 | 25 | e20 | 6.0 | 6.7 | 14 | 18 |
| 24 | 4.1 | 5.2 | 56 | 3.9 | 88 | e17 | 19 | e16 | 5.3 | 3.7 | 3.2 | 10 |
| 25 | 14 | 5.0 | 55 | 3.8 | 55 | e14 | 168 | e23 | 4.9 | 2.4 | 2.7 | 7.5 |
| 26 | 6.9 | 4.5 | 24 | 3.8 | 39 | e19 | 150 | e19 | 57 | 2.0 | 2.4 | 6.4 |
| 27 | 4.3 | 4.3 | 19 | 3.8 | 27 | e14 | 46 | e13 | 29 | 1.9 | 35 | 89 |
| 28 | 23 | 3.6 | 16 | 4.0 | 23 | e12 | 28 | e12 | 9.7 | 2.5 | 26 | 12 |
| 29 | 43 | 3.2 | 14 | 8.0 | --- | e35 | 21 | e12 | 8.1 | 9.0 | 12 | 9.4 |
| 30 | 15 | 4.8 | 104 | 5.2 | --- | e16 | 16 | e11 | 7.2 | 2.2 | 86 | 8.1 |
| 31 | 9.1 | --- | 226 | 4.7 | --- | e13 | --- | e9.0 | --- | 14 | 57 | --- |
| TOTAL | 732.0 | 472.3 | 1,823.9 | 851.8 | 1,401.6 | 595.3 | 1,268.7 | 1,549.6 | 588.4 | 449.6 | 839.7 | 1,161.3 |
| MEAN | 23.6 | 15.7 | 58.8 | 27.5 | 50.1 | 19.2 | 42.3 | 50.0 | 19.6 | 14.5 | 27.1 | 38.7 |
| MAX | 251 | 95 | 560 | 370 | 323 | 78 | 234 | 283 | 75 | 125 | 140 | 440 |
| MIN | 4.1 | 3.2 | 5.0 | 3.8 | 4.6 | 8.0 | 6.2 | 9.0 | 4.9 | 1.9 | 2.4 | 4.4 |
| CFSM | 1.37 | 0.92 | 3.42 | 1.60 | 2.91 | 1.12 | 2.46 | 2.91 | 1.14 | 0.84 | 1.57 | 2.25 |
| IN. | 1.58 | 1.02 | 3.94 | 1.84 | 3.03 | 1.29 | 2.74 | 3.35 | 1.27 | 0.97 | 1.82 | 2.51 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1940 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 8.51 | 14.1 | 24.5 | 31.7 | 39.4 | 43.7 | 32.2 | 29.1 | 20.0 | 15.4 | 10.4 | 9.12 |
| MAX | 46.7 | 53.9 | 73.6 | 125 | 107 | 201 | 95.2 | 103 | 78.3 | 126 | 54.7 | 86.3 |
| (WY) | (1978) | (1974) | (1979) | (1950) | (1989) | (1997) | (1948) | (1961) | (1950) | (1973) | (1974) | (1979) |
| MIN | 0.30 | 0.84 | 1.32 | 0.71 | 8.52 | 6.41 | 3.13 | 5.51 | 1.11 | 0.89 | 0.23 | 0.000 |
| (WY) | (1953) | (1953) | (1977) | (1940) | (1953) | (1983) | (1976) | (1962) | (1959) | (1956) | (1952) | (1953) |

03292500 SOUTH FORK BEARGRASS CREEK AT LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1940 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 12,711.6 | | 11,734.2 | | 23.3 | |
| ANNUAL MEAN | 34.8 | | 32.1 | | 41.6 | |
| HIGHEST ANNUAL MEAN | | | | | 1997 | |
| LOWEST ANNUAL MEAN | | | | | 1959 | |
| HIGHEST DAILY MEAN | 869 | Sep 27 | 560 | Dec 19 | 1,960 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 1.1 | Sep 19 | 1.9 | Jul 27 | 0.00 | Sep 4, 1940 |
| ANNUAL SEVEN-DAY MINIMUM | 1.7 | Aug 7 | 3.4 | Jul 24 | 0.00 | Sep 4, 1940 |
| MAXIMUM PEAK FLOW | | | 1,520 | Dec 19 | 5,290 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 12.50 | Dec 19 | 17.81 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Sep 4, 1940 |
| ANNUAL RUNOFF (CFSM) | 2.02 | | 1.87 | | 1.35 | |
| ANNUAL RUNOFF (INCHES) | 27.49 | | 25.38 | | 18.40 | |
| 10 PERCENT EXCEEDS | 84 | | 80 | | 50 | |
| 50 PERCENT EXCEEDS | 9.0 | | 12 | | 7.8 | |
| 90 PERCENT EXCEEDS | 2.3 | | 4.6 | | 1.2 | |

e Estimated



03292550 SOUTH FORK BEARGRASS CREEK AT WINTER AVENUE AT LOUISVILLE, KY

LOCATION.--Lat 38°14'04", long 85°45'50", Jefferson County, Hydrologic Unit 05140101, on left bank of floodwall, 150 ft. upstream of Winter Avenue, at Louisville, 1.4 mi above Middle Fork Beargrass Creek, and at mile 3.3

DRAINAGE AREA.--22.6 mi².

PERIOD OF RECORD.--October 1998 to current year.

GAGE.--Water-stage recorder with telemetry.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--|------|--------------------------------|------------------|
| Dec 19 | 1905 | *2,390 | *7.95 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|---------|---------|-------|---------|-------|-------|-------|-------|---------|
| 1 | 12 | e8.5 | 5.4 | 465 | 7.0 | 19 | e8.2 | 29 | 19 | 8.1 | 8.9 | 73 |
| 2 | 12 | e8.2 | 5.6 | 141 | 5.4 | 17 | e8.0 | 24 | 28 | 8.5 | 204 | 432 |
| 3 | 11 | e10 | 6.1 | 97 | 17 | 16 | e14 | 22 | 57 | 7.6 | 171 | 86 |
| 4 | 75 | e22 | 5.1 | 60 | 40 | 14 | e24 | 54 | 22 | 7.1 | 140 | 32 |
| 5 | 66 | e76 | 6.3 | 46 | 10 | e20 | e15 | 368 | 19 | 6.7 | 41 | 18 |
| 6 | 17 | e28 | 8.2 | 34 | 7.5 | e19 | e30 | 71 | 19 | 10 | 19 | 12 |
| 7 | 11 | e18 | 7.8 | 26 | 8.9 | e16 | e22 | 97 | 23 | 15 | 14 | 10 |
| 8 | 7.9 | e15 | 14 | 22 | 6.9 | e14 | e21 | 105 | 61 | 7.0 | 10 | 9.9 |
| 9 | 6.6 | e14 | 14 | 20 | 8.1 | e13 | e17 | 165 | 21 | 91 | 7.1 | 8.1 |
| 10 | 69 | e92 | 13 | 17 | 9.3 | e12 | e13 | 130 | 15 | 187 | 5.4 | 7.1 |
| 11 | 274 | e32 | 112 | 14 | 7.3 | e14 | e9.8 | 211 | 91 | 51 | 40 | 6.5 |
| 12 | 56 | e23 | 40 | 13 | 5.7 | e12 | e8.6 | 68 | 69 | 19 | 23 | 5.4 |
| 13 | 29 | e18 | 51 | 12 | 5.3 | e9.8 | e7.8 | 46 | 30 | 11 | 7.1 | 4.7 |
| 14 | 20 | e17 | 50 | 11 | 25 | e9.2 | e7.3 | 35 | 20 | 8.1 | 4.7 | 35 |
| 15 | 16 | e18 | 30 | 8.5 | 218 | e8.2 | e15 | 41 | 94 | 9.8 | 3.6 | 27 |
| 16 | e11 | e14 | 25 | 8.4 | 87 | e7.8 | e82 | 37 | 44 | 41 | 3.1 | 8.5 |
| 17 | e9.4 | e12 | 82 | 7.8 | 45 | e60 | e30 | 231 | 33 | 8.2 | 6.3 | 5.4 |
| 18 | e8.2 | e11 | 56 | 7.0 | 30 | e80 | e14 | 59 | 28 | 6.4 | 3.8 | 4.3 |
| 19 | e7.6 | e10 | 790 | 7.3 | 39 | e40 | 14 | 40 | 20 | 6.3 | 2.4 | 4.0 |
| 20 | e15 | e9.5 | 271 | 6.7 | 67 | e30 | 245 | 55 | 17 | 5.9 | 2.1 | 4.3 |
| 21 | e9.5 | e11 | 104 | 5.6 | 106 | e22 | 170 | 38 | 13 | 27 | 1.8 | 4.1 |
| 22 | e6.5 | e10 | 70 | 5.4 | 388 | e18 | 60 | 27 | 11 | 12 | 14 | 115 |
| 23 | e5.7 | 9.9 | 48 | 4.8 | 167 | e16 | 38 | 23 | 11 | 13 | 17 | 22 |
| 24 | e12 | 9.4 | 67 | 4.6 | 96 | e14 | 30 | 21 | 10 | 7.0 | 2.6 | 13 |
| 25 | e13 | 8.7 | 78 | 4.5 | 57 | e17 | 291 | 52 | 9.5 | 5.0 | 2.0 | 9.2 |
| 26 | e8.4 | 8.0 | 42 | 4.5 | 40 | e12 | 128 | 28 | 65 | 4.3 | 1.5 | 7.2 |
| 27 | e6.6 | 8.0 | 34 | 4.2 | 27 | e11 | 60 | 22 | 41 | 4.1 | 21 | 133 |
| 28 | e15 | 6.9 | 29 | 4.5 | 23 | e13 | 42 | 20 | 14 | 4.8 | 20 | 15 |
| 29 | e26 | 6.1 | 27 | 9.9 | --- | e18 | 32 | 20 | 11 | 14 | 14 | 12 |
| 30 | e11 | 5.9 | 110 | 6.5 | --- | e11 | 26 | 19 | 9.0 | 4.7 | 83 | 8.9 |
| 31 | e9.5 | --- | 252 | 5.3 | --- | e9.2 | --- | 19 | --- | 26 | 46 | --- |
| TOTAL | 856.9 | 540.1 | 2,453.5 | 1,083.5 | 1,553.4 | 592.2 | 1,482.7 | 2,177 | 924.5 | 636.6 | 939.4 | 1,132.6 |
| MEAN | 27.6 | 18.0 | 79.1 | 35.0 | 55.5 | 19.1 | 49.4 | 70.2 | 30.8 | 20.5 | 30.3 | 37.8 |
| MAX | 274 | 92 | 790 | 465 | 388 | 80 | 291 | 368 | 94 | 187 | 204 | 432 |
| MIN | 5.7 | 5.9 | 5.1 | 4.2 | 5.3 | 7.8 | 7.3 | 19 | 9.0 | 4.1 | 1.5 | 4.0 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 21.0 | 19.0 | 44.1 | 46.6 | 53.2 | 40.8 | 39.4 | 47.9 | 27.3 | 15.0 | 13.8 | 30.5 |
| MAX | 51.6 | 50.2 | 79.1 | 73.5 | 125 | 103 | 83.0 | 101 | 41.6 | 30.1 | 30.3 | 65.4 |
| (WY) | (2002) | (2002) | (2003) | (2000) | (2000) | (2002) | (2002) | (2002) | (1999) | (2001) | (2003) | (2002) |
| MIN | 4.80 | 4.05 | 17.1 | 9.40 | 22.9 | 19.1 | 10.1 | 16.1 | 13.8 | 4.55 | 2.78 | 3.29 |
| (WY) | (2001) | (2000) | (1999) | (2001) | (1999) | (2003) | (2001) | (1999) | (2001) | (1999) | (1999) | (1999) |

03292550 SOUTH FORK BEARGRASS CREEK AT WINTER AVENUE AT LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 18,225.87 | | 14,372.4 | | 33.1 | |
| ANNUAL MEAN | 49.9 | | 39.4 | | 52.5 | |
| HIGHEST ANNUAL MEAN | | | | | 20.2 | |
| LOWEST ANNUAL MEAN | | | | | 1999 | |
| HIGHEST DAILY MEAN | 1,550 | Sep 27 | 790 | Dec 19 | 2,230 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.47 | Jul 23 | 1.5 | Aug 26 | 0.47 | Jul 23, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 1.6 | Jul 22 | 3.3 | Aug 15 | 1.3 | Nov 6, 1999 |
| MAXIMUM PEAK FLOW | | | 2,390 | Dec 19 | 8,470 | Feb 18, 2000 |
| MAXIMUM PEAK STAGE | | | 7.95 | Dec 19 | 10.89 | Feb 18, 2000 |
| 10 PERCENT EXCEEDS | 109 | | 91 | | 68 | |
| 50 PERCENT EXCEEDS | 12 | | 15 | | 9.4 | |
| 90 PERCENT EXCEEDS | 2.5 | | 5.6 | | 2.6 | |

e Estimated



03293000 MIDDLE FORK BEARGRASS CREEK AT LOUISVILLE, KY

LOCATION.--Lat 38°14'14", long 85°39'53", Jefferson County, Hydrologic Unit 05140101, on right bank 75 ft downstream from bridge on Old Cannons Lane at Louisville, 1.7 mi downstream from Weicher Creek, and 5.4 mi upstream from mouth.

DRAINAGE AREA.--18.9 mi², of which about 0.5 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--August 1944 to current year.

REVISED RECORDS.--WSP 1625: 1945(M), 1948(M), 1950(P), 1951-52(M), 1954-55(M), 1957(M), drainage area. WRD KY 72-1: 1950(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 476.70 ft, Louisville city datum. See WDR KY-90-1 for history of changes prior to July 26, 1971.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1943 reached a stage of 9.1 ft, present site and datum, from information by local residents.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 600 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec 19 | 1900 | *1,400 | *6.19 | Jun 15 | 1635 | 796 | 4.99 |
| Jan 1 | 0745 | 701 | 4.73 | Sep 2 | 0055 | 897 | 5.22 |
| Apr 25 | 2250 | 759 | 4.89 | Sep 2 | 0955 | 748 | 4.86 |
| May 5 | 1410 | 737 | 4.83 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|---------|-------|---------|---------|-------|-------|--------|---------|
| 1 | 13 | 11 | 5.2 | 384 | 6.7 | e52 | 11 | 22 | 7.1 | 3.7 | 5.3 | 117 |
| 2 | 15 | 9.2 | 5.0 | 119 | 6.1 | e48 | 9.8 | 18 | 5.9 | 3.3 | 152 | 517 |
| 3 | 13 | 8.5 | 4.8 | 76 | 19 | e39 | 8.9 | 14 | 24 | 2.8 | 128 | 118 |
| 4 | 69 | 10 | 5.0 | 50 | 35 | e31 | 8.3 | 11 | 11 | 2.5 | 155 | 55 |
| 5 | 65 | 71 | 6.3 | 39 | 13 | e25 | 26 | 373 | 7.8 | 2.2 | 33 | 33 |
| 6 | 21 | 42 | 6.2 | 31 | 9.5 | e28 | 12 | 91 | 6.2 | 5.0 | 18 | 22 |
| 7 | 13 | 25 | 6.7 | 25 | 9.2 | e33 | 40 | 99 | 7.7 | 4.8 | 14 | 16 |
| 8 | 11 | 18 | 9.2 | 21 | 7.8 | e25 | 17 | 59 | 26 | 2.4 | 11 | 11 |
| 9 | 7.8 | 15 | 11 | 18 | 8.6 | e20 | 25 | 140 | 12 | 19 | 6.5 | 8.8 |
| 10 | 38 | 88 | 9.7 | 15 | 11 | e15 | 19 | 191 | 6.4 | 102 | 4.6 | 7.0 |
| 11 | 242 | 69 | 71 | 12 | 6.9 | e12 | 14 | 291 | 48 | 44 | 7.8 | 5.8 |
| 12 | 52 | 33 | 32 | e10 | 6.1 | e14 | 12 | 96 | 54 | 16 | 5.2 | 4.5 |
| 13 | 29 | 24 | 35 | e8.6 | 5.4 | 12 | 10 | 57 | 19 | 9.5 | 2.6 | 4.0 |
| 14 | 21 | 19 | 36 | e8.2 | 21 | 10 | 8.8 | 39 | 39 | 6.5 | 2.0 | 30 |
| 15 | 18 | 23 | 25 | e7.6 | 182 | 8.9 | 8.0 | 38 | 227 | 4.8 | 1.7 | 28 |
| 16 | 12 | 19 | 19 | e7.0 | 84 | 8.3 | 7.5 | 26 | 64 | 11 | 1.5 | 9.7 |
| 17 | 10 | 14 | 60 | e6.6 | 51 | 7.9 | 126 | 218 | 43 | 5.0 | 3.0 | 6.3 |
| 18 | 8.5 | 12 | 45 | e6.1 | 36 | 14 | 50 | 67 | 25 | 3.1 | 1.5 | 4.4 |
| 19 | 8.7 | 12 | 546 | e5.7 | 39 | 84 | 28 | 44 | 18 | 2.6 | 1.3 | 3.6 |
| 20 | 15 | 9.9 | 246 | e5.4 | e49 | 39 | 49 | 50 | 13 | 2.1 | 1.0 | 3.0 |
| 21 | 8.8 | 10 | 84 | e5.1 | e115 | 39 | 163 | 47 | 10 | 8.3 | 0.96 | 2.6 |
| 22 | 7.0 | 11 | 53 | e4.7 | e280 | 25 | 46 | 29 | 8.2 | 6.3 | 25 | 86 |
| 23 | 5.9 | 8.8 | 37 | e4.4 | e208 | 20 | 32 | 22 | 6.5 | 5.4 | 11 | 27 |
| 24 | 5.3 | 7.7 | 47 | e4.3 | e138 | 17 | 24 | 18 | 5.3 | 11 | 2.5 | 14 |
| 25 | 14 | 7.2 | 54 | e4.2 | e90 | 15 | 130 | 28 | 4.3 | 3.6 | 1.3 | 9.7 |
| 26 | 9.5 | 6.5 | 32 | e4.1 | e58 | 20 | 157 | 23 | 20 | 2.5 | 0.89 | 7.3 |
| 27 | 6.7 | 6.2 | 26 | e4.0 | e40 | 13 | 50 | 15 | 21 | 2.0 | 21 | 147 |
| 28 | 18 | 5.6 | 22 | e3.9 | e45 | 12 | 36 | 12 | 7.8 | 4.1 | 16 | 30 |
| 29 | 36 | 5.3 | 18 | 6.8 | --- | 37 | 43 | 12 | 5.6 | 5.2 | 10 | 18 |
| 30 | 21 | 5.4 | 91 | 5.9 | --- | 17 | 25 | 10 | 4.5 | 2.0 | 199 | 14 |
| 31 | 14 | --- | 197 | 5.7 | --- | 13 | --- | 8.5 | --- | 13 | 87 | --- |
| TOTAL | 828.2 | 606.3 | 1,845.1 | 908.3 | 1,580.3 | 754.1 | 1,196.3 | 2,168.5 | 757.3 | 315.7 | 929.65 | 1,359.7 |
| MEAN | 26.7 | 20.2 | 59.5 | 29.3 | 56.4 | 24.3 | 39.9 | 70.0 | 25.2 | 10.2 | 30.0 | 45.3 |
| MAX | 242 | 88 | 546 | 384 | 280 | 84 | 163 | 373 | 227 | 102 | 199 | 517 |
| MIN | 5.3 | 5.3 | 4.8 | 3.9 | 5.4 | 7.9 | 7.5 | 8.5 | 4.3 | 2.0 | 0.89 | 2.6 |
| CFSM | 1.45 | 1.10 | 3.23 | 1.59 | 3.07 | 1.32 | 2.17 | 3.80 | 1.37 | 0.55 | 1.63 | 2.46 |
| IN. | 1.67 | 1.23 | 3.73 | 1.84 | 3.19 | 1.52 | 2.42 | 4.38 | 1.53 | 0.64 | 1.88 | 2.75 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1944 - 2003, BY WATER YEAR (WY)

| | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------|------|------|--------|------|------|------|--------|------|------|------|--------|------|-----|------|--------|------|-----|------|--------|------|-----|------|--------|------|-----|------|--------|------|------|------|--------|------|-----|------|--------|------|------|------|--------|------|-----|-------|--------|------|-----|-------|--------|
| | 9.12 | 40.7 | 0.15 | (1978) | 16.5 | 54.7 | 0.71 | (1974) | 27.9 | 88.9 | 1.90 | (1979) | 33.9 | 148 | 3.31 | (1950) | 42.7 | 195 | 3.44 | (1956) | 49.9 | 143 | 5.27 | (1964) | 37.8 | 114 | 3.04 | (1970) | 31.2 | 83.5 | 0.93 | (1961) | 20.6 | 109 | 0.37 | (1950) | 17.4 | 42.1 | 0.52 | (1973) | 11.3 | 105 | 0.033 | (1978) | 10.5 | 105 | 0.033 | (1979) |
| | | | | (1954) | | | | (1954) | | | | (1954) | | | | (1981) | | | | (1954) | | | | (1954) | | | | (1954) | | | | (1954) | | | | (1954) | | | | (1999) | | | | (1953) | | | | |

03293000 MIDDLE FORK BEARGRASS CREEK AT LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1944 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 12,761.92 | | 13,249.45 | | 25.7 | |
| ANNUAL MEAN | 35.0 | | 36.3 | | 3.76 | |
| HIGHEST ANNUAL MEAN | | | | | 49.2 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 3.76 | 1954 |
| HIGHEST DAILY MEAN | 774 | Sep 27 | 546 | Dec 19 | 2,000 | Mar 9, 1964 |
| LOWEST DAILY MEAN | 0.16 | Sep 7 | 0.89 | Aug 26 | 0.00 | Aug 27, 1952 |
| ANNUAL SEVEN-DAY MINIMUM | 0.24 | Sep 6 | 1.6 | Aug 15 | 0.00 | Sep 28, 1952 |
| MAXIMUM PEAK FLOW | | | 1,400 | Dec 19 | 5,900 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 6.19 | Dec 19 | 8.70 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | 0.56 | Aug 27 | 0.00 | Aug 27, 1952 |
| ANNUAL RUNOFF (CFSM) | 1.90 | | 1.97 | | 1.39 | |
| ANNUAL RUNOFF (INCHES) | 25.80 | | 26.79 | | 18.95 | |
| 10 PERCENT EXCEEDS | 73 | | 87 | | 54 | |
| 50 PERCENT EXCEEDS | 10 | | 14 | | 10 | |
| 90 PERCENT EXCEEDS | 0.99 | | 4.4 | | 1.9 | |

e Estimated



03293530 MUDDY FORK AT MOCKINGBIRD VALLEY ROAD AT LOUISVILLE, KY

LOCATION.--Lat 38°16'35", long 85°41'37", Jefferson County, Hydrologic Unit 05140101, at culvert on Mockingbird Valley Road at Louisville, 0.5 mi east of Indian Hills subdivision, 1.0 mi north of St. Matthews, and at mile 1.5.

DRAINAGE AREA.--6.2 mi².

PERIOD OF RECORD.--October 2002 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records fair, except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|--------|--------|
| 1 | 4.3 | 4.3 | e1.9 | 138 | e2.4 | e12 | 5.9 | 9.0 | 3.7 | 2.6 | e1.3 | 79 |
| 2 | 3.7 | 3.5 | e1.7 | 51 | e2.1 | e10 | 5.6 | 6.5 | 3.3 | 2.5 | 88 | 175 |
| 3 | 3.2 | 3.6 | e1.7 | 36 | e3.2 | 9.2 | 5.4 | 5.6 | 6.7 | 2.6 | 23 | 71 |
| 4 | 22 | 4.0 | e1.7 | 28 | e9.9 | 7.9 | 6.4 | 4.8 | 4.1 | 2.1 | 38 | 44 |
| 5 | 17 | 22 | e1.9 | 23 | e5.0 | 7.8 | 13 | 137 | 3.5 | 1.8 | 7.0 | 33 |
| 6 | 4.6 | 17 | e1.7 | 18 | e3.7 | 9.5 | 6.3 | 41 | 3.3 | 1.6 | 2.4 | 27 |
| 7 | 3.8 | 7.4 | e1.8 | 13 | e3.5 | 6.6 | 22 | 37 | 3.7 | 2.4 | 1.7 | 23 |
| 8 | 2.8 | 5.9 | e2.3 | 9.8 | e2.9 | 6.3 | 8.5 | 28 | 11 | 2.6 | 3.7 | 22 |
| 9 | 2.4 | 5.6 | e2.7 | 7.6 | e2.8 | 6.1 | 10 | 48 | 4.2 | e2.8 | 0.76 | 16 |
| 10 | 7.8 | 97 | e2.7 | 6.3 | e3.0 | 5.4 | 8.5 | 183 | 3.5 | e17 | 0.53 | 7.8 |
| 11 | 52 | 46 | e19 | 5.4 | e2.9 | 5.3 | 7.3 | 251 | 17 | e7.7 | 0.74 | 4.9 |
| 12 | 10 | 22 | e12 | 4.9 | e2.5 | 6.1 | 6.5 | 57 | 17 | e3.9 | 0.73 | 3.2 |
| 13 | 5.5 | 13 | e13 | e4.4 | e2.2 | 5.8 | 5.9 | 44 | 6.6 | e2.8 | 0.41 | 2.1 |
| 14 | 5.0 | 8.1 | e14 | e4.0 | e3.5 | 5.5 | 5.6 | 31 | 12 | e2.1 | 0.43 | 11 |
| 15 | 4.0 | 9.3 | e11 | e3.7 | e46 | 5.3 | 5.4 | 23 | 66 | e2.3 | 0.43 | 15 |
| 16 | 4.6 | 7.8 | e9.8 | e3.3 | e28 | 5.4 | 5.2 | 16 | 25 | e4.2 | 0.32 | 3.0 |
| 17 | 3.0 | 6.0 | e14 | e3.0 | e18 | 5.2 | 56 | 80 | 14 | e2.1 | 0.29 | 0.90 |
| 18 | 2.5 | 5.7 | 21 | e2.7 | e14 | 6.2 | 32 | 35 | 7.1 | e1.6 | 0.32 | 0.30 |
| 19 | 2.5 | 5.3 | 247 | e2.5 | e13 | 30 | 23 | 25 | 5.5 | e1.3 | 0.31 | e0.20 |
| 20 | 3.3 | e3.4 | 88 | e2.3 | e17 | 21 | 20 | 25 | 5.2 | e1.2 | 0.29 | e0.13 |
| 21 | 2.4 | e3.9 | 40 | e2.1 | 43 | 17 | 36 | 23 | 4.7 | e1.9 | 0.26 | e0.10 |
| 22 | 2.1 | e3.9 | 30 | e2.0 | 142 | 12 | 18 | 14 | 4.3 | e1.5 | 17 | e20 |
| 23 | 1.8 | e3.1 | 22 | e1.8 | 71 | 9.9 | 11 | 7.8 | 4.0 | e2.3 | 3.7 | e11 |
| 24 | 2.0 | e2.8 | 23 | e1.7 | e39 | 9.2 | 7.7 | 6.3 | 3.8 | e2.7 | 0.61 | e6.4 |
| 25 | 5.7 | e2.5 | 26 | e1.6 | e26 | 11 | 46 | 11 | 4.0 | e1.4 | 0.41 | e4.8 |
| 26 | 3.6 | e2.3 | 17 | e1.5 | e20 | 8.2 | 51 | 8.0 | 5.3 | e1.0 | 0.30 | e3.9 |
| 27 | 3.3 | e2.1 | 13 | e1.5 | e16 | 6.3 | 27 | 6.0 | 5.1 | e0.84 | 0.23 | e117 |
| 28 | 5.2 | e2.0 | 10 | e1.4 | e14 | 6.2 | 19 | 5.2 | 3.2 | e0.85 | 22 | e13 |
| 29 | 14 | e2.0 | 8.1 | e2.0 | --- | 14 | 23 | 4.9 | 2.9 | e0.96 | 10 | e7.8 |
| 30 | 6.4 | e2.0 | 40 | e1.9 | --- | 6.4 | 12 | 4.5 | 2.6 | e0.69 | 136 | e6.1 |
| 31 | 5.1 | --- | 75 | e1.7 | --- | 5.9 | --- | 4.2 | --- | e2.5 | 51 | --- |
| TOTAL | 215.6 | 323.5 | 773.0 | 386.1 | 556.6 | 282.7 | 509.2 | 1,181.8 | 262.3 | 83.84 | 412.17 | 728.63 |
| MEAN | 6.95 | 10.8 | 24.9 | 12.5 | 19.9 | 9.12 | 17.0 | 38.1 | 8.74 | 2.70 | 13.3 | 24.3 |
| MAX | 52 | 97 | 247 | 138 | 142 | 30 | 56 | 251 | 66 | 17 | 136 | 175 |
| MIN | 1.8 | 2.0 | 1.7 | 1.4 | 2.1 | 5.2 | 5.2 | 4.2 | 2.6 | 0.69 | 0.23 | 0.10 |
| CFSM | 1.13 | 1.74 | 4.03 | 2.02 | 3.22 | 1.48 | 2.75 | 6.17 | 1.41 | 0.44 | 2.15 | 3.93 |
| IN. | 1.30 | 1.95 | 4.65 | 2.32 | 3.35 | 1.70 | 3.07 | 7.11 | 1.58 | 0.50 | 2.48 | 4.39 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1988 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 4.87 | 7.05 | 15.4 | 12.7 | 26.1 | 9.53 | 15.3 | 20.1 | 8.43 | 5.57 | 5.70 | 8.49 |
| MAX | 8.58 | 10.8 | 27.7 | 14.9 | 37.1 | 14.9 | 21.6 | 38.1 | 17.0 | 9.96 | 13.3 | 24.3 |
| (WY) | (1991) | (2003) | (1991) | (1991) | (1989) | (1989) | (1989) | (2003) | (1990) | (1989) | (2003) | (2003) |
| MIN | 1.29 | 4.42 | 2.39 | 11.0 | 18.8 | 6.89 | 11.0 | 3.53 | 1.38 | 2.70 | 2.61 | 1.27 |
| (WY) | (1989) | (1990) | (1990) | (1990) | (1991) | (1990) | (1990) | (1988) | (1988) | (2003) | (1989) | (1988) |

03293530 MUDDY FORK AT MOCKINGBIRD VALLEY ROAD AT LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | WATER YEARS 1988 - 2003 | |
|--------------------------|---------------------|-------------------------|--------------|
| ANNUAL TOTAL | 5715.44 | | |
| ANNUAL MEAN | 15.7 | 12.3 | |
| HIGHEST ANNUAL MEAN | | 15.7 | 2003 |
| LOWEST ANNUAL MEAN | | 10.3 | 1990 |
| HIGHEST DAILY MEAN | 251 May 11 | 251 | May 11, 2003 |
| LOWEST DAILY MEAN | 0.10 Sep 21 | 0.10 | Sep 21, 2003 |
| ANNUAL SEVEN-DAY MINIMUM | 0.32 Aug 15 | 0.32 | Aug 15, 2003 |
| MAXIMUM PEAK FLOW | 730 May 11 | 730 | May 11, 2003 |
| MAXIMUM PEAK STAGE | 6.73 May 11 | 6.73 | May 11, 2003 |
| ANNUAL RUNOFF (CFSM) | 2.53 | 2.00 | |
| ANNUAL RUNOFF (INCHES) | 34.40 | 27.11 | |
| 10 PERCENT EXCEEDS | 37 | 27 | |
| 50 PERCENT EXCEEDS | 5.6 | 4.6 | |
| 90 PERCENT EXCEEDS | 1.6 | 1.2 | |

e Estimated



03294500 OHIO RIVER AT LOUISVILLE, KY

LOCATION.--Lat 38°16'49", long 85°47'57", Jefferson County, Hydrologic Unit 05140101, on left bank at downstream end of lock guide wall in lower pool at McAlpine Locks, at Louisville, 5.3 mi downstream from Beargrass Creek, and at mile 607.3.

DRAINAGE AREA.--91,170 mi², approximately.

PERIOD OF RECORD.--January 1928 to current year. Prior to October 1935 monthly discharge only, published in WSP 1305. Gage-height records collected in this vicinity since 1871 are published in reports of National Weather Service.

REVISED RECORDS.--WSP 893: 1939, KY-92-1 peak.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 373.18 ft above NGVD of 1929 or 374.00 ft Ohio River datum. Prior to Oct. 1, 1939, and Oct. 1, 1943 to Sept. 30, 1946, various combinations of gages near Louisville were used. Oct. 1, 1939 to Sept. 30, 1943, water-stage recorders at Louisville and Kosmosdale, downstream from McAlpine Dam (4 mi and 20.1 mi, respectively), were used to determine discharge. Oct. 1, 1946 to Sept. 30, 1961, nonrecording gage at site 0.3 mi upstream at same datum. Oct. 1, 1952 to Sept. 30, 1970, upper nonrecording gage at dam 43, 25.9 mi downstream used as an auxiliary gage. Since Oct. 1, 1970, auxiliary water-stage recorder at Kosmosdale, 19.8 mi downstream. Datum of auxiliary gage is 372.75 ft above NGVD of 1929 or 373.67 ft above Ohio River Datum.

REMARKS.--Records good except for estimated periods and those below 20,000 ft³/s, which are poor. Flow regulated by Ohio River system of locks, dams, and reservoirs.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 | 50,200 | 123,000 | 51,900 | 243,000 | 42,400 | 389,000 | 143,000 | 63,900 | 104,000 | e69,900 | e117,000 | 88,600 |
| 2 | 14,600 | 118,000 | 54,300 | 246,000 | 54,300 | 321,000 | 132,000 | 64,000 | 91,900 | e44,700 | 131,000 | 197,000 |
| 3 | 21,200 | 63,800 | 69,600 | 243,000 | 75,700 | e276,000 | 122,000 | 62,400 | 98,600 | e62,600 | 149,000 | 241,000 |
| 4 | 29,800 | 62,600 | 46,100 | 279,000 | 84,600 | 258,000 | 114,000 | 70,800 | 181,000 | e73,800 | 130,000 | 258,000 |
| 5 | 16,800 | 50,700 | 44,200 | 310,000 | 111,000 | 252,000 | 119,000 | 135,000 | 198,000 | e81,600 | 150,000 | 270,000 |
| 6 | 7,640 | 66,000 | 36,600 | 311,000 | 122,000 | 253,000 | 108,000 | 190,000 | 233,000 | e95,000 | 171,000 | 278,000 |
| 7 | 14,600 | 126,000 | 33,900 | 286,000 | 185,000 | 256,000 | 122,000 | 217,000 | 224,000 | 73,300 | 176,000 | 316,000 |
| 8 | 7,190 | 130,000 | e37,000 | 256,000 | 189,000 | 267,000 | 157,000 | 226,000 | 254,000 | 52,900 | 118,000 | 254,000 |
| 9 | 6,290 | 129,000 | 49,100 | 212,000 | 168,000 | 280,000 | 212,000 | 213,000 | 248,000 | 98,400 | 126,000 | 131,000 |
| 10 | 15,200 | 119,000 | 42,600 | 177,000 | 118,000 | 282,000 | 230,000 | 240,000 | 258,000 | 162,000 | 143,000 | 88,300 |
| 11 | 19,800 | 128,000 | 40,900 | 151,000 | 69,200 | 269,000 | 319,000 | 322,000 | 279,000 | 227,000 | 149,000 | 77,100 |
| 12 | 84,100 | 177,000 | 50,000 | 144,000 | 59,200 | 259,000 | 341,000 | 350,000 | 198,000 | 234,000 | 161,000 | 70,000 |
| 13 | 53,300 | 169,000 | 76,100 | 127,000 | 65,300 | 250,000 | 343,000 | 364,000 | 186,000 | 239,000 | 160,000 | 50,600 |
| 14 | 44,000 | 155,000 | 140,000 | 102,000 | e63,200 | 231,000 | 343,000 | 357,000 | 157,000 | e236,000 | 116,000 | 37,400 |
| 15 | 35,600 | 150,000 | 224,000 | 72,800 | 99,900 | 220,000 | 323,000 | 318,000 | 190,000 | 180,000 | 116,000 | 43,400 |
| 16 | 28,900 | 114,000 | 231,000 | 67,600 | 170,000 | 217,000 | 246,000 | 274,000 | e256,000 | 146,000 | 100,000 | 42,700 |
| 17 | 55,600 | 123,000 | 293,000 | 70,700 | 263,000 | e232,000 | 203,000 | 247,000 | 294,000 | 87,300 | 97,800 | 39,600 |
| 18 | 67,700 | 128,000 | 273,000 | 54,000 | 369,000 | e235,000 | 179,000 | 253,000 | 300,000 | 76,600 | 86,600 | 49,300 |
| 19 | 63,500 | 126,000 | 202,000 | 40,000 | 423,000 | 223,000 | 121,000 | 267,000 | 348,000 | 26,300 | 108,000 | 37,600 |
| 20 | 61,000 | 146,000 | 235,000 | 55,300 | 412,000 | e227,000 | 147,000 | 251,000 | 368,000 | 32,600 | 84,200 | 72,100 |
| 21 | 37,600 | 147,000 | 235,000 | 33,600 | 345,000 | 223,000 | 135,000 | 292,000 | 365,000 | 51,400 | e80,000 | 128,000 |
| 22 | 35,600 | 93,400 | 246,000 | 23,800 | 321,000 | e261,000 | 149,000 | 268,000 | 362,000 | e56,000 | e71,300 | 153,000 |
| 23 | 31,500 | 109,000 | 203,000 | 40,300 | e364,000 | 258,000 | 132,000 | 261,000 | 256,000 | e74,200 | e95,700 | 172,000 |
| 24 | 41,000 | 114,000 | 207,000 | 17,600 | 415,000 | 233,000 | 137,000 | 246,000 | 223,000 | e131,000 | e50,800 | 138,000 |
| 25 | 23,600 | 109,000 | 179,000 | 22,500 | 456,000 | 209,000 | 116,000 | 238,000 | 161,000 | e171,000 | e42,600 | 119,000 |
| 26 | 38,300 | 102,000 | 154,000 | 25,100 | 463,000 | 201,000 | 107,000 | 195,000 | 118,000 | e172,000 | 31,300 | 145,000 |
| 27 | 33,300 | 84,200 | 144,000 | 17,500 | 471,000 | 161,000 | 107,000 | 177,000 | 81,100 | e138,000 | 35,700 | 164,000 |
| 28 | 31,000 | e74,800 | 149,000 | e15,800 | 454,000 | 142,000 | 69,400 | 154,000 | e70,700 | e104,000 | 45,200 | 161,000 |
| 29 | 41,900 | 71,200 | 146,000 | 14,200 | --- | 134,000 | 64,600 | 137,000 | e78,700 | e92,400 | 33,500 | 130,000 |
| 30 | 91,400 | 76,000 | 129,000 | 24,700 | --- | 134,000 | 60,500 | 109,000 | e58,800 | e121,000 | 90,000 | 124,000 |
| 31 | 117,000 | --- | 119,000 | 25,100 | --- | 130,000 | --- | 97,000 | --- | e135,000 | 72,600 | --- |
| TOTAL | 1,219,220 | 3,384,700 | 4,141,300 | 3,707,600 | 6,432,800 | 7,283,000 | 5,101,500 | 6,659,100 | 6,240,800 | 3,545,000 | 3,238,300 | 4,075,700 |
| MEAN | 39,330 | 112,800 | 133,600 | 119,600 | 229,700 | 234,900 | 170,000 | 214,800 | 208,000 | 114,400 | 104,500 | 135,900 |
| MAX | 117,000 | 177,000 | 293,000 | 311,000 | 471,000 | 389,000 | 343,000 | 364,000 | 368,000 | 239,000 | 176,000 | 316,000 |
| MIN | 6,290 | 50,700 | 33,900 | 14,200 | 42,400 | 130,000 | 60,500 | 62,400 | 58,800 | 26,300 | 31,300 | 37,400 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1929 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MEAN | 37,220 | 68,260 | 121,400 | 163,500 | 193,600 | 241,300 | 203,700 | 146,400 | 87,570 | 56,420 | 44,400 | 33,970 |
| MAX | 153,500 | 245,900 | 321,300 | 595,800 | 430,400 | 524,300 | 403,300 | 392,900 | 234,400 | 163,400 | 151,300 | 166,600 |
| (WY) | (1980) | (1986) | (1973) | (1937) | (1939) | (1945) | (1948) | (1996) | (1981) | (1958) | (1958) | (1979) |
| MIN | 4,377 | 6,660 | 14,090 | 21,630 | 38,010 | 69,390 | 66,480 | 29,350 | 16,400 | 8,035 | 4,924 | 6,005 |
| (WY) | (1931) | (1931) | (1931) | (1931) | (1934) | (1969) | (1986) | (1941) | (1988) | (1930) | (1930) | (1930) |

03294500 OHIO RIVER AT LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1929 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 43,515,859 | | 55,029,020 | | | |
| ANNUAL MEAN | 119,200 | | 150,800 | | 116,100 | |
| HIGHEST ANNUAL MEAN | | | | | 176,700 1979 | |
| LOWEST ANNUAL MEAN | | | | | 57,390 1954 | |
| HIGHEST DAILY MEAN | 516,000 | Mar 24 | 471,000 | Feb 27 | 1,110,000 | Jan 27, 1937 |
| LOWEST DAILY MEAN | 949 | Sep 4 | 6,290 | Oct 9 | 949 | Sep 4, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 3,990 | Aug 30 | 12,500 | Oct 5 | 3,530 | Oct 15, 1930 |
| MAXIMUM PEAK FLOW | | | 472,000 | | 1,110,000 | |
| MAXIMUM PEAK STAGE | | | 51.82 | | 85.44 | |
| 10 PERCENT EXCEEDS | 322,000 | | 281,000 | | 279,000 | |
| 50 PERCENT EXCEEDS | 69,600 | | 130,000 | | 72,400 | |
| 90 PERCENT EXCEEDS | 9,890 | | 37,500 | | 16,700 | |

e Estimated



03294550 MILL CREEK CUTOFF NEAR LOUISVILLE, KY

LOCATION.--Lat 38°10'39", long 85°52'01", Jefferson County, Hydrologic Unit 05140101, on left bank at bridge on Highway 1230, 0.8 mi downstream from Big Run Creek, 1.5 mi upstream from Ohio River, and 6.0 mi southwest of Louisville.

DRAINAGE AREA.--24.4 mi².

PERIOD OF RECORD.--May 1988 to January 1995, August 1999 to current year.

GAGE.--Water-stage recorder with telemetry.

REMARKS.--Records fair except those for estimated periods, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------------------------------------|------|--------------------------------|------------------|------|------|--------------------------------|------------------|
| No peak greater than base discharge. | | | | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|-------|
| 1 | 0.01 | 0.20 | 0.00 | 201 | 0.00 | e1.8 | e0.90 | e1.0 | 0.19 | 0.13 | 2.9 | 54 |
| 2 | 0.00 | 0.00 | 0.00 | 18 | 0.00 | e1.9 | e0.70 | e0.71 | 0.17 | 0.14 | 72 | 316 |
| 3 | 0.00 | 0.00 | 0.00 | 14 | 4.7 | e1.5 | e0.51 | e0.70 | 11 | 0.19 | 50 | 29 |
| 4 | 16 | 0.00 | 0.00 | 4.1 | 28 | e1.3 | e0.67 | e0.49 | 1.5 | 0.46 | 7.4 | 5.5 |
| 5 | 23 | 63 | 0.00 | 2.5 | 0.69 | e1.4 | e1.6 | e149 | 0.31 | 0.17 | 4.1 | 2.4 |
| 6 | 0.96 | 16 | 0.00 | 1.1 | 0.00 | e2.4 | e0.77 | e50 | 0.30 | 0.09 | 7.1 | 1.4 |
| 7 | 0.13 | 1.6 | 0.00 | 0.46 | 1.1 | e1.6 | e6.6 | e15 | 0.27 | 0.09 | 14 | 1.6 |
| 8 | 0.00 | 0.35 | 0.00 | 0.40 | 0.71 | e1.2 | e2.2 | e3.6 | 0.20 | 0.64 | 8.0 | 1.6 |
| 9 | 0.00 | 0.06 | 0.72 | 0.31 | 0.31 | e0.79 | e1.5 | e6.1 | 0.18 | 2.1 | 2.3 | 1.9 |
| 10 | 20 | 141 | 0.18 | 0.09 | 0.00 | e0.65 | e1.9 | e12 | 0.26 | 50 | 2.0 | 1.8 |
| 11 | 132 | 43 | 59 | 0.00 | 0.00 | e0.54 | e1.5 | e51 | 28 | 8.6 | 7.0 | 1.7 |
| 12 | 5.4 | 2.7 | 6.2 | e0.05 | 0.00 | e0.62 | e1.0 | e28 | 18 | 1.8 | 3.0 | 1.7 |
| 13 | 0.76 | 0.41 | 16 | e0.04 | 0.00 | e0.82 | e0.84 | e15 | 3.2 | 1.3 | 1.7 | 1.6 |
| 14 | 0.22 | 0.18 | 15 | 0.00 | 11 | e0.73 | e0.65 | e6.1 | 0.71 | 1.1 | 0.64 | 5.3 |
| 15 | 0.02 | 0.07 | 1.8 | 0.00 | 226 | e0.59 | e0.52 | e3.6 | 0.29 | 1.3 | 0.64 | 9.2 |
| 16 | 0.00 | 0.87 | 0.32 | 0.00 | 29 | e0.54 | e0.38 | e1.9 | 1.0 | 15 | 0.78 | 1.8 |
| 17 | 0.00 | 0.15 | 37 | 0.00 | 12 | e0.48 | e21 | e79 | 28 | 1.6 | 0.89 | 1.5 |
| 18 | 0.00 | 0.00 | e28 | 0.00 | 4.1 | e0.44 | e11 | e18 | 1.8 | 1.2 | 0.80 | 1.3 |
| 19 | 0.00 | 0.00 | e186 | 0.00 | e2.6 | e11 | e4.8 | e7.2 | 0.90 | 1.0 | 0.81 | 1.6 |
| 20 | 1.4 | 0.00 | e62 | 0.00 | e5.8 | e6.6 | e0.83 | 9.2 | 0.42 | 0.91 | 0.87 | 1.6 |
| 21 | 0.71 | 0.00 | e11 | 0.00 | e20 | e3.0 | e62 | 11 | 0.32 | 5.9 | 1.0 | 1.6 |
| 22 | 0.10 | 0.00 | 3.9 | 0.00 | e104 | e2.2 | e14 | 2.7 | 0.30 | 13 | 85 | 93 |
| 23 | 0.00 | 0.00 | 1.2 | 0.00 | e34 | e1.6 | e3.9 | 0.43 | 0.27 | 12 | 15 | 6.4 |
| 24 | 0.00 | 0.00 | 24 | 0.00 | e10 | e1.2 | e1.1 | 0.18 | 0.26 | 1.5 | 2.6 | 2.2 |
| 25 | 3.7 | 0.00 | 25 | 0.00 | e4.2 | e0.84 | e2.4 | 5.5 | 0.32 | 0.85 | 1.9 | 1.8 |
| 26 | 2.9 | 0.00 | 4.1 | 0.00 | e3.0 | e2.1 | e57 | 4.6 | 1.6 | 0.79 | 1.8 | 1.7 |
| 27 | 0.28 | 0.00 | 1.6 | 0.00 | e2.5 | e1.0 | e12 | 0.46 | 6.3 | 0.79 | 1.7 | 194 |
| 28 | 4.8 | 0.00 | 0.82 | 0.00 | e2.2 | e0.69 | e2.4 | 0.22 | 0.36 | 0.73 | 1.6 | 6.1 |
| 29 | 36 | 0.00 | 0.52 | 0.00 | --- | e2.4 | e2.1 | 0.22 | 0.21 | 0.31 | 1.8 | 2.4 |
| 30 | 5.1 | 0.00 | 78 | 0.00 | --- | e1.9 | e1.7 | 0.17 | 0.16 | 0.73 | 39 | 1.8 |
| 31 | 0.79 | --- | 204 | 0.00 | --- | e1.2 | --- | 0.22 | --- | 2.3 | 48 | --- |
| TOTAL | 254.28 | 269.59 | 766.36 | 242.05 | 505.91 | 55.03 | 218.47 | 483.30 | 106.80 | 126.72 | 386.33 | 753.5 |
| MEAN | 8.20 | 8.99 | 24.7 | 7.81 | 18.1 | 1.78 | 7.28 | 15.6 | 3.56 | 4.09 | 12.5 | 25.1 |
| MAX | 132 | 141 | 204 | 201 | 226 | 11 | 62 | 149 | 28 | 50 | 85 | 316 |
| MIN | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.44 | 0.38 | 0.17 | 0.16 | 0.09 | 0.64 | 1.3 |
| CFSM | 0.34 | 0.37 | 1.01 | 0.32 | 0.74 | 0.07 | 0.30 | 0.64 | 0.15 | 0.17 | 0.51 | 1.03 |
| IN. | 0.39 | 0.41 | 1.17 | 0.37 | 0.77 | 0.08 | 0.33 | 0.74 | 0.16 | 0.19 | 0.59 | 1.15 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1988 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 6.33 | 9.58 | 20.3 | 22.1 | 33.7 | 30.5 | 13.3 | 17.9 | 10.0 | 7.30 | 7.16 | 8.96 |
| MAX | 19.4 | 21.7 | 73.0 | 72.3 | 87.0 | 89.2 | 31.6 | 69.8 | 49.1 | 23.5 | 33.4 | 28.6 |
| (WY) | (2002) | (2002) | (1991) | (1991) | (1989) | (2002) | (2002) | (1990) | (1990) | (1989) | (1992) | (2002) |
| MIN | 0.18 | 0.31 | 1.35 | 3.26 | 3.97 | 1.78 | 0.93 | 3.21 | 0.042 | 0.18 | 0.83 | 0.067 |
| (WY) | (1989) | (2000) | (1990) | (2001) | (1992) | (2003) | (2001) | (2000) | (1988) | (2002) | (2001) | (1988) |

03294550 MILL CREEK CUTOFF NEAR LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1988 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 8,299.33 | | 4,168.34 | | | |
| ANNUAL MEAN | 22.7 | | 11.4 | | 15.8 | |
| HIGHEST ANNUAL MEAN | | | | | 25.5 1991 | |
| LOWEST ANNUAL MEAN | | | | | 7.41 2001 | |
| HIGHEST DAILY MEAN | 741 | Sep 27 | 316 | Sep 2 | 1,070 | Feb 15, 1990 |
| LOWEST DAILY MEAN | 0.00 | Jan 1 | 0.00 | Oct 2 | 0.00 | May 15, 1988 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jan 12 | 0.00 | Nov 18 | 0.00 | May 28, 1988 |
| MAXIMUM PEAK FLOW | | | 1,020 | Sep 27 | 4,310 | Aug 8, 1992 |
| MAXIMUM PEAK STAGE | | | 7.94 | Sep 27 | 15.83 | Aug 8, 1992 |
| ANNUAL RUNOFF (CFSM) | 0.93 | | 0.47 | | 0.65 | |
| ANNUAL RUNOFF (INCHES) | 12.65 | | 6.36 | | 8.79 | |
| 10 PERCENT EXCEEDS | 43 | | 28 | | 29 | |
| 50 PERCENT EXCEEDS | 0.15 | | 1.3 | | 1.4 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.00 | | 0.00 | |

e Estimated



03294570 MILL CREEK AT ORELL ROAD NEAR LOUISVILLE, KY

LOCATION.--Lat 38°04'41", long 85°53'24", Jefferson County, Hydrologic Unit 05140101, on right bank at bridge on Orell Road, 5.0 mi southwest of Louisville, and at mile 1.5

DRAINAGE AREA.--13.5 mi².

PERIOD OF RECORD.--August 1999 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 415 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those estimated, which are rated poor.

Cooperation.--Louisville and Jefferson County Metropolitan Sewer District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 1 | 3.0 | 4.1 | 3.3 | 323 | e1.1 | e5.2 | e4.3 | e3.5 | 2.3 | 1.9 | 3.8 | 38 |
| 2 | 2.5 | 4.4 | 3.3 | 33 | 1.6 | e4.6 | e3.4 | e2.5 | 2.3 | 3.6 | 25 | 359 |
| 3 | 4.8 | 4.3 | 3.5 | 19 | 2.2 | e4.1 | e2.5 | e2.7 | 12 | 2.7 | 69 | 96 |
| 4 | 8.5 | 5.1 | 3.7 | 9.3 | 21 | e3.6 | e3.8 | e1.7 | 7.0 | 2.1 | 25 | 12 |
| 5 | 24 | 55 | 4.5 | 6.0 | 6.0 | e3.2 | e7.0 | e219 | 3.7 | 2.0 | 8.5 | 3.6 |
| 6 | 4.9 | 31 | 4.1 | 4.3 | 3.2 | e5.0 | e3.1 | e104 | 3.0 | 2.0 | 3.1 | 2.1 |
| 7 | 2.4 | 7.5 | 4.1 | 3.3 | 2.9 | e4.3 | e11 | e38 | 3.1 | 2.7 | 7.3 | 1.5 |
| 8 | 1.9 | 4.7 | 4.8 | 3.0 | 2.7 | e3.7 | e7.6 | e9.4 | 2.6 | 2.1 | 6.5 | 1.3 |
| 9 | 1.8 | 4.5 | 7.5 | 2.7 | 2.2 | e3.1 | e5.2 | e10 | 2.4 | 1.6 | 5.0 | 1.4 |
| 10 | 21 | 56 | 5.3 | 2.4 | 2.3 | e2.6 | e5.0 | e20 | 2.5 | 17 | 8.3 | 1.2 |
| 11 | 156 | 96 | 44 | 2.1 | 2.7 | e2.1 | e4.9 | e74 | 32 | 19 | 7.5 | 1.2 |
| 12 | 13 | 13 | 13 | 1.8 | 2.4 | e2.5 | e4.0 | e42 | 25 | 3.7 | 6.2 | 1.2 |
| 13 | 5.5 | 6.1 | 15 | 1.7 | 1.9 | e3.0 | e3.4 | e21 | 13 | 1.2 | 2.8 | 1.0 |
| 14 | 3.4 | 4.4 | 23 | e1.6 | 4.2 | e3.0 | e2.8 | e6.8 | 6.3 | 0.63 | 2.9 | 2.3 |
| 15 | 2.8 | 4.7 | 8.1 | e1.5 | 247 | e2.6 | e2.4 | e5.6 | 3.4 | 0.69 | 3.0 | 8.8 |
| 16 | 2.3 | 6.2 | 5.6 | e1.4 | 80 | e2.3 | e1.8 | e3.7 | 56 | 16 | 3.3 | 2.3 |
| 17 | 2.3 | 3.9 | 28 | e1.4 | e18 | e2.0 | e35 | e127 | 167 | 5.1 | 3.3 | 1.4 |
| 18 | 2.4 | 2.9 | e23 | e1.3 | e9.1 | e1.8 | e19 | e56 | e40 | 1.6 | 3.8 | 1.2 |
| 19 | 2.7 | 2.7 | e240 | e1.3 | e6.9 | e18 | e9.3 | e30 | e18 | 0.86 | 3.4 | 1.1 |
| 20 | 4.9 | 2.8 | e80 | e1.2 | e15 | e14 | e4.0 | e14 | e5.5 | 0.70 | 3.4 | 1.1 |
| 21 | 3.6 | 3.0 | e25 | e1.2 | e50 | e10 | e85 | 7.5 | e1.8 | 1.7 | 3.5 | 0.90 |
| 22 | 2.8 | 3.8 | 8.1 | e1.2 | e146 | e8.1 | e37 | 4.5 | e1.9 | 15 | 14 | 80 |
| 23 | 2.6 | 3.4 | 4.9 | e1.2 | e64 | e6.2 | e13 | 3.1 | 2.0 | 25 | 24 | 15 |
| 24 | 2.3 | 2.9 | 17 | e1.1 | e25 | e4.8 | e3.2 | 2.5 | 2.1 | 11 | 7.6 | 3.0 |
| 25 | 4.1 | 2.7 | 43 | e1.1 | e9.6 | e3.3 | e10 | 4.6 | 2.1 | 5.5 | 3.5 | 1.2 |
| 26 | 6.6 | 2.8 | 9.9 | e1.1 | e8.0 | e5.1 | e79 | 9.0 | 7.2 | 4.0 | 2.9 | 0.58 |
| 27 | 3.4 | 2.9 | 5.6 | e1.1 | e6.9 | e3.9 | e35 | 3.5 | 13 | 3.5 | 2.4 | 127 |
| 28 | 7.6 | 2.5 | 4.1 | e1.0 | e6.0 | e2.8 | e6.6 | 2.8 | 3.5 | 3.2 | 2.7 | 16 |
| 29 | 29 | 2.3 | 3.1 | e1.0 | --- | e8.1 | e6.2 | 2.5 | 1.9 | 3.2 | 5.2 | 3.0 |
| 30 | 14 | 2.9 | 76 | e1.0 | --- | e6.6 | e5.0 | 2.6 | 1.7 | 3.0 | 29 | 1.4 |
| 31 | 5.4 | --- | 181 | e1.0 | --- | e5.4 | --- | 2.5 | --- | 3.4 | 23 | --- |
| TOTAL | 351.5 | 348.5 | 901.5 | 433.3 | 747.9 | 155.0 | 419.5 | 836.0 | 444.3 | 165.68 | 318.9 | 785.78 |
| MEAN | 11.3 | 11.6 | 29.1 | 14.0 | 26.7 | 5.00 | 14.0 | 27.0 | 14.8 | 5.34 | 10.3 | 26.2 |
| MAX | 156 | 96 | 240 | 323 | 247 | 18 | 85 | 219 | 167 | 25 | 69 | 359 |
| MIN | 1.8 | 2.3 | 3.1 | 1.0 | 1.1 | 1.8 | 1.8 | 1.7 | 1.7 | 0.63 | 2.4 | 0.58 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 11.7 | 17.4 | 31.3 | 34.2 | 44.1 | 36.7 | 49.8 | 37.6 | 8.88 | 3.63 | 4.67 | 19.4 |
| MAX | 27.5 | 40.7 | 41.4 | 71.3 | 75.2 | 111 | 121 | 93.4 | 14.8 | 5.55 | 10.3 | 51.8 |
| (WY) | (2002) | (2002) | (2002) | (2000) | (2000) | (2002) | (2000) | (2002) | (2003) | (2001) | (2003) | (2002) |
| MIN | 2.15 | 8.14 | 18.0 | 3.28 | 12.1 | 5.00 | 2.16 | 4.46 | 4.09 | 1.60 | 1.84 | 3.86 |
| (WY) | (2001) | (2001) | (2000) | (2001) | (2002) | (2003) | (2001) | (2000) | (2001) | (2002) | (2002) | (1999) |

03294570 MILL CREEK AT ORELL ROAD NEAR LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 13,598.88 | | 5,907.86 | | 25.2 | |
| ANNUAL MEAN | 37.3 | | 16.2 | | 42.1 | |
| HIGHEST ANNUAL MEAN | | | | | 13.8 | |
| LOWEST ANNUAL MEAN | | | | | 1,680 | |
| HIGHEST DAILY MEAN | 1,400 | Mar 26 | 359 | Sep 2 | 7,430 | Apr 9, 2000 |
| LOWEST DAILY MEAN | 0.24 | Jan 5 | 0.58 | Sep 26 | 0.08 | Jan 1, 2000 |
| ANNUAL SEVEN-DAY MINIMUM | 0.50 | Aug 24 | 1.0 | Jan 25 | 0.15 | Dec 26, 1999 |
| MAXIMUM PEAK FLOW | | | 930 | Jun 16 | 16.53 | Mar 26, 2002 |
| MAXIMUM PEAK STAGE | | | 5.35 | Jun 16 | 35 | Feb 19, 2000 |
| 10 PERCENT EXCEEDS | 59 | | 35 | | 2.8 | |
| 50 PERCENT EXCEEDS | 3.6 | | 3.9 | | 0.68 | |
| 90 PERCENT EXCEEDS | 0.98 | | 1.5 | | | |

e Estimated



03295400 SALT RIVER AT GLENSBORO, KY

LOCATION.--Lat 38°00'07", long 85°03'38", Anderson County, Hydrologic Unit 05140102, on left bank 5 ft downstream from bridge on Highway 53 at Glensboro, 0.9 mi upstream from Timber Creek, 2.0 mi downstream from Indian Creek, and at mile 82.5.

DRAINAGE AREA.--172 mi².

PERIOD OF RECORD.--May 1989 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 593.29 ft above NGVD of 1929.

REMARKS.--Records good except those estimated, which are fair.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Army Corps of Engineers, Louisville District.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 6,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|-------|------|--------------------------------|------------------|
| Oct 11 | 0700 | 7,220 | 9.30 | May 9 | 0300 | *8,580 | *9.77 |
| Feb 16 | 0100 | 8,310 | 9.68 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|----------|--------|--------|-------|--------|-------|-------|--------|--------|-------|-------|--------|
| 1 | 41 | 266 | 57 | 1,490 | e73 | 381 | 159 | 98 | 47 | 31 | 231 | 58 |
| 2 | 30 | 191 | e47 | 1,020 | e59 | 292 | 134 | 87 | 40 | 25 | 115 | 1,590 |
| 3 | 22 | 153 | e41 | 497 | e75 | 230 | 115 | 82 | 497 | 22 | 152 | 2,430 |
| 4 | 18 | 132 | e34 | 326 | 369 | 192 | 101 | 74 | 333 | 20 | 92 | 2,250 |
| 5 | 17 | 1,100 | e31 | 243 | 305 | 172 | 120 | 1,970 | 159 | 19 | 55 | 816 |
| 6 | 16 | 2,050 | e28 | 190 | 166 | 151 | 125 | 3,210 | 95 | 17 | 86 | 307 |
| 7 | 12 | 794 | e29 | 154 | e122 | 137 | 423 | 1,570 | 2,070 | 16 | 112 | 172 |
| 8 | 11 | 370 | e32 | e122 | e106 | 124 | 633 | 1,210 | 2,260 | 16 | 131 | 117 |
| 9 | 9.1 | 238 | e39 | e99 | e95 | 112 | 551 | 3,100 | 817 | 20 | 56 | 88 |
| 10 | 13 | 1,740 | e50 | e82 | e88 | 100 | 1,010 | 547 | 364 | 116 | 82 | 70 |
| 11 | 4,580 | 3,510 | 968 | e68 | e79 | 92 | 800 | 1,450 | e285 | 118 | 50 | 58 |
| 12 | 1,280 | 1,120 | 961 | e59 | e75 | 91 | 418 | 557 | e681 | 275 | 36 | 49 |
| 13 | 419 | 475 | 701 | e52 | e73 | 93 | 266 | 236 | 338 | 101 | 34 | 43 |
| 14 | 225 | 273 | 2,020 | e48 | e99 | 89 | 194 | 157 | 516 | 55 | 44 | 38 |
| 15 | 155 | 210 | 911 | e44 | 5,180 | 85 | 156 | 805 | 1,770 | 39 | 29 | 37 |
| 16 | 131 | 925 | 415 | e41 | 7,000 | 80 | 135 | 247 | 1,380 | 99 | 25 | 34 |
| 17 | 212 | 629 | 296 | e38 | 4,420 | 75 | 420 | 360 | 1,220 | 44 | 21 | 31 |
| 18 | 167 | 347 | 324 | e36 | 934 | 73 | 920 | 351 | 604 | 30 | 18 | 28 |
| 19 | 128 | 236 | 1,140 | e34 | 588 | 160 | 378 | 282 | 300 | 24 | 15 | 26 |
| 20 | 140 | 178 | 2,380 | e33 | 771 | 401 | 217 | 209 | 187 | 21 | 14 | 24 |
| 21 | 157 | 148 | 834 | e31 | 810 | 737 | 186 | 540 | 132 | 22 | 13 | 21 |
| 22 | 132 | 135 | 379 | e29 | 2,820 | 402 | 160 | 472 | 100 | 33 | 637 | 1,640 |
| 23 | 104 | 118 | 238 | e28 | 1,900 | 237 | 136 | 260 | 79 | 75 | 608 | 732 |
| 24 | 85 | 100 | 251 | e27 | 979 | 178 | 116 | 174 | 66 | 32 | 95 | 217 |
| 25 | 75 | 89 | 920 | e26 | 755 | 147 | 109 | 132 | 57 | 29 | 54 | 111 |
| 26 | 68 | 82 | 379 | e26 | 462 | 137 | 168 | 111 | 50 | 25 | 30 | 75 |
| 27 | 65 | 82 | 246 | e29 | 326 | 127 | 275 | 87 | 51 | 21 | 25 | 119 |
| 28 | 83 | 73 | 199 | e36 | 414 | 116 | 159 | 73 | 42 | 19 | 21 | 124 |
| 29 | 869 | 72 | 167 | 60 | --- | 248 | 127 | 69 | 40 | 55 | 19 | 100 |
| 30 | 1,120 | 62 | 143 | 133 | --- | 443 | 111 | 64 | 38 | 131 | 56 | 88 |
| 31 | 482 | --- | 143 | 114 | --- | 213 | --- | 54 | --- | 345 | 78 | --- |
| TOTAL | 10,866.1 | 15,898 | 14,403 | 5,215 | 29,143 | 6,115 | 8,822 | 18,638 | 14,618 | 1,895 | 3,034 | 11,493 |
| MEAN | 351 | 530 | 465 | 168 | 1,041 | 197 | 294 | 601 | 487 | 61.1 | 97.9 | 383 |
| MAX | 4,580 | 3,510 | 2,380 | 1,490 | 7,000 | 737 | 1,010 | 3,210 | 2,260 | 345 | 637 | 2,430 |
| MIN | 9.1 | 62 | 28 | 26 | 59 | 73 | 101 | 54 | 38 | 16 | 13 | 21 |
| CFSM | 2.04 | 3.08 | 2.70 | 0.98 | 6.05 | 1.15 | 1.71 | 3.50 | 2.83 | 0.36 | 0.57 | 2.23 |
| IN. | 2.35 | 3.44 | 3.12 | 1.13 | 6.30 | 1.32 | 1.91 | 4.03 | 3.16 | 0.41 | 0.66 | 2.49 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1989 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 74.4 | 165 | 342 | 409 | 461 | 562 | 220 | 332 | 282 | 123 | 54.5 | 72.6 |
| MAX | 351 | 530 | 1,360 | 675 | 1,041 | 1,845 | 480 | 925 | 926 | 528 | 137 | 383 |
| (WY) | (2003) | (2003) | (1991) | (1994) | (2003) | (1997) | (1998) | (1995) | (1997) | (1998) | (1992) | (2003) |
| MIN | 6.13 | 7.28 | 29.1 | 111 | 124 | 99.9 | 71.4 | 18.4 | 13.8 | 4.29 | 0.53 | 0.46 |
| (WY) | (1995) | (2000) | (2000) | (2001) | (2002) | (1990) | (1997) | (2000) | (2000) | (2000) | (1999) | (1999) |

03295400 SALT RIVER AT GLENSBORO, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1989 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 113,186.0 | | 140,140.1 | | 257 | |
| ANNUAL MEAN | 310 | | 384 | | 403 | |
| HIGHEST ANNUAL MEAN | | | | | 1997 | |
| LOWEST ANNUAL MEAN | | | | | 103 | |
| HIGHEST DAILY MEAN | 7,180 | Mar 20 | 7,000 | Feb 16 | 16,400 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 1.0 | Aug 15 | 9.1 | Oct 9 | 0.00 | Aug 5, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 1.6 | Aug 10 | 14 | Oct 4 | 0.00 | Sep 6, 1999 |
| MAXIMUM PEAK FLOW | | | 8,580 | May 9 | 22,000 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 9.77 | May 9 | 12.91 | Mar 2, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.80 | | 2.23 | | 1.49 | |
| ANNUAL RUNOFF (INCHES) | 24.48 | | 30.31 | | 20.29 | |
| 10 PERCENT EXCEEDS | 921 | | 964 | | 560 | |
| 50 PERCENT EXCEEDS | 68 | | 124 | | 74 | |
| 90 PERCENT EXCEEDS | 3.3 | | 27 | | 5.1 | |

e Estimated



03295702 BULLSKIN CREEK NEAR SIMPSONVILLE, KY

LOCATION.--Lat 38°13'07", long 85°18'07", Shelby County, Hydrologic Unit 05140102, at center span on the downstream side of bridge on Highway 60, 2.6 miles east of Simpsonville, 2.6 miles below Fox Run, and at mile 21.7.

DRAINAGE AREA.--54.8 mi².

PERIOD OF RECORD.--May 1998 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 680 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those below 2.0 ft³/s and those estimated, which are poor.

COOPERATION.--City of Simpsonville.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|---------|---------|
| 1 | 33 | e103 | 19 | 1,900 | e20 | 109 | 46 | 69 | 19 | 8.0 | 6.1 | 179 |
| 2 | 23 | 74 | 18 | 367 | e22 | 101 | 38 | 53 | 15 | 6.6 | 183 | e2,000 |
| 3 | 20 | 62 | 17 | 219 | 33 | 81 | 32 | 45 | 23 | 5.5 | 146 | 625 |
| 4 | 19 | 59 | 14 | 154 | 187 | 71 | 29 | 37 | 29 | 4.5 | 487 | 284 |
| 5 | 114 | 329 | 15 | 132 | 84 | 66 | 38 | 864 | 21 | 3.9 | 770 | 138 |
| 6 | 70 | 443 | 19 | 109 | 58 | 66 | 30 | 386 | 13 | 3.2 | 123 | 84 |
| 7 | 45 | 173 | 19 | 91 | e48 | 60 | 54 | 539 | 19 | 5.2 | 68 | 58 |
| 8 | 28 | 117 | 17 | 83 | e42 | 53 | 49 | 222 | 55 | 4.3 | 42 | 43 |
| 9 | 20 | 88 | 19 | 70 | e39 | 47 | 57 | 272 | 67 | 3.8 | 26 | 31 |
| 10 | 38 | 229 | 20 | 56 | e37 | 39 | 78 | 1,280 | 34 | 25 | 19 | 23 |
| 11 | 2,160 | 579 | 219 | 45 | e35 | 38 | 64 | 1,220 | 35 | 55 | 22 | 18 |
| 12 | 372 | 178 | 213 | e40 | e32 | 38 | 51 | 265 | 63 | 20 | 30 | 14 |
| 13 | 177 | 119 | 177 | e37 | 31 | 40 | 40 | 135 | 54 | 12 | 15 | 11 |
| 14 | 108 | 91 | 222 | e34 | 42 | 38 | 34 | 90 | 72 | 7.8 | 10 | 10 |
| 15 | 78 | 85 | 141 | e32 | 1,270 | 34 | 30 | 69 | 66 | 5.8 | 8.0 | 28 |
| 16 | 60 | 98 | 105 | e30 | 393 | 32 | 26 | 57 | 317 | 6.3 | 6.3 | 15 |
| 17 | 46 | 79 | 94 | e28 | 183 | 30 | 185 | 525 | 952 | 10 | 5.1 | 9.4 |
| 18 | e35 | 65 | 133 | e27 | 117 | 30 | 265 | 240 | 164 | 5.9 | 4.2 | 7.0 |
| 19 | e30 | 59 | 1,430 | e26 | 95 | 42 | 110 | 128 | 96 | 4.5 | 3.7 | 6.0 |
| 20 | 36 | 51 | 1,300 | e25 | 157 | 65 | 82 | 98 | 66 | 3.8 | 3.1 | 5.3 |
| 21 | 28 | 49 | 260 | e24 | 612 | 67 | 1,320 | 205 | 44 | 5.2 | 2.7 | 4.9 |
| 22 | e20 | 53 | 161 | e23 | e2,350 | 65 | 233 | 116 | 32 | 26 | 80 | 217 |
| 23 | e17 | 42 | 113 | e22 | 586 | 55 | 126 | 82 | 23 | 38 | 157 | 148 |
| 24 | 15 | 38 | 100 | e22 | 251 | 49 | 87 | 60 | 18 | 19 | 31 | 66 |
| 25 | e16 | 34 | 157 | e21 | 162 | 42 | 172 | 50 | 14 | 11 | 15 | 40 |
| 26 | e30 | 31 | 112 | e21 | 124 | 44 | 506 | 57 | 14 | 6.9 | 9.7 | 27 |
| 27 | e60 | 30 | 96 | e21 | 101 | 36 | 142 | 43 | 52 | 4.9 | 6.8 | 68 |
| 28 | e150 | 27 | 85 | e20 | 96 | 32 | 90 | 40 | 23 | 22 | 5.9 | 54 |
| 29 | e330 | 26 | 72 | e20 | --- | 81 | 142 | 35 | 15 | 33 | 9.8 | 33 |
| 30 | e400 | 25 | 147 | e19 | --- | e74 | 96 | 29 | 11 | 12 | 269 | 23 |
| 31 | e140 | --- | 871 | e19 | --- | e55 | --- | 24 | --- | 7.8 | 161 | --- |
| TOTAL | 4,718 | 3,436 | 6,385 | 3,737 | 7,207 | 1,680 | 4,252 | 7,335 | 2,426 | 386.9 | 2,725.4 | 4,269.6 |
| MEAN | 152 | 115 | 206 | 121 | 257 | 54.2 | 142 | 237 | 80.9 | 12.5 | 87.9 | 142 |
| MAX | 2,160 | 579 | 1,430 | 1,900 | 2,350 | 109 | 1,320 | 1,280 | 952 | 55 | 770 | 2,000 |
| MIN | 15 | 25 | 14 | 19 | 20 | 30 | 26 | 24 | 11 | 3.2 | 2.7 | 4.9 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 34.8 | 44.9 | 103 | 127 | 177 | 134 | 84.4 | 97.2 | 85.4 | 13.8 | 16.4 | 37.0 |
| MAX | 152 | 115 | 206 | 211 | 316 | 296 | 142 | 237 | 293 | 54.1 | 87.9 | 142 |
| (WY) | (2003) | (2003) | (2003) | (2002) | (2000) | (2002) | (2003) | (2003) | (1998) | (1998) | (2003) | (2003) |
| MIN | 0.000 | 0.18 | 5.20 | 44.3 | 67.4 | 54.2 | 28.4 | 2.61 | 8.99 | 0.25 | 0.000 | 0.000 |
| (WY) | (2000) | (2000) | (1999) | (2001) | (1999) | (2003) | (1999) | (1999) | (2000) | (2001) | (1999) | (1999) |

03295702 BULLSKIN CREEK NEAR SIMPSONVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 47,089.43 | | 48,557.9 | | 75.3 | |
| ANNUAL MEAN | 129 | | 133 | | 133 | |
| HIGHEST ANNUAL MEAN | | | | | 31.9 | |
| LOWEST ANNUAL MEAN | | | | | 1999 | |
| HIGHEST DAILY MEAN | 3,420 | Jan 24 | 2,350 | Feb 22 | 3,830 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.00 | Jul 27 | 2.7 | Aug 21 | 0.00 | Aug 25, 1998 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jul 27 | 4.3 | Jul 3 | 0.00 | Sep 5, 1998 |
| MAXIMUM PEAK FLOW | | | 4,670 | Dec 19 | 8,990 | Feb 18, 2000 |
| MAXIMUM PEAK STAGE | | | 14.29 | Dec 19 | 21.05 | Feb 18, 2000 |
| 10 PERCENT EXCEEDS | 232 | | 262 | | 146 | |
| 50 PERCENT EXCEEDS | 39 | | 45 | | 13 | |
| 90 PERCENT EXCEEDS | 0.00 | | 9.9 | | 0.00 | |

e Estimated



03295890 BRASHEARS CREEK AT TAYLORSVILLE, KY

LOCATION.--Lat 38°02'13", long 85°20'27", Spencer County, Hydrologic Unit 05140102, on left bank at downstream side of bridge on State Highway 155, at the north edge of Taylorsville, 1.2 mi upstream from Salt River, and at mile 1.2.

DRAINAGE AREA.--259 mi²

PERIOD OF RECORD.--July 1981 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 466.85 ft above NGVD of 1929.

REMARKS.--Records good except those for estimated daily discharges, which are poor.

COOPEARTION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Army Corps of Engineers, Louisville, District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 5,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 1400 | 6,460 | 15.17 | May 11 | 0900 | 6,200 | 14.89 |
| Dec 20 | 0800 | *7,810 | *16.53 | Sep 3 | 0000 | 5,110 | 13.68 |
| Jan 1 | 1500 | 6,730 | 15.45 | Sep 22 | 1800 | 6,030 | 14.71 |
| Feb 22 | 2000 | 6,900 | 15.62 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|-------|--------|
| 1 | 150 | 486 | 96 | 5,760 | 105 | 454 | 227 | 304 | 116 | 71 | 37 | 351 |
| 2 | 102 | 352 | 84 | 2,440 | 111 | 428 | 196 | 250 | 97 | 59 | 33 | 2,660 |
| 3 | 74 | 273 | 76 | 1,300 | 117 | 379 | 168 | 246 | 193 | 48 | 385 | 3,690 |
| 4 | 65 | 247 | 71 | 886 | 350 | 329 | 155 | 203 | 298 | 40 | 408 | 1,860 |
| 5 | 81 | 477 | 75 | 692 | 425 | 302 | 180 | 2,380 | 211 | 33 | 1,220 | 940 |
| 6 | 246 | 2,060 | 93 | 571 | e260 | 283 | 196 | 2,870 | 162 | 28 | 544 | 555 |
| 7 | 161 | 999 | 87 | 465 | e200 | 265 | 196 | 1,950 | 193 | 24 | 288 | 354 |
| 8 | 111 | 640 | 81 | e360 | e160 | 234 | 283 | 1,690 | 244 | 22 | 205 | 263 |
| 9 | 79 | 451 | 67 | e280 | e140 | 213 | 375 | 2,200 | 360 | 28 | 211 | 202 |
| 10 | 76 | 940 | 81 | e230 | e140 | 185 | 482 | 2,130 | 300 | 568 | 268 | 156 |
| 11 | 4,320 | 2,310 | 325 | e180 | e130 | 166 | 446 | 4,300 | 283 | 390 | 147 | 121 |
| 12 | 2,050 | 1,130 | 896 | e150 | e120 | 163 | 356 | 1,910 | 461 | 208 | 219 | 96 |
| 13 | 912 | 701 | 737 | e140 | e120 | 163 | 289 | 933 | 489 | 120 | 154 | 79 |
| 14 | 567 | 499 | 919 | e130 | e130 | 157 | 239 | 597 | 366 | 78 | 93 | 69 |
| 15 | 410 | 387 | 724 | e120 | 2,990 | 145 | 204 | 636 | 364 | 59 | 68 | 79 |
| 16 | 316 | 364 | 550 | e110 | 3,320 | 134 | 177 | 450 | 697 | 87 | 67 | 117 |
| 17 | 238 | 319 | 423 | e102 | 1,400 | 125 | 350 | 689 | 2,220 | 53 | 62 | 96 |
| 18 | 180 | 269 | 426 | e86 | 859 | 120 | 1,120 | 1,250 | 1,020 | 42 | 46 | 67 |
| 19 | 146 | 232 | 1,190 | e78 | 634 | 151 | 553 | 682 | 580 | 38 | 36 | 53 |
| 20 | 147 | 209 | 5,470 | e73 | 723 | 363 | 378 | 499 | 402 | 33 | 28 | 44 |
| 21 | 144 | 189 | 1,650 | e70 | 1,700 | 352 | 1,860 | 706 | 287 | 30 | 24 | 39 |
| 22 | 122 | 191 | 929 | e74 | 5,050 | 367 | 1,070 | 639 | 213 | 35 | 800 | 3,340 |
| 23 | 98 | 183 | 633 | e78 | 4,030 | 323 | 618 | 475 | 163 | 74 | 1,750 | e1,650 |
| 24 | 84 | 155 | 535 | e64 | 1,620 | 281 | 434 | 357 | 127 | 81 | 594 | e1,000 |
| 25 | 74 | 141 | 830 | e54 | 1,020 | 245 | 360 | 291 | 103 | 76 | 305 | 587 |
| 26 | 68 | 131 | 645 | e46 | 748 | 223 | 1,180 | 266 | 85 | 54 | 178 | 350 |
| 27 | 75 | 122 | 514 | e60 | 587 | 207 | 642 | 242 | 176 | 42 | 120 | 267 |
| 28 | 89 | 117 | 432 | 71 | 498 | 179 | 412 | 202 | 201 | 35 | 86 | 284 |
| 29 | 304 | 106 | 367 | 78 | --- | 236 | 338 | 189 | 127 | 31 | 66 | 230 |
| 30 | 1,220 | 102 | 330 | 111 | --- | 370 | 428 | 166 | 89 | 35 | 61 | 176 |
| 31 | 702 | --- | 1,090 | 131 | --- | 265 | --- | 143 | --- | 45 | 280 | --- |
| TOTAL | 13,411 | 14,782 | 20,426 | 14,990 | 27,687 | 7,807 | 13,912 | 29,845 | 10,627 | 2,567 | 8,783 | 19,775 |
| MEAN | 433 | 493 | 659 | 484 | 989 | 252 | 464 | 963 | 354 | 82.8 | 283 | 659 |
| MAX | 4,320 | 2,310 | 5,470 | 5,760 | 5,050 | 454 | 1,860 | 4,300 | 2,220 | 568 | 1,750 | 3,690 |
| MIN | 65 | 102 | 67 | 46 | 105 | 120 | 155 | 143 | 85 | 22 | 24 | 39 |
| CFSM | 1.67 | 1.90 | 2.54 | 1.87 | 3.82 | 0.97 | 1.79 | 3.72 | 1.37 | 0.32 | 1.09 | 2.55 |
| IN. | 1.93 | 2.12 | 2.93 | 2.15 | 3.98 | 1.12 | 2.00 | 4.29 | 1.53 | 0.37 | 1.26 | 2.84 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1981 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 54.1 | 188 | 459 | 545 | 772 | 706 | 441 | 480 | 302 | 93.4 | 54.7 | 53.2 |
| MAX | 433 | 586 | 1,806 | 1,140 | 1,984 | 3,025 | 841 | 1,912 | 1,318 | 584 | 291 | 659 |
| (WY) | (2003) | (1986) | (1991) | (1999) | (1989) | (1997) | (1996) | (1983) | (1997) | (1998) | (1992) | (2003) |
| MIN | 0.012 | 2.76 | 51.1 | 47.0 | 212 | 80.5 | 48.4 | 37.2 | 1.90 | 4.44 | 0.030 | 0.001 |
| (WY) | (1989) | (2000) | (2000) | (1986) | (1992) | (1983) | (1986) | (2000) | (1988) | (1994) | (1983) | (1983) |

03295890 BRASHEARS CREEK AT TAYLORSVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1981 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 184,970.15 | | 184,612 | | 344 | |
| ANNUAL MEAN | 507 | | 506 | | 642 | |
| HIGHEST ANNUAL MEAN | | | | | 184 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 39,600 | 2001 |
| HIGHEST DAILY MEAN | 8,140 | Mar 26 | 5,760 | Jan 1 | Mar 2, 1997 | |
| LOWEST DAILY MEAN | 0.00 | Aug 7 | 22 | Jul 8 | Aug 19, 1983 | |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Aug 7 | 32 | Jul 3 | Aug 19, 1983 | |
| MAXIMUM PEAK FLOW | | | 7,810 | Dec 20 | 44,800 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 16.53 | Dec 20 | 31.54 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.08 | Oct 1, 1994 |
| ANNUAL RUNOFF (CFSM) | 1.96 | | 1.95 | | 1.33 | |
| ANNUAL RUNOFF (INCHES) | 26.57 | | 26.52 | | 18.05 | |
| 10 PERCENT EXCEEDS | 1,190 | | 1,180 | | 838 | |
| 50 PERCENT EXCEEDS | 159 | | 234 | | 93 | |
| 90 PERCENT EXCEEDS | 2.1 | | 65 | | 2.2 | |

e Estimated



03297800 CEDAR CREEK AT HIGHWAY 1442 NEAR SHEPHERDSVILLE, KY

LOCATION.--Lat 37°59'28", long 85°38'28", Bullitt County, Hydrologic Unit 05140102, on upstream side of bridge on Highway 1442, 1.1 mi upstream from Licksillet Creek, 1.4 mi upstream from the mouth, and 4.2 mi east of Shepherdsville.

DRAINAGE AREA.--12.1 mi².

PERIOD OF RECORD.--April 26 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 410 ft above NGVD of 1929 from topographic map.

REMARKS.--Water year 2002: Records fair except for those estimated, which are poor.
Water year 2003: Records fair except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|---------|-------|-------|-------|--------|
| 1 | --- | --- | --- | --- | --- | --- | --- | 25 | e0.73 | e0.23 | e0.05 | 0.0 |
| 2 | --- | --- | --- | --- | --- | --- | --- | 148 | e0.55 | e0.15 | e0.04 | 0.0 |
| 3 | --- | --- | --- | --- | --- | --- | --- | 54 | e0.47 | e0.13 | e0.05 | 0.0 |
| 4 | --- | --- | --- | --- | --- | --- | --- | 31 | e0.44 | e0.11 | e0.05 | 0.0 |
| 5 | --- | --- | --- | --- | --- | --- | --- | 22 | e0.39 | e0.09 | e0.04 | 0.0 |
| 6 | --- | --- | --- | --- | --- | --- | --- | 193 | e2.2 | e0.08 | e0.03 | 0.0 |
| 7 | --- | --- | --- | --- | --- | --- | --- | e70 | e1.4 | e0.06 | e0.02 | 0.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | e43 | e0.59 | e0.05 | e0.03 | 0.0 |
| 9 | --- | --- | --- | --- | --- | --- | --- | e31 | e0.45 | e0.04 | e0.04 | 0.0 |
| 10 | --- | --- | --- | --- | --- | --- | --- | e14 | e0.33 | e0.01 | e0.03 | 0.0 |
| 11 | --- | --- | --- | --- | --- | --- | --- | e9.4 | e0.28 | e0.01 | e0.02 | 0.0 |
| 12 | --- | --- | --- | --- | --- | --- | --- | e7.1 | e1.4 | e0.06 | e0.01 | 0.0 |
| 13 | --- | --- | --- | --- | --- | --- | --- | e380 | e3.9 | e0.75 | 0.0 | 0.0 |
| 14 | --- | --- | --- | --- | --- | --- | --- | e60 | e1.3 | e0.70 | 0.0 | 0.0 |
| 15 | --- | --- | --- | --- | --- | --- | --- | e37 | e0.51 | e0.19 | 0.0 | 0.28 |
| 16 | --- | --- | --- | --- | --- | --- | --- | e18 | e0.38 | e0.11 | 0.0 | 0.56 |
| 17 | --- | --- | --- | --- | --- | --- | --- | e52 | e0.27 | e0.09 | 0.0 | 0.07 |
| 18 | --- | --- | --- | --- | --- | --- | --- | e58 | e0.20 | e0.08 | 0.0 | 0.03 |
| 19 | --- | --- | --- | --- | --- | --- | --- | e22 | e0.17 | e0.07 | 0.0 | 0.01 |
| 20 | --- | --- | --- | --- | --- | --- | --- | e12 | e0.15 | e0.06 | 0.0 | 0.01 |
| 21 | --- | --- | --- | --- | --- | --- | --- | e8.1 | e0.13 | e0.07 | 0.0 | 0.86 |
| 22 | --- | --- | --- | --- | --- | --- | --- | e6.0 | e0.12 | e0.12 | 0.0 | 0.45 |
| 23 | --- | --- | --- | --- | --- | --- | --- | e4.9 | e0.11 | e0.32 | 0.0 | 0.10 |
| 24 | --- | --- | --- | --- | --- | --- | --- | e3.7 | e0.10 | e0.11 | 0.0 | 0.04 |
| 25 | --- | --- | --- | --- | --- | --- | --- | e2.9 | e0.10 | e0.01 | 0.0 | 0.03 |
| 26 | --- | --- | --- | --- | --- | --- | 18 | e2.5 | e0.22 | e0.05 | 0.0 | 13 |
| 27 | --- | --- | --- | --- | --- | --- | 63 | e1.9 | e0.14 | e0.06 | 0.0 | 496 |
| 28 | --- | --- | --- | --- | --- | --- | 758 | e1.5 | e12 | e0.05 | 0.0 | 23 |
| 29 | --- | --- | --- | --- | --- | --- | 734 | e1.3 | e1.2 | e0.04 | 0.0 | 8.8 |
| 30 | --- | --- | --- | --- | --- | --- | 34 | e1.3 | e0.45 | e0.14 | 0.0 | 4.4 |
| 31 | --- | --- | --- | --- | --- | --- | --- | e1.0 | --- | e0.07 | 0.0 | --- |
| TOTAL | --- | --- | --- | --- | --- | --- | --- | 1,321.6 | 30.68 | 4.11 | 0.41 | 547.64 |
| MEAN | --- | --- | --- | --- | --- | --- | --- | 42.6 | 1.02 | 0.13 | 0.013 | 18.3 |
| MAX | --- | --- | --- | --- | --- | --- | --- | 380 | 12 | 0.75 | 0.05 | 496 |
| MIN | --- | --- | --- | --- | --- | --- | --- | 1.0 | 0.10 | 0.01 | 0.00 | 0.00 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2002 - 2002, BY WATER YEAR (WY)

| | MEAN | MAX | MIN |
|------|------|-----|-----|
| (WY) | --- | --- | --- |
| MEAN | --- | --- | --- |
| MAX | --- | --- | --- |
| MIN | --- | --- | --- |
| (WY) | --- | --- | --- |
| MEAN | --- | --- | --- |
| MAX | --- | --- | --- |
| MIN | --- | --- | --- |
| (WY) | --- | --- | --- |

e Estimated

03297800 CEDAR CREEK AT HIGHWAY 1442 NEAR SHEPHERDSVILLE, KY—Continued



03297800 CEDAR CREEK AT HIGHWAY 1442 NEAR SHEPHERDSVILLE, KY—Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|---------|-------|---------|-------|-------|-------|-------|--------|--------|--------|
| 1 | 2.9 | 8.7 | 1.5 | e248 | 5.0 | e14 | e7.7 | 6.8 | 2.2 | 1.8 | 8.4 | 5.8 |
| 2 | 2.1 | 6.0 | 1.5 | e80 | 4.2 | e12 | e6.9 | 5.8 | 1.7 | 1.7 | 3.7 | 242 |
| 3 | 1.5 | 5.6 | 1.4 | e61 | 10 | e10 | e5.8 | 4.9 | 15 | 1.4 | 47 | 341 |
| 4 | 1.7 | 6.3 | 1.2 | e47 | 20 | e8.8 | 5.7 | 4.1 | 7.6 | 1.00 | 9.3 | 46 |
| 5 | 3.3 | 99 | 2.3 | e40 | 7.7 | e7.8 | 12 | 267 | 3.8 | 0.72 | 4.4 | 22 |
| 6 | 1.5 | 50 | 2.5 | e33 | e6.2 | e7.0 | 8.2 | 36 | 2.4 | 2.2 | 2.3 | 12 |
| 7 | 1.0 | 25 | 1.5 | e26 | e5.3 | e6.6 | 24 | 58 | 9.5 | 2.8 | 2.0 | 8.9 |
| 8 | 0.67 | 17 | 2.3 | e23 | e4.6 | e6.3 | 14 | 29 | 8.9 | 1.2 | 1.3 | 6.5 |
| 9 | 0.53 | 13 | 4.8 | e20 | e4.2 | e6.0 | 51 | 63 | 7.5 | 3.9 | 23 | 4.4 |
| 10 | 9.8 | 92 | 3.8 | e16 | e3.9 | e5.8 | 60 | 24 | 2.9 | 57 | 13 | 3.3 |
| 11 | 262 | 63 | 76 | e14 | e3.7 | e5.6 | 30 | 107 | 45 | 16 | 83 | 2.6 |
| 12 | 30 | 27 | 35 | e12 | e3.6 | e5.4 | 20 | 31 | 43 | 4.5 | 20 | 2.1 |
| 13 | 14 | 18 | 37 | e11 | e3.4 | e5.3 | 15 | 19 | 47 | 2.3 | 5.7 | 1.7 |
| 14 | 7.7 | 14 | 34 | e10 | 11 | e5.2 | 12 | 15 | 24 | 1.4 | 3.0 | 2.2 |
| 15 | 5.4 | 13 | 21 | e9.0 | 341 | e5.0 | 10 | 16 | 31 | 1.0 | 1.8 | 3.7 |
| 16 | 3.7 | 12 | 16 | e8.2 | 154 | e4.9 | 8.6 | 13 | 110 | 1.1 | 1.2 | 1.5 |
| 17 | 2.4 | 8.9 | 14 | e7.7 | 55 | e4.9 | 102 | 38 | 82 | 0.89 | 0.93 | 0.93 |
| 18 | 1.6 | 6.7 | 13 | e7.1 | 39 | 4.8 | 41 | 21 | 31 | 0.69 | 0.76 | 0.73 |
| 19 | 1.8 | 6.0 | e330 | e6.6 | 45 | 46 | 23 | 13 | 21 | 0.50 | 0.41 | 0.67 |
| 20 | 16 | 4.9 | e120 | e6.2 | 87 | 29 | 17 | 18 | 14 | 0.40 | 0.30 | 0.79 |
| 21 | 6.3 | 5.1 | e51 | e5.8 | 125 | 15 | 37 | 32 | 9.2 | 0.87 | 0.25 | 0.66 |
| 22 | 3.4 | 5.4 | e39 | e5.6 | 571 | e12 | 19 | 17 | 6.5 | 1.8 | 0.46 | 61 |
| 23 | 2.3 | 3.7 | e31 | e5.4 | 659 | e9.0 | 14 | 11 | 29 | 0.90 | 2.4 | 17 |
| 24 | 1.9 | 3.3 | e50 | e5.2 | 58 | e7.4 | 12 | 8.2 | 3.5 | 0.56 | 0.55 | 6.2 |
| 25 | 1.7 | 2.9 | e44 | e5.0 | 40 | e6.4 | 25 | 8.4 | 2.7 | 0.36 | 0.25 | 3.4 |
| 26 | 2.2 | 2.5 | e32 | e4.8 | e30 | e5.5 | 37 | 8.2 | 25 | 0.24 | 0.19 | 2.4 |
| 27 | 1.5 | 2.4 | e29 | e4.6 | e22 | e4.9 | 17 | 5.8 | 25 | 0.18 | 0.16 | 3.6 |
| 28 | 4.2 | 2.1 | e27 | e4.4 | e18 | e4.4 | 13 | 4.5 | 6.3 | 0.14 | 0.13 | 2.7 |
| 29 | 45 | 2.2 | e23 | e4.1 | --- | e12 | 10 | 4.5 | 3.6 | 0.25 | 0.17 | 1.7 |
| 30 | 24 | 2.1 | e38 | 3.7 | --- | e10 | 8.6 | 3.5 | 2.2 | 0.28 | 0.89 | 1.1 |
| 31 | 13 | --- | e107 | 5.6 | --- | e8.8 | --- | 3.0 | --- | 65 | 5.3 | --- |
| TOTAL | 475.10 | 527.8 | 1,189.8 | 740.0 | 2,336.8 | 295.8 | 666.5 | 895.7 | 622.5 | 173.08 | 242.25 | 808.58 |
| MEAN | 15.3 | 17.6 | 38.4 | 23.9 | 83.5 | 9.54 | 22.2 | 28.9 | 20.8 | 5.58 | 7.81 | 27.0 |
| MAX | 262 | 99 | 330 | 248 | 659 | 46 | 102 | 267 | 110 | 65 | 83 | 341 |
| MIN | 0.53 | 2.1 | 1.2 | 3.7 | 3.4 | 4.4 | 5.7 | 3.0 | 1.7 | 0.14 | 0.13 | 0.66 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2002 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 15.3 | 17.6 | 38.4 | 23.9 | 83.5 | 9.54 | 22.2 | 35.8 | 10.9 | 2.86 | 3.91 | 22.6 |
| MAX | 15.3 | 17.6 | 38.4 | 23.9 | 83.5 | 9.54 | 22.2 | 42.6 | 20.7 | 5.58 | 7.81 | 27.0 |
| (WY) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2002) | (2003) | (2003) | (2003) | (2003) |
| MIN | 15.3 | 17.6 | 38.4 | 23.9 | 83.5 | 9.54 | 22.2 | 28.9 | 1.02 | 0.13 | 0.013 | 18.3 |
| (WY) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2003) | (2002) | (2002) | (2002) | (2002) |

03297800 CEDAR CREEK AT HIGHWAY 1442 NEAR SHEPHERDSVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | | WATER YEARS 2002 - 2003 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 73.91 | | | |
| ANNUAL MEAN | 24.6 | | 24.6 | |
| HIGHEST ANNUAL MEAN | | | 24.6 | 2003 |
| LOWEST ANNUAL MEAN | | | 24.6 | 2003 |
| HIGHEST DAILY MEAN | 659 | Feb 23 | 758 | Apr 28, 2002 |
| LOWEST DAILY MEAN | 0.13 | Aug 28 | 0.00 | Aug 13, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.29 | Jul 24 | 0.00 | Aug 13, 2002 |
| MAXIMUM PEAK FLOW | 1720 | May 5 | 2,260 | May 6, 2002 |
| MAXIMUM PEAK STAGE | 9.31 | May 5 | 10.95 | May 6, 2002 |
| 10 PERCENT EXCEEDS | 50 | | 50 | |
| 50 PERCENT EXCEEDS | 6.8 | | 6.8 | |
| 90 PERCENT EXCEEDS | 1.0 | | 1.0 | |

e Estimated



03297900 FLOYDS FORK NEAR PEWEE VALLEY, KY

LOCATION.--Lat 38°17'07", long 85°28'03", Oldham County, Hydrologic Unit 05140102, on left bank at downstream side of bridge on State Highway 362, 2.0 mi south of PeWee Valley, 2.2 mi downstream from Curry's Fork, and at mile 44.3.

DRAINAGE AREA.--79.9 mi².

PERIOD OF RECORD.--June 1991 to current year.

REVISED RECORDS.--WRD KY-95-1: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 599.892 ft above NGVD of 1929.

REMARKS.--Records fair except for discharges below 5.0 ft³/s and those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 4,600 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|-------|------|--------------------------------|------------------|
| Dec 20 | 0000 | *6,400 | *18.51 | Sep 2 | 0700 | 4,660 | 15.85 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|-------|--------|-------|-------|--------|---------|-------|----------|---------|
| 1 | 35 | 77 | e22 | 2,520 | 58 | 198 | 61 | 104 | e25 | e8.0 | 10 | 495 |
| 2 | 36 | 56 | 20 | 506 | e94 | 171 | 51 | 75 | e22 | 6.4 | 479 | 2,890 |
| 3 | 35 | 45 | 19 | 311 | e210 | 127 | 43 | 66 | e30 | 5.4 | 472 | 655 |
| 4 | 57 | 47 | 18 | 216 | 501 | 103 | 40 | 51 | e42 | 5.0 | 289 | 292 |
| 5 | 361 | 333 | 18 | 175 | e181 | 98 | 57 | 2,180 | e34 | 4.7 | 637 | 130 |
| 6 | 106 | 570 | 21 | 150 | e98 | 131 | 47 | 688 | e26 | 4.5 | 91 | 74 |
| 7 | 54 | 176 | 22 | 123 | e76 | 128 | 120 | 572 | e19 | 5.2 | 208 | 43 |
| 8 | 33 | 111 | 21 | 113 | e68 | 100 | 109 | 305 | e58 | 4.6 | 40 | 29 |
| 9 | 23 | 76 | e50 | 93 | e58 | 84 | 83 | 263 | 91 | 4.7 | 18 | 19 |
| 10 | 29 | 452 | e130 | 75 | e54 | 69 | 104 | 840 | e48 | 31 | 9.6 | 13 |
| 11 | 1,690 | 1,370 | e510 | 63 | e49 | 63 | 77 | 2,200 | e38 | 84 | 7.7 | 11 |
| 12 | 377 | 244 | 338 | e58 | e46 | 61 | 60 | 431 | 130 | 23 | 8.9 | 8.1 |
| 13 | 160 | 139 | 225 | e50 | e43 | 63 | 48 | 193 | 76 | 10 | 5.6 | 7.2 |
| 14 | 88 | 98 | 354 | e46 | e200 | 60 | 40 | 119 | 49 | 7.2 | 3.3 | 7.3 |
| 15 | 59 | 93 | 170 | e43 | e1,300 | 53 | 36 | 100 | 995 | 5.9 | 2.3 | 31 |
| 16 | 46 | 136 | 116 | e38 | e720 | 49 | 32 | 96 | 1,300 | 7.9 | 1.9 | 19 |
| 17 | 34 | 97 | 269 | e35 | e430 | 45 | 517 | 1,200 | 1,760 | 7.1 | 1.2 | 8.3 |
| 18 | 29 | 74 | 499 | e32 | 231 | 44 | 762 | 522 | 257 | 4.8 | 1.1 | 6.7 |
| 19 | 21 | 65 | 2,220 | e30 | 113 | e160 | 201 | 225 | 144 | 4.5 | 1.0 | 6.3 |
| 20 | 25 | 62 | 2,110 | e29 | 144 | e200 | 117 | 192 | e96 | 4.4 | e0.92 | 6.0 |
| 21 | 24 | 52 | 347 | e27 | 706 | e140 | 898 | 653 | e70 | 9.4 | e0.86 | 6.0 |
| 22 | 19 | 61 | 205 | e26 | 2,660 | 95 | 278 | 214 | e50 | 32 | 1.0 | 65 |
| 23 | 17 | 50 | 136 | e24 | 1,100 | 78 | 144 | 128 | e39 | 144 | 271 | 140 |
| 24 | 14 | 42 | 119 | e23 | 369 | 63 | 100 | 86 | e30 | 33 | 15 | 37 |
| 25 | 15 | 36 | 244 | e22 | 221 | 55 | 89 | 69 | e23 | 13 | 3.9 | 16 |
| 26 | 32 | 33 | 141 | e20 | 161 | 56 | 809 | 108 | e19 | 7.4 | 1.9 | 10 |
| 27 | 24 | 31 | 114 | e19 | 132 | 51 | 217 | 72 | e15 | 5.4 | 1.3 | 1,040 |
| 28 | 31 | 29 | 99 | e18 | 132 | 43 | 119 | 72 | e12 | 17 | 75 | 240 |
| 29 | 257 | 27 | 86 | e28 | --- | 133 | 320 | 54 | e11 | 79 | 23 | 98 |
| 30 | 261 | e25 | 447 | e46 | --- | 125 | 169 | e39 | e9.4 | 17 | 1,360 | 51 |
| 31 | 113 | --- | 1,130 | e33 | --- | 76 | --- | e30 | --- | 10 | 586 | --- |
| TOTAL | 4,105 | 4,707 | 10,220 | 4,992 | 10,155 | 2,922 | 5,748 | 11,947 | 5,518.4 | 605.5 | 4,626.48 | 6,453.9 |
| MEAN | 132 | 157 | 330 | 161 | 363 | 94.3 | 192 | 385 | 184 | 19.5 | 149 | 215 |
| MAX | 1,690 | 1,370 | 2,220 | 2,520 | 2,660 | 200 | 898 | 2,200 | 1,760 | 144 | 1,360 | 2,890 |
| MIN | 14 | 25 | 18 | 18 | 43 | 43 | 32 | 30 | 9.4 | 4.4 | 0.86 | 6.0 |
| CFSM | 1.66 | 1.96 | 4.13 | 2.02 | 4.54 | 1.18 | 2.40 | 4.82 | 2.30 | 0.24 | 1.87 | 2.69 |
| IN. | 1.91 | 2.19 | 4.76 | 2.32 | 4.73 | 1.36 | 2.68 | 5.56 | 2.57 | 0.28 | 2.15 | 3.00 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1991 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 29.0 | 64.3 | 140 | 205 | 191 | 246 | 138 | 164 | 130 | 27.8 | 33.8 | 37.8 |
| MAX | 132 | 197 | 331 | 320 | 448 | 958 | 306 | 398 | 381 | 66.7 | 149 | 215 |
| (WY) | (2003) | (2002) | (1997) | (1996) | (2000) | (1997) | (1996) | (1995) | (1997) | (1995) | (2003) | (2003) |
| MIN | 1.03 | 3.14 | 35.8 | 46.9 | 43.3 | 79.0 | 27.8 | 12.1 | 4.07 | 1.89 | 0.86 | 0.091 |
| (WY) | (2000) | (1992) | (1999) | (2001) | (1992) | (2001) | (2001) | (1999) | (1991) | (1991) | (1999) | (1999) |

03297900 FLOYDS FORK NEAR PEWEE VALLEY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1991 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 66,747.2 | | 72,000.28 | | | |
| ANNUAL MEAN | 183 | | 197 | | 118 | |
| HIGHEST ANNUAL MEAN | | | | | 198 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 57.5 | 2001 |
| HIGHEST DAILY MEAN | 3,480 | Jan 24 | 2,890 | Sep 2 | 10,500 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 2.5 | Sep 19 | 0.86 | Aug 21 | 0.00 | Sep 2, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 3.8 | Sep 19 | 1.1 | Aug 16 | 0.01 | Sep 23, 1999 |
| MAXIMUM PEAK FLOW | | | 6,400 | Dec 20 | 18,800 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 18.51 | Dec 20 | 28.60 | Mar 2, 1997 |
| ANNUAL RUNOFF (CFSM) | 2.29 | | 2.47 | | 1.48 | |
| ANNUAL RUNOFF (INCHES) | 31.08 | | 33.52 | | 20.15 | |
| 10 PERCENT EXCEEDS | 381 | | 500 | | 231 | |
| 50 PERCENT EXCEEDS | 48 | | 61 | | 31 | |
| 90 PERCENT EXCEEDS | 7.8 | | 7.8 | | 2.3 | |

e Estimated



03298000 FLOYDS FORK AT FISHERVILLE, KY

LOCATION.--Lat 38°11'18", long 85°27'37", Jefferson County, Hydrologic Unit 05140102, on left bank on downstream side of bridge on former State Highway 155, at Fishersville, 0.2 mi downstream from Brush Run, 1.4 mi upstream from Pope Lick, and at mile 32.7.

DRAINAGE AREA.--138 mi².

PERIOD OF RECORD.--August 1944 to current year. Monthly discharge only for August 1944, published in WSP 1305.

REVISED RECORDS.--WSP 1275: 1946. WSP 1909: 1945(P), 1948(P), 1960(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 542.60 ft above NGVD of 1929, from benchmark elevation supplied by Park Aerial Survey.

REMARKS.--Records fair except for discharges below 2.0 ft³/s and those estimated, which are poor. Diversions by local golf course for irrigation.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of January 1937 reached a stage of 16.8 ft, from floodmark.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 6,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--|------|--------------------------------|------------------|
| Dec 19 | 2105 | *8,070 | *11.53 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|-------|--------|-------|--------|--------|-------|-------|-------|-------|
| 1 | 61 | 157 | 41 | 3,450 | 87 | 303 | 131 | 190 | 54 | 16 | 18 | 667 |
| 2 | 42 | 110 | 35 | 806 | e258 | 284 | 109 | 148 | 43 | 15 | 720 | 3,630 |
| 3 | 94 | 91 | 33 | 543 | e443 | 227 | 95 | 132 | 51 | 13 | 656 | 1,010 |
| 4 | 76 | 91 | 30 | 395 | 654 | 192 | 88 | 106 | 83 | 11 | 468 | 507 |
| 5 | 615 | 480 | 34 | 324 | 289 | 177 | 126 | 2,440 | 66 | 11 | 790 | 287 |
| 6 | 217 | 920 | 34 | 274 | 170 | 208 | 112 | 885 | 45 | 10 | 246 | 175 |
| 7 | 105 | 354 | 35 | 223 | e125 | 212 | 267 | 915 | 39 | 10 | 343 | 115 |
| 8 | 54 | 226 | 37 | 201 | e102 | 174 | 236 | 531 | 41 | 10 | 135 | 87 |
| 9 | 34 | 159 | 50 | 175 | e88 | 151 | 204 | 597 | 137 | 67 | 189 | 61 |
| 10 | 84 | 461 | 59 | 143 | e80 | 126 | 229 | 1,250 | 73 | 154 | 153 | 46 |
| 11 | 2,550 | 1,720 | 736 | 117 | e78 | 114 | 180 | 2,410 | 76 | 192 | 88 | 36 |
| 12 | 658 | 447 | 600 | 92 | e79 | 115 | 145 | 639 | 253 | 68 | 53 | 29 |
| 13 | 328 | 259 | 412 | e78 | 84 | 120 | 119 | 351 | 146 | 32 | 44 | 24 |
| 14 | 191 | 193 | 591 | e69 | 110 | 112 | 103 | 232 | 119 | 20 | 30 | 51 |
| 15 | 127 | 170 | 344 | e63 | 2,090 | 103 | 94 | 185 | 1,150 | 15 | 31 | 128 |
| 16 | 95 | 230 | 238 | e57 | 948 | 96 | 87 | 176 | 1,480 | 16 | 18 | 72 |
| 17 | 73 | 184 | 363 | e53 | e540 | 91 | 726 | 1,480 | 2,340 | 15 | 16 | 39 |
| 18 | 54 | 141 | 753 | e51 | 276 | 90 | 1,010 | 725 | 479 | 14 | 15 | 25 |
| 19 | 43 | 120 | 3,050 | e48 | 232 | 278 | 389 | 380 | e223 | 14 | 14 | 21 |
| 20 | 51 | 107 | 3,080 | e46 | 420 | 347 | 413 | 265 | 153 | 13 | 14 | 19 |
| 21 | 48 | 101 | 599 | e44 | 1,080 | 250 | 1,910 | 774 | 105 | 12 | 13 | 18 |
| 22 | 39 | 110 | 379 | 43 | 3,680 | 210 | 522 | 337 | 72 | 28 | 13 | 243 |
| 23 | 31 | 95 | 265 | 41 | 1,630 | 170 | 309 | 215 | e53 | 116 | 267 | 327 |
| 24 | 26 | 79 | 253 | 41 | 612 | 141 | 217 | 152 | e43 | 68 | 76 | 122 |
| 25 | 25 | 69 | 488 | e40 | 409 | 122 | 480 | 129 | e50 | 30 | 28 | 66 |
| 26 | 43 | 60 | 299 | e39 | e350 | 124 | 1,190 | 181 | e71 | 20 | 16 | 43 |
| 27 | 46 | 57 | 226 | e38 | 262 | 113 | 427 | 137 | 92 | 14 | 14 | 971 |
| 28 | 66 | 52 | 195 | 39 | 252 | 97 | 256 | 133 | 39 | 13 | 79 | 389 |
| 29 | 362 | 48 | 169 | 46 | --- | 255 | 413 | 101 | 25 | 59 | 117 | 170 |
| 30 | 503 | 46 | 639 | 89 | --- | e245 | 293 | 89 | 19 | 38 | 1,140 | 104 |
| 31 | 238 | --- | 1,590 | 71 | --- | e160 | --- | 69 | --- | 19 | 715 | --- |
| TOTAL | 6,979 | 7,337 | 15,657 | 7,739 | 15,428 | 5,407 | 10,880 | 16,354 | 7,620 | 1,133 | 6,519 | 9,482 |
| MEAN | 225 | 245 | 505 | 250 | 551 | 174 | 363 | 528 | 254 | 36.5 | 210 | 316 |
| MAX | 2,550 | 1,720 | 3,080 | 3,450 | 3,680 | 347 | 1,910 | 2,440 | 2,340 | 192 | 1,140 | 3,630 |
| MIN | 25 | 46 | 30 | 38 | 78 | 90 | 87 | 69 | 19 | 10 | 13 | 18 |
| CFSM | 1.63 | 1.77 | 3.66 | 1.81 | 3.99 | 1.26 | 2.63 | 3.82 | 1.84 | 0.26 | 1.52 | 2.29 |
| IN. | 1.88 | 1.98 | 4.22 | 2.09 | 4.16 | 1.46 | 2.93 | 4.41 | 2.05 | 0.31 | 1.76 | 2.56 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1944 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 36.9 | 107 | 235 | 295 | 367 | 398 | 277 | 216 | 131 | 63.1 | 45.7 | 45.6 |
| MAX | 423 | 485 | 1,025 | 1,252 | 990 | 1,639 | 1,021 | 971 | 622 | 331 | 290 | 1,020 |
| (WY) | (1978) | (1974) | (1991) | (1950) | (1956) | (1997) | (1970) | (1983) | (1997) | (1973) | (1979) | (1979) |
| MIN | 0.000 | 0.000 | 0.000 | 3.54 | 12.4 | 40.3 | 34.0 | 12.2 | 0.90 | 1.73 | 0.048 | 0.000 |
| (WY) | (1949) | (1954) | (1954) | (1977) | (1954) | (1954) | (1959) | (1965) | (1988) | (1954) | (1962) | (1948) |

03298000 FLOYDS FORK AT FISHERVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1944 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 101,069.9 | | 110,535 | | 184 | |
| ANNUAL MEAN | 277 | | 303 | | 29.0 | |
| HIGHEST ANNUAL MEAN | | | | | 382 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 29.0 | 1954 |
| HIGHEST DAILY MEAN | 5,960 | Jan 24 | 3,680 | Feb 22 | 20,000 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 1.2 | Jul 9 | 10 | Jul 6 | 0.00 | Sep 7, 1945 |
| ANNUAL SEVEN-DAY MINIMUM | 1.6 | Aug 8 | 11 | Jul 2 | 0.00 | Sep 7, 1945 |
| MAXIMUM PEAK FLOW | | | 8,070 | Dec 19 | 42,100 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 11.53 | Dec 19 | 17.39 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Sep 7, 1945 |
| ANNUAL RUNOFF (CFSM) | 2.01 | | 2.19 | | 1.33 | |
| ANNUAL RUNOFF (INCHES) | 27.24 | | 29.80 | | 18.11 | |
| 10 PERCENT EXCEEDS | 616 | | 717 | | 379 | |
| 50 PERCENT EXCEEDS | 81 | | 120 | | 37 | |
| 90 PERCENT EXCEEDS | 4.2 | | 25 | | 0.50 | |

e Estimated



03298135 CHENOWETH RUN AT RUCKRIEGAL PARKWAY NEAR JEFFERSONTOWN, KY

LOCATION.--Lat 38°11'41", long 85°33'26", Jefferson County, Hydrologic Unit 05140102, on right downstream bank at bridge on Ruckriegal Parkway, 500 feet south of Penion Drive, near Jeffersontown.

DRAINAGE AREA.--5.47 mi².

PERIOD OF RECORD.--May 5, 1993 to February 26, 1998; January 19, 1999 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records good except for estimated records which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,100 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--|------|--------------------------------|------------------|
| Apr 20 | 2040 | *1,270 | *6.29 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|
| 1 | 2.6 | 3.5 | 2.1 | 129 | 4.1 | 5.2 | 2.6 | 3.4 | 2.3 | e1.2 | 1.1 | 57 |
| 2 | 12 | 3.5 | 2.1 | 22 | 2.6 | 4.3 | 2.3 | 3.2 | 2.2 | e1.1 | 44 | 137 |
| 3 | 3.4 | 3.6 | 2.0 | 19 | 11 | 3.7 | 2.2 | 2.6 | 13 | e1.0 | 44 | 27 |
| 4 | 42 | 5.8 | 1.8 | 11 | 17 | 3.5 | 5.8 | 4.5 | 3.4 | e0.94 | 30 | 11 |
| 5 | 15 | 48 | 2.4 | 9.2 | 4.4 | 3.4 | 11 | 114 | 2.3 | e0.88 | 4.1 | e9.0 |
| 6 | 4.4 | 13 | 3.1 | 7.1 | 3.5 | 6.1 | 10 | 10 | 2.3 | 7.2 | 2.0 | e7.3 |
| 7 | 3.0 | 6.9 | 2.7 | 5.7 | 4.2 | 3.3 | 19 | 40 | 3.7 | 1.8 | 1.5 | e6.4 |
| 8 | 2.3 | 5.0 | 6.1 | 5.0 | 3.4 | 2.9 | 5.2 | 30 | 18 | 1.1 | 1.3 | e5.8 |
| 9 | 1.7 | 4.6 | 6.0 | 4.4 | 2.9 | 2.5 | 11 | 40 | 3.6 | 22 | e1.1 | e5.1 |
| 10 | 40 | 50 | 3.7 | 3.7 | 4.0 | 2.2 | 6.2 | 24 | 2.0 | 16 | e1.0 | e4.7 |
| 11 | 106 | 19 | 48 | 3.0 | 3.5 | 2.2 | 4.0 | 50 | 54 | 10 | 21 | e4.5 |
| 12 | 11 | 7.7 | 12 | e2.8 | 2.8 | 4.2 | 3.3 | 9.5 | 14 | 2.5 | 2.7 | e4.3 |
| 13 | 6.1 | 5.6 | 14 | e2.6 | 2.5 | 3.4 | 2.8 | 6.1 | 5.4 | 1.4 | 1.3 | e4.0 |
| 14 | 4.2 | 4.6 | 16 | e2.5 | 15 | 2.5 | 2.6 | 4.5 | 3.1 | 1.3 | e1.1 | e19 |
| 15 | 3.5 | 9.5 | 8.0 | e2.3 | 92 | 2.2 | 2.5 | 6.6 | 20 | 1.3 | e1.0 | e11 |
| 16 | 2.9 | 6.4 | 6.2 | e2.2 | 19 | 2.1 | 2.5 | 3.5 | 39 | 2.8 | e0.97 | e5.4 |
| 17 | 2.5 | 4.4 | 48 | e2.1 | 11 | 1.9 | 90 | 95 | 15 | 1.1 | 2.8 | e4.7 |
| 18 | 2.3 | 3.5 | 19 | e1.9 | 8.3 | 9.2 | 11 | 11 | 6.3 | e0.95 | 1.1 | e4.3 |
| 19 | 4.8 | 4.1 | 196 | e1.8 | 13 | 49 | 6.6 | 6.7 | 3.7 | e0.90 | e0.96 | e4.0 |
| 20 | 7.1 | 3.2 | 74 | e1.7 | 36 | 9.8 | 127 | 17 | 2.6 | e0.88 | e0.90 | e3.9 |
| 21 | 2.6 | 3.8 | 16 | e1.6 | 48 | 11 | 35 | 8.3 | 2.1 | 6.2 | e0.86 | e3.7 |
| 22 | 2.4 | 5.7 | 11 | e1.5 | 118 | 5.6 | 9.6 | 4.9 | 1.8 | 4.2 | 7.1 | e41 |
| 23 | 1.8 | 3.0 | 7.6 | e1.4 | 29 | 4.4 | 6.4 | 3.6 | 1.6 | 2.8 | 1.8 | e13 |
| 24 | 1.8 | 2.7 | 13 | e1.4 | 16 | 3.5 | 4.6 | 3.1 | 1.5 | 1.4 | 0.93 | e6.6 |
| 25 | 6.4 | 2.6 | 31 | e1.3 | 9.8 | 3.1 | 82 | 14 | 1.5 | 1.1 | 0.80 | e5.6 |
| 26 | 2.9 | 2.5 | 9.6 | e1.2 | 7.6 | 6.4 | 25 | 5.9 | 28 | 0.95 | 0.80 | e4.9 |
| 27 | 2.3 | 2.7 | 7.2 | e1.6 | 6.6 | 3.0 | 8.9 | 4.9 | 5.6 | e0.88 | 1.1 | e25 |
| 28 | 13 | 2.4 | 6.1 | 2.0 | 6.4 | 2.6 | 6.2 | 3.3 | 1.8 | 1.9 | 44 | e6.9 |
| 29 | 28 | 2.4 | 5.1 | 6.2 | --- | 20 | 5.6 | 4.6 | 1.5 | 1.5 | 5.3 | e5.6 |
| 30 | 8.4 | 2.3 | 36 | 2.7 | --- | 4.7 | 3.8 | 2.9 | 1.3 | 0.94 | 59 | e5.1 |
| 31 | 4.6 | --- | 79 | 2.5 | --- | 3.2 | --- | 2.6 | --- | 7.0 | 28 | --- |
| TOTAL | 351.0 | 242.0 | 694.8 | 262.4 | 501.6 | 191.1 | 514.7 | 539.7 | 262.6 | 105.22 | 313.62 | 452.8 |
| MEAN | 11.3 | 8.07 | 22.4 | 8.46 | 17.9 | 6.16 | 17.2 | 17.4 | 8.75 | 3.39 | 10.1 | 15.1 |
| MAX | 106 | 50 | 196 | 129 | 118 | 49 | 127 | 114 | 54 | 22 | 59 | 137 |
| MIN | 1.7 | 2.3 | 1.8 | 1.2 | 2.5 | 1.9 | 2.2 | 2.6 | 1.3 | 0.88 | 0.80 | 3.7 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 7.64 | 7.45 | 16.5 | 10.0 | 13.2 | 11.4 | 12.4 | 10.7 | 6.85 | 2.08 | 3.65 | 7.82 |
| MAX | 14.3 | 15.3 | 26.0 | 17.6 | 21.5 | 25.6 | 22.8 | 20.6 | 12.3 | 3.39 | 10.1 | 15.1 |
| (WY) | (2002) | (2002) | (2002) | (2002) | (2000) | (2002) | (2002) | (2002) | (1999) | (2003) | (2003) | (2003) |
| MIN | 2.36 | 1.80 | 8.57 | 2.94 | 7.00 | 4.56 | 2.45 | 3.40 | 1.44 | 0.80 | 0.47 | 0.31 |
| (WY) | (2001) | (2000) | (2000) | (2001) | (2002) | (2001) | (2001) | (2000) | (2001) | (1999) | (1999) | (1999) |

03298135 CHENOWETH RUN AT RUCKRIEGAL PARKWAY NEAR JEFFERSONTOWN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 4,878.75 | | 4,431.54 | | 9.46 | |
| ANNUAL MEAN | 13.4 | | 12.1 | | 4.37 | |
| HIGHEST ANNUAL MEAN | | | | | 14.5 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 4.37 | 2001 |
| HIGHEST DAILY MEAN | 264 | Sep 27 | 196 | Dec 19 | 402 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.14 | Sep 13 | 0.80 | Aug 25 | 0.02 | Jul 17, 2000 |
| ANNUAL SEVEN-DAY MINIMUM | 0.21 | Sep 7 | 1.1 | Jun 29 | 0.03 | Jul 21, 2000 |
| MAXIMUM PEAK FLOW | | | 1,270 | Apr 20 | 4,680 | Mar 1, 1997 |
| MAXIMUM PEAK STAGE | | | 6.29 | Apr 20 | 9.33 | Mar 1, 1997 |
| 10 PERCENT EXCEEDS | 29 | | 30 | | 19 | |
| 50 PERCENT EXCEEDS | 3.8 | | 4.4 | | 2.6 | |
| 90 PERCENT EXCEEDS | 0.44 | | 1.4 | | 0.41 | |


e Estimated



03298150 CHENOWETH RUN AT GELHAUS LANE NEAR FERN CREEK, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1997 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 11,607.6 | | 10,731.8 | | 24.4 | |
| ANNUAL MEAN | 31.8 | | 29.4 | | 32.3 | |
| HIGHEST ANNUAL MEAN | | | | | 13.7 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 13.7 | 2001 |
| HIGHEST DAILY MEAN | 578 | Jan 24 | 396 | Dec 19 | 1,590 | Mar 1, 1997 |
| LOWEST DAILY MEAN | 4.0 | Aug 10 | 5.6 | Jul 5 | 1.9 | Mar 10, 2000 |
| ANNUAL SEVEN-DAY MINIMUM | 4.2 | Aug 7 | 6.7 | Jun 29 | 2.3 | Mar 4, 2000 |
| MAXIMUM PEAK FLOW | | | 2,030 | Apr 20 | 4,810 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 9.75 | Apr 20 | 14.72 | Mar 2, 1997 |
| 10 PERCENT EXCEEDS | 67 | | 67 | | 45 | |
| 50 PERCENT EXCEEDS | 11 | | 13 | | 9.8 | |
| 90 PERCENT EXCEEDS | 4.8 | | 7.6 | | 4.3 | |

e Estimated



03298200 FLOYDS FORK AT BARDSTOWN ROAD NEAR MOUNT WASHINGTON, KY

LOCATION.--Lat 38°05'07", long 85°33'18", Jefferson County, Hydrologic Unit 05140102, on right downstream side of bridge on U.S. Highway 31E, 0.2 mi below Old Mans Run, 2.0 mi north of Mount Washington, and 18.7 miles above the mouth.

DRAINAGE AREA.--213 mi².

PERIOD OF RECORD.--November 2000 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|-------|--------|--------|-------|-------|--------|--------|
| 1 | 119 | 221 | 47 | 7,150 | 112 | 415 | 202 | 280 | 92 | 35 | 39 | 950 |
| 2 | 93 | 153 | 41 | 1,380 | 138 | 401 | 170 | 218 | 77 | 30 | 1,230 | 7,420 |
| 3 | 120 | 121 | 37 | 765 | 144 | 343 | 146 | 194 | 96 | 26 | 956 | 2,790 |
| 4 | 123 | 119 | 33 | 551 | 717 | 290 | 133 | 159 | 116 | 24 | 707 | 862 |
| 5 | 640 | 801 | 36 | 457 | 392 | 267 | 202 | 3,460 | 107 | 21 | 1,140 | 446 |
| 6 | 318 | 1,500 | 46 | 390 | 234 | 280 | 178 | 2,030 | 81 | 20 | 372 | 279 |
| 7 | 167 | 497 | 60 | 328 | 190 | 300 | 404 | 1,440 | 79 | 27 | 351 | 197 |
| 8 | 105 | 317 | 46 | 293 | 149 | 250 | 366 | 774 | 88 | 23 | 222 | 139 |
| 9 | 75 | 227 | 62 | 259 | 149 | 217 | 325 | 1,250 | 148 | 49 | 136 | 107 |
| 10 | 146 | 734 | 71 | 216 | 145 | 185 | 371 | 1,440 | 123 | 511 | 326 | 83 |
| 11 | 5,160 | 2,820 | 1,020 | 177 | 148 | 168 | 293 | 4,300 | 170 | 319 | 304 | 68 |
| 12 | 1,030 | 615 | 866 | 147 | 136 | 171 | 231 | 950 | 449 | 133 | 108 | 56 |
| 13 | 453 | 374 | 543 | e125 | 119 | 180 | 188 | 499 | 246 | 73 | 78 | 46 |
| 14 | 275 | 273 | 732 | e114 | 138 | 170 | 158 | 354 | 160 | 46 | 63 | 60 |
| 15 | 188 | 235 | 463 | e105 | 4,070 | 154 | 140 | 440 | 1,180 | 34 | 47 | 219 |
| 16 | 141 | 279 | 331 | e94 | 1,620 | 144 | e128 | 315 | 1,680 | 61 | 59 | 110 |
| 17 | 109 | 244 | 419 | e88 | 661 | 136 | e2,640 | 2,520 | 2,860 | 36 | 43 | 70 |
| 18 | 80 | 188 | 920 | e82 | 440 | 135 | 1,900 | 1,210 | 601 | 29 | 32 | 47 |
| 19 | 65 | 155 | 4,150 | e76 | 374 | 610 | 563 | 537 | 308 | 26 | 26 | 36 |
| 20 | 87 | 134 | 6,870 | e72 | 722 | 569 | 390 | 392 | 208 | 23 | 24 | 31 |
| 21 | 75 | 124 | 884 | e68 | 1,640 | 426 | 3,990 | 889 | 145 | 28 | 23 | 28 |
| 22 | 57 | 133 | 533 | e64 | 6,640 | 352 | 766 | 459 | 106 | 119 | 22 | 463 |
| 23 | 40 | 120 | 390 | e61 | 3,320 | 283 | 471 | 314 | 84 | 150 | 176 | 428 |
| 24 | 30 | 97 | 453 | e59 | 899 | 237 | 351 | 233 | 68 | 160 | 133 | 206 |
| 25 | 30 | 85 | 802 | e57 | 611 | 202 | 610 | 201 | 55 | 67 | 57 | 117 |
| 26 | 39 | 76 | 470 | e55 | 482 | 202 | 2,480 | 253 | 128 | 42 | 34 | 82 |
| 27 | 53 | 73 | 354 | e53 | 414 | 183 | 639 | 203 | 269 | 32 | 27 | 1,140 |
| 28 | 90 | 66 | 302 | 52 | 393 | 158 | 412 | 187 | 92 | 26 | 344 | 515 |
| 29 | 448 | 61 | 258 | 77 | --- | 343 | 435 | 155 | 62 | 28 | 273 | 226 |
| 30 | 694 | 56 | 690 | 109 | --- | 389 | 428 | 136 | 44 | 68 | 1,510 | 138 |
| 31 | 335 | --- | 2,870 | 111 | --- | 253 | --- | 111 | --- | 50 | 1,410 | --- |
| TOTAL | 11,385 | 10,898 | 24,799 | 13,635 | 25,197 | 8,413 | 19,710 | 25,903 | 9,922 | 2,316 | 10,272 | 17,359 |
| MEAN | 367 | 363 | 800 | 440 | 900 | 271 | 657 | 836 | 331 | 74.7 | 331 | 579 |
| MAX | 5,160 | 2,820 | 6,870 | 7,150 | 6,640 | 610 | 3,990 | 4,300 | 2,860 | 511 | 1,510 | 7,420 |
| MIN | 30 | 56 | 33 | 52 | 112 | 135 | 128 | 111 | 44 | 20 | 22 | 28 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2001 - 2003, BY WATER YEAR (WY)

| | 2001 | 2002 | 2003 | 2001 | 2002 | 2001 | 2001 | 2001 | 2001 | 2001 | 2002 | 2001 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 292 | 301 | 586 | 354 | 536 | 517 | 483 | 589 | 272 | 63.0 | 121 | 305 |
| MAX | 367 | 445 | 800 | 501 | 900 | 1,018 | 676 | 836 | 349 | 79.4 | 331 | 579 |
| (WY) | (2003) | (2002) | (2003) | (2002) | (2003) | (2002) | (2002) | (2003) | (2002) | (2001) | (2003) | (2003) |
| MIN | 216 | 94.1 | 402 | 122 | 186 | 263 | 116 | 166 | 137 | 34.8 | 10.7 | 11.0 |
| (WY) | (2002) | (2001) | (2001) | (2001) | (2002) | (2001) | (2001) | (2001) | (2001) | (2002) | (2002) | (2001) |

03298200 FLOYDS FORK AT BARDSTOWN ROAD NEAR MOUNT WASHINGTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 2001 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 164,980.1 | | 179,809 | | | |
| ANNUAL MEAN | 452 | | 493 | | 459 | |
| HIGHEST ANNUAL MEAN | | | | | 493 2003 | |
| LOWEST ANNUAL MEAN | | | | | 425 2002 | |
| HIGHEST DAILY MEAN | 8,710 | Mar 26 | 7,420 | Sep 2 | 8,710 | Mar 26, 2002 |
| LOWEST DAILY MEAN | 8.1 | Aug 12 | 20 | Jul 6 | 3.0 | Sep 30, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 8.7 | Aug 20 | 24 | Jul 2 | 4.1 | Sep 13, 2001 |
| MAXIMUM PEAK FLOW | | | 11,300 | Dec 20 | 13,900 | Jan 24, 2002 |
| MAXIMUM PEAK STAGE | | | 17.78 | Dec 20 | 19.65 | Jan 24, 2002 |
| INSTANTANEOUS LOW FLOW | | | 19 | Jul 5 | 19 | Jul 5, 2003 |
| 10 PERCENT EXCEEDS | 898 | | 1,020 | | 955 | |
| 50 PERCENT EXCEEDS | 120 | | 185 | | 140 | |
| 90 PERCENT EXCEEDS | 13 | | 42 | | 21 | |

e Estimated



03298300 PENNSYLVANIA RUN AT MOUNT WASHINGTON ROAD NEAR LOUISVILLE, KY

LOCATION.--Lat 38°05'15", long 85°38'33", Jefferson County, Hydrologic Unit 05140102, at bridge on Mt. Washington Road, near Louisville, Ky. and at mile 1.9.

DRAINAGE AREA.--6.4 mi².

PERIOD OF RECORD.--October 1998 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 430.38 ft above NGVD of 1929.

REMARKS.--Records good except for those estimated, which are rated poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

PEAKS ABOVE BASE.--Peak discharges above base of 400 ft³/s and maximum*.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 400 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--|------|--------------------------------|------------------|
| Dec 19 | 2220 | *587 | *4.96 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| 1 | 1.3 | 3.7 | 1.2 | 147 | 2.3 | 9.5 | 3.4 | 6.4 | 1.5 | 0.61 | e1.1 | e54 |
| 2 | 2.4 | 2.9 | 1.1 | 39 | 2.2 | 8.3 | 3.2 | 5.2 | 1.2 | 0.57 | e41 | e96 |
| 3 | 2.7 | 2.8 | 1.1 | 27 | 2.3 | 6.7 | 2.9 | 4.1 | 2.4 | 0.61 | e34 | e56 |
| 4 | 3.6 | 3.3 | 1.1 | 19 | 8.4 | 5.7 | 2.7 | 3.1 | 2.7 | 0.58 | e8.8 | 33 |
| 5 | 7.2 | 26 | 1.8 | 15 | 5.0 | 5.3 | 5.2 | 86 | 2.4 | 0.60 | e4.1 | 19 |
| 6 | 2.4 | 26 | 1.3 | 11 | 3.5 | 4.9 | 3.4 | 36 | 2.1 | 3.0 | e2.4 | 12 |
| 7 | 1.5 | 10 | 1.2 | 8.9 | 3.6 | 3.9 | 16 | 29 | 2.4 | 0.59 | e1.7 | 5.1 |
| 8 | 1.1 | 6.4 | 1.4 | 8.2 | 2.8 | 3.4 | 9.6 | 21 | 2.5 | 0.49 | e1.3 | 4.7 |
| 9 | 0.91 | 4.8 | 1.6 | 7.3 | 2.6 | 3.1 | 7.4 | 46 | 2.7 | 1.0 | e0.98 | 5.1 |
| 10 | 11 | 24 | 2.0 | 5.8 | 3.0 | 2.5 | 9.4 | 30 | 1.8 | 7.0 | e0.82 | 3.9 |
| 11 | 98 | 31 | 28 | 4.2 | 3.1 | 2.4 | 7.4 | 52 | 11 | 2.8 | e16 | 4.0 |
| 12 | 17 | 12 | 15 | 3.3 | 2.9 | 2.7 | 5.7 | 27 | 19 | 1.2 | e4.9 | 3.7 |
| 13 | 6.5 | 7.2 | 12 | 3.1 | 2.3 | 3.0 | 4.3 | 16 | 6.3 | 0.70 | e1.6 | 3.4 |
| 14 | 2.9 | 5.2 | 13 | 3.0 | 2.6 | 2.6 | 3.4 | 11 | 3.4 | 0.48 | e1.2 | 8.3 |
| 15 | 2.0 | 5.4 | 8.6 | 2.5 | 58 | 2.4 | 2.9 | 32 | 2.2 | 0.45 | e1.0 | 14 |
| 16 | 1.6 | 5.2 | 6.3 | 2.3 | 60 | 2.5 | 2.5 | 28 | 2.1 | e6.4 | e0.85 | 5.1 |
| 17 | 1.1 | 3.5 | 28 | 2.4 | 26 | 2.4 | 31 | 99 | 2.4 | e2.2 | e2.5 | 3.5 |
| 18 | 0.94 | 2.7 | 21 | 2.1 | 17 | 2.6 | 32 | 39 | 2.5 | e1.2 | e1.5 | 2.7 |
| 19 | 1.2 | 2.4 | 138 | 2.4 | 14 | 17 | 12 | 22 | 1.8 | e0.83 | e1.2 | 2.1 |
| 20 | 1.9 | 2.1 | 131 | 2.1 | 24 | 20 | 7.1 | 15 | 1.2 | e0.56 | e1.0 | 1.7 |
| 21 | 1.3 | 2.3 | 28 | 1.9 | 42 | 12 | 85 | 20 | 0.86 | e4.7 | e0.84 | 1.9 |
| 22 | 1.1 | 2.3 | 18 | 1.7 | 127 | 8.3 | 27 | 12 | 0.75 | e3.0 | e6.2 | 27 |
| 23 | 0.92 | 1.8 | 12 | 1.6 | 67 | 6.7 | 16 | 8.3 | 0.68 | e1.8 | e2.6 | 15 |
| 24 | 0.86 | 1.6 | 13 | 1.4 | 32 | 5.6 | 12 | 5.7 | 0.61 | e1.1 | e1.1 | 6.1 |
| 25 | 1.1 | 1.5 | 39 | 1.4 | 21 | 4.9 | 23 | 6.3 | 0.51 | e0.86 | e0.95 | 4.0 |
| 26 | 1.3 | 1.4 | 18 | 1.5 | 16 | 5.3 | 90 | 6.7 | 4.1 | e0.70 | e0.83 | 3.2 |
| 27 | 1.0 | 1.4 | 13 | 1.5 | 13 | 4.3 | 23 | 4.3 | 7.9 | e0.61 | e0.78 | 17 |
| 28 | 4.0 | 1.3 | 9.8 | 1.5 | 11 | 3.6 | 14 | 3.2 | 2.1 | e1.5 | e43 | 5.9 |
| 29 | 19 | 1.3 | 8.0 | 2.2 | --- | 7.8 | 10 | 2.7 | 1.0 | e1.0 | e4.4 | 3.0 |
| 30 | 14 | 1.3 | 16 | 2.1 | --- | 6.3 | 7.7 | 2.1 | 0.70 | e0.72 | e51 | 2.1 |
| 31 | 6.2 | --- | 66 | 1.9 | --- | 4.0 | --- | 1.9 | --- | e5.3 | e27 | --- |
| TOTAL | 218.03 | 202.8 | 655.5 | 334.3 | 574.6 | 179.7 | 479.2 | 681.0 | 92.81 | 53.16 | 266.65 | 422.5 |
| MEAN | 7.03 | 6.76 | 21.1 | 10.8 | 20.5 | 5.80 | 16.0 | 22.0 | 3.09 | 1.71 | 8.60 | 14.1 |
| MAX | 98 | 31 | 138 | 147 | 127 | 20 | 90 | 99 | 19 | 7.0 | 51 | 96 |
| MIN | 0.86 | 1.3 | 1.1 | 1.4 | 2.2 | 2.4 | 2.5 | 1.9 | 0.51 | 0.45 | 0.78 | 1.7 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 3.90 | 5.08 | 11.1 | 13.0 | 15.2 | 13.4 | 14.4 | 12.5 | 5.35 | 1.12 | 2.18 | 4.76 |
| MAX | 9.05 | 13.3 | 21.1 | 21.5 | 24.7 | 30.6 | 35.9 | 28.9 | 14.9 | 1.71 | 8.60 | 14.1 |
| (WY) | (2002) | (2002) | (2003) | (1999) | (2000) | (2002) | (2002) | (2002) | (1999) | (2003) | (2003) | (2003) |
| MIN | 0.66 | 0.45 | 4.34 | 2.85 | 6.92 | 5.80 | 1.58 | 0.94 | 0.92 | 0.30 | 0.34 | 0.66 |
| (WY) | (2000) | (2000) | (2000) | (2001) | (2002) | (2003) | (2001) | (2000) | (2001) | (2002) | (1999) | (2001) |

03298300 PENNSYLVANIA RUN AT MOUNT WASHINGTON ROAD NEAR LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 4,950.14 | | 4,160.25 | | | |
| ANNUAL MEAN | 13.6 | | 11.4 | | 8.47 | |
| HIGHEST ANNUAL MEAN | | | | | 13.7 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 3.69 | 2001 |
| HIGHEST DAILY MEAN | 308 | Jan 24 | 147 | Jan 1 | 353 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.17 | Jul 31 | 0.45 | Jul 15 | 0.17 | Jul 31, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.22 | Jun 20 | 0.67 | Jun 29 | 0.22 | Jun 20, 2002 |
| MAXIMUM PEAK FLOW | | | 587 | Dec 19 | 1,540 | Jun 28, 1999 |
| MAXIMUM PEAK STAGE | | | 4.96 | Dec 19 | 8.22 | Jun 28, 1999 |
| 10 PERCENT EXCEEDS | 28 | | 28 | | 18 | |
| 50 PERCENT EXCEEDS | 2.3 | | 3.5 | | 2.1 | |
| 90 PERCENT EXCEEDS | 0.34 | | 1.0 | | 0.43 | |

e Estimated



03298500 SALT RIVER AT SHEPHERDSVILLE, KY

LOCATION.--Lat 37°59'06", long 85°43'03", Bullitt County, Hydrologic Unit 05140102, on downstream side of bridge on State Highway 61 at Shepherdsville, 500 ft downstream from Louisville and Nashville Railroad bridge, 2.6 mi downstream from Floyds Fork, and at mile 22.9.

DRAINAGE AREA.--1,197 mi².

PERIOD OF RECORD.--May 1938 to current year.

REVISED RECORDS.--WSP 893: 1937(M), WSP 1435: 1955: WSP 1705: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 406.58 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Oct. 16, 1969. Auxillary gage is a water-stage recorder with telemetry, located at mouth of Floyds Fork 2.6 mi upstream.

REMARKS.--Records good. Flow regulated since January 1983 by Taylorsville Lake (station 03295597). Diversions for water supply by Sheperdsville and other municipalities.

COOPERATION.--U.S. Army Corps of Engineers,Louisville District and Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Jan. 26, 1937, reached a stage of 47.3 ft, from floodmark (backwater from Ohio River).

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|---------|--------|---------|--------|--------|---------|--------|--------|--------|--------|
| 1 | 1,160 | 2,410 | 361 | 17,200 | e455 | 4,110 | 912 | 1,360 | 483 | 1,170 | 490 | 1,880 |
| 2 | 1,280 | 2,250 | 338 | 11,700 | 498 | 3,960 | 805 | 785 | 423 | 439 | 1,250 | 8,610 |
| 3 | e900 | 2,050 | 320 | 4,880 | 539 | 3,140 | 741 | 597 | 616 | 279 | 2,540 | 16,100 |
| 4 | 763 | 1,360 | 302 | 4,400 | 1,270 | 2,900 | 710 | 539 | 1,050 | 212 | 2,160 | 7,010 |
| 5 | 1,020 | 2,010 | 306 | 3,870 | 1,670 | 2,840 | 850 | 6,630 | 1,490 | 173 | 2,530 | 3,820 |
| 6 | 805 | 5,880 | 299 | 3,390 | 1,750 | 3,100 | 918 | 9,750 | 1,450 | 184 | 2,240 | 3,730 |
| 7 | 525 | 3,250 | 281 | 2,430 | 1,660 | 3,030 | 1,300 | 5,330 | 1,270 | 204 | 1,030 | 3,100 |
| 8 | 348 | 3,010 | 332 | 2,130 | 1,180 | 2,940 | 1,470 | 4,920 | 1,650 | 166 | 823 | 2,690 |
| 9 | 259 | 2,890 | 346 | 1,170 | 1,080 | 2,850 | 2,420 | 7,230 | 2,770 | 202 | 592 | 2,530 |
| 10 | 256 | 4,390 | 365 | 877 | 851 | 2,730 | 3,580 | 6,100 | 2,800 | 1,240 | 986 | 2,440 |
| 11 | 9,990 | 8,140 | 2,330 | 721 | 737 | 2,680 | 3,790 | 10,100 | 2,970 | 2,880 | 836 | 2,340 |
| 12 | 7,440 | 4,470 | 3,320 | 585 | 712 | 2,650 | 3,780 | 8,650 | 3,650 | 2,030 | 596 | 2,000 |
| 13 | 2,390 | 3,340 | 3,350 | 516 | 649 | 2,650 | 3,640 | 4,940 | 3,330 | 1,790 | 455 | 1,090 |
| 14 | 1,430 | 3,450 | 4,050 | e475 | 659 | 2,550 | 2,280 | 4,100 | 2,080 | 1,060 | 349 | 506 |
| 15 | 2,350 | 3,190 | 3,290 | e440 | 9,560 | 1,880 | 1,100 | 4,080 | 2,270 | 481 | 270 | 384 |
| 16 | 2,660 | 3,170 | 2,710 | e410 | e13,000 | 750 | 796 | 4,230 | 4,420 | 374 | 239 | 400 |
| 17 | 2,560 | 3,090 | 3,340 | e370 | e6,500 | 484 | 2,880 | 5,460 | 9,910 | 321 | 238 | 347 |
| 18 | 2,410 | 2,880 | 3,980 | e340 | 4,840 | 480 | 6,260 | 6,430 | 5,270 | 199 | 201 | 287 |
| 19 | 1,800 | 2,390 | 6,960 | e305 | 4,100 | 1,290 | 3,950 | 4,210 | 3,480 | 160 | 165 | 240 |
| 20 | 1,530 | 2,200 | 20,300 | e280 | 5,590 | 2,300 | 3,120 | 3,520 | 3,440 | 140 | 142 | 208 |
| 21 | 1,100 | 1,810 | 8,180 | e255 | 8,350 | 1,740 | 5,940 | 4,140 | 2,090 | 142 | 130 | 189 |
| 22 | 680 | 1,150 | 3,670 | e242 | 14,400 | 2,150 | 4,280 | 3,880 | 716 | 158 | 138 | 4,030 |
| 23 | 506 | 715 | 3,380 | e225 | 16,700 | 2,600 | 2,250 | 3,300 | 496 | 391 | 1,780 | 6,930 |
| 24 | 404 | 574 | 3,840 | 216 | 6,690 | 2,410 | 1,350 | 2,880 | 399 | 380 | 1,520 | 3,040 |
| 25 | 282 | 518 | 6,000 | e202 | 4,260 | 1,430 | 1,190 | 1,500 | 332 | 301 | 717 | 2,730 |
| 26 | 319 | 474 | 4,470 | e207 | 2,910 | 867 | 5,800 | 996 | 347 | 242 | 1,070 | 2,690 |
| 27 | 320 | 452 | 3,780 | e249 | 2,240 | 755 | 2,650 | 865 | 947 | 254 | 1,580 | 2,700 |
| 28 | 361 | 421 | 3,420 | 285 | 3,040 | 695 | 1,460 | 742 | 608 | 223 | 1,590 | 3,360 |
| 29 | 1,160 | 406 | 3,190 | 317 | --- | 901 | 1,480 | 682 | 425 | 201 | 1,930 | 1,980 |
| 30 | 3,030 | 385 | 2,880 | e370 | --- | e1,460 | 1,660 | 620 | 315 | 201 | 1,630 | 1,110 |
| 31 | 2,610 | --- | 4,900 | e405 | --- | 1,120 | --- | 552 | --- | 693 | 2,380 | --- |
| TOTAL | 52,648 | 72,725 | 104,590 | 59,462 | 115,890 | 65,442 | 73,362 | 119,118 | 61,497 | 16,890 | 32,597 | 88,471 |
| MEAN | 1,698 | 2,424 | 3,374 | 1,918 | 4,139 | 2,111 | 2,445 | 3,843 | 2,050 | 545 | 1,052 | 2,949 |
| MAX | 9,990 | 8,140 | 20,300 | 17,200 | 16,700 | 4,110 | 6,260 | 10,100 | 9,910 | 2,880 | 2,540 | 16,100 |
| MIN | 256 | 385 | 281 | 202 | 455 | 480 | 710 | 539 | 315 | 140 | 130 | 189 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1984 - 2003, BY WATER YEAR (WY)

| MEAN | 326 | 977 | 2,037 | 2,488 | 3,680 | 3,269 | 2,101 | 2,001 | 1,438 | 505 | 286 | 353 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 1,698 | 2,424 | 6,329 | 5,728 | 12,370 | 11,410 | 3,683 | 5,768 | 5,192 | 1,976 | 1,052 | 2,949 |
| (WY) | (2003) | (2003) | (1991) | (1991) | (1989) | (1997) | (2002) | (1995) | (1997) | (1998) | (2003) | (2003) |
| MIN | 25.9 | 48.1 | 258 | 335 | 996 | 1,113 | 377 | 201 | 38.9 | 63.6 | 29.9 | 30.6 |
| (WY) | (1989) | (2000) | (1990) | (1986) | (1992) | (1990) | (1986) | (2000) | (1988) | (1994) | (2002) | (1999) |

03298500 SALT RIVER AT SHEPHERDSVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1984 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 775,361 | | 862,692 | | 1,611 | |
| ANNUAL MEAN | 2,124 | | 2,364 | | 2,809 | |
| HIGHEST ANNUAL MEAN | | | | | 772 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 2001 | |
| HIGHEST DAILY MEAN | 22,000 | Mar 20 | 20,300 | Dec 20 | 65,600 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 20 | Aug 14 | 130 | Aug 21 | 7.7 | Jul 1, 1988 |
| ANNUAL SEVEN-DAY MINIMUM | 22 | Aug 11 | 179 | Aug 16 | 9.3 | Jun 26, 1988 |
| MAXIMUM PEAK FLOW | | | 22,000 | Dec 20 | 78,200 | Mar 10, 1964 |
| MAXIMUM PEAK STAGE | | | 20.11 | Feb 23 | 41.50 | Mar 11, 1964 |
| 10 PERCENT EXCEEDS | 4,960 | | 5,070 | | 4,100 | |
| 50 PERCENT EXCEEDS | 631 | | 1,490 | | 512 | |
| 90 PERCENT EXCEEDS | 38 | | 275 | | 45 | |

e Estimated



SALT RIVER BASIN

03298550 LONG LICK AT CLERMONT, KY

LOCATION.--Lat 37°55'40", long 85°39'13", Bullitt County, Hydrologic Unit 05140102, downstream side of bridge at Jim Beam Distillery, at Clermont, and 10.8 mi upstream from mouth.

DRAINAGE AREA.-- 7.91 mi².

PERIOD OF RECORD.--April 1, 1992 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 450 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those estimated, which are poor. Slight regulation from Jim Beam Distillery.

COOPERATION.--Bullitt County.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 800 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|-------|------|--------------------------------|------------------|-------|------|--------------------------------|------------------|
| May 5 | 1300 | 969 | 6.56 | Sep 2 | 1400 | *1,110 | *7.02 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|--------|----------|-------|-------|--------|--------|-------|-------|--------|
| 1 | 0.15 | 3.1 | 2.9 | 204 | 0.85 | 20 | 7.6 | 5.0 | 1.4 | 0.96 | 8.0 | 1.2 |
| 2 | 0.09 | 5.2 | 2.8 | 43 | 1.00 | 17 | 7.1 | 4.4 | 0.88 | 1.3 | 2.1 | e217 |
| 3 | 0.17 | 8.6 | 3.2 | e22 | 1.7 | 13 | 6.7 | 3.5 | 4.0 | 0.91 | 23 | e81 |
| 4 | 0.52 | 8.7 | 2.5 | e14 | 28 | 9.2 | 6.3 | 3.5 | 5.0 | 0.33 | 5.7 | 12 |
| 5 | 0.33 | 41 | 3.1 | e9.5 | 12 | 8.6 | 11 | 145 | 2.6 | 0.43 | 5.9 | 3.4 |
| 6 | 0.31 | 38 | 2.9 | e7.2 | 7.4 | 7.5 | 11 | 33 | 1.5 | 1.5 | 1.5 | 0.52 |
| 7 | 0.33 | 9.1 | 3.0 | e5.4 | 6.4 | 7.0 | 22 | 38 | 3.1 | 1.8 | 1.0 | 0.24 |
| 8 | 0.30 | 6.2 | 2.9 | e4.3 | 4.8 | 6.4 | 16 | 19 | 5.8 | 0.79 | 0.91 | 0.29 |
| 9 | 0.30 | 6.7 | 2.8 | e3.4 | 5.3 | 6.3 | 69 | 18 | 6.1 | 0.92 | 0.80 | 0.30 |
| 10 | 0.65 | 24 | 3.0 | e2.8 | 3.9 | 4.1 | 87 | 11 | 2.0 | 3.2 | 0.62 | 0.29 |
| 11 | 123 | 53 | 44 | e2.3 | 3.9 | 5.1 | 29 | 94 | 14 | 6.2 | 0.96 | 0.31 |
| 12 | 12 | 11 | 25 | e1.9 | 4.0 | 5.3 | 18 | 21 | 35 | 1.8 | 1.2 | 0.35 |
| 13 | 6.7 | 6.7 | 26 | e1.7 | 3.6 | 6.0 | 14 | 10 | 14 | 0.90 | 0.51 | 0.39 |
| 14 | 3.8 | 4.5 | 31 | e1.4 | 4.1 | 5.6 | 10 | 7.4 | 8.2 | 0.73 | 0.39 | 1.2 |
| 15 | 1.7 | 3.9 | 13 | e1.2 | 255 | 5.0 | 9.1 | 6.3 | 21 | 0.71 | 0.37 | 1.6 |
| 16 | 1.3 | 5.3 | 8.3 | e1.1 | 90 | 6.5 | 7.9 | 6.7 | 51 | 1.1 | 0.39 | 0.83 |
| 17 | 1.5 | 4.3 | 7.1 | e1.0 | 34 | 3.7 | 67 | 18 | 112 | 0.98 | 0.41 | 0.75 |
| 18 | 1.9 | 2.0 | 6.0 | e0.89 | 22 | 4.2 | 39 | 14 | 20 | 0.82 | 1.3 | 1.4 |
| 19 | 3.1 | 2.7 | 158 | e0.80 | 22 | 49 | 18 | 6.1 | 10 | 0.81 | 0.37 | 1.5 |
| 20 | 6.8 | 2.9 | 113 | e0.72 | 49 | 34 | 13 | 3.8 | 6.3 | 0.87 | 0.21 | 1.4 |
| 21 | 4.4 | 3.1 | 24 | e0.66 | 75 | 18 | 44 | 16 | 4.1 | 2.1 | 0.22 | 1.4 |
| 22 | 2.5 | 3.7 | 15 | e0.60 | 204 | 13 | 18 | 8.6 | 3.4 | 1.8 | 0.54 | 25 |
| 23 | 2.9 | 3.4 | 11 | e0.56 | 77 | 11 | 10 | 4.8 | 1.8 | 0.76 | 0.85 | 3.1 |
| 24 | 2.9 | 3.0 | 18 | e0.52 | 36 | 7.6 | 8.5 | 3.1 | 1.1 | 0.73 | 0.53 | 0.24 |
| 25 | 4.1 | 2.5 | 70 | e0.48 | 27 | 6.8 | 13 | 3.3 | 0.98 | 0.34 | 0.40 | 0.24 |
| 26 | 5.1 | 2.8 | 22 | e0.46 | 22 | 6.9 | 67 | 3.5 | 1.3 | 0.40 | 0.69 | 0.04 |
| 27 | 5.0 | 1.5 | 15 | e0.42 | 19 | 6.6 | 17 | 1.8 | 17 | 0.46 | 0.65 | 1.1 |
| 28 | 5.8 | 2.8 | 12 | e0.40 | 21 | 5.8 | 9.6 | 0.74 | 3.0 | 0.70 | 0.83 | 0.33 |
| 29 | 14 | 3.0 | 10 | 1.5 | --- | 19 | 7.6 | 1.1 | 2.0 | 0.52 | 1.3 | 0.29 |
| 30 | 12 | 2.9 | 10 | 0.48 | --- | 17 | 6.3 | 0.87 | 1.3 | 0.59 | 1.9 | 0.60 |
| 31 | 4.9 | --- | 58 | 0.32 | --- | 6.3 | --- | 1.0 | --- | 61 | 2.0 | --- |
| TOTAL | 228.55 | 275.6 | 725.5 | 335.01 | 1,039.95 | 341.5 | 669.7 | 512.51 | 359.86 | 96.46 | 65.55 | 358.31 |
| MEAN | 7.37 | 9.19 | 23.4 | 10.8 | 37.1 | 11.0 | 22.3 | 16.5 | 12.0 | 3.11 | 2.11 | 11.9 |
| MAX | 123 | 53 | 158 | 204 | 255 | 49 | 87 | 145 | 112 | 61 | 23 | 217 |
| MIN | 0.09 | 1.5 | 2.5 | 0.32 | 0.85 | 3.7 | 6.3 | 0.74 | 0.88 | 0.33 | 0.21 | 0.04 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1992 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 2.08 | 3.91 | 8.20 | 16.0 | 18.7 | 28.9 | 19.0 | 17.7 | 9.21 | 1.10 | 1.44 | 2.08 |
| MAX | 7.37 | 10.4 | 23.4 | 29.2 | 37.1 | 101 | 42.2 | 47.2 | 35.0 | 3.11 | 9.21 | 11.9 |
| (WY) | (2003) | (2002) | (2003) | (1996) | (2003) | (1997) | (1998) | (1995) | (1997) | (2003) | (1995) | (2003) |
| MIN | 0.098 | 0.68 | 0.83 | 1.79 | 6.43 | 10.0 | 2.40 | 1.34 | 0.054 | 0.043 | 0.057 | 0.13 |
| (WY) | (1998) | (1995) | (1999) | (2001) | (2002) | (2001) | (2001) | (2000) | (2001) | (2001) | (1998) | (1998) |

03298550 LONG LICK AT CLERMONT, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1992 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 5,216.44 | | 5,008.50 | | 10.8 | |
| ANNUAL MEAN | 14.3 | | 13.7 | | 19.1 | |
| HIGHEST ANNUAL MEAN | | | | | 3.59 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 0.01 | 2001 |
| HIGHEST DAILY MEAN | 339 | Mar 26 | 255 | Feb 15 | 680 | Mar 1, 1997 |
| LOWEST DAILY MEAN | 0.05 | Jan 18 | 0.04 | Sep 26 | 0.00 | Nov 13, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 0.10 | Jul 18 | 0.27 | Oct 1 | 0.01 | Aug 20, 1999 |
| MAXIMUM PEAK FLOW | | | 1,110 | Sep 2 | 2,820 | May 6, 2002 |
| MAXIMUM PEAK STAGE | | | 7.02 | Sep 2 | 11.44 | May 6, 2002 |
| INSTANTANEOUS LOW FLOW | | | 0.01 | Sep 26 | 0.01 | Sep 26, 2003 |
| 10 PERCENT EXCEEDS | 31 | | 33 | | 23 | |
| 50 PERCENT EXCEEDS | 2.9 | | 4.0 | | 1.5 | |
| 90 PERCENT EXCEEDS | 0.35 | | 0.46 | | 0.10 | |

e Estimated



SALT RIVER BASIN

03300400 BEECH FORK AT MAUD, KY

LOCATION.--Lat 37°49'58", long 85°17'46", Nelson County, Hydrologic Unit 05140103, on right bank on downstream side of bridge on State Highway 55, 100 ft upstream from Nealy Run, 0.8 mi north of Maud, 1.7 mi downstream from Chaplin River, and at mile 48.1.

DRAINAGE AREA.--436 mi².

PERIOD OF RECORD.--August 1972 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 530.00 ft above NGVD of 1929.

REMARKS.--Records good except those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 8,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Oct 11 | 1800 | 14,000 | 19.15 | May 6 | 0600 | 15,100 | 17.46 |
| Nov 11 | 0330 | 12,200 | 18.31 | Jun 7 | 2000 | 9,520 | 16.96 |
| Dec 20 | 1130 | 9,730 | 17.07 | Sep 3 | 2000 | 12,100 | 18.27 |
| Feb 16 | 0430 | *21,400 | *22.20 | Sep 22 | 1400 | 8,950 | 16.69 |
| Feb 23 | 0000 | 10,500 | 17.46 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|----------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|
| 1 | 119 | 601 | 136 | 3,350 | e138 | 1,280 | 512 | 292 | 168 | 189 | 425 | 469 |
| 2 | 76 | 406 | 125 | 3,330 | e183 | 961 | 416 | 267 | 142 | 104 | 206 | 2,820 |
| 3 | 49 | 307 | 116 | 1,350 | e223 | 744 | 353 | 228 | 687 | 80 | 229 | 11,600 |
| 4 | 33 | 263 | 109 | 945 | 1,030 | 594 | 309 | 206 | 1,070 | 71 | e164 | 9,060 |
| 5 | 22 | 1,340 | 114 | 732 | 1,200 | 514 | 347 | 6,040 | 473 | 67 | e2,430 | 2,980 |
| 6 | 16 | 6,170 | 111 | 590 | 548 | 458 | 476 | 11,900 | 304 | 65 | e629 | 762 |
| 7 | 13 | 2,240 | 110 | 475 | 414 | 402 | 1,600 | 4,080 | 5,050 | e77 | e331 | 446 |
| 8 | 9.8 | 839 | 113 | 410 | 371 | 358 | 2,120 | 2,310 | 5,120 | e31 | e754 | 318 |
| 9 | 7.1 | 540 | 113 | 375 | 336 | 326 | 1,380 | 1,710 | 1,620 | e26 | e466 | 243 |
| 10 | 671 | 4,660 | 119 | 332 | 296 | 296 | 4,190 | 984 | 778 | 400 | e164 | 192 |
| 11 | 11,400 | 10,200 | 2,190 | 283 | 293 | 269 | 2,470 | 3,580 | 779 | 1,080 | e138 | 155 |
| 12 | 6,240 | 3,260 | 3,030 | e249 | 295 | 256 | 1,170 | 1,940 | 1,380 | 910 | e116 | 126 |
| 13 | 1,070 | 1,040 | 1,670 | e198 | 304 | 250 | 772 | 683 | 869 | 270 | e192 | 105 |
| 14 | 501 | 634 | 5,170 | e175 | 318 | 248 | 572 | 453 | 680 | 148 | e164 | 90 |
| 15 | 342 | 497 | 2,660 | e141 | 12,500 | 238 | 465 | 423 | 4,890 | 98 | e127 | 79 |
| 16 | 297 | 1,950 | 1,010 | e124 | 18,100 | 220 | 395 | 507 | 3,410 | 72 | 67 | 71 |
| 17 | 403 | 1,660 | 659 | e101 | 10,800 | 209 | 799 | 602 | 2,580 | 54 | 48 | 60 |
| 18 | 416 | 844 | 619 | e89 | 2,960 | 204 | 3,620 | 985 | 2,830 | 43 | 37 | 51 |
| 19 | 289 | 573 | 1,670 | e75 | 1,250 | 762 | 1,470 | 686 | 955 | 37 | 28 | 44 |
| 20 | 319 | 440 | 7,890 | e61 | 1,270 | 2,150 | 732 | 505 | 574 | 34 | 22 | 36 |
| 21 | 385 | 365 | 2,720 | e47 | 1,700 | 1,490 | 560 | 1,050 | 405 | 33 | 18 | 31 |
| 22 | 337 | 321 | 986 | e38 | 5,970 | 1,200 | 532 | 1,540 | 312 | 33 | 304 | 4,690 |
| 23 | 275 | 284 | 635 | e35 | 7,610 | 712 | 440 | 795 | 253 | 36 | 3,390 | 3,380 |
| 24 | 219 | 247 | 571 | e35 | 2,500 | 526 | 359 | 536 | 208 | 69 | 491 | 654 |
| 25 | 183 | 218 | 2,230 | e36 | 1,910 | 431 | 337 | 414 | 173 | 50 | 204 | 350 |
| 26 | 158 | 199 | 1,190 | e39 | 1,310 | 387 | 1,100 | 351 | 149 | 65 | 121 | 226 |
| 27 | 136 | 186 | 687 | e47 | 969 | 377 | 1,040 | 302 | 165 | 45 | 84 | 215 |
| 28 | 129 | 173 | 540 | e58 | 1,280 | 356 | 527 | 260 | 134 | 36 | 82 | 322 |
| 29 | 1,040 | 160 | 461 | e72 | --- | 469 | 387 | 226 | 116 | 846 | 106 | 269 |
| 30 | 3,190 | 148 | 398 | e84 | --- | 1,650 | 326 | 202 | 184 | 407 | 331 | 247 |
| 31 | 1,240 | --- | 377 | e101 | --- | 745 | --- | 187 | --- | 297 | 354 | --- |
| TOTAL | 29,584.9 | 40,765 | 38,529 | 13,977 | 76,078 | 19,082 | 29,776 | 44,244 | 36,458 | 5,773 | 12,222 | 40,091 |
| MEAN | 954 | 1,359 | 1,243 | 451 | 2,717 | 616 | 993 | 1,427 | 1,215 | 186 | 394 | 1,336 |
| MAX | 11,400 | 10,200 | 7,890 | 3,350 | 18,100 | 2,150 | 4,190 | 11,900 | 5,120 | 1,080 | 3,390 | 11,600 |
| MIN | 7.1 | 148 | 109 | 35 | 138 | 204 | 309 | 187 | 116 | 26 | 18 | 31 |
| CFSM | 2.19 | 3.12 | 2.85 | 1.03 | 6.23 | 1.41 | 2.28 | 3.27 | 2.79 | 0.43 | 0.90 | 3.07 |
| IN. | 2.52 | 3.48 | 3.29 | 1.19 | 6.49 | 1.63 | 2.54 | 3.77 | 3.11 | 0.49 | 1.04 | 3.42 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1973 - 2003, BY WATER YEAR (WY)

| MEAN | 176 | 491 | 987 | 929 | 1,198 | 1,232 | 740 | 708 | 500 | 195 | 161 | 258 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 1,042 | 1,699 | 3,691 | 2,461 | 5,071 | 4,663 | 2,022 | 2,359 | 2,499 | 764 | 939 | 2,284 |
| (WY) | (1976) | (1989) | (1979) | (1974) | (1989) | (1997) | (1979) | (1995) | (1997) | (1998) | (1978) | (1979) |
| MIN | 0.011 | 0.059 | 37.2 | 16.2 | 203 | 134 | 103 | 43.6 | 3.32 | 2.45 | 0.87 | 0.018 |
| (WY) | (1988) | (2000) | (2000) | (1981) | (1980) | (1983) | (1986) | (1976) | (1988) | (1975) | (1986) | (1999) |

03300400 BEECH FORK AT MAUD, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1973 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 302,771.6 | | 386,579.9 | | 628 | |
| ANNUAL MEAN | 830 | | 1,059 | | 1,243 | |
| HIGHEST ANNUAL MEAN | | | | | 1979 | |
| LOWEST ANNUAL MEAN | | | | | 256 | |
| HIGHEST DAILY MEAN | 17,600 | Mar 20 | 18,100 | Feb 16 | 39,800 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 1.3 | Sep 25 | 7.1 | Oct 9 | 0.00 | Oct 8, 1983 |
| ANNUAL SEVEN-DAY MINIMUM | 1.4 | Sep 8 | 21 | Oct 3 | 0.00 | Oct 23, 1987 |
| MAXIMUM PEAK FLOW | | | 21,400 | Feb 16 | 41,500 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 22.20 | Feb 16 | 27.60 | Mar 2, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.90 | | 2.43 | | 1.44 | |
| ANNUAL RUNOFF (INCHES) | 25.83 | | 32.98 | | 19.58 | |
| 10 PERCENT EXCEEDS | 2,230 | | 2,760 | | 1,350 | |
| 50 PERCENT EXCEEDS | 173 | | 365 | | 165 | |
| 90 PERCENT EXCEEDS | 3.1 | | 59 | | 3.9 | |

e Estimated



03301000 BEECH FORK AT BARDSTOWN, KY

LOCATION.--Lat 37°47'49", long 85°28'51", Nelson County, Hydrologic Unit 05140103 near center of span on downstream side of bridge on U.S. Highway 31E, 0.1 mile downstream from Rowan Creek, 1 mile southwest of Bardstown, and mile 20.7.

DRAINAGE AREA.--669 mi².

PERIOD OF RECORD.--October 1939 to September 1974; converted to a crest-stage partial-record station. Monthly discharge only for October, November 1939, published in WSP 1305. October 1997 to September 1999 and January 2001 to current year.

REVISIONS.--WSP 1705: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 439.3 ft above mean sea level.

REMARKS.--Records good except for periods of estimated, record which are fair. At times during periods of low flow, City of Bardstown diverts flow above station for municipal water supply. Some of this water is returned to stream by sewer outfall 300 ft above gage.

COOPERATION.--City of Bardstown.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 9,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 2200 | 13,000 | 28.56 | May 6 | 1500 | 14,600 | 30.33 |
| Nov 11 | 0600 | 12,100 | 27.53 | Jun 18 | 0500 | 9,510 | 23.85 |
| Dec 20 | 0100 | 9,100 | 23.16 | Sep 4 | 0200 | 18,400 | 33.69 |
| Feb 16 | 1600 | *23,500 | *37.84 | Sep 22 | 1900 | 11,900 | 27.11 |
| Feb 23 | 1000 | 10,800 | 25.75 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|--------|--------|
| 1 | 278 | 1,100 | 222 | 6,110 | e264 | 2,130 | 895 | 487 | 248 | 292 | 611 | 732 |
| 2 | 193 | 764 | 196 | 4,160 | e339 | 1,700 | 703 | 450 | 216 | 204 | 430 | 5,290 |
| 3 | 146 | 588 | 179 | 2,350 | 423 | 1,320 | 589 | 380 | 712 | 139 | 677 | 14,900 |
| 4 | 123 | 503 | 170 | 1,650 | 1,270 | 1,100 | 505 | 323 | 1,640 | 113 | 446 | 13,600 |
| 5 | 113 | 3,720 | 183 | 1,320 | 1,960 | 955 | 670 | 9,130 | 804 | 93 | 2,100 | 4,820 |
| 6 | 95 | 6,740 | 166 | 1,090 | 1,120 | 847 | 706 | 14,200 | 521 | 91 | 1,070 | 1,840 |
| 7 | 69 | 3,340 | 163 | 902 | 778 | 732 | 2,260 | 7,340 | 5,120 | 103 | 712 | 998 |
| 8 | 54 | 1,460 | 191 | 774 | 600 | 642 | 3,250 | 4,340 | 6,210 | 80 | 1,070 | 707 |
| 9 | 51 | 1,150 | 195 | 680 | 514 | 576 | 2,660 | 2,550 | 2,760 | 72 | 754 | 529 |
| 10 | 5,100 | 8,800 | 351 | 585 | 512 | 507 | 6,390 | 1,940 | 1,310 | 1,580 | 585 | 399 |
| 11 | 12,700 | 11,300 | 3,780 | 484 | 510 | 457 | 4,010 | 5,440 | 1,530 | 2,020 | 504 | 309 |
| 12 | 6,470 | 4,110 | 3,710 | 401 | 504 | 428 | 2,170 | 3,610 | 2,180 | 1,490 | 757 | 247 |
| 13 | 2,260 | 1,830 | 3,640 | 360 | 490 | 417 | 1,390 | 1,340 | 1,710 | 734 | 666 | 201 |
| 14 | 1,030 | 1,190 | 5,710 | e325 | 587 | 407 | 1,060 | 913 | 1,500 | 382 | 308 | 167 |
| 15 | 746 | 1,460 | 3,460 | 294 | e16,000 | 387 | 845 | 972 | 4,930 | 254 | 208 | 157 |
| 16 | 635 | 2,780 | 1,660 | e269 | 22,500 | 362 | 693 | 989 | 4,940 | 194 | 153 | 142 |
| 17 | 599 | 2,480 | 1,190 | e244 | 16,200 | 334 | 2,330 | 1,230 | 4,970 | 157 | 119 | 128 |
| 18 | 709 | 1,430 | 1,070 | 228 | 6,780 | 328 | 4,590 | 1,560 | 6,240 | 126 | 96 | 115 |
| 19 | 557 | 1,050 | 4,360 | e211 | 2,890 | 2,180 | 2,860 | 1,210 | 2,220 | 104 | 75 | 101 |
| 20 | 659 | 822 | 8,100 | e194 | 2,170 | 3,610 | 1,350 | 934 | 1,200 | 88 | 60 | 92 |
| 21 | 690 | 692 | 3,660 | e180 | 2,650 | 2,510 | 1,100 | 1,460 | 848 | 108 | 49 | 73 |
| 22 | 604 | 600 | 1,710 | e172 | 8,430 | 1,920 | 936 | 2,200 | 626 | 116 | 669 | 8,650 |
| 23 | 483 | 507 | 1,180 | e164 | 10,500 | 1,300 | 803 | 1,420 | 486 | 101 | 3,540 | 4,860 |
| 24 | 384 | 439 | 1,580 | 158 | 4,530 | 975 | 645 | 967 | 383 | 89 | 1,220 | 1,640 |
| 25 | 328 | 379 | 3,170 | e152 | 3,210 | 782 | 738 | 741 | 306 | 110 | 437 | 828 |
| 26 | 294 | 344 | 1,930 | e149 | 2,390 | 703 | 1,600 | 622 | 277 | 94 | 254 | 507 |
| 27 | 255 | 317 | 1,250 | 147 | 1,810 | 646 | 1,630 | 508 | 314 | 97 | 173 | 584 |
| 28 | 391 | 287 | 1,020 | 154 | 2,120 | 605 | 1,000 | 424 | 265 | 918 | 137 | 586 |
| 29 | 2,530 | 267 | 860 | e170 | --- | 1,070 | 689 | 361 | 203 | 1,320 | 163 | 484 |
| 30 | 3,890 | 248 | 739 | e182 | --- | 1,840 | 570 | 319 | 176 | 639 | 698 | 372 |
| 31 | 2,020 | --- | 1,280 | e212 | --- | 1,360 | --- | 279 | --- | 687 | 697 | --- |
| TOTAL | 44,456 | 60,697 | 57,075 | 24,471 | 112,051 | 33,130 | 49,637 | 68,639 | 54,845 | 12,595 | 19,438 | 64,058 |
| MEAN | 1,434 | 2,023 | 1,841 | 789 | 4,002 | 1,069 | 1,655 | 2,214 | 1,828 | 406 | 627 | 2,135 |
| MAX | 12,700 | 11,300 | 8,100 | 6,110 | 22,500 | 3,610 | 6,390 | 14,200 | 6,240 | 2,020 | 3,540 | 14,900 |
| MIN | 51 | 248 | 163 | 147 | 264 | 328 | 505 | 279 | 176 | 72 | 49 | 73 |
| CFSM | 2.14 | 3.02 | 2.75 | 1.18 | 5.98 | 1.60 | 2.47 | 3.31 | 2.73 | 0.61 | 0.94 | 3.19 |
| IN. | 2.47 | 3.38 | 3.17 | 1.36 | 6.23 | 1.84 | 2.76 | 3.82 | 3.05 | 0.70 | 1.08 | 3.56 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1940 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 135 | 545 | 1,106 | 1,600 | 1,858 | 1,983 | 1,371 | 929 | 588 | 455 | 202 | 212 |
| MAX | 1,973 | 2,682 | 3,631 | 7,384 | 5,269 | 6,277 | 6,321 | 3,372 | 2,565 | 2,946 | 1,115 | 2,206 |
| (WY) | (1963) | (1958) | (1952) | (1950) | (1956) | (1964) | (1972) | (1967) | (1998) | (1958) | (1974) | (1974) |
| MIN | 0.27 | 0.70 | 1.40 | 42.7 | 123 | 153 | 145 | 46.1 | 22.2 | 1.36 | 3.44 | 0.39 |
| (WY) | (1954) | (1964) | (1944) | (1944) | (1954) | (1941) | (1963) | (1941) | (1948) | (1954) | (1999) | (1953) |

03301000 BEECH FORK AT BARDSTOWN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1940 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 503,941.4 | | 601,092 | | 923 | |
| ANNUAL MEAN | 1,381 | | 1,647 | | 1,733 | |
| HIGHEST ANNUAL MEAN | | | | | 245 | 1950 |
| LOWEST ANNUAL MEAN | | | | | 32,200 | 1941 |
| HIGHEST DAILY MEAN | 22,000 | Mar 20 | 22,500 | Feb 16 | 33,900 | Mar 5, 1964 |
| LOWEST DAILY MEAN | 7.5 | Sep 7 | 49 | Aug 21 | 0.00 | Sep 29, 1948 |
| ANNUAL SEVEN-DAY MINIMUM | 7.6 | Sep 6 | 93 | Oct 3 | 0.03 | Sep 28, 1948 |
| MAXIMUM PEAK FLOW | | | 23,500 | Feb 16 | 33,900 | Mar 5, 1964 |
| MAXIMUM PEAK STAGE | | | 37.84 | Feb 16 | 43.50 | Mar 5, 1964 |
| ANNUAL RUNOFF (CFSM) | 2.06 | | 2.46 | | 1.38 | |
| ANNUAL RUNOFF (INCHES) | 28.02 | | 33.42 | | 18.75 | |
| 10 PERCENT EXCEEDS | 3,820 | | 4,230 | | 2,120 | |
| 50 PERCENT EXCEEDS | 439 | | 697 | | 207 | |
| 90 PERCENT EXCEEDS | 16 | | 147 | | 5.9 | |

e Estimated



03301500 ROLLING FORK NEAR BOSTON, KY

LOCATION.--Lat 37°46'02", long 85°42'14", Nelson Cty, Hydrologic Unit 05140103, on downstream side of bridge on U.S. Hwy 62 and State Hwy 61, 0.4 mi downstream from Beech Fork, 2.3 mi southwest of Boston, and at mile 19.8.

DRAINAGE AREA.--1,299 mi².

PERIOD OF RECORD.--May 1938 to current year.

REVISED RECORDS.--WSP 1705: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 400.42 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Sept. 30, 1971. Datum of Auxiliary gage (Rolling Fork at Lebanon Junction) 385.06 ft above sea level.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in January 1937 reached a stage of 55.2 ft, former site, from floodmarks (backwater from Ohio River).

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 16,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|-------|------|--------------------------------|------------------|
| Oct 13 | 0100 | 16,800 | 36.12 | May 7 | 1100 | 18,400 | 36.96 |
| Feb 18 | 1700 | *26,200 | *42.15 | Sep 5 | 0600 | 20,800 | 38.75 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|---------|--------|---------|---------|--------|--------|--------|---------|
| 1 | 627 | 2,280 | 465 | 7,000 | 1,090 | 5,140 | 1,900 | 1,200 | 558 | 673 | 919 | 1,760 |
| 2 | 426 | 1,510 | 420 | 9,680 | 943 | 3,660 | 1,490 | 1,050 | 492 | 508 | 923 | 2,670 |
| 3 | 309 | 1,160 | 387 | 6,900 | 874 | 2,570 | 1,260 | 906 | 792 | 341 | 1,750 | 12,700 |
| 4 | 243 | 962 | 358 | 3,530 | e1,020 | 2,060 | 1,090 | 777 | 1,910 | 276 | 1,110 | 17,900 |
| 5 | 219 | 1,570 | 367 | 2,690 | e1,280 | 1,780 | 1,310 | 5,610 | 1,740 | 240 | 2,210 | 20,200 |
| 6 | 200 | 7,680 | 372 | 2,280 | e1,200 | 1,610 | 1,530 | 16,200 | 1,110 | 247 | 3,050 | 12,500 |
| 7 | 173 | 9,240 | 350 | 1,880 | e973 | 1,440 | 2,980 | 18,100 | 3,240 | 333 | 1,400 | 3,100 |
| 8 | 144 | 4,080 | 371 | 1,610 | e696 | 1,300 | 5,790 | 14,500 | 10,200 | 228 | 1,400 | 1,300 |
| 9 | 127 | 2,000 | 406 | 1,430 | e610 | 1,190 | 5,590 | 8,730 | 10,700 | 198 | 1,270 | 923 |
| 10 | 636 | 4,020 | 439 | 1,270 | e548 | 1,080 | 10,400 | 4,060 | 4,930 | 1,030 | 851 | 704 |
| 11 | 12,400 | 11,300 | 2,080 | 1,100 | e546 | 968 | 11,800 | 6,840 | 2,550 | 3,700 | 1,110 | 576 |
| 12 | 16,000 | 14,600 | 5,520 | 933 | e589 | 891 | 7,820 | 9,470 | 3,520 | 4,640 | 907 | 474 |
| 13 | 14,800 | 10,300 | 4,910 | e696 | e720 | 856 | 3,810 | 5,170 | 3,300 | 2,170 | 1,160 | 396 |
| 14 | 4,260 | 2,820 | 6,480 | e630 | 986 | 816 | 2,690 | 3,060 | 2,260 | 1,120 | 689 | 341 |
| 15 | 1,370 | 1,880 | 8,800 | e569 | e3,850 | 770 | 2,150 | 2,920 | 4,330 | 751 | 454 | 304 |
| 16 | 1,100 | 2,810 | 5,030 | e483 | e10,600 | 723 | 1,690 | 3,060 | 7,000 | 557 | 344 | 277 |
| 17 | 950 | 4,680 | 2,500 | e440 | e17,900 | 679 | 2,590 | 2,930 | 8,710 | 434 | 270 | 241 |
| 18 | 963 | 3,160 | 1,970 | e400 | e25,000 | 674 | e7,000 | 3,930 | 9,770 | 347 | 227 | 214 |
| 19 | 912 | 2,090 | 2,670 | e380 | 16,100 | 1,430 | e5,240 | 3,360 | 8,120 | 296 | 190 | 190 |
| 20 | 879 | 1,630 | 11,200 | e360 | 10,100 | 5,710 | e2,840 | 2,330 | 3,140 | 263 | 161 | 167 |
| 21 | 949 | 1,360 | 12,900 | e342 | 5,960 | 5,530 | e2,230 | 2,260 | 2,160 | 285 | 143 | 155 |
| 22 | 935 | 1,190 | 6,760 | e323 | 9,040 | 3,370 | 2,330 | 3,210 | 1,540 | 314 | 131 | 4,350 |
| 23 | 823 | 1,030 | 2,600 | e306 | 14,100 | 2,480 | 2,120 | 3,080 | 1,090 | 246 | 2,350 | 12,600 |
| 24 | 698 | 897 | 2,200 | e306 | 15,300 | 1,850 | 1,620 | 2,050 | 841 | 236 | 2,310 | 6,940 |
| 25 | 596 | 783 | 3,760 | e289 | 10,800 | 1,520 | 1,610 | 1,570 | 686 | 214 | 678 | 1,600 |
| 26 | 538 | 696 | 3,880 | e289 | 7,150 | 1,330 | 3,210 | 1,310 | 588 | 221 | 387 | 1,030 |
| 27 | 487 | 646 | 2,510 | e272 | 6,010 | 1,290 | 3,260 | 1,090 | 652 | 192 | 275 | 852 |
| 28 | 451 | 592 | 1,950 | e290 | 5,800 | 1,230 | 2,340 | 924 | 583 | 242 | 218 | 1,030 |
| 29 | 1,610 | 547 | 1,690 | 420 | --- | 1,540 | 1,590 | 795 | 531 | 1,900 | 197 | 1,200 |
| 30 | 5,050 | 510 | 1,500 | 773 | --- | 2,480 | 1,300 | 696 | 433 | 1,640 | 371 | 876 |
| 31 | 4,760 | --- | 1,470 | 973 | --- | 2,990 | --- | 626 | --- | 1,090 | 1,070 | --- |
| TOTAL | 73,635 | 98,023 | 96,315 | 48,844 | 169,785 | 60,957 | 102,580 | 131,814 | 97,476 | 24,932 | 28,525 | 107,570 |
| MEAN | 2,375 | 3,267 | 3,107 | 1,576 | 6,064 | 1,966 | 3,419 | 4,252 | 3,249 | 804 | 920 | 3,586 |
| MAX | 16,000 | 14,600 | 12,900 | 9,680 | 25,000 | 5,710 | 11,800 | 18,100 | 10,700 | 4,640 | 3,050 | 20,200 |
| MIN | 127 | 510 | 350 | 272 | 546 | 674 | 1,090 | 626 | 433 | 192 | 131 | 155 |
| CFSM | 1.83 | 2.52 | 2.39 | 1.21 | 4.67 | 1.51 | 2.63 | 3.27 | 2.50 | 0.62 | 0.71 | 2.76 |
| IN. | 2.11 | 2.81 | 2.76 | 1.40 | 4.86 | 1.75 | 2.94 | 3.77 | 2.79 | 0.71 | 0.82 | 3.08 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1939 - 2003, BY WATER YEAR (WY)

| | 325 | 1,035 | 2,348 | 2,947 | 3,783 | 3,851 | 2,759 | 1,954 | 1,149 | 727 | 410 | 490 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 325 | 1,035 | 2,348 | 2,947 | 3,783 | 3,851 | 2,759 | 1,954 | 1,149 | 727 | 410 | 490 |
| MAX | 2,778 | 5,310 | 11,050 | 13,420 | 16,320 | 13,540 | 11,350 | 11,810 | 6,865 | 5,339 | 2,806 | 8,265 |
| (WY) | (1976) | (1958) | (1979) | (1950) | (1989) | (1997) | (1972) | (1983) | (1997) | (1958) | (1977) | (1979) |
| MIN | 0.57 | 4.32 | 5.84 | 77.0 | 288 | 344 | 353 | 150 | 24.4 | 6.78 | 12.9 | 1.89 |
| (WY) | (1954) | (1944) | (1944) | (1981) | (1954) | (1941) | (1986) | (1941) | (1988) | (1954) | (1999) | (1953) |

03301500 ROLLING FORK NEAR BOSTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1939 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 846,741.2 | | 1,040,456 | | 1,805 | |
| ANNUAL MEAN | 2,320 | | 2,851 | | 4,268 | |
| HIGHEST ANNUAL MEAN | | | | | 473 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 1941 | |
| HIGHEST DAILY MEAN | 30,200 | Mar 22 | 25,000 | Feb 18 | 68,400 | Mar 4, 1997 |
| LOWEST DAILY MEAN | 9.1 | Sep 13 | 127 | Oct 9 | 0.40 | Oct 20, 1939 |
| ANNUAL SEVEN-DAY MINIMUM | 12 | Sep 8 | 202 | Oct 3 | 0.40 | Oct 3, 1953 |
| MAXIMUM PEAK FLOW | | | 26,200 | Feb 18 | 69,800 | Mar 3, 1997 |
| MAXIMUM PEAK STAGE | | | 42.15 | Feb 18 | 53.22 | Mar 3, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.40 | Oct 20, 1939 |
| ANNUAL RUNOFF (CFSM) | 1.79 | | 2.19 | | 1.39 | |
| ANNUAL RUNOFF (INCHES) | 24.25 | | 29.80 | | 18.88 | |
| 10 PERCENT EXCEEDS | 7,780 | | 8,360 | | 4,790 | |
| 50 PERCENT EXCEEDS | 596 | | 1,290 | | 500 | |
| 90 PERCENT EXCEEDS | 41 | | 289 | | 26 | |

e Estimated



03301700 MILL CREEK NEAR FORT KNOX, KY

LOCATION.--Lat 37°53'00", long 85°54'52", Hardin County, Hydrologic Unit 05140104, on wooden bridge on Poorman Road, 2.2 miles southeast of Fort Knox and at mile 8.0.

DRAINAGE AREA.--38.2 mi².

PERIOD OF RECORD.--May 1998 to current year.

GAGE.--Water-stage recorder with telemetry. Elevation of gage is 440 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records good.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| 1 | 20 | 40 | 11 | 836 | 17 | 82 | 32 | 36 | 17 | 26 | 35 | 18 |
| 2 | 16 | 31 | 11 | 293 | 18 | 73 | 29 | 31 | 15 | 19 | 20 | 351 |
| 3 | 13 | 28 | 10 | 184 | 20 | 60 | 26 | 26 | 33 | 14 | 135 | 589 |
| 4 | 15 | 25 | 10 | 126 | 88 | 54 | 25 | 22 | 27 | 12 | 53 | 255 |
| 5 | 20 | 205 | 13 | 102 | 49 | 50 | 32 | 864 | 19 | 12 | 54 | 108 |
| 6 | 11 | 203 | 13 | 80 | 38 | 44 | 27 | 317 | 15 | 11 | 27 | 57 |
| 7 | 8.5 | 95 | 13 | 65 | 36 | 38 | 99 | 695 | 21 | 9.9 | 19 | 40 |
| 8 | 7.3 | 64 | 12 | 60 | 36 | 35 | 67 | 287 | 23 | 8.7 | 15 | 31 |
| 9 | 6.8 | 48 | 18 | 54 | 34 | 31 | 295 | 644 | 26 | 23 | 13 | 25 |
| 10 | 113 | 407 | 19 | 44 | 29 | 28 | 471 | 206 | 16 | 49 | 12 | 21 |
| 11 | 821 | 291 | 189 | 36 | 28 | 26 | 204 | 856 | 235 | 30 | 37 | 16 |
| 12 | 234 | 127 | 118 | 32 | 26 | 27 | 125 | 322 | 286 | 14 | 14 | 14 |
| 13 | 88 | 80 | 146 | 30 | 24 | 25 | 86 | 159 | 112 | 9.9 | 11 | 12 |
| 14 | 52 | 59 | 205 | 27 | 31 | 23 | 64 | 113 | 70 | 8.3 | 8.5 | 13 |
| 15 | 39 | 52 | 114 | 28 | 1,240 | 21 | 52 | 140 | 55 | 7.5 | 8.0 | 22 |
| 16 | 31 | 47 | 80 | 24 | 507 | 20 | 44 | 107 | 58 | 11 | 7.4 | 12 |
| 17 | 24 | 38 | 63 | e23 | 256 | 20 | 199 | 168 | 194 | 7.1 | 6.8 | 9.7 |
| 18 | 21 | 31 | 55 | e22 | 163 | 25 | 165 | 113 | 74 | 6.3 | 6.6 | 9.2 |
| 19 | 20 | 28 | 831 | e20 | 131 | 249 | 96 | 81 | 51 | 6.5 | 6.2 | 8.6 |
| 20 | 43 | 24 | 531 | e19 | 248 | 175 | 71 | 64 | 40 | 5.9 | 5.9 | 8.1 |
| 21 | 29 | 24 | 237 | 17 | 313 | 111 | 157 | 62 | 30 | 12 | 6.3 | 7.1 |
| 22 | 21 | 24 | 130 | 16 | 858 | 81 | 93 | 52 | 23 | 11 | 18 | 155 |
| 23 | 17 | 20 | 87 | e15 | 411 | 63 | 67 | 44 | 21 | 9.3 | 29 | 72 |
| 24 | 14 | 18 | 205 | e15 | 227 | 52 | 55 | 39 | 17 | 7.0 | 11 | 39 |
| 25 | 14 | 16 | 295 | e14 | 153 | 45 | 100 | 39 | 14 | 5.8 | 7.9 | 25 |
| 26 | 14 | 15 | 144 | e14 | 121 | 42 | 187 | 39 | 104 | 5.4 | 6.9 | 20 |
| 27 | 12 | 15 | 103 | e14 | 100 | 36 | 88 | 29 | 165 | 5.2 | 6.0 | 21 |
| 28 | 25 | 13 | 83 | e15 | 95 | 32 | 65 | 26 | 49 | 12 | 5.8 | 17 |
| 29 | 126 | 13 | 68 | 16 | --- | 47 | 52 | 24 | 30 | 9.2 | 5.4 | 14 |
| 30 | 98 | 13 | 83 | 21 | --- | 43 | 43 | 22 | 21 | 5.7 | 7.5 | 11 |
| 31 | 56 | --- | 324 | 15 | --- | 35 | --- | 20 | --- | 91 | 14 | --- |
| TOTAL | 2,029.6 | 2,094 | 4,221 | 2,277 | 5,297 | 1,693 | 3,116 | 5,647 | 1,861 | 464.7 | 612.2 | 2,000.7 |
| MEAN | 65.5 | 69.8 | 136 | 73.5 | 189 | 54.6 | 104 | 182 | 62.0 | 15.0 | 19.7 | 66.7 |
| MAX | 821 | 407 | 831 | 836 | 1,240 | 249 | 471 | 864 | 286 | 91 | 135 | 589 |
| MIN | 6.8 | 13 | 10 | 14 | 17 | 20 | 25 | 20 | 14 | 5.2 | 5.4 | 7.1 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 28.3 | 38.3 | 77.1 | 78.7 | 109 | 110 | 95.2 | 107 | 22.9 | 14.1 | 12.9 | 32.0 |
| MAX | 65.5 | 90.6 | 136 | 119 | 189 | 280 | 207 | 226 | 62.0 | 28.0 | 25.7 | 66.7 |
| (WY) | (2003) | (2002) | (2003) | (1999) | (2003) | (2002) | (2002) | (2002) | (2003) | (2001) | (2000) | (2003) |
| MIN | 6.50 | 4.67 | 26.4 | 21.1 | 50.2 | 54.6 | 29.4 | 16.2 | 9.16 | 4.56 | 3.28 | 2.99 |
| (WY) | (2001) | (2000) | (1999) | (2001) | (2002) | (2003) | (2001) | (2001) | (2001) | (1999) | (1999) | (1999) |

03301700 MILL CREEK NEAR FORT KNOX, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 37,258.9 | | 31,313.2 | | 60.2 | |
| ANNUAL MEAN | 102 | | 85.8 | | 31.6 | |
| HIGHEST ANNUAL MEAN | | | | | 99.9 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 31.6 | 2001 |
| HIGHEST DAILY MEAN | 2,730 | Mar 26 | 1,240 | Feb 15 | 2,730 | Mar 26, 2002 |
| LOWEST DAILY MEAN | 2.9 | Sep 6 | 5.2 | Jul 27 | 2.4 | Sep 11, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 3.3 | Sep 5 | 6.7 | Aug 15 | 2.8 | Aug 29, 1999 |
| MAXIMUM PEAK FLOW | | | 3,140 | May 11 | 9,220 | Mar 26, 2002 |
| MAXIMUM PEAK STAGE | | | 8.24 | May 11 | 10.29 | Jan 4, 2000 |
| 10 PERCENT EXCEEDS | 205 | | 205 | | 126 | |
| 50 PERCENT EXCEEDS | 26 | | 31 | | 17 | |
| 90 PERCENT EXCEEDS | 4.8 | | 9.8 | | 4.4 | |

e Estimated



03301900 FERN CREEK AT OLD BARDSTOWN ROAD AT LOUISVILLE, KY

LOCATION.--Lat 38°10'32", long 85°36'55", Jefferson County, Hydrologic Unit 05140102, on right upstream wingwall, at bridge on Old Bardstown Road, at Louisville, and at mile 3.2.

DRAINAGE AREA.--3.5 mi².

PERIOD OF RECORD.--February 1991 to October 1995, (medium and high flows only), September 1997 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage 550.74 ft. above NGVD of 1929.

REMARKS.--Records good. Flow partially regulated by sewage treatment plant upstream.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 400 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--|------|-----------------------------------|---------------------|
| Apr 20 | 2135 | *546 | *3.39 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| 1 | 2.9 | 4.3 | 2.6 | 102 | 2.8 | 9.7 | 4.6 | 6.0 | 3.1 | 2.0 | 1.6 | 21 |
| 2 | 4.5 | 4.4 | 2.5 | 34 | 2.8 | 8.5 | 4.1 | 5.4 | 2.9 | 2.0 | 8.6 | 73 |
| 3 | 2.9 | 4.5 | 2.4 | 24 | 4.5 | 7.1 | 3.6 | 4.7 | 4.4 | 1.9 | 20 | 28 |
| 4 | 12 | 4.1 | 2.3 | 17 | 7.4 | 6.5 | 3.4 | 4.6 | 3.3 | 1.8 | 17 | 13 |
| 5 | 8.8 | 19 | 2.6 | 14 | 3.8 | 6.2 | 6.3 | 59 | 2.8 | 1.6 | 5.6 | 7.8 |
| 6 | 4.5 | 8.5 | 2.3 | 11 | 3.4 | 6.1 | 4.7 | 15 | 2.6 | 3.1 | 3.7 | 5.8 |
| 7 | 3.4 | 6.0 | 2.5 | 9.5 | 3.4 | 5.2 | 10 | 26 | 2.8 | 1.8 | 2.9 | 4.8 |
| 8 | 2.7 | 5.2 | 3.0 | 8.9 | 3.2 | 5.0 | 5.7 | 22 | 6.2 | 1.6 | 2.5 | 3.9 |
| 9 | 2.4 | 7.8 | 3.2 | 7.7 | 3.3 | 4.8 | 6.9 | 29 | 3.0 | 15 | 2.2 | 3.4 |
| 10 | 39 | 24 | 3.5 | 6.3 | 3.4 | 4.2 | 6.7 | 21 | 2.4 | 5.4 | 2.0 | 2.9 |
| 11 | 33 | 11 | 17 | 5.5 | 3.2 | 4.0 | 5.8 | 32 | 16 | 3.7 | 5.1 | 2.6 |
| 12 | 11 | 6.9 | 8.2 | 5.1 | 3.0 | 4.4 | 5.2 | 15 | 8.5 | 2.8 | 2.5 | 2.4 |
| 13 | 7.2 | 5.4 | 8.8 | 4.8 | 2.8 | 4.2 | 4.7 | 11 | 5.2 | 2.2 | 2.0 | 2.2 |
| 14 | 5.7 | 4.6 | 8.5 | 4.4 | 4.6 | 3.7 | 4.2 | 8.7 | 4.0 | 1.9 | 1.8 | 13 |
| 15 | 5.0 | 5.2 | 7.0 | 4.0 | 56 | 3.7 | 3.9 | 8.9 | 5.8 | 1.9 | 1.7 | 4.6 |
| 16 | 4.5 | 4.6 | 5.7 | 3.9 | 25 | 3.6 | 3.8 | 6.7 | 15 | 4.7 | 1.7 | 2.8 |
| 17 | 3.8 | 4.1 | 25 | 3.5 | 15 | 3.4 | 37 | 56 | 15 | 1.8 | 1.6 | 2.4 |
| 18 | 3.5 | 3.6 | 13 | 3.5 | 11 | 4.5 | 12 | 17 | 7.5 | 1.8 | 1.4 | 2.1 |
| 19 | 4.5 | 3.5 | 143 | 3.4 | 11 | 16 | 8.2 | 12 | 5.5 | 1.5 | 1.3 | 2.0 |
| 20 | 4.3 | 3.3 | 55 | 3.3 | 22 | 8.8 | 53 | 12 | 4.3 | 1.4 | 1.2 | 1.9 |
| 21 | 3.6 | 3.6 | 23 | 3.0 | 35 | 8.1 | 43 | 10 | 3.8 | 3.3 | 1.2 | 1.8 |
| 22 | 3.2 | 3.3 | 16 | 2.7 | 105 | 6.6 | 16 | 7.8 | 3.3 | 4.0 | 6.1 | 19 |
| 23 | 3.3 | 3.1 | 12 | 2.7 | 41 | 6.0 | 11 | 6.6 | 3.0 | 2.2 | 1.9 | 5.4 |
| 24 | 3.2 | 3.1 | 22 | 3.0 | 25 | 5.7 | 8.6 | 5.8 | 2.6 | 1.7 | 1.4 | 3.6 |
| 25 | 4.5 | 2.8 | 19 | 2.7 | 17 | 6.2 | 39 | 7.5 | 2.4 | 1.5 | 1.2 | 3.3 |
| 26 | 4.0 | 2.7 | 12 | 2.6 | 14 | 6.4 | 26 | 6.6 | 8.3 | 1.4 | 1.2 | 3.0 |
| 27 | 3.6 | 2.6 | 10 | 2.5 | 12 | 5.4 | 14 | 5.1 | 4.2 | 1.3 | 1.1 | 13 |
| 28 | 6.2 | 2.5 | 8.9 | 2.5 | 10 | 4.6 | 10 | 4.6 | 2.9 | 2.0 | 13 | 4.2 |
| 29 | 13 | 2.6 | 7.7 | 3.1 | --- | 7.9 | 8.5 | 4.5 | 2.4 | 1.6 | 2.4 | 3.3 |
| 30 | 6.7 | 2.6 | 23 | 2.7 | --- | 5.2 | 7.0 | 3.8 | 2.2 | 1.2 | 13 | 3.2 |
| 31 | 5.0 | --- | 67 | 2.7 | --- | 4.9 | --- | 3.6 | --- | 2.5 | 12 | --- |
| TOTAL | 221.9 | 168.9 | 538.7 | 306.0 | 450.6 | 186.6 | 376.9 | 437.9 | 155.4 | 82.6 | 140.9 | 259.4 |
| MEAN | 7.16 | 5.63 | 17.4 | 9.87 | 16.1 | 6.02 | 12.6 | 14.1 | 5.18 | 2.66 | 4.55 | 8.65 |
| MAX | 39 | 24 | 143 | 102 | 105 | 16 | 53 | 59 | 16 | 15 | 20 | 73 |
| MIN | 2.4 | 2.5 | 2.3 | 2.5 | 2.8 | 3.4 | 3.4 | 3.6 | 2.2 | 1.2 | 1.1 | 1.8 |
| CFSM | 2.05 | 1.61 | 4.96 | 2.82 | 4.60 | 1.72 | 3.59 | 4.04 | 1.48 | 0.76 | 1.30 | 2.47 |
| IN. | 2.36 | 1.80 | 5.73 | 3.25 | 4.79 | 1.98 | 4.01 | 4.65 | 1.65 | 0.88 | 1.50 | 2.76 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1998 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 3.56 | 4.12 | 8.28 | 8.74 | 9.52 | 9.37 | 9.18 | 8.66 | 5.29 | 2.58 | 2.18 | 3.61 |
| MAX | 7.34 | 9.22 | 17.4 | 11.7 | 16.1 | 20.6 | 16.2 | 19.5 | 8.09 | 5.49 | 4.55 | 8.65 |
| (WY) | (2002) | (2002) | (2003) | (2002) | (2003) | (2002) | (2002) | (2002) | (1998) | (1998) | (2003) | (2003) |
| MIN | 1.18 | 1.74 | 3.37 | 1.48 | 4.92 | 3.26 | 2.32 | 2.31 | 1.77 | 1.32 | 0.75 | 0.80 |
| (WY) | (1998) | (2000) | (1999) | (2001) | (2001) | (2001) | (2001) | (2000) | (2001) | (2002) | (1999) | (1999) |

03301900 FERN CREEK AT OLD BARDSTOWN ROAD AT LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1998 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,664.50 | | 3,325.8 | | 6.24 | |
| ANNUAL MEAN | 10.0 | | 9.11 | | 2.86 | |
| HIGHEST ANNUAL MEAN | | | | | 9.92 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 2.86 | 2001 |
| HIGHEST DAILY MEAN | 143 | Dec 19 | 143 | Dec 19 | 163 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.87 | Sep 6 | 1.1 | Aug 27 | 0.40 | Oct 6, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 0.89 | Sep 3 | 1.4 | Aug 15 | 0.61 | Oct 3, 1997 |
| MAXIMUM PEAK FLOW | | | 546 | Apr 20 | 933 | Jun 28, 2000 |
| MAXIMUM PEAK STAGE | | | 3.39 | Apr 20 | 4.16 | Jun 28, 2000 |
| ANNUAL RUNOFF (CFSM) | 2.87 | | 2.60 | | 1.78 | |
| ANNUAL RUNOFF (INCHES) | 38.95 | | 35.35 | | 24.22 | |
| 10 PERCENT EXCEEDS | 22 | | 19 | | 13 | |
| 50 PERCENT EXCEEDS | 3.8 | | 4.5 | | 2.8 | |
| 90 PERCENT EXCEEDS | 1.1 | | 2.0 | | 1.0 | |



03301940 NORTHERN DITCH AT OKOLONA, KY

LOCATION.--Lat 38°09'01", long 85°41'37", Jefferson County, Hydrologic Unit 05140102, at Okolona, on bridge on Preston Highway, 0.1 mi above Spring Ditch, and at mile 5.1.

DRAINAGE AREA.--11.1 mi².

PERIOD OF RECORD.--June 1974 to Sept. 1976, Mar. 1988 to Feb. 1991, Oct. 1992 to Sept. 1993, Oct. 1994 to Sept. 1995, and Oct. 1997 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 447.32 ft above NGVD of 1929.

REMARKS.--Records good except for periods of estimated records, which are fair.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 800 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------------------------------------|------|-----------------------------------|---------------------|------|------|-----------------------------------|---------------------|
| No peak greater than base discharge. | | | | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|---------|-------|-------|---------|-------|-------|-------|-------|
| 1 | 9.4 | 9.0 | 7.1 | 213 | e8.1 | 31 | 11 | 17 | 7.0 | 3.5 | 4.0 | 37 |
| 2 | 17 | 7.3 | 6.8 | 84 | e8.0 | 28 | 9.5 | 14 | 6.4 | 3.4 | 16 | 248 |
| 3 | 12 | 6.9 | 6.7 | 67 | e8.2 | 25 | 8.6 | 12 | 11 | 3.3 | 62 | 110 |
| 4 | 33 | 7.5 | 6.1 | 54 | 30 | 23 | 8.0 | 11 | 8.0 | 3.1 | 67 | 48 |
| 5 | 45 | 54 | 7.5 | 47 | 17 | 22 | 17 | 149 | 6.6 | 2.7 | 31 | 24 |
| 6 | 16 | 49 | 7.5 | 40 | 13 | e19 | 10 | 50 | 5.6 | 8.0 | 12 | 16 |
| 7 | 12 | 27 | 7.2 | 33 | 13 | e16 | 30 | 64 | 6.2 | 6.4 | 9.1 | 13 |
| 8 | 8.9 | 20 | 8.5 | 30 | 12 | e16 | 16 | 43 | 13 | 3.5 | 6.7 | 10 |
| 9 | 7.8 | 17 | 10 | 27 | 11 | e15 | 18 | 72 | 8.5 | 18 | 5.6 | 8.5 |
| 10 | 46 | 61 | 9.9 | 23 | 12 | e13 | 20 | 52 | 5.6 | 21 | 5.3 | 7.1 |
| 11 | 173 | 57 | 59 | 20 | 12 | e12 | 16 | 72 | 31 | 8.5 | 8.0 | 5.9 |
| 12 | 50 | 31 | 43 | 18 | 11 | e13 | 13 | 39 | 38 | 5.7 | 7.1 | 5.2 |
| 13 | 22 | 23 | 35 | 17 | 13 | e7.7 | 11 | 27 | 14 | 4.3 | 4.8 | 4.7 |
| 14 | 12 | 19 | 42 | 16 | 19 | 7.5 | 9.6 | 22 | 10 | 3.6 | 3.9 | 20 |
| 15 | 10 | 20 | 29 | 14 | 88 | 9.3 | 8.9 | 28 | 14 | 3.7 | 3.6 | 19 |
| 16 | 8.6 | 18 | 25 | 13 | 92 | 10 | 8.2 | 19 | 15 | 31 | 3.3 | 7.0 |
| 17 | 7.1 | 15 | 48 | e12 | 54 | 9.6 | 65 | 127 | 37 | 5.3 | 3.4 | 5.4 |
| 18 | 6.1 | 13 | 57 | e12 | 41 | 11 | 36 | 52 | 22 | 4.3 | 3.2 | 4.6 |
| 19 | 6.0 | 13 | e270 | e11 | 37 | 47 | 20 | 34 | 13 | 3.8 | 2.6 | 4.2 |
| 20 | 8.3 | 11 | e115 | e11 | 49 | 30 | 55 | 28 | 9.8 | 3.0 | 2.4 | 3.9 |
| 21 | 6.0 | 11 | e58 | e10 | 73 | 24 | 166 | 29 | 7.6 | 12 | 2.3 | 3.5 |
| 22 | 5.1 | 14 | e46 | e10 | 158 | 19 | 52 | 21 | 6.3 | 39 | 4.9 | 58 |
| 23 | 4.4 | 11 | e38 | e9.6 | 97 | 17 | 37 | 17 | 5.7 | 16 | 11 | 17 |
| 24 | 4.1 | 9.7 | e57 | e9.3 | 66 | 15 | 28 | 15 | 5.3 | 6.7 | 3.2 | 9.1 |
| 25 | 5.0 | 9.7 | e51 | 8.9 | 52 | 14 | 94 | 18 | 4.3 | 4.9 | 2.8 | 7.1 |
| 26 | 5.0 | 8.4 | e39 | 8.8 | 44 | 15 | 87 | 18 | 12 | 3.7 | 2.3 | 6.0 |
| 27 | 4.5 | 8.4 | e36 | e8.6 | 38 | 13 | 45 | 14 | 17 | 3.0 | 2.3 | 46 |
| 28 | 10 | 7.9 | 34 | e8.4 | 35 | 11 | 32 | 11 | 6.0 | 3.2 | 10 | 12 |
| 29 | 37 | 7.8 | 30 | e8.3 | --- | 21 | 25 | 11 | 4.7 | 3.7 | 12 | 8.4 |
| 30 | 19 | 7.9 | 46 | e8.2 | --- | 14 | 21 | 9.1 | 4.0 | 2.7 | 32 | 7.2 |
| 31 | 12 | --- | 106 | e8.2 | --- | 12 | --- | 8.2 | --- | 5.5 | 24 | --- |
| TOTAL | 622.3 | 574.5 | 1,341.3 | 860.3 | 1,111.3 | 540.1 | 977.8 | 1,103.3 | 354.6 | 246.5 | 367.8 | 775.8 |
| MEAN | 20.1 | 19.1 | 43.3 | 27.8 | 39.7 | 17.4 | 32.6 | 35.6 | 11.8 | 7.95 | 11.9 | 25.9 |
| MAX | 173 | 61 | 270 | 213 | 158 | 47 | 166 | 149 | 38 | 39 | 67 | 248 |
| MIN | 4.1 | 6.9 | 6.1 | 8.2 | 8.0 | 7.5 | 8.0 | 8.2 | 4.0 | 2.7 | 2.3 | 3.5 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1975 - 2003, BY WATER YEAR (WY)

| | 9.13 | 11.6 | 21.9 | 27.7 | 35.3 | 25.8 | 26.9 | 25.6 | 17.1 | 9.78 | 8.43 | 9.11 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 9.13 | 11.6 | 21.9 | 27.7 | 35.3 | 25.8 | 26.9 | 25.6 | 17.1 | 9.78 | 8.43 | 9.11 |
| MAX | 21.6 | 21.0 | 58.7 | 40.5 | 75.1 | 84.5 | 62.7 | 59.7 | 36.9 | 20.7 | 25.3 | 25.9 |
| (WY) | (1991) | (1989) | (1991) | (1976) | (1989) | (1975) | (1975) | (1990) | (1990) | (1989) | (1993) | (2003) |
| MIN | 2.47 | 3.20 | 6.39 | 6.50 | 12.6 | 11.1 | 5.34 | 4.49 | 4.08 | 2.17 | 0.70 | 0.61 |
| (WY) | (1998) | (2000) | (1999) | (2001) | (1999) | (1999) | (2001) | (2000) | (2001) | (2002) | (1999) | (1999) |

03301940 NORTHERN DITCH AT OKOLONA, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1975 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 8,668.66 | | 8,875.6 | | 18.8 | |
| ANNUAL MEAN | 23.7 | | 24.3 | | 8.31 | |
| HIGHEST ANNUAL MEAN | | | | | 28.6 | 1975 |
| LOWEST ANNUAL MEAN | | | | | 8.31 | 2001 |
| HIGHEST DAILY MEAN | 452 | Sep 27 | 270 | Dec 19 | 608 | May 18, 1995 |
| LOWEST DAILY MEAN | 0.63 | Sep 12 | 2.3 | Aug 21 | 0.18 | Aug 16, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.67 | Sep 6 | 3.0 | Aug 15 | 0.24 | Aug 12, 1999 |
| MAXIMUM PEAK FLOW | | | 711 | Apr 21 | 1,590 | Jun 28, 1999 |
| MAXIMUM PEAK STAGE | | | 8.33 | Apr 21 | 13.19 | Jun 28, 1999 |
| 10 PERCENT EXCEEDS | 48 | | 54 | | 41 | |
| 50 PERCENT EXCEEDS | 9.7 | | 13 | | 8.8 | |
| 90 PERCENT EXCEEDS | 1.5 | | 4.4 | | 2.4 | |

e Estimated



SALT RIVER BASIN

03302000 POND CREEK NEAR LOUISVILLE, KY

LOCATION.--Lat 38°07'11", long 85°47'45", Jefferson County, Hydrologic Unit 05140102, on upstream side of bridge on Manslick Rd, right bank, 0.4 mi south of Third Street Rd, 0.6 mi downstream from Bee Lick Creek, 1.5 mi downstream from confluence of Northern and Southern Ditches, 2.4 mi south of Louisville city limits, and at mile 15.4.

DRAINAGE AREA.--64.0 mi².

PERIOD OF RECORD.--August 1944 to current year.

REVISED RECORDS.--WSP 1705: Drainage area.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 430.38 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Nov. 16, 1962.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in January 1937 reached a stage of about 23 ft present datum, backwater from Ohio River, from information by local residents.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,300 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 0150 | 1,610 | 12.97 | Apr 21 | 0650 | 2,270 | 15.40 |
| Dec 19 | 1955 | *3,430 | *18.57 | Apr 26 | 0305 | 2,080 | 14.75 |
| Jan 1 | 1315 | 1,940 | 14.24 | May 5 | 1625 | 1,800 | 13.73 |
| Feb 22 | 2035 | 1,850 | 13.91 | Sep 2 | 1040 | 1,500 | 12.51 |
| Apr 17 | 2005 | 1,420 | 12.16 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| 1 | 48 | 20 | 19 | 1,570 | 40 | 90 | 45 | 54 | 22 | 15 | 26 | 129 |
| 2 | 61 | 13 | 18 | 473 | 33 | 111 | 41 | 47 | 19 | 13 | 213 | 1,160 |
| 3 | 53 | 13 | 18 | 292 | 33 | 98 | 36 | 38 | 71 | 12 | 293 | 595 |
| 4 | 187 | 15 | 17 | 185 | 143 | 93 | 34 | 34 | 34 | 12 | 289 | 187 |
| 5 | 135 | 327 | 20 | 127 | 63 | 64 | 78 | 878 | 24 | e11 | 124 | 91 |
| 6 | 58 | 146 | 23 | 101 | 43 | 67 | 48 | 355 | 20 | 29 | 70 | 54 |
| 7 | 46 | 82 | 23 | 78 | 44 | 55 | 168 | 273 | 29 | 34 | 45 | 37 |
| 8 | 41 | 65 | 42 | 70 | 39 | 48 | 99 | 152 | 81 | 16 | 31 | 28 |
| 9 | 17 | 55 | 43 | 72 | 35 | 44 | 108 | 372 | 50 | 20 | 24 | 30 |
| 10 | 315 | 270 | 36 | 88 | 40 | 38 | 143 | 193 | 23 | 96 | 22 | 21 |
| 11 | 757 | 170 | 315 | 48 | 44 | 36 | 95 | 373 | 171 | 37 | 151 | 25 |
| 12 | 155 | 85 | 122 | 39 | 39 | 43 | 66 | 132 | 246 | 19 | 59 | 21 |
| 13 | 78 | 62 | 128 | 37 | 33 | 45 | 52 | 96 | 92 | 14 | 27 | 13 |
| 14 | 71 | 54 | 142 | 36 | 46 | 37 | 45 | 80 | 48 | 12 | 20 | 48 |
| 15 | 39 | 66 | 84 | e33 | 723 | 34 | 40 | 184 | 41 | 12 | 17 | 83 |
| 16 | 18 | 54 | 64 | 31 | 644 | 36 | 37 | 125 | 67 | e120 | 16 | 22 |
| 17 | 13 | 44 | 191 | 29 | 196 | 35 | 433 | 653 | 67 | e18 | 20 | 15 |
| 18 | 10 | 39 | 151 | 27 | 131 | 34 | 335 | 210 | 63 | e15 | 21 | 13 |
| 19 | 15 | 37 | 1,480 | 25 | 121 | 248 | 107 | 122 | 31 | e13 | 14 | 12 |
| 20 | 26 | 32 | 1,080 | 25 | 213 | 215 | 68 | 114 | 25 | e9.8 | 13 | 11 |
| 21 | 12 | 33 | 260 | 25 | 390 | 121 | 1,150 | 131 | 20 | e43 | 16 | 9.8 |
| 22 | 9.1 | 40 | 153 | 23 | 1,080 | 87 | 227 | 73 | 17 | 130 | 65 | 268 |
| 23 | 8.4 | 30 | e151 | 21 | 727 | 66 | 121 | 56 | 16 | 88 | 46 | 71 |
| 24 | 6.2 | 26 | e233 | 19 | 272 | 59 | 89 | 46 | 15 | 35 | 17 | 38 |
| 25 | 18 | 24 | e207 | 20 | 189 | 49 | 172 | 72 | 13 | 20 | 13 | 22 |
| 26 | 11 | 23 | e155 | 20 | 130 | 67 | 1,080 | 72 | 76 | 16 | 12 | 17 |
| 27 | 7.7 | 23 | e142 | 18 | 110 | 55 | 216 | 44 | 109 | 14 | 13 | 210 |
| 28 | 55 | 21 | 85 | 18 | 102 | 48 | 136 | 36 | 27 | 15 | 23 | 53 |
| 29 | 162 | 20 | 71 | e37 | --- | 111 | 117 | 33 | 18 | 16 | 41 | 30 |
| 30 | 57 | 20 | 218 | 44 | --- | 77 | 100 | 29 | 16 | 13 | 143 | 26 |
| 31 | 30 | --- | 559 | 64 | --- | 54 | --- | 25 | --- | 36 | 122 | --- |
| TOTAL | 2,519.4 | 1,909 | 6,250 | 3,695 | 5,703 | 2,265 | 5,486 | 5,102 | 1,551 | 953.8 | 2,006 | 3,339.8 |
| MEAN | 81.3 | 63.6 | 202 | 119 | 204 | 73.1 | 183 | 165 | 51.7 | 30.8 | 64.7 | 111 |
| MAX | 757 | 327 | 1,480 | 1,570 | 1,080 | 248 | 1,150 | 878 | 246 | 130 | 293 | 1,160 |
| MIN | 6.2 | 13 | 17 | 18 | 33 | 34 | 34 | 25 | 13 | 9.8 | 12 | 9.8 |
| CFSM | 1.27 | 0.99 | 3.15 | 1.86 | 3.18 | 1.14 | 2.86 | 2.57 | 0.81 | 0.48 | 1.01 | 1.74 |
| IN. | 1.46 | 1.11 | 3.63 | 2.15 | 3.31 | 1.32 | 3.19 | 2.97 | 0.90 | 0.55 | 1.17 | 1.94 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1944 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 29.4 | 58.1 | 99.4 | 132 | 156 | 186 | 133 | 112 | 68.7 | 45.9 | 34.5 | 35.0 |
| MAX | 117 | 256 | 310 | 614 | 454 | 814 | 551 | 505 | 328 | 282 | 186 | 399 |
| (WY) | (1976) | (1974) | (1979) | (1950) | (1989) | (1997) | (1970) | (1983) | (1997) | (1973) | (1992) | (1979) |
| MIN | 1.76 | 2.60 | 4.48 | 8.52 | 10.1 | 11.4 | 21.2 | 10.6 | 4.54 | 2.96 | 0.78 | 1.15 |
| (WY) | (1947) | (1945) | (1954) | (1977) | (1954) | (1954) | (2001) | (1954) | (1954) | (1952) | (1945) | (1945) |

03302000 POND CREEK NEAR LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1944 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 46,064.4 | | 40,780.0 | | 90.5 | |
| ANNUAL MEAN | 126 | | 112 | | 159 | |
| HIGHEST ANNUAL MEAN | | | | | 11.4 | |
| LOWEST ANNUAL MEAN | | | | | 1950 | |
| HIGHEST DAILY MEAN | 2,480 | Sep 27 | 1,570 | Jan 1 | 7,200 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 4.9 | Aug 6 | 6.2 | Oct 24 | 0.10 | Sep 3, 1945 |
| ANNUAL SEVEN-DAY MINIMUM | 5.3 | Aug 1 | 10 | Oct 21 | 0.19 | Sep 17, 1945 |
| MAXIMUM PEAK FLOW | | | 3,430 | Dec 19 | 8,020 | Mar 9, 1964 |
| MAXIMUM PEAK STAGE | | | 18.57 | Dec 19 | 25.74 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 0.10 | Sep 3, 1945 |
| ANNUAL RUNOFF (CFSM) | 1.97 | | 1.75 | | 1.41 | |
| ANNUAL RUNOFF (INCHES) | 26.77 | | 23.70 | | 19.22 | |
| 10 PERCENT EXCEEDS | 294 | | 229 | | 190 | |
| 50 PERCENT EXCEEDS | 35 | | 46 | | 26 | |
| 90 PERCENT EXCEEDS | 7.1 | | 15 | | 5.9 | |

e Estimated



03302030 POND CREEK AT PENDELTON ROAD NEAR LOUISVILLE, KY

LOCATION.--Lat 38°03'15", long 85°52'18", Jefferson County, Hydrologic Unit 05140102, at bridge on Pendleton Road near Louisville, 1.3 mi above Brier Creek and at mile 7.1.

DRAINAGE AREA.--80.3 mi².

PERIOD OF RECORD.--December 1998 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records good except those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 4,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------------------------------------|------|--------------------------------|------------------|------|------|--------------------------------|------------------|
| No peak greater than base discharge. | | | | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|------|-------|-------|
| 1 | 74 | 53 | 24 | 2,480 | 48 | e124 | 49 | 72 | 23 | 17 | 30 | 148 |
| 2 | 76 | 40 | 23 | 646 | 38 | e155 | 42 | 54 | 20 | 15 | 229 | 1,790 |
| 3 | e100 | 35 | 23 | 402 | 38 | 109 | 36 | 45 | 64 | 13 | 375 | 1,180 |
| 4 | e267 | 41 | 23 | 236 | 185 | 100 | 32 | 42 | 44 | 12 | 348 | 304 |
| 5 | 278 | 311 | 25 | 150 | 74 | 77 | 67 | 1,240 | 27 | 12 | 145 | e125 |
| 6 | 98 | 379 | 30 | 118 | 50 | 74 | 53 | 754 | 22 | 11 | 61 | e71 |
| 7 | 73 | 105 | 28 | 95 | 50 | 64 | 181 | 369 | 27 | 45 | 56 | e48 |
| 8 | 68 | 76 | 38 | 86 | e51 | 54 | 123 | 196 | 55 | 19 | 34 | e36 |
| 9 | 52 | 59 | 53 | 85 | 40 | 48 | 101 | 506 | 82 | 23 | 26 | e38 |
| 10 | 131 | 220 | 39 | 100 | 45 | 42 | 177 | 281 | 27 | 79 | 22 | e26 |
| 11 | 1,430 | 388 | 468 | 58 | e58 | 39 | 112 | 521 | 149 | 56 | 135 | e31 |
| 12 | 261 | 112 | 174 | 46 | 44 | 41 | 76 | 366 | 377 | 22 | 105 | e27 |
| 13 | 116 | 73 | 152 | 45 | 37 | 52 | 62 | 612 | 112 | 16 | 29 | 18 |
| 14 | 95 | 59 | 224 | 43 | 52 | 42 | 50 | 537 | e63 | 13 | 20 | 20 |
| 15 | 79 | 63 | 108 | 45 | 1,490 | 35 | 40 | 389 | 38 | 13 | 17 | 117 |
| 16 | 45 | 68 | 81 | 37 | 929 | 35 | 33 | 211 | 79 | 134 | 15 | 30 |
| 17 | 34 | 49 | 215 | 39 | 255 | 34 | 510 | 1,010 | 166 | 33 | 13 | 20 |
| 18 | 30 | 44 | 263 | 36 | 191 | 34 | 808 | 371 | 84 | 18 | 23 | 16 |
| 19 | 27 | 40 | 1,710 | 31 | e171 | 252 | 149 | 153 | 48 | 14 | 14 | 15 |
| 20 | 50 | 36 | 2,100 | 32 | e312 | 417 | 92 | 115 | 87 | 12 | 11 | 14 |
| 21 | 35 | 33 | 416 | 30 | e594 | 150 | 1,780 | 176 | 50 | 42 | 13 | 13 |
| 22 | 28 | 41 | 210 | 28 | e1,760 | 106 | 388 | e99 | e21 | 100 | 57 | 347 |
| 23 | 25 | 34 | 131 | 24 | e1,150 | 79 | 159 | 65 | 15 | 139 | 83 | 111 |
| 24 | 30 | 32 | 185 | 24 | e404 | 64 | 109 | 50 | 14 | 38 | 19 | 49 |
| 25 | 39 | 34 | 591 | 24 | e274 | 58 | 187 | 56 | 13 | 21 | 12 | 30 |
| 26 | 38 | 32 | 175 | 24 | e185 | 71 | 1,840 | 96 | 25 | 15 | 10 | 22 |
| 27 | 25 | 31 | 118 | 22 | e154 | 61 | 336 | 47 | 193 | 12 | 10 | 276 |
| 28 | 66 | 30 | 95 | 22 | e142 | 52 | 169 | 38 | 34 | 10 | 12 | 75 |
| 29 | 183 | 28 | 80 | 39 | --- | 111 | 135 | 32 | 22 | 12 | 40 | 39 |
| 30 | 135 | 27 | 408 | 47 | --- | 95 | 114 | 31 | 18 | 11 | 141 | 32 |
| 31 | 68 | --- | 1,150 | 72 | --- | 59 | --- | 26 | --- | 19 | 136 | --- |
| TOTAL | 4,056 | 2,573 | 9,360 | 5,166 | 8,821 | 2,734 | 8,010 | 8,560 | 1,999 | 996 | 2,241 | 5,068 |
| MEAN | 131 | 85.8 | 302 | 167 | 315 | 88.2 | 267 | 276 | 66.6 | 32.1 | 72.3 | 169 |
| MAX | 1,430 | 388 | 2,100 | 2,480 | 1,760 | 417 | 1,840 | 1,240 | 377 | 139 | 375 | 1,790 |
| MIN | 25 | 27 | 23 | 22 | 37 | 34 | 32 | 26 | 13 | 10 | 10 | 13 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 75.6 | 86.3 | 187 | 246 | 197 | 188 | 153 | 155 | 77.7 | 30.6 | 28.0 | 91.3 |
| MAX | 131 | 189 | 302 | 440 | 315 | 451 | 287 | 308 | 187 | 44.0 | 72.3 | 169 |
| (WY) | (2003) | (2002) | (2003) | (1999) | (2003) | (2002) | (2002) | (2002) | (1999) | (1999) | (2003) | (2003) |
| MIN | 26.9 | 21.3 | 100 | 44.0 | 104 | 84.8 | 33.0 | 23.4 | 22.0 | 12.8 | 11.6 | 23.8 |
| (WY) | (2001) | (2000) | (2000) | (2001) | (2002) | (2001) | (2001) | (2000) | (2001) | (2002) | (2002) | (1999) |

03302030 POND CREEK AT PENDELTON ROAD NEAR LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 64,747.6 | | 59,584 | | 126 | |
| ANNUAL MEAN | 177 | | 163 | | 176 | |
| HIGHEST ANNUAL MEAN | | | | | 60.9 | 2001 |
| LOWEST ANNUAL MEAN | | | | | 6,220 | Jan 4, 2000 |
| HIGHEST DAILY MEAN | 3,690 | Mar 26 | 2,480 | Jan 1 | 10,500 | Jan 4, 2000 |
| LOWEST DAILY MEAN | 4.9 | Aug 7 | 10 | Jul 28 | 1.7 | Jul 17, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 6.3 | Aug 1 | 14 | Jun 30 | 4.1 | Jul 11, 2001 |
| MAXIMUM PEAK FLOW | | | 3,770 | Dec 20 | 19.82 | Mar 26, 2002 |
| MAXIMUM PEAK STAGE | | | 18.11 | Dec 20 | | |
| 10 PERCENT EXCEEDS | 396 | | 376 | | 222 | |
| 50 PERCENT EXCEEDS | 45 | | 55 | | 35 | |
| 90 PERCENT EXCEEDS | 9.9 | | 19 | | 10 | |

e Estimated



03302050 BRIER CREEK AT PENDLETON ROAD NEAR LOUISVILLE, KY

LOCATION.--Lat 38°02'52", long 85°51'26", Jefferson County, Hydrologic Unit 05140102, at bridge on Pendleton Road, 0.4 mi below Headley Hollow, 10 miles south of Louisville, and at mile 1.64

DRAINAGE AREA.--4.01 mi².

PERIOD OF RECORD.--January 1999 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage.

REMARKS.--Records fair except those estimated, which are poor.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 360 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Apr 17 | 2010 | 379 | 3.85 | Apr 25 | 1955 | 399 | 3.91 |
| Apr 20 | 2300 | *488 | *4.15 | Jul 9 | 1240 | 362 | 3.80 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|--------|
| 1 | 1.4 | 1.2 | 2.1 | 104 | 2.1 | 5.6 | 4.7 | 3.6 | 0.74 | 0.28 | 0.25 | 4.2 |
| 2 | 1.4 | 1.0 | 2.2 | 28 | 2.1 | 5.1 | 4.2 | 2.9 | 0.70 | 0.26 | 0.20 | 49 |
| 3 | 1.3 | 1.1 | 2.0 | 18 | 2.4 | 4.4 | 3.8 | 2.1 | 0.98 | 0.27 | 2.7 | 45 |
| 4 | 1.6 | 1.2 | 2.0 | 12 | 5.0 | 4.0 | 3.5 | 1.7 | 0.82 | 0.35 | 0.92 | 9.8 |
| 5 | 1.9 | 9.7 | 2.2 | 9.1 | 3.8 | 3.8 | 4.7 | 39 | 0.66 | 0.36 | 0.53 | e4.4 |
| 6 | 1.6 | 7.0 | 2.0 | 7.1 | 3.5 | 3.6 | 3.8 | 13 | 0.56 | 1.0 | 0.38 | e2.4 |
| 7 | 1.6 | 2.6 | 2.0 | 5.8 | 3.6 | 3.2 | 10 | 9.9 | 0.56 | 0.35 | 0.34 | e1.6 |
| 8 | 1.5 | 1.8 | 2.2 | 5.4 | 3.1 | 2.9 | 8.8 | 8.1 | 3.3 | 0.43 | 0.28 | e1.2 |
| 9 | 1.5 | 1.8 | 2.4 | 4.9 | 3.2 | 2.6 | 8.8 | 14 | 1.1 | 17 | 0.88 | e1.3 |
| 10 | 2.5 | 13 | 2.8 | 4.2 | 3.5 | 2.2 | 12 | 11 | 0.98 | 2.5 | 0.33 | e0.87 |
| 11 | 22 | 12 | 12 | 3.6 | 3.5 | 2.1 | 9.4 | 20 | 6.6 | 1.1 | 1.9 | e1.0 |
| 12 | 4.9 | 6.0 | 8.2 | 3.2 | 3.3 | 2.3 | 7.3 | 9.1 | 5.0 | 0.71 | 0.94 | e0.90 |
| 13 | 3.5 | 4.4 | 9.4 | 3.0 | 3.0 | 2.5 | 5.7 | 5.7 | 2.9 | 0.48 | 0.48 | e0.56 |
| 14 | 2.7 | 3.8 | 13 | 3.0 | 3.4 | 2.2 | 4.9 | 4.2 | 2.0 | 0.36 | 0.36 | e1.1 |
| 15 | 2.3 | 3.7 | 7.8 | 2.6 | 66 | 2.0 | 4.2 | 8.9 | 1.5 | 0.38 | 0.28 | e4.0 |
| 16 | 2.0 | 3.4 | 5.9 | 2.5 | 51 | 2.0 | 3.6 | 6.0 | 4.2 | 0.38 | 0.23 | e0.97 |
| 17 | 1.8 | 3.1 | 9.4 | 2.4 | 18 | 1.9 | 54 | 27 | 3.3 | 0.24 | 0.19 | e0.64 |
| 18 | 1.6 | 2.9 | e8.7 | 2.1 | 9.8 | 2.0 | 35 | 20 | 2.0 | 0.22 | 0.16 | e0.52 |
| 19 | 1.6 | 2.8 | e74 | 2.0 | 8.2 | 15 | 14 | 9.9 | 1.5 | 0.19 | 0.13 | e0.48 |
| 20 | 1.6 | 2.7 | e74 | 2.1 | 18 | 18 | 35 | 6.9 | 1.1 | 0.17 | 0.11 | e0.44 |
| 21 | 1.00 | 2.8 | e15 | 2.0 | 32 | 11 | 76 | 6.3 | 0.84 | 0.42 | 0.09 | e0.41 |
| 22 | 0.67 | 2.7 | 12 | 1.8 | 101 | 7.5 | 18 | 4.7 | 0.68 | 0.28 | 2.8 | e13 |
| 23 | 0.47 | 2.5 | 8.2 | 1.5 | 44 | 5.8 | 9.7 | 3.4 | 0.57 | 0.22 | 0.76 | e3.6 |
| 24 | 0.31 | 2.5 | 9.9 | 1.2 | 20 | 4.9 | 6.6 | 2.5 | 0.47 | 0.18 | 0.30 | e1.7 |
| 25 | 0.31 | 2.4 | 31 | 1.3 | 11 | 4.2 | 58 | 2.9 | 0.41 | 0.14 | 0.21 | e0.97 |
| 26 | 0.36 | 2.3 | 15 | 1.3 | 8.4 | 4.4 | 43 | 2.4 | 0.73 | 0.13 | 0.17 | e0.73 |
| 27 | 0.33 | 2.3 | 11 | 1.1 | 6.9 | 3.9 | 17 | 1.8 | 0.55 | 0.20 | 0.15 | e10 |
| 28 | 0.61 | 2.2 | 8.6 | 1.2 | 6.5 | 4.1 | 9.8 | 1.5 | 0.39 | 0.25 | 0.14 | e2.5 |
| 29 | 2.1 | 2.2 | 7.4 | 1.8 | --- | 5.9 | 6.5 | 1.3 | 0.34 | 0.24 | 0.15 | e1.3 |
| 30 | 2.7 | 2.1 | 18 | 1.8 | --- | 5.7 | 4.8 | 1.1 | 0.30 | 0.19 | 1.6 | e1.1 |
| 31 | 1.8 | --- | 60 | 1.7 | --- | 5.0 | --- | 0.91 | --- | 0.90 | 3.3 | --- |
| TOTAL | 70.96 | 109.2 | 440.4 | 241.7 | 446.3 | 149.8 | 486.8 | 251.81 | 45.78 | 30.18 | 21.26 | 165.69 |
| MEAN | 2.29 | 3.64 | 14.2 | 7.80 | 15.9 | 4.83 | 16.2 | 8.12 | 1.53 | 0.97 | 0.69 | 5.52 |
| MAX | 22 | 13 | 74 | 104 | 101 | 18 | 76 | 39 | 6.6 | 17 | 3.3 | 49 |
| MIN | 0.31 | 1.0 | 2.0 | 1.1 | 2.1 | 1.9 | 3.5 | 0.91 | 0.30 | 0.13 | 0.09 | 0.41 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1.03 | 2.89 | 7.11 | 11.4 | 13.2 | 10.9 | 9.28 | 5.43 | 1.68 | 0.31 | 0.19 | 1.49 |
| MAX | 2.29 | 7.40 | 14.2 | 23.2 | 30.7 | 25.0 | 17.2 | 12.6 | 4.95 | 0.97 | 0.69 | 5.52 |
| (WY) | (2003) | (2002) | (2003) | (2000) | (2000) | (2002) | (2002) | (2002) | (1999) | (2003) | (2003) | (2003) |
| MIN | 0.001 | 0.000 | 0.68 | 1.32 | 5.27 | 4.19 | 1.91 | 1.42 | 0.26 | 0.027 | 0.022 | 0.000 |
| (WY) | (2000) | (2000) | (2000) | (2001) | (2002) | (2001) | (2001) | (2000) | (2001) | (2002) | (2002) | (1999) |

03302050 BRIER CREEK AT PENDLETON ROAD NEAR LOUISVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 2,925.70 | | 2,459.88 | | 5.64 | |
| ANNUAL MEAN | 8.02 | | 6.74 | | 7.92 | |
| HIGHEST ANNUAL MEAN | | | | | 1.76 | 2001 |
| LOWEST ANNUAL MEAN | | | | | 0.00 | 2002 |
| HIGHEST DAILY MEAN | 278 | Jan 24 | 104 | Jan 1 | 685 | Feb 18, 2000 |
| LOWEST DAILY MEAN | 0.00 | Jul 19 | 0.09 | Aug 21 | 0.00 | Aug 21, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 0.00 | Jul 19 | 0.17 | Aug 15 | 0.00 | Aug 21, 1999 |
| MAXIMUM PEAK FLOW | | | 488 | Apr 20 | 2,410 | Jun 28, 1999 |
| MAXIMUM PEAK STAGE | | | 4.15 | Apr 20 | 7.61 | Feb 18, 2000 |
| 10 PERCENT EXCEEDS | 14 | | 14 | | 9.7 | |
| 50 PERCENT EXCEEDS | 1.9 | | 2.5 | | 0.95 | |
| 90 PERCENT EXCEEDS | 0.00 | | 0.33 | | 0.04 | |

e Estimated



OTTER CREEK BASIN

03302110 OTTER CREEK AT OTTER CREEK PARK NEAR ROCK HAVEN, KY

LOCATION.--Lat 37°56'37", long 86°01'47", Meade County, Hydrologic Unit 05140104, at downstream side of bridge on Highway 1638, 1.4 mi east of Rock Haven, and at mile 3.3.

DRAINAGE AREA.--99.2 mi².

PERIOD OF RECORD.--January 1999 to current year.

GAGE.--Water-stage recorder with telemetry.

REMARKS.--Records good.

COOPERATION.--Louisville and Jefferson County Metropolitan Sewer District.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,900 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--|------|--------------------------------|------------------|
| Dec 19 | 2015 | *5,310 | *7.91 | No other peak greater than base discharge. | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|-------|--------|-------|-------|--------|-------|-------|-------|-------|
| 1 | 55 | 87 | 40 | 1,800 | 66 | 260 | 82 | 105 | 75 | 83 | 77 | 49 |
| 2 | 47 | 76 | 40 | 879 | 65 | 236 | 79 | 96 | 72 | 62 | 36 | 964 |
| 3 | 41 | 70 | 39 | 554 | 64 | 202 | 77 | 86 | 89 | 61 | 123 | 1,370 |
| 4 | 41 | 67 | 37 | 387 | 120 | 182 | 73 | 79 | 85 | 53 | 62 | 645 |
| 5 | 40 | 324 | 39 | 315 | 110 | 173 | 83 | 1,200 | 70 | 47 | 47 | 302 |
| 6 | 31 | 408 | 35 | 247 | 89 | 158 | 74 | 748 | 67 | 62 | 33 | 185 |
| 7 | 29 | 197 | 35 | 204 | 83 | 141 | 150 | 875 | 71 | 61 | 28 | 129 |
| 8 | 27 | 145 | 38 | 188 | 76 | 129 | 122 | 504 | 73 | 55 | 26 | 102 |
| 9 | 24 | 117 | 41 | 167 | 73 | 118 | 397 | 1,140 | 76 | 53 | 72 | 85 |
| 10 | 65 | 925 | 41 | 141 | 73 | 104 | 893 | 511 | 66 | 49 | 72 | 72 |
| 11 | 1,160 | 594 | 232 | 121 | 75 | 98 | 445 | 1,600 | 176 | 58 | 85 | 62 |
| 12 | 341 | 284 | 174 | 109 | 73 | 96 | 286 | 808 | 528 | 48 | 44 | 52 |
| 13 | 173 | 198 | 200 | 104 | 67 | 94 | 210 | 452 | 195 | 46 | 29 | 47 |
| 14 | 121 | 155 | 368 | 98 | 67 | 85 | 169 | 313 | 143 | 42 | 24 | 45 |
| 15 | 98 | 135 | 219 | 92 | 1,720 | 78 | 146 | 346 | 132 | 42 | 21 | 48 |
| 16 | 81 | 123 | 165 | 93 | 1,390 | 76 | 132 | 275 | 126 | 65 | 20 | 41 |
| 17 | 68 | 105 | 167 | 90 | 759 | 74 | 340 | 357 | 474 | 43 | 19 | 37 |
| 18 | 60 | 87 | 155 | 83 | 471 | 78 | 322 | 266 | 179 | 39 | 18 | 35 |
| 19 | 55 | 77 | 1,850 | 81 | 354 | 305 | 208 | 213 | 129 | 38 | 15 | 34 |
| 20 | 92 | 71 | 1,520 | 79 | 457 | 283 | 173 | 185 | 102 | 33 | 17 | 32 |
| 21 | 68 | 70 | 685 | 76 | 827 | 198 | 399 | 167 | 87 | 49 | 15 | 31 |
| 22 | 58 | 67 | 408 | 69 | 1,630 | 153 | 213 | 149 | 79 | 46 | 45 | 221 |
| 23 | 51 | 60 | 278 | 65 | 1,420 | 133 | 159 | 132 | 72 | 41 | 141 | 130 |
| 24 | 46 | 57 | 509 | 56 | 808 | 119 | 136 | 117 | 66 | 35 | 44 | 74 |
| 25 | 48 | 55 | 835 | 62 | 533 | 111 | 249 | 121 | 61 | 29 | 26 | 56 |
| 26 | 47 | 51 | 394 | 58 | 408 | 104 | 379 | 120 | 62 | 22 | 21 | 47 |
| 27 | 45 | 49 | 283 | 55 | 334 | 97 | 198 | 104 | 220 | 22 | 18 | 53 |
| 28 | 52 | 46 | 231 | 55 | 296 | 92 | 156 | 95 | 96 | 41 | 17 | 44 |
| 29 | 126 | 46 | 193 | 61 | --- | 106 | 133 | 92 | 73 | 31 | 17 | 39 |
| 30 | 150 | 45 | 319 | 76 | --- | 96 | 117 | 86 | 64 | 22 | 24 | 36 |
| 31 | 106 | --- | 837 | 64 | --- | 87 | --- | 83 | --- | 170 | 35 | --- |
| TOTAL | 3,446 | 4,791 | 10,407 | 6,529 | 12,508 | 4,266 | 6,600 | 11,425 | 3,808 | 1,548 | 1,271 | 5,067 |
| MEAN | 111 | 160 | 336 | 211 | 447 | 138 | 220 | 369 | 127 | 49.9 | 41.0 | 169 |
| MAX | 1,160 | 925 | 1,850 | 1,800 | 1,720 | 305 | 893 | 1,600 | 528 | 170 | 141 | 1,370 |
| MIN | 24 | 45 | 35 | 55 | 64 | 74 | 73 | 79 | 61 | 22 | 15 | 31 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | 59.3 | 94.1 | 218 | 193 | 244 | 226 | 184 | 247 | 69.5 | 34.1 | 28.6 | 61.5 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 59.3 | 94.1 | 218 | 193 | 244 | 226 | 184 | 247 | 69.5 | 34.1 | 28.6 | 61.5 |
| MAX | 111 | 183 | 351 | 324 | 447 | 509 | 391 | 552 | 127 | 49.9 | 50.4 | 169 |
| (WY) | (2003) | (2002) | (2002) | (1999) | (2003) | (2002) | (2002) | (2002) | (2003) | (2003) | (2000) | (2003) |
| MIN | 15.5 | 11.9 | 58.6 | 33.4 | 126 | 130 | 45.6 | 46.7 | 36.1 | 21.5 | 10.9 | 5.82 |
| (WY) | (2001) | (2000) | (2000) | (2001) | (2002) | (2001) | (2001) | (2001) | (2001) | (1999) | (1999) | (1999) |

03302110 OTTER CREEK AT OTTER CREEK PARK NEAR ROCK HAVEN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 78,115 | | 71,666 | | | |
| ANNUAL MEAN | 214 | | 196 | | 142 | |
| HIGHEST ANNUAL MEAN | | | | | 216 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 60.3 | 2001 |
| HIGHEST DAILY MEAN | 3,590 | Mar 26 | 1,850 | Dec 19 | 3,590 | Mar 26, 2002 |
| LOWEST DAILY MEAN | 12 | Aug 31 | 15 | Aug 19 | 4.9 | Sep 6, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 12 | Aug 31 | 18 | Aug 15 | 5.4 | Sep 10, 1999 |
| MAXIMUM PEAK FLOW | | | 5,310 | Dec 19 | 8,810 | Jan 4, 2000 |
| MAXIMUM PEAK STAGE | | | 7.91 | Dec 19 | 8.63 | Mar 26, 2002 |
| 10 PERCENT EXCEEDS | 590 | | 454 | | 324 | |
| 50 PERCENT EXCEEDS | 64 | | 86 | | 49 | |
| 90 PERCENT EXCEEDS | 17 | | 36 | | 14 | |



OHIO RIVER MAIN STEM

03303280 OHIO RIVER AT CANNELTON DAM, KY

LOCATION.--Lat 37°53'58", long 86°42'20", Hancock County, Hydrologic Unit 05140201, at Cannelton Dam, 0.7 mi upstream from Indian Creek, 3.3 mi upstream from Lead Creek, and at mile 720.8.

DRAINAGE AREA.--97,000 mi², approximately.

PERIOD OF RECORD.--October 1975 to current year.

GAGE.--Water-stage recorders with telemetry. Datum of headwater gage 0.4 mi upstream is 374.0 ft Ohio River datum. Datum of tailwater gage 0.4 mi downstream is 26.0 ft lower.

REMARKS.--Records good except those below 20,000 ft³/s, which are poor and extreme events, which can be affected by high flows on the Mississippi River. All extreme high flow periods should be scrutinized for this reason. Daily discharge computed from head, gate openings, and lockages furnished by U.S. Army Corps of Engineers, Louisville District. Flow regulated by Ohio River system of locks, dams, and reservoirs upstream from station.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 | 57,500 | 132,000 | 85,100 | 219,000 | 66,800 | e416,000 | 150,000 | 92,700 | 128,000 | 62,600 | 146,000 | 108,000 |
| 2 | 36,500 | 131,000 | 74,000 | 267,000 | 77,700 | e386,000 | 140,000 | 86,500 | 120,000 | 62,200 | 135,000 | 166,000 |
| 3 | 30,200 | 107,000 | 81,900 | 261,000 | 84,900 | e344,000 | 134,000 | 84,600 | 132,000 | 49,700 | 140,000 | 251,000 |
| 4 | 38,600 | 80,000 | 73,300 | 259,000 | 104,000 | e303,000 | 134,000 | 82,300 | 159,000 | 71,700 | 138,000 | 277,000 |
| 5 | 33,700 | 66,800 | 61,800 | 276,000 | 122,000 | e285,000 | 132,000 | 140,000 | 188,000 | 69,700 | 138,000 | 280,000 |
| 6 | 12,900 | 95,400 | 54,900 | 278,000 | 154,000 | 261,000 | 129,000 | 233,000 | 219,000 | 78,700 | 166,000 | 283,000 |
| 7 | 32,400 | 131,000 | 50,300 | 272,000 | 178,000 | 262,000 | 139,000 | 265,000 | 242,000 | 98,400 | 174,000 | 280,000 |
| 8 | 19,200 | 146,000 | 50,200 | 262,000 | 181,000 | 264,000 | 160,000 | 273,000 | 253,000 | 91,200 | 164,000 | 276,000 |
| 9 | 14,500 | 134,000 | 63,300 | 237,000 | 167,000 | 273,000 | 199,000 | 274,000 | 268,000 | 106,000 | 140,000 | 245,000 |
| 10 | 30,100 | 145,000 | 69,200 | 199,000 | 145,000 | 279,000 | 250,000 | 260,000 | 281,000 | 145,000 | 141,000 | 167,000 |
| 11 | 50,100 | 175,000 | 68,700 | 171,000 | 122,000 | 278,000 | 290,000 | e356,000 | 274,000 | 202,000 | 147,000 | 104,000 |
| 12 | 114,000 | 202,000 | 85,400 | 157,000 | 105,000 | 270,000 | 282,000 | e379,000 | 261,000 | 233,000 | 172,000 | 88,300 |
| 13 | 104,000 | 199,000 | 113,000 | 147,000 | 89,000 | 264,000 | 245,000 | e407,000 | 233,000 | 238,000 | 163,000 | 78,200 |
| 14 | 67,100 | 183,000 | 149,000 | 127,000 | 85,600 | 252,000 | 231,000 | e415,000 | 206,000 | 238,000 | 155,000 | 50,500 |
| 15 | 56,900 | 166,000 | 194,000 | 103,000 | 131,000 | 236,000 | 254,000 | e411,000 | 200,000 | 218,000 | 134,000 | 57,100 |
| 16 | 42,300 | 158,000 | 248,000 | 88,200 | 185,000 | 228,000 | 277,000 | e387,000 | 239,000 | 167,000 | 113,000 | 57,900 |
| 17 | 50,300 | 147,000 | 274,000 | 84,300 | 245,000 | 227,000 | 267,000 | e340,000 | 279,000 | 123,000 | 106,000 | 42,000 |
| 18 | 85,600 | 133,000 | 275,000 | 82,400 | 358,000 | 234,000 | 241,000 | 267,000 | 363,000 | 96,700 | 104,000 | 60,400 |
| 19 | 90,400 | 132,000 | 267,000 | 59,700 | e388,000 | 239,000 | 193,000 | 266,000 | 384,000 | 87,200 | 113,000 | 65,200 |
| 20 | 82,400 | 148,000 | 281,000 | 61,400 | e423,000 | 238,000 | 160,000 | 274,000 | 403,000 | 85,700 | 108,000 | 64,100 |
| 21 | 54,900 | 156,000 | 278,000 | 64,100 | e430,000 | 248,000 | 161,000 | 279,000 | 409,000 | 91,900 | 90,400 | 120,000 |
| 22 | 41,800 | 145,000 | 268,000 | 49,100 | e414,000 | 261,000 | 169,000 | 284,000 | 397,000 | 76,500 | 83,800 | 149,000 |
| 23 | 41,900 | 127,000 | 245,000 | 58,900 | e415,000 | 266,000 | 161,000 | 285,000 | 369,000 | 74,300 | 62,800 | 175,000 |
| 24 | 51,700 | 123,000 | 244,000 | 52,700 | e429,000 | 259,000 | 158,000 | 277,000 | 256,000 | 100,000 | 93,400 | 177,000 |
| 25 | 40,200 | 123,000 | 242,000 | 37,900 | e442,000 | 236,000 | 152,000 | 261,000 | 209,000 | 143,000 | 42,400 | 142,000 |
| 26 | 47,200 | 115,000 | 212,000 | 54,900 | e457,000 | 214,000 | 154,000 | 230,000 | 150,000 | 172,000 | 46,100 | 140,000 |
| 27 | 48,200 | 100,000 | 182,000 | 53,700 | e471,000 | 193,000 | 137,000 | 195,000 | 118,000 | 177,000 | 43,800 | 158,000 |
| 28 | 44,900 | 95,600 | 173,000 | 35,700 | e475,000 | 175,000 | 118,000 | 181,000 | 82,300 | 152,000 | 55,700 | 160,000 |
| 29 | 45,700 | 84,800 | 172,000 | 37,400 | --- | 164,000 | 97,700 | 158,000 | 69,700 | 128,000 | 64,800 | 138,000 |
| 30 | 87,600 | 89,000 | 167,000 | 50,200 | --- | 159,000 | 95,100 | 131,000 | 71,500 | 114,000 | 84,300 | 128,000 |
| 31 | 128,000 | --- | 164,000 | 63,500 | --- | 160,000 | --- | 118,000 | --- | 136,000 | 94,100 | --- |
| TOTAL | 1,680,800 | 3,969,600 | 4,966,100 | 4,169,100 | 6,945,000 | 7,874,000 | 5,409,800 | 7,692,100 | 6,963,500 | 3,888,500 | 3,558,600 | 4,487,700 |
| MEAN | 54,220 | 132,300 | 160,200 | 134,500 | 248,000 | 254,000 | 180,300 | 248,100 | 232,100 | 125,400 | 114,800 | 149,600 |
| MAX | 128,000 | 202,000 | 281,000 | 278,000 | 475,000 | 416,000 | 290,000 | 415,000 | 409,000 | 238,000 | 174,000 | 283,000 |
| MIN | 12,900 | 66,800 | 50,200 | 35,700 | 66,800 | 159,000 | 95,100 | 82,300 | 69,700 | 49,700 | 42,400 | 42,000 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1976 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MEAN | 55,500 | 89,110 | 152,100 | 161,500 | 204,100 | 234,800 | 202,500 | 169,100 | 109,900 | 68,650 | 54,770 | 45,740 |
| MAX | 155,800 | 222,400 | 334,000 | 368,700 | 358,600 | 443,300 | 360,400 | 415,100 | 235,400 | 125,500 | 148,200 | 186,600 |
| (WY) | (1980) | (1986) | (1979) | (1991) | (1994) | (1997) | (1994) | (1996) | (1981) | (1998) | (1980) | (1979) |
| MIN | 13,980 | 24,350 | 47,120 | 36,500 | 94,740 | 125,500 | 72,990 | 46,020 | 16,490 | 18,760 | 13,130 | 11,630 |
| (WY) | (1992) | (1999) | (1999) | (1977) | (1992) | (1983) | (1986) | (1976) | (1988) | (1988) | (1988) | (1999) |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1976 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 49,721,450 | | 61,604,800 | | 128,600 | |
| ANNUAL MEAN | 136,200 | | 168,800 | | 188,900 | |
| HIGHEST ANNUAL MEAN | | | | | 72,150 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 542,000 | Mar 25 | 475,000 | Feb 28 | 735,000 | Mar 8, 1997 |
| LOWEST DAILY MEAN | 4,780 | Aug 17 | 12,900 | Oct 6 | 3,180 | Aug 28, 1995 |
| ANNUAL SEVEN-DAY MINIMUM | 10,800 | Sep 8 | 25,900 | Oct 4 | 7,650 | Jul 12, 1988 |
| MAXIMUM PEAK FLOW | | | | | 736,000 | Mar 8, 1997 |
| MAXIMUM PEAK STAGE | | | 41.56 | Feb 28 | 52.42 | Mar 8, 1997 |
| 10 PERCENT EXCEEDS | 387,000 | | 280,000 | | 282,000 | |
| 50 PERCENT EXCEEDS | 85,800 | | 147,000 | | 91,900 | |
| 90 PERCENT EXCEEDS | 17,900 | | 54,900 | | 23,000 | |

e Estimated



03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

(National stream-quality accounting network station)

WATER-QUALITY RECORDS

LOCATION.--Samples are collected 2.0 mi² upstream from discharge station.

PERIOD OF RECORD.--Water years 1975 to 1986 and 1996 to current water year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--October 1974 to September 1986 (discontinued).

WATER TEMPERATURES.--October 1974 to September 1986 (discontinued).

REMARKS.-- Flow regulated by Ohio River system of locks, dams, and reservoirs.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--Maximum daily recorded, 691 microsiemens, Nov. 14, 1978; minimum daily recorded, 176 microsiemens, Dec. 15, 1978.

WATER TEMPERATURES.--Maximum daily recorded, 30.0°C, July 23, 24, 1977, Aug. 5, 1982, several days in July and August, 1983; minimum daily recorded, 0.0°C, on several days during most winter months.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Turbidity, wat unflab, Hach 2100AN NTU (99872) | UV absorbance, 254 nm, wat flt units /cm (50624) | UV absorbance, 280 nm, wat flt units /cm (61726) | Dis-solved oxygen, mg/L (00300) | Dis-solved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specif. conductance, wat unfl uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Hardness, water, unfltrd mg/L as CaCO3 (00900) |
|-------|------|---------------|--------------------------------------|--|--|--|---------------------------------|--|---|---|-----------------------------------|--|
| DEC | | | | | | | | | | | | |
| 10... | 1220 | Environmental | 61,800 | 7.8 | 0.060 | 0.045 | 10.9 | 82 | 7.3 | 229 | 5.0 | 130 |
| 10... | 1228 | Field Blank | -- | -- | 0.004 | 0.004 | -- | -- | -- | -- | -- | -- |
| 23... | 1250 | Environmental | 244,000 | 180 | 0.110 | 0.084 | 12.6 | 103 | 7.6 | 216 | 6.1 | 110 |
| JAN | | | | | | | | | | | | |
| 21... | 1310 | Environmental | 64,500 | 13 | 0.058 | 0.043 | 13.6 | 101 | 7.5 | 237 | 2.2 | 130 |
| FEB | | | | | | | | | | | | |
| 11... | 1200 | Environmental | 121,000 | 34 | 0.054 | 0.041 | 15.4 | 114 | 7.5 | 269 | 1.9 | 150 |
| 11... | 1210 | Replicate | -- | 34 | 0.053 | 0.040 | -- | -- | -- | -- | -- | 150 |
| MAR | | | | | | | | | | | | |
| 03... | 1430 | Environmental | 335,000 | 160 | 0.069 | 0.052 | 13.4 | 104 | 7.6 | 180 | 3.5 | 110 |
| 03... | 1438 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 21... | 1200 | Environmental | 249,000 | 67 | 0.062 | 0.047 | 11.5 | 98 | 7.6 | 360 | 7.8 | 130 |
| APR | | | | | | | | | | | | |
| 08... | 1320 | Environmental | 165,000 | 29 | -- | -- | 11.6 | 109 | 7.6 | 335 | 12.3 | 130 |
| 08... | 1330 | Replicate | -- | 26 | 0.057 | 0.042 | -- | -- | -- | -- | -- | 130 |
| 22... | 1210 | Environmental | 169,000 | 62 | 0.068 | 0.051 | 9.2 | 92 | 7.4 | 292 | 14.0 | 110 |
| MAY | | | | | | | | | | | | |
| 12... | 1215 | Environmental | 380,000 | 190 | 0.110 | 0.084 | 7.5 | 80 | 7.5 | 308 | 18.1 | 130 |
| 27... | 1400 | Environmental | 198,000 | 79 | 0.094 | 0.070 | 8.7 | 92 | 7.3 | 288 | 18.0 | 110 |
| JUN | | | | | | | | | | | | |
| 10... | 1200 | Environmental | 274,000 | 120 | 0.077 | 0.056 | 8.2 | 90 | 7.3 | 333 | 19.4 | 110 |
| 10... | 1210 | Other QA | -- | 100 | -- | -- | -- | -- | -- | -- | -- | 130 |
| 24... | 1210 | Environmental | 260,000 | 200 | 0.091 | 0.067 | 8.1 | 92 | 7.4 | 261 | 21.4 | 110 |
| JUL | | | | | | | | | | | | |
| 17... | 1240 | Environmental | 131,000 | 45 | 0.103 | 0.076 | 6.1 | 77 | 7.5 | 330 | 26.1 | 130 |
| 17... | 1248 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | |
| 12... | 1230 | Environmental | 155,000 | 52 | 0.120 | 0.089 | 6.3 | 79 | 7.4 | 313 | 25.9 | 130 |
| 12... | 1238 | Field Blank | -- | -- | <0.004 | <0.004 | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | |
| 17... | 1200 | Environmental | 39,000 | 18 | 0.108 | 0.079 | 6.5 | 87 | 7.3 | 352 | 24.7 | 140 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Calcium water, fltrd, mg/L (00915) | Magnesium, water, fltrd, mg/L (00925) | Potassium, water, fltrd, mg/L (00935) | Sodium, water, fltrd, mg/L (00930) | Alkalinity, wat flt inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat flt incrm. titr., field, mg/L (00453) | Chloride, water, fltrd, mg/L (00940) | Fluoride, water, fltrd, mg/L (00950) | Silica, water, fltrd, mg/L (00955) | Sulfate water, fltrd, mg/L (00945) | Residue on evap. at 180degC wat flt mg/L (70300) | Ammonia + org-N, water, fltrd, mg/L as N (00623) | Ammonia + org-N, water, unfltrd mg/L as N (00625) |
|-------|--|---|---|--|--|--|--|--|--|--|---|---|--|
| DEC | | | | | | | | | | | | | |
| 10... | 34.9 | 9.92 | 2.69 | 18.7 | 62 | 75 | 22.7 | <0.17 | 5.23 | 62.1 | 221 | 0.26 | 0.29 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 23... | 32.6 | 7.67 | 2.16 | 11.6 | 65 | 80 | 16.6 | <0.17 | 5.59 | 36.9 | 174 | 0.27 | 0.99 |
| JAN | | | | | | | | | | | | | |
| 21... | 35.0 | 9.57 | 1.99 | 16.4 | 61 | 74 | 24.4 | <0.17 | 6.14 | 49.6 | 203 | 0.28 | 0.30 |
| FEB | | | | | | | | | | | | | |
| 11... | 39.2 | 11.9 | 2.27 | 24.4 | 65 | 79 | 34.5 | 0.16 | 5.48 | 66.0 | 254 | 0.27 | 0.49 |
| 11... | 39.6 | 11.9 | 2.27 | 25.9 | -- | -- | 34.1 | 0.16 | 5.48 | 65.8 | 254 | 0.26 | 0.47 |
| MAR | | | | | | | | | | | | | |
| 03... | 29.4 | 7.79 | 1.95 | 15.7 | 54 | 66 | 23.1 | 0.11 | 5.71 | 40.2 | 175 | 0.20 | 0.81 |
| 03... | 0.02 | <0.008 | <0.01 | <0.09 | -- | -- | 0.06 | <0.01 | <0.13 | <0.01 | -- | -- | -- |
| 21... | 34.8 | 9.68 | 1.99 | 17.5 | 55 | 67 | 30.3 | 0.14 | 5.41 | 51.4 | 214 | 0.31 | 0.57 |
| APR | | | | | | | | | | | | | |
| 08... | 34.9 | 9.97 | 1.87 | 15.3 | 64 | 78 | 25.0 | 0.15 | 4.87 | 47.5 | 204 | 0.20 | 0.43 |
| 08... | 35.1 | 9.94 | 1.83 | 15.2 | -- | -- | 24.9 | 0.16 | 4.90 | 47.3 | 208 | 0.21 | 0.42 |
| 22... | 31.5 | 8.76 | 2.01 | 11.9 | 63 | 77 | 15.8 | <0.17 | 5.78 | 47.1 | 179 | 0.22 | 0.45 |
| MAY | | | | | | | | | | | | | |
| 12... | 36.5 | 8.98 | 2.62 | 10.5 | 78 | 95 | 13.3 | <0.2 | 5.33 | 41.0 | 187 | 0.23 | 1.2 |
| 27... | 29.3 | 8.41 | 2.13 | 10.1 | 64 | 78 | 12.9 | <0.2 | 6.21 | 41.4 | 180 | 0.23 | 0.64 |
| JUN | | | | | | | | | | | | | |
| 10... | 31.1 | 8.87 | 2.06 | 14.9 | 65 | 79 | 19.8 | <0.2 | 5.09 | 54.7 | 201 | 0.21 | 0.72 |
| 10... | 35.2 | 9.50 | 2.38 | 15.4 | -- | -- | 19.3 | <0.2 | 5.77 | 54.1 | 199 | 0.21 | 0.69 |
| 24... | 28.2 | 8.45 | 2.27 | 9.66 | 58 | 70 | 11.0 | <0.2 | 6.84 | 40.3 | 166 | 0.24 | 0.25 |
| JUL | | | | | | | | | | | | | |
| 17... | 35.5 | 10.6 | 2.94 | 13.6 | 77 | 93 | 17.1 | <0.2 | 5.63 | 46.7 | 201 | 0.26 | 0.44 |
| 17... | 0.03 | E.003 | E.004 | 0.16 | -- | -- | 1.27 | <0.01 | 0.05 | <0.01 | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | 35.6 | 10.2 | 3.06 | 14.6 | 59 | 72 | 17.3 | <0.2 | 5.65 | 45.2 | 195 | 0.24 | 0.49 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 17... | 36.8 | 10.9 | 3.04 | 12.9 | 87 | 107 | 16.4 | 0.2 | 6.26 | 52.9 | 206 | 0.30 | 0.36 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) | Nitrite water, fltrd, mg/L as N (00613) | Ortho- phos- phate, water, fltrd, mg/L as P (00671) | Partic- ulate nitro- gen, susp, water, mg/L (49570) | Phos- phorus, water, fltrd, mg/L (00666) | Phos- phorus, water, unfltrd mg/L (00665) | Total carbon, suspnd sedimnt total, mg/L (00694) | Inor- ganic carbon, suspnd sedimnt total, mg/L (00688) | Organic carbon, suspnd sedimnt total, mg/L (00689) | Organic carbon, water, fltrd, mg/L (00681) | Pheo- phytin a, phyto- plank- ton, ug/L (62360) | Chloro- phyll a phyto- plank- ton, fluoro, ug/L (70953) |
|-------|--|---|--|--|--|---|--|--|---|--|---|--|--|
| DEC | | | | | | | | | | | | | |
| 10... | 0.07 | 1.18 | 0.009 | 0.038 | 0.04 | 0.045 | 0.061 | 0.2 | <0.1 | 0.2 | 2.4 | -- | -- |
| 10... | -- | -- | -- | -- | 0.02 | -- | -- | 0.1 | <0.1 | <0.1 | 0.6 | -- | -- |
| 23... | E.02 | 1.15 | E.005 | 0.047 | 0.56 | 0.057 | 0.41 | 6.7 | <0.1 | 6.6 | 3.4 | 8.8 | 2.8 |
| JAN | | | | | | | | | | | | | |
| 21... | 0.08 | 1.72 | 0.010 | 0.024 | 0.09 | 0.029 | 0.057 | 0.5 | <0.1 | 0.5 | 2.1 | 1.0 | 1.0 |
| FEB | | | | | | | | | | | | | |
| 11... | 0.08 | 1.36 | 0.013 | 0.024 | 0.15 | 0.034 | 0.106 | 1.5 | <0.1 | 1.5 | 1.9 | 4.8 | 4.1 |
| 11... | 0.08 | 1.31 | 0.013 | 0.023 | 0.17 | 0.034 | 0.108 | 1.6 | <0.1 | 1.6 | 1.9 | 4.0 | 3.9 |
| MAR | | | | | | | | | | | | | |
| 03... | 0.05 | 1.20 | 0.010 | 0.013 | 0.48 | 0.019 | 0.26 | 6.1 | <0.1 | 6.0 | 2.3 | 4.7 | 2.8 |
| 03... | <0.015 | <0.022 | <0.002 | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 21... | 0.08 | 1.65 | 0.021 | 0.026 | 0.28 | 0.036 | 0.161 | 2.6 | <0.1 | 2.5 | 2.5 | -- | -- |
| APR | | | | | | | | | | | | | |
| 08... | 0.04 | 1.38 | 0.024 | 0.020 | 0.15 | 0.028 | 0.088 | 1.4 | <0.1 | 1.4 | 2.1 | 3.7 | 4.3 |
| 08... | E.03 | 1.37 | 0.023 | 0.019 | 0.13 | 0.028 | 0.092 | 1.4 | <0.1 | 1.4 | 2.3 | 3.5 | 4.2 |
| 22... | <0.04 | 0.94 | 0.020 | 0.018 | 0.22 | 0.026 | 0.147 | 2.5 | <0.1 | 2.4 | 2.3 | 4.9 | 3.8 |
| MAY | | | | | | | | | | | | | |
| 12... | <0.04 | 1.16 | 0.029 | 0.044 | 0.67 | 0.057 | 0.46 | 7.5 | 0.2 | 7.2 | 3.4 | 8.0 | 4.7 |
| 27... | <0.04 | 1.05 | 0.008 | 0.025 | 0.35 | 0.037 | 0.18 | 4.0 | <0.1 | 3.9 | 3.1 | 3.6 | 1.7 |
| JUN | | | | | | | | | | | | | |
| 10... | <0.04 | 0.94 | <0.008 | 0.027 | 0.41 | 0.034 | 0.27 | 3.8 | <0.1 | 3.8 | 2.6 | 10.2 | 5.3 |
| 10... | <0.04 | 0.96 | <0.008 | 0.030 | -- | 0.034 | 0.25 | -- | -- | -- | -- | -- | -- |
| 24... | <0.04 | 1.03 | <0.008 | 0.020 | 0.36 | 0.028 | 0.030 | 4.0 | 0.2 | 3.8 | 3.6 | 4.3 | 1.5 |
| JUL | | | | | | | | | | | | | |
| 17... | <0.04 | 1.41 | <0.008 | 0.043 | 0.18 | 0.013 | 0.125 | 1.8 | <0.1 | 1.8 | 3.3 | 3.8 | 2.7 |
| 17... | <0.015 | E.012 | <0.002 | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | <0.04 | 1.03 | <0.008 | 0.042 | 0.18 | 0.055 | 0.151 | 1.5 | <0.1 | 1.5 | 3.9 | 1.7 | 1.3 |
| 12... | -- | -- | -- | -- | <0.02 | -- | -- | 0.2 | <0.1 | E.2 | 0.7 | -- | -- |
| SEP | | | | | | | | | | | | | |
| 17... | <0.04 | 0.89 | 0.012 | 0.037 | 0.07 | 0.052 | 0.080 | 0.6 | <0.1 | 0.6 | 3.8 | 1.4 | 2.2 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Arsenic water, fltrd, ug/L (01000) | Boron, water, fltrd, ug/L (01020) | Iron, water, fltrd, ug/L (01046) | Lithium water, fltrd, ug/L (01130) | Selen- ium, water, fltrd, ug/L (01145) | Stront- ium, water, fltrd, ug/L (01080) | Vanad- ium, water, fltrd, ug/L (01085) | 2,6-Di- ethyl- aniline water fltrd 0.7u GF ug/L (82660) | CIAT, water, fltrd, ug/L (04040) | Aceto- chlor, water, fltrd, ug/L (49260) | Ala- chlor, water, fltrd, ug/L (46342) | alpha- HCH, water, fltrd, ug/L (34253) | Atra- zine, water, fltrd, ug/L (39632) |
|-------|--|---|--|--|---|--|---|--|--|---|---|---|---|
| DEC | | | | | | | | | | | | | |
| 10... | 0.5 | 46 | E9 | 5.5 | E.4 | 235 | 0.4 | <0.006 | E.011 | <0.006 | <0.004 | <0.005 | 0.035 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 23... | 0.4 | 33 | 24 | 2.6 | E.4 | 156 | 0.7 | <0.006 | E.010 | <0.006 | <0.004 | <0.005 | 0.036 |
| JAN | | | | | | | | | | | | | |
| 21... | 0.3 | 30 | 17 | 3.3 | E.5 | 195 | 0.3 | <0.006 | E.015 | E.005 | <0.004 | <0.005 | 0.028 |
| FEB | | | | | | | | | | | | | |
| 11... | 0.4 | 37 | 17 | 5.7 | 0.5 | 254 | 0.8 | <0.006 | E.012 | <0.006 | <0.004 | <0.005 | 0.121 |
| 11... | 0.4 | 38 | 17 | 5.8 | 0.6 | 253 | 0.9 | <0.006 | E.012 | <0.006 | <0.004 | <0.005 | 0.125 |
| MAR | | | | | | | | | | | | | |
| 03... | 0.4 | 26 | 25 | 2.8 | E.4 | 155 | 0.4 | <0.006 | E.012 | <0.006 | <0.004 | <0.005 | 0.028 |
| 03... | <0.3 | <7 | <10 | <0.5 | <0.5 | <0.20 | <0.1 | -- | -- | -- | -- | -- | -- |
| 21... | 0.4 | 31 | 15 | 3.8 | E.4 | 217 | 0.3 | <0.006 | <0.006 | <0.010 | <0.004 | <0.005 | 0.044 |
| APR | | | | | | | | | | | | | |
| 08... | 0.4 | 35 | E9 | 4.1 | E.4 | 201 | 0.6 | <0.006 | E.014 | 0.007 | <0.004 | <0.005 | 0.063 |
| 08... | 0.4 | 35 | 102 | 4.0 | E.3 | 200 | 0.6 | <0.006 | E.013 | 0.007 | <0.004 | <0.005 | 0.066 |
| 22... | 0.4 | 32 | 14 | 4.4 | <0.5 | 167 | 1.0 | <0.006 | E.009 | 0.011 | <0.004 | <0.005 | 0.081 |
| MAY | | | | | | | | | | | | | |
| 12... | 0.7 | 30 | 15 | 3.6 | E.4 | 183 | 1.0 | <0.006 | E.057 | 0.246 | 0.010 | <0.005 | 1.56 |
| 27... | 0.5 | 28 | E8 | 3.4 | E.3 | 174 | 0.4 | <0.006 | E.049 | 0.101 | 0.005 | <0.005 | 0.855 |
| JUN | | | | | | | | | | | | | |
| 10... | 0.6 | 37 | E4 | 4.4 | E.3 | 189 | 0.5 | <0.006 | E.040 | 0.052 | 0.005 | <0.005 | 0.451 |
| 10... | 0.5 | 39 | E5 | 4.5 | E.4 | 193 | 0.5 | -- | -- | -- | -- | -- | -- |
| 24... | 0.5 | 32 | 9 | 3.5 | E.3 | 165 | 0.6 | <0.006 | E.069 | 0.086 | E.004 | <0.005 | 0.483 |
| JUL | | | | | | | | | | | | | |
| 17... | 0.8 | 39 | E4 | 4.2 | E.3 | 258 | 0.8 | <0.006 | E.064 | 0.088 | 0.014 | <0.005 | 0.399 |
| 17... | <0.3 | <7 | <8 | <0.5 | <0.5 | <0.20 | <0.1 | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | 0.9 | 46 | E5 | 4.1 | E.5 | 201 | 1.0 | <0.006 | E.026 | 0.023 | E.003 | <0.005 | 0.124 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 17... | 0.9 | 46 | <8 | 4.2 | 0.5 | 229 | 0.9 | <0.006 | E.023 | 0.030 | <0.004 | <0.005 | 0.091 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azin- phos- methyl, water, fltrd 0.7u GF (82686) | Ben- flur- alin, water, fltrd 0.7u GF (82673) | Butyl- ate, water, fltrd, ug/L (04028) | Car- baryl, water, fltrd 0.7u GF (82680) | Carbo- furan, water, fltrd 0.7u GF (82674) | Chlor- pyrifos water, fltrd, ug/L (38933) | cis- Per- methrin water fltrd 0.7u GF (82687) | Cyana- zine, water, fltrd, ug/L (04041) | DCPA, water fltrd 0.7u GF (82682) | Diazi- non, water, fltrd, ug/L (39572) | Diel- drin, water, fltrd, ug/L (39381) | Disul- foton, water, fltrd 0.7u GF (82677) | EPTC, water, fltrd 0.7u GF (82668) |
|-------|--|---|---|---|---|--|---|--|---|---|---|---|--|
| DEC | | | | | | | | | | | | | |
| 10... | <0.050 | <0.010 | <0.002 | E.003 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 23... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| JAN | | | | | | | | | | | | | |
| 21... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | 0.005 | <0.005 | <0.02 | <0.002 |
| FEB | | | | | | | | | | | | | |
| 11... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| 11... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| MAR | | | | | | | | | | | | | |
| 03... | <0.050 | <0.010 | <0.002 | E.004 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| 03... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 21... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| APR | | | | | | | | | | | | | |
| 08... | <0.050 | <0.010 | <0.002 | E.006 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| 08... | <0.050 | <0.010 | <0.002 | E.007 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| 22... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| MAY | | | | | | | | | | | | | |
| 12... | <0.050 | <0.010 | <0.002 | E.006 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | 0.009 | <0.005 | <0.02 | <0.002 |
| 27... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | 0.011 | <0.005 | <0.02 | <0.002 |
| JUN | | | | | | | | | | | | | |
| 10... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | 0.006 | <0.005 | <0.02 | <0.002 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| JUL | | | | | | | | | | | | | |
| 17... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 | <0.002 |
| 17... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | E.003 | <0.005 | <0.02 | <0.002 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 17... | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | 0.005 | <0.010 | <0.02 | <0.002 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ethal- flur- alin, water, fltrd 0.7u GF (82663) | Etho- prop, water, fltrd 0.7u GF (82672) | Fonofos water, fltrd, ug/L (04095) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd 0.7u GF (82666) | Mala- thion, water, fltrd, ug/L (39532) | Methyl para- thion, water, fltrd 0.7u GF (82667) | Metola- chlor, water, fltrd, ug/L (39415) | Metri- buzin, water, fltrd, ug/L (82630) | Moli- nate, water, fltrd 0.7u GF (82671) | Naprop- amide, water, fltrd 0.7u GF (82684) | p,p'- DDE, water, fltrd, ug/L (34653) | Para- thion, water, fltrd, ug/L (39542) |
|-------|---|---|--|--|---|--|--|--|---|---|--|--|--|
| DEC | | | | | | | | | | | | | |
| 10... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.008 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 23... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.017 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| JAN | | | | | | | | | | | | | |
| 21... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.019 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| FEB | | | | | | | | | | | | | |
| 11... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.315 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 11... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.322 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| MAR | | | | | | | | | | | | | |
| 03... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.016 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 03... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 21... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.030 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| APR | | | | | | | | | | | | | |
| 08... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.038 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 08... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.039 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 22... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.016 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| MAY | | | | | | | | | | | | | |
| 12... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.213 | 0.013 | <0.002 | <0.007 | <0.003 | <0.010 |
| 27... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.151 | 0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| JUN | | | | | | | | | | | | | |
| 10... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.070 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.107 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| JUL | | | | | | | | | | | | | |
| 17... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.197 | 0.008 | <0.002 | <0.007 | <0.003 | <0.010 |
| 17... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.045 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 17... | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.038 | <0.006 | <0.002 | <0.007 | <0.003 | <0.010 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Peb- ulate, water, fltrd 0.7u GF (82669) | Pendi- meth- alin, water, fltrd 0.7u GF (82683) | Phorate water fltrd 0.7u GF (82664) | Prome- ton, water, fltrd, ug/L (04037) | Pron- amide, water, fltrd 0.7u GF (82676) | Propa- chlor, water, fltrd, ug/L (04024) | Pro- panil, water, fltrd 0.7u GF (82679) | Propar- gite, water, fltrd 0.7u GF (82685) | Sima- zine, water, fltrd, ug/L (04035) | Tebu- thiuron water fltrd 0.7u GF (82670) | Terba- cil, water, fltrd 0.7u GF (82665) | Terbu- fos, water, fltrd 0.7u GF (82675) | Thio- bencarb water fltrd 0.7u GF (82681) |
|-------|---|---|---|---|--|---|---|---|---|--|---|---|--|
| DEC | | | | | | | | | | | | | |
| 10... | <0.004 | <0.022 | <0.011 | M | <0.004 | <0.010 | <0.011 | <0.02 | 0.010 | <0.02 | <0.034 | <0.02 | <0.005 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 23... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.011 | <0.02 | <0.034 | <0.02 | <0.005 |
| JAN | | | | | | | | | | | | | |
| 21... | <0.004 | <0.022 | <0.011 | M | <0.004 | <0.010 | <0.011 | <0.02 | 0.011 | <0.02 | <0.034 | <0.02 | <0.005 |
| FEB | | | | | | | | | | | | | |
| 11... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.110 | <0.02 | <0.034 | <0.02 | <0.005 |
| 11... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.110 | <0.02 | <0.034 | <0.02 | <0.005 |
| MAR | | | | | | | | | | | | | |
| 03... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.006 | <0.02 | <0.034 | <0.02 | <0.005 |
| 03... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 21... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | <0.005 | <0.02 | <0.034 | <0.02 | <0.005 |
| APR | | | | | | | | | | | | | |
| 08... | <0.004 | <0.022 | <0.011 | M | <0.004 | <0.010 | <0.011 | <0.02 | 0.016 | <0.02 | <0.034 | <0.02 | <0.005 |
| 08... | <0.004 | <0.022 | <0.011 | M | <0.004 | <0.010 | <0.011 | <0.02 | 0.016 | <0.02 | <0.034 | <0.02 | <0.005 |
| 22... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.027 | <0.02 | <0.034 | <0.02 | <0.005 |
| MAY | | | | | | | | | | | | | |
| 12... | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.250 | <0.02 | <0.034 | <0.02 | <0.005 |
| 27... | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.140 | <0.02 | <0.034 | <0.02 | <0.005 |
| JUN | | | | | | | | | | | | | |
| 10... | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.092 | <0.02 | <0.034 | <0.02 | <0.005 |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.059 | <0.02 | <0.034 | <0.02 | <0.005 |
| JUL | | | | | | | | | | | | | |
| 17... | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.060 | <0.02 | <0.034 | <0.02 | <0.005 |
| 17... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.018 | <0.02 | <0.034 | <0.02 | <0.005 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 17... | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.018 | <0.02 | <0.034 | <0.02 | <0.005 |

03303280 OHIO RIVER AT CANNELTON DAM, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | Suspnd. sedi- ment, sieve diametr percent <.063mm (70331) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|-------|--|---|--|--|
| DEC | | | | |
| 10... | <0.002 | <0.009 | 100 | 7 |
| 10... | -- | -- | -- | -- |
| 23... | <0.002 | <0.009 | 97 | 250 |
| JAN | | | | |
| 21... | <0.002 | <0.009 | 100 | 12 |
| FEB | | | | |
| 11... | <0.002 | <0.009 | 99 | 46 |
| 11... | <0.002 | <0.009 | 100 | 48 |
| MAR | | | | |
| 03... | <0.002 | <0.009 | 90 | 264 |
| 03... | -- | -- | -- | -- |
| 21... | <0.002 | <0.009 | 95 | 93 |
| APR | | | | |
| 08... | <0.002 | <0.009 | 98 | 42 |
| 08... | <0.002 | <0.009 | 98 | 47 |
| 22... | <0.002 | <0.009 | 99 | 89 |
| MAY | | | | |
| 12... | <0.002 | <0.009 | 88 | 343 |
| 27... | <0.002 | <0.009 | 99 | 121 |
| JUN | | | | |
| 10... | <0.002 | <0.009 | 89 | 219 |
| 10... | -- | -- | -- | -- |
| 24... | <0.002 | <0.009 | 97 | 281 |
| JUL | | | | |
| 17... | <0.002 | <0.009 | 99 | 52 |
| 17... | -- | -- | -- | -- |
| AUG | | | | |
| 12... | <0.002 | <0.009 | 100 | 63 |
| 12... | -- | -- | -- | -- |
| SEP | | | | |
| 17... | <0.002 | <0.009 | 100 | 15 |

Other QA--Grab sample at center vertical (surface only).
E--Laboratory estimated value.
M--Presence of material verified but not quantified.
<--Numeric result is less than the value shown.

03306000 GREEN RIVER NEAR CAMPBELLSVILLE, KY

LOCATION.--Lat 37°14'25", long 85°20'50", Taylor County, Hydrologic Unit 05110001, on right bank on downstream side of pier of bridge on State Highway 55, 0.6 mi downstream from Green River Dam, 0.8 mi upstream from Pinch Creek, 6.9 mi south of Campbellsville, and at mile 305.1.

DRAINAGE AREA.--669 mi² (1,733 sq km).

WATER-QUALITY RECORDS

GAGE.--Water-temperature recorder with telemetry.

REMARKS.--Records fair.

COOPERATION.--Nature Conservancy and U.S. Army Corps of Engineers, Louisville District.

EXTREMES FOR PERIOD OF DAILY RECORD.--

WATER TEMPERATURE: Maximum recorded, 31.0°C, August, 3-5, 1964; minimum recorded, 0.0°C, on many days.

EXTREMES FOR CURRENT YEAR.--

WATER TEMPERATURE: Maximum recorded, 24.7°C, Aug. 24, minimum recorded, 3.8°C, Jan. 1-31, Feb. 1, 2.

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 16.7 | 16.4 | 16.6 | 11.8 | 11.5 | 11.6 | 7.2 | 6.9 | 7.1 |
| 2 | --- | --- | --- | 16.4 | 16.2 | 16.3 | 11.5 | 11.3 | 11.4 | 8.6 | 7.2 | 7.6 |
| 3 | --- | --- | --- | 16.2 | 16.0 | 16.1 | 11.3 | 10.4 | 10.9 | 8.8 | 8.6 | 8.7 |
| 4 | --- | --- | --- | 16.0 | 15.8 | 15.9 | 10.4 | 10.1 | 10.3 | 8.7 | 8.5 | 8.6 |
| 5 | --- | --- | --- | 15.8 | 15.6 | 15.7 | 10.1 | 10.0 | 10.1 | 8.5 | 7.2 | 7.9 |
| 6 | --- | --- | --- | 15.7 | 15.6 | 15.7 | 10.0 | 9.7 | 9.8 | 7.2 | 6.6 | 6.9 |
| 7 | --- | --- | --- | 15.6 | 14.8 | 15.2 | 9.7 | 9.6 | 9.7 | 6.6 | 6.4 | 6.5 |
| 8 | --- | --- | --- | 14.8 | 14.6 | 14.7 | 10.9 | 9.6 | 10.2 | 6.5 | 6.4 | 6.4 |
| 9 | 20.1 | 20.0 | 20.0 | 14.6 | 14.5 | 14.6 | 10.9 | 10.8 | 10.8 | 6.8 | 6.5 | 6.6 |
| 10 | 20.1 | 19.8 | 20.0 | 14.6 | 14.5 | 14.5 | 10.8 | 10.4 | 10.6 | 6.8 | 6.7 | 6.8 |
| 11 | 19.8 | 19.8 | 19.8 | 14.7 | 14.5 | 14.6 | 11.4 | 10.4 | 10.6 | 6.7 | 6.6 | 6.7 |
| 12 | 19.8 | 16.6 | 18.5 | 14.7 | 14.6 | 14.6 | 11.4 | 11.3 | 11.4 | 6.7 | 6.6 | 6.7 |
| 13 | 17.9 | 16.3 | 17.1 | 14.6 | 14.3 | 14.4 | 11.3 | 9.4 | 10.7 | 7.4 | 6.5 | 6.9 |
| 14 | 18.5 | 17.8 | 18.1 | 14.3 | 14.1 | 14.2 | 9.4 | 8.7 | 8.9 | 7.4 | 7.3 | 7.4 |
| 15 | 18.8 | 18.5 | 18.6 | 14.1 | 14.1 | 14.1 | 8.7 | 8.4 | 8.6 | 7.3 | 7.1 | 7.2 |
| 16 | 18.8 | 18.1 | 18.5 | 14.1 | 14.0 | 14.1 | 8.4 | 8.1 | 8.3 | 7.2 | 6.9 | 7.1 |
| 17 | 18.1 | 17.7 | 17.9 | 14.0 | 13.9 | 13.9 | 8.1 | 8.0 | 8.0 | 7.2 | 6.9 | 7.0 |
| 18 | 17.7 | 17.4 | 17.5 | 13.9 | 13.6 | 13.7 | 8.0 | 7.9 | 7.9 | 6.9 | 6.6 | 6.8 |
| 19 | 17.4 | 17.2 | 17.3 | 13.6 | 13.3 | 13.4 | 9.1 | 7.9 | 8.1 | 6.6 | 6.4 | 6.5 |
| 20 | 17.2 | 17.0 | 17.1 | 13.3 | 13.1 | 13.2 | 9.6 | 8.3 | 9.1 | 6.4 | 6.3 | 6.3 |
| 21 | 17.0 | 16.9 | 16.9 | 13.1 | 13.0 | 13.0 | 8.3 | 7.9 | 8.0 | 6.3 | 6.0 | 6.2 |
| 22 | 17.6 | 16.7 | 17.1 | 13.0 | 12.8 | 12.9 | 7.9 | 7.7 | 7.8 | 6.0 | 5.8 | 5.9 |
| 23 | 17.9 | 17.6 | 17.8 | 12.8 | 12.5 | 12.6 | 7.7 | 7.7 | 7.7 | 5.8 | 5.5 | 5.6 |
| 24 | 17.8 | 17.7 | 17.8 | 12.5 | 12.5 | 12.5 | 8.1 | 7.7 | 7.8 | 5.5 | 5.3 | 5.3 |
| 25 | 17.7 | 17.6 | 17.7 | 12.5 | 12.4 | 12.4 | 9.1 | 8.0 | 8.5 | 5.3 | 5.2 | 5.2 |
| 26 | 17.6 | 17.5 | 17.6 | 12.4 | 12.3 | 12.3 | 9.1 | 9.0 | 9.1 | 5.2 | 5.1 | 5.1 |
| 27 | 17.5 | 17.4 | 17.5 | 12.3 | 12.2 | 12.2 | 9.0 | 7.9 | 8.6 | 5.1 | 4.8 | 4.9 |
| 28 | 17.4 | 17.2 | 17.3 | 12.3 | 12.1 | 12.2 | 7.9 | 7.0 | 7.5 | 4.8 | 4.7 | 4.8 |
| 29 | 17.3 | 17.3 | 17.3 | 12.2 | 12.0 | 12.1 | 7.0 | 6.9 | 6.9 | 4.8 | 4.7 | 4.8 |
| 30 | 17.3 | 17.0 | 17.1 | 12.0 | 11.7 | 11.9 | 6.9 | 6.8 | 6.8 | 4.7 | 4.0 | 4.4 |
| 31 | 17.0 | 16.7 | 16.8 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 4.0 | 3.8 | 3.8 |
| MONTH | 20.1 | 16.3 | 17.9 | 16.7 | 11.7 | 14.0 | 11.8 | 6.8 | 9.1 | 8.8 | 3.8 | 6.4 |

GREEN RIVER BASIN

03306500 GREEN RIVER AT GREENSBURG, KY

LOCATION.--Lat 37°15'12", long 85°03'11", Green County, Hydrologic Unit 05110001, at bridge on State Highway 61 and 70, 300 ft upstream from Clover Lick Creek, 0.25 mi south of Greensburg, 2.6 mi upstream from Russell Creek, and at mile 279.7.

DRAINAGE AREA.--736 mi².

WATER-QUALITY RECORDS

PERIOD OF DAILY RECORD.--Water-temperature: December 22, 1999 to September 30, 2000.

GAGE.--Water-temperature recorder with telemetry.

REMARKS.--Records good.

COOPERATION.--Green County and U.S. Army Corps of Engineers, Louisville District.

EXTREMES FOR PERIOD OF DAILY RECORD.--Maximum water-temperature discharge, 31.2°C, July 25, 2001; minimum water-temperature, 0.0°C, many days in January and February.

EXTREMES FOR CURRENT YEAR.--

WATER TEMPERATURE: Maximum recorded, 29.1°C, Aug. 17, minimum recorded, 0.6°C, Jan. 24-28.

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.1 | 20.6 | 20.8 | 13.5 | 12.9 | 13.3 | 9.2 | 7.4 | 8.1 | 7.7 | 7.5 | 7.6 |
| 2 | 21.8 | 20.7 | 21.2 | 12.9 | 11.8 | 12.2 | 7.4 | 6.8 | 7.1 | 7.6 | 7.1 | 7.2 |
| 3 | 22.1 | 21.1 | 21.6 | 12.4 | 11.9 | 12.2 | 8.5 | 7.1 | 7.5 | 7.2 | 6.6 | 7.0 |
| 4 | 21.9 | 21.3 | 21.5 | 12.8 | 12.4 | 12.6 | 9.5 | 8.5 | 9.3 | 6.6 | 5.8 | 6.2 |
| 5 | 21.3 | 20.4 | 20.8 | 13.4 | 12.8 | 13.0 | 9.5 | 9.2 | 9.4 | 7.2 | 6.3 | 6.7 |
| 6 | 20.4 | 18.8 | 19.6 | 13.4 | 12.8 | 13.2 | 9.2 | 8.6 | 8.9 | 7.1 | 6.2 | 6.5 |
| 7 | 19.9 | 19.2 | 19.6 | 12.8 | 12.2 | 12.6 | 8.8 | 8.0 | 8.4 | 6.6 | 5.7 | 6.1 |
| 8 | 19.2 | 17.9 | 18.5 | 14.0 | 12.6 | 13.1 | 8.4 | 7.8 | 8.1 | 7.0 | 6.4 | 6.6 |
| 9 | 18.4 | 17.9 | 18.2 | 15.3 | 14.0 | 14.8 | 8.2 | 7.1 | 7.5 | 7.1 | 6.7 | 6.8 |
| 10 | 18.4 | 18.0 | 18.3 | 15.7 | 15.0 | 15.3 | 7.3 | 6.9 | 7.1 | 6.7 | 5.9 | 6.3 |
| 11 | 18.7 | 17.9 | 18.2 | 15.5 | 14.9 | 15.1 | 7.9 | 7.1 | 7.5 | 5.9 | 5.1 | 5.3 |
| 12 | 19.5 | 18.4 | 18.9 | 15.1 | 14.5 | 14.7 | 8.1 | 7.8 | 8.0 | 5.1 | 4.4 | 4.6 |
| 13 | 19.5 | 15.8 | 18.2 | 14.6 | 14.2 | 14.4 | 8.4 | 7.9 | 8.1 | 4.8 | 4.2 | 4.5 |
| 14 | 17.9 | 15.8 | 17.2 | 14.4 | 13.8 | 14.1 | 8.4 | 7.9 | 8.0 | 4.7 | 4.0 | 4.5 |
| 15 | 18.7 | 17.9 | 18.3 | 14.2 | 13.8 | 13.9 | 8.1 | 7.3 | 7.7 | 4.0 | 3.1 | 3.4 |
| 16 | 18.6 | 17.9 | 18.4 | 13.8 | 12.6 | 13.4 | 8.3 | 7.4 | 7.8 | 3.3 | 2.7 | 3.1 |
| 17 | 17.9 | 16.8 | 17.3 | 12.6 | 11.9 | 12.2 | --- | --- | --- | 2.7 | 2.0 | 2.4 |
| 18 | 16.8 | 15.5 | 15.9 | 11.9 | 10.9 | 11.4 | --- | --- | --- | 2.0 | 1.1 | 1.5 |
| 19 | 16.1 | 15.8 | 16.0 | 13.0 | 11.9 | 12.6 | --- | --- | --- | 1.9 | 1.0 | 1.5 |
| 20 | 16.0 | 15.7 | 16.0 | 13.4 | 11.9 | 12.5 | --- | --- | --- | 3.6 | 1.9 | 2.7 |
| 21 | 16.1 | 15.3 | 15.7 | 13.5 | 12.9 | 13.2 | --- | --- | --- | 4.1 | 3.6 | 3.8 |
| 22 | 16.1 | 15.4 | 15.8 | 13.1 | 12.5 | 12.7 | --- | --- | --- | 3.7 | 2.6 | 3.2 |
| 23 | 15.8 | 14.6 | 15.3 | 12.5 | 11.9 | 12.2 | --- | --- | --- | 2.6 | 0.9 | 1.5 |
| 24 | 16.2 | 15.1 | 15.6 | 12.7 | 11.9 | 12.3 | --- | --- | --- | 0.9 | 0.6 | 0.8 |
| 25 | 16.7 | 16.1 | 16.3 | 12.6 | 11.7 | 12.1 | 7.6 | 6.5 | 7.1 | 0.9 | 0.6 | 0.7 |
| 26 | 16.8 | 16.6 | 16.7 | 11.7 | 11.1 | 11.4 | 6.5 | 5.8 | 6.0 | 0.8 | 0.6 | 0.7 |
| 27 | 16.6 | 16.0 | 16.3 | 11.1 | 10.5 | 10.8 | 5.8 | 5.0 | 5.4 | 0.8 | 0.6 | 0.7 |
| 28 | 16.0 | 15.4 | 15.6 | 10.5 | 9.2 | 9.8 | 6.4 | 5.5 | 5.9 | 1.7 | 0.6 | 1.0 |
| 29 | 16.1 | 15.4 | 15.7 | 9.4 | 8.4 | 8.9 | 7.1 | 6.3 | 6.7 | 3.1 | 1.7 | 2.5 |
| 30 | 15.9 | 14.3 | 15.1 | 9.6 | 9.2 | 9.4 | 7.3 | 6.8 | 7.1 | 3.5 | 3.1 | 3.3 |
| 31 | 14.3 | 13.5 | 13.8 | --- | --- | --- | 7.5 | 7.1 | 7.3 | 3.8 | 3.1 | 3.4 |
| MONTH | 22.1 | 13.5 | 17.6 | 15.7 | 8.4 | 12.6 | 9.5 | 5.0 | 7.6 | 7.7 | 0.6 | 3.9 |

03307000 RUSSELL CREEK NEAR COLUMBIA, KY

LOCATION.--Lat 37°07'09", long 85°23'38", Adair County, Hydrologic Unit 05110001, on left bank at downstream side of bridge on State Highway 61, 0.3 mi upstream from Butlers Fork, 5.0 mi west of Columbia, and at mile 26.9. Records include flow of Butlers Fork.

DRAINAGE AREA.--188 mi² (includes Butlers Fork), of which about 15 mi² does not contribute directly to surface runoff.

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--October 1939 to current year. Prior to December 1939, monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 1275: 1940. WSP 1335: 1953. WSP 1555: Drainage area. WRD KY-75-1: 1949(M), 1952(M), 1955(M), 1962(M), 1967(M), 1974(M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 610.96 ft above NGVD of 1929. Prior to June 25, 1953, nonrecording gage at same site and datum.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Army Corps of Engineers, Louisville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in Jan. 1937 reached a stage of about 23 ft, from information by local residents.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 4,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|-------|------|--------------------------------|------------------|
| Feb 15 | 1200 | 5,840 | 14.99 | Jun 7 | 1600 | 8,250 | 16.93 |
| Feb 16 | 1800 | *12,600 | *18.96 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|-------|--------|-------|--------|-------|--------|-------|-------|-------|
| 1 | 55 | 308 | 72 | 585 | 155 | 434 | 190 | 87 | 71 | 87 | 294 | 1,010 |
| 2 | 44 | 235 | 65 | 555 | e146 | 381 | 162 | 88 | 63 | 88 | 127 | 309 |
| 3 | 37 | 192 | 63 | 443 | e130 | 320 | 143 | 105 | 78 | 83 | 128 | 475 |
| 4 | 34 | 172 | 65 | 346 | 757 | 277 | 130 | 88 | 129 | 83 | 189 | 1,230 |
| 5 | 33 | 727 | 646 | 282 | 507 | 254 | 182 | 126 | 88 | 73 | 636 | 521 |
| 6 | 32 | 1,540 | 481 | 223 | 320 | 236 | 222 | 157 | 87 | 65 | 280 | 288 |
| 7 | 32 | 678 | 288 | 173 | 290 | 206 | 1,180 | 251 | 5,950 | 62 | 171 | 192 |
| 8 | 26 | 409 | 245 | 158 | 212 | 184 | 706 | 477 | 1,290 | 58 | 117 | 145 |
| 9 | 24 | 283 | 232 | 149 | e192 | 170 | 717 | 341 | 844 | 67 | 107 | 117 |
| 10 | 650 | 336 | 223 | 132 | e176 | 152 | 1,380 | 206 | 537 | 303 | 81 | 95 |
| 11 | 1,560 | 1,220 | 1,330 | 111 | e160 | 141 | 1,140 | 185 | 1,030 | 471 | 65 | 78 |
| 12 | 596 | 651 | 878 | 94 | e149 | 136 | 688 | 175 | 1,510 | 153 | 107 | 69 |
| 13 | 353 | 392 | 959 | e84 | 142 | 132 | 483 | 122 | 806 | 97 | 81 | 61 |
| 14 | 231 | 269 | 1,780 | e78 | 297 | 127 | 354 | 100 | 643 | 90 | 60 | 56 |
| 15 | 179 | 632 | e915 | e71 | 4,380 | 118 | 281 | 119 | 994 | 86 | 51 | 52 |
| 16 | 429 | 1,430 | e690 | e66 | 9,520 | 114 | 234 | 266 | 718 | 66 | 44 | 48 |
| 17 | 313 | 743 | e463 | e62 | 3,460 | 110 | 679 | 439 | 1,090 | 61 | 43 | 43 |
| 18 | 206 | 458 | 343 | e58 | 1,100 | 108 | 1,280 | 1,070 | 1,650 | 52 | 39 | 40 |
| 19 | 151 | 324 | 311 | e54 | 761 | 397 | 594 | 473 | 1,070 | 48 | 35 | 38 |
| 20 | 139 | 247 | 972 | e51 | 698 | 771 | 377 | 299 | 611 | 46 | 32 | 36 |
| 21 | 152 | 196 | 591 | e48 | 650 | 386 | 388 | 341 | 413 | 45 | 30 | 35 |
| 22 | 132 | 171 | 406 | e46 | 2,340 | 266 | 302 | 338 | 308 | 63 | 29 | 652 |
| 23 | 108 | 144 | 283 | e44 | 2,590 | 211 | 212 | 263 | 242 | 76 | 28 | 714 |
| 24 | 89 | 123 | 282 | e42 | 1,200 | 179 | 167 | 193 | 197 | 56 | 36 | 282 |
| 25 | 79 | 110 | 542 | e41 | 887 | 157 | 183 | 153 | 163 | 47 | 31 | 171 |
| 26 | 76 | 101 | 370 | e39 | 697 | 159 | 208 | 134 | 139 | 41 | 27 | 125 |
| 27 | 75 | 97 | 275 | e38 | 594 | 159 | 145 | 117 | 139 | 37 | 25 | 250 |
| 28 | 289 | 89 | 231 | 56 | 520 | 142 | 118 | 104 | 138 | 35 | 24 | 348 |
| 29 | 726 | 82 | 193 | 143 | --- | 334 | 103 | 94 | 107 | 580 | 23 | 196 |
| 30 | 728 | 79 | 166 | 333 | --- | 392 | 95 | 90 | 92 | 183 | 117 | 137 |
| 31 | 437 | --- | 153 | 181 | --- | 232 | --- | 81 | --- | 131 | 552 | --- |
| TOTAL | 8,015 | 12,438 | 14,513 | 4,786 | 33,030 | 7,385 | 13,043 | 7,082 | 21,197 | 3,433 | 3,609 | 7,813 |
| MEAN | 259 | 415 | 468 | 154 | 1,180 | 238 | 435 | 228 | 707 | 111 | 116 | 260 |
| MAX | 1,560 | 1,540 | 1,780 | 585 | 9,520 | 771 | 1,380 | 1,070 | 5,950 | 580 | 636 | 1,230 |
| MIN | 24 | 79 | 63 | 38 | 130 | 108 | 95 | 81 | 63 | 35 | 23 | 35 |
| CFSM | 1.49 | 2.40 | 2.71 | 0.89 | 6.82 | 1.38 | 2.51 | 1.32 | 4.08 | 0.64 | 0.67 | 1.51 |
| IN. | 1.72 | 2.67 | 3.12 | 1.03 | 7.10 | 1.59 | 2.80 | 1.52 | 4.56 | 0.74 | 0.78 | 1.68 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1940 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 73.5 | 203 | 400 | 470 | 580 | 576 | 388 | 276 | 204 | 124 | 85.6 | 109 |
| MAX | 636 | 1,047 | 2,540 | 1,779 | 1,588 | 1,787 | 856 | 1,464 | 800 | 751 | 502 | 1,114 |
| (WY) | (1976) | (1952) | (1979) | (1950) | (1989) | (1975) | (1972) | (1983) | (1950) | (1967) | (1967) | (1979) |
| MIN | 1.38 | 8.92 | 18.6 | 26.5 | 61.1 | 91.0 | 70.1 | 39.8 | 14.6 | 10.0 | 4.25 | 2.09 |
| (WY) | (1954) | (1954) | (1954) | (1981) | (1941) | (1941) | (1986) | (1941) | (1988) | (1944) | (1991) | (1953) |

03307000 RUSSELL CREEK NEAR COLUMBIA, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1940 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 105,996.0 | | 136,344 | | 289 | |
| ANNUAL MEAN | 290 | | 374 | | 118 | |
| HIGHEST ANNUAL MEAN | | | | | 651 1979 | |
| LOWEST ANNUAL MEAN | | | | | 118 1941 | |
| HIGHEST DAILY MEAN | 7,780 | May 18 | 9,520 | Feb 16 | 25,000 | Dec 9, 1978 |
| LOWEST DAILY MEAN | 4.5 | Sep 13 | 23 | Aug 29 | 0.40 | Sep 25, 1952 |
| ANNUAL SEVEN-DAY MINIMUM | 5.2 | Sep 8 | 28 | Aug 23 | 0.47 | Oct 19, 1953 |
| MAXIMUM PEAK FLOW | | | 12,600 | Feb 16 | 40,600 | Sep 1, 1982 |
| MAXIMUM PEAK STAGE | | | 18.96 | Feb 16 | 26.12 | Sep 1, 1982 |
| INSTANTANEOUS LOW FLOW | | | | | 5.7 | Sep 2, 1993 |
| ANNUAL RUNOFF (CFSM) | 1.68 | | 2.16 | | 1.67 | |
| ANNUAL RUNOFF (INCHES) | 22.79 | | 29.32 | | 22.71 | |
| 10 PERCENT EXCEEDS | 692 | | 765 | | 628 | |
| 50 PERCENT EXCEEDS | 105 | | 173 | | 100 | |
| 90 PERCENT EXCEEDS | 15 | | 46 | | 15 | |

e Estimated



03307000 RUSSELL CREEK NEAR COLUMBIA, KY—Continued

WATER-QUALITY RECORDS

PERIOD OF DAILY RECORD.--December 22, 1999 to current year.

GAGE.--Water-temperature recorder with telemetry.

REMARKS.--Records good.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

EXTREMES FOR CURRENT YEAR.--Maximum recorded water-temperature discharge, 27.4°C, July 8, minimum recorded water-temperature, 0.0°C, several days in Jan.

EXTREMES FOR PERIOD OF DAILY RECORD.--Maximum recorded water-temperature, 31.3°C, Sept. 10, 2003, minimum recorded 0.0°C, many days in Dec. and Jan.

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.3 | 20.0 | 20.6 | 12.0 | 10.7 | 11.6 | 4.9 | 3.4 | 4.0 | 9.4 | 8.7 | 9.1 |
| 2 | 22.6 | 19.9 | 21.2 | 10.7 | 9.5 | 9.9 | 3.9 | 2.9 | 3.4 | 9.0 | 8.2 | 8.5 |
| 3 | 23.2 | 20.6 | 21.9 | 9.9 | 9.4 | 9.7 | 3.6 | 2.9 | 3.2 | 8.2 | 6.1 | 7.2 |
| 4 | 22.2 | 21.6 | 21.9 | 10.1 | 9.7 | 9.9 | 3.0 | 1.5 | 2.2 | 6.1 | 5.3 | 5.7 |
| 5 | 22.0 | 19.4 | 20.8 | 12.5 | 10.0 | 11.0 | 3.5 | 2.1 | 2.7 | 7.0 | 5.8 | 6.4 |
| 6 | 20.6 | 17.4 | 19.1 | 12.4 | 11.5 | 12.1 | 3.6 | 3.0 | 3.3 | 6.9 | 5.7 | 6.6 |
| 7 | 19.4 | 16.8 | 18.5 | 11.5 | 10.9 | 11.3 | 3.0 | 2.0 | 2.5 | 5.7 | 4.7 | 5.1 |
| 8 | 18.2 | 15.2 | 16.6 | 11.4 | 10.4 | 11.0 | 3.6 | 2.2 | 2.9 | 5.8 | 4.6 | 5.2 |
| 9 | 17.8 | 16.5 | 17.2 | 13.1 | 11.3 | 12.2 | 3.9 | 2.7 | 3.4 | 6.9 | 5.7 | 6.3 |
| 10 | 18.5 | 17.4 | 17.9 | 15.8 | 13.1 | 14.6 | 4.5 | 3.7 | 4.1 | 6.6 | 4.8 | 5.8 |
| 11 | 18.6 | 18.0 | 18.3 | 15.5 | 14.5 | 15.2 | 6.4 | 4.4 | 5.5 | 4.8 | 2.4 | 3.6 |
| 12 | 19.3 | 18.4 | 18.8 | 14.5 | 12.6 | 13.5 | 7.1 | 6.4 | 6.8 | 2.4 | 1.1 | 1.6 |
| 13 | 19.3 | 17.4 | 18.7 | 12.6 | 11.3 | 11.9 | 7.4 | 6.7 | 7.0 | 1.8 | 0.6 | 1.1 |
| 14 | 17.4 | 15.6 | 16.2 | 11.3 | 10.3 | 10.8 | 7.4 | 7.2 | 7.3 | 1.8 | 1.0 | 1.4 |
| 15 | 15.7 | 15.3 | 15.5 | 11.0 | 10.0 | 10.4 | --- | --- | 7.1 | 1.0 | 0.2 | 0.6 |
| 16 | 15.4 | 14.3 | 14.8 | 11.1 | 10.3 | 10.8 | --- | --- | --- | 0.7 | 0.2 | 0.5 |
| 17 | 14.3 | 13.2 | 13.7 | 10.3 | 8.8 | 9.6 | --- | --- | --- | 0.4 | 0.0 | 0.1 |
| 18 | 13.6 | 12.3 | 13.0 | 9.0 | 7.9 | 8.5 | 9.7 | 8.9 | 9.3 | 0.1 | 0.0 | 0.0 |
| 19 | 13.9 | 13.1 | 13.5 | 10.7 | 9.0 | 9.9 | 10.5 | 9.7 | 10.0 | 0.2 | 0.0 | 0.0 |
| 20 | 14.0 | 13.7 | 13.9 | 10.6 | 9.4 | 10.1 | 10.4 | 8.7 | 9.7 | 0.7 | 0.0 | 0.3 |
| 21 | 14.4 | 13.3 | 13.8 | 11.1 | 9.9 | 10.5 | 8.7 | 7.5 | 7.8 | 1.4 | 0.6 | 0.9 |
| 22 | 14.6 | 13.3 | 13.9 | 10.5 | 8.8 | 9.7 | 8.1 | 7.5 | 7.8 | 1.2 | 0.0 | 0.6 |
| 23 | 14.2 | 12.6 | 13.4 | 8.8 | 7.4 | 7.9 | 7.5 | 6.6 | 6.8 | 0.3 | 0.0 | 0.1 |
| 24 | 14.4 | 13.3 | 13.8 | 8.1 | 6.7 | 7.4 | 6.8 | 6.4 | 6.6 | 0.2 | 0.0 | 0.0 |
| 25 | 14.9 | 14.2 | 14.5 | 7.5 | 7.0 | 7.3 | 6.7 | 4.9 | 5.8 | 0.3 | 0.0 | 0.1 |
| 26 | 15.1 | 14.6 | 14.9 | 7.2 | 6.5 | 7.0 | 4.9 | 4.0 | 4.4 | 0.1 | 0.0 | 0.0 |
| 27 | 15.2 | 14.4 | 14.7 | 6.5 | 5.6 | 6.1 | 4.2 | 3.4 | 3.9 | 0.1 | 0.0 | 0.0 |
| 28 | 14.7 | 13.9 | 14.4 | 5.6 | 4.4 | 5.1 | 4.8 | 3.6 | 4.2 | 0.2 | 0.0 | 0.1 |
| 29 | 15.3 | 14.3 | 14.8 | 5.5 | 3.8 | 4.7 | 5.7 | 4.3 | 5.1 | 0.2 | 0.1 | 0.1 |
| 30 | 15.1 | 13.2 | 14.2 | 6.4 | 4.9 | 5.6 | 7.4 | 5.5 | 6.4 | 0.7 | 0.1 | 0.3 |
| 31 | 13.2 | 12.0 | 12.5 | --- | --- | --- | 8.7 | 7.4 | 7.9 | 3.0 | 0.7 | 1.7 |
| MONTH | 23.2 | 12.0 | 16.4 | 15.8 | 3.8 | 9.8 | 10.5 | 1.5 | 5.6 | 9.4 | 0.0 | 2.5 |

03308500 GREEN RIVER AT MUNFORDVILLE, KY

LOCATION.--Lat 37°16'05", long 85°53'10", Hart County, Hydrologic Unit 05110001, on right, bank at downstream side of pier of bridge on U.S. Highway 31W at Munfordsville, and at mile 225.9.

DRAINAGE AREA.--1,673 mi², of which about 180 mi² does not contribute directly to surface runoff.

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--February 1915 to December 1922, October to September 1931, December 1936 to February 1937 (in WSP 838), October 1937 to current year. Monthly discharge only October 1937 to March 1938, published in WSP 1305. Gage- height records collected at same site since 1924 are contained in reports of National Weather Service.

REVISED RECORDS.--WSP 1555: 1916(M), drainage area, WSP 1909: 1937.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 451.70 ft above NGVD of 1929. See WRD-KY-90-1 for history of changes prior to Nov. 29, 1940.

REMARKS.--Records good except for estimated daily discharges, which are poor. Flow regulated by Green River Lake beginning February 1969 (station 03305990).

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of January 1913 reached a stage of 54.0 ft at former site, discharge, 67,000 ft/s.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|
| 1 | 1,070 | 2,640 | 1,120 | 8,100 | 2,160 | 9,950 | 2,290 | 2,380 | 1,040 | 935 | 1,690 | 2,490 |
| 2 | 855 | 2,020 | 1,050 | 8,300 | 2,080 | 9,770 | 1,940 | 1,980 | 957 | 896 | 1,330 | 4,610 |
| 3 | 751 | 1,670 | 1,000 | 5,670 | 2,020 | 9,210 | 1,690 | 1,760 | 1,020 | 875 | 1,310 | 7,330 |
| 4 | 695 | 1,480 | 1,740 | 3,720 | 2,650 | 8,870 | 1,510 | 1,710 | 1,590 | 830 | 1,440 | 7,390 |
| 5 | 659 | 1,610 | 5,210 | 3,100 | 4,490 | 8,790 | 1,640 | 1,850 | 1,390 | 797 | 1,270 | 6,180 |
| 6 | 637 | 7,620 | 7,210 | 3,050 | 4,060 | 8,930 | 1,850 | 2,960 | 1,170 | 770 | 1,820 | 4,350 |
| 7 | 607 | 6,970 | 5,490 | 4,050 | 4,690 | 9,070 | 4,930 | 4,980 | 7,600 | 771 | 1,410 | 3,430 |
| 8 | 581 | 4,140 | 3,990 | 5,490 | 3,740 | 9,060 | 7,740 | 10,500 | 15,400 | 713 | 1,020 | 2,920 |
| 9 | 565 | 4,230 | 2,870 | 5,940 | 1,640 | 8,740 | 5,160 | 7,110 | 8,770 | 609 | 1,190 | 1,920 |
| 10 | 974 | 8,380 | 1,700 | 4,100 | 1,350 | 7,110 | 10,400 | 5,620 | 7,260 | 1,530 | 846 | 1,100 |
| 11 | 9,450 | 14,200 | 2,580 | 2,850 | 1,840 | 6,650 | 13,200 | 4,680 | 7,800 | 3,960 | 729 | 797 |
| 12 | 8,820 | 13,500 | 6,360 | 2,570 | 3,430 | 6,540 | 10,300 | 3,660 | 11,700 | 2,430 | 837 | 697 |
| 13 | 4,050 | 9,200 | 4,310 | 1,840 | 3,450 | 6,470 | 8,250 | 2,840 | 10,100 | 1,410 | 888 | 633 |
| 14 | 3,560 | 7,840 | 7,030 | 1,640 | 3,400 | 5,960 | 7,290 | 2,540 | 8,460 | 1,130 | 585 | 597 |
| 15 | 4,940 | 7,520 | 8,270 | 1,160 | 9,900 | 5,100 | 6,300 | 2,120 | 9,770 | 1,160 | 508 | 892 |
| 16 | 5,940 | 9,730 | 5,910 | 1,030 | 22,400 | 4,380 | 5,030 | 4,140 | 9,370 | 908 | 579 | 901 |
| 17 | 5,800 | 8,600 | 5,600 | 1,000 | 27,000 | 3,640 | 4,270 | 4,270 | 10,800 | 813 | 459 | 534 |
| 18 | 3,770 | 5,540 | 7,450 | 939 | 22,800 | 3,010 | 6,720 | 7,520 | 11,200 | 738 | 400 | 479 |
| 19 | 1,840 | 3,850 | 7,490 | 930 | 10,300 | 2,790 | 7,080 | 6,620 | 11,900 | 699 | 369 | 454 |
| 20 | 1,660 | 3,760 | 8,720 | 854 | 5,980 | 7,030 | 6,580 | 6,870 | 9,830 | 674 | 357 | 428 |
| 21 | 1,660 | 4,600 | 6,860 | 835 | 6,240 | 5,110 | 7,000 | 7,240 | 7,520 | 667 | 345 | 376 |
| 22 | 1,600 | 5,130 | 7,170 | 821 | 8,820 | 4,260 | 7,510 | 7,640 | 5,270 | 722 | 367 | 4,440 |
| 23 | 1,480 | 5,330 | 7,830 | 799 | 14,100 | 4,460 | 5,650 | 6,600 | 3,770 | 743 | 473 | 7,370 |
| 24 | 1,020 | 5,150 | 7,210 | 784 | 11,800 | 4,140 | 3,840 | 4,340 | 2,770 | 950 | 487 | 4,010 |
| 25 | 881 | 5,010 | 5,850 | 798 | 8,210 | 3,490 | 3,480 | 2,120 | 2,230 | 779 | 466 | 2,110 |
| 26 | 835 | 4,320 | 4,130 | 749 | 6,460 | 2,570 | 4,480 | 1,780 | 1,430 | 683 | 449 | 1,530 |
| 27 | 802 | 3,180 | 2,720 | 719 | 6,710 | 1,980 | 3,870 | 1,580 | 1,430 | 632 | 447 | 1,760 |
| 28 | 1,030 | 2,360 | 2,400 | 724 | 8,700 | 1,670 | 3,350 | 1,420 | 1,320 | 614 | 433 | 2,750 |
| 29 | 3,050 | 1,630 | 3,190 | 761 | --- | 1,860 | 2,740 | 1,320 | 1,160 | 902 | 425 | 2,210 |
| 30 | 5,010 | 1,220 | 5,430 | 1,360 | --- | 4,000 | 2,310 | 1,230 | 1,030 | 3,250 | 470 | 1,650 |
| 31 | 3,950 | --- | 7,640 | 1,840 | --- | 3,000 | --- | 1,130 | --- | 1,560 | 892 | --- |
| TOTAL | 78,542 | 162,430 | 155,530 | 76,523 | 210,420 | 177,610 | 158,400 | 122,510 | 175,057 | 34,150 | 24,291 | 76,338 |
| MEAN | 2,534 | 5,414 | 5,017 | 2,468 | 7,515 | 5,729 | 5,280 | 3,952 | 5,835 | 1,102 | 784 | 2,545 |
| MAX | 9,450 | 14,200 | 8,720 | 8,300 | 27,000 | 9,950 | 13,200 | 10,500 | 15,400 | 3,960 | 1,820 | 7,390 |
| MIN | 565 | 1,220 | 1,000 | 719 | 1,350 | 1,670 | 1,510 | 1,130 | 957 | 609 | 345 | 376 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1970 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,273 | 2,425 | 4,014 | 4,501 | 5,455 | 4,985 | 3,665 | 3,270 | 2,401 | 1,053 | 844 | 1,221 |
| MAX | 5,337 | 5,414 | 12,800 | 12,130 | 13,610 | 12,040 | 8,632 | 13,250 | 7,209 | 3,132 | 3,642 | 6,104 |
| (WY) | (1976) | (2003) | (1979) | (1974) | (1989) | (1975) | (1994) | (1983) | (1997) | (1973) | (1977) | (1979) |
| MIN | 193 | 210 | 545 | 255 | 1,952 | 1,066 | 552 | 487 | 214 | 280 | 202 | 152 |
| (WY) | (2001) | (1972) | (1981) | (1981) | (1992) | (1983) | (1986) | (1988) | (1988) | (1993) | (1993) | (1999) |

03308500 GREEN RIVER AT MUNFORDVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1970 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 1,055,024 | | 1,451,801 | | 2,912 | |
| ANNUAL MEAN | 2,890 | | 3,978 | | 5,285 | |
| HIGHEST ANNUAL MEAN | | | | | 1,233 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 62,800 | 2000 |
| HIGHEST DAILY MEAN | 21,400 | Mar 21 | 27,000 | Feb 17 | 136 | May 8, 1984 |
| LOWEST DAILY MEAN | 186 | Sep 25 | 345 | Aug 21 | 142 | Oct 4, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 197 | Sep 15 | 396 | Aug 17 | 76,800 | Sep 9, 1999 |
| MAXIMUM PEAK FLOW | | | 27,700 | Feb 17 | 57.72 | Mar 1, 1962 |
| MAXIMUM PEAK STAGE | | | 32.99 | Feb 17 | 157 | Jul 8, 1988 |
| INSTANTANEOUS LOW FLOW | | | | | 7,030 | |
| 10 PERCENT EXCEEDS | 7,460 | | 8,750 | | 1,430 | |
| 50 PERCENT EXCEEDS | 1,070 | | 2,790 | | 281 | |
| 90 PERCENT EXCEEDS | 324 | | 696 | | | |



03308500 GREEN RIVER AT MUNFORDVILLE, KY—Continued

WATER-QUALITY RECORDS

PERIOD OF DAILY RECORD.--WATER-TEMPERATURE; Water years 1950-77, 1980, 1983-90, August 1992 to September 1994, December 22, 1999 to September 30, 2000.

GAGE.--Water-temperature recorder with telemetry.

REMARKS.--Records fair.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

EXTREMES FOR PERIOD OF DAILY RECORD.--Maximum daily, 29°C, July 13-17, 1980; minimum daily 0.0°C on many days during winter periods.

EXTREMES FOR CURRENT YEAR.--Maximum recorded water temperature 27.9°C, Sept. 2, minimum recorded, 3.9°C, Feb. 13-15.

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.8 | 21.7 | 21.8 | 14.9 | 14.4 | 14.7 | 9.9 | 9.1 | 9.5 | 8.0 | 7.8 | 7.8 |
| 2 | 21.9 | 21.7 | 21.8 | 14.4 | 13.4 | 13.8 | 9.1 | 8.7 | 8.9 | 8.3 | 8.0 | 8.2 |
| 3 | 21.8 | 21.8 | 21.8 | 13.4 | 12.8 | 13.1 | 8.7 | 8.4 | 8.6 | 8.4 | 8.2 | 8.4 |
| 4 | 21.8 | 21.5 | 21.6 | 12.8 | 12.5 | 12.6 | 8.4 | 7.9 | 8.3 | 8.4 | 8.3 | 8.3 |
| 5 | 21.5 | 21.4 | 21.5 | 12.5 | 12.4 | 12.5 | 8.5 | 7.7 | 8.0 | 8.3 | 8.1 | 8.1 |
| 6 | 21.4 | 21.3 | 21.4 | 12.9 | 12.5 | 12.7 | 8.6 | 8.2 | 8.4 | 8.4 | 8.2 | 8.3 |
| 7 | 21.3 | 21.1 | 21.2 | 13.0 | 12.8 | 12.9 | 8.2 | 7.8 | 7.9 | 8.3 | 7.7 | 8.0 |
| 8 | 21.1 | 20.4 | 20.6 | 12.8 | 12.4 | 12.5 | 7.9 | 7.8 | 7.8 | 7.7 | 7.3 | 7.5 |
| 9 | 20.4 | 20.1 | 20.2 | 12.6 | 12.4 | 12.4 | 7.9 | 7.8 | 7.9 | 7.3 | 7.2 | 7.2 |
| 10 | 20.1 | 19.9 | 20.1 | 13.8 | 12.6 | 13.0 | 8.1 | 7.9 | 8.0 | 7.4 | 7.3 | 7.4 |
| 11 | 20.5 | 19.7 | 20.1 | 14.2 | 13.8 | 14.0 | 8.1 | 7.9 | 8.0 | 7.4 | 7.2 | 7.3 |
| 12 | 20.8 | 20.5 | 20.7 | 14.2 | 13.8 | 14.0 | 8.1 | 7.9 | 7.9 | 7.2 | 6.7 | 6.9 |
| 13 | 20.9 | 20.7 | 20.8 | 13.8 | 13.4 | 13.6 | 8.6 | 8.1 | 8.3 | 6.7 | 6.2 | 6.4 |
| 14 | 20.8 | 19.8 | 20.3 | 13.4 | 13.1 | 13.2 | 8.8 | 8.6 | 8.7 | 6.2 | 6.2 | 6.2 |
| 15 | 19.8 | 19.1 | 19.3 | 13.1 | 12.9 | 13.0 | 8.7 | 8.6 | 8.6 | 6.2 | 6.1 | 6.2 |
| 16 | 19.5 | 19.1 | 19.3 | 12.9 | 12.4 | 12.7 | 8.8 | 8.6 | 8.7 | 6.2 | 6.2 | 6.2 |
| 17 | 19.5 | 19.1 | 19.3 | 12.4 | 11.9 | 12.1 | 9.0 | 8.8 | 8.9 | 6.2 | 6.1 | 6.2 |
| 18 | 19.1 | 18.3 | 18.5 | 11.9 | 11.3 | 11.6 | 9.2 | 9.0 | 9.1 | 6.3 | 6.2 | 6.2 |
| 19 | 18.3 | 17.7 | 18.0 | 11.4 | 11.2 | 11.3 | 9.4 | 9.2 | 9.3 | 6.3 | 6.1 | 6.2 |
| 20 | 17.7 | 17.3 | 17.5 | 11.5 | 11.4 | 11.4 | 9.7 | 9.4 | 9.5 | 6.1 | 6.1 | 6.1 |
| 21 | 17.3 | 17.0 | 17.1 | 12.0 | 11.5 | 11.7 | 9.9 | 9.7 | 9.8 | 6.2 | 6.1 | 6.1 |
| 22 | 17.0 | 16.7 | 16.8 | 12.1 | 12.0 | 12.0 | 9.8 | 9.3 | 9.6 | 6.1 | 6.0 | 6.1 |
| 23 | 16.8 | 16.4 | 16.6 | 12.0 | 11.5 | 11.7 | 9.3 | 8.8 | 9.1 | 6.0 | 5.8 | 5.9 |
| 24 | 16.5 | 16.2 | 16.3 | 11.5 | 11.3 | 11.4 | 8.8 | 8.6 | 8.7 | 5.8 | 5.7 | 5.7 |
| 25 | 16.3 | 16.2 | 16.3 | 11.4 | 11.4 | 11.4 | 8.6 | 8.5 | 8.6 | 5.8 | 5.8 | 5.8 |
| 26 | 16.3 | 16.2 | 16.2 | 11.4 | 11.2 | 11.3 | 8.5 | 8.1 | 8.3 | 5.8 | 5.7 | 5.8 |
| 27 | 16.3 | 16.1 | 16.2 | 11.2 | 10.8 | 11.0 | 8.1 | 7.9 | 8.0 | 5.8 | 5.6 | 5.8 |
| 28 | 16.1 | 15.9 | 16.0 | 10.8 | 10.4 | 10.6 | 7.9 | 7.8 | 7.8 | 5.7 | 5.5 | 5.6 |
| 29 | 16.1 | 15.9 | 16.0 | 10.4 | 9.9 | 10.1 | 7.8 | 7.6 | 7.8 | 5.5 | 5.2 | 5.4 |
| 30 | 16.0 | 15.7 | 15.8 | 9.9 | 9.9 | 9.9 | 7.8 | 7.6 | 7.7 | 5.2 | 5.2 | 5.2 |
| 31 | 15.7 | 14.9 | 15.3 | --- | --- | --- | 7.9 | 7.8 | 7.9 | 5.2 | 5.0 | 5.1 |
| MONTH | 21.9 | 14.9 | 18.9 | 14.9 | 9.9 | 12.3 | 9.9 | 7.6 | 8.5 | 8.4 | 5.0 | 6.6 |

03310300 NOLIN RIVER AT WHITE MILLS, KY

LOCATION.--Lat 37°33'03", long 86°02'43", Hardin County, Hydrologic Unit 05110001, on right bank, 0.8 mi southwest of White Mills, 1.6 mi downstream from bridge on State Highway 84, and at mile 78.7.

DRAINAGE AREA.--357 mi², of which about 120 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--October 1959 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 583.08 ft above NGVD of 1929. Prior to Jan. 8, 1960, nonrecording gage at same site and datum.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 1500 | 3,970 | 13.14 | Apr 10 | 1200 | 4,190 | 13.74 |
| Dec 20 | 0700 | 3,900 | 12.97 | May 6 | 0700 | 4,750 | 15.21 |
| Jan 1 | 1100 | 3,020 | 10.54 | May 7 | 1600 | 4,010 | 13.26 |
| Feb 16 | 1500 | *8,090 | *22.80 | Aug 3 | 1700 | 2,550 | 9.47 |
| Feb 23 | 0700 | 4,790 | 15.31 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|
| 1 | 408 | 572 | 252 | 2,610 | 261 | 1,240 | 435 | 565 | e266 | e289 | 377 | e233 |
| 2 | 336 | 491 | 239 | 1,880 | 262 | 1,120 | 411 | 508 | e252 | e290 | 172 | e353 |
| 3 | 282 | 442 | 229 | 1,390 | 256 | 1,000 | 385 | 468 | e264 | e266 | 1,280 | e1,030 |
| 4 | 249 | 411 | 223 | 1,100 | 338 | 906 | 373 | 426 | e800 | 240 | 721 | e3,820 |
| 5 | 234 | 787 | 223 | 950 | 390 | 844 | 487 | 1,680 | e325 | 223 | 931 | e4,690 |
| 6 | 214 | 1,860 | 222 | 825 | 337 | 787 | 545 | 4,280 | e288 | 260 | 509 | e2,760 |
| 7 | 192 | 1,060 | 207 | 718 | 326 | 728 | 804 | 3,370 | e1,020 | 628 | 311 | e925 |
| 8 | 176 | 823 | 203 | 666 | 309 | 673 | 1,020 | e2,420 | e3,610 | e300 | 247 | e534 |
| 9 | 161 | 696 | 206 | 620 | 285 | 633 | 1,070 | e1,470 | e5,070 | e240 | 213 | e403 |
| 10 | 246 | 1,130 | 215 | 560 | 284 | 587 | 3,800 | e1,000 | e2,220 | e900 | 231 | e278 |
| 11 | 3,170 | 2,080 | 484 | 502 | 291 | 554 | 2,750 | e1,470 | e1,030 | e1,520 | 351 | e223 |
| 12 | 3,010 | 1,170 | 610 | 454 | 289 | 529 | 1,640 | e2,470 | e1,630 | e1,790 | 230 | e204 |
| 13 | 1,310 | 837 | 682 | 423 | 279 | 514 | 1,240 | e1,130 | e1,560 | e327 | 182 | e191 |
| 14 | 944 | 706 | 1,200 | 403 | 274 | 489 | 1,020 | e487 | e1,090 | e282 | 154 | e184 |
| 15 | 754 | 651 | 922 | 380 | 3,320 | 463 | 873 | e430 | e1,200 | e286 | 137 | e241 |
| 16 | 648 | 843 | 768 | 356 | 7,580 | 441 | 774 | e675 | e2,420 | e270 | 126 | e242 |
| 17 | 557 | 730 | 662 | 343 | 5,170 | 422 | 819 | e690 | e3,750 | e246 | 115 | e170 |
| 18 | 487 | 625 | 591 | 323 | 2,580 | 412 | 1,470 | e1,580 | e4,350 | e212 | 107 | e158 |
| 19 | 432 | 555 | 1,230 | 307 | 1,860 | 559 | 941 | e1,270 | e2,220 | e204 | 97 | e153 |
| 20 | 415 | 505 | 3,330 | 296 | 1,730 | 1,000 | 775 | e870 | e1,180 | e199 | 91 | e147 |
| 21 | 405 | 473 | 1,660 | 287 | 1,790 | 781 | 729 | e984 | e1,010 | e198 | 83 | e135 |
| 22 | 361 | 446 | 1,170 | 297 | 3,100 | 698 | 755 | e1,550 | e794 | e209 | 84 | e593 |
| 23 | 326 | 404 | 931 | 264 | 4,380 | 625 | 637 | e1,460 | e527 | e213 | 83 | e2,760 |
| 24 | 300 | 372 | 966 | 242 | 2,580 | 573 | 569 | e776 | 428 | e251 | 81 | e1,090 |
| 25 | 280 | 348 | 1,540 | 235 | 1,910 | 534 | 547 | e635 | 389 | e220 | 75 | e802 |
| 26 | 268 | 327 | 1,020 | 232 | 1,590 | 510 | 1,600 | e382 | 362 | e201 | 70 | e346 |
| 27 | 255 | 311 | 850 | 221 | 1,370 | 494 | 979 | e354 | 489 | e90 | e151 | e380 |
| 28 | 251 | 293 | 766 | 210 | 1,380 | 459 | 733 | e329 | 405 | 87 | e148 | e514 |
| 29 | 457 | 281 | 692 | 236 | --- | 461 | 640 | e312 | 334 | 110 | e146 | e442 |
| 30 | 1,090 | 269 | 633 | 310 | --- | 562 | 577 | e298 | 300 | 102 | e156 | e364 |
| 31 | 738 | --- | 736 | 279 | --- | 476 | --- | e281 | --- | 110 | e173 | --- |
| TOTAL | 18,956 | 20,498 | 23,662 | 17,919 | 44,521 | 20,074 | 29,398 | 34,620 | 39,583 | 10,763 | 7,832 | 24,365 |
| MEAN | 611 | 683 | 763 | 578 | 1,590 | 648 | 980 | 1,117 | 1,319 | 347 | 253 | 812 |
| MAX | 3,170 | 2,080 | 3,330 | 2,610 | 7,580 | 1,240 | 3,800 | 4,280 | 5,070 | 1,790 | 1,280 | 4,690 |
| MIN | 161 | 269 | 203 | 210 | 256 | 412 | 373 | 281 | 252 | 87 | 70 | 135 |
| CFSM | 2.58 | 2.88 | 3.22 | 2.44 | 6.71 | 2.73 | 4.13 | 4.71 | 5.57 | 1.46 | 1.07 | 3.43 |
| IN. | 2.98 | 3.22 | 3.71 | 2.81 | 6.99 | 3.15 | 4.61 | 5.43 | 6.21 | 1.69 | 1.23 | 3.82 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1960 - 2003, BY WATER YEAR (WY)

| | 159 | 283 | 613 | 665 | 879 | 979 | 758 | 593 | 364 | 242 | 171 | 205 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 159 | 283 | 613 | 665 | 879 | 979 | 758 | 593 | 364 | 242 | 171 | 205 |
| MAX | 692 | 1,206 | 2,356 | 1,603 | 3,807 | 3,353 | 2,447 | 2,715 | 1,630 | 972 | 966 | 2,258 |
| (WY) | (1978) | (1989) | (1979) | (1974) | (1989) | (1997) | (1972) | (1983) | (1997) | (1967) | (1967) | (1979) |
| MIN | 37.0 | 44.3 | 44.7 | 55.5 | 156 | 228 | 200 | 131 | 71.9 | 83.2 | 48.6 | 35.6 |
| (WY) | (1970) | (2000) | (1964) | (1981) | (1964) | (1983) | (1986) | (1976) | (1988) | (1994) | (1999) | (1999) |

03310300 NOLIN RIVER AT WHITE MILLS, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1960 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 219,468 | | 292,191 | | 491 | |
| ANNUAL MEAN | 601 | | 801 | | 217 | |
| HIGHEST ANNUAL MEAN | | | | | 971 1979 | |
| LOWEST ANNUAL MEAN | | | | | 217 1999 | |
| HIGHEST DAILY MEAN | 7,810 | Mar 21 | 7,580 | Feb 16 | 20,000 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 46 | Aug 16 | 70 | Aug 26 | 27 | Oct 23, 1998 |
| ANNUAL SEVEN-DAY MINIMUM | 49 | Aug 11 | 81 | Aug 20 | 31 | Oct 17, 1998 |
| MAXIMUM PEAK FLOW | | | 8,090 | Feb 16 | 24,500 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 22.80 | Feb 16 | 36.46 | Mar 2, 1997 |
| INSTANTANEOUS LOW FLOW | | | 68 | Aug 26 | 31 | Oct 1, 1959 |
| ANNUAL RUNOFF (CFSM) | 2.54 | | 3.38 | | 2.07 | |
| ANNUAL RUNOFF (INCHES) | 34.45 | | 45.86 | | 28.13 | |
| 10 PERCENT EXCEEDS | 1,280 | | 1,700 | | 1,070 | |
| 50 PERCENT EXCEEDS | 354 | | 487 | | 242 | |
| 90 PERCENT EXCEEDS | 103 | | 199 | | 60 | |

e Estimated



03311000 NOLIN RIVER AT KYROCK, KY

LOCATION.--Lat 37°16'42", long 86°14'51", Edmonson County, Hydrologic Unit 05110001, in intake structure of Nolin River Dam on Nolin River, 0.3 mi upstream from Dismal Creek, 1.1 mi northeast of Kyrock, and at mile 7.8.

DRAINAGE AREA.--703 mi², of which about 223 mi² does not contribute directly to surface runoff. Area at site used Oct. 1, 1960, to Sept. 30, 1973, 707 mi².

PERIOD OF RECORD.--October 1930 to March 1932, July 1939 to September 1950, October 1960 to current year.

GAGE.--Water-stage recorder with telemetry and outflow gate dials. Datum of gage is 400 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Sept. 30, 1973.

REMARKS.--Water-discharge records not rated, (see COOPERATION). Maximum gage height for period of record affected by backwater from the Green River. Flow regulated since March 1963 by Nolin Lake (station 03310900). Discharge records computed using gate openings.

COOPERATION.--Record of discharge furnished by U.S. Army Corps of Engineers, Louisville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Maximum stage known since 1854, 26.35 ft, in January 1937, from floodmarks, at site and datum used in 1939-50.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | 4,050 | 2,600 | 994 | 1,480 | 41 | 4,590 | 112 | 551 | 535 | 356 | 267 | 120 |
| 2 | 5,570 | 3,160 | 662 | 2,110 | 41 | 4,580 | 48 | 718 | 535 | 267 | 267 | 706 |
| 3 | 4,240 | 3,130 | 497 | 3,020 | 41 | 4,560 | 48 | 819 | 535 | 267 | 358 | 1,100 |
| 4 | 1,830 | 3,110 | 497 | 4,010 | 41 | 4,540 | 48 | 819 | 536 | 267 | 539 | 552 |
| 5 | 723 | 2,570 | 497 | 4,020 | 656 | 4,510 | 48 | 1,150 | 921 | 267 | 1,290 | 851 |
| 6 | 529 | 1,720 | 496 | 3,980 | 979 | 4,490 | 49 | 3,330 | 1,090 | 267 | 1,660 | 1,950 |
| 7 | 727 | 2,060 | 496 | 3,530 | 977 | 4,460 | 49 | 4,310 | 903 | 267 | 1,660 | 2,260 |
| 8 | 1,070 | 2,060 | 496 | 2,410 | 975 | 4,430 | 50 | 2,930 | 535 | 268 | 1,660 | 2,870 |
| 9 | 822 | 2,060 | 496 | 1,670 | 585 | 4,400 | 50 | 1,690 | 402 | 458 | 1,250 | 3,380 |
| 10 | 533 | 2,050 | 496 | 998 | 35 | 4,370 | 51 | 3,240 | 813 | 557 | 534 | 3,360 |
| 11 | 865 | 1,550 | 497 | 811 | 50 | 4,340 | 196 | 5,280 | 1,090 | 995 | 367 | 2,540 |
| 12 | 1,140 | 1,050 | 851 | 819 | 58 | 4,300 | 270 | 6,200 | 684 | 1,100 | 268 | 1,630 |
| 13 | 2,120 | 1,050 | 998 | 779 | 58 | 3,990 | 273 | 6,180 | 273 | 1,100 | 614 | 1,120 |
| 14 | 3,220 | 1,050 | 1,000 | 644 | 112 | 3,420 | 1,070 | 4,610 | 700 | 1,460 | 820 | 1,120 |
| 15 | 4,280 | 1,050 | 1,010 | 486 | 143 | 2,870 | 2,840 | 2,560 | 1,410 | 1,660 | 819 | 703 |
| 16 | 4,490 | 1,060 | 1,700 | 486 | 151 | 2,340 | 3,910 | 2,830 | 1,410 | 1,300 | 394 | 532 |
| 17 | 4,460 | 1,060 | 1,990 | 486 | 158 | 1,790 | 3,890 | 3,370 | 1,420 | 919 | 200 | 532 |
| 18 | 4,430 | 1,780 | 1,990 | 486 | 163 | 1,210 | 2,350 | 5,120 | 1,420 | 428 | 201 | 532 |
| 19 | 3,330 | 2,690 | 1,140 | 486 | 166 | 1,040 | 2,020 | 6,160 | 1,430 | 267 | 201 | 531 |
| 20 | 2,740 | 3,110 | 509 | 486 | 167 | 1,040 | 1,440 | 4,340 | 1,430 | 267 | 201 | 531 |
| 21 | 2,720 | 3,080 | 2,580 | 344 | 1,130 | 1,290 | 964 | 2,780 | 1,750 | 267 | 201 | 530 |
| 22 | 1,610 | 2,540 | 3,600 | 486 | 681 | 1,530 | 1,650 | 2,560 | 3,300 | 268 | 201 | 532 |
| 23 | 2,010 | 2,020 | 3,580 | 486 | 174 | 1,530 | 1,650 | 2,040 | 3,650 | 435 | 715 | 541 |
| 24 | 1,600 | 2,010 | 3,560 | 486 | 177 | 1,530 | 1,270 | 1,120 | 3,630 | 535 | 1,320 | 1,110 |
| 25 | 1,590 | 1,840 | 3,530 | 364 | 179 | 1,020 | 724 | 1,120 | 3,610 | 535 | 572 | 2,730 |
| 26 | 1,590 | 1,490 | 3,510 | 243 | 675 | 513 | 950 | 1,120 | 2,170 | 534 | 152 | 3,350 |
| 27 | 1,580 | 1,490 | 3,490 | 243 | 1,940 | 374 | 1,500 | 886 | 1,190 | 534 | 106 | 3,330 |
| 28 | 1,580 | 1,240 | 2,520 | 243 | 3,930 | 237 | 2,440 | 1,120 | 855 | 381 | 90 | 3,310 |
| 29 | 1,580 | 999 | 1,470 | 243 | --- | 238 | 2,780 | 1,100 | 533 | 267 | 90 | 2,460 |
| 30 | 1,070 | 997 | 1,470 | 102 | --- | 239 | 1,620 | 810 | 534 | 267 | 90 | 1,110 |
| 31 | 1,580 | --- | 1,470 | 41 | --- | 240 | --- | 534 | --- | 267 | 90 | --- |
| TOTAL | 69,679 | 57,676 | 48,092 | 36,478 | 14,483 | 80,011 | 34,360 | 81,397 | 39,294 | 17,027 | 17,197 | 45,923 |
| MEAN | 2,248 | 1,923 | 1,551 | 1,177 | 517 | 2,581 | 1,145 | 2,626 | 1,310 | 549 | 555 | 1,531 |
| MAX | 5,570 | 3,160 | 3,600 | 4,020 | 3,930 | 4,590 | 3,910 | 6,200 | 3,650 | 1,660 | 1,660 | 3,380 |
| MIN | 529 | 997 | 496 | 41 | 35 | 237 | 48 | 534 | 273 | 267 | 90 | 120 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1964 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 938 | 1,326 | 1,229 | 1,465 | 1,565 | 1,226 | 879 | 1,090 | 826 | 493 | 293 | 511 |
| MAX | 4,959 | 3,393 | 4,491 | 4,852 | 4,541 | 5,533 | 4,777 | 4,161 | 4,437 | 2,009 | 1,335 | 2,266 |
| (WY) | (1980) | (1973) | (1978) | (1979) | (1985) | (1989) | (1975) | (1984) | (1983) | (1967) | (1967) | (1982) |
| MIN | 0.000 | 452 | 1.50 | 122 | 91.4 | 203 | 0.63 | 0.39 | 0.000 | 0.000 | 0.000 | 0.000 |
| (WY) | (1976) | (1964) | (1985) | (1981) | (1992) | (1983) | (1966) | (1964) | (1964) | (1964) | (1964) | (1975) |

03311000 NOLIN RIVER AT KYROCK, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1964 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 400,442 | | 541,617 | | | |
| ANNUAL MEAN | 1,097 | | 1,484 | | 983 | |
| HIGHEST ANNUAL MEAN | | | | | 1,880 | 1989 |
| LOWEST ANNUAL MEAN | | | | | 456 | 2001 |
| HIGHEST DAILY MEAN | 5,570 | Oct 2 | 6,200 | May 12 | 10,300 | May 28, 1983 |
| LOWEST DAILY MEAN | 42 | Mar 19 | 35 | Feb 10 | 0.00 | May 2, 1964 |
| ANNUAL SEVEN-DAY MINIMUM | 52 | Aug 6 | 49 | Apr 2 | 0.00 | May 2, 1964 |
| MAXIMUM PEAK FLOW | | | | | 22,700 | Jan 30, 1932 |
| MAXIMUM PEAK STAGE | | | 37.30 | Feb 18 | 59.27 | Mar 2, 1962 |
| 10 PERCENT EXCEEDS | 3,110 | | 3,620 | | 2,520 | |
| 50 PERCENT EXCEEDS | 499 | | 1,050 | | 476 | |
| 90 PERCENT EXCEEDS | 173 | | 178 | | 52 | |



03311500 GREEN RIVER AT LOCK 6, AT BROWNSVILLE, KY

LOCATION.--Lat 37°12'25", long 85°15'40", Edmonson County, Hydrologic Unit 05110001, on right bank 200 ft upstream from lock and Dam 6, 0.8 mi downstream from Indian Creek, 1.0 mi northeast of Brownsville, 1.8 mi downstream from Nolin River, and at mile 181.7.

DRAINAGE AREA.--2,762 mi², of which about 600 mi² does not contribute directly to surface runoff.

WATER-QUALITY RECORDS

PERIOD OF DAILY RECORD.--December 1999 to current year.

INSTRUMENTATION.--Water-temperature recorder with telemetry since December 1999.

COOPERATION.--U. S. Army Corps of Engineers, Louisville District and Nature Conservancy.

EXTREMES FOR PERIOD OF DAILY RECORD.--Maximum 29.0°C, July 7, 2002, minimum 2.0°C, Jan. 3, 4, 2001.

EXTREMES FOR CURRENT YEAR.--Maximum 25.0°C, Aug. 22; minimum 3.9°C, Jan. 28.

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 18.1 | 17.3 | 17.7 | 15.1 | 14.7 | 14.8 | 9.7 | 9.3 | 9.5 | 8.2 | 7.7 | 7.9 |
| 2 | --- | --- | --- | 15.0 | 14.7 | 14.8 | 9.3 | 8.8 | 9.1 | 8.5 | 8.2 | 8.4 |
| 3 | 20.0 | 18.5 | 19.1 | 14.7 | 14.5 | 14.6 | 8.8 | 8.3 | 8.6 | 8.5 | 8.5 | 8.5 |
| 4 | 19.2 | 18.5 | 18.8 | 14.5 | 14.4 | 14.4 | 8.3 | 7.9 | 8.1 | 8.5 | 8.3 | 8.4 |
| 5 | 19.2 | 18.3 | 18.7 | 14.4 | 13.3 | 14.1 | 7.9 | 6.9 | 7.4 | 8.3 | 8.2 | 8.2 |
| 6 | 20.0 | 18.7 | 19.2 | 13.3 | 12.8 | 13.0 | 7.4 | 6.3 | 6.8 | 8.2 | 8.1 | 8.2 |
| 7 | 20.3 | 19.9 | 20.1 | 13.1 | 12.8 | 12.9 | 7.4 | 7.2 | 7.3 | 8.1 | 8.0 | 8.0 |
| 8 | 20.1 | 18.7 | 19.4 | 13.3 | 13.1 | 13.2 | 7.2 | 7.0 | 7.1 | 8.0 | 7.8 | 7.9 |
| 9 | 18.7 | 18.6 | 18.6 | 13.4 | 13.2 | 13.3 | 7.1 | 7.0 | 7.1 | 7.8 | 7.5 | 7.6 |
| 10 | 18.6 | 17.8 | 18.4 | 13.9 | 13.2 | 13.4 | 7.3 | 7.1 | 7.2 | 7.5 | 7.5 | 7.5 |
| 11 | 17.8 | 15.8 | 16.3 | 14.5 | 13.9 | 14.3 | 7.5 | 7.2 | 7.3 | 7.5 | 7.3 | 7.4 |
| 12 | 17.5 | 16.2 | 17.1 | 14.6 | 14.4 | 14.5 | 7.9 | 7.5 | 7.8 | 7.3 | 7.0 | 7.1 |
| 13 | 17.8 | 17.4 | 17.6 | 14.4 | 13.8 | 14.1 | 7.7 | 7.5 | 7.6 | 7.0 | 6.6 | 6.8 |
| 14 | 18.1 | 17.6 | 17.8 | 13.8 | 13.3 | 13.5 | 8.6 | 7.7 | 8.2 | 6.6 | 6.4 | 6.5 |
| 15 | 18.1 | 17.9 | 18.0 | 13.3 | 13.0 | 13.1 | 8.7 | 8.5 | 8.6 | 6.4 | 6.2 | 6.2 |
| 16 | 17.9 | 17.4 | 17.6 | 13.0 | 12.7 | 12.9 | 8.5 | 8.5 | 8.5 | 6.2 | 5.9 | 6.1 |
| 17 | 17.6 | 17.4 | 17.6 | 12.7 | 12.1 | 12.4 | 8.6 | 8.5 | 8.5 | 5.9 | 5.7 | 5.8 |
| 18 | 17.7 | 17.5 | 17.6 | 12.1 | 11.8 | 11.9 | 8.7 | 8.6 | 8.7 | 5.7 | 5.3 | 5.5 |
| 19 | 17.7 | 17.4 | 17.5 | 12.1 | 11.8 | 11.9 | 9.0 | 8.7 | 8.8 | 5.3 | 5.1 | 5.3 |
| 20 | 17.4 | 17.3 | 17.3 | 12.0 | 11.9 | 12.0 | 9.4 | 9.0 | 9.2 | 5.2 | 5.0 | 5.1 |
| 21 | 17.3 | 17.1 | 17.2 | 12.0 | 11.9 | 12.0 | 9.4 | 9.1 | 9.2 | 5.2 | 5.1 | 5.1 |
| 22 | 17.2 | 15.7 | 16.7 | 12.0 | 11.9 | 12.0 | 9.2 | 9.0 | 9.1 | 5.3 | 5.1 | 5.2 |
| 23 | 16.8 | 16.5 | 16.6 | 11.9 | 11.7 | 11.7 | 9.0 | 8.4 | 8.7 | 5.2 | 5.0 | 5.1 |
| 24 | 16.6 | 16.3 | 16.4 | 11.7 | 11.4 | 11.5 | 8.4 | 8.1 | 8.2 | 5.0 | 4.8 | 4.9 |
| 25 | 16.7 | 16.5 | 16.6 | 11.4 | 11.2 | 11.3 | 8.1 | 7.8 | 7.9 | 4.8 | 4.6 | 4.7 |
| 26 | 16.7 | 16.6 | 16.6 | 11.2 | 11.1 | 11.1 | 7.8 | 7.6 | 7.7 | 4.7 | 4.2 | 4.4 |
| 27 | 16.6 | 16.5 | 16.5 | 11.1 | 10.8 | 11.0 | 7.6 | 7.3 | 7.4 | 4.2 | 4.0 | 4.1 |
| 28 | 16.5 | 16.0 | 16.3 | 10.8 | 10.4 | 10.6 | 7.3 | 7.2 | 7.2 | 4.0 | 3.9 | 3.9 |
| 29 | 16.0 | 15.4 | 15.8 | 10.4 | 10.0 | 10.2 | 7.3 | 7.3 | 7.3 | 4.1 | 4.0 | 4.0 |
| 30 | 15.4 | 14.7 | 15.0 | 10.0 | 9.7 | 9.9 | 7.5 | 7.3 | 7.4 | 4.3 | 4.0 | 4.1 |
| 31 | 14.8 | 14.7 | 14.8 | --- | --- | --- | 7.7 | 7.5 | 7.6 | 4.9 | 4.3 | 4.5 |
| MONTH | 20.3 | 14.7 | 17.4 | 15.1 | 9.7 | 12.7 | 9.7 | 6.3 | 8.0 | 8.5 | 3.9 | 6.2 |

03313700 WEST FORK DRAKES CREEK NEAR FRANKLIN, KY

LOCATION.--Lat 36°43'24", long 86°33'08", Simpson County, Hydrologic Unit 05110002, near left bank at upstream side of city of Franklin pumping plant intake, 20 ft upstream from dam, 0.8 mi downstream from bridge on State Highways 73 and 100, 1.5 mi east of Franklin, 3.3 mi downstream from Sharps Branch, and at mile 46.7.

DRAINAGE AREA.--110 mi², of which about 19 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--June 1968 to current year.

GAGE.--Water-stage recorder with telemetry and broad-crested weir. Datum of gage is 581.54 ft above NGVD of 1929. Prior to Oct. 1, 1981, at site 0.8 mi upstream at datum 8.05 ft lower.

REMARKS.--Records good except for those estimated, which are fair. Subsequent to Apr. 24, 1976, records of daily discharge less than about 300 ft³/s does not include approximately 3 ft³/s which is diverted by city of Franklin for municipal supply.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 15 | 0500 | 3,060 | 9.66 | Jun 18 | 1400 | 2,750 | 9.50 |
| Feb 16 | 0400 | 3,780 | 9.99 | Sep 22 | 1530 | *5,010 | *10.52 |
| May 7 | 2100 | 3,420 | 9.83 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|--------|-------|-------|-------|--------|-------|-------|-------|
| 1 | 96 | 69 | 68 | 415 | 112 | 352 | 156 | 60 | 52 | 85 | 203 | 71 |
| 2 | 79 | 61 | 63 | 407 | 106 | 310 | 140 | 72 | 50 | 78 | 107 | 59 |
| 3 | 65 | 57 | 59 | 336 | 104 | 261 | 124 | 86 | 53 | 72 | 471 | 181 |
| 4 | 66 | 59 | 65 | 271 | 246 | 222 | 116 | 69 | 57 | 73 | 314 | 161 |
| 5 | 148 | 237 | 419 | 238 | 254 | 205 | 129 | 268 | 52 | 60 | 615 | 91 |
| 6 | 160 | 668 | 350 | 202 | 203 | 191 | 139 | 613 | 51 | 55 | 302 | 63 |
| 7 | 115 | 342 | 236 | 170 | 184 | 168 | 497 | 1,880 | 289 | 53 | 183 | 49 |
| 8 | 90 | 240 | 206 | 158 | 155 | 151 | 469 | 1,470 | 173 | 49 | 129 | 40 |
| 9 | 78 | 190 | 195 | 152 | 141 | 142 | 332 | 799 | 117 | 169 | 109 | 34 |
| 10 | 941 | 474 | 190 | 136 | 139 | 128 | 321 | 474 | 103 | 301 | 94 | 30 |
| 11 | 1,370 | 713 | 606 | 114 | 129 | 119 | 337 | 581 | 1,110 | 113 | 77 | 32 |
| 12 | 711 | 401 | 484 | 100 | 134 | 115 | 269 | 370 | 1,270 | 76 | 66 | 33 |
| 13 | 403 | 278 | 581 | 94 | 125 | 110 | 216 | 256 | 579 | 224 | 59 | 30 |
| 14 | 275 | 216 | 703 | 92 | 506 | 106 | 179 | 199 | 392 | 254 | 54 | 78 |
| 15 | 217 | 261 | 445 | 85 | 2,430 | 101 | 156 | 171 | 404 | 106 | 48 | 83 |
| 16 | 178 | 538 | 349 | 83 | 3,140 | 95 | 143 | 149 | 354 | 310 | 45 | 53 |
| 17 | 143 | 394 | 275 | 83 | 1,420 | 95 | 167 | 152 | 459 | 186 | 42 | 41 |
| 18 | 116 | 284 | 221 | 82 | 942 | 95 | 173 | 142 | 1,570 | 108 | 44 | 32 |
| 19 | 105 | 221 | 254 | 76 | 678 | 122 | 133 | 131 | 1,210 | 82 | 39 | 28 |
| 20 | 105 | 185 | 1,000 | 71 | 798 | 183 | 114 | 116 | 655 | 69 | 35 | 24 |
| 21 | 104 | 162 | 517 | 75 | 675 | 144 | 108 | 110 | 411 | 90 | 33 | 23 |
| 22 | 89 | 143 | 364 | 77 | 1,640 | 123 | 98 | 104 | 287 | e119 | 33 | 2,630 |
| 23 | 76 | 122 | 266 | 68 | 1,350 | 109 | 88 | 94 | 212 | 88 | 31 | 1,020 |
| 24 | 70 | 108 | 237 | 60 | 1,090 | 101 | 88 | 86 | 164 | 69 | 28 | 460 |
| 25 | 65 | 118 | 255 | 58 | 849 | 96 | 95 | 88 | 135 | 58 | 26 | 281 |
| 26 | 62 | 105 | 199 | 59 | 643 | 146 | 93 | 81 | 116 | 49 | 23 | 186 |
| 27 | 60 | 90 | 174 | 57 | 514 | 145 | 83 | 74 | 158 | 45 | 23 | 138 |
| 28 | 61 | 82 | 161 | 57 | 415 | 128 | 72 | 64 | 126 | 44 | 21 | 110 |
| 29 | 72 | 76 | 149 | 81 | --- | 172 | 72 | 62 | 103 | 82 | 19 | 84 |
| 30 | 86 | 73 | 141 | 127 | --- | 213 | 66 | 63 | 89 | 68 | 18 | 74 |
| 31 | 77 | --- | 144 | 117 | --- | 180 | --- | 58 | --- | 143 | 40 | --- |
| TOTAL | 6,283 | 6,967 | 9,376 | 4,201 | 19,122 | 4,828 | 5,173 | 8,942 | 10,801 | 3,378 | 3,331 | 6,219 |
| MEAN | 203 | 232 | 302 | 136 | 683 | 156 | 172 | 288 | 360 | 109 | 107 | 207 |
| MAX | 1,370 | 713 | 1,000 | 415 | 3,140 | 352 | 497 | 1,880 | 1,570 | 310 | 615 | 2,630 |
| MIN | 60 | 57 | 59 | 57 | 104 | 95 | 66 | 58 | 50 | 44 | 18 | 23 |
| CFSM | 2.23 | 2.55 | 3.32 | 1.49 | 7.50 | 1.71 | 1.89 | 3.17 | 3.96 | 1.20 | 1.18 | 2.28 |
| IN. | 2.57 | 2.85 | 3.83 | 1.72 | 7.82 | 1.97 | 2.11 | 3.66 | 4.42 | 1.38 | 1.36 | 2.54 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1968 - 2003, BY WATER YEAR (WY)

| | 45.6 | 128 | 281 | 287 | 363 | 374 | 247 | 217 | 159 | 64.8 | 34.8 | 61.5 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 45.6 | 128 | 281 | 287 | 363 | 374 | 247 | 217 | 159 | 64.8 | 34.8 | 61.5 |
| MAX | 219 | 474 | 971 | 867 | 1,356 | 1,412 | 568 | 982 | 795 | 251 | 142 | 677 |
| (WY) | (1976) | (1980) | (1979) | (1974) | (1989) | (1975) | (1979) | (1983) | (1998) | (1989) | (1971) | (1979) |
| MIN | 1.87 | 6.95 | 11.8 | 10.4 | 138 | 113 | 38.3 | 22.8 | 18.8 | 5.47 | 2.80 | 2.01 |
| (WY) | (1988) | (2000) | (1981) | (1981) | (1980) | (1998) | (1986) | (1988) | (1985) | (1985) | (1986) | (2000) |

03313700 WEST FORK DRAKES CREEK NEAR FRANKLIN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1968 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 71,432.5 | | 88,621 | | | |
| ANNUAL MEAN | 196 | | 243 | | 188 | |
| HIGHEST ANNUAL MEAN | | | | | 351 | 1989 |
| LOWEST ANNUAL MEAN | | | | | 63.5 | 2000 |
| HIGHEST DAILY MEAN | 2,100 | Mar 20 | 3,140 | Feb 16 | 12,800 | Mar 12, 1975 |
| LOWEST DAILY MEAN | 3.3 | Aug 10 | 18 | Aug 30 | 0.00 | Sep 19, 1985 |
| ANNUAL SEVEN-DAY MINIMUM | 3.4 | Aug 8 | 23 | Aug 24 | 0.00 | Aug 13, 1988 |
| MAXIMUM PEAK FLOW | | | 5,010 | Sep 22 | 27,300 | Mar 12, 1975 |
| MAXIMUM PEAK STAGE | | | 10.52 | Sep 22 | 23.20 | Mar 12, 1975 |
| ANNUAL RUNOFF (CFSM) | 2.15 | | 2.67 | | 2.07 | |
| ANNUAL RUNOFF (INCHES) | 29.20 | | 36.23 | | 28.06 | |
| 10 PERCENT EXCEEDS | 502 | | 525 | | 425 | |
| 50 PERCENT EXCEEDS | 85 | | 124 | | 71 | |
| 90 PERCENT EXCEEDS | 10 | | 52 | | 8.1 | |

e Estimated



03314500 BARREN RIVER AT BOWLING GREEN, KY

LOCATION.--Lat 37°00'04", long 86°25'51", Warren County, Hydrologic Unit 05110002, near center of downstream side of abandoned College Street bridge, 700 ft upstream from bridge on U.S. Highways 31W and 68 at Bowling Green, 6.0 mi downstream from Drakes Creek, 8.9 mi upstream from Jennings Creek, and at mile 37.6.

DRAINAGE AREA.--1,849 mi², of which about 490 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--June 1938 to September 1994, March 2002 to current year. Gage-height records collected in vicinity since 1901 are published in reports of National Weather Service (prior to 1940 records are for site about 7 mi downstream and are fragmentary prior to July 1924).

REVISED RECORDS.--WSP 1385; 1943, 1945, 1946(M). WRD KY-80-1; Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 409.83 ft above NGVD of 1929. Prior to June 21, 1944, nonrecording gage at same site and datum.

REMARKS.--Records good except those estimated, which are fair. Flow regulated by Barren River Lake beginning March 1964.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and National Streamflow Information Program.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Jan. 8, 1913 reached a stage of 52.2 ft, from floodmarks.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|--------|---------|---------|--------|---------|---------|--------|--------|--------|
| 1 | 1,990 | 3,340 | 3,080 | 3,520 | 1,920 | 6,050 | 3,390 | 928 | 887 | 3,750 | 965 | 748 |
| 2 | 2,840 | 3,250 | 3,040 | 5,170 | 1,970 | 5,810 | 2,930 | 939 | 860 | 3,710 | 1,280 | 1,880 |
| 3 | 3,120 | 3,200 | 3,280 | 5,210 | 1,960 | 5,580 | 2,400 | 1,170 | 884 | 3,670 | 1,540 | 2,530 |
| 4 | 3,030 | 3,170 | 3,340 | 5,420 | 2,130 | 5,380 | 2,230 | 1,250 | 886 | 3,620 | 3,270 | 3,840 |
| 5 | 1,900 | 3,470 | 3,740 | 5,270 | 2,900 | 5,250 | 2,250 | 1,300 | 877 | 3,580 | 2,820 | 4,070 |
| 6 | 1,580 | 6,210 | 4,770 | 5,000 | 3,450 | 5,140 | 2,250 | 2,350 | 861 | 3,540 | 3,160 | 3,400 |
| 7 | 1,660 | 5,570 | 4,290 | 3,570 | 3,480 | 5,000 | 3,750 | 3,860 | 1,670 | 4,220 | 2,860 | 3,130 |
| 8 | 3,310 | 4,600 | 4,050 | 2,540 | 3,370 | 4,880 | 4,920 | 11,000 | 4,110 | 3,810 | 2,640 | 2,970 |
| 9 | 3,060 | 4,210 | 3,970 | 2,360 | e3,240 | 4,780 | 4,060 | 7,220 | 3,850 | 3,620 | 1,810 | 2,870 |
| 10 | 3,790 | 5,560 | 3,900 | 2,240 | 2,660 | 4,670 | 4,350 | 5,510 | 3,940 | 2,840 | 1,510 | 2,250 |
| 11 | 11,700 | 7,510 | 3,740 | 2,100 | 1,980 | 4,610 | 4,640 | 4,930 | 4,900 | 2,910 | 1,110 | 1,840 |
| 12 | 8,590 | 6,680 | 5,980 | 1,970 | 1,920 | 4,670 | 5,350 | 4,880 | 13,200 | 1,960 | 928 | 1,790 |
| 13 | 5,710 | 5,230 | 5,840 | 1,570 | 2,430 | 4,670 | 5,010 | 4,670 | 6,860 | 609 | 928 | 1,760 |
| 14 | 5,090 | 4,600 | 7,690 | 1,410 | 2,610 | 4,610 | 4,610 | 4,450 | 3,270 | 1,460 | 905 | 1,350 |
| 15 | 4,670 | 4,560 | 6,930 | 1,370 | 10,600 | 4,560 | 3,160 | 4,300 | 3,580 | 2,570 | 842 | 981 |
| 16 | 4,420 | 6,000 | 5,930 | 1,070 | e17,700 | 4,530 | 2,260 | 4,190 | 5,030 | 2,440 | 809 | 823 |
| 17 | 4,240 | 6,010 | 5,410 | 929 | e21,100 | 4,490 | 2,160 | 4,280 | 6,320 | 2,510 | 776 | 716 |
| 18 | 4,080 | 5,060 | 5,070 | 895 | 10,200 | 4,440 | 2,370 | 4,230 | 6,180 | 1,730 | 756 | 669 |
| 19 | 3,390 | 4,510 | 5,080 | 994 | 5,750 | 3,960 | 2,150 | 4,120 | 6,870 | 1,150 | 695 | 638 |
| 20 | 3,120 | 4,200 | 5,140 | 1,060 | 5,590 | 4,110 | 2,410 | 4,050 | 5,420 | 834 | 656 | 618 |
| 21 | 3,060 | 4,000 | 5,420 | 1,060 | 6,410 | 4,160 | 3,030 | 4,030 | 4,820 | 946 | 642 | 607 |
| 22 | 3,640 | 3,830 | 5,930 | 1,060 | 7,140 | 4,490 | 2,790 | 4,040 | 4,450 | 4,380 | 640 | 5,090 |
| 23 | 3,740 | 3,660 | 5,640 | 1,040 | 10,900 | 4,500 | 2,530 | 3,960 | 4,200 | 2,580 | 692 | 15,500 |
| 24 | 3,680 | 3,520 | 5,350 | 1,020 | 7,540 | 4,420 | 2,370 | 3,890 | 4,030 | 3,080 | 699 | 6,180 |
| 25 | 3,640 | 3,420 | 5,310 | 1,010 | 5,530 | 3,860 | 2,300 | 3,820 | 4,070 | 3,590 | 667 | 4,010 |
| 26 | 3,610 | 3,350 | 5,170 | 983 | 4,490 | 3,310 | 2,000 | 3,210 | 4,040 | 3,700 | 641 | 4,500 |
| 27 | 3,570 | 3,280 | 4,950 | 982 | 6,200 | 3,390 | 1,700 | 2,210 | 4,060 | 3,600 | 625 | 4,480 |
| 28 | 3,640 | 3,210 | 4,830 | 817 | 6,310 | 2,860 | 1,160 | 1,520 | 4,130 | 2,890 | 518 | 4,290 |
| 29 | 3,740 | 3,160 | 4,740 | 790 | --- | 2,470 | 994 | 1,010 | 3,940 | 1,430 | 594 | 4,090 |
| 30 | 3,630 | 3,130 | 4,610 | 1,490 | --- | e3,220 | 983 | 909 | 3,820 | 940 | 623 | 3,930 |
| 31 | 3,480 | --- | 3,130 | 2,330 | --- | e3,540 | --- | 911 | --- | 723 | 676 | --- |
| TOTAL | 120,720 | 131,500 | 149,350 | 66,250 | 161,480 | 137,410 | 86,507 | 109,137 | 122,015 | 82,392 | 37,277 | 91,550 |
| MEAN | 3,894 | 4,383 | 4,818 | 2,137 | 5,767 | 4,433 | 2,884 | 3,521 | 4,067 | 2,658 | 1,202 | 3,052 |
| MAX | 11,700 | 7,510 | 7,690 | 5,420 | 21,100 | 6,050 | 5,350 | 11,000 | 13,200 | 4,380 | 3,270 | 15,500 |
| MIN | 1,580 | 3,130 | 3,040 | 790 | 1,920 | 2,470 | 983 | 909 | 860 | 609 | 518 | 607 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1965 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1,850 | 3,140 | 3,938 | 4,299 | 4,820 | 4,096 | 3,045 | 2,806 | 2,125 | 1,533 | 859 | 1,230 |
| MAX | 4,027 | 6,097 | 9,210 | 9,141 | 9,830 | 10,450 | 8,368 | 9,408 | 5,825 | 5,059 | 3,468 | 5,358 |
| (WY) | (1975) | (1980) | (1979) | (1979) | (1989) | (1975) | (1979) | (1983) | (1981) | (1989) | (1971) | (1979) |
| MIN | 381 | 286 | 573 | 228 | 1,624 | 1,128 | 379 | 247 | 102 | 118 | 110 | 251 |
| (WY) | (1977) | (1977) | (1981) | (1981) | (1992) | (1981) | (1986) | (1988) | (1988) | (1988) | (1991) | (1993) |

03314500 BARREN RIVER AT BOWLING GREEN, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | | WATER YEARS 1965 - 2003 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1295588 | | 2,806 | |
| ANNUAL MEAN | 3550 | | 5,001 | 1979 |
| HIGHEST ANNUAL MEAN | | | 1,292 | 1988 |
| LOWEST ANNUAL MEAN | | | 57,500 | Mar 13, 1975 |
| HIGHEST DAILY MEAN | 21,100 | Feb 17 | 75 | Jul 9, 1988 |
| LOWEST DAILY MEAN | 518 | Aug 28 | 76 | Jul 6, 1988 |
| ANNUAL SEVEN-DAY MINIMUM | 621 | Aug 25 | 85,000 | Feb 28, 1962 |
| MAXIMUM PEAK FLOW | | | 49.55 | Feb 28, 1962 |
| MAXIMUM PEAK STAGE | | | 44 | Sep 19, 1954 |
| INSTANTANEOUS LOW FLOW | | | 5,970 | |
| 10 PERCENT EXCEEDS | 5,670 | | 2,080 | |
| 50 PERCENT EXCEEDS | 3,520 | | 295 | |
| 90 PERCENT EXCEEDS | 2901 | | | |

e Estimated



03316500 GREEN RIVER AT PARADISE, KY

LOCATION.--Lat 37°15'50", long 86°58'40", Muhlenberg County, Hydrologic Unit 05110003, on left bank of reservation of Tennessee Valley Authority generating plant, 0.4 mi southeast of Paradise, 1.1 mi downstream from Jacobs Creek, 2.8 mi upstream from Pond Creek, and at mile 98.8.

DRAINAGE AREA.--6,183 mi², of which about 1,380 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--October 1939 to September 1950 (published as "at Green River"), October 1959 to September 1960 (low-water records only), October 1960 to September 1981 and July 1991 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 363.19 ft above NGVD of 1929 (levels by Tennessee Valley Authority). See WDR KY-81-1 for history of changes prior to October 31, 1979. Auxiliary water-stage recorder on U.S. Highway 62 bridge at Rockport, 4.4 mi downstream.

REMARKS.--Records fair except for those below 2000 ft³/s, which are poor. Flow regulated by Nolin River Lake beginning March 1963, Barren River Lake beginning March 1964 and Green River Lake beginning February 1969, .

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1 | 13,400 | 12,400 | 6,850 | 25,500 | 4,940 | 25,000 | 8,570 | 9,110 | e4,700 | 5,590 | 3,490 | 2,670 |
| 2 | 11,800 | 11,100 | 6,350 | e32,200 | 5,240 | 24,700 | 7,730 | 7,270 | e4,600 | 5,230 | 3,320 | 4,970 |
| 3 | 12,200 | 9,940 | 6,050 | e32,500 | 5,230 | 24,200 | 6,590 | 6,300 | e4,590 | 4,920 | 4,610 | 13,200 |
| 4 | 11,000 | 9,710 | 5,820 | e30,600 | 6,020 | 22,900 | 5,690 | 5,660 | e4,600 | 4,740 | 6,160 | 17,200 |
| 5 | 8,940 | 9,890 | 5,890 | 27,400 | 6,770 | 21,800 | 6,130 | 8,130 | e4,650 | 4,630 | 7,150 | 17,700 |
| 6 | 6,180 | 15,700 | 7,280 | 20,600 | 8,290 | 20,800 | 7,070 | 10,600 | e5,000 | 4,550 | 7,060 | 16,100 |
| 7 | 4,530 | 18,900 | 10,600 | 14,800 | 9,680 | 20,200 | 11,600 | 18,300 | e5,500 | 4,540 | 6,900 | 13,900 |
| 8 | 4,190 | 19,400 | 11,500 | 12,800 | 10,000 | 19,700 | 15,100 | 30,300 | e6,900 | 5,070 | 6,620 | 11,700 |
| 9 | 4,940 | 15,600 | 10,300 | 11,500 | 9,840 | 19,600 | 16,800 | 31,800 | e11,000 | 5,120 | 6,080 | 10,000 |
| 10 | 7,410 | 14,300 | 9,430 | 11,200 | 8,300 | 19,300 | 21,400 | 28,500 | 15,400 | 4,870 | 5,340 | 9,240 |
| 11 | 25,300 | 21,700 | 11,800 | 9,430 | 6,400 | 18,000 | 24,300 | 24,200 | 13,800 | 4,570 | 4,280 | 8,110 |
| 12 | 32,000 | 27,600 | 14,600 | 9,120 | 5,450 | 16,600 | 25,400 | 22,700 | 20,600 | 5,760 | 3,470 | 6,840 |
| 13 | e32,200 | 28,100 | 17,000 | 8,070 | 5,520 | 16,300 | 23,600 | 20,400 | 26,000 | 6,140 | 3,100 | 5,750 |
| 14 | e26,800 | 24,200 | 21,600 | 7,210 | e7,500 | 15,800 | 19,300 | 17,100 | 23,900 | 4,560 | 3,050 | 4,980 |
| 15 | e21,500 | 19,400 | 22,500 | 6,380 | e19,000 | 15,000 | 16,300 | 13,700 | 18,000 | 3,800 | 3,050 | 4,640 |
| 16 | e18,400 | 20,300 | 21,700 | 5,770 | e29,500 | 13,700 | 14,500 | 11,300 | 17,100 | 4,460 | 2,880 | 4,150 |
| 17 | 16,100 | 21,600 | 19,100 | 5,250 | e34,500 | 12,700 | 14,400 | 13,400 | 18,800 | 4,500 | 2,590 | 3,550 |
| 18 | 15,300 | 20,800 | 16,500 | 4,800 | e37,500 | 11,400 | 15,500 | 17,700 | 20,800 | 4,120 | 2,150 | 3,030 |
| 19 | 13,600 | 17,600 | e19,400 | 4,570 | e39,500 | e11,200 | 14,100 | 18,900 | 22,700 | 3,400 | 1,900 | 2,560 |
| 20 | 10,900 | 14,900 | e30,000 | 4,470 | e41,000 | 10,600 | 13,900 | 18,300 | 22,200 | 2,600 | 1,740 | 2,280 |
| 21 | 9,460 | e13,500 | e39,500 | 4,570 | e42,700 | e12,500 | 16,000 | 17,400 | 19,600 | 2,190 | 1,620 | 2,130 |
| 22 | 8,620 | 13,100 | 38,400 | 4,550 | 39,400 | 13,500 | 18,000 | 15,800 | 16,200 | 3,150 | 1,590 | 3,260 |
| 23 | 8,110 | 12,400 | 35,000 | 4,510 | 40,400 | 12,400 | 16,800 | 15,200 | 14,400 | 5,390 | 2,480 | 14,000 |
| 24 | 7,820 | 11,900 | 31,700 | 4,350 | 40,800 | 11,800 | 14,700 | 14,100 | 13,000 | 5,070 | 4,080 | 24,000 |
| 25 | 7,310 | 11,700 | 31,600 | 4,090 | 40,600 | 11,200 | 13,400 | 12,100 | 11,300 | 4,710 | 4,120 | e18,000 |
| 26 | 6,910 | 11,200 | 29,300 | 3,790 | 37,000 | 10,200 | 14,200 | 9,750 | 10,200 | 4,680 | 3,320 | e14,000 |
| 27 | 6,660 | 10,300 | 24,300 | 3,330 | 30,600 | 8,650 | 13,300 | 8,100 | 9,500 | 4,660 | 2,690 | 11,800 |
| 28 | 6,980 | 9,640 | 17,400 | 2,970 | 26,300 | 7,460 | 11,600 | 6,630 | 8,150 | 4,520 | 2,260 | e11,400 |
| 29 | 9,360 | 8,480 | 13,600 | 2,930 | --- | 7,490 | 9,970 | e5,600 | 7,150 | 4,070 | 1,930 | 10,800 |
| 30 | 13,100 | 7,570 | 12,500 | 3,350 | --- | e7,600 | 9,760 | e5,000 | 6,230 | 3,340 | 1,780 | 10,100 |
| 31 | 13,300 | --- | 14,400 | 4,050 | --- | e8,000 | --- | e4,400 | --- | 3,220 | 2,020 | --- |
| TOTAL | 394,320 | 462,930 | 561,970 | 326,660 | 597,980 | 470,300 | 425,710 | 447,750 | 386,570 | 138,170 | 112,830 | 282,060 |
| MEAN | 12,720 | 15,430 | 18,130 | 10,540 | 21,360 | 15,170 | 14,190 | 14,440 | 12,890 | 4,457 | 3,640 | 9,402 |
| MAX | 32,200 | 28,100 | 39,500 | 32,500 | 42,700 | 25,000 | 25,400 | 31,800 | 26,000 | 6,140 | 7,150 | 24,000 |
| MIN | 4,190 | 7,570 | 5,820 | 2,930 | 4,940 | 7,460 | 5,690 | 4,400 | 4,590 | 2,190 | 1,590 | 2,130 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1970 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 5,097 | 8,071 | 13,120 | 15,320 | 15,860 | 17,170 | 13,290 | 10,360 | 7,727 | 3,812 | 2,655 | 3,751 |
| MAX | 16,950 | 19,310 | 42,250 | 36,020 | 26,410 | 41,520 | 34,210 | 25,950 | 20,190 | 8,811 | 8,743 | 22,540 |
| (WY) | (1980) | (1980) | (1979) | (1974) | (1994) | (1997) | (1979) | (1995) | (1981) | (1973) | (1971) | (1979) |
| MIN | 1,750 | 2,548 | 2,103 | 954 | 6,083 | 6,150 | 4,345 | 1,881 | 1,523 | 1,270 | 524 | 512 |
| (WY) | (2001) | (2000) | (1981) | (1981) | (1977) | (1981) | (2001) | (2001) | (1999) | (2000) | (1999) | (1999) |

03316500 GREEN RIVER AT PARADISE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1970 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 3,803,693 | | 4,607,250 | | 9,700 | |
| ANNUAL MEAN | 10,420 | | 12,620 | | 4,432 | |
| HIGHEST ANNUAL MEAN | | | | | 18,460 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 4,432 | 2001 |
| HIGHEST DAILY MEAN | 43,900 | Mar 23 | 42,700 | Feb 21 | 83,800 | Mar 7, 1997 |
| LOWEST DAILY MEAN | 460 | Sep 15 | 1,590 | Aug 22 | 228 | Oct 4, 2001 |
| ANNUAL SEVEN-DAY MINIMUM | 478 | Sep 10 | 2,010 | Aug 17 | 320 | Sep 8, 1995 |
| MAXIMUM PEAK FLOW | | | | | 107,000 | Mar 5, 1962 |
| MAXIMUM PEAK STAGE | | | | | 40.46 | Mar 5, 1962 |
| INSTANTANEOUS LOW FLOW | | | | | 228 | Oct 4, 2001 |
| 10 PERCENT EXCEEDS | 25,000 | | 25,100 | | 22,700 | |
| 50 PERCENT EXCEEDS | 7,160 | | 10,600 | | 5,920 | |
| 90 PERCENT EXCEEDS | 1,190 | | 3,530 | | 1,330 | |

e Estimated



03319000 ROUGH RIVER NEAR DUNDEE, KY

LOCATION.--Lat 37°32'51", long 86°43'18", Ohio County, Hydrologic Unit 05110004, on right bank, 150 ft downstream from bridge on State Highway 919, 1.5 mi downstream from Caney Creek, 3 mi southeast of Dundee, and at mi 62.5.

DRAINAGE AREA.--7,57 mi², of which about 120 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--October 1939 to September 1992 and March 2002 to current year. October 1939 to January 1940 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 1555: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 393.18 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Aug. 14, 1979.

REMARKS.--Records fair except for those estimated, which are poor. Flow regulated by Rough River Lake (Station 03318005) beginning October 1959.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District and National Streamflow Information Program.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of 1937 reached a stage of 31.8 ft, from floodmarks.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|
| 1 | 1,230 | 1,630 | 2,000 | 7,540 | 690 | 2,300 | 623 | 1,620 | 2,260 | 159 | 187 | 799 |
| 2 | 1,170 | 1,640 | 1,960 | e7,500 | 695 | 2,710 | 559 | 934 | 2,250 | 154 | 335 | 2,400 |
| 3 | 1,540 | 1,610 | 1,670 | e4,800 | 690 | 2,840 | 517 | 710 | 2,250 | 151 | 1,580 | 5,090 |
| 4 | 1,830 | 1,580 | 1,050 | e2,600 | 1,470 | 2,790 | 492 | 478 | 2,250 | 147 | 1,710 | 4,640 |
| 5 | 1,120 | 2,070 | 613 | 2,520 | 1,320 | 2,740 | 1,630 | 3,040 | e2,240 | 144 | 1,260 | 1,280 |
| 6 | 1,670 | 3,070 | 481 | 2,900 | 1,490 | 2,680 | 1,440 | 3,210 | e2,360 | 174 | 1,150 | 1,510 |
| 7 | 1,910 | 2,340 | 460 | 2,790 | 1,530 | 2,610 | 1,940 | 3,350 | e2,440 | 1,160 | 1,060 | 1,800 |
| 8 | 2,140 | 1,120 | 275 | 2,840 | 945 | 2,560 | 1,580 | 2,860 | e2,450 | 452 | 685 | 1,830 |
| 9 | 2,260 | 1,570 | 224 | 2,790 | 693 | 2,510 | 1,490 | 1,320 | e2,410 | 482 | 316 | 1,790 |
| 10 | e2,740 | 1,920 | 256 | 2,750 | 699 | 2,460 | 5,600 | 1,050 | e2,110 | 463 | 153 | 1,790 |
| 11 | e4,320 | 2,770 | 2,430 | 2,670 | 727 | 2,430 | 3,910 | 4,370 | e1,960 | 462 | 200 | 2,010 |
| 12 | e4,020 | 2,390 | e2,170 | 2,580 | 617 | 2,530 | 1,480 | 4,570 | 4,700 | 354 | 277 | 2,040 |
| 13 | e2,920 | 1,900 | 1,900 | 2,520 | 516 | 2,600 | 920 | 1,180 | 1,730 | 290 | 240 | 2,100 |
| 14 | e2,850 | 1,740 | 3,020 | 2,480 | 563 | 2,590 | 1,590 | 1,750 | 1,240 | 153 | 178 | 2,100 |
| 15 | e1,900 | 1,750 | 1,770 | 2,440 | 6,280 | 2,300 | 2,040 | 2,050 | 1,050 | 120 | 158 | 1,850 |
| 16 | e800 | 1,960 | 1,760 | 2,400 | 10,200 | 1,860 | 2,360 | 2,420 | 1,560 | 119 | 151 | 1,300 |
| 17 | e1,000 | 1,850 | 2,120 | 2,370 | 9,240 | 1,680 | 2,910 | 2,480 | 1,720 | 117 | 147 | 514 |
| 18 | 1,150 | 1,720 | 2,360 | 2,330 | 6,440 | 1,430 | 3,340 | 2,840 | 1,810 | 117 | 142 | 332 |
| 19 | 1,420 | 1,650 | 4,010 | 2,300 | e2,770 | 1,360 | 2,540 | 2,800 | 1,930 | 117 | 137 | 241 |
| 20 | 1,570 | 1,590 | 7,920 | 2,270 | e1,900 | 1,700 | 1,900 | 2,850 | 1,940 | 117 | 113 | 218 |
| 21 | 1,600 | 1,560 | e6,400 | 2,260 | e1,730 | 897 | 1,790 | 2,900 | 1,900 | 159 | 56 | 215 |
| 22 | 1,560 | 1,530 | e3,300 | 2,220 | 5,170 | 1,310 | 1,510 | 2,850 | 1,880 | 210 | 263 | 526 |
| 23 | 1,520 | 1,500 | e1,900 | 2,150 | 8,030 | 1,630 | 1,040 | 2,320 | 1,820 | 137 | 1,990 | 811 |
| 24 | 1,510 | 1,470 | 2,220 | 1,740 | 5,980 | 1,570 | 783 | 1,990 | 1,450 | 126 | 1,020 | 757 |
| 25 | 1,500 | 1,450 | 4,670 | 1,370 | 2,440 | 1,230 | 1,140 | 2,030 | 895 | 121 | 1,110 | 1,080 |
| 26 | 1,500 | 1,660 | e4,000 | 989 | 1,250 | 868 | 2,830 | 2,120 | 379 | 94 | 1,160 | 1,120 |
| 27 | 1,490 | 1,990 | e3,200 | 615 | 1,460 | 603 | 1,480 | 2,100 | 471 | 51 | 727 | 1,120 |
| 28 | 1,580 | 2,070 | 3,040 | 519 | 1,970 | 509 | 1,420 | 1,100 | 755 | 47 | 200 | 1,120 |
| 29 | 1,960 | 2,060 | 2,840 | 584 | --- | 845 | 1,660 | 1,550 | 299 | 49 | 75 | 1,060 |
| 30 | 2,460 | 2,030 | 2,880 | 734 | --- | e973 | 1,720 | e2,060 | 170 | 56 | 335 | 507 |
| 31 | 1,750 | --- | 3,910 | 693 | --- | 720 | --- | 2,230 | --- | 54 | 408 | --- |
| TOTAL | 57,990 | 55,190 | 76,809 | 77,264 | 77,505 | 57,835 | 54,234 | 69,132 | 52,679 | 6,556 | 17,523 | 43,950 |
| MEAN | 1,871 | 1,840 | 2,478 | 2,492 | 2,768 | 1,866 | 1,808 | 2,230 | 1,756 | 211 | 565 | 1,465 |
| MAX | 4,320 | 3,070 | 7,920 | 7,540 | 10,200 | 2,840 | 5,600 | 4,570 | 4,700 | 1,160 | 1,990 | 5,090 |
| MIN | 800 | 1,120 | 224 | 519 | 516 | 509 | 492 | 478 | 170 | 47 | 56 | 215 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1960 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 771 | 1,199 | 1,647 | 1,771 | 2,272 | 1,864 | 1,423 | 1,298 | 744 | 388 | 245 | 467 |
| MAX | 1,871 | 3,187 | 4,041 | 3,488 | 5,717 | 4,420 | 4,602 | 4,658 | 1,999 | 1,670 | 1,050 | 3,832 |
| (WY) | (2003) | (1980) | (1979) | (1978) | (1989) | (1989) | (1979) | (1983) | (1983) | (1967) | (1979) | (1979) |
| MIN | 26.1 | 223 | 60.4 | 167 | 331 | 520 | 134 | 111 | 50.2 | 46.8 | 53.5 | 55.9 |
| (WY) | (1961) | (1981) | (1964) | (1977) | (1964) | (1981) | (1986) | (1988) | (1988) | (2002) | (1960) | (1983) |

03319000 ROUGH RIVER NEAR DUNDEE, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | | WATER YEARS 1960 - 2003 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 646667 | | 1,163 | |
| ANNUAL MEAN | 1772 | | 2,274 | 1979 |
| HIGHEST ANNUAL MEAN | | | 593 | 1963 |
| LOWEST ANNUAL MEAN | | | 19,100 | Feb 15, 1989 |
| HIGHEST DAILY MEAN | 10200 | Feb 16 | 14 | Sep 30, 1960 |
| LOWEST DAILY MEAN | 47 | Jul 28 | 18 | Sep 27, 1960 |
| ANNUAL SEVEN-DAY MINIMUM | 67 | Jul 25 | 22,200 | Sep 22, 1979 |
| MAXIMUM PEAK FLOW | 10600 | Feb 16 | 29.05 | Sep 22, 1979 |
| MAXIMUM PEAK STAGE | 27.80 | Feb 16 | 2,700 | |
| 10 PERCENT EXCEEDS | 2900 | | 660 | |
| 50 PERCENT EXCEEDS | 1630 | | 74 | |
| 90 PERCENT EXCEEDS | 200 | | | |

e Estimated



03320000 GREEN RIVER AT LOCK 2, AT CALHOUN, KY

LOCATION.--Lat 37°32'02", long 87°15'50", McLean County, Hydrologic Unit 05110005, 870 ft upstream from Lock and Dam 2, on right bank 0.2 mi downstream from bridge on State Highway 81 at Calhoun, 0.2 mi upstream from Long Falls Creek, and at mile 63.3.

DRAINAGE AREA.--7,566 mi², of which about 1,540 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--March 1930 to current year. Prior to October 1958, published as "at Livermore."

REVISED RECORDS.--WSP 1385: 1939. WDR KY-82-1: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 353.95 ft above NGVD of 1929. Auxiliary water-stage recorder at Livermore, 8.0 mi upstream at datum 360.11 ft above NGVD of 1929. See WDR KY-88-1 for history of changes prior to Sept. 30, 1958.

REMARKS.--Records good except for those estimated and discharges below 2,000 ft³/s, which are fair. Flow regulated by Rough River Lake, October 1959, Nolin Lake beginning March 1963, Barren River Lake beginning March 1964, and Green River Lake beginning February 1969.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1 | 20,000 | 15,800 | 8,950 | 29,300 | 5,880 | 35,900 | 10,500 | 12,000 | 5,860 | 6,940 | 4,030 | 3,040 |
| 2 | 16,300 | 14,200 | 8,370 | 34,800 | 6,430 | 34,900 | 9,550 | 9,700 | 5,570 | 6,360 | 3,810 | 7,260 |
| 3 | 16,100 | 12,900 | 7,940 | 35,400 | 6,480 | 33,700 | 8,210 | 8,210 | 5,500 | 5,960 | 5,180 | 15,900 |
| 4 | 14,900 | 11,900 | 7,600 | 33,400 | 7,540 | 32,100 | 7,120 | 7,270 | 5,570 | 5,720 | 7,750 | 20,400 |
| 5 | 12,000 | 12,200 | 7,350 | 30,200 | 8,690 | 31,200 | 7,780 | 11,200 | 5,640 | 5,560 | 9,270 | 20,000 |
| 6 | 8,320 | 17,800 | 8,370 | 27,200 | 10,300 | 30,400 | 9,280 | 15,300 | 5,910 | 5,480 | 9,050 | 18,700 |
| 7 | 5,900 | 21,700 | 11,600 | 24,200 | 11,700 | 29,900 | 14,300 | 20,200 | 6,360 | 5,480 | 8,700 | 16,500 |
| 8 | 5,530 | 23,600 | 13,100 | 21,300 | 12,300 | 27,800 | 18,200 | 33,000 | 8,180 | 6,400 | 8,340 | 14,600 |
| 9 | 6,600 | 20,000 | 12,100 | 18,500 | 11,900 | 25,500 | 20,100 | 36,700 | 15,500 | 6,550 | 7,600 | 12,900 |
| 10 | 9,300 | 16,900 | 10,900 | 17,200 | 10,300 | 23,100 | 25,900 | 36,500 | 18,100 | 6,040 | 6,580 | 11,800 |
| 11 | 25,500 | 21,800 | 13,800 | 15,600 | 8,050 | 21,700 | 29,500 | 33,600 | 17,900 | 5,590 | 5,060 | 10,600 |
| 12 | 35,700 | 29,100 | 17,700 | 13,000 | 6,780 | 20,200 | 30,600 | 31,800 | 25,300 | 6,850 | 4,060 | 9,150 |
| 13 | 36,900 | 31,600 | 20,800 | 11,200 | 6,630 | 19,500 | 30,200 | 28,600 | 31,100 | 7,760 | 3,600 | 7,830 |
| 14 | 34,900 | 29,100 | 26,500 | 9,880 | 7,990 | 19,000 | 26,300 | 24,600 | 31,500 | 5,940 | 3,560 | 6,810 |
| 15 | 27,200 | 23,300 | 27,400 | 8,780 | 22,400 | 18,400 | 21,900 | 20,600 | 25,500 | 4,650 | 3,560 | 6,210 |
| 16 | 22,000 | 22,300 | 26,700 | 7,950 | 37,900 | 17,400 | 18,600 | 17,400 | 20,600 | 5,290 | 3,360 | 5,500 |
| 17 | 20,600 | 23,600 | 24,100 | 7,300 | 42,600 | 16,100 | 18,200 | 17,900 | 21,400 | 5,480 | 2,970 | 4,510 |
| 18 | 19,000 | 23,700 | 21,500 | 6,740 | 44,800 | 14,300 | 19,200 | 23,000 | 23,000 | 4,980 | 2,460 | 3,660 |
| 19 | 16,700 | 20,900 | 25,000 | 6,360 | 45,900 | 13,300 | 18,400 | 24,000 | 25,000 | 4,240 | 2,150 | 2,850 |
| 20 | 14,500 | 17,800 | 35,900 | 6,130 | 45,800 | 13,300 | 17,800 | 24,100 | 25,800 | 3,320 | 1,970 | 2,510 |
| 21 | 12,000 | 16,200 | 38,900 | 6,210 | 46,100 | 14,400 | 19,000 | 21,800 | 24,100 | 2,780 | 1,840 | 2,350 |
| 22 | 10,900 | 15,500 | 37,800 | 6,130 | 46,500 | 15,700 | 21,000 | 19,500 | 20,800 | 3,550 | 1,800 | 3,280 |
| 23 | 10,200 | 15,000 | 35,000 | 6,000 | 46,900 | 14,800 | 19,700 | 18,600 | 18,000 | 6,450 | 2,770 | 13,400 |
| 24 | 9,860 | 14,300 | 32,800 | 5,830 | 47,900 | 14,300 | 17,500 | 17,600 | 16,300 | 6,390 | 5,210 | 22,300 |
| 25 | 9,330 | 13,800 | 33,300 | 5,450 | 47,600 | 13,800 | 16,300 | 15,900 | 14,500 | 5,810 | 5,350 | 20,400 |
| 26 | 8,750 | 13,300 | 31,900 | 4,760 | 46,500 | 12,700 | 18,300 | 13,200 | 12,600 | 5,690 | 4,210 | 15,600 |
| 27 | 8,450 | 12,700 | 28,600 | 4,180 | 43,200 | 10,800 | 17,700 | 10,900 | 11,300 | 5,700 | 3,370 | 14,000 |
| 28 | 8,720 | 11,900 | 22,900 | 3,630 | 38,500 | 9,140 | 16,200 | 9,070 | 9,960 | 5,510 | 2,740 | 12,800 |
| 29 | 11,200 | 11,000 | 19,200 | 3,380 | --- | 9,300 | 13,800 | 7,500 | 8,960 | 4,990 | 2,230 | 12,600 |
| 30 | 15,300 | 9,700 | 17,000 | 3,900 | --- | 9,560 | 13,000 | 6,360 | 7,850 | 4,050 | 2,010 | 12,100 |
| 31 | 16,300 | --- | 18,300 | 4,720 | --- | 9,880 | --- | 6,150 | --- | 3,670 | 2,270 | --- |
| TOTAL | 488,960 | 543,600 | 651,380 | 418,630 | 723,570 | 612,080 | 534,140 | 582,260 | 473,660 | 169,180 | 136,860 | 329,560 |
| MEAN | 15,770 | 18,120 | 21,010 | 13,500 | 25,840 | 19,740 | 17,800 | 18,780 | 15,790 | 5,457 | 4,415 | 10,990 |
| MAX | 36,900 | 31,600 | 38,900 | 35,400 | 47,900 | 35,900 | 30,600 | 36,700 | 31,500 | 7,760 | 9,270 | 22,300 |
| MIN | 5,530 | 9,700 | 7,350 | 3,380 | 5,880 | 9,140 | 7,120 | 6,150 | 5,500 | 2,780 | 1,800 | 2,350 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1970 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 5,621 | 10,290 | 16,420 | 18,250 | 21,820 | 19,960 | 15,500 | 13,350 | 8,802 | 4,545 | 2,828 | 4,241 |
| MAX | 19,100 | 22,770 | 46,530 | 41,100 | 52,100 | 53,330 | 42,430 | 50,460 | 23,850 | 12,260 | 8,763 | 27,360 |
| (WY) | (1980) | (1980) | (1979) | (1974) | (1989) | (1997) | (1979) | (1983) | (1981) | (1989) | (1971) | (1979) |
| MIN | 1,875 | 2,737 | 2,496 | 1,223 | 7,116 | 7,479 | 2,260 | 1,706 | 541 | 1,235 | 362 | 354 |
| (WY) | (2000) | (2000) | (1981) | (1981) | (1977) | (1981) | (1986) | (1988) | (1988) | (2000) | (1999) | (1999) |

03320000 GREEN RIVER AT LOCK 2, AT CALHOUN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1970 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 4,686,493 | | 5,663,880 | | 11,750 | |
| ANNUAL MEAN | 12,840 | | 15,520 | | 22,070 | |
| HIGHEST ANNUAL MEAN | | | | | 5,345 | |
| LOWEST ANNUAL MEAN | | | | | 1979 | |
| HIGHEST DAILY MEAN | 46,800 | Mar 23 | 47,900 | Feb 24 | 85,200 | Mar 7, 1997 |
| LOWEST DAILY MEAN | 412 | Sep 14 | 1,800 | Aug 22 | 162 | Sep 6, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 484 | Sep 9 | 2,280 | Aug 17 | 186 | Sep 5, 1999 |
| MAXIMUM PEAK FLOW | | | | | 208,000 | Jan 27, 1937 |
| MAXIMUM PEAK STAGE | | | | | 42.40 | Jan 30, 1937 |
| INSTANTANEOUS LOW FLOW | | | | | 107 | Sep 14, 1999 |
| 10 PERCENT EXCEEDS | 31,900 | | 31,500 | | 29,700 | |
| 50 PERCENT EXCEEDS | 8,750 | | 13,100 | | 7,120 | |
| 90 PERCENT EXCEEDS | 1,230 | | 4,400 | | 1,400 | |



03320500 POND RIVER NEAR APEX, KY

LOCATION.--Lat 37°07'20", long 87°19'10", Muhlenberg County, Hydrologic Unit 05110006, on downstream side of bridge near right bank on State Highway 189, 1.1 mi downstream from Coal Creek, 2.1 mi northeast of Apex, 5.7 mi upstream from West Fork, and at mile 62.8.

DRAINAGE AREA.--194 mi².

PERIOD OF RECORD.--August 1940 to current year. October 1953 to September 1971, published as "East Fork Pond River near Apex."

REVISED RECORDS.--WSP 1083: 1942-46. WSP 1555: 1945-46(P), drainage area, WRD KY-93: 1989-91(P), WRD KY-97: 1989-96(P).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 384.53 ft above NGVD of 1929. Prior to Aug. 21, 1942, nonrecording gage at same site. Prior to Oct. 1, 1974, at datum 6.11 ft higher.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,700 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Oct 11 | 0100 | 4,430 | 18.02 | Feb 22 | 1800 | 4,340 | 17.96 |
| Dec 20 | 0000 | *4,600 | *18.16 | May 7 | 1700 | 4,060 | 17.75 |
| Jan 1 | 0600 | 3,350 | 17.16 | Jun 12 | 0100 | 2,900 | 16.73 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|--------|--------|--------|-------|--------|--------|--------|----------|---------|---------|
| 1 | 836 | 186 | 57 | e3,000 | 155 | 637 | 305 | 790 | 31 | 13 | 59 | 164 |
| 2 | 495 | 134 | 54 | e2,100 | 156 | 541 | 222 | 605 | 28 | 11 | 118 | 177 |
| 3 | 277 | 109 | 52 | e1,500 | 154 | 423 | 179 | 526 | 27 | 9.2 | 764 | 877 |
| 4 | 169 | 97 | 52 | e1,100 | 181 | 325 | 152 | 360 | 27 | 8.2 | 465 | e680 |
| 5 | 122 | 303 | 70 | e850 | 244 | 272 | 242 | 1,110 | 27 | 7.8 | 349 | e370 |
| 6 | 91 | 953 | 117 | e680 | 224 | 244 | 446 | 1,130 | 26 | 11 | 246 | 212 |
| 7 | 73 | e700 | 123 | 515 | e190 | 226 | e1,600 | 3,260 | 26 | 8.4 | 151 | 132 |
| 8 | 60 | e420 | 129 | 368 | e160 | 201 | e1,300 | e3,000 | 24 | 5.6 | 82 | 73 |
| 9 | 49 | 246 | 180 | 278 | e150 | 181 | e1,100 | e1,900 | 22 | 12 | 51 | 49 |
| 10 | 1,340 | 179 | 308 | 224 | e140 | 161 | e1,900 | e1,300 | 22 | 28 | 36 | 43 |
| 11 | 3,860 | 162 | e910 | 183 | e150 | 145 | e1,600 | 1,130 | 1,150 | 9.6 | 28 | 30 |
| 12 | e2,400 | 166 | e1,140 | 153 | e180 | 137 | e1,100 | 769 | e2,500 | 5.1 | 23 | 21 |
| 13 | e1,400 | 139 | 1,320 | 136 | e200 | 131 | e760 | 490 | e1,700 | 3.6 | 19 | 15 |
| 14 | e900 | 117 | e1,720 | 128 | 372 | 124 | e550 | 303 | e1,100 | 2.7 | 16 | 12 |
| 15 | e600 | 130 | e1,300 | 119 | e1,130 | 118 | 390 | 205 | e760 | 2.1 | 15 | 10 |
| 16 | e400 | 245 | e900 | e100 | e2,010 | 114 | 273 | 163 | e480 | 2.0 | 14 | 9.1 |
| 17 | 235 | 236 | e700 | e100 | e1,920 | 112 | 603 | 305 | 291 | 1.4 | 13 | 6.9 |
| 18 | e140 | 177 | e560 | e92 | e1,470 | 111 | 848 | 461 | 187 | 0.84 | 10 | 5.4 |
| 19 | e84 | 142 | 2,250 | e86 | e1,160 | 289 | 585 | 295 | 143 | 0.48 | 8.5 | 4.8 |
| 20 | e56 | 120 | e3,600 | e78 | e1,180 | 685 | 385 | 203 | 98 | 0.38 | 7.0 | 4.2 |
| 21 | e46 | 107 | e2,100 | e76 | 1,240 | 498 | 866 | 161 | 66 | 21 | 5.5 | 3.8 |
| 22 | e48 | 96 | e1,500 | e74 | 3,000 | 289 | 886 | 135 | 49 | 189 | 6.7 | 65 |
| 23 | e45 | 86 | e1,200 | e72 | e3,200 | 208 | 559 | 112 | 37 | 112 | 112 | 239 |
| 24 | e41 | 79 | e896 | e70 | e2,000 | 172 | 353 | 93 | 30 | 52 | 149 | 167 |
| 25 | e38 | 74 | e790 | e70 | e1,500 | 145 | 850 | 79 | 25 | 32 | 57 | 97 |
| 26 | e36 | 70 | e720 | e68 | e1,100 | 142 | e1,300 | 70 | 22 | 21 | 30 | 55 |
| 27 | e40 | 67 | e610 | e70 | 855 | 152 | e990 | 60 | 25 | 13 | 18 | 36 |
| 28 | e100 | 63 | e444 | e76 | 724 | 144 | e720 | 51 | 27 | 8.2 | 19 | 26 |
| 29 | 289 | 61 | 313 | 91 | --- | 610 | e500 | 45 | 22 | 174 | 50 | 19 |
| 30 | 472 | 60 | 264 | 129 | --- | e740 | 820 | 38 | 17 | 176 | 40 | 13 |
| 31 | 307 | --- | 824 | 154 | --- | 470 | --- | 35 | --- | 102 | 141 | --- |
| TOTAL | 15,049 | 5,724 | 25,203 | 12,740 | 25,145 | 8,747 | 22,384 | 19,184 | 8,989 | 1,042.60 | 3,102.7 | 3,616.2 |
| MEAN | 485 | 191 | 813 | 411 | 898 | 282 | 746 | 619 | 300 | 33.6 | 100 | 121 |
| MAX | 3,860 | 953 | 3,600 | 3,000 | 3,200 | 740 | 1,900 | 3,260 | 2,500 | 189 | 764 | 877 |
| MIN | 36 | 60 | 52 | 68 | 140 | 111 | 152 | 35 | 17 | 0.38 | 5.5 | 3.8 |
| CFSM | 2.50 | 0.98 | 4.19 | 2.12 | 4.63 | 1.45 | 3.85 | 3.19 | 1.54 | 0.17 | 0.52 | 0.62 |
| IN. | 2.89 | 1.10 | 4.83 | 2.44 | 4.82 | 1.68 | 4.29 | 3.68 | 1.72 | 0.20 | 0.59 | 0.69 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1941 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 30.5 | 173 | 406 | 449 | 616 | 602 | 436 | 329 | 119 | 58.0 | 31.0 | 62.6 |
| MAX | 485 | 1,430 | 2,167 | 2,024 | 3,988 | 2,519 | 1,822 | 2,607 | 900 | 440 | 239 | 988 |
| (WY) | (2003) | (1958) | (1979) | (1950) | (1989) | (1997) | (1979) | (1984) | (1969) | (1989) | (1984) | (1979) |
| MIN | 0.000 | 0.000 | 0.000 | 3.56 | 42.6 | 35.2 | 39.2 | 6.46 | 1.37 | 0.44 | 0.19 | 0.000 |
| (WY) | (1954) | (1954) | (1964) | (1981) | (1941) | (1941) | (1986) | (1941) | (1964) | (1964) | (1993) | (1953) |

03320500 POND RIVER NEAR APEX, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1941 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 151,092.10 | | 150,926.50 | | | |
| ANNUAL MEAN | 414 | | 413 | | 274 | |
| HIGHEST ANNUAL MEAN | | | | | 643 1979 | |
| LOWEST ANNUAL MEAN | | | | | 59.8 1941 | |
| HIGHEST DAILY MEAN | 5,010 | Mar 20 | 3,860 | Oct 11 | 28,400 | Feb 15, 1989 |
| LOWEST DAILY MEAN | 0.28 | Sep 15 | 0.38 | Jul 20 | 0.00 | Oct 21, 1940 |
| ANNUAL SEVEN-DAY MINIMUM | 0.32 | Sep 11 | 1.4 | Jul 14 | 0.00 | Oct 21, 1940 |
| MAXIMUM PEAK FLOW | | | 4,600 | Dec 20 | 35,700 | May 7, 1984 |
| MAXIMUM PEAK STAGE | | | 18.16 | Dec 20 | 26.81 | Nov 19, 1957 |
| ANNUAL RUNOFF (CFSM) | 2.13 | | 2.13 | | 1.41 | |
| ANNUAL RUNOFF (INCHES) | 28.97 | | 28.94 | | 19.21 | |
| 10 PERCENT EXCEEDS | 1,270 | | 1,150 | | 733 | |
| 50 PERCENT EXCEEDS | 109 | | 151 | | 48 | |
| 90 PERCENT EXCEEDS | 2.1 | | 14 | | 0.80 | |

e Estimated



03321060 POND RIVER NEAR MADISONVILLE, KY

LOCATION.--Lat 37°19'02", long 87°22'09", Hopkins County, Hydrologic Unit 05110006, on left bank 3 ft downstream from bridge on State Highway 70, 4.2 mi downstream from Flat Creek, 5.0 mi upstream from Earle Creek, 6.3 mi east of Madisonville, and at mile 25.9.

DRAINAGE AREA.--469 mi².

PERIOD OF RECORD.--July 1991 to September 1996 discharge records. October 1996 to current year, gage height only.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 361.80 ft above NGVD of 1929.

REMARKS.--Records good.


COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

GAGE HEIGHT, FEET
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|------|-------|-------|
| 1 | 18.39 | 10.45 | 5.72 | 16.45 | 7.79 | 20.17 | e13.30 | 16.35 | 5.62 | 4.98 | 6.91 | 6.39 |
| 2 | 18.51 | 10.22 | 5.69 | 18.15 | 8.08 | 19.68 | e13.90 | 16.14 | 5.45 | 4.88 | 6.29 | 8.15 |
| 3 | 18.16 | 9.32 | 5.60 | 19.25 | 8.22 | 19.16 | e12.20 | 15.93 | 5.38 | 4.77 | 6.77 | 9.43 |
| 4 | 17.54 | 8.21 | 5.56 | 19.66 | 8.75 | 18.60 | e10.60 | 15.58 | 5.33 | 4.69 | 9.30 | 10.80 |
| 5 | 16.63 | 7.76 | 5.69 | 19.56 | 9.33 | 17.99 | e9.60 | 15.45 | 5.27 | 4.56 | 10.71 | 11.72 |
| 6 | 15.51 | 9.27 | e5.81 | 19.18 | 9.73 | 17.31 | e9.40 | 15.48 | 5.20 | 4.50 | 11.09 | 12.30 |
| 7 | 14.16 | 10.98 | 6.40 | 18.64 | 9.82 | 16.53 | e10.10 | 16.42 | 5.15 | 4.42 | 10.89 | 12.37 |
| 8 | 12.39 | 12.21 | 7.05 | 18.00 | 9.50 | 15.60 | e13.10 | 17.96 | 5.09 | 4.39 | 9.99 | 11.80 |
| 9 | 9.68 | 13.12 | 7.45 | 17.24 | 8.91 | 14.32 | e16.50 | 19.30 | 5.02 | 4.36 | 8.20 | 10.17 |
| 10 | 8.47 | 13.50 | 8.08 | 16.38 | 8.44 | 12.83 | e17.00 | 19.94 | 4.99 | 4.34 | 6.63 | 7.72 |
| 11 | 11.79 | 13.35 | 9.70 | 15.39 | 8.21 | 11.20 | e16.50 | 19.97 | 6.62 | 4.40 | 5.83 | 6.22 |
| 12 | 14.60 | 12.77 | 11.31 | 14.18 | 8.18 | 9.73 | e15.60 | 19.71 | 12.13 | 4.50 | 5.37 | 5.56 |
| 13 | 17.92 | 11.85 | 12.90 | 12.78 | 8.26 | 8.71 | e15.30 | 19.28 | 15.71 | 4.45 | 5.08 | 5.12 |
| 14 | 18.96 | 10.83 | 14.93 | 11.15 | 8.65 | 8.11 | e17.00 | 18.72 | 17.68 | 4.37 | 4.91 | 5.02 |
| 15 | 19.06 | 9.88 | 16.42 | 9.44 | 11.89 | 7.74 | e17.50 | 18.00 | 18.17 | 4.31 | 4.78 | 4.76 |
| 16 | 18.75 | 9.44 | 17.18 | 8.31 | 15.99 | 7.46 | e17.00 | 17.12 | 18.19 | 4.26 | 4.66 | 4.56 |
| 17 | 18.19 | 9.67 | 17.46 | 7.76 | 18.80 | 7.26 | 16.03 | 16.25 | 17.94 | 4.23 | 4.56 | 4.46 |
| 18 | 17.40 | 10.07 | 17.45 | e7.29 | 19.86 | 7.12 | 15.31 | 15.35 | 17.33 | 4.19 | 4.46 | 4.38 |
| 19 | 16.42 | 10.07 | 17.67 | 7.02 | 19.54 | 7.54 | 14.89 | 14.48 | 16.41 | 4.16 | 4.44 | 4.31 |
| 20 | 15.32 | 9.59 | 18.58 | e6.94 | 19.94 | 9.61 | 14.87 | 13.83 | 15.33 | 4.11 | 4.32 | 4.22 |
| 21 | 13.90 | 8.85 | 19.62 | e7.05 | 19.72 | 11.69 | 14.69 | 13.19 | 14.09 | 4.31 | 4.39 | 4.37 |
| 22 | 12.07 | 8.12 | 20.33 | 7.14 | 19.80 | 13.03 | 14.27 | 12.25 | 12.53 | 4.44 | 4.27 | 4.49 |
| 23 | 9.53 | 7.55 | 20.44 | e7.05 | 20.45 | 13.49 | 14.06 | 10.93 | 10.28 | 5.76 | 4.40 | 4.75 |
| 24 | 7.43 | 7.16 | 20.17 | e7.10 | 21.18 | 13.17 | 14.11 | 9.37 | 7.81 | 6.79 | 5.40 | 7.44 |
| 25 | 6.58 | 6.82 | 19.77 | e7.05 | 21.56 | 12.35 | 14.13 | 8.20 | 6.22 | 6.15 | 6.80 | 7.77 |
| 26 | 6.18 | 6.55 | 19.24 | 6.66 | 21.44 | 11.25 | 14.40 | 7.57 | 5.67 | 5.53 | 6.19 | 6.97 |
| 27 | 5.87 | 6.34 | 18.68 | e6.58 | 21.08 | 10.04 | 15.57 | 7.03 | 5.45 | 5.13 | 5.26 | 6.15 |
| 28 | 5.80 | 6.13 | 18.11 | 6.40 | 20.64 | 9.30 | 16.53 | 6.60 | 5.25 | 4.87 | 4.78 | 5.56 |
| 29 | 6.21 | 5.95 | 17.44 | 6.40 | --- | 9.71 | 16.57 | 6.34 | 5.14 | 4.69 | 4.52 | 5.07 |
| 30 | 8.22 | 5.81 | 16.68 | 6.72 | --- | 10.93 | 16.53 | 6.08 | 5.07 | 5.44 | 5.12 | 4.81 |
| 31 | 9.84 | --- | 15.98 | 7.23 | --- | 12.26 | --- | 5.84 | --- | 7.17 | 5.71 | --- |
| MEAN | 13.21 | 9.39 | 13.65 | 11.55 | 14.06 | 12.38 | 14.55 | 14.02 | 9.52 | 4.81 | 6.19 | 6.89 |
| MAX | 19.06 | 13.50 | 20.44 | 19.66 | 21.56 | 20.17 | 17.50 | 19.97 | 18.19 | 7.17 | 11.09 | 12.37 |
| MIN | 5.80 | 5.81 | 5.56 | 6.40 | 7.79 | 7.12 | 9.40 | 5.84 | 4.99 | 4.11 | 4.27 | 4.22 |

e Estimated

03321060 POND RIVER NEAR MADISONVILLE, KY—Continued



03378500 WABASH RIVER AT NEW HARMONY, IN

(National stream-quality accounting network station)

LOCATION.-- Lat 38°07'55', long 87°56'25", Posey County, Hydrologic Unit 05120113, at bridge on U.S. Highway 66 at New Harmony, and at mile 51.5.

DRAINAGE AREA.--29,234 mi².

WATER-QUALITY RECORDS

PERIOD OF RECORD.--

CHEMICAL ANALYSES.--October 1974 to 1986, 1997 to current water year.

SEDIMENT DISCHARGE.--Partial record station--October 1974 to 1985.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--October 1974 to September 1980.

WATER TEMPERATURES.--October 1974 to September 1980.

REMARKS.--Water discharge obtained from station Wabash River at Mount Carmel, IL. (03377500).

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--Maximum daily recorded, 805 microsiemens, Feb. 15, 1977; minimum daily recorded, 200 microsiemens, Mar. 3, 1979.

WATER TEMPERATURES.--Maximum daily recorded, 32.0°C, June 28, 1978, July 14-18, 1980; minimum daily recorded, freezing point on many days during the winter period.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Turbidity, wat unfltd Hach 2100AN NTU (99872) | UV absorbance, 254 nm, wat flt units /cm (50624) | UV absorbance, 280 nm, wat flt units /cm (61726) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltd field, std units (00400) | Specific conductance, wat unfltd uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Hardness, water, unfltd mg/L as CaCO ₃ (00900) |
|-----------|------|---------------|--------------------------------------|---|--|--|--------------------------------|---|--|--|-----------------------------------|---|
| NOV 05... | 1240 | Environmental | 9,100 | 41 | 0.096 | 0.072 | 10.4 | 95 | 8.2 | 584 | 10.0 | 230 |
| DEC 17... | 1220 | Environmental | 11,500 | 30 | 0.087 | 0.066 | 12.4 | 101 | 7.8 | 704 | 6.0 | 300 |
| 17... | 1228 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 11... | 1250 | Environmental | 14,700 | 27 | 0.074 | 0.055 | 14.2 | 107 | 8.2 | 679 | 3.0 | 270 |
| 11... | 1258 | Field Blank | -- | -- | 0.001 | 0.001 | -- | -- | -- | -- | -- | -- |
| 25... | 1240 | Environmental | 52,600 | 180 | 0.126 | 0.098 | 12.8 | 92 | 7.8 | 315 | 2.0 | 120 |
| MAR 11... | 1150 | Environmental | 41,000 | -- | -- | -- | 12.2 | 98 | 7.9 | 446 | 5.5 | 180 |
| 11... | 1200 | Replicate | -- | -- | -- | -- | -- | -- | -- | -- | -- | 180 |
| 25... | 1140 | Environmental | 38,900 | 110 | 0.111 | 0.083 | 9.6 | 92 | 7.8 | 481 | 13.0 | 210 |
| APR 08... | 1140 | Environmental | 26,000 | 56 | 0.095 | 0.070 | 9.8 | 92 | 7.9 | 533 | 12.5 | 240 |
| 22... | 1210 | Environmental | 20,500 | 58 | 0.085 | 0.063 | 11.3 | 119 | 8.4 | 590 | 17.5 | 270 |
| 22... | 1218 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 05... | 1230 | Environmental | 28,600 | 190 | 0.118 | 0.088 | 7.1 | 78 | 8.0 | 456 | 18.5 | 190 |
| 05... | 1240 | Replicate | -- | 190 | 0.119 | 0.089 | -- | -- | -- | -- | -- | 130 |
| 19... | 1230 | Environmental | 101,000 | 50 | 0.185 | 0.139 | 6.0 | 67 | 7.3 | 404 | 20.0 | 180 |
| JUN 04... | 1320 | Environmental | 27,300 | 57 | 0.111 | 0.081 | 8.4 | 90 | 8.1 | 539 | 18.0 | 230 |
| 04... | 1320 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | 1230 | Environmental | 27,700 | E69 | 0.131 | 0.098 | 8.1 | 97 | 7.8 | 312 | 24.0 | 220 |
| JUL 15... | 1250 | Environmental | 68,800 | 58 | 0.175 | 0.132 | 7.8 | 102 | 7.7 | 321 | 29.0 | 130 |
| 15... | 1258 | Field Blank | -- | -- | <0.004 | <0.004 | -- | -- | -- | -- | -- | -- |
| AUG 12... | 1200 | Environmental | 22,300 | 52 | 0.132 | 0.097 | 8.5 | 93 | 8.1 | 517 | 19.0 | 240 |
| 12... | 1210 | Other QA | -- | 48 | 0.134 | 0.099 | -- | -- | -- | -- | -- | 240 |
| SEP 08... | 1210 | Environmental | 62,600 | 77 | 0.173 | 0.129 | 7.7 | 99 | 7.7 | 323 | 28.5 | 140 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Calcium water, fltrd, mg/L (00915) | Magnesium, water, fltrd, mg/L (00925) | Potassium, water, fltrd, mg/L (00935) | Sodium, water, fltrd, mg/L (00930) | Alkalinity, wat flt inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat flt incrm. titr., field, mg/L (00453) | Chloride, water, fltrd, mg/L (00940) | Fluoride, water, fltrd, mg/L (00950) | Silica, water, fltrd, mg/L (00955) | Sulfate water, fltrd, mg/L (00945) | Residue on evap. at 180degC wat flt mg/L (70300) | Ammonia + org-N, water, fltrd, mg/L as N (00623) | Ammonia + org-N, water, unfltrd mg/L as N (00625) |
|--------------|--|---|---|--|--|--|--|--|--|--|---|---|--|
| NOV 05... | 62.0 | 19.4 | 4.02 | 26.5 | 173 | 211 | 34.1 | 0.2 | 5.34 | 70.5 | 348 | 0.32 | 0.73 |
| DEC 17... | 78.6 | 25.4 | 3.41 | 35.2 | 194 | 237 | 42.8 | 0.26 | 5.52 | 97.8 | 443 | 0.29 | 0.57 |
| 17... | 0.05 | <0.008 | 0.03 | <0.09 | -- | -- | 0.27 | <0.01 | <0.13 | 0.03 | -- | -- | -- |
| FEB 11... | 70.6 | 22.2 | 3.11 | 34.4 | 194 | 237 | 53.5 | 0.22 | 5.88 | 66.8 | 403 | 0.33 | 0.58 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | 33.2 | 9.90 | 2.97 | 13.2 | 83 | 101 | 21.9 | 0.13 | 5.22 | 35.0 | 189 | 0.48 | 1.2 |
| MAR 11... | 49.5 | 14.3 | 2.46 | 18.5 | 124 | 151 | 30.6 | 0.14 | 6.34 | 43.6 | 260 | -- | -- |
| 11... | 49.4 | 14.6 | 2.33 | 18.9 | 125 | 153 | 30.6 | 0.15 | 6.42 | 43.9 | 259 | -- | -- |
| 25... | 57.5 | 17.2 | 2.82 | 16.5 | 140 | 171 | 26.3 | 0.17 | 6.20 | 45.6 | 286 | 0.43 | 1.0 |
| APR 08... | 63.8 | 18.5 | 2.68 | 16.9 | 168 | 205 | 30.0 | 0.18 | 5.40 | 50.2 | 324 | 0.31 | 0.69 |
| 22... | 70.0 | 22.4 | 2.71 | 21.3 | 188 | 230 | 34.0 | 0.20 | 0.68 | 62.7 | 352 | 0.32 | 1.3 |
| 22... | 0.03 | <0.008 | <0.01 | <0.09 | -- | -- | <0.01 | <0.01 | <0.13 | <0.01 | -- | -- | -- |
| MAY 05... | 50.2 | 16.5 | 3.31 | 15.6 | 140 | 171 | 26.0 | 0.18 | 4.06 | 49.8 | 276 | 0.36 | 1.6 |
| 05... | 32.8 | 10.8 | 2.04 | 9.95 | 138 | 169 | 25.5 | 0.18 | 2.77 | 49.7 | 277 | 0.37 | 1.6 |
| 19... | 49.5 | 13.9 | 4.41 | 8.80 | 125 | 152 | 17.9 | 0.2 | 7.68 | 28.5 | 244 | 0.62 | 0.90 |
| JUN 04... | 60.1 | 18.5 | 2.83 | 14.9 | 176 | 214 | 26.4 | 0.2 | 5.30 | 50.1 | 318 | 0.34 | 1.1 |
| 04... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | 58.8 | 17.7 | 3.67 | 12.2 | 164 | 200 | 22.1 | 0.2 | 7.67 | 38.4 | 280 | E.43 | E.98 |
| JUL 15... | 37.5 | 9.66 | 4.34 | 6.27 | 105 | 128 | 12.4 | <0.2 | 6.81 | 18.1 | 196 | 0.46 | 0.99 |
| 15... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 12... | 62.7 | 19.9 | 4.11 | 16.7 | 176 | 214 | 25.4 | 0.2 | 5.88 | 41.8 | 311 | 0.37 | 1.1 |
| 12... | 62.7 | 19.8 | 4.02 | 16.7 | -- | -- | 25.1 | 0.2 | 5.76 | 41.9 | 300 | 0.39 | 1.1 |
| SEP 08... | 38.3 | 11.9 | 4.42 | 7.32 | 113 | 137 | 13.4 | 0.2 | 7.86 | 21.2 | 210 | 0.46 | 1.1 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) | Nitrite water, fltrd, mg/L as N (00613) | Ortho- phos- phate, water, fltrd, mg/L as P (00671) | Partic- ulate nitro- gen, susp, water, mg/L (49570) | Phos- phorus, water, fltrd, mg/L (00666) | Phos- phorus, water, unfltrd mg/L (00665) | Total carbon, suspnd sedimnt total, mg/L (00694) | Inor- ganic carbon, suspnd sedimnt total, mg/L (00688) | Organic carbon, suspnd sedimnt total, mg/L (00689) | Organic carbon, water, fltrd, mg/L (00681) | Pheo- phytin a, phyto- plank- ton, ug/L (62360) | Chloro- phyll a phyto- plank- ton, fluoro, ug/L (70953) |
|--------------|--|---|--|--|--|---|--|--|---|--|---|--|--|
| NOV 05... | <0.04 | 1.77 | 0.008 | 0.072 | 0.33 | 0.086 | 0.19 | 3.5 | <0.1 | 3.5 | 3.7 | 24.5 | 19.1 |
| DEC 17... | <0.04 | 2.44 | E.006 | 0.104 | 0.24 | 0.119 | 0.19 | 2.0 | <0.1 | 1.9 | 3.2 | 7.3 | 19.7 |
| 17... | 0.029 | <0.022 | <0.002 | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 11... | 0.05 | 2.93 | 0.016 | 0.096 | 0.19 | 0.110 | 0.19 | 1.7 | <0.1 | 1.7 | 2.7 | 3.7 | 9.4 |
| 11... | -- | -- | -- | -- | <0.02 | -- | -- | <0.1 | <0.1 | <0.1 | 0.5 | -- | -- |
| 25... | 0.14 | 1.91 | 0.011 | 0.089 | 0.63 | 0.105 | 0.41 | 6.3 | 0.4 | 6.0 | 4.3 | -- | -- |
| MAR 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 4.5 | 5.7 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 4.2 | 5.6 |
| 25... | E.03 | 3.57 | 0.028 | 0.072 | 0.52 | 0.086 | 0.29 | 5.3 | 0.1 | 5.2 | 3.8 | 10.1 | 14.3 |
| APR 08... | <0.04 | 3.48 | 0.015 | 0.057 | 0.35 | 0.072 | 0.17 | 3.1 | <0.1 | 3.1 | 3.4 | 12.4 | 7.8 |
| 22... | <0.04 | 2.36 | 0.009 | 0.011 | 0.77 | 0.025 | 0.21 | 5.4 | <0.1 | 5.3 | 3.0 | 57.4 | 47.0 |
| 22... | <0.015 | <0.022 | <0.002 | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 05... | <0.04 | 1.65 | 0.014 | 0.038 | 0.92 | 0.050 | -- | 7.5 | 0.1 | 7.4 | 3.9 | 33.5 | 31.5 |
| 05... | E.02 | 1.64 | 0.014 | 0.037 | 0.96 | 0.049 | -- | 7.6 | 0.2 | 7.4 | 3.9 | 34.3 | 33.1 |
| 19... | <0.04 | 4.68 | 0.074 | 0.076 | 0.27 | 0.097 | 0.21 | 2.3 | <0.1 | 2.2 | 5.6 | 5.0 | 5.4 |
| JUN 04... | <0.015 | 3.33 | 0.010 | 0.060 | 0.63 | 0.079 | 0.23 | 5.3 | <0.1 | 5.3 | 3.3 | 30.7 | 32.1 |
| 04... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | <0.04 | E4.45 | E.017 | E.074 | 0.62 | E.089 | E.26 | 5.8 | 0.7 | 5.0 | 4.0 | 16.6 | 27.3 |
| JUL 15... | <0.04 | 2.98 | 0.052 | 0.095 | 0.42 | 0.111 | 0.29 | 3.7 | <0.1 | 3.7 | 5.0 | 13.4 | 12.7 |
| 15... | -- | -- | -- | -- | 0.05 | -- | -- | 0.3 | <0.1 | 0.3 | E.3 | -- | -- |
| AUG 12... | <0.04 | 1.71 | 0.009 | 0.083 | 0.46 | 0.097 | 0.24 | 3.5 | <0.1 | 3.5 | 3.9 | 29.7 | 30.0 |
| 12... | <0.04 | 1.72 | 0.012 | 0.082 | 0.45 | 0.100 | 0.21 | 3.4 | 0.6 | 2.8 | 4.1 | -- | -- |
| SEP 08... | <0.04 | 1.41 | 0.014 | 0.102 | 0.38 | 0.122 | 0.34 | 4.0 | <0.1 | 3.9 | 5.0 | 13.3 | 10.6 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Alum- inum, water, fltred, ug/L (01106) | Anti- mony, water, fltred, ug/L (01095) | Arsenic water, fltred, ug/L (01000) | Barium, water, fltred, ug/L (01005) | Beryll- ium, water, fltred, ug/L (01010) | Boron, water, fltred, ug/L (01020) | Cadmium water, fltred, ug/L (01025) | Chrom- ium, water, fltred, ug/L (01030) | Cobalt water, fltred, ug/L (01035) | Copper, water, fltred, ug/L (01040) | Iron, water, fltred, ug/L (01046) | Lead, water, fltred, ug/L (01049) | Lithium water, fltred, ug/L (01130) |
|--------------|--|--|---|---|---|--|---|--|--|---|---|---|---|
| NOV 05... | -- | -- | 1.4 | -- | -- | 136 | -- | -- | -- | -- | <10 | -- | 4.8 |
| DEC 17... | -- | -- | 1.4 | -- | -- | 144 | -- | -- | -- | -- | E7 | -- | 5.9 |
| 17... | -- | -- | <0.3 | -- | -- | <7 | -- | -- | -- | -- | <10 | -- | <0.5 |
| FEB 11... | -- | -- | 1.2 | -- | -- | 111 | -- | -- | -- | -- | E5 | -- | 4.0 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | -- | -- | 0.6 | -- | -- | 41 | -- | -- | -- | -- | 23 | -- | 1.4 |
| MAR 11... | -- | -- | 0.7 | -- | -- | 43 | -- | -- | -- | -- | 11 | -- | 1.8 |
| 11... | -- | -- | 0.7 | -- | -- | 44 | -- | -- | -- | -- | E10 | -- | 1.8 |
| 25... | -- | -- | 1.0 | -- | -- | 53 | -- | -- | -- | -- | 10 | -- | 2.2 |
| APR 08... | -- | -- | 1.1 | -- | -- | 59 | -- | -- | -- | -- | E7 | -- | 2.5 |
| 22... | -- | -- | 1.1 | -- | -- | 78 | -- | -- | -- | -- | <10 | -- | 3.0 |
| 22... | -- | -- | <0.3 | -- | -- | <7 | -- | -- | -- | -- | <10 | -- | <0.5 |
| MAY 05... | -- | -- | 0.9 | -- | -- | 70 | -- | -- | -- | -- | <10 | -- | 2.5 |
| 05... | -- | -- | 0.6 | -- | -- | 44 | -- | -- | -- | -- | E5 | -- | 1.6 |
| 19... | -- | -- | 1.3 | -- | -- | 45 | -- | -- | -- | -- | E8 | -- | 1.3 |
| JUN 04... | 3 | <0.30 | 1.3 | 45 | <0.06 | 71 | E.03 | <0.8 | 0.28 | 2.0 | <8 | <0.08 | 2.4 |
| 04... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 24... | -- | -- | 1.4 | -- | -- | 58 | -- | -- | -- | -- | <8 | -- | 1.6 |
| JUL 15... | -- | -- | 1.4 | -- | -- | 44 | -- | -- | -- | -- | 13 | -- | 1.0 |
| 15... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 12... | -- | -- | 1.9 | -- | -- | 87 | -- | -- | -- | -- | E5 | -- | 2.3 |
| 12... | -- | -- | 1.9 | -- | -- | 86 | -- | -- | -- | -- | <8 | -- | 2.3 |
| SEP 08... | -- | -- | 1.4 | -- | -- | 53 | -- | -- | -- | -- | 13 | -- | 1.4 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Mangan- ese, water, fltrd, ug/L (01056) | Molyb- denum, water, fltrd, ug/L (01060) | Nickel, water, fltrd, ug/L (01065) | Selen- ium, water, fltrd, ug/L (01145) | Silver, water, fltrd, ug/L (01075) | Stront- ium, water, fltrd, ug/L (01080) | Vanad- ium, water, fltrd, ug/L (01085) | Zinc, water, fltrd, ug/L (01090) | 2,6-Di- ethyl- aniline water fltrd 0.7u GF ug/L (82660) | CIAT, water, fltrd, ug/L (04040) | Aceto- chlor, water, fltrd, ug/L (49260) | Ala- chlor, water, fltrd, ug/L (46342) | alpha- HCH, water, fltrd, ug/L (34253) |
|-------|--|---|--|---|--|--|---|--|--|--|---|---|---|
| NOV | | | | | | | | | | | | | |
| 05... | -- | -- | -- | 0.6 | -- | 231 | 1.4 | -- | <0.006 | E.063 | 0.025 | <0.004 | <0.005 |
| DEC | | | | | | | | | | | | | |
| 17... | -- | -- | -- | 1.1 | -- | 254 | 1.3 | -- | <0.006 | E.034 | 0.142 | <0.004 | <0.005 |
| 17... | -- | -- | -- | <0.5 | -- | <0.20 | <0.1 | -- | -- | -- | -- | -- | -- |
| FEB | | | | | | | | | | | | | |
| 11... | -- | -- | -- | 1.0 | -- | 248 | 3.0 | -- | <0.006 | E.034 | 0.008 | <0.004 | <0.005 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | -- | -- | -- | 0.5 | -- | 102 | 0.9 | -- | <0.006 | E.035 | 0.017 | <0.004 | <0.005 |
| MAR | | | | | | | | | | | | | |
| 11... | -- | -- | -- | 0.6 | -- | 146 | 0.7 | -- | -- | -- | -- | -- | -- |
| 11... | -- | -- | -- | 0.7 | -- | 149 | 0.8 | -- | -- | -- | -- | -- | -- |
| 25... | -- | -- | -- | 0.9 | -- | 178 | 2.0 | -- | <0.006 | E.045 | 0.012 | 0.005 | <0.005 |
| APR | | | | | | | | | | | | | |
| 08... | -- | -- | -- | 1.0 | -- | 209 | 2.9 | -- | <0.006 | E.040 | 0.010 | E.004 | <0.005 |
| 22... | -- | -- | -- | 1.1 | -- | 240 | 2.9 | -- | <0.006 | E.049 | 0.083 | <0.004 | <0.005 |
| 22... | -- | -- | -- | <0.5 | -- | <0.20 | E.1 | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | | | |
| 05... | -- | -- | -- | 0.6 | -- | 134 | 1.1 | -- | <0.006 | E.196 | 0.115 | <0.004 | <0.005 |
| 05... | -- | -- | -- | E.3 | -- | 86.6 | 0.7 | -- | <0.006 | E.234 | 0.112 | <0.004 | <0.005 |
| 19... | -- | -- | -- | 0.7 | -- | 138 | 1.1 | -- | <0.006 | E.624 | 2.12 | 0.072 | <0.005 |
| JUN | | | | | | | | | | | | | |
| 04... | 2.9 | 4.1 | 2.03 | 0.8 | <0.20 | 210 | 1.3 | M | <0.006 | E.311 | 0.728 | 0.046 | <0.005 |
| 04... | -- | -- | -- | -- | -- | -- | -- | -- | <0.006 | <0.006 | <0.006 | <0.004 | <0.005 |
| 24... | -- | -- | -- | 0.7 | -- | 175 | 1.5 | -- | <0.006 | E.520 | E.462 | E.030 | <0.005 |
| JUL | | | | | | | | | | | | | |
| 15... | -- | -- | -- | 0.5 | -- | 112 | 1.9 | -- | <0.006 | E.220 | 0.302 | 0.026 | <0.005 |
| 15... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 12... | -- | -- | -- | 0.6 | -- | 229 | 2.3 | -- | <0.006 | E.103 | 0.058 | <0.004 | <0.005 |
| 12... | -- | -- | -- | 0.7 | -- | 225 | 2.3 | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | | | | | | | | |
| 08... | -- | -- | -- | E.4 | -- | 109 | 2.0 | -- | <0.006 | E.075 | 0.042 | 0.006 | <0.005 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Atra- zine, water, fltrd, ug/L (39632) | Azin- phos- methyl, water, fltrd 0.7u GF (82686) | Ben- flur- alin, water, fltrd 0.7u GF (82673) | Butyl- ate, water, fltrd, ug/L (04028) | Car- baryl, water, fltrd 0.7u GF (82680) | Carbo- furan, water, fltrd 0.7u GF (82674) | Chlor- pyrifos water, fltrd, ug/L (38933) | cis- Per- methrin water fltrd 0.7u GF (82687) | Cyana- zine, water, fltrd, ug/L (04041) | DCPA, water fltrd 0.7u GF (82682) | Diazi- non, water, fltrd, ug/L (39572) | Diel- drin, water, fltrd, ug/L (39381) | Disul- foton, water, fltrd 0.7u GF (82677) |
|--------------|---|--|---|---|---|---|--|---|--|---|---|---|---|
| NOV 05... | 0.205 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| DEC 17... | 0.267 | <0.050 | <0.010 | <0.002 | E.017 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.006 | <0.005 | <0.02 |
| 17... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 11... | 0.092 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | 0.099 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| MAR 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | 0.132 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| APR 08... | 0.158 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| 22... | 0.843 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| 22... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 05... | 4.62 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| 05... | 4.64 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| 19... | 11.9 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| JUN 04... | 5.81 | <0.050 | <0.010 | <0.002 | <0.041 | E.030 | 0.005 | <0.006 | <0.018 | <0.003 | E.004 | <0.005 | <0.02 |
| 04... | <0.007 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| 24... | E3.52 | <0.050 | <0.010 | <0.002 | <0.041 | E.006 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| JUL 15... | 1.89 | <0.050 | <0.010 | <0.002 | E.002 | E.006 | <0.005 | <0.006 | <0.018 | <0.003 | 0.006 | 0.010 | <0.02 |
| 15... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 12... | 0.522 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | E.002 | <0.005 | <0.02 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 08... | 0.293 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | 0.006 | <0.005 | <0.02 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd 0.7u GF ug/L (82668) | Ethal- flur- alin, water, fltrd 0.7u GF ug/L (82663) | Etho- prop, water, fltrd 0.7u GF ug/L (82672) | Fonofos water, fltrd, ug/L (04095) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd 0.7u GF ug/L (82666) | Mala- thion, water, fltrd, ug/L (39532) | Methyl para- thion, water, fltrd 0.7u GF ug/L (82667) | Metola- chlor, water, fltrd, ug/L (39415) | Metri- buzin, water, fltrd, ug/L (82630) | Moli- nate, water, fltrd 0.7u GF ug/L (82671) | Naprop- amide, water, fltrd 0.7u GF ug/L (82684) | p,p'- DDE, water, fltrd, ug/L (34653) |
|--------------|--|---|---|--|--|---|--|--|--|---|---|--|--|
| NOV 05... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.103 | 0.006 | <0.002 | <0.007 | <0.003 |
| DEC 17... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.042 | 0.050 | <0.002 | <0.007 | <0.003 |
| 17... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 11... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.037 | <0.006 | <0.002 | <0.007 | <0.003 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.048 | 0.015 | <0.002 | <0.007 | <0.003 |
| MAR 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.145 | 0.013 | <0.005 | <0.007 | <0.003 |
| APR 08... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.052 | <0.006 | <0.002 | <0.007 | <0.003 |
| 22... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.121 | <0.006 | <0.002 | <0.007 | <0.003 |
| 22... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 05... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.938 | 0.009 | <0.002 | <0.007 | <0.003 |
| 05... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.937 | <0.010 | <0.002 | <0.007 | <0.003 |
| 19... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 2.80 | 0.035 | <0.002 | <0.007 | <0.003 |
| JUN 04... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 1.11 | 0.020 | <0.002 | <0.007 | <0.003 |
| 04... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | <0.013 | <0.006 | <0.002 | <0.020 | <0.003 |
| 24... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E1.22 | E.020 | <0.002 | <0.007 | <0.003 |
| JUL 15... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.749 | 0.015 | <0.002 | <0.007 | <0.003 |
| 15... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 12... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.261 | <0.006 | <0.002 | <0.007 | <0.003 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 08... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.168 | <0.006 | <0.002 | <0.007 | <0.003 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Para- thion, water, fltrd, ug/L (39542) | Peb- ulate, water, fltrd 0.7u GF ug/L (82669) | Pendi- meth- alin, water, fltrd 0.7u GF ug/L (82683) | Phorate water fltrd 0.7u GF ug/L (82664) | Prome- ton, water, fltrd, ug/L (04037) | Pron- amide, water, fltrd 0.7u GF ug/L (82676) | Pro- chlor, water, fltrd, ug/L (04024) | Pro- panil, water, fltrd 0.7u GF ug/L (82679) | Pro- par- gite, water, fltrd 0.7u GF ug/L (82685) | Sima- zine, water, fltrd, ug/L (04035) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) |
|--------------|--|---|---|---|---|--|---|---|--|---|--|---|---|
| NOV 05... | <0.010 | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.185 | <0.02 | <0.034 | <0.02 |
| DEC 17... | <0.010 | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.841 | <0.02 | <0.034 | <0.02 |
| 17... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 11... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.296 | <0.02 | <0.034 | <0.02 |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 1.34 | <0.02 | <0.034 | <0.02 |
| MAR 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 25... | <0.010 | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.304 | <0.02 | <0.034 | <0.02 |
| APR 08... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.144 | <0.02 | <0.034 | <0.02 |
| 22... | <0.010 | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.250 | <0.02 | <0.034 | <0.02 |
| 22... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 05... | <0.010 | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 1.00 | <0.02 | <0.034 | <0.02 |
| 05... | <0.010 | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.985 | <0.02 | <0.034 | <0.02 |
| 19... | <0.010 | <0.004 | <0.022 | <0.011 | E.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.837 | <0.02 | <0.034 | <0.02 |
| JUN 04... | <0.010 | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.336 | <0.02 | <0.034 | <0.02 |
| 04... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | <0.005 | <0.02 | <0.034 | <0.02 |
| 24... | <0.010 | <0.004 | <0.022 | <0.011 | E.03 | <0.004 | <0.010 | <0.011 | <0.02 | E.334 | <0.02 | <0.034 | <0.02 |
| JUL 15... | <0.010 | <0.004 | <0.022 | <0.011 | 0.04 | <0.004 | <0.010 | <0.011 | <0.02 | 0.085 | <0.02 | <0.034 | <0.02 |
| 15... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 12... | <0.010 | <0.004 | <0.022 | <0.011 | 0.04 | <0.004 | <0.010 | <0.011 | <0.02 | 0.044 | <0.02 | <0.034 | <0.02 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 08... | <0.010 | <0.004 | <0.022 | <0.011 | 0.02 | <0.004 | <0.010 | <0.011 | <0.02 | 0.026 | <0.02 | <0.034 | <0.02 |

03378500 WABASH RIVER AT NEW HARMONY, IN—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | Uranium natural water, fltrd, ug/L (22703) | Suspnd. sedi- ment, sieve diametr percent <.063mm (70331) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|-------|--|--|---|---|--|--|
| NOV | | | | | | |
| 05... | <0.005 | <0.002 | <0.009 | -- | 97 | 69 |
| DEC | | | | | | |
| 17... | <0.005 | <0.002 | <0.009 | -- | 99 | 41 |
| 17... | -- | -- | -- | -- | -- | -- |
| FEB | | | | | | |
| 11... | <0.005 | <0.002 | <0.009 | -- | 97 | 48 |
| 11... | -- | -- | -- | -- | -- | -- |
| 25... | <0.005 | <0.002 | <0.009 | -- | 92 | 370 |
| MAR | | | | | | |
| 11... | -- | -- | -- | -- | 89 | 133 |
| 11... | -- | -- | -- | -- | 89 | 135 |
| 25... | <0.005 | <0.002 | <0.009 | -- | 96 | 191 |
| APR | | | | | | |
| 08... | <0.005 | <0.002 | <0.009 | -- | 97 | 109 |
| 22... | <0.005 | <0.002 | <0.009 | -- | 97 | 113 |
| 22... | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | |
| 05... | <0.005 | <0.002 | <0.009 | -- | 99 | 431 |
| 05... | <0.005 | <0.002 | <0.009 | -- | 98 | 439 |
| 19... | <0.005 | <0.002 | <0.009 | -- | 84 | 96 |
| JUN | | | | | | |
| 04... | <0.005 | <0.002 | <0.009 | 1.22 | 97 | 125 |
| 04... | <0.005 | <0.002 | <0.009 | -- | -- | -- |
| 24... | <0.005 | <0.002 | <0.009 | -- | 95 | 163 |
| JUL | | | | | | |
| 15... | <0.005 | <0.002 | <0.009 | -- | 89 | 172 |
| 15... | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | |
| 12... | <0.005 | <0.002 | <0.009 | -- | 99 | 101 |
| 12... | -- | -- | -- | -- | -- | -- |
| SEP | | | | | | |
| 08... | <0.005 | <0.002 | <0.009 | -- | 89 | 207 |

Other QA--Grab sample at center vertical (surface only).

E--Laboratory estimated value.

M--Presence of material verified but not quantified.

<--Numeric result is less than the value shown.

[THIS PAGE INTENTIONALLY BLANK.]

TRADEWATER RIVER BASIN

03383000 TRADEWATER RIVER AT OLNEY, KY

LOCATION.--Lat 37°13'26", long 87°46'53", Caldwell County, Hydrologic Unit 05140205, on left bank at downstream side of bridge on State Highway 1220 at Olney, 0.9 mi upstream from Cave Creek, 5.4 mi downstream from Flynn Creek, 9.5 mi northeast of Princeton, and at mile 72.7.

DRAINAGE AREA.--255 mi², of which about 9 mi² does not contribute directly to surface runoff.

PERIOD OF RECORD.--August 1940 to May 1984, March 1985 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 362.80 ft above NGVD of 1929. Prior to July 31, 1942, nonrecording gage at same site and datum.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of January 1937 reached a stage of 19.27 ft, from floodmarks, discharge, 17,000 ft³/s, by slope-area measurement from U.S. Army Corp of Engineers.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Dec 21 | 0300 | 2,370 | 13.86 | Apr 27 | 0500 | 2,260 | 13.55 |
| Jan 2 | 2200 | 2,360 | 13.83 | Apr 30 | 0200 | 2,020 | 12.79 |
| Feb 17 | 0600 | 2,540 | 14.19 | May 9 | 0300 | 2,010 | 12.74 |
| Feb 23 | 1900 | *2,600 | *14.28 | Jun 13 | 0900 | 2,050 | 12.96 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| 1 | 218 | 180 | 46 | 1,890 | 151 | 855 | 340 | e1,600 | 46 | 27 | 74 | 24 |
| 2 | 66 | 126 | 43 | 2,320 | 154 | 537 | 248 | e1,100 | 40 | 23 | 54 | 26 |
| 3 | 43 | 98 | 41 | e2,300 | 154 | 394 | 204 | 776 | 37 | 21 | 57 | 37 |
| 4 | 31 | 85 | 39 | e2,200 | 214 | 309 | 172 | 482 | 35 | 19 | 147 | 158 |
| 5 | 26 | 121 | 44 | e1,800 | 287 | 263 | 177 | 836 | 35 | 17 | 94 | 150 |
| 6 | 23 | 638 | 57 | e1,300 | 251 | 234 | 254 | 1,450 | 32 | 16 | 57 | 103 |
| 7 | 21 | 915 | 72 | e800 | 215 | 211 | 1,010 | 1,660 | 31 | 16 | 40 | 64 |
| 8 | 20 | 560 | 84 | 531 | 190 | 192 | 1,390 | 1,910 | 30 | 14 | 30 | 43 |
| 9 | 18 | 280 | 101 | 298 | 168 | 173 | e1,300 | 2,000 | 28 | 13 | 23 | 31 |
| 10 | 127 | 192 | 169 | 238 | 162 | 153 | e1,100 | e1,900 | 32 | 13 | 18 | 23 |
| 11 | 1,410 | 203 | 609 | 199 | 173 | 139 | 1,210 | e1,700 | 470 | 12 | 15 | 18 |
| 12 | e1,600 | 261 | 1,010 | 166 | 205 | 129 | e1,000 | e1,300 | 1,810 | 12 | 13 | 16 |
| 13 | e1,500 | 204 | 1,030 | 147 | 205 | 123 | e600 | e900 | 2,040 | 11 | 10 | 12 |
| 14 | e1,300 | 158 | 1,520 | 136 | 364 | 120 | 356 | 510 | e1,800 | 10 | 8.0 | 9.5 |
| 15 | e1,000 | 147 | e1,400 | 125 | 1,720 | 114 | 255 | 212 | e1,300 | 10 | 6.4 | 7.7 |
| 16 | e700 | 210 | e1,200 | 116 | 2,360 | 109 | 204 | 165 | e940 | 13 | 5.5 | 6.5 |
| 17 | e360 | 228 | e700 | 110 | e2,500 | 104 | 215 | 165 | e640 | 12 | 5.4 | 5.9 |
| 18 | 146 | 201 | 419 | 87 | e2,300 | 101 | 555 | 235 | e480 | 11 | 5.8 | 5.5 |
| 19 | 109 | 162 | 1,270 | 102 | e2,100 | 291 | 559 | 235 | 324 | 11 | 5.5 | 5.7 |
| 20 | 104 | 134 | 2,180 | 98 | e1,900 | 1,060 | 331 | 179 | 207 | 11 | 4.6 | 4.9 |
| 21 | 114 | 115 | 2,360 | 102 | e1,800 | 1,020 | 294 | 159 | 152 | 11 | 4.2 | 4.1 |
| 22 | 116 | 104 | e2,200 | 108 | e2,100 | 634 | 571 | 144 | 116 | 12 | 4.0 | 5.7 |
| 23 | 98 | 90 | e1,900 | 86 | 2,510 | 403 | 388 | 130 | 90 | 14 | 3.9 | 7.5 |
| 24 | 78 | 80 | e1,700 | 89 | e2,500 | 308 | 237 | 111 | 71 | 15 | 19 | 11 |
| 25 | 63 | 71 | e1,500 | 84 | e2,300 | 234 | 866 | 92 | 58 | 13 | 85 | 12 |
| 26 | 55 | 63 | e1,200 | 77 | e2,000 | 212 | 2,030 | 108 | 49 | 11 | 45 | 12 |
| 27 | 48 | 58 | e700 | 73 | e1,700 | 232 | 2,250 | 102 | 45 | 9.2 | 27 | 13 |
| 28 | 48 | 54 | 439 | 73 | e1,500 | 218 | e2,100 | 81 | 41 | 8.2 | 17 | 11 |
| 29 | 62 | 51 | 305 | 87 | --- | 303 | e1,700 | 68 | 36 | 9.1 | 12 | 9.0 |
| 30 | 224 | 50 | 248 | 121 | --- | 600 | e1,900 | 61 | 30 | 9.5 | 23 | 7.6 |
| 31 | 279 | --- | 476 | 141 | --- | 538 | --- | 54 | --- | 43 | 29 | --- |
| TOTAL | 10,007 | 5,839 | 25,062 | 16,004 | 32,183 | 10,313 | 23,816 | 20,425 | 11,045 | 447.0 | 942.3 | 843.6 |
| MEAN | 323 | 195 | 808 | 516 | 1,149 | 333 | 794 | 659 | 368 | 14.4 | 30.4 | 28.1 |
| MAX | 1,600 | 915 | 2,360 | 2,320 | 2,510 | 1,060 | 2,250 | 2,000 | 2,040 | 43 | 147 | 158 |
| MIN | 18 | 50 | 39 | 73 | 151 | 101 | 172 | 54 | 28 | 8.2 | 3.9 | 4.1 |
| CFSM | 1.31 | 0.79 | 3.29 | 2.10 | 4.67 | 1.35 | 3.23 | 2.68 | 1.50 | 0.06 | 0.12 | 0.11 |
| IN. | 1.51 | 0.88 | 3.79 | 2.42 | 4.87 | 1.56 | 3.60 | 3.09 | 1.67 | 0.07 | 0.14 | 0.13 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1941 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 36.7 | 203 | 462 | 556 | 731 | 761 | 590 | 401 | 152 | 87.1 | 34.9 | 48.9 |
| MAX | 324 | 2,178 | 1,963 | 2,268 | 3,529 | 2,360 | 1,851 | 1,878 | 949 | 946 | 275 | 798 |
| (WY) | (1997) | (1958) | (1979) | (1950) | (1989) | (1997) | (1979) | (1983) | (1969) | (1989) | (1985) | (1950) |
| MIN | 0.000 | 0.000 | 0.96 | 4.85 | 19.2 | 61.9 | 53.7 | 7.09 | 1.18 | 0.003 | 0.000 | 0.000 |
| (WY) | (1941) | (1954) | (1964) | (1964) | (1964) | (1941) | (1986) | (1941) | (1944) | (1952) | (1952) | (1953) |

03383000 TRADEWATER RIVER AT OLNEY, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1941 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 152,075.33 | | 156,926.9 | | 333 | |
| ANNUAL MEAN | 417 | | 430 | | 701 | |
| HIGHEST ANNUAL MEAN | | | | | 1989 | |
| LOWEST ANNUAL MEAN | | | | | 1941 | |
| HIGHEST DAILY MEAN | 2,630 | Mar 21 | 2,510 | Feb 23 | 14,000 | Feb 16, 1989 |
| LOWEST DAILY MEAN | 0.35 | Sep 14 | 3.9 | Aug 23 | 0.00 | Oct 1, 1940 |
| ANNUAL SEVEN-DAY MINIMUM | 0.43 | Sep 9 | 4.8 | Aug 17 | 0.00 | Oct 1, 1940 |
| MAXIMUM PEAK FLOW | | | 2,600 | Feb 23 | 14,600 | Feb 16, 1989 |
| MAXIMUM PEAK STAGE | | | 14.28 | Feb 23 | 18.85 | Feb 16, 1989 |
| ANNUAL RUNOFF (CFSM) | 1.69 | | 1.75 | | 1.35 | |
| ANNUAL RUNOFF (INCHES) | 23.00 | | 23.73 | | 18.39 | |
| 10 PERCENT EXCEEDS | 1,520 | | 1,620 | | 1,120 | |
| 50 PERCENT EXCEEDS | 127 | | 130 | | 60 | |
| 90 PERCENT EXCEEDS | 2.6 | | 11 | | 1.1 | |

e Estimated



03399800 OHIO RIVER AT SMITHLAND DAM, SMITHLAND, KY

LOCATION.--Lat 37°09'30", long 88°25'34", Livingston County, Hydrologic Unit 05140203, at Smithland Dam, 1.1 mi upstream from Cumberland Island, 1.8 mi northwest of Smithland, and at mile 919.0

DRAINAGE AREA.--144,000 mi², approximately.

PERIOD OF RECORD.--October 1993 to current year.

GAGE.--Gate opening, and water-stage recorders with telemetry. Datum of headwater gage is 311.22 ft above NGVD of 1929. Datum of tailwater gage 0.8 mi downstream is 289.28 ft above NGVD of 1929.

REMARKS.--Records fair. Daily discharge computed from tailwater elevation, head, gate openings, and lockages. Flow regulated by Ohio River system of locks, dams, and reservoir upstream from station.

COOPERATION.--U.S. Army Corps of Engineers, Louisville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----------|-----------|-----------|-----------|-----------|------------|-----------|------------|-----------|-----------|-----------|-----------|
| 1 | 86,800 | 135,000 | 90,000 | 233,000 | 76,400 | 619,000 | 194,000 | 139,000 | 141,000 | 93,500 | 173,000 | 94,300 |
| 2 | 82,300 | 143,000 | 89,900 | 259,000 | 87,700 | 617,000 | 195,000 | 141,000 | 142,000 | 84,400 | 183,000 | 138,000 |
| 3 | 46,700 | 142,000 | 91,100 | 286,000 | 90,300 | 614,000 | 180,000 | 127,000 | 148,000 | 74,900 | 178,000 | 186,000 |
| 4 | 59,400 | 145,000 | 85,600 | 298,000 | 96,800 | 597,000 | 173,000 | 118,000 | 153,000 | 74,000 | 166,000 | 249,000 |
| 5 | 63,200 | 122,000 | 78,600 | 300,000 | 118,000 | 579,000 | 168,000 | 165,000 | 170,000 | 84,000 | 165,000 | 279,000 |
| 6 | 36,500 | 107,000 | 65,700 | 300,000 | 133,000 | 551,000 | 169,000 | 201,000 | 194,000 | 83,800 | 162,000 | 294,000 |
| 7 | 32,300 | 132,000 | 55,900 | 305,000 | 160,000 | 519,000 | 177,000 | 357,000 | 215,000 | 90,900 | 179,000 | 302,000 |
| 8 | 30,400 | 160,000 | 50,600 | 306,000 | 177,000 | 478,000 | 178,000 | 461,000 | 234,000 | 106,000 | 187,000 | 310,000 |
| 9 | 22,300 | 152,000 | 63,100 | 306,000 | 188,000 | 441,000 | 192,000 | 513,000 | 246,000 | 109,000 | 185,000 | 313,000 |
| 10 | 42,900 | 180,000 | 77,800 | 301,000 | 179,000 | 396,000 | 224,000 | 521,000 | 257,000 | 126,000 | 165,000 | 307,000 |
| 11 | 48,800 | 189,000 | 82,900 | 279,000 | 160,000 | 279,000 | 254,000 | 540,000 | 287,000 | 165,000 | 156,000 | 276,000 |
| 12 | 96,100 | 202,000 | 92,300 | 233,000 | 138,000 | 286,000 | 278,000 | 566,000 | 313,000 | 210,000 | 161,000 | 193,000 |
| 13 | 137,000 | 219,000 | 117,000 | 194,000 | 120,000 | 286,000 | 295,000 | 585,000 | 330,000 | 244,000 | 167,000 | 154,000 |
| 14 | 134,000 | 223,000 | 140,000 | 179,000 | 105,000 | 284,000 | 320,000 | 598,000 | 339,000 | 257,000 | 173,000 | 143,000 |
| 15 | 106,000 | 221,000 | 170,000 | 151,000 | 136,000 | 283,000 | 343,000 | 582,000 | 333,000 | 263,000 | 165,000 | 102,000 |
| 16 | 86,000 | 200,000 | 203,000 | 135,000 | 187,000 | 278,000 | 353,000 | 578,000 | 318,000 | 264,000 | 150,000 | 90,100 |
| 17 | 69,400 | 186,000 | 233,000 | 113,000 | 373,000 | 270,000 | 355,000 | 584,000 | 304,000 | 242,000 | 129,000 | 89,600 |
| 18 | 69,800 | 172,000 | 253,000 | 98,900 | 446,000 | 264,000 | 337,000 | 583,000 | 305,000 | 198,000 | 121,000 | 84,800 |
| 19 | 105,000 | 164,000 | 276,000 | 91,800 | 484,000 | 265,000 | 314,000 | 579,000 | 312,000 | 165,000 | 116,000 | 80,900 |
| 20 | 111,000 | 171,000 | 264,000 | 84,800 | 511,000 | 272,000 | 257,000 | 569,000 | 333,000 | 166,000 | 119,000 | 91,600 |
| 21 | 90,000 | 203,000 | 249,000 | 81,700 | 532,000 | 276,000 | 217,000 | 561,000 | 348,000 | 170,000 | 121,000 | 82,900 |
| 22 | 58,500 | 184,000 | 229,000 | 74,400 | 556,000 | 281,000 | 202,000 | 551,000 | 359,000 | 182,000 | 96,200 | 141,000 |
| 23 | 47,400 | 158,000 | 236,000 | 70,400 | 582,000 | 285,000 | 201,000 | 539,000 | 362,000 | 170,000 | 92,200 | 149,000 |
| 24 | 50,400 | 145,000 | 269,000 | 79,900 | 599,000 | 287,000 | 199,000 | 524,000 | 358,000 | 164,000 | 73,400 | 179,000 |
| 25 | 50,400 | 159,000 | 275,000 | 65,200 | 611,000 | 288,000 | 197,000 | 513,000 | 340,000 | 181,000 | 82,800 | 190,000 |
| 26 | 58,000 | 153,000 | 272,000 | 54,100 | 620,000 | 280,000 | 201,000 | 501,000 | 316,000 | 199,000 | 73,900 | 176,000 |
| 27 | 58,900 | 150,000 | 261,000 | 63,400 | 625,000 | 263,000 | 201,000 | 474,000 | 222,000 | 217,000 | 66,300 | 167,000 |
| 28 | 53,000 | 154,000 | 241,000 | 60,500 | 627,000 | 243,000 | 195,000 | 401,000 | 154,000 | 225,000 | 61,900 | 170,000 |
| 29 | 50,800 | 151,000 | 220,000 | 54,000 | --- | 224,000 | 168,000 | 327,000 | 104,000 | 212,000 | 67,700 | 172,000 |
| 30 | 70,000 | 145,000 | 209,000 | 46,100 | --- | 212,000 | 153,000 | 199,000 | 92,900 | 180,000 | 71,300 | 171,000 |
| 31 | 106,000 | --- | 215,000 | 65,100 | --- | 201,000 | --- | 162,000 | --- | 161,000 | 97,000 | --- |
| TOTAL | 2,159,300 | 4,967,000 | 5,255,500 | 5,168,300 | 8,718,200 | 11,018,000 | 6,890,000 | 13,259,000 | 7,729,900 | 5,161,500 | 4,103,700 | 5,375,200 |
| MEAN | 69,650 | 165,600 | 169,500 | 166,700 | 311,400 | 355,400 | 229,700 | 427,700 | 257,700 | 166,500 | 132,400 | 179,200 |
| MAX | 137,000 | 223,000 | 276,000 | 306,000 | 627,000 | 619,000 | 355,000 | 598,000 | 362,000 | 264,000 | 187,000 | 313,000 |
| MIN | 22,300 | 107,000 | 50,600 | 46,100 | 76,400 | 201,000 | 153,000 | 118,000 | 92,900 | 74,000 | 61,900 | 80,900 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1994 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MEAN | 59,810 | 103,400 | 177,700 | 205,400 | 312,800 | 354,500 | 287,500 | 313,300 | 206,800 | 98,410 | 73,150 | 52,960 |
| MAX | 107,500 | 226,400 | 379,200 | 311,000 | 536,200 | 700,900 | 594,100 | 562,200 | 376,000 | 203,600 | 132,400 | 179,200 |
| (WY) | (1997) | (1994) | (1997) | (1999) | (1994) | (1997) | (1994) | (1996) | (1997) | (1998) | (2003) | (2003) |
| MIN | 24,530 | 34,800 | 59,450 | 89,880 | 213,000 | 216,300 | 150,000 | 112,600 | 60,070 | 43,110 | 19,190 | 12,490 |
| (WY) | (2000) | (1999) | (1999) | (2001) | (1995) | (2000) | (1995) | (2000) | (1999) | (1999) | (1999) | (1999) |

03399800 OHIO RIVER AT SMITHLAND DAM, SMITHLAND, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1994 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 69,292,700 | | 79,805,600 | | | |
| ANNUAL MEAN | 189,800 | | 218,600 | | 186,500 | |
| HIGHEST ANNUAL MEAN | | | | | 247,000 | 1994 |
| LOWEST ANNUAL MEAN | | | | | 120,900 | 2000 |
| HIGHEST DAILY MEAN | 607,000 | May 24 | 627,000 | Feb 28 | 831,000 | Mar 12, 1997 |
| LOWEST DAILY MEAN | 9,160 | Sep 10 | 22,300 | Oct 9 | 3,090 | Aug 5, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 13,400 | Sep 9 | 39,500 | Oct 5 | 10,200 | Sep 1, 1999 |
| MAXIMUM PEAK FLOW | | | 629,000 | Feb 28 | 832,000 | Mar 12, 1997 |
| MAXIMUM PEAK STAGE | | | 44.08 | Feb 28 | 51.44 | Mar 12, 1997 |
| 10 PERCENT EXCEEDS | 495,000 | | 476,000 | | 447,000 | |
| 50 PERCENT EXCEEDS | 136,000 | | 179,000 | | 129,000 | |
| 90 PERCENT EXCEEDS | 25,300 | | 72,600 | | 30,200 | |



03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 1979 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1979 to current year.

pH: October 1979 to current year.

WATER TEMPERATURE: October 1979 to current year.

DISSOLVED OXYGEN: October 1979 to current year.

INSTRUMENTATION.--Water-quality monitor since October 1979.

REMARKS.--Four submersible pumps are located on Martins Fork Dam, at four different elevations referenced to sea level. Pump 1 is located near the bottom of the lake, at an elevation of 1,272 ft; pump 2 is at an elevation of 1,285 ft; pump 3 at an elevation of 1,298 ft; and pump 4 at an elevation of 1,308 ft, occasional operation. Each lake level is sampled once every four hours, or six times per day. A maximum and minimum value for pH and a maximum, minimum, and mean value for temperature, specific conductance, and dissolved oxygen are determined for each level. The monitor was shut down Nov. 24 to Mar. 23.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 209 | 206 | 207 | 158 | 141 | 154 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 155 | 143 | 148 | --- | --- | --- | --- | --- | --- |
| 3 | 215 | 213 | 214 | 151 | 148 | 150 | --- | --- | --- | --- | --- | --- |
| 4 | 218 | 208 | 214 | 155 | 150 | 153 | --- | --- | --- | --- | --- | --- |
| 5 | 211 | 207 | 209 | 153 | 152 | 153 | --- | --- | --- | --- | --- | --- |
| 6 | 215 | 206 | 210 | 152 | 148 | 151 | --- | --- | --- | --- | --- | --- |
| 7 | 213 | 210 | 212 | 153 | 146 | 148 | --- | --- | --- | --- | --- | --- |
| 8 | 214 | 212 | 213 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 214 | 213 | 214 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 214 | 213 | 213 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 216 | 213 | 215 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 219 | 214 | 216 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 219 | 215 | 218 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 218 | 216 | 217 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 216 | 215 | 216 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 220 | 215 | 218 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 224 | 216 | 219 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 221 | 217 | 219 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 224 | 218 | 220 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 218 | 216 | 218 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 220 | 217 | 219 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 218 | 217 | 217 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 219 | 215 | 217 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 217 | 214 | 215 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 220 | 213 | 216 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 219 | 216 | 217 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 218 | 213 | 216 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 215 | 212 | 214 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 215 | 211 | 213 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 215 | 198 | 210 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 163 | 159 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 224 | 159 | 213 | 158 | 141 | 151 | --- | --- | --- | --- | --- | --- |

CUMBERLAND RIVER BASIN

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 23.2 | 22.8 | 23.0 | 20.0 | 19.8 | 19.9 | --- | --- | --- | --- | --- | --- |
| 2 | 23.1 | 22.8 | 23.0 | 19.7 | 19.4 | 19.6 | --- | --- | --- | --- | --- | --- |
| 3 | 23.1 | 22.8 | 23.0 | 19.4 | 19.3 | 19.4 | --- | --- | --- | --- | --- | --- |
| 4 | 23.0 | 22.6 | 22.9 | 19.3 | 18.9 | 19.1 | --- | --- | --- | --- | --- | --- |
| 5 | 23.0 | 22.7 | 22.9 | 18.9 | 18.8 | 18.9 | --- | --- | --- | --- | --- | --- |
| 6 | 23.5 | 22.6 | 22.9 | 18.8 | 18.5 | 18.7 | --- | --- | --- | --- | --- | --- |
| 7 | 23.2 | 22.6 | 22.9 | 18.7 | 18.4 | 18.5 | --- | --- | --- | --- | --- | --- |
| 8 | 23.1 | 22.7 | 22.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 22.9 | 22.8 | 22.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 22.9 | 22.8 | 22.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 22.8 | 22.7 | 22.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 22.9 | 22.7 | 22.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 22.8 | 22.6 | 22.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 22.6 | 22.4 | 22.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 22.4 | 22.2 | 22.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 22.2 | 22.0 | 22.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 21.8 | 21.6 | 21.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 21.5 | 21.4 | 21.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 21.2 | 21.2 | 21.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 21.2 | 20.9 | 21.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 20.5 | 20.3 | 20.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 20.2 | 20.1 | 20.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 20.2 | 20.0 | 20.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 20.0 | 20.0 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 20.1 | 19.9 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 20.1 | 19.9 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 20.0 | 20.0 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 20.0 | 20.0 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 20.0 | 19.9 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 20.1 | 20.0 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 20.1 | 20.0 | 20.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 23.5 | 19.9 | 21.6 | 20.0 | 18.4 | 19.2 | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.0 | 15.5 | 15.7 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.1 | 15.6 | 15.8 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.0 | 15.6 | 15.8 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.1 | 16.0 | 16.0 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.6 | 15.9 | 16.2 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.3 | 16.2 | 16.7 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.2 | 16.8 | 17.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.3 | 17.1 | 17.2 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.6 | 16.8 | 17.2 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.4 | 16.8 | 17.0 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.4 | 16.8 | 17.1 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.1 | 16.9 | 17.3 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.1 | 17.4 | 17.7 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.1 | 17.7 | 17.9 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.4 | 17.8 | 18.1 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.7 | 17.4 | 17.6 |
| 17 | --- | --- | --- | --- | --- | --- | 13.6 | 13.3 | 13.4 | 18.1 | 17.3 | 17.6 |
| 18 | --- | --- | --- | --- | --- | --- | 14.0 | 13.7 | 13.8 | 18.1 | 17.5 | 17.8 |
| 19 | --- | --- | --- | --- | --- | --- | 14.5 | 13.8 | 14.0 | 18.6 | 17.7 | 18.1 |
| 20 | --- | --- | --- | --- | --- | --- | 14.8 | 14.1 | 14.5 | 18.7 | 18.4 | 18.6 |
| 21 | --- | --- | --- | --- | --- | --- | 15.2 | 14.4 | 14.8 | 19.0 | 18.7 | 18.8 |
| 22 | --- | --- | --- | --- | --- | --- | 15.6 | 14.4 | 14.9 | 18.9 | 18.5 | 18.8 |
| 23 | --- | --- | --- | --- | --- | --- | 15.3 | 14.6 | 14.9 | 19.0 | 18.4 | 18.7 |
| 24 | --- | --- | --- | --- | --- | --- | 15.2 | 14.9 | 15.1 | 19.1 | 18.7 | 19.0 |
| 25 | --- | --- | --- | --- | --- | --- | 15.4 | 15.0 | 15.2 | 19.2 | 18.8 | 19.0 |
| 26 | --- | --- | --- | --- | --- | --- | 15.7 | 15.2 | 15.4 | 19.2 | 19.1 | 19.2 |
| 27 | --- | --- | --- | --- | --- | --- | 15.9 | 15.1 | 15.6 | 19.4 | 18.9 | 19.0 |
| 28 | --- | --- | --- | --- | --- | --- | 15.8 | 15.3 | 15.5 | 19.2 | 18.8 | 18.9 |
| 29 | --- | --- | --- | --- | --- | --- | 15.8 | 15.4 | 15.6 | 19.2 | 18.8 | 19.0 |
| 30 | --- | --- | --- | --- | --- | --- | 15.9 | 15.4 | 15.7 | 19.3 | 18.8 | 19.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 19.0 | 19.2 |
| MONTH | --- | --- | --- | --- | --- | --- | 15.9 | 13.3 | 14.9 | 19.5 | 15.5 | 17.8 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 24.6 | 23.6 | 23.9 | 20.5 | 20.4 | 20.4 | --- | --- | --- | --- | --- | --- |
| 2 | 25.3 | 23.9 | 24.3 | 20.3 | 20.1 | 20.2 | --- | --- | --- | --- | --- | --- |
| 3 | 24.6 | 24.0 | 24.2 | 20.1 | 20.0 | 20.0 | --- | --- | --- | --- | --- | --- |
| 4 | 25.0 | 24.4 | 24.6 | 20.0 | 19.7 | 19.9 | --- | --- | --- | --- | --- | --- |
| 5 | 24.9 | 24.2 | 24.5 | 19.7 | 19.5 | 19.6 | --- | --- | --- | --- | --- | --- |
| 6 | 24.6 | 24.1 | 24.3 | 19.5 | 19.4 | 19.4 | --- | --- | --- | --- | --- | --- |
| 7 | 24.5 | 24.0 | 24.2 | 19.4 | 19.1 | 19.3 | --- | --- | --- | --- | --- | --- |
| 8 | 23.9 | 23.6 | 23.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 23.6 | 23.4 | 23.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 23.4 | 23.3 | 23.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 23.3 | 23.2 | 23.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 23.6 | 23.1 | 23.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 23.4 | 23.1 | 23.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 23.4 | 22.8 | 23.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 22.7 | 22.5 | 22.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 22.4 | 22.2 | 22.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 22.2 | 21.9 | 22.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 22.0 | 21.6 | 21.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 21.7 | 21.4 | 21.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 21.4 | 21.3 | 21.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 21.0 | 20.8 | 20.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 20.8 | 20.6 | 20.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 20.6 | 20.5 | 20.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 20.5 | 20.5 | 20.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 20.5 | 20.2 | 20.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 20.5 | 20.4 | 20.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 20.5 | 20.0 | 20.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 20.5 | 20.5 | 20.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 20.5 | 20.5 | 20.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 20.5 | 20.5 | 20.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 20.5 | 20.5 | 20.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 25.3 | 20.0 | 22.3 | 20.5 | 19.1 | 19.8 | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.9 | 16.8 | 17.5 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 17.5 | 17.7 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 17.2 | 17.7 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.7 | 17.7 | 18.3 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.8 | 17.9 | 18.7 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.7 | 18.0 | 19.0 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.0 | 18.1 | 18.6 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.6 | 18.1 | 18.6 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 18.6 | 19.5 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.4 | 18.5 | 19.8 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.6 | 18.6 | 20.0 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.3 | 18.7 | 19.0 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.6 | 18.7 | 19.6 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.6 | 19.6 | 20.0 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.2 | 19.1 | 19.7 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.9 | 20.6 | 20.8 |
| 17 | --- | --- | --- | --- | --- | --- | 15.5 | 14.0 | 14.8 | 20.2 | 19.2 | 19.7 |
| 18 | --- | --- | --- | --- | --- | --- | 15.4 | 14.8 | 15.2 | 19.9 | 18.8 | 19.5 |
| 19 | --- | --- | --- | --- | --- | --- | 15.9 | 15.0 | 15.6 | 20.0 | 19.5 | 19.7 |
| 20 | --- | --- | --- | --- | --- | --- | 18.4 | 15.4 | 16.4 | 20.3 | 19.7 | 20.0 |
| 21 | --- | --- | --- | --- | --- | --- | 19.1 | 15.7 | 17.0 | 20.4 | 19.8 | 20.1 |
| 22 | --- | --- | --- | --- | --- | --- | 17.0 | 15.8 | 16.4 | 20.6 | 20.0 | 20.3 |
| 23 | --- | --- | --- | --- | --- | --- | 17.2 | 15.9 | 16.6 | 20.6 | 19.9 | 20.2 |
| 24 | --- | --- | --- | --- | --- | --- | 17.6 | 16.8 | 17.0 | 21.0 | 20.1 | 20.5 |
| 25 | --- | --- | --- | --- | --- | --- | 17.5 | 16.0 | 16.6 | 20.8 | 20.4 | 20.6 |
| 26 | --- | --- | --- | --- | --- | --- | 17.0 | 16.4 | 16.7 | 20.5 | 20.4 | 20.5 |
| 27 | --- | --- | --- | --- | --- | --- | 17.2 | 16.4 | 16.8 | 20.8 | 20.2 | 20.6 |
| 28 | --- | --- | --- | --- | --- | --- | 18.8 | 16.9 | 17.4 | 21.1 | 20.5 | 20.7 |
| 29 | --- | --- | --- | --- | --- | --- | 17.4 | 16.3 | 17.0 | 21.0 | 20.4 | 20.6 |
| 30 | --- | --- | --- | --- | --- | --- | 17.4 | 16.8 | 17.1 | 21.0 | 20.1 | 20.6 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.7 | 20.4 |
| MONTH | --- | --- | --- | --- | --- | --- | 19.1 | 14.0 | 16.5 | 21.6 | 16.8 | 19.6 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.9 | 19.2 | 20.2 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.6 | 20.2 | 20.4 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.7 | 19.8 | 20.2 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.8 | 19.4 | 20.1 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 20.1 | 20.2 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.9 | 19.5 | 19.7 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.9 | 19.4 | 19.6 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.6 | 19.6 | 20.2 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 20.5 | 21.3 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.2 | 20.9 | 21.4 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.2 | 21.5 | 21.7 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 21.1 | 21.3 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.5 | 20.8 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.3 | 20.7 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.8 | 20.3 | 20.6 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.0 | 20.4 |
| 17 | --- | --- | --- | --- | --- | --- | 17.8 | 17.0 | 17.5 | 21.2 | 20.5 | 20.7 |
| 18 | --- | --- | --- | --- | --- | --- | 18.6 | 17.4 | 17.8 | 20.7 | 20.4 | 20.6 |
| 19 | --- | --- | --- | --- | --- | --- | 20.1 | 17.8 | 18.8 | 21.7 | 20.5 | 21.0 |
| 20 | --- | --- | --- | --- | --- | --- | 19.8 | 18.8 | 19.2 | 21.6 | 20.6 | 21.1 |
| 21 | --- | --- | --- | --- | --- | --- | 20.2 | 19.1 | 19.5 | 21.5 | 21.2 | 21.4 |
| 22 | --- | --- | --- | --- | --- | --- | 19.5 | 18.2 | 18.8 | 22.2 | 20.7 | 21.3 |
| 23 | --- | --- | --- | --- | --- | --- | 18.7 | 17.2 | 17.9 | 22.2 | 21.2 | 21.8 |
| 24 | --- | --- | --- | --- | --- | --- | 18.3 | 16.9 | 17.5 | 22.3 | 21.1 | 21.6 |
| 25 | --- | --- | --- | --- | --- | --- | 18.4 | 17.8 | 18.1 | 21.9 | 21.0 | 21.3 |
| 26 | --- | --- | --- | --- | --- | --- | 18.3 | 17.6 | 18.0 | 21.6 | 21.1 | 21.3 |
| 27 | --- | --- | --- | --- | --- | --- | 19.8 | 17.4 | 18.2 | 21.2 | 20.7 | 20.9 |
| 28 | --- | --- | --- | --- | --- | --- | 19.9 | 18.1 | 19.0 | 21.3 | 20.6 | 20.9 |
| 29 | --- | --- | --- | --- | --- | --- | 20.9 | 18.6 | 19.5 | 21.2 | 20.9 | 21.0 |
| 30 | --- | --- | --- | --- | --- | --- | 21.1 | 19.5 | 20.2 | 21.2 | 19.6 | 20.7 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.1 | 20.6 | 20.9 |
| MONTH | --- | --- | --- | --- | --- | --- | 21.1 | 16.9 | 18.6 | 22.3 | 19.2 | 20.8 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|------|------|------|------|-----|------|
| | | | | | | | | | | | | |
| 1 | 1.4 | 1.3 | 1.3 | 5.8 | 5.1 | 5.5 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 6.0 | 5.9 | 5.9 | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | 6.2 | 6.0 | 6.1 | --- | --- | --- | --- | --- | --- |
| 4 | 1.6 | 1.4 | 1.5 | 6.3 | 6.1 | 6.2 | --- | --- | --- | --- | --- | --- |
| 5 | 1.5 | 1.2 | 1.4 | 6.1 | 5.1 | 5.7 | --- | --- | --- | --- | --- | --- |
| 6 | 1.8 | 1.2 | 1.5 | 6.0 | 5.0 | 5.6 | --- | --- | --- | --- | --- | --- |
| 7 | 1.6 | 1.4 | 1.5 | 7.0 | 5.8 | 6.4 | --- | --- | --- | --- | --- | --- |
| 8 | 1.3 | 1.0 | 1.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 1.2 | 1.0 | 1.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 1.2 | 1.1 | 1.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 1.2 | 0.7 | 0.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 0.7 | 0.6 | 0.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 0.6 | 0.6 | 0.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 0.5 | 0.4 | 0.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 0.5 | 0.5 | 0.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 1.0 | 0.8 | 0.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 1.0 | 0.9 | 1.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 1.1 | 1.0 | 1.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 1.1 | 1.0 | 1.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 1.0 | 0.9 | 0.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 1.0 | 0.9 | 1.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 5.2 | 2.1 | 4.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 5.2 | 0.4 | 1.2 | 7.0 | 5.0 | 5.9 | --- | --- | --- | --- | --- | --- |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.4 | 7.0 | 7.2 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 7.4 | 7.6 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.5 | 7.8 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 7.6 | 8.1 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 8.4 | 8.9 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 8.1 | 9.0 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 8.8 | 9.2 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 9.1 | 9.3 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 8.5 | 9.0 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.2 | 8.1 | 8.3 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.2 | 7.5 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.3 | 7.1 | 7.6 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.4 | 7.9 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 6.7 | 7.6 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 6.3 | 7.2 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 5.2 | 5.7 |
| 17 | --- | --- | --- | --- | --- | --- | 11.2 | 10.8 | 11.0 | 5.7 | 5.1 | 5.3 |
| 18 | --- | --- | --- | --- | --- | --- | 11.6 | 10.9 | 11.2 | 5.2 | 4.8 | 4.9 |
| 19 | --- | --- | --- | --- | --- | --- | 12.3 | 11.8 | 12.0 | 6.2 | 4.5 | 5.5 |
| 20 | --- | --- | --- | --- | --- | --- | 12.0 | 11.3 | 11.7 | 7.0 | 5.9 | 6.4 |
| 21 | --- | --- | --- | --- | --- | --- | 10.3 | 9.6 | 9.9 | 6.8 | 5.5 | 6.3 |
| 22 | --- | --- | --- | --- | --- | --- | 9.7 | 9.3 | 9.6 | 6.6 | 4.8 | 5.7 |
| 23 | --- | --- | --- | --- | --- | --- | 10.6 | 10.1 | 10.3 | 4.8 | 4.3 | 4.5 |
| 24 | --- | --- | --- | --- | --- | --- | 11.2 | 10.5 | 10.9 | 5.6 | 4.4 | 4.8 |
| 25 | --- | --- | --- | --- | --- | --- | 11.7 | 10.9 | 11.3 | 4.7 | 4.2 | 4.5 |
| 26 | --- | --- | --- | --- | --- | --- | 11.9 | 10.9 | 11.4 | 4.7 | 4.1 | 4.3 |
| 27 | --- | --- | --- | --- | --- | --- | 11.7 | 11.0 | 11.4 | 4.6 | 2.9 | 3.9 |
| 28 | --- | --- | --- | --- | --- | --- | 11.4 | 11.0 | 11.2 | 3.6 | 2.7 | 2.9 |
| 29 | --- | --- | --- | --- | --- | --- | 11.2 | 7.5 | 8.3 | 2.6 | 2.2 | 2.4 |
| 30 | --- | --- | --- | --- | --- | --- | 8.6 | 7.5 | 7.7 | 3.2 | 2.1 | 2.7 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.7 | 3.1 | 3.4 |
| MONTH | --- | --- | --- | --- | --- | --- | 12.3 | 7.5 | 10.6 | 10.0 | 2.1 | 6.3 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|------|------|------|------|-----|------|
| | | | | | | | | | | | | |
| 1 | 1.7 | 1.6 | 1.6 | 5.9 | 5.3 | 5.6 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 6.3 | 5.9 | 6.0 | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | 6.2 | 6.1 | 6.2 | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | 6.3 | 6.2 | 6.2 | --- | --- | --- | --- | --- | --- |
| 5 | 2.5 | 1.1 | 1.9 | 6.3 | 6.0 | 6.1 | --- | --- | --- | --- | --- | --- |
| 6 | 2.1 | 1.3 | 1.6 | 6.4 | 5.8 | 6.2 | --- | --- | --- | --- | --- | --- |
| 7 | 2.1 | 1.1 | 1.4 | 7.0 | 5.9 | 6.5 | --- | --- | --- | --- | --- | --- |
| 8 | 1.6 | 1.0 | 1.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 1.2 | 1.0 | 1.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 1.3 | 1.0 | 1.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 1.1 | 0.5 | 0.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 0.6 | 0.5 | 0.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 0.6 | 0.5 | 0.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 1.0 | 0.4 | 0.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 2.3 | 0.5 | 1.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 3.4 | 2.5 | 3.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 4.6 | 2.2 | 3.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 3.0 | 2.7 | 2.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 3.9 | 2.7 | 3.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 3.7 | 1.6 | 2.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 4.1 | 2.5 | 3.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 5.5 | 4.8 | 5.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 5.5 | 0.4 | 2.0 | 7.0 | 5.3 | 6.1 | --- | --- | --- | --- | --- | --- |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.0 | 8.6 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.5 | 8.8 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.2 | 8.4 | 8.9 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 8.8 | 9.1 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.1 | 8.5 | 9.3 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 9.1 | 9.6 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 9.2 | 9.7 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.4 | 9.6 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 9.0 | 9.6 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 8.6 | 9.0 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.2 | 8.6 | 8.9 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 7.9 | 8.7 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.7 | 8.9 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.9 | 8.5 | 8.6 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 7.6 | 8.3 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 6.8 | 7.2 |
| 17 | --- | --- | --- | --- | --- | --- | 11.1 | 10.4 | 10.8 | 8.4 | 7.0 | 7.6 |
| 18 | --- | --- | --- | --- | --- | --- | 11.9 | 10.8 | 11.3 | 7.7 | 6.3 | 7.0 |
| 19 | --- | --- | --- | --- | --- | --- | 12.0 | 11.1 | 11.6 | 8.5 | 6.8 | 7.6 |
| 20 | --- | --- | --- | --- | --- | --- | 12.1 | 11.3 | 11.5 | 8.3 | 7.5 | 7.8 |
| 21 | --- | --- | --- | --- | --- | --- | 10.3 | 9.8 | 10.1 | 8.4 | 7.3 | 7.8 |
| 22 | --- | --- | --- | --- | --- | --- | 9.8 | 9.4 | 9.6 | 8.1 | 6.6 | 7.5 |
| 23 | --- | --- | --- | --- | --- | --- | 10.3 | 10.0 | 10.1 | 7.4 | 6.5 | 6.9 |
| 24 | --- | --- | --- | --- | --- | --- | 10.8 | 9.9 | 10.4 | 7.2 | 6.4 | 6.8 |
| 25 | --- | --- | --- | --- | --- | --- | 11.0 | 10.4 | 10.8 | 7.0 | 6.4 | 6.7 |
| 26 | --- | --- | --- | --- | --- | --- | 11.2 | 10.5 | 10.9 | 7.0 | 6.4 | 6.7 |
| 27 | --- | --- | --- | --- | --- | --- | 11.3 | 10.6 | 11.0 | 7.0 | 5.5 | 6.1 |
| 28 | --- | --- | --- | --- | --- | --- | 11.3 | 10.5 | 11.0 | 6.0 | 5.2 | 5.5 |
| 29 | --- | --- | --- | --- | --- | --- | 10.8 | 8.8 | 9.2 | 5.9 | 4.5 | 5.2 |
| 30 | --- | --- | --- | --- | --- | --- | 9.2 | 8.5 | 8.9 | 5.9 | 4.2 | 5.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.5 | 5.1 | 5.7 |
| MONTH | --- | --- | --- | --- | --- | --- | 12.1 | 8.5 | 10.5 | 10.5 | 4.2 | 7.8 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|-----|-----|------|-----|-----|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 5.7 | 4.4 | 5.1 | 5.8 | 5.3 | 5.5 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 6.4 | 5.8 | 6.0 | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | 6.4 | 6.1 | 6.2 | --- | --- | --- | --- | --- | --- |
| 4 | 7.6 | 6.5 | 7.3 | 6.5 | 6.3 | 6.4 | --- | --- | --- | --- | --- | --- |
| 5 | 7.4 | 6.3 | 7.0 | 6.4 | 6.2 | 6.3 | --- | --- | --- | --- | --- | --- |
| 6 | 7.6 | 6.6 | 7.1 | 6.5 | 6.2 | 6.4 | --- | --- | --- | --- | --- | --- |
| 7 | 7.0 | 5.2 | 6.4 | 7.1 | 6.4 | 6.6 | --- | --- | --- | --- | --- | --- |
| 8 | 5.3 | 4.8 | 5.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 4.8 | 4.5 | 4.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 4.5 | 4.1 | 4.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 4.3 | 3.9 | 4.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 5.6 | 3.8 | 4.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 4.7 | 3.4 | 3.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 3.9 | 2.3 | 2.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 3.5 | 3.2 | 3.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 4.7 | 4.1 | 4.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 5.1 | 4.6 | 4.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 5.3 | 4.3 | 4.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 5.3 | 4.4 | 4.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 5.1 | 4.7 | 4.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 4.8 | 4.6 | 4.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 5.5 | 5.0 | 5.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 7.6 | 2.3 | 5.0 | 7.1 | 5.3 | 6.2 | --- | --- | --- | --- | --- | --- |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.0 | 9.5 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.6 | 9.6 | 10.2 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.9 | 10.1 | 10.6 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.3 | 10.5 | 10.8 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.2 | 9.6 | 10.6 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.6 | 9.8 | 10.2 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 9.7 | 10.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | 9.9 | 10.2 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | 9.9 | 10.2 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.9 | 9.8 | 10.2 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.2 | 9.7 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 9.8 | 10.1 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.9 | 9.1 | 10.0 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.2 | 9.6 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.1 | 9.5 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.5 | 8.8 |
| 17 | --- | --- | --- | --- | --- | --- | 10.7 | 10.0 | 10.4 | 9.9 | 8.7 | 9.3 |
| 18 | --- | --- | --- | --- | --- | --- | 11.2 | 9.5 | 10.9 | 9.8 | 9.0 | 9.4 |
| 19 | --- | --- | --- | --- | --- | --- | 11.4 | 10.9 | 11.2 | 10.3 | 9.2 | 9.8 |
| 20 | --- | --- | --- | --- | --- | --- | 11.2 | 10.8 | 11.0 | 10.5 | 9.7 | 10.2 |
| 21 | --- | --- | --- | --- | --- | --- | 11.6 | 9.4 | 10.1 | 10.2 | 9.2 | 9.8 |
| 22 | --- | --- | --- | --- | --- | --- | 10.2 | 9.3 | 9.6 | 10.0 | 9.5 | 9.7 |
| 23 | --- | --- | --- | --- | --- | --- | 10.4 | 9.8 | 10.2 | 10.1 | 9.3 | 9.8 |
| 24 | --- | --- | --- | --- | --- | --- | 10.6 | 9.8 | 10.3 | 9.8 | 8.3 | 9.3 |
| 25 | --- | --- | --- | --- | --- | --- | 10.7 | 10.4 | 10.5 | 9.6 | 8.7 | 9.2 |
| 26 | --- | --- | --- | --- | --- | --- | 10.8 | 10.5 | 10.6 | 10.0 | 8.8 | 9.3 |
| 27 | --- | --- | --- | --- | --- | --- | 10.8 | 10.3 | 10.6 | 9.5 | 9.0 | 9.2 |
| 28 | --- | --- | --- | --- | --- | --- | 11.1 | 10.1 | 10.6 | 9.5 | 9.0 | 9.2 |
| 29 | --- | --- | --- | --- | --- | --- | 10.8 | 9.4 | 10.0 | 9.3 | 8.5 | 9.0 |
| 30 | --- | --- | --- | --- | --- | --- | 9.8 | 9.3 | 9.6 | 9.5 | 8.3 | 8.7 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.9 | 7.0 | 8.1 |
| MONTH | --- | --- | --- | --- | --- | --- | 11.6 | 9.3 | 10.4 | 11.3 | 7.0 | 9.7 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 8.8 | 9.1 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.0 | 9.5 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.4 | 9.8 | 10.1 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | 9.6 | 10.3 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 10.2 | 10.3 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 9.8 | 10.2 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.4 | 9.8 | 10.2 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.6 | 9.8 | 10.2 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.5 | 9.8 | 10.2 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 9.4 | 9.9 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.2 | 9.6 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 8.9 | 9.2 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 9.0 | 9.2 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.3 | 8.4 | 8.9 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.4 | 8.7 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.6 | 8.8 |
| 17 | --- | --- | --- | --- | --- | --- | 10.4 | 9.9 | 10.2 | 9.4 | 8.5 | 9.0 |
| 18 | --- | --- | --- | --- | --- | --- | 11.3 | 10.2 | 10.6 | 9.6 | 8.6 | 9.0 |
| 19 | --- | --- | --- | --- | --- | --- | 10.9 | 10.6 | 10.7 | 10.0 | 9.1 | 9.4 |
| 20 | --- | --- | --- | --- | --- | --- | 11.0 | 10.3 | 10.6 | 9.5 | 9.1 | 9.3 |
| 21 | --- | --- | --- | --- | --- | --- | 9.9 | 9.3 | 9.5 | 9.4 | 8.5 | 9.0 |
| 22 | --- | --- | --- | --- | --- | --- | 9.8 | 9.1 | 9.5 | 9.4 | 8.8 | 9.2 |
| 23 | --- | --- | --- | --- | --- | --- | 10.6 | 9.8 | 10.0 | 9.1 | 8.8 | 9.0 |
| 24 | --- | --- | --- | --- | --- | --- | 10.7 | 10.3 | 10.4 | 9.4 | 8.5 | 9.0 |
| 25 | --- | --- | --- | --- | --- | --- | 10.7 | 10.1 | 10.5 | 8.9 | 8.6 | 8.8 |
| 26 | --- | --- | --- | --- | --- | --- | 10.9 | 10.4 | 10.6 | 8.8 | 7.8 | 8.5 |
| 27 | --- | --- | --- | --- | --- | --- | 11.2 | 10.4 | 10.7 | 9.1 | 8.4 | 8.8 |
| 28 | --- | --- | --- | --- | --- | --- | 10.7 | 10.2 | 10.6 | 9.4 | 8.3 | 8.6 |
| 29 | --- | --- | --- | --- | --- | --- | 10.6 | 9.1 | 9.6 | 9.1 | 8.5 | 8.8 |
| 30 | --- | --- | --- | --- | --- | --- | 9.3 | 8.8 | 9.1 | 9.4 | 7.6 | 8.6 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 8.2 | 8.6 |
| MONTH | --- | --- | --- | --- | --- | --- | 11.3 | 8.8 | 10.2 | 11.5 | 7.6 | 9.3 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 170 | 161 | 165 | 158 | 155 | 157 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 156 | 153 | 154 | --- | --- | --- | --- | --- | --- |
| 3 | 171 | 166 | 168 | 156 | 154 | 155 | --- | --- | --- | --- | --- | --- |
| 4 | 166 | 154 | 162 | 157 | 155 | 156 | --- | --- | --- | --- | --- | --- |
| 5 | 164 | 160 | 162 | 157 | 156 | 157 | --- | --- | --- | --- | --- | --- |
| 6 | 163 | 159 | 162 | 157 | 151 | 156 | --- | --- | --- | --- | --- | --- |
| 7 | 163 | 161 | 162 | 156 | 148 | 152 | --- | --- | --- | --- | --- | --- |
| 8 | 163 | 161 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 162 | 161 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 162 | 159 | 160 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 162 | 160 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 170 | 160 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 167 | 162 | 165 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 169 | 164 | 167 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 174 | 165 | 169 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 174 | 164 | 167 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 172 | 164 | 168 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 176 | 165 | 169 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 178 | 164 | 171 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 172 | 162 | 167 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 173 | 164 | 169 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 168 | 162 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 164 | 161 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 163 | 162 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 163 | 159 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 163 | 158 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 163 | 160 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 162 | 160 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 161 | 157 | 160 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 161 | 159 | 160 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 162 | 159 | 161 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 178 | 154 | 164 | 158 | 148 | 155 | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 113 | 108 | 110 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 112 | 108 | 110 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 111 | 107 | 109 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 111 | 110 | 110 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 113 | 108 | 110 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 122 | 111 | 117 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 123 | 106 | 113 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 109 | 101 | 105 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 117 | 98 | 106 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 110 | 96 | 100 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115 | 98 | 105 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 133 | 100 | 110 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 130 | 112 | 120 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 130 | 115 | 123 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 136 | 121 | 127 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 121 | 105 | 115 |
| 17 | --- | --- | --- | --- | --- | --- | 102 | 98 | 100 | 121 | 105 | 110 |
| 18 | --- | --- | --- | --- | --- | --- | 104 | 98 | 101 | 119 | 108 | 113 |
| 19 | --- | --- | --- | --- | --- | --- | 109 | 101 | 104 | 122 | 111 | 116 |
| 20 | --- | --- | --- | --- | --- | --- | 112 | 101 | 106 | 119 | 115 | 117 |
| 21 | --- | --- | --- | --- | --- | --- | 108 | 102 | 104 | 122 | 116 | 119 |
| 22 | --- | --- | --- | --- | --- | --- | 104 | 100 | 102 | 120 | 114 | 118 |
| 23 | --- | --- | --- | --- | --- | --- | 104 | 101 | 102 | 121 | 113 | 116 |
| 24 | --- | --- | --- | --- | --- | --- | 104 | 99 | 101 | 124 | 116 | 120 |
| 25 | --- | --- | --- | --- | --- | --- | 104 | 99 | 101 | 125 | 119 | 122 |
| 26 | --- | --- | --- | --- | --- | --- | 106 | 102 | 104 | 125 | 120 | 123 |
| 27 | --- | --- | --- | --- | --- | --- | 115 | 106 | 111 | 125 | 116 | 119 |
| 28 | --- | --- | --- | --- | --- | --- | 112 | 103 | 107 | 121 | 117 | 118 |
| 29 | --- | --- | --- | --- | --- | --- | 109 | 104 | 106 | 121 | 118 | 119 |
| 30 | --- | --- | --- | --- | --- | --- | 109 | 106 | 108 | 127 | 119 | 122 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 127 | 121 | 123 |
| MONTH | --- | --- | --- | --- | --- | --- | 115 | 98 | 104 | 136 | 96 | 115 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 162 | 160 | 161 | 160 | 158 | 158 | --- | --- | --- | --- | --- | --- |
| 2 | 162 | 161 | 162 | 157 | 155 | 156 | --- | --- | --- | --- | --- | --- |
| 3 | 168 | 163 | 165 | 157 | 156 | 157 | --- | --- | --- | --- | --- | --- |
| 4 | 163 | 162 | 162 | 157 | 157 | 157 | --- | --- | --- | --- | --- | --- |
| 5 | 163 | 161 | 162 | 159 | 158 | 158 | --- | --- | --- | --- | --- | --- |
| 6 | 161 | 160 | 160 | 158 | 158 | 158 | --- | --- | --- | --- | --- | --- |
| 7 | 163 | 160 | 161 | 159 | 156 | 157 | --- | --- | --- | --- | --- | --- |
| 8 | 164 | 163 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 164 | 163 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 163 | 162 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 164 | 163 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 163 | 162 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 163 | 162 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 163 | 162 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 165 | 163 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 165 | 164 | 165 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 165 | 164 | 165 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 166 | 163 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 168 | 164 | 166 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 165 | 164 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 164 | 163 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 163 | 163 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 164 | 163 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 164 | 164 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 165 | 164 | 164 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 163 | 162 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 163 | 159 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 163 | 161 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 162 | 162 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 162 | 161 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 162 | 161 | 162 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 168 | 159 | 163 | 160 | 155 | 157 | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 113 | 112 | 112 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 113 | 113 | 113 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 117 | 114 | 115 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 118 | 115 | 116 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 117 | 113 | 115 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 139 | 114 | 119 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 134 | 112 | 124 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 124 | 114 | 119 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 126 | 120 | 123 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 133 | 122 | 128 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 142 | 124 | 133 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 138 | 131 | 135 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 137 | 128 | 133 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 134 | 132 | 133 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 137 | 134 | 135 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 127 | 127 | 127 |
| 17 | --- | --- | --- | --- | --- | --- | 109 | 104 | 108 | 129 | 127 | 128 |
| 18 | --- | --- | --- | --- | --- | --- | 109 | 106 | 108 | 131 | 123 | 127 |
| 19 | --- | --- | --- | --- | --- | --- | 108 | 99 | 104 | 127 | 123 | 126 |
| 20 | --- | --- | --- | --- | --- | --- | 107 | 102 | 105 | 127 | 124 | 126 |
| 21 | --- | --- | --- | --- | --- | --- | 108 | 105 | 106 | 128 | 126 | 127 |
| 22 | --- | --- | --- | --- | --- | --- | 110 | 104 | 107 | 131 | 125 | 128 |
| 23 | --- | --- | --- | --- | --- | --- | 109 | 105 | 107 | 131 | 126 | 128 |
| 24 | --- | --- | --- | --- | --- | --- | 109 | 107 | 108 | 129 | 125 | 127 |
| 25 | --- | --- | --- | --- | --- | --- | 109 | 106 | 108 | 129 | 127 | 128 |
| 26 | --- | --- | --- | --- | --- | --- | 111 | 107 | 109 | 133 | 130 | 132 |
| 27 | --- | --- | --- | --- | --- | --- | 113 | 111 | 112 | 134 | 131 | 132 |
| 28 | --- | --- | --- | --- | --- | --- | 112 | 110 | 111 | 132 | 132 | 132 |
| 29 | --- | --- | --- | --- | --- | --- | 113 | 111 | 112 | 135 | 132 | 134 |
| 30 | --- | --- | --- | --- | --- | --- | 113 | 112 | 112 | 141 | 134 | 137 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 137 | 126 | 134 |
| MONTH | --- | --- | --- | --- | --- | --- | 113 | 99 | 108 | 142 | 112 | 127 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 114 | 112 | 113 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 113 | 112 | 113 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 114 | 113 | 113 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 116 | 114 | 115 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 117 | 114 | 115 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 117 | 114 | 115 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 118 | 117 | 117 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 120 | 118 | 118 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 121 | 120 | 120 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 123 | 121 | 122 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 123 | 124 | 125 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 128 | 126 | 127 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 130 | 128 | 129 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 134 | 131 | 132 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 135 | 135 | 135 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 139 | 126 | 132 |
| 17 | --- | --- | --- | --- | --- | --- | 109 | 107 | 108 | 128 | 126 | 127 |
| 18 | --- | --- | --- | --- | --- | --- | 107 | 106 | 106 | 125 | 125 | 125 |
| 19 | --- | --- | --- | --- | --- | --- | 108 | 107 | 107 | 125 | 125 | 125 |
| 20 | --- | --- | --- | --- | --- | --- | 109 | 108 | 108 | 126 | 124 | 125 |
| 21 | --- | --- | --- | --- | --- | --- | 109 | 108 | 108 | 125 | 124 | 124 |
| 22 | --- | --- | --- | --- | --- | --- | 109 | 108 | 108 | 125 | 124 | 125 |
| 23 | --- | --- | --- | --- | --- | --- | 111 | 108 | 109 | 125 | 125 | 125 |
| 24 | --- | --- | --- | --- | --- | --- | 110 | 108 | 109 | 127 | 125 | 126 |
| 25 | --- | --- | --- | --- | --- | --- | 110 | 109 | 110 | 128 | 126 | 127 |
| 26 | --- | --- | --- | --- | --- | --- | 110 | 109 | 109 | 128 | 128 | 128 |
| 27 | --- | --- | --- | --- | --- | --- | 112 | 110 | 110 | 132 | 127 | 131 |
| 28 | --- | --- | --- | --- | --- | --- | 112 | 111 | 111 | 134 | 131 | 132 |
| 29 | --- | --- | --- | --- | --- | --- | 113 | 110 | 111 | 134 | 134 | 134 |
| 30 | --- | --- | --- | --- | --- | --- | 112 | 111 | 112 | 145 | 134 | 137 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 137 | 136 | 136 |
| MONTH | --- | --- | --- | --- | --- | --- | 113 | 106 | 109 | 145 | 112 | 125 |

03400798 MARTINS FORK LAKE AT MARTINS FORK DAM NEAR SMITH, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 19.5 | 19.1 | 19.3 | 19.6 | 19.3 | 19.5 | --- | --- | --- | --- | --- | --- |
| 2 | 19.7 | 19.0 | 19.2 | 19.3 | 19.1 | 19.2 | --- | --- | --- | --- | --- | --- |
| 3 | 19.0 | 19.0 | 19.0 | 19.0 | 18.9 | 19.0 | --- | --- | --- | --- | --- | --- |
| 4 | 19.0 | 19.0 | 19.0 | 18.9 | 18.6 | 18.7 | --- | --- | --- | --- | --- | --- |
| 5 | 19.1 | 19.0 | 19.0 | 18.5 | 18.4 | 18.4 | --- | --- | --- | --- | --- | --- |
| 6 | 19.2 | 19.0 | 19.1 | 18.4 | 18.2 | 18.3 | --- | --- | --- | --- | --- | --- |
| 7 | 19.1 | 19.0 | 19.0 | 18.3 | 18.2 | 18.2 | --- | --- | --- | --- | --- | --- |
| 8 | 19.1 | 19.0 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 19.1 | 19.0 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 19.1 | 19.1 | 19.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 19.2 | 19.1 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 19.2 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 19.2 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 19.2 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 19.2 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 19.3 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 19.3 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 19.3 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 19.4 | 19.2 | 19.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 19.5 | 19.0 | 19.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 19.0 | 18.9 | 18.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 19.0 | 18.9 | 18.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 19.0 | 18.9 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 19.0 | 19.0 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 19.0 | 19.0 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 19.1 | 19.0 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 19.1 | 19.1 | 19.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 19.2 | 19.1 | 19.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 19.2 | 19.1 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 19.3 | 19.2 | 19.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 19.7 | 19.6 | 19.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 19.7 | 18.9 | 19.1 | 19.6 | 18.2 | 18.8 | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.1 | 14.9 | 15.0 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.3 | 15.0 | 15.1 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.3 | 15.1 | 15.2 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.5 | 15.2 | 15.3 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.9 | 15.4 | 15.5 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.1 | 15.6 | 15.9 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.4 | 16.0 | 16.2 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.6 | 16.3 | 16.4 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.8 | 16.3 | 16.5 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.4 | 16.2 | 16.2 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.3 | 16.2 | 16.3 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.9 | 16.3 | 16.5 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.1 | 16.7 | 16.9 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.2 | 16.9 | 17.0 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.3 | 16.9 | 17.1 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.8 | 16.6 | 16.7 |
| 17 | --- | --- | --- | --- | --- | --- | 13.3 | 13.2 | 13.2 | 16.7 | 16.6 | 16.7 |
| 18 | --- | --- | --- | --- | --- | --- | 13.5 | 13.2 | 13.3 | 16.8 | 16.6 | 16.7 |
| 19 | --- | --- | --- | --- | --- | --- | 13.6 | 13.3 | 13.4 | 17.5 | 16.8 | 17.1 |
| 20 | --- | --- | --- | --- | --- | --- | 13.7 | 13.6 | 13.6 | 17.8 | 17.6 | 17.6 |
| 21 | --- | --- | --- | --- | --- | --- | 14.3 | 13.8 | 14.0 | 18.0 | 17.7 | 17.9 |
| 22 | --- | --- | --- | --- | --- | --- | 14.3 | 13.9 | 14.1 | 18.1 | 17.6 | 17.9 |
| 23 | --- | --- | --- | --- | --- | --- | 14.3 | 13.9 | 14.1 | 17.8 | 17.6 | 17.7 |
| 24 | --- | --- | --- | --- | --- | --- | 14.3 | 14.0 | 14.2 | 18.1 | 17.8 | 18.0 |
| 25 | --- | --- | --- | --- | --- | --- | 14.4 | 14.2 | 14.3 | 18.1 | 18.0 | 18.1 |
| 26 | --- | --- | --- | --- | --- | --- | 14.5 | 14.4 | 14.5 | 18.2 | 18.1 | 18.2 |
| 27 | --- | --- | --- | --- | --- | --- | 14.9 | 14.5 | 14.8 | 18.2 | 18.0 | 18.1 |
| 28 | --- | --- | --- | --- | --- | --- | 14.8 | 14.6 | 14.7 | 18.0 | 17.6 | 17.9 |
| 29 | --- | --- | --- | --- | --- | --- | 14.9 | 14.7 | 14.8 | 18.0 | 17.9 | 18.0 |
| 30 | --- | --- | --- | --- | --- | --- | 14.9 | 14.8 | 14.9 | 18.2 | 18.0 | 18.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.4 | 18.3 | 18.4 |
| MONTH | --- | --- | --- | --- | --- | --- | 14.9 | 13.2 | 14.1 | 18.4 | 14.9 | 16.9 |

CUMBERLAND RIVER BASIN

03400800 MARTINS FORK NEAR SMITH, KY

LOCATION.--Lat 36°45'08", long 83°15'27", Harlan County, Hydrologic Unit 05130101, on left bank 150 ft downstream from State Highway 987 bridge, 0.3 mi downstream from Martins Fork Dam, 0.7 mi downstream from Crane Creek, 1.0 mi north of Smith, and at mile 15.3.

DRAINAGE AREA.--55.8 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--Occasional low-flow measurements, water years 1968-71, and annual maximums, water years 1968-70. April 1971 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 1,259.00 ft above NGVD of 1929. July 25, 1967 to Apr. 9, 1971, crest-stage gage at site 30 ft downstream at same datum, and Apr. 10, 1971 to Sept. 30, 1977, water-stage recorder at site 0.8 mi downstream at same datum.

REMARKS.--Records good. Flow regulated by Martins Fork Dam (station 03400798) beginning January 1979.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|---------|--------|-------|-------|-------|---------|---------|-------|-------|
| 1 | 102 | 170 | 60 | 42 | 129 | 513 | 12 | 51 | 35 | 6.7 | 75 | 10 |
| 2 | 54 | 168 | 60 | 42 | 129 | 504 | 12 | 51 | 62 | 41 | 146 | 10 |
| 3 | 12 | 165 | 60 | 129 | 129 | 493 | 12 | 51 | 100 | 82 | 146 | 10 |
| 4 | 12 | 88 | 60 | 202 | 180 | 480 | 12 | 51 | 100 | 82 | 145 | 11 |
| 5 | 12 | 16 | 206 | 200 | 225 | 465 | 13 | 120 | 100 | 82 | 142 | 10 |
| 6 | 12 | 17 | 325 | 197 | 226 | 451 | 12 | 310 | 59 | 82 | 98 | 11 |
| 7 | 12 | 123 | 324 | 194 | 225 | 320 | 18 | 388 | 14 | 47 | 22 | 11 |
| 8 | 12 | 197 | 319 | 113 | 223 | 202 | 292 | 388 | 68 | 10 | 22 | 11 |
| 9 | 11 | 194 | 311 | 49 | 220 | 198 | 526 | 168 | 695 | 11 | 22 | 11 |
| 10 | 12 | 192 | 240 | 64 | 214 | 195 | 611 | 24 | 677 | 78 | 22 | 11 |
| 11 | 12 | 218 | 171 | 76 | 156 | 107 | 851 | 24 | 659 | 193 | 22 | 11 |
| 12 | 12 | 452 | 174 | 76 | 86 | 51 | 945 | 74 | 638 | 257 | 22 | 11 |
| 13 | 12 | 616 | 177 | 42 | 67 | 52 | 924 | 139 | 373 | 255 | 21 | 11 |
| 14 | 12 | 597 | 184 | 8.7 | 67 | 80 | 896 | 139 | 206 | 253 | 16 | 11 |
| 15 | 12 | 577 | 190 | 43 | 218 | 103 | 799 | 85 | 204 | 137 | 11 | 12 |
| 16 | 12 | 554 | 269 | 74 | 442 | 103 | 589 | 14 | 204 | 68 | 11 | 14 |
| 17 | 12 | 535 | 352 | 70 | 954 | 49 | 493 | 15 | 208 | 82 | 11 | 14 |
| 18 | 12 | 324 | 342 | 59 | 1,360 | 11 | 414 | 15 | 428 | 115 | 11 | 15 |
| 19 | 12 | 129 | 336 | 58 | 1,350 | 11 | 314 | 111 | 633 | 14 | 11 | 15 |
| 20 | 12 | 151 | 353 | 58 | 1,270 | 11 | 309 | 176 | 630 | 14 | 11 | 15 |
| 21 | 12 | 159 | 366 | 45 | 806 | 11 | 187 | 175 | 616 | 14 | 11 | 15 |
| 22 | 12 | 165 | 365 | 20 | 514 | 11 | 108 | 87 | 599 | 14 | 11 | 16 |
| 23 | 12 | 164 | 360 | 20 | 549 | 11 | 108 | 52 | 288 | 14 | 11 | 36 |
| 24 | 12 | 163 | 352 | 20 | 553 | 39 | 108 | 70 | 54 | 14 | 11 | 52 |
| 25 | 12 | 162 | 346 | 20 | 547 | 71 | 108 | 70 | 80 | 15 | 11 | 52 |
| 26 | 12 | 161 | 344 | 20 | 537 | 71 | 108 | 70 | 106 | 15 | 11 | 39 |
| 27 | 12 | 107 | 339 | 20 | 528 | 71 | 108 | 34 | 54 | 15 | 11 | 10 |
| 28 | 12 | 60 | 334 | 20 | 520 | 38 | 74 | 10 | 10 | 14 | 10 | 9.8 |
| 29 | 14 | 60 | 325 | 44 | --- | 12 | 50 | 11 | 9.8 | 14 | 10 | 9.7 |
| 30 | 89 | 60 | 201 | 102 | --- | 12 | 50 | 24 | 9.8 | 14 | 10 | 9.3 |
| 31 | 172 | --- | 42 | 129 | --- | 12 | --- | 35 | --- | 15 | 10 | --- |
| TOTAL | 742 | 6,744 | 7,887 | 2,256.7 | 12,424 | 4,758 | 9,063 | 3,032 | 7,919.6 | 2,067.7 | 1,104 | 483.8 |
| MEAN | 23.9 | 225 | 254 | 72.8 | 444 | 153 | 302 | 97.8 | 264 | 66.7 | 35.6 | 16.1 |
| MAX | 172 | 616 | 366 | 202 | 1,360 | 513 | 945 | 388 | 695 | 257 | 146 | 52 |
| MIN | 11 | 16 | 42 | 8.7 | 67 | 11 | 12 | 10 | 9.8 | 6.7 | 10 | 9.3 |

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1980 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 49.1 | 102 | 144 | 172 | 208 | 201 | 133 | 121 | 70.3 | 26.0 | 30.4 | 24.3 |
| MAX | 181 | 226 | 452 | 357 | 481 | 413 | 428 | 322 | 267 | 75.3 | 117 | 117 |
| (WY) | (1990) | (1997) | (1992) | (1982) | (1994) | (2002) | (1998) | (1983) | (1989) | (1990) | (1996) | (1989) |
| MIN | 11.0 | 28.9 | 16.4 | 10.1 | 66.9 | 33.5 | 12.4 | 36.7 | 12.5 | 9.34 | 9.43 | 9.49 |
| (WY) | (1998) | (1981) | (1981) | (1981) | (1999) | (1988) | (1986) | (1987) | (1988) | (1988) | (1988) | (1984) |

03400800 MARTINS FORK NEAR SMITH, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1980 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 45,978.9 | | 58,481.8 | | 106 | |
| ANNUAL MEAN | 126 | | 160 | | 173 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 1,880 | Mar 19 | 1,360 | Feb 18 | 1,880 | Mar 19, 2002 |
| LOWEST DAILY MEAN | 4.3 | Mar 9 | 6.7 | Jul 1 | 4.3 | Mar 9, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 4.4 | Mar 8 | 10 | Aug 28 | 4.4 | Mar 8, 2002 |
| MAXIMUM PEAK FLOW | | | 1,550 | Feb 17 | 9,000 | Apr 4, 1977 |
| MAXIMUM PEAK STAGE | | | 13.89 | Feb 17 | 24.24 | Apr 4, 1977 |
| INSTANTANEOUS LOW FLOW | | | | | 0.10 | Oct 30, 1978 |
| 10 PERCENT EXCEEDS | 356 | | 493 | | 292 | |
| 50 PERCENT EXCEEDS | 13 | | 70 | | 45 | |
| 90 PERCENT EXCEEDS | 9.7 | | 11 | | 11 | |



03400800 MARTINS FORK NEAR SMITH, KY

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1971 to current.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--October 1971 to current water year.

pH.--December 1979 to current water year.

WATER TEMPERATURES.--October 1971 to current water year.

DISSOLVED OXYGEN.--October 1971 to current water year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

EXTREMES FOR PERIOD OF RECORD.--

SPECIFIC CONDUCTANCE.--(water years 1972-77, 1980 to current water year)Maximum recorded, 561 microsiemens, Feb. 12, 1972; minimum recorded 49 microsiemens, Feb 26, 1985.

pH.--Maximum recorded, 8.2 units, July 2, 1980; minimum recorded, 5.9 units, Jan. 6, 7, 1996, Sept. 20, 1998.

WATER TEMPERATURE.--Maximum recorded, 32.5°C, Aug. 6, 1982; minimum recorded, 0.0°C, on many days during the winter months.

DISSOLVED OXYGEN.--Maximum recorded, 15.6 mg/L, Jan. 20, 21, 1985; minimum recorded, 4.6 mg/L, Aug. 10, 1994.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum recorded, 178 microsiemens, Oct. 19; minimum recorded 79 microsiemens, Jun. 8.

pH: Maximum recorded, 7.6 units, Nov. 10; minimum recorded, 6.2 units, Dec. 29.

WATER TEMPERATURE: Maximum recorded, 28.4°C, Aug. 26, 28, 29; minimum recorded, 3.2°C, Jan. 23, 24.

DISSOLVED OXYGEN: Maximum recorded, 13.3, Jan. 17, 18; minimum recorded, 5.2 Aug. 29.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 171 | 166 | 169 | 165 | 150 | 159 | 135 | 133 | 134 | 112 | 107 | 110 |
| 2 | 172 | 170 | 170 | 160 | 149 | 156 | 135 | 134 | 134 | 123 | 108 | 116 |
| 3 | 171 | 168 | 169 | 159 | 151 | 155 | 135 | 135 | 135 | 120 | 108 | 113 |
| 4 | 169 | 163 | 165 | 163 | 159 | 161 | 136 | 134 | 135 | 109 | 107 | 108 |
| 5 | 167 | 165 | 166 | 164 | 159 | 161 | 135 | 133 | 134 | 113 | 109 | 111 |
| 6 | 166 | 164 | 165 | 164 | 160 | 162 | 135 | 127 | 132 | 113 | 112 | 112 |
| 7 | 166 | 165 | 165 | 160 | 150 | 155 | 127 | 113 | 119 | 113 | 108 | 111 |
| 8 | 167 | 165 | 166 | 152 | 141 | 146 | 118 | 113 | 116 | 111 | 109 | 110 |
| 9 | 167 | 165 | 166 | 147 | 131 | 138 | 120 | 116 | 118 | 111 | 111 | 111 |
| 10 | 166 | 165 | 166 | 150 | 133 | 143 | 120 | 117 | 118 | 112 | 111 | 111 |
| 11 | 167 | 166 | 167 | 152 | 135 | 143 | 118 | 115 | 116 | 113 | 111 | 111 |
| 12 | 170 | 167 | 168 | 139 | 120 | 129 | 125 | 116 | 122 | 113 | 112 | 113 |
| 13 | 170 | 168 | 169 | 122 | 117 | 119 | 124 | 113 | 119 | 116 | 113 | 115 |
| 14 | 172 | 168 | 170 | 128 | 121 | 124 | 114 | 106 | 109 | 117 | 115 | 116 |
| 15 | 173 | 170 | 172 | 126 | 115 | 121 | 109 | 104 | 106 | 117 | 114 | 115 |
| 16 | 175 | 172 | 174 | 123 | 120 | 122 | 110 | 104 | 107 | 114 | 113 | 114 |
| 17 | 176 | 173 | 175 | 127 | 118 | 122 | 113 | 103 | 108 | 115 | 114 | 114 |
| 18 | 177 | 174 | 175 | 138 | 127 | 130 | 117 | 105 | 113 | 118 | 115 | 117 |
| 19 | 178 | 172 | 176 | 139 | 130 | 135 | 107 | 103 | 105 | 119 | 116 | 117 |
| 20 | 173 | 171 | 172 | 137 | 130 | 135 | 106 | 101 | 103 | 121 | 118 | 119 |
| 21 | 172 | 169 | 170 | 141 | 133 | 137 | 103 | 100 | 101 | 121 | 120 | 120 |
| 22 | 169 | 168 | 169 | 140 | 132 | 137 | 108 | 103 | 106 | 125 | 120 | 122 |
| 23 | 169 | 167 | 168 | 143 | 140 | 141 | 109 | 108 | 108 | 126 | 123 | 125 |
| 24 | 168 | 166 | 167 | 144 | 142 | 143 | 112 | 109 | 110 | 126 | 124 | 125 |
| 25 | 167 | 164 | 165 | 142 | 131 | 138 | 113 | 109 | 111 | 126 | 123 | 125 |
| 26 | 168 | 165 | 166 | 136 | 128 | 130 | 115 | 109 | 111 | 130 | 126 | 129 |
| 27 | 167 | 165 | 166 | 136 | 128 | 131 | 117 | 113 | 116 | 130 | 129 | 130 |
| 28 | 166 | 164 | 165 | 133 | 132 | 133 | 114 | 111 | 113 | 131 | 129 | 130 |
| 29 | 167 | 158 | 164 | 133 | 132 | 132 | 111 | 105 | 108 | 150 | 126 | 133 |
| 30 | 165 | 157 | 161 | 134 | 133 | 133 | 109 | 106 | 107 | 131 | 124 | 128 |
| 31 | 169 | 155 | 165 | --- | --- | --- | 109 | 108 | 108 | 130 | 126 | 128 |
| MONTH | 178 | 155 | 168 | 165 | 115 | 139 | 136 | 100 | 116 | 150 | 107 | 118 |

03400800 MARTINS FORK NEAR SMITH, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 25.0 | 24.0 | 24.5 | 17.4 | 16.6 | 17.1 | 8.3 | 7.9 | 8.1 | 6.8 | 6.3 | 6.6 |
| 2 | 26.9 | 24.4 | 25.4 | 16.6 | 15.8 | 16.3 | 7.9 | 7.6 | 7.8 | 6.9 | 6.5 | 6.7 |
| 3 | 27.0 | 24.8 | 25.7 | 15.8 | 15.4 | 15.6 | 7.8 | 7.3 | 7.6 | 6.9 | 6.6 | 6.8 |
| 4 | 25.8 | 24.3 | 25.0 | 15.6 | 14.7 | 15.3 | 7.3 | 6.8 | 7.0 | 6.8 | 6.4 | 6.6 |
| 5 | 25.7 | 23.7 | 24.7 | 15.1 | 14.6 | 14.9 | 6.8 | 6.5 | 6.7 | 6.7 | 6.4 | 6.5 |
| 6 | 26.1 | 23.5 | 24.5 | 15.1 | 14.1 | 14.6 | 6.5 | 6.0 | 6.3 | 6.4 | 6.0 | 6.2 |
| 7 | 25.0 | 23.2 | 24.1 | 14.3 | 13.7 | 14.0 | 6.1 | 5.7 | 5.9 | 6.2 | 5.8 | 5.9 |
| 8 | 25.0 | 22.7 | 23.7 | 14.0 | 13.4 | 13.2 | 5.8 | 5.6 | 5.7 | 6.3 | 5.6 | 5.9 |
| 9 | 24.5 | 23.2 | 23.8 | 14.0 | 12.9 | 13.4 | 6.0 | 5.6 | 5.8 | 6.4 | 5.7 | 6.0 |
| 10 | 23.9 | 23.5 | 23.6 | 14.4 | 13.3 | 13.8 | 5.9 | 5.7 | 5.8 | 6.2 | 5.8 | 6.0 |
| 11 | 23.7 | 22.8 | 23.2 | 14.4 | 13.4 | 13.8 | 6.1 | 5.9 | 6.0 | 5.8 | 5.3 | 5.6 |
| 12 | 24.3 | 22.7 | 23.2 | 14.1 | 13.7 | 13.9 | 6.0 | 5.9 | 6.0 | 5.3 | 5.0 | 5.2 |
| 13 | 23.5 | 21.7 | 22.8 | 14.0 | 13.8 | 13.9 | 6.5 | 5.9 | 6.2 | 5.9 | 4.5 | 5.1 |
| 14 | 23.7 | 20.9 | 21.9 | 13.9 | 13.6 | 13.8 | 6.6 | 6.3 | 6.5 | 5.0 | 4.3 | 4.6 |
| 15 | 21.9 | 21.1 | 21.4 | 13.6 | 13.2 | 13.4 | 7.1 | 6.4 | 6.7 | 4.5 | 3.3 | 4.0 |
| 16 | 21.8 | 20.2 | 21.0 | 13.2 | 12.7 | 13.0 | 6.8 | 6.7 | 6.7 | 4.3 | 3.9 | 4.1 |
| 17 | 21.3 | 19.9 | 20.4 | 12.7 | 12.1 | 12.5 | 6.9 | 6.6 | 6.7 | 4.0 | 3.5 | 3.7 |
| 18 | 21.8 | 19.5 | 20.2 | 12.3 | 11.8 | 12.0 | 7.2 | 6.8 | 6.9 | 4.2 | 3.5 | 3.7 |
| 19 | 20.3 | 18.9 | 19.7 | 12.0 | 11.5 | 11.8 | 8.1 | 7.2 | 7.5 | 4.1 | 3.5 | 3.8 |
| 20 | 19.9 | 19.5 | 19.7 | 11.5 | 11.0 | 11.1 | 8.4 | 7.9 | 8.2 | 4.3 | 3.7 | 3.9 |
| 21 | 20.0 | 19.1 | 19.6 | 11.8 | 11.0 | 11.2 | 8.4 | 8.1 | 8.2 | 4.1 | 3.6 | 3.9 |
| 22 | 20.8 | 18.9 | 19.4 | 11.6 | 10.9 | 11.3 | 8.1 | 7.9 | 8.0 | 4.8 | 3.5 | 3.9 |
| 23 | 21.0 | 18.5 | 19.3 | 10.9 | 10.5 | 10.7 | 8.0 | 7.7 | 7.8 | 3.8 | 3.2 | 3.5 |
| 24 | 20.0 | 18.5 | 19.0 | 10.7 | 10.3 | 10.5 | 7.8 | 7.6 | 7.7 | 4.5 | 3.2 | 3.7 |
| 25 | 19.4 | 18.6 | 18.9 | 10.5 | 9.8 | 10.2 | 7.7 | 7.1 | 7.4 | 4.6 | 3.7 | 4.0 |
| 26 | 19.6 | 18.6 | 19.0 | 10.3 | 9.7 | 9.8 | 7.1 | 6.8 | 6.9 | 4.7 | 3.6 | 4.0 |
| 27 | 20.1 | 18.3 | 18.9 | 10.3 | 9.3 | 9.7 | 6.9 | 6.5 | 6.7 | 4.7 | 3.3 | 4.0 |
| 28 | 18.9 | 18.3 | 18.6 | 9.4 | 8.8 | 9.1 | 6.7 | 6.3 | 6.5 | 4.6 | 3.8 | 4.2 |
| 29 | 18.9 | 18.5 | 18.7 | 9.0 | 8.6 | 8.8 | 6.4 | 6.1 | 6.2 | 4.6 | 4.3 | 4.4 |
| 30 | 18.8 | 17.9 | 18.3 | 8.9 | 8.3 | 8.6 | 6.2 | 5.9 | 6.1 | 4.3 | 4.2 | 4.2 |
| 31 | 17.9 | 17.4 | 17.7 | --- | --- | --- | 6.7 | 6.0 | 6.3 | 4.3 | 4.1 | 4.2 |
| MONTH | 27.0 | 17.4 | 21.5 | 17.4 | 8.3 | 12.6 | 8.4 | 5.6 | 6.8 | 6.9 | 3.2 | 4.9 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 4.3 | 4.1 | 4.1 | 10.7 | 9.8 | 10.2 | 14.8 | 10.8 | 12.6 | 16.3 | 14.7 | 15.4 |
| 2 | 4.6 | 4.1 | 4.3 | 10.6 | 10.2 | 10.4 | 16.0 | 12.4 | 13.8 | 15.8 | 15.1 | 15.4 |
| 3 | 4.9 | 4.4 | 4.7 | 10.9 | 10.2 | 10.5 | 16.0 | 12.3 | 13.8 | 16.3 | 15.0 | 15.5 |
| 4 | 5.2 | 4.5 | 4.9 | 12.0 | 10.3 | 11.0 | 15.4 | 12.7 | 13.8 | 16.4 | 15.0 | 15.6 |
| 5 | 5.5 | 4.8 | 5.2 | 12.1 | 11.4 | 11.7 | 15.5 | 12.5 | 13.8 | 16.3 | 15.4 | 15.7 |
| 6 | 5.5 | 5.2 | 5.3 | 12.0 | 10.9 | 11.6 | 14.9 | 11.9 | 13.0 | 17.3 | 15.9 | 16.7 |
| 7 | 5.3 | 4.8 | 5.1 | 12.5 | 10.7 | 11.4 | 13.4 | 12.8 | 13.1 | 17.6 | 16.9 | 17.1 |
| 8 | 4.8 | 4.5 | 4.7 | 13.2 | 10.6 | 11.8 | 13.8 | 13.0 | 13.4 | 18.0 | 17.2 | 17.6 |
| 9 | 4.6 | 4.3 | 4.5 | 12.9 | 11.5 | 12.3 | 13.8 | 13.3 | 13.7 | 19.6 | 16.8 | 18.0 |
| 10 | 4.4 | 4.2 | 4.3 | 11.9 | 10.2 | 11.1 | 13.7 | 12.2 | 13.1 | 19.1 | 16.6 | 17.4 |
| 11 | 4.5 | 4.2 | 4.3 | 11.3 | 9.4 | 10.3 | 12.8 | 12.2 | 12.4 | 18.9 | 16.4 | 17.3 |
| 12 | 4.8 | 4.0 | 4.4 | 11.2 | 9.1 | 10.2 | 12.6 | 12.0 | 12.2 | 18.3 | 16.0 | 17.0 |
| 13 | 4.6 | 3.9 | 4.2 | 11.5 | 9.8 | 10.7 | 12.4 | 12.0 | 12.2 | 18.2 | 17.0 | 17.7 |
| 14 | 4.4 | 4.0 | 4.2 | 11.2 | 10.1 | 10.7 | 12.4 | 12.1 | 12.3 | 18.4 | 17.4 | 17.8 |
| 15 | 5.3 | 4.4 | 4.8 | 11.2 | 10.4 | 10.8 | 12.7 | 12.2 | 12.4 | 18.4 | 17.2 | 17.9 |
| 16 | 7.0 | 5.3 | 6.1 | 11.5 | 10.6 | 11.0 | 12.8 | 12.2 | 12.6 | 19.7 | 16.8 | 17.8 |
| 17 | 7.0 | 6.2 | 6.6 | 13.6 | 10.6 | 11.7 | 12.8 | 12.5 | 12.7 | 19.2 | 17.0 | 17.8 |
| 18 | 6.6 | 6.4 | 6.5 | 12.5 | 10.9 | 11.4 | 13.3 | 12.7 | 12.9 | 18.4 | 17.0 | 17.6 |
| 19 | 6.6 | 6.4 | 6.5 | 12.8 | 10.9 | 11.5 | 13.5 | 12.9 | 13.2 | 18.7 | 17.0 | 18.0 |
| 20 | 7.6 | 6.3 | 7.0 | 13.1 | 10.8 | 11.5 | 14.2 | 13.1 | 13.5 | 18.9 | 18.3 | 18.6 |
| 21 | 7.9 | 7.5 | 7.7 | 12.1 | 10.8 | 11.3 | 14.3 | 12.9 | 13.7 | 19.1 | 18.8 | 18.9 |
| 22 | 10.1 | 7.7 | 8.4 | 13.7 | 10.6 | 11.8 | 14.3 | 13.1 | 13.6 | 20.1 | 18.2 | 19.2 |
| 23 | 10.1 | 9.0 | 9.5 | 13.6 | 10.2 | 11.5 | 14.8 | 13.2 | 13.9 | 19.4 | 18.1 | 18.6 |
| 24 | 9.8 | 9.0 | 9.4 | 13.9 | 10.2 | 11.2 | 14.5 | 13.5 | 14.0 | 20.0 | 18.5 | 19.1 |
| 25 | 9.3 | 9.0 | 9.2 | 12.5 | 10.9 | 11.6 | 14.9 | 14.0 | 14.3 | 19.8 | 18.6 | 19.1 |
| 26 | 10.8 | 9.1 | 9.3 | 11.9 | 11.2 | 11.6 | 14.8 | 14.3 | 14.5 | 19.8 | 18.9 | 19.2 |
| 27 | 10.2 | 9.6 | 9.7 | 12.6 | 11.4 | 11.9 | 15.6 | 14.3 | 15.0 | 21.3 | 18.6 | 19.5 |
| 28 | 9.9 | 9.6 | 9.8 | 15.0 | 11.7 | 13.0 | 15.9 | 14.4 | 15.0 | 21.1 | 18.1 | 19.4 |
| 29 | --- | --- | --- | 12.3 | 11.0 | 11.7 | 15.8 | 14.6 | 15.1 | 19.4 | 18.2 | 18.8 |
| 30 | --- | --- | --- | 11.9 | 10.6 | 11.3 | 16.1 | 14.7 | 15.2 | 19.9 | 18.1 | 18.9 |
| 31 | --- | --- | --- | 12.7 | 10.3 | 11.5 | --- | --- | --- | 20.3 | 18.8 | 19.3 |
| MONTH | 10.8 | 3.9 | 6.2 | 15.0 | 9.1 | 11.3 | 16.1 | 10.8 | 13.5 | 21.3 | 14.7 | 17.8 |

03400800 MARTINS FORK NEAR SMITH, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003


| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 6.3 | 6.1 | 6.2 | 10.0 | 9.4 | 9.7 | 11.6 | 10.8 | 11.2 | 11.7 | 11.5 | 11.6 |
| 2 | 7.4 | 6.1 | 6.7 | 10.4 | 10.0 | 10.1 | 11.3 | 10.9 | 11.1 | 11.6 | 11.4 | 11.5 |
| 3 | 7.6 | 6.9 | 7.3 | 10.5 | 9.8 | 10.1 | 11.6 | 11.3 | 11.5 | 11.6 | 11.3 | 11.5 |
| 4 | 7.4 | 6.8 | 7.1 | 10.1 | 9.9 | 10.0 | 11.6 | 11.2 | 11.4 | 11.7 | 11.5 | 11.6 |
| 5 | 7.5 | 6.8 | 7.2 | 10.1 | 9.7 | 9.9 | 11.6 | 11.3 | 11.4 | 11.7 | 11.5 | 11.6 |
| 6 | 7.6 | 6.9 | 7.3 | 10.3 | 9.7 | 10.1 | 11.8 | 11.5 | 11.7 | 11.8 | 11.6 | 11.7 |
| 7 | 7.7 | 7.0 | 7.3 | 10.8 | 10.3 | 10.5 | 11.8 | 11.5 | 11.6 | 12.3 | 11.8 | 12.0 |
| 8 | 7.6 | 7.1 | 7.4 | 11.0 | 10.3 | 10.6 | 12.0 | 11.7 | 11.9 | 12.4 | 11.8 | 12.1 |
| 9 | 7.6 | 7.1 | 7.3 | 11.2 | 10.1 | 11.1 | 12.0 | 11.6 | 11.8 | 12.4 | 11.9 | 12.3 |
| 10 | 7.2 | 7.0 | 7.1 | 10.8 | 10.1 | 10.6 | 11.7 | 11.4 | 11.5 | 12.5 | 11.9 | 12.3 |
| 11 | 7.6 | 7.0 | 7.3 | 11.0 | 10.3 | 10.8 | 11.5 | 11.3 | 11.4 | 12.8 | 12.1 | 12.5 |
| 12 | 7.8 | 7.1 | 7.4 | 10.6 | 10.3 | 10.5 | 11.4 | 11.1 | 11.3 | 12.9 | 12.6 | 12.8 |
| 13 | 7.9 | 7.1 | 7.4 | 10.8 | 10.5 | 10.6 | 11.3 | 11.0 | 11.1 | 13.0 | 12.3 | 12.6 |
| 14 | 8.1 | 7.4 | 7.7 | 10.8 | 10.1 | 10.3 | 11.5 | 11.2 | 11.3 | 12.8 | 12.5 | 12.6 |
| 15 | 8.0 | 7.4 | 7.7 | 10.6 | 10.2 | 10.3 | 11.5 | 11.3 | 11.4 | 13.2 | 12.8 | 13.0 |
| 16 | 8.0 | 7.5 | 7.7 | 10.6 | 10.0 | 10.2 | 11.6 | 11.2 | 11.4 | 13.2 | 12.7 | 13.1 |
| 17 | 8.2 | 7.7 | 8.0 | 10.4 | 10.1 | 10.3 | 11.6 | 11.4 | 11.5 | 13.3 | 12.7 | 13.0 |
| 18 | 8.4 | 7.8 | 8.1 | 10.6 | 10.3 | 10.4 | 11.4 | 11.2 | 11.3 | 13.3 | 13.1 | 13.2 |
| 19 | 8.5 | 8.0 | 8.2 | 10.6 | 10.2 | 10.5 | 11.4 | 11.1 | 11.3 | 13.2 | 12.8 | 13.1 |
| 20 | 8.3 | 8.0 | 8.1 | 10.9 | 10.5 | 10.7 | 11.3 | 11.1 | 11.2 | 13.2 | 12.9 | 13.0 |
| 21 | 8.3 | 7.9 | 8.1 | 10.5 | 10.2 | 10.3 | 11.3 | 11.0 | 11.1 | 13.1 | 12.7 | 12.9 |
| 22 | 8.3 | 7.9 | 8.1 | 10.8 | 10.2 | 10.4 | 11.3 | 10.9 | 11.2 | 13.0 | 12.8 | 12.9 |
| 23 | 8.3 | 8.1 | 8.2 | 11.0 | 10.5 | 10.8 | 11.5 | 11.1 | 11.3 | 13.2 | 12.9 | 13.1 |
| 24 | 8.5 | 8.2 | 8.4 | 10.9 | 10.5 | 10.7 | 11.4 | 11.1 | 11.2 | 13.1 | 12.6 | 12.8 |
| 25 | 8.6 | 8.1 | 8.4 | 11.0 | 10.3 | 10.8 | 11.6 | 11.1 | 11.4 | 12.8 | 12.7 | 12.8 |
| 26 | 8.9 | 8.1 | 8.4 | 11.0 | 10.5 | 10.7 | 11.7 | 11.5 | 11.6 | 12.9 | 12.7 | 12.8 |
| 27 | 9.0 | 8.2 | 8.6 | 11.2 | 10.7 | 10.9 | 11.7 | 11.4 | 11.6 | 13.0 | 12.7 | 12.8 |
| 28 | 9.0 | 8.6 | 8.7 | 11.4 | 10.9 | 11.2 | 11.9 | 11.6 | 11.7 | 13.0 | 12.7 | 12.8 |
| 29 | 9.0 | 8.6 | 8.8 | 11.4 | 10.8 | 11.0 | 12.0 | 11.8 | 11.9 | 13.0 | 12.3 | 12.7 |
| 30 | 9.6 | 8.6 | 9.0 | 11.2 | 10.7 | 11.0 | 12.0 | 11.6 | 11.8 | 13.0 | 12.7 | 12.9 |
| 31 | 9.9 | 9.3 | 9.7 | --- | --- | --- | 11.8 | 11.6 | 11.7 | 12.9 | 12.8 | 12.8 |
| MONTH | 9.9 | 6.1 | 7.8 | 11.4 | 9.4 | 10.5 | 12.0 | 10.8 | 11.4 | 13.3 | 11.3 | 12.5 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 13.0 | 12.7 | 12.8 | 11.4 | 10.4 | 10.9 | 10.6 | 10.1 | 10.2 | 9.8 | 9.4 | 9.6 |
| 2 | 12.9 | 12.5 | 12.6 | 11.6 | 10.1 | 11.2 | 10.4 | 10.0 | 10.2 | 9.6 | 9.2 | 9.5 |
| 3 | 12.6 | 12.4 | 12.5 | 11.3 | 10.2 | 10.9 | 10.3 | 9.7 | 10.1 | 9.6 | 9.2 | 9.4 |
| 4 | 12.7 | 12.3 | 12.6 | 11.6 | 9.9 | 10.9 | 10.3 | 9.7 | 10.0 | 9.7 | 9.3 | 9.5 |
| 5 | 12.8 | 12.5 | 12.7 | 10.9 | 10.4 | 10.7 | 10.1 | 9.7 | 9.9 | 9.5 | 8.9 | 9.3 |
| 6 | 12.7 | 12.5 | 12.6 | 10.5 | 9.8 | 10.2 | 10.1 | 9.8 | 10.0 | 9.3 | 8.9 | 9.1 |
| 7 | 12.7 | 12.5 | 12.6 | 11.1 | 9.8 | 10.7 | 10.0 | 9.6 | 9.8 | 9.4 | 9.1 | 9.3 |
| 8 | 12.9 | 12.7 | 12.8 | 10.4 | 9.8 | 10.1 | 10.3 | 9.7 | 10.0 | 9.5 | 9.1 | 9.3 |
| 9 | 12.9 | 12.6 | 12.8 | 10.6 | 10.0 | 10.2 | 10.6 | 10.3 | 10.4 | 9.3 | 9.1 | 9.2 |
| 10 | 12.8 | 12.6 | 12.7 | 11.3 | 10.1 | 10.7 | 10.7 | 10.5 | 10.6 | 9.5 | 9.1 | 9.3 |
| 11 | 12.8 | 12.5 | 12.7 | 11.6 | 10.7 | 11.2 | 10.8 | 10.5 | 10.6 | 9.5 | 9.2 | 9.3 |
| 12 | 12.7 | 12.5 | 12.6 | 11.6 | 11.0 | 11.3 | 10.7 | 10.5 | 10.6 | 9.6 | 9.2 | 9.4 |
| 13 | 12.7 | 12.6 | 12.7 | 11.6 | 10.9 | 11.2 | 10.7 | 10.5 | 10.6 | 9.5 | 9.2 | 9.3 |
| 14 | 12.7 | 12.4 | 12.6 | 11.4 | 11.0 | 11.2 | 10.7 | 10.5 | 10.6 | 9.4 | 9.1 | 9.3 |
| 15 | 12.5 | 12.3 | 12.4 | 11.4 | 11.0 | 11.2 | 10.5 | 10.3 | 10.4 | 9.3 | 7.2 | 9.0 |
| 16 | 12.3 | 11.6 | 12.0 | 11.2 | 10.8 | 11.0 | 10.7 | 10.2 | 10.4 | 9.4 | 8.8 | 9.1 |
| 17 | 12.0 | 11.6 | 11.8 | 11.2 | 10.5 | 10.8 | 10.7 | 10.5 | 10.6 | 9.2 | 7.8 | 9.0 |
| 18 | 12.0 | 11.8 | 11.9 | 10.8 | 10.3 | 10.6 | 10.8 | 10.5 | 10.6 | 9.1 | 8.8 | 8.9 |
| 19 | 12.1 | 11.9 | 12.0 | 10.7 | 10.5 | 10.6 | 10.8 | 10.4 | 10.7 | 9.2 | 8.8 | 9.0 |
| 20 | 12.3 | 11.8 | 12.1 | 10.7 | 10.4 | 10.6 | 10.6 | 10.4 | 10.5 | 10.5 | 9.2 | 9.9 |
| 21 | 12.3 | 11.7 | 12.0 | 10.6 | 10.2 | 10.5 | 10.6 | 10.2 | 10.4 | 10.2 | 9.3 | 10 |
| 22 | 11.9 | 10.9 | 11.4 | 10.5 | 10.1 | 10.3 | 10.5 | 10.1 | 10.3 | 11.0 | 9.5 | 10.2 |
| 23 | 11.6 | 10.9 | 11.3 | 10.6 | 10.2 | 10.5 | 10.5 | 10.2 | 10.4 | 11.4 | 9.4 | 10.3 |
| 24 | 11.4 | 10.9 | 11.0 | 11.0 | 10.3 | 10.7 | 10.4 | 9.8 | 10.1 | 11.7 | 10.3 | 11.0 |
| 25 | 11.8 | 11.0 | 11.3 | 11.0 | 10.7 | 10.9 | 10.2 | 9.8 | 10 | 11.6 | 9.8 | 10.9 |
| 26 | 11.6 | 11.3 | 11.4 | 10.9 | 10.7 | 10.8 | 10.0 | 9.8 | 9.9 | 11.3 | 9.3 | 10.5 |
| 27 | 11.9 | 10.2 | 11.0 | 10.9 | 10.7 | 10.8 | 10.0 | 9.6 | 9.9 | 10.4 | 8.3 | 9.4 |
| 28 | 11.4 | 10.5 | 10.8 | 10.8 | 10.2 | 10.5 | 9.9 | 9.7 | 9.8 | 8.5 | 8.2 | 8.3 |
| 29 | --- | --- | --- | 10.7 | 10.2 | 10.4 | 9.9 | 9.6 | 9.8 | 8.5 | 8.1 | 8.3 |
| 30 | --- | --- | --- | 10.5 | 10.2 | 10.4 | 9.8 | 9.6 | 9.7 | 8.8 | 8.1 | 8.5 |
| 31 | --- | --- | --- | 10.6 | 10.3 | 10.5 | --- | --- | --- | 8.8 | 8.6 | 8.7 |
| MONTH | 13.0 | 10.2 | 12.1 | 11.6 | 9.8 | 10.7 | 10.8 | 9.6 | 10.2 | 11.7 | 7.2 | 9.4 |

[THIS PAGE INTENTIONALLY BLANK.]

03401000 CUMBERLAND RIVER NEAR HARLAN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1980 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 240,889 | | 324,502 | | 667 | |
| ANNUAL MEAN | 660 | | 889 | | 667 | |
| HIGHEST ANNUAL MEAN | | | | | 1,130 | 1994 |
| LOWEST ANNUAL MEAN | | | | | 333 | 1988 |
| HIGHEST DAILY MEAN | 21,300 | Mar 18 | 16,000 | Feb 16 | 21,300 | Mar 18, 2002 |
| LOWEST DAILY MEAN | 33 | Sep 11 | 68 | Oct 8 | 16 | Oct 9, 1997 |
| ANNUAL SEVEN-DAY MINIMUM | 37 | Sep 8 | 77 | Oct 4 | 17 | Oct 4, 1997 |
| MAXIMUM PEAK FLOW | | | 23,200 | Feb 16 | 64,500 | Apr 5, 1977 |
| MAXIMUM PEAK STAGE | | | 20.81 | Feb 16 | 30.20 | Apr 5, 1977 |
| INSTANTANEOUS LOW FLOW | | | | | 3.0 | Oct 9, 1953 |
| ANNUAL RUNOFF (CFSM) | 1.76 | | 2.38 | | 1.78 | |
| ANNUAL RUNOFF (INCHES) | 23.96 | | 32.28 | | 24.24 | |
| 10 PERCENT EXCEEDS | 1,280 | | 1,740 | | 1,490 | |
| 50 PERCENT EXCEEDS | 347 | | 535 | | 361 | |
| 90 PERCENT EXCEEDS | 68 | | 131 | | 67 | |

e Estimated



03402000 YELLOW CREEK NEAR MIDDLESBORO, KY

LOCATION.--Lat 36°40'05", long 83°41'19", Bell County, Hydrologic Unit 05130101, on left bank 35 ft downstream from bridge on U.S. Highway 25E, 1.2 mi downstream from Browne Branch, 4.6 mi north of Middlesboro, and at mile 11.4.

DRAINAGE AREA.--60.6 mi². See WRD-KY-98-1 for history of changes.

PERIOD OF RECORD.--August 1940 to current year.

REVISED RECORDS.--WSP 953: 1941(M). WSP 973: 1942(M). WSP 1436: Drainage area. WRD KY 1969: 1965(M), 1967(M).

GAGE.--Water-stage recorder with telemetry and crest-stage gages. Datum of gage is 1,097.99 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to Sept. 30, 1973.

REMARKS.--Flows affected by channelization work above gage during the current year. Records good except those estimated, which are poor. Occasional regulation from Fern Lake.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District and Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 16 | 0700 | *6,710 | *19.39 | Apr 10 | 1900 | 3,690 | 13.86 |
| Apr 9 | 0800 | 3,150 | 12.82 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|-------|--------|-------|--------|-------|-------|-------|-------|-------|
| 1 | 15 | 25 | 31 | 240 | 105 | 232 | 87 | 62 | 47 | 74 | 295 | 29 |
| 2 | 13 | 21 | 30 | 201 | 89 | 203 | 82 | 58 | 40 | 73 | 124 | 23 |
| 3 | 12 | 21 | 30 | 175 | 82 | 165 | 77 | 54 | 40 | 60 | 234 | 148 |
| 4 | 12 | 28 | 62 | 135 | 222 | 137 | 73 | 48 | 54 | 45 | 293 | 100 |
| 5 | 22 | 75 | 684 | 119 | 181 | 124 | 136 | 197 | 41 | 132 | 179 | 51 |
| 6 | 14 | 123 | 294 | 102 | 150 | 124 | 115 | 155 | 36 | 133 | 120 | 36 |
| 7 | 11 | 67 | 161 | 87 | 145 | 98 | 1,510 | 170 | 1,040 | 64 | 121 | 30 |
| 8 | 10 | 46 | 109 | e75 | 105 | 90 | 882 | 166 | 435 | 49 | 87 | 27 |
| 9 | 10 | 37 | 86 | e68 | 90 | 84 | 2,230 | 208 | 196 | 104 | 69 | 25 |
| 10 | 13 | 65 | 76 | e62 | 97 | 77 | 2,300 | 121 | 108 | 184 | 59 | 23 |
| 11 | 43 | 1,020 | 224 | e56 | 87 | 73 | 1,430 | 147 | 83 | 295 | 203 | 22 |
| 12 | 26 | 153 | 185 | e52 | 80 | 70 | 531 | 95 | 104 | 126 | 128 | 21 |
| 13 | 18 | 80 | 350 | e49 | 73 | 74 | 309 | 76 | 70 | 82 | 70 | 20 |
| 14 | 14 | 61 | 619 | e47 | 168 | 71 | 221 | 67 | 65 | 68 | 56 | 19 |
| 15 | 13 | 53 | 295 | e46 | 2,290 | 66 | 173 | 65 | 187 | 56 | 49 | 20 |
| 16 | 31 | 56 | 196 | e44 | 4,200 | 64 | 141 | 66 | 181 | 51 | 45 | 19 |
| 17 | 20 | 45 | 139 | e42 | 1,040 | 63 | 363 | 79 | 272 | 46 | 46 | 18 |
| 18 | 14 | 38 | 107 | e40 | 477 | 64 | 882 | 127 | 448 | 40 | 44 | 17 |
| 19 | 13 | 50 | 109 | e38 | 307 | 83 | 355 | 92 | 505 | 36 | 35 | 17 |
| 20 | 18 | 46 | 621 | e37 | 238 | 113 | 236 | 74 | 253 | 34 | 32 | 17 |
| 21 | 17 | 75 | 287 | e46 | 197 | 91 | 197 | 97 | 150 | 37 | 31 | 16 |
| 22 | 13 | 85 | 189 | e40 | 1,630 | 82 | 147 | 84 | 103 | 321 | 29 | 348 |
| 23 | 12 | 69 | 133 | e35 | 848 | 76 | 117 | 87 | 79 | 275 | 28 | 127 |
| 24 | 14 | 59 | 171 | e32 | 407 | 72 | 99 | 72 | 67 | 116 | 26 | 48 |
| 25 | 18 | 50 | 261 | e31 | 297 | 67 | 90 | 65 | 56 | 76 | 24 | 35 |
| 26 | 25 | 46 | 212 | e30 | 264 | 66 | 124 | 61 | 51 | 57 | 23 | 30 |
| 27 | 16 | 48 | 165 | e29 | 253 | 62 | 86 | 55 | 57 | 48 | 23 | 34 |
| 28 | 19 | 38 | 130 | e28 | 255 | 59 | 76 | 51 | 49 | 43 | 25 | 40 |
| 29 | 48 | 35 | 105 | 138 | --- | 82 | 69 | 73 | 42 | 56 | 25 | 27 |
| 30 | 48 | 34 | 90 | 162 | --- | 112 | 64 | 58 | 54 | 44 | 28 | 23 |
| 31 | 32 | --- | 80 | 120 | --- | 90 | --- | 60 | --- | 495 | 31 | --- |
| TOTAL | 604 | 2,649 | 6,231 | 2,406 | 14,377 | 2,934 | 13,202 | 2,890 | 4,913 | 3,320 | 2,582 | 1,410 |
| MEAN | 19.5 | 88.3 | 201 | 77.6 | 513 | 94.6 | 440 | 93.2 | 164 | 107 | 83.3 | 47.0 |
| MAX | 48 | 1,020 | 684 | 240 | 4,200 | 232 | 2,300 | 208 | 1,040 | 495 | 295 | 348 |
| MIN | 10 | 21 | 30 | 28 | 73 | 59 | 64 | 48 | 36 | 34 | 23 | 16 |
| CFSM | 0.32 | 1.46 | 3.32 | 1.28 | 8.47 | 1.56 | 7.26 | 1.54 | 2.70 | 1.77 | 1.37 | 0.78 |
| IN. | 0.37 | 1.63 | 3.82 | 1.48 | 8.83 | 1.80 | 8.10 | 1.77 | 3.02 | 2.04 | 1.58 | 0.87 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1941 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 24.1 | 75.8 | 159 | 206 | 232 | 250 | 183 | 116 | 66.6 | 51.5 | 35.9 | 19.9 |
| MAX | 155 | 416 | 609 | 551 | 677 | 610 | 569 | 539 | 298 | 345 | 197 | 109 |
| (WY) | (1978) | (1974) | (1991) | (1974) | (1991) | (1975) | (1998) | (1984) | (1989) | (1967) | (1942) | (1982) |
| MIN | 3.05 | 5.35 | 7.34 | 14.4 | 14.9 | 47.6 | 34.9 | 17.2 | 13.8 | 4.26 | 6.00 | 3.02 |
| (WY) | (1954) | (1941) | (1966) | (1981) | (1941) | (1988) | (1986) | (1941) | (1988) | (1944) | (1951) | (1954) |

03402000 YELLOW CREEK NEAR MIDDLESBORO, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1941 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 35,750.7 | | 57,518 | | 118 | |
| ANNUAL MEAN | 97.9 | | 158 | | 219 | |
| HIGHEST ANNUAL MEAN | | | | | 1991 | |
| LOWEST ANNUAL MEAN | | | | | 1941 | |
| HIGHEST DAILY MEAN | 3,960 | Mar 18 | 4,200 | Feb 16 | 7,000 | Apr 4, 1977 |
| LOWEST DAILY MEAN | 4.0 | Sep 13 | 10 | Oct 8 | 1.2 | Oct 7, 1952 |
| ANNUAL SEVEN-DAY MINIMUM | 4.3 | Sep 7 | 13 | Oct 3 | 1.6 | Sep 17, 1955 |
| MAXIMUM PEAK FLOW | | | 6,710 | Feb 16 | 11,700 | Apr 4, 1977 |
| MAXIMUM PEAK STAGE | | | 19.39 | Feb 16 | 23.35 | Apr 4, 1977 |
| INSTANTANEOUS LOW FLOW | | | | | 0.00 | Sep 26, 1952 |
| ANNUAL RUNOFF (CFSM) | 1.62 | | 2.60 | | 1.95 | |
| ANNUAL RUNOFF (INCHES) | 21.95 | | 35.31 | | 26.44 | |
| 10 PERCENT EXCEEDS | 165 | | 289 | | 250 | |
| 50 PERCENT EXCEEDS | 34 | | 72 | | 45 | |
| 90 PERCENT EXCEEDS | 7.0 | | 22 | | 7.7 | |

e Estimated



03402900 CUMBERLAND RIVER AT PINE STREET BRIDGE AT PINEVILLE, KY

LOCATION.--Lat 36°45'47", long 83°41'31", Bell County, Hydrologic Unit 05130101, on pier near right bank on Pine St. bridge at Pineville, 0.2 mi downstream from Straight Creek, and at mile 654.4.

DRAINAGE AREA.--770 mi².

PERIOD OF RECORD.--October 1991 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 970.00 ft above sea level, Sandy Hook datum.

REMARKS.--Records good except those estimated, which are poor. Flow slightly regulated by Martins Fork Dam (station 03400798) beginning January 1979.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 39,300 ft³/s, Feb. 16, gage height, 43.22 ft.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|--------|---------|--------|---------|--------|--------|--------|--------|--------|
| 1 | 287 | 562 | 525 | 1,520 | 1,560 | 3,480 | 952 | 1,030 | 984 | 756 | 3,400 | 667 |
| 2 | 243 | 462 | 478 | 1,680 | 1,400 | 3,190 | 936 | 1,030 | 805 | 718 | 1,580 | 593 |
| 3 | 218 | 405 | 469 | 1,570 | 1,280 | 2,730 | 975 | 1,080 | 749 | 736 | 2,080 | 857 |
| 4 | 172 | 406 | 477 | 1,540 | 2,290 | 2,370 | 948 | 919 | 964 | 682 | 2,490 | 2,040 |
| 5 | 149 | 446 | 4,050 | 1,500 | 3,280 | 2,170 | 1,100 | 1,530 | 1,030 | 678 | 1,800 | 1,800 |
| 6 | 160 | 867 | 3,960 | 1,430 | 2,420 | 2,040 | 1,240 | 2,710 | 839 | 836 | 1,390 | 930 |
| 7 | 155 | 1,060 | 2,350 | 1,310 | 2,070 | 1,850 | 9,420 | 2,380 | 5,080 | 637 | 1,970 | 629 |
| 8 | 137 | 907 | 1,780 | e1,200 | 1,700 | 1,550 | 8,980 | 2,270 | 6,520 | 563 | 1,590 | 498 |
| 9 | 126 | 784 | 1,480 | e1,060 | 1,450 | 1,410 | 20,700 | 2,200 | 3,020 | 512 | 1,070 | 416 |
| 10 | 132 | 690 | 1,310 | e970 | 1,400 | 1,310 | 18,700 | 2,080 | 2,340 | 886 | 775 | 353 |
| 11 | 201 | 5,780 | 2,000 | e906 | 1,330 | 1,220 | 22,800 | 1,650 | 1,940 | 1,690 | 722 | 314 |
| 12 | 242 | 2,870 | 2,480 | e828 | 1,180 | 1,090 | 10,100 | 1,380 | 2,030 | 1,370 | 1,070 | 287 |
| 13 | 209 | 1,970 | 2,800 | e760 | 1,020 | 1,000 | 5,370 | 1,130 | 1,750 | 1,030 | 687 | 267 |
| 14 | 175 | 1,570 | 5,670 | e700 | 1,040 | 1,020 | 3,940 | 1,060 | 1,350 | 875 | 538 | 252 |
| 15 | 160 | 1,320 | 3,870 | e650 | 9,710 | 963 | 3,190 | 988 | 2,460 | 769 | 463 | 251 |
| 16 | 215 | 1,270 | 2,660 | e620 | 34,600 | 937 | 2,680 | 1,100 | 3,570 | 730 | 445 | 245 |
| 17 | 326 | 1,260 | 2,160 | e600 | 22,000 | 914 | 2,530 | 1,230 | 4,930 | 626 | 477 | 228 |
| 18 | 324 | 1,290 | 1,840 | e570 | 8,340 | 869 | 5,220 | 2,460 | 4,820 | 530 | 476 | 219 |
| 19 | 248 | 1,080 | 1,650 | e550 | 5,120 | 809 | 4,490 | 1,990 | 7,220 | 524 | 416 | 208 |
| 20 | 216 | 1,140 | 5,010 | e530 | 4,000 | 866 | 3,180 | 1,580 | 4,860 | 401 | 357 | 205 |
| 21 | 218 | 1,230 | 4,290 | e604 | 3,380 | 788 | 2,620 | 1,790 | 3,110 | 366 | 319 | 198 |
| 22 | 213 | 1,410 | 2,820 | e560 | 10,700 | 740 | 2,090 | 2,170 | 2,360 | 545 | 295 | 743 |
| 23 | 192 | 1,300 | 2,170 | e500 | 14,200 | 687 | 1,760 | 1,840 | 1,950 | 838 | 279 | 1,310 |
| 24 | 173 | 1,120 | 2,050 | e460 | 6,490 | 654 | 1,540 | 1,510 | 1,400 | 571 | 294 | 648 |
| 25 | 174 | 965 | 2,600 | e440 | 4,520 | 629 | 1,410 | 1,250 | 1,020 | 456 | 252 | 438 |
| 26 | 179 | 837 | 2,600 | e430 | 3,780 | 680 | 1,730 | 1,080 | 887 | 374 | 233 | 359 |
| 27 | 188 | 807 | 2,260 | e420 | 3,380 | 687 | 1,620 | 929 | 916 | 323 | 222 | 403 |
| 28 | 186 | 686 | 1,970 | e410 | 3,470 | 654 | 1,410 | 800 | 830 | 303 | 211 | 524 |
| 29 | 216 | 585 | 1,740 | 779 | --- | 675 | 1,240 | 929 | 675 | 386 | 228 | 393 |
| 30 | 534 | 559 | 1,550 | 1,760 | --- | 859 | 1,130 | 1,040 | 651 | 520 | 359 | 311 |
| 31 | 674 | --- | 1,290 | 1,720 | --- | 992 | --- | 980 | --- | 2,290 | 545 | --- |
| TOTAL | 7,042 | 35,638 | 72,359 | 28,577 | 157,110 | 39,833 | 144,001 | 46,115 | 71,060 | 22,521 | 27,033 | 16,586 |
| MEAN | 227 | 1,188 | 2,334 | 922 | 5,611 | 1,285 | 4,800 | 1,488 | 2,369 | 726 | 872 | 553 |
| MAX | 674 | 5,780 | 5,670 | 1,760 | 34,600 | 3,480 | 22,800 | 2,710 | 7,220 | 2,290 | 3,400 | 2,040 |
| MIN | 126 | 405 | 469 | 410 | 1,020 | 629 | 936 | 800 | 651 | 303 | 211 | 198 |
| CFSM | 0.30 | 1.54 | 3.03 | 1.20 | 7.29 | 1.67 | 6.23 | 1.93 | 3.08 | 0.94 | 1.13 | 0.72 |
| IN. | 0.34 | 1.72 | 3.50 | 1.38 | 7.59 | 1.92 | 6.96 | 2.23 | 3.43 | 1.09 | 1.31 | 0.80 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1992 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 212 | 696 | 1,743 | 2,162 | 2,582 | 3,029 | 2,463 | 1,533 | 907 | 411 | 448 | 233 |
| MAX | 670 | 3,009 | 5,204 | 4,201 | 6,720 | 5,367 | 5,977 | 3,091 | 2,369 | 726 | 923 | 553 |
| (WY) | (1997) | (1997) | (1992) | (1994) | (1994) | (1994) | (1998) | (1995) | (2003) | (2003) | (1996) | (2003) |
| MIN | 87.4 | 104 | 342 | 640 | 964 | 1,285 | 817 | 796 | 245 | 176 | 107 | 59.7 |
| (WY) | (1999) | (1999) | (2000) | (2000) | (2002) | (2003) | (1995) | (1993) | (2002) | (1993) | (1995) | (1999) |

03402900 CUMBERLAND RIVER AT PINE STREET BRIDGE AT PINEVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1992 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 453,540 | | 667,875 | | 1,362 | |
| ANNUAL MEAN | 1,243 | | 1,830 | | 2,241 | |
| HIGHEST ANNUAL MEAN | | | | | 792 | |
| LOWEST ANNUAL MEAN | | | | | 41,500 | |
| HIGHEST DAILY MEAN | 41,500 | Mar 18 | 34,600 | Feb 16 | 41,500 | Mar 18, 2002 |
| LOWEST DAILY MEAN | 53 | Sep 13 | 126 | Oct 9 | 48 | Sep 20, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 59 | Sep 8 | 147 | Oct 4 | 49 | Sep 16, 1999 |
| MAXIMUM PEAK FLOW | | | 39,300 | Feb 16 | 46,700 | Mar 18, 2002 |
| MAXIMUM PEAK STAGE | | | 43.22 | Feb 16 | 47.32 | Mar 18, 2002 |
| INSTANTANEOUS LOW FLOW | | | | | 47 | Sep 20, 1999 |
| ANNUAL RUNOFF (CFSM) | 1.61 | | 2.38 | | 1.77 | |
| ANNUAL RUNOFF (INCHES) | 21.91 | | 32.27 | | 24.04 | |
| 10 PERCENT EXCEEDS | 2,330 | | 3,470 | | 2,950 | |
| 50 PERCENT EXCEEDS | 515 | | 1,000 | | 651 | |
| 90 PERCENT EXCEEDS | 107 | | 250 | | 119 | |

e Estimated



03403500 CUMBERLAND RIVER AT BARBOURVILLE, KY

LOCATION.--Lat 36°51'45", long 83°53'31", Knox County, Hydrologic Unit 05130101, on right bank 100 ft upstream from bridge on State Highway 11, at Barbourville, 0.4 mi upstream from Richland Creek, and at mile 635.2.

DRAINAGE AREA.--960 mi².

PERIOD OF RECORD.--October 1922 to September 1931, April 1948 to July 2, 1993, October 1995 to current year. Monthly discharge only April to June 1948, published in WSP 1306.

REVISED RECORDS.--WSP 603: 1923-24. WSP 1336: 1923(M). 1927, 1929, 1950-51. WSP 1436: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 942.97 ft above NGVD of 1929. See WRD KY-90-1 for history of changes prior to Oct. 17, 1975.

REMARKS.--Records fair except for those estimated, which are poor. Flow slightly regulated by Martins Fork Dam (station 03400798) beginning January 1979. Diversions by City of Barbourville for municipal water supply.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 35,300 ft³/s, Feb. 17, gage height, 36.36.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|--------|---------|--------|---------|--------|---------|--------|--------|--------|
| 1 | 355 | 689 | 545 | 1,540 | 2,230 | 4,130 | 1,310 | 1,290 | 1,330 | 862 | 4,380 | 986 |
| 2 | 301 | 564 | 493 | 2,270 | 1,970 | 3,920 | 1,250 | 1,330 | 1,110 | 903 | 2,120 | 711 |
| 3 | 264 | 476 | 443 | 2,080 | 1,710 | 3,460 | 1,240 | 1,450 | 959 | 862 | 1,980 | 855 |
| 4 | 231 | 450 | 473 | 1,940 | 2,550 | 2,990 | 1,230 | 1,230 | 1,140 | 840 | 3,410 | 2,680 |
| 5 | 174 | 501 | 3,260 | 1,870 | 4,290 | 2,740 | 1,370 | 1,580 | 1,310 | 731 | 2,720 | 2,700 |
| 6 | 162 | 850 | 5,860 | 1,770 | 3,430 | 2,560 | 1,690 | 3,200 | 1,120 | 1,000 | 1,870 | 1,420 |
| 7 | 168 | 1,370 | 3,310 | 1,610 | 2,780 | 2,400 | 8,390 | 2,980 | 3,010 | 795 | 2,080 | 868 |
| 8 | 162 | 1,150 | 2,180 | 1,470 | 2,340 | 2,090 | 14,300 | 3,030 | 9,640 | 680 | 2,160 | 632 |
| 9 | 141 | 989 | 1,690 | e1,300 | 1,950 | 1,840 | 18,900 | 2,770 | 4,770 | 684 | 1,440 | 520 |
| 10 | 135 | 802 | 1,390 | e1,190 | 1,830 | 1,700 | 24,300 | 2,730 | 2,980 | 1,100 | 1,050 | 438 |
| 11 | 202 | 3,770 | 1,910 | e1,060 | 1,770 | 1,570 | 28,500 | 2,160 | 2,460 | 2,310 | 833 | 380 |
| 12 | 291 | 4,530 | 3,120 | e960 | 1,560 | 1,430 | 24,500 | 1,940 | 2,620 | 1,950 | 1,180 | 341 |
| 13 | 297 | 2,380 | 3,040 | e898 | 1,360 | 1,240 | 15,100 | 1,460 | 2,350 | 1,410 | 946 | 321 |
| 14 | 252 | 1,880 | 7,510 | e840 | 1,280 | 1,280 | 8,340 | 1,310 | 2,510 | 1,150 | 682 | 305 |
| 15 | 208 | 1,510 | 7,190 | e810 | 6,310 | 1,190 | 4,390 | 1,180 | 3,860 | 979 | 563 | 298 |
| 16 | 236 | 1,410 | 3,850 | e740 | 24,900 | 1,140 | 3,330 | 1,390 | 5,130 | 921 | 498 | 298 |
| 17 | 326 | 1,390 | 2,660 | e700 | 33,900 | 1,110 | 3,020 | 1,500 | 8,120 | 791 | 563 | 288 |
| 18 | 403 | 1,420 | 2,160 | e670 | 25,200 | 1,080 | 5,600 | 2,930 | 8,580 | 664 | 521 | 266 |
| 19 | 340 | 1,290 | 1,820 | e640 | 15,100 | 984 | 6,030 | 2,890 | 9,690 | 589 | 526 | 250 |
| 20 | 297 | 1,180 | 3,660 | e620 | 8,680 | 1,050 | 4,250 | 2,180 | 8,970 | 544 | 431 | 238 |
| 21 | 282 | 1,290 | 5,570 | e710 | 4,830 | 971 | 3,370 | 2,360 | 4,890 | 428 | e380 | 233 |
| 22 | 278 | 1,500 | 3,640 | e600 | 8,400 | 918 | 2,810 | 3,040 | 3,100 | 472 | e350 | 461 |
| 23 | 260 | 1,500 | 2,660 | e560 | 19,100 | 845 | 2,360 | 2,650 | 2,500 | 1,020 | e320 | 1,900 |
| 24 | 229 | 1,290 | 2,350 | e530 | 14,100 | 791 | 2,060 | 2,130 | 1,960 | 790 | e360 | 1,030 |
| 25 | 209 | 1,060 | 3,210 | e515 | 8,180 | 754 | 1,860 | 1,770 | 1,360 | 591 | e310 | 584 |
| 26 | 206 | 919 | 3,520 | e500 | 5,100 | 772 | 2,200 | 1,500 | 1,140 | 471 | e294 | 456 |
| 27 | 222 | 840 | 2,910 | e490 | 4,180 | 816 | 2,240 | 1,300 | 1,150 | 400 | 276 | 491 |
| 28 | 236 | 779 | 2,410 | e480 | 4,100 | 776 | 1,860 | 1,120 | 1,160 | 351 | 262 | 761 |
| 29 | 250 | 614 | 2,060 | 860 | --- | 796 | 1,620 | 1,130 | 874 | 416 | 254 | 588 |
| 30 | 383 | 567 | 1,780 | 2,620 | --- | 1,060 | 1,430 | 1,440 | 807 | 553 | 325 | 455 |
| 31 | 811 | --- | 1,490 | 2,620 | --- | 1,310 | --- | 1,290 | --- | 1,240 | 689 | --- |
| TOTAL | 8,311 | 38,960 | 88,164 | 35,463 | 213,130 | 49,713 | 198,850 | 60,260 | 100,600 | 26,497 | 33,773 | 21,754 |
| MEAN | 268 | 1,299 | 2,844 | 1,144 | 7,612 | 1,604 | 6,628 | 1,944 | 3,353 | 855 | 1,089 | 725 |
| MAX | 811 | 4,530 | 7,510 | 2,620 | 33,900 | 4,130 | 28,500 | 3,200 | 9,690 | 2,310 | 4,380 | 2,700 |
| MIN | 135 | 450 | 443 | 480 | 1,280 | 754 | 1,230 | 1,120 | 807 | 351 | 254 | 233 |
| CFSM | 0.28 | 1.35 | 2.96 | 1.19 | 7.93 | 1.67 | 6.90 | 2.02 | 3.49 | 0.89 | 1.13 | 0.76 |
| IN. | 0.32 | 1.51 | 3.42 | 1.37 | 8.26 | 1.93 | 7.71 | 2.34 | 3.90 | 1.03 | 1.31 | 0.84 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1980 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 429 | 1,156 | 2,080 | 2,511 | 3,183 | 3,278 | 2,777 | 2,028 | 1,250 | 548 | 470 | 405 |
| MAX | 3,058 | 3,816 | 5,837 | 5,582 | 7,612 | 6,208 | 8,578 | 6,782 | 5,524 | 1,071 | 1,089 | 1,894 |
| (WY) | (1990) | (1997) | (1992) | (1982) | (2003) | (1997) | (1998) | (1984) | (1989) | (1989) | (2003) | (1989) |
| MIN | 87.9 | 117 | 193 | 135 | 1,220 | 791 | 549 | 635 | 201 | 141 | 124 | 60.5 |
| (WY) | (1981) | (1999) | (1981) | (1981) | (1999) | (1988) | (1986) | (1986) | (1988) | (1988) | (1999) | (1999) |

03403500 CUMBERLAND RIVER AT BARBOURVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1980 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 601,417 | | 875,475 | | 1,667 | |
| ANNUAL MEAN | 1,648 | | 2,399 | | 824 | |
| HIGHEST ANNUAL MEAN | | | | | 2,417 | 1989 |
| LOWEST ANNUAL MEAN | | | | | 824 | 1988 |
| HIGHEST DAILY MEAN | 38,000 | Mar 19 | 33,900 | Feb 17 | 41,600 | May 8, 1984 |
| LOWEST DAILY MEAN | 51 | Sep 13 | 135 | Oct 10 | 50 | Sep 19, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 57 | Sep 9 | 163 | Oct 5 | 53 | Sep 16, 1999 |
| MAXIMUM PEAK FLOW | | | 35,300 | Feb 17 | 56,100 | Apr 6, 1977 |
| MAXIMUM PEAK STAGE | | | 36.36 | Feb 17 | 45.91 | Apr 6, 1977 |
| INSTANTANEOUS LOW FLOW | | | | | 0.20 | Oct 5, 1930 |
| ANNUAL RUNOFF (CFSM) | 1.72 | | 2.50 | | 1.74 | |
| ANNUAL RUNOFF (INCHES) | 23.30 | | 33.92 | | 23.60 | |
| 10 PERCENT EXCEEDS | 3,100 | | 4,380 | | 3,660 | |
| 50 PERCENT EXCEEDS | 583 | | 1,290 | | 823 | |
| 90 PERCENT EXCEEDS | 108 | | 303 | | 124 | |

e Estimated



CUMBERLAND RIVER BASIN

03403910 CLEAR FORK AT SAXTON, KY

LOCATION.--Lat 36°38'02", long 84°06'42", Whitley County, Hydrologic Unit 05130101, on State Highway 1804 bridge, at Saxton, 100 ft upstream from CSX Railroad bridge, 150 ft downstream from unnamed stream. 7.2 mi southeast of Williamsburg, and at mile 12.2.

DRAINAGE AREA.--331 mi².

PERIOD OF RECORD.--July 1968 to September 1990, October 1995 to current year.

GAGE.--Water-stage recorder with telemetry and crest-stage gage. Datum of gage is 921.83 ft above NGVD of 1929.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 5,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|---------|--------------------------------|------------------|--------|---------|--------------------------------|------------------|
| Feb 16 | unknown | *14,000 | 32.26 | Apr 11 | unknown | 10,900 | 27.73 |
| Apr 7 | 1700 | 7,250 | 21.78 | Apr 18 | 0730 | 5,780 | 19.24 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|-------|---------|--------|--------|--------|--------|--------|--------|--------|
| 1 | 92 | 151 | 136 | 577 | 641 | e1,150 | 472 | 1,300 | 228 | 662 | 1,610 | 253 |
| 2 | 75 | 120 | 123 | 668 | 536 | e1,020 | 433 | 601 | 191 | 476 | 698 | 129 |
| 3 | 65 | 99 | 121 | 638 | 468 | e870 | 385 | 467 | 175 | 378 | 1,420 | 674 |
| 4 | 57 | 95 | 141 | 561 | 984 | e720 | 352 | 371 | 240 | 281 | 2,560 | 2,630 |
| 5 | 58 | 142 | 2,900 | 515 | 1,040 | 652 | 484 | 863 | 217 | 264 | 1,300 | 1,210 |
| 6 | 64 | 670 | 1,920 | 470 | 815 | 628 | 653 | 1,420 | 173 | 386 | 805 | 532 |
| 7 | 58 | 573 | 974 | 407 | 747 | 556 | 5,310 | 1,540 | 1,190 | 242 | 708 | 354 |
| 8 | 52 | 374 | 698 | 373 | 592 | 484 | 3,650 | 1,480 | 1,280 | 195 | 535 | 269 |
| 9 | 51 | 256 | 551 | e330 | 494 | 449 | 5,370 | 1,030 | 676 | 352 | 396 | 704 |
| 10 | 51 | 203 | 476 | e295 | 494 | 410 | e5,600 | 743 | 436 | 1,500 | 310 | 341 |
| 11 | 75 | 2,470 | 1,170 | e260 | 478 | 377 | e9,900 | 672 | 339 | 2,870 | 396 | 234 |
| 12 | 116 | 1,130 | 1,180 | e235 | 447 | 351 | e3,500 | 577 | 419 | 1,130 | 842 | 187 |
| 13 | 96 | 587 | 1,420 | e210 | 408 | 337 | 1,600 | 426 | 336 | 634 | 385 | 158 |
| 14 | 78 | 382 | 3,550 | e190 | 462 | 340 | 1,120 | 352 | 299 | 458 | 272 | 137 |
| 15 | 70 | 281 | 1,640 | e170 | 4,580 | 307 | 892 | 319 | 991 | 344 | 220 | 143 |
| 16 | 79 | 285 | 1,030 | e160 | e11,600 | 289 | 750 | 419 | 1,310 | 276 | 191 | 133 |
| 17 | 104 | 249 | 758 | e150 | e10,700 | 277 | 996 | 766 | 3,510 | 243 | 226 | 114 |
| 18 | 86 | 219 | 592 | e145 | 3,330 | 279 | 4,610 | 1,940 | 2,050 | 199 | 234 | 103 |
| 19 | 76 | 209 | 501 | e140 | e1,500 | 287 | 1,980 | 1,080 | 2,390 | 171 | 172 | 95 |
| 20 | 71 | 225 | 1,170 | e135 | e1,050 | 405 | 1,240 | 742 | 1,310 | 150 | 142 | 89 |
| 21 | 75 | 228 | 985 | e188 | e720 | 376 | 1,010 | 852 | 814 | 141 | 129 | 85 |
| 22 | 77 | 288 | 769 | e170 | e3,900 | 345 | 827 | 946 | 576 | 253 | 141 | 905 |
| 23 | 71 | 285 | 608 | e145 | e5,200 | 314 | 682 | 778 | 438 | 416 | 117 | 1,780 |
| 24 | 69 | 256 | 643 | e130 | e2,000 | 290 | 580 | 628 | 344 | 419 | 104 | 632 |
| 25 | 79 | 226 | 977 | e120 | e1,400 | 269 | 525 | 497 | 278 | 292 | 94 | 392 |
| 26 | 87 | 199 | 935 | e115 | e1,190 | 260 | 592 | 428 | 236 | 201 | 87 | 285 |
| 27 | 86 | 197 | 767 | e110 | e1,150 | 254 | 489 | 359 | 286 | 158 | 82 | 420 |
| 28 | 82 | 173 | 643 | e105 | e1,260 | 235 | 409 | 299 | 298 | 151 | 78 | 843 |
| 29 | 96 | 153 | 546 | 344 | --- | 291 | 367 | 323 | 231 | 220 | 87 | 432 |
| 30 | 190 | 146 | 466 | 963 | --- | 492 | 443 | 306 | 747 | 193 | 128 | 296 |
| 31 | 197 | --- | 412 | 766 | --- | 501 | --- | 253 | --- | 1,410 | 159 | --- |
| TOTAL | 2,583 | 10,871 | 28,802 | 9,785 | 58,186 | 13,815 | 55,221 | 22,777 | 22,008 | 15,065 | 14,628 | 14,559 |
| MEAN | 83.3 | 362 | 929 | 316 | 2,078 | 446 | 1,841 | 735 | 734 | 486 | 472 | 485 |
| MAX | 197 | 2,470 | 3,550 | 963 | 11,600 | 1,150 | 9,900 | 1,940 | 3,510 | 2,870 | 2,560 | 2,630 |
| MIN | 51 | 95 | 121 | 105 | 408 | 235 | 352 | 253 | 173 | 141 | 78 | 85 |
| CFSM | 0.25 | 1.09 | 2.81 | 0.95 | 6.28 | 1.35 | 5.56 | 2.22 | 2.22 | 1.47 | 1.43 | 1.47 |
| IN. | 0.29 | 1.22 | 3.24 | 1.10 | 6.54 | 1.55 | 6.21 | 2.56 | 2.47 | 1.69 | 1.64 | 1.64 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1968 - 2003, BY WATER YEAR (WY)

| MEAN | 162 | 419 | 624 | 885 | 934 | 1,003 | 850 | 653 | 397 | 202 | 184 | 137 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 1,472 | 1,624 | 1,824 | 2,534 | 2,078 | 3,356 | 2,193 | 2,087 | 1,923 | 659 | 557 | 707 |
| (WY) | (1990) | (1974) | (1973) | (1974) | (2003) | (1975) | (1998) | (1984) | (1989) | (1971) | (1985) | (1989) |
| MIN | 6.07 | 15.0 | 53.7 | 41.0 | 327 | 300 | 147 | 122 | 31.1 | 44.0 | 34.3 | 16.0 |
| (WY) | (2001) | (2001) | (1981) | (1981) | (2002) | (1988) | (1986) | (1985) | (1988) | (1970) | (1997) | (2000) |

03403910 CLEAR FORK AT SAXTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1968 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 158,112 | | 268,300 | | 536 | |
| ANNUAL MEAN | 433 | | 735 | | 894 | |
| HIGHEST ANNUAL MEAN | | | | | 1973 | |
| LOWEST ANNUAL MEAN | | | | | 233 | |
| HIGHEST DAILY MEAN | 9,800 | Mar 19 | 11,600 | Feb 16 | 19,400 | May 28, 1973 |
| LOWEST DAILY MEAN | 11 | Sep 13 | 51 | Oct 9 | 3.3 | Aug 19, 1988 |
| ANNUAL SEVEN-DAY MINIMUM | 12 | Sep 8 | 56 | Oct 4 | 4.5 | Oct 11, 2000 |
| MAXIMUM PEAK FLOW | | | 14,000 | Feb 16 | 22,800 | Apr 5, 1977 |
| MAXIMUM PEAK STAGE | | | 32.26 | Feb 16 | 41.51 | Apr 5, 1977 |
| ANNUAL RUNOFF (CFSM) | 1.31 | | 2.22 | | 1.62 | |
| ANNUAL RUNOFF (INCHES) | 17.77 | | 30.15 | | 22.00 | |
| 10 PERCENT EXCEEDS | 798 | | 1,420 | | 1,150 | |
| 50 PERCENT EXCEEDS | 141 | | 385 | | 249 | |
| 90 PERCENT EXCEEDS | 25 | | 98 | | 34 | |

e Estimated



03404000 CUMBERLAND RIVER AT WILLIAMSBURG, KY

LOCATION.--Lat 36°44'36", long 84°09'22", Whitley County, Hydrologic Unit 05130101, on right bank 100 ft upstream from bridge on State Highway 296E at Williamsburg, 2.0 mi downstream from Clear Fork, and at mile 590.4.

DRAINAGE AREA.--1,607 mi².

PERIOD OF RECORD.--October 1950 to current year. Gage-height records collected in this vicinity since 1908 are published in reports of National Weather Service.

REVISED RECORDS.--WSP 1436: Drainage area.

GAGE.--Water-stage recorder with telemetry and crest-stage gages. Datum of gage is 891.52 ft above NGVD of 1929. See WDR KY-90-1 for history of changes prior to June 26, 1990.

REMARKS.--Records good except for those estimated, which are poor. Flow slightly regulated by Martins Fork Dam (station 03400798) beginning January 1979.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District and Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 33,300 ft³/s, Feb. 18, gage height, 28.90 ft.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|---------|--------|---------|--------|---------|--------|---------|--------|--------|--------|
| 1 | 689 | 1,050 | 912 | 2,550 | 3,660 | 6,400 | 1,910 | 2,850 | 1,620 | 1,900 | 7,070 | 1,140 |
| 2 | 524 | 876 | 853 | 3,310 | 3,070 | 6,120 | 1,840 | 2,080 | 1,530 | 1,510 | 5,120 | 1,170 |
| 3 | 433 | 732 | 800 | 3,580 | 2,630 | 5,520 | 1,750 | 1,990 | 1,330 | 1,390 | 3,210 | 1,290 |
| 4 | 373 | 647 | 801 | 3,230 | 3,490 | 4,680 | 1,700 | 1,860 | 1,290 | 1,250 | 6,430 | 5,360 |
| 5 | 342 | 673 | 4,340 | 2,930 | 5,750 | 4,060 | 1,760 | 1,870 | 1,530 | 1,150 | 6,030 | 5,770 |
| 6 | 308 | 1,370 | 9,010 | 2,750 | 5,830 | 3,730 | 2,320 | 3,990 | 1,510 | 1,270 | 3,800 | 3,280 |
| 7 | 282 | 1,990 | 7,080 | 2,520 | 4,630 | 3,470 | 9,740 | 5,200 | 2,800 | 1,300 | 2,810 | 1,860 |
| 8 | 275 | 1,980 | 4,310 | 2,270 | 3,830 | 3,060 | 18,400 | 5,410 | 8,720 | 1,040 | 3,080 | 1,260 |
| 9 | 263 | 1,530 | 3,140 | e2,000 | 3,080 | 2,640 | 21,900 | 4,980 | 9,260 | 983 | 2,500 | 1,430 |
| 10 | 251 | 1,280 | 2,570 | e1,850 | 2,700 | 2,390 | 26,400 | 4,070 | 4,930 | 2,320 | 1,800 | 1,060 |
| 11 | 286 | 3,110 | 3,440 | e1,700 | 2,640 | 2,200 | 31,800 | 3,520 | 3,400 | 4,840 | 1,410 | 790 |
| 12 | 414 | 7,280 | 4,920 | e1,520 | 2,470 | 2,040 | 31,400 | 3,020 | 3,110 | 4,290 | 1,910 | 670 |
| 13 | 505 | 4,500 | 5,620 | e1,350 | 2,230 | 1,880 | 27,500 | 2,390 | 3,170 | 2,600 | 1,680 | 587 |
| 14 | 470 | 2,950 | 11,100 | e1,250 | 2,070 | 1,770 | 21,800 | 1,880 | 2,830 | 1,890 | 1,290 | 530 |
| 15 | 403 | 2,320 | 11,800 | e1,200 | 8,140 | 1,740 | 12,200 | 1,680 | 6,220 | 1,570 | 992 | 487 |
| 16 | 380 | 2,060 | 8,270 | e1,150 | 25,200 | 1,640 | 5,600 | 1,730 | 7,080 | 1,550 | 841 | 483 |
| 17 | 429 | 1,980 | 5,050 | e1,100 | 31,900 | 1,580 | 4,560 | 2,330 | 10,500 | 1,260 | 764 | 452 |
| 18 | 515 | 1,900 | 3,770 | e1,040 | 32,700 | 1,540 | 9,620 | 4,460 | 12,600 | 1,060 | 877 | 420 |
| 19 | 553 | 1,890 | 3,090 | e1,000 | 29,600 | 1,520 | 10,100 | 4,980 | 13,500 | 891 | 771 | 391 |
| 20 | 498 | 1,780 | 3,730 | e960 | 23,000 | 1,540 | 7,780 | 3,830 | 12,500 | 790 | 720 | 372 |
| 21 | 452 | 1,730 | 6,980 | e920 | 13,400 | 1,580 | 5,730 | 3,360 | 9,440 | 743 | 616 | 354 |
| 22 | 432 | 1,870 | 6,450 | e1,050 | 11,800 | 1,460 | 4,670 | 4,310 | 5,430 | 743 | 574 | 744 |
| 23 | 415 | 2,060 | 4,570 | e950 | 20,600 | 1,360 | 3,690 | 4,350 | 3,740 | 1,330 | 531 | 3,840 |
| 24 | 385 | 1,940 | 3,760 | e860 | 19,800 | 1,260 | 3,030 | 3,500 | 2,920 | 1,840 | 485 | 2,720 |
| 25 | 363 | 1,690 | 4,610 | e830 | 17,400 | 1,180 | 2,610 | 2,740 | 2,180 | 1,340 | 460 | 1,510 |
| 26 | 350 | 1,500 | 5,470 | e800 | 10,800 | 1,140 | 2,870 | 2,260 | 1,660 | 946 | 444 | 993 |
| 27 | 356 | 1,360 | 4,980 | e780 | 7,120 | 1,170 | 3,370 | 1,930 | 1,520 | 738 | 400 | 817 |
| 28 | 365 | 1,280 | 4,090 | e770 | 6,520 | 1,170 | 2,800 | 1,680 | 1,660 | 642 | 375 | 1,680 |
| 29 | 388 | 1,150 | 3,430 | 1,030 | --- | 1,190 | 2,310 | 1,720 | 1,450 | 1,050 | 364 | 1,400 |
| 30 | 519 | 976 | 2,940 | 3,080 | --- | 1,520 | 2,060 | 1,730 | 1,510 | 999 | 399 | 1,000 |
| 31 | 794 | --- | 2,570 | 4,250 | --- | 1,850 | --- | 1,760 | --- | 2,270 | 588 | --- |
| TOTAL | 13,012 | 57,454 | 144,456 | 54,580 | 306,060 | 74,400 | 283,220 | 93,460 | 140,940 | 47,495 | 58,341 | 43,860 |
| MEAN | 420 | 1,915 | 4,660 | 1,761 | 10,930 | 2,400 | 9,441 | 3,015 | 4,698 | 1,532 | 1,882 | 1,462 |
| MAX | 794 | 7,280 | 11,800 | 4,250 | 32,700 | 6,400 | 31,800 | 5,410 | 13,500 | 4,840 | 7,070 | 5,770 |
| MIN | 251 | 647 | 800 | 770 | 2,070 | 1,140 | 1,700 | 1,680 | 1,290 | 642 | 364 | 354 |
| CFSM | 0.26 | 1.19 | 2.90 | 1.10 | 6.80 | 1.49 | 5.87 | 1.88 | 2.92 | 0.95 | 1.17 | 0.91 |
| IN. | 0.30 | 1.33 | 3.34 | 1.26 | 7.08 | 1.72 | 6.56 | 2.16 | 3.26 | 1.10 | 1.35 | 1.02 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1980 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 598 | 1,584 | 3,188 | 3,983 | 5,088 | 5,177 | 4,140 | 3,069 | 1,868 | 797 | 742 | 624 |
| MAX | 4,413 | 4,923 | 9,751 | 8,015 | 12,920 | 10,400 | 11,520 | 9,572 | 8,305 | 1,684 | 1,882 | 3,280 |
| (WY) | (1990) | (1997) | (1992) | (1994) | (1994) | (1994) | (1998) | (1984) | (1989) | (1989) | (2003) | (1989) |
| MIN | 107 | 141 | 300 | 203 | 1,803 | 1,193 | 730 | 943 | 277 | 211 | 191 | 86.2 |
| (WY) | (1981) | (1999) | (1981) | (1981) | (1988) | (1988) | (1986) | (1986) | (1988) | (1988) | (2002) | (1999) |

03404000 CUMBERLAND RIVER AT WILLIAMSBURG, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1980 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 878,138 | | 1,317,278 | | | |
| ANNUAL MEAN | 2,406 | | 3,609 | | 2,558 | |
| HIGHEST ANNUAL MEAN | | | | | 4,390 1994 | |
| LOWEST ANNUAL MEAN | | | | | 1,159 1988 | |
| HIGHEST DAILY MEAN | 34,600 | Mar 20 | 32,700 | Feb 18 | 38,500 | Feb 13, 1994 |
| LOWEST DAILY MEAN | 67 | Sep 14 | 251 | Oct 10 | 62 | Oct 18, 1980 |
| ANNUAL SEVEN-DAY MINIMUM | 76 | Sep 9 | 287 | Oct 5 | 63 | Oct 17, 1980 |
| MAXIMUM PEAK FLOW | | | 33,300 | Feb 18 | 49,700 | Jan 31, 1957 |
| MAXIMUM PEAK STAGE | | | 28.90 | Feb 18 | 35.03 | Apr 7, 1977 |
| INSTANTANEOUS LOW FLOW | | | | | 6.1 | Oct 23, 1953 |
| ANNUAL RUNOFF (CFSM) | 1.50 | | 2.25 | | 1.59 | |
| ANNUAL RUNOFF (INCHES) | 20.33 | | 30.49 | | 21.63 | |
| 10 PERCENT EXCEEDS | 4,730 | | 7,180 | | 5,820 | |
| 50 PERCENT EXCEEDS | 864 | | 1,870 | | 1,210 | |
| 90 PERCENT EXCEEDS | 174 | | 486 | | 192 | |

e Estimated



03404500 CUMBERLAND RIVER AT CUMBERLAND FALLS, KY

LOCATION.--Lat 36°50'14", long 84°26'36", McCreary County, Hydrologic Unit 05130101, on left bank 0.1 mi downstream from bridge on State Highway 90, 0.2 upstream from Cumberland Falls, and at mile 562.4.

DRAINAGE AREA.--1,977 mi².

PERIOD OF RECORD.--August 1907 to December 1911, October 1914 to September 1994, October 2002 to current year. Monthly discharges only for October 1914 to March 1915 and October 1931 to July 1932, published in WSP 1306.

REVISED RECORDS.--WSP 1436: 1919. WSP 1436: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 825.28 ft above NGVD of 1929. Aug. 15, 1907 to Dec. 10, 1911, nonrecording gage at site 300 ft downstream at different datum. Apr. 3, 1915 to Sept. 1, 1933, nonrecording gage at site 500 ft downstream at same datum.

REMARKS.--Records good except for those estimated, which are poor. Flow slightly regulated by Martins Fork Dam (station 03400798) beginning January 1979.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|---------|--------|---------|--------|---------|---------|---------|--------|--------|--------|
| 1 | e900 | 1,220 | e1,150 | 2,960 | 4,280 | 7,440 | 2,140 | 2,920 | 1,930 | 2,380 | 9,760 | 1,000 |
| 2 | 760 | 1,190 | 1,060 | 3,460 | 3,550 | 7,130 | 2,130 | 2,640 | 1,830 | 1,840 | 7,750 | 1,540 |
| 3 | 597 | 982 | 1,010 | 3,920 | 3,080 | 6,460 | 2,020 | 2,360 | 1,680 | 1,730 | 4,490 | 2,500 |
| 4 | 491 | 874 | 1,000 | 3,660 | 4,760 | 5,580 | 1,950 | 2,240 | 1,610 | 1,520 | 7,930 | 7,430 |
| 5 | 418 | 875 | 5,780 | 3,270 | 6,640 | 4,690 | 2,020 | 2,210 | 1,750 | 1,390 | 7,920 | 7,620 |
| 6 | 369 | 1,790 | 10,700 | 3,110 | 7,010 | 4,260 | 2,420 | 3,830 | 1,790 | 1,420 | 4,830 | 4,910 |
| 7 | 333 | 2,610 | 8,590 | 2,860 | 5,730 | 3,890 | 13,600 | 5,640 | 3,120 | 1,510 | 3,660 | 2,610 |
| 8 | 306 | 2,510 | 5,490 | 2,600 | 4,600 | 3,510 | 20,400 | 6,880 | 8,270 | 1,340 | 3,390 | 1,850 |
| 9 | 294 | 2,080 | 3,970 | 2,430 | 3,670 | 3,050 | 27,800 | 6,690 | 10,600 | 1,160 | 3,110 | 1,560 |
| 10 | 296 | 1,690 | 3,180 | 2,220 | 3,200 | 2,710 | e31,000 | 5,090 | 6,330 | 1,760 | 2,210 | 1,640 |
| 11 | 348 | 2,710 | 5,270 | e2,050 | 3,060 | 2,520 | e36,000 | 4,340 | 4,290 | 4,570 | 1,820 | 1,140 |
| 12 | 453 | 7,380 | 6,520 | e1,880 | 2,910 | 2,340 | e35,000 | 3,620 | 4,940 | 5,470 | 2,030 | 951 |
| 13 | 622 | 6,120 | 7,270 | e1,730 | 2,650 | 2,190 | e28,000 | 3,040 | 4,570 | 3,460 | 1,990 | 809 |
| 14 | 627 | 3,580 | 15,500 | e1,550 | 2,480 | 2,060 | 22,700 | 2,400 | 4,570 | 2,670 | 1,650 | 718 |
| 15 | 551 | 2,800 | 13,700 | e1,450 | 10,500 | 2,010 | 15,200 | 2,130 | 8,280 | 2,000 | 1,280 | 671 |
| 16 | 521 | 2,760 | 10,300 | e1,380 | 37,100 | 1,910 | 7,120 | 2,250 | 9,410 | 3,520 | 1,070 | 637 |
| 17 | 528 | 2,620 | 6,560 | e1,300 | 35,900 | 1,850 | 5,380 | 2,730 | 11,900 | 2,240 | 978 | 595 |
| 18 | 582 | 2,430 | 4,670 | e1,220 | 34,100 | 1,820 | 10,300 | 4,890 | 14,000 | 1,540 | 997 | 541 |
| 19 | 642 | 2,320 | 3,690 | e1,150 | 31,000 | 1,800 | 11,900 | 5,960 | 16,400 | 1,260 | 1,000 | 482 |
| 20 | 657 | 2,240 | 4,010 | e1,100 | 25,200 | 1,760 | 9,510 | 4,880 | 14,100 | 1,080 | 909 | 449 |
| 21 | 591 | 2,050 | 6,820 | e1,050 | 17,800 | 1,830 | 6,810 | 4,210 | 11,300 | 1,000 | 819 | 425 |
| 22 | 548 | 2,100 | 7,570 | e1,250 | 16,700 | 1,730 | 5,610 | 5,370 | 6,520 | 996 | 725 | 1,110 |
| 23 | 510 | 2,260 | 5,510 | e1,100 | 25,000 | 1,600 | 4,430 | 5,410 | 4,550 | 1,300 | 687 | 5,180 |
| 24 | 479 | 2,210 | 4,520 | e980 | 21,900 | 1,500 | 3,590 | 4,440 | 3,450 | 2,790 | 614 | 3,930 |
| 25 | 453 | 1,950 | 5,740 | e940 | 19,500 | 1,420 | 3,150 | 3,350 | 2,740 | 2,040 | 561 | 2,390 |
| 26 | 444 | 1,770 | 6,490 | e910 | 13,700 | 1,380 | 3,760 | 2,830 | 2,050 | 1,410 | 538 | 1,560 |
| 27 | 440 | 1,650 | 6,000 | e900 | 8,620 | 1,370 | 3,970 | 2,410 | 1,830 | 1,070 | 500 | 1,260 |
| 28 | 452 | 1,500 | 5,010 | e880 | 7,670 | 1,390 | 3,560 | 2,100 | 1,890 | 900 | 453 | 1,700 |
| 29 | 517 | 1,400 | 4,110 | 1,130 | --- | 1,420 | 2,850 | 2,190 | 1,800 | 1,430 | 428 | 1,880 |
| 30 | 726 | 1,250 | 3,450 | 2,690 | --- | 1,610 | 2,540 | 2,090 | 1,560 | 1,690 | 433 | 1,500 |
| 31 | 919 | --- | 2,990 | 4,580 | --- | 2,000 | --- | 2,100 | --- | 5,500 | 603 | --- |
| TOTAL | 16,374 | 68,921 | 177,630 | 61,710 | 362,310 | 86,230 | 326,860 | 113,240 | 169,060 | 63,986 | 75,135 | 60,588 |
| MEAN | 528 | 2,297 | 5,730 | 1,991 | 12,940 | 2,782 | 10,900 | 3,653 | 5,635 | 2,064 | 2,424 | 2,020 |
| MAX | 919 | 7,380 | 15,500 | 4,580 | 37,100 | 7,440 | 36,000 | 6,880 | 16,400 | 5,500 | 9,760 | 7,620 |
| MIN | 294 | 874 | 1,000 | 880 | 2,480 | 1,370 | 1,950 | 2,090 | 1,560 | 900 | 428 | 425 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1908 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 684 | 1,846 | 3,874 | 5,771 | 6,403 | 7,025 | 5,097 | 3,282 | 1,782 | 1,346 | 943 | 573 |
| MAX | 5,330 | 7,963 | 17,620 | 17,570 | 15,740 | 18,510 | 11,390 | 11,230 | 8,954 | 6,379 | 4,171 | 4,410 |
| (WY) | (1990) | (1978) | (1927) | (1937) | (1939) | (1917) | (1977) | (1984) | (1989) | (1941) | (1942) | (1989) |
| MIN | 10.5 | 44.2 | 141 | 227 | 462 | 1,572 | 987 | 417 | 103 | 47.5 | 37.3 | 23.0 |
| (WY) | (1954) | (1940) | (1940) | (1981) | (1941) | (1988) | (1963) | (1936) | (1936) | (1944) | (1925) | (1925) |

03404500 CUMBERLAND RIVER AT CUMBERLAND FALLS, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | | WATER YEARS 1908 - 2003 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1582044 | | | |
| ANNUAL MEAN | 4334 | | 3,204 | |
| HIGHEST ANNUAL MEAN | | | 5,196 | 1927 |
| LOWEST ANNUAL MEAN | | | 1,324 | 1988 |
| HIGHEST DAILY MEAN | 37100 | Feb 16 | 57,500 | Jan 28, 1918 |
| LOWEST DAILY MEAN | 294 | Oct 9 | 4.0 | Sep 19, 1954 |
| ANNUAL SEVEN-DAY MINIMUM | 338 | Oct 5 | 7.1 | Oct 23, 1953 |
| MAXIMUM PEAK FLOW | 43100 | Feb 16 | 59,600 | Jan 28, 1918 |
| MAXIMUM PEAK STAGE | 12.46 | Feb 16 | 15.50 | Jan 28, 1918 |
| INSTANTANEOUS LOW FLOW | | | 4.0 | Sep 19, 1954 |
| 10 PERCENT EXCEEDS | 8940 | | 7,950 | |
| 50 PERCENT EXCEEDS | 2250 | | 1,420 | |
| 90 PERCENT EXCEEDS | 619 | | 159 | |

e Estimated



CUMBERLAND RIVER BASIN

03404900 LYNN CAMP CREEK AT CORBIN, KY

LOCATION.--Lat 36°57'05", long 84°05'37", Whitley County, Hydrologic Unit 05130101, on left bank 40 ft downstream from bridge on State Highway 312, (East Masters Street) at Corbin, 0.8 mi downstream from East Fork Lynn Camp Creek, and at mile 3.9.

DRAINAGE AREA.--53.8 mi².

PERIOD OF RECORD.--Annual maximums, water years 1957-73, October 1973 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 1,049.00 ft above NGVD of 1929 (levels by U.S. Army Corps of Engineers).

REMARKS.--Records good except for discharges below 2.0 ft³/s, which are fair and for those estimated, which are poor.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 16 | 1400 | *3,200 | *10.10 | Apr 11 | 0100 | 1,770 | 7.87 |
| Feb 22 | 1900 | 1,660 | 7.66 | Jul 23 | 2000 | 1,510 | 7.39 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|---------|---------|
| 1 | 35 | 56 | 26 | 268 | 76 | 125 | 24 | 40 | 20 | 44 | 174 | 26 |
| 2 | 30 | 43 | 23 | 182 | 64 | 112 | 24 | 61 | 14 | 32 | 96 | 23 |
| 3 | 23 | 37 | 23 | 148 | 58 | 95 | 22 | 53 | 23 | 24 | 283 | 166 |
| 4 | 19 | 47 | 36 | 113 | 503 | 79 | 19 | 37 | 54 | 19 | 744 | 229 |
| 5 | 22 | 160 | 610 | 96 | 204 | 73 | 43 | 117 | 28 | 17 | 347 | 70 |
| 6 | 19 | 313 | 248 | 82 | 126 | 78 | 65 | 75 | 20 | 28 | 189 | 34 |
| 7 | 15 | 139 | 131 | 71 | 122 | 63 | 724 | 114 | 410 | 27 | 218 | 23 |
| 8 | 13 | 92 | 102 | e63 | 85 | 54 | 615 | 177 | 142 | 17 | 240 | 19 |
| 9 | 11 | 70 | 85 | e57 | 71 | 50 | 1,170 | 87 | 65 | 61 | 95 | 15 |
| 10 | 24 | 58 | 75 | e51 | 83 | 45 | 1,140 | 61 | 40 | 228 | 94 | 12 |
| 11 | 100 | 213 | 395 | e47 | 83 | 43 | 1,090 | 192 | 34 | 324 | 55 | 11 |
| 12 | 56 | 110 | 211 | e41 | 75 | 40 | 304 | 84 | 55 | 78 | 45 | 9.7 |
| 13 | 43 | 75 | 437 | e37 | 63 | 41 | 174 | 52 | 223 | 58 | 31 | 9.2 |
| 14 | 34 | 59 | 897 | e34 | 112 | 43 | 122 | 41 | 387 | 64 | 25 | 7.1 |
| 15 | 29 | 64 | 291 | e32 | 1,070 | 37 | 93 | 57 | 378 | 46 | 19 | 8.9 |
| 16 | 102 | 118 | 168 | e30 | 2,570 | 35 | 74 | 81 | 222 | 64 | 16 | 8.9 |
| 17 | 60 | 87 | 121 | e29 | 1,070 | 34 | 160 | 75 | 394 | 44 | 15 | 6.4 |
| 18 | 41 | 72 | 98 | e28 | 322 | 34 | 296 | 77 | 261 | 32 | 14 | 5.4 |
| 19 | 31 | 75 | 90 | e27 | 206 | 35 | 138 | 53 | 466 | 28 | 12 | 4.7 |
| 20 | 35 | 67 | 265 | e26 | 220 | 35 | 99 | 41 | 202 | 24 | 9.6 | 4.3 |
| 21 | 41 | 59 | 137 | e40 | 170 | 32 | 87 | 72 | 107 | 23 | 8.3 | 3.9 |
| 22 | 31 | 62 | 105 | e32 | 1,130 | 28 | 65 | 57 | 72 | 27 | 7.5 | 231 |
| 23 | 24 | 49 | 85 | e28 | 785 | 24 | 53 | 44 | 55 | 383 | 7.7 | 166 |
| 24 | 21 | 42 | 195 | e25 | 296 | 24 | 44 | 37 | 44 | 356 | 6.7 | 45 |
| 25 | 23 | 39 | 291 | e24 | 199 | 22 | 53 | 29 | 36 | 88 | 5.6 | 27 |
| 26 | 35 | 38 | 167 | e23 | 160 | 23 | 384 | 27 | 29 | 59 | 4.6 | 20 |
| 27 | 27 | 46 | 122 | e22 | 147 | 25 | 117 | 23 | 46 | 47 | 4.6 | 29 |
| 28 | 44 | 39 | 98 | e21 | 159 | 22 | 74 | 21 | 36 | 41 | 4.2 | 48 |
| 29 | 147 | 33 | 83 | 133 | --- | 47 | 58 | 27 | 24 | 88 | 3.9 | 23 |
| 30 | 131 | 31 | 72 | 138 | --- | e45 | 48 | 25 | 43 | 62 | 11 | 17 |
| 31 | 75 | --- | 68 | 88 | --- | 28 | --- | 26 | --- | 228 | 31 | --- |
| TOTAL | 1,341 | 2,393 | 5,755 | 2,036 | 10,229 | 1,471 | 7,379 | 1,963 | 3,930 | 2,661 | 2,816.7 | 1,302.5 |
| MEAN | 43.3 | 79.8 | 186 | 65.7 | 365 | 47.5 | 246 | 63.3 | 131 | 85.8 | 90.9 | 43.4 |
| MAX | 147 | 313 | 897 | 268 | 2,570 | 125 | 1,170 | 192 | 466 | 383 | 744 | 231 |
| MIN | 11 | 31 | 23 | 21 | 58 | 22 | 19 | 21 | 14 | 17 | 3.9 | 3.9 |
| CFSM | 0.80 | 1.48 | 3.45 | 1.22 | 6.79 | 0.88 | 4.57 | 1.18 | 2.43 | 1.60 | 1.69 | 0.81 |
| IN. | 0.93 | 1.65 | 3.98 | 1.41 | 7.07 | 1.02 | 5.10 | 1.36 | 2.72 | 1.84 | 1.95 | 0.90 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1974 - 2003, BY WATER YEAR (WY)

| | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) | MEAN | MAX | MIN | (WY) |
|--|------|-----|------|--------|------|------|------|--------|------|------|------|--------|------|-----|------|--------|------|------|------|--------|
| | 28.5 | 133 | 1.35 | (1981) | 78.3 | 267 | 5.15 | (1999) | 115 | 378 | 10.4 | (1981) | 149 | 372 | 5.13 | (1981) | 157 | 365 | 5.9 | (1977) |
| | 115 | 413 | 16.5 | (1986) | 157 | 458 | 41.9 | (1988) | 115 | 413 | 16.5 | (1986) | 157 | 458 | 41.9 | (1988) | 115 | 413 | 16.5 | (1986) |
| | 88.5 | 387 | 9.47 | (1986) | 56.8 | 203 | 2.39 | (1988) | 56.8 | 203 | 2.39 | (1988) | 38.8 | 110 | 2.11 | (1975) | 28.5 | 90.9 | 2.50 | (1976) |
| | 38.8 | 110 | 2.11 | (1975) | 28.5 | 90.9 | 2.50 | (1976) | 28.5 | 90.9 | 2.50 | (1976) | 28.4 | 100 | 0.32 | (1999) | 28.4 | 100 | 0.32 | (1999) |

03404900 LYNN CAMP CREEK AT CORBIN, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1974 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 32,205.04 | | 43,277.2 | | 86.4 | |
| ANNUAL MEAN | 88.2 | | 119 | | 141 | |
| HIGHEST ANNUAL MEAN | | | | | 1994 | |
| LOWEST ANNUAL MEAN | | | | | 1988 | |
| HIGHEST DAILY MEAN | 2,810 | Mar 18 | 2,570 | Feb 16 | 4,530 | Apr 17, 1998 |
| LOWEST DAILY MEAN | 0.72 | Aug 14 | 3.9 | Aug 29 | 0.02 | Jun 24, 1988 |
| ANNUAL SEVEN-DAY MINIMUM | 1.2 | Sep 7 | 5.3 | Aug 23 | 0.02 | Jun 24, 1988 |
| MAXIMUM PEAK FLOW | | | 3,200 | Feb 16 | 9,000 | Jan 29, 1957 |
| MAXIMUM PEAK STAGE | | | 10.10 | Feb 16 | 22.50 | Jan 29, 1957 |
| INSTANTANEOUS LOW FLOW | | | | | 0.02 | Jun 24, 1988 |
| ANNUAL RUNOFF (CFSM) | 1.64 | | 2.20 | | 1.61 | |
| ANNUAL RUNOFF (INCHES) | 22.27 | | 29.92 | | 21.82 | |
| 10 PERCENT EXCEEDS | 191 | | 263 | | 192 | |
| 50 PERCENT EXCEEDS | 34 | | 54 | | 35 | |
| 90 PERCENT EXCEEDS | 3.0 | | 19 | | 3.2 | |

e Estimated



03406500 ROCKCASTLE RIVER AT BILLOWS, KY

LOCATION.--Lat 37°10'16", long 84°17'46", Laurel County, Hydrologic Unit 05130102, on left bank 200 ft upstream from bridge on State Highway 80 at Billows, 0.9 mi upstream from Pine Creek, 1.1 mi downstream from Hawk Creek, 13 mi west of London, and at mile 24.4.

DRAINAGE AREA.--604 mi².

PERIOD OF RECORD.--July 1936 to current year.

REVISED RECORDS.--WSP 1436: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 802.90 ft above NGVD of 1929. Prior to Nov. 19, 1940, nonrecording gage at same site and datum.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District and Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 10,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec 14 | 1500 | 11,300 | 19.85 | Feb 23 | 0730 | 11,400 | 19.98 |
| Feb 17 | 0600 | *29,200 | *34.48 | Aug 5 | 0130 | 11,000 | 19.52 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|---------|--------|--------|--------|--------|-------|--------|--------|
| 1 | 155 | 1,210 | 345 | 788 | 789 | 1,470 | 479 | 417 | 247 | 211 | 505 | 1,300 |
| 2 | 115 | 813 | 308 | 1,250 | 749 | 1,340 | 456 | 424 | 215 | 191 | 453 | 1,050 |
| 3 | 85 | 597 | 283 | 1,140 | 690 | 1,190 | 429 | 440 | 210 | 176 | 1,440 | 576 |
| 4 | 72 | 501 | 274 | 1,110 | 1,390 | 1,030 | 406 | 363 | 255 | 159 | 5,690 | 4,530 |
| 5 | 64 | 564 | e9,000 | 1,010 | 2,320 | 936 | 463 | 504 | 335 | 147 | 6,960 | 3,770 |
| 6 | 56 | 3,920 | e5,000 | 927 | 1,560 | 862 | 637 | 2,350 | 255 | e130 | 1,880 | 1,310 |
| 7 | 52 | 2,650 | e3,000 | 806 | 1,310 | 775 | 2,690 | 1,480 | 2,460 | 121 | 1,170 | 767 |
| 8 | 48 | 1,590 | e1,900 | 724 | 1,080 | 677 | 3,990 | 2,350 | 4,990 | 193 | 872 | 530 |
| 9 | 46 | 1,110 | e1,350 | e640 | 873 | 599 | 3,120 | 1,770 | 1,750 | 159 | 627 | 403 |
| 10 | 75 | 861 | 886 | e560 | 839 | 538 | 5,300 | 1,350 | 1,110 | 200 | 456 | 314 |
| 11 | 1,190 | 2,750 | 2,110 | e500 | 820 | 480 | 8,490 | 1,000 | 825 | 610 | 364 | 249 |
| 12 | 1,260 | 2,730 | 3,920 | e440 | 786 | 448 | 4,320 | 830 | 1,850 | 604 | 582 | 207 |
| 13 | 602 | 1,520 | 2,810 | e385 | 730 | 423 | 2,510 | 598 | 2,130 | 867 | 378 | 180 |
| 14 | 447 | 1,110 | 9,320 | e360 | 697 | 405 | 1,730 | 469 | 2,920 | 635 | 283 | 158 |
| 15 | 348 | 918 | 5,360 | e340 | 5,970 | 384 | 1,320 | 462 | 7,210 | 441 | 228 | 144 |
| 16 | 307 | 2,080 | 2,750 | e320 | 21,600 | 365 | 1,070 | 2,540 | 6,970 | 1,190 | 227 | 132 |
| 17 | 433 | 2,050 | 1,850 | e310 | 26,200 | 352 | 1,170 | 1,360 | 7,620 | 548 | 213 | 117 |
| 18 | 382 | 1,550 | 1,410 | e290 | 7,150 | 374 | 6,270 | 2,410 | 3,520 | 351 | 185 | 105 |
| 19 | 291 | 1,220 | 1,140 | e280 | 2,930 | 454 | 3,640 | 1,970 | 3,560 | 257 | 156 | 93 |
| 20 | 244 | 1,080 | 2,090 | e270 | 2,210 | 877 | 2,190 | 1,400 | 2,490 | 201 | 143 | 79 |
| 21 | 238 | 903 | 2,240 | e260 | 1,830 | 982 | 2,080 | 1,070 | 1,430 | 182 | 118 | 69 |
| 22 | 246 | 812 | 1,680 | e290 | 4,240 | 861 | 2,190 | 930 | 949 | 191 | 101 | 285 |
| 23 | 229 | 698 | 1,320 | e260 | 9,740 | 738 | 1,570 | 776 | 684 | 197 | 89 | 1,820 |
| 24 | 191 | 582 | 1,140 | e235 | 4,310 | 651 | 1,240 | 638 | 518 | 230 | 79 | 886 |
| 25 | 167 | 512 | 1,940 | e225 | 2,790 | 587 | 1,040 | 520 | 408 | 317 | 69 | 526 |
| 26 | 162 | 465 | 1,950 | e220 | 2,120 | 539 | 923 | 434 | 336 | 225 | 61 | 389 |
| 27 | 164 | 453 | 1,560 | e215 | 1,750 | 504 | 805 | 382 | 302 | 170 | 54 | 356 |
| 28 | 722 | 431 | 1,320 | e210 | 1,600 | 464 | 635 | 346 | 289 | 149 | 48 | 577 |
| 29 | 4,370 | 383 | 1,120 | 270 | --- | 453 | 533 | 312 | 258 | 160 | 47 | 514 |
| 30 | 6,300 | 362 | 936 | 822 | --- | 581 | 468 | 295 | 230 | 350 | 155 | 380 |
| 31 | 2,150 | --- | 814 | 846 | --- | 520 | --- | 283 | --- | 254 | 278 | --- |
| TOTAL | 21,211 | 36,425 | 71,126 | 16,303 | 109,073 | 20,859 | 62,164 | 30,473 | 56,326 | 9,816 | 23,911 | 21,816 |
| MEAN | 684 | 1,214 | 2,294 | 526 | 3,895 | 673 | 2,072 | 983 | 1,878 | 317 | 771 | 727 |
| MAX | 6,300 | 3,920 | 9,320 | 1,250 | 26,200 | 1,470 | 8,490 | 2,540 | 7,620 | 1,190 | 6,960 | 4,530 |
| MIN | 46 | 362 | 274 | 210 | 690 | 352 | 406 | 283 | 210 | 121 | 47 | 69 |
| CFSM | 1.13 | 2.01 | 3.80 | 0.87 | 6.45 | 1.11 | 3.43 | 1.63 | 3.11 | 0.52 | 1.28 | 1.20 |
| IN. | 1.31 | 2.24 | 4.38 | 1.00 | 6.72 | 1.28 | 3.83 | 1.88 | 3.47 | 0.60 | 1.47 | 1.34 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1936 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 198 | 559 | 1,240 | 1,654 | 1,912 | 1,973 | 1,474 | 978 | 582 | 351 | 206 | 157 |
| MAX | 2,887 | 2,374 | 5,279 | 5,990 | 5,236 | 5,860 | 4,051 | 4,207 | 2,862 | 1,830 | 1,263 | 1,052 |
| (WY) | (1990) | (1987) | (1991) | (1937) | (1956) | (1975) | (1972) | (1983) | (1947) | (1941) | (1977) | (1974) |
| MIN | 3.18 | 11.5 | 16.5 | 56.9 | 208 | 507 | 188 | 115 | 37.9 | 10.8 | 10.1 | 4.95 |
| (WY) | (1954) | (1954) | (1954) | (1981) | (1941) | (1983) | (1986) | (1941) | (1988) | (1944) | (1957) | (1936) |

03406500 ROCKCASTLE RIVER AT BILLOWS, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1936 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 412,246 | | 479,503 | | 936 | |
| ANNUAL MEAN | 1,129 | | 1,314 | | 345 | |
| HIGHEST ANNUAL MEAN | | | | | 1,575 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 345 | 1954 |
| HIGHEST DAILY MEAN | 15,700 | May 3 | 26,200 | Feb 17 | 46,200 | Dec 9, 1978 |
| LOWEST DAILY MEAN | 11 | Sep 12 | 46 | Oct 9 | 0.90 | Sep 9, 1957 |
| ANNUAL SEVEN-DAY MINIMUM | 12 | Sep 8 | 59 | Oct 4 | 1.4 | Sep 11, 1964 |
| MAXIMUM PEAK FLOW | | | 29,200 | Feb 17 | 50,000 | Dec 9, 1978 |
| MAXIMUM PEAK STAGE | | | 34.48 | Feb 17 | 47.17 | Dec 9, 1978 |
| INSTANTANEOUS LOW FLOW | | | | | 0.80 | Sep 9, 1957 |
| ANNUAL RUNOFF (CFSM) | 1.87 | | 2.18 | | 1.55 | |
| ANNUAL RUNOFF (INCHES) | 25.39 | | 29.53 | | 21.06 | |
| 10 PERCENT EXCEEDS | 2,680 | | 2,800 | | 2,140 | |
| 50 PERCENT EXCEEDS | 383 | | 599 | | 328 | |
| 90 PERCENT EXCEEDS | 33 | | 160 | | 24 | |

e Estimated



03410500 SOUTH FORK CUMBERLAND RIVER NEAR STEARNS, KY

LOCATION.--Lat 36°37'47", long 84°31'55", McCreary County, Hydrologic Unit 05130104, on right bank, 400 ft upstream from Salt Branch, 1,000 ft downstream from Bear Creek, 5.3 mi southwest of Stearns, and at mile 49.4.

DRAINAGE AREA.--954 mi².

PERIOD OF RECORD.--September 1942 to current year.

REVISED RECORDS.--WSP 1113: 1946(M). WSP 1436: Drainage area, WDR KY-96-1 Latitude and longitude.

GAGE--Water-stage recorder with telemetry. Datum of gage is 763.83 ft above NGVD of 1929; prior to Oct. 1, 1980 at site 1,000 ft upstream at datum 0.98 ft higher.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet, National Park Service, and U.S. Army Corps of Engineers, Nashville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 1929 reached a stage of 52.9 ft from information by local residents.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 22,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| Feb 16 | 1600 | *54,700 | *34.00 | Apr 11 | 0400 | 36,700 | 27.40 |
| Feb 23 | 0000 | 32,200 | 25.56 | Sep 4 | 1600 | 26,400 | 22.94 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|---------|--------|---------|--------|---------|---------|--------|--------|--------|--------|
| 1 | 379 | 832 | 579 | 1,360 | 2,210 | 3,450 | 967 | 1,550 | 600 | 451 | 1,310 | 590 |
| 2 | 283 | 610 | 534 | 1,290 | 1,870 | 3,040 | 919 | 1,280 | 517 | 464 | 1,290 | 645 |
| 3 | 228 | 472 | 499 | 1,190 | 1,610 | 2,600 | 863 | 1,200 | 470 | 654 | 1,540 | 3,600 |
| 4 | 190 | 404 | 534 | 1,120 | 2,960 | 2,150 | 807 | 1,040 | 475 | 682 | 2,540 | 23,200 |
| 5 | 174 | 463 | 13,200 | 1,020 | 4,790 | 1,880 | 868 | 2,000 | 498 | 493 | 1,980 | 10,300 |
| 6 | 165 | 1,850 | 9,550 | 959 | 3,220 | 1,730 | 1,450 | 11,300 | 463 | 417 | 1,760 | 3,250 |
| 7 | 147 | 2,690 | 4,310 | 895 | 2,640 | 1,660 | 12,400 | 14,800 | 685 | 426 | 1,150 | 1,870 |
| 8 | 152 | 1,680 | 2,800 | e820 | 2,160 | 1,460 | 10,700 | 14,900 | 4,070 | 349 | 852 | 1,280 |
| 9 | 149 | 1,140 | 2,090 | e760 | 1,730 | 1,320 | 17,600 | 6,640 | 1,990 | 307 | 654 | 993 |
| 10 | 143 | 897 | 1,740 | e710 | 1,620 | 1,220 | 19,200 | 3,790 | 1,180 | 583 | 492 | 778 |
| 11 | 199 | 6,730 | 5,080 | e660 | 1,590 | 1,100 | 27,400 | 2,690 | 1,750 | 1,580 | 514 | 611 |
| 12 | 231 | 6,010 | 6,200 | e620 | 1,540 | 1,030 | 9,350 | 3,020 | 2,720 | 1,780 | 750 | 491 |
| 13 | 314 | 2,640 | 4,870 | e580 | 1,540 | 968 | 5,190 | 2,070 | 2,250 | 1,080 | 680 | 417 |
| 14 | 351 | 1,740 | 13,600 | e550 | 1,550 | 919 | 3,490 | 1,570 | 2,180 | 1,070 | 492 | 366 |
| 15 | 298 | 1,330 | 7,140 | e520 | 16,300 | 871 | 2,630 | 1,270 | 4,700 | e860 | 375 | 342 |
| 16 | 319 | 1,790 | 4,250 | e500 | 48,300 | 815 | 2,120 | 1,410 | 5,370 | 680 | 313 | 325 |
| 17 | 347 | 2,080 | 3,000 | e480 | 28,000 | 778 | 2,080 | 2,120 | 8,490 | 500 | 292 | 310 |
| 18 | 405 | 1,630 | 2,300 | e460 | 8,940 | 759 | 9,570 | 5,620 | 6,620 | 413 | 319 | 272 |
| 19 | 340 | 1,330 | 1,880 | e450 | 5,160 | 775 | 6,080 | 4,270 | 8,130 | 348 | 417 | 236 |
| 20 | 295 | 1,240 | 2,950 | e440 | 3,810 | 765 | 3,710 | 2,710 | 5,280 | 294 | 283 | 212 |
| 21 | 266 | 1,170 | 4,280 | e430 | 3,130 | 851 | 2,870 | 2,570 | 2,860 | 258 | 227 | 198 |
| 22 | 255 | 1,200 | 3,060 | e560 | 13,300 | 791 | 2,920 | 4,080 | 1,830 | 243 | 195 | 1,610 |
| 23 | 245 | 1,220 | 2,350 | e660 | 20,100 | 721 | 2,310 | 3,210 | 1,290 | 264 | 172 | 10,900 |
| 24 | 231 | 1,060 | 2,170 | e515 | 7,730 | 669 | 1,880 | 2,410 | 966 | 541 | 168 | 3,870 |
| 25 | 224 | 912 | 4,370 | e460 | 4,980 | 636 | 1,610 | 1,810 | 741 | 385 | 157 | 2,080 |
| 26 | 221 | 818 | 4,280 | e430 | 3,800 | 618 | 1,520 | 1,440 | 590 | 303 | 157 | 1,380 |
| 27 | 209 | 774 | 3,140 | e420 | 3,500 | 604 | 1,460 | 1,210 | 545 | 246 | 137 | 1,090 |
| 28 | 203 | 745 | 2,480 | e410 | 3,660 | 585 | 1,180 | 972 | 568 | 209 | 136 | 1,360 |
| 29 | 225 | 665 | 2,040 | 693 | --- | 600 | 1,000 | 830 | 535 | 276 | 116 | 1,420 |
| 30 | 923 | 612 | 1,710 | 2,470 | --- | 815 | 1,350 | 765 | 433 | 256 | 157 | 1,000 |
| 31 | 1,220 | --- | 1,480 | 2,750 | --- | 1,020 | --- | 687 | --- | 1,050 | 220 | --- |
| TOTAL | 9,331 | 46,734 | 118,466 | 25,182 | 201,740 | 37,200 | 155,494 | 105,234 | 68,796 | 17,462 | 19,845 | 74,996 |
| MEAN | 301 | 1,558 | 3,821 | 812 | 7,205 | 1,200 | 5,183 | 3,395 | 2,293 | 563 | 640 | 2,500 |
| MAX | 1,220 | 6,730 | 13,600 | 2,750 | 48,300 | 3,450 | 27,400 | 14,900 | 8,490 | 1,780 | 2,540 | 23,200 |
| MIN | 143 | 404 | 499 | 410 | 1,540 | 585 | 807 | 687 | 433 | 209 | 116 | 198 |
| CFSM | 0.32 | 1.63 | 4.01 | 0.85 | 7.55 | 1.26 | 5.43 | 3.56 | 2.40 | 0.59 | 0.67 | 2.62 |
| IN. | 0.36 | 1.82 | 4.62 | 0.98 | 7.87 | 1.45 | 6.06 | 4.10 | 2.68 | 0.68 | 0.77 | 2.92 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1943 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 373 | 1,207 | 2,578 | 3,287 | 3,533 | 3,609 | 2,588 | 1,745 | 991 | 602 | 406 | 379 |
| MAX | 2,553 | 4,556 | 7,388 | 9,615 | 8,747 | 10,580 | 6,038 | 6,555 | 5,152 | 3,772 | 2,997 | 2,983 |
| (WY) | (1990) | (1958) | (1991) | (1950) | (1956) | (1975) | (1977) | (1984) | (1989) | (1967) | (1971) | (1982) |
| MIN | 20.8 | 30.6 | 150 | 145 | 725 | 1,200 | 568 | 224 | 72.8 | 34.5 | 65.4 | 29.6 |
| (WY) | (1954) | (1954) | (1964) | (1981) | (1968) | (2003) | (1986) | (1948) | (1988) | (1944) | (1951) | (1953) |

03410500 SOUTH FORK CUMBERLAND RIVER NEAR STEARNS, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1943 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 641,194 | | 880,480 | | 1,767 | |
| ANNUAL MEAN | 1,757 | | 2,412 | | 3,023 | |
| HIGHEST ANNUAL MEAN | | | | | 810 | |
| LOWEST ANNUAL MEAN | | | | | 11 | |
| HIGHEST DAILY MEAN | 50,800 | Mar 18 | 48,300 | Feb 16 | 80,200 | Mar 13, 1975 |
| LOWEST DAILY MEAN | 20 | Sep 13 | 116 | Aug 29 | 11 | Sep 18, 1954 |
| ANNUAL SEVEN-DAY MINIMUM | 23 | Sep 9 | 147 | Aug 24 | 12 | Sep 13, 1954 |
| MAXIMUM PEAK FLOW | | | 54,700 | Feb 16 | 93,200 | May 28, 1973 |
| MAXIMUM PEAK STAGE | | | 34.00 | Feb 16 | 46.29 | May 28, 1973 |
| INSTANTANEOUS LOW FLOW | | | | | 11 | Oct 4, 1948 |
| ANNUAL RUNOFF (CFSM) | 1.84 | | 2.53 | | 1.85 | |
| ANNUAL RUNOFF (INCHES) | 25.00 | | 34.33 | | 25.16 | |
| 10 PERCENT EXCEEDS | 3,300 | | 5,170 | | 4,030 | |
| 50 PERCENT EXCEEDS | 631 | | 1,050 | | 705 | |
| 90 PERCENT EXCEEDS | 70 | | 257 | | 80 | |

e Estimated



03410500 SOUTH FORK CUMBERLAND RIVER NEAR STEARNS, KY

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1960-72, 1979 to 1990; July 1999 to Aug. 2000. Oct. 10, 2001 to current water year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--May 1980 to Sept. 1990, July 1999 to Aug. 22, 2000, Oct. 10, 2001 to current water year.

pH.--May 1980 to Sept. 1990, July 1999 to Aug. 22, 2000, Oct. 10, 2001 to current water year.

WATER TEMPERATURES.--May 1980 to Sept. 1990, July 1999 to Aug. 22, 2000. Oct. 10, 2001 to current water year.

DISSOLVED OXYGEN.--May 1980 to Sept. 1990, Oct. 10, 2001 to current water year.

TURBIDITY.--May 1980 to Sept. 1987 (discontinued).

SUSPENDED SEDIMENT DISCHARGE.--May 1980 to Sept. 1990 (discontinued).

INSTRUMENTATION.--Five parameter water-quality monitor and sediment pumping sampler May 1980 to Sept. 1990. Three parameter water-quality monitor from July 1999 to Aug. 22, 2000. Four parameter water-quality monitor with telemetry since Oct. 10, 2001.

REMARKS.--Miscellaneous samples prior to 1979. Miscellaneous measurements values may fall outside the range observed for that day by the water-quality monitor due to minor differences in sampling location.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--Maximum recorded, 434 microsiemens, July 17, 1985; minimum recorded, 40 microsiemens, May 7, 1984.

pH.--Maximum recorded, 8.6 units, Aug. 10, 1989; minimum recorded, 5.2 units, May 19, 1980 and Nov. 24, 1980.

WATER TEMPERATURES.--Maximum recorded, 34.6°C, Aug. 31, Sept. 1, 1989; minimum recorded, 0.0 mg/L, Jan. 29, 2002 and Jan. 24-27, 2003.

SEDIMENT CONCENTRATIONS.--Maximum daily mean, 1980 mg/L, Aug. 9, 1981; minimum daily mean, 0.0 mg/L, on several days in 1983-84, 1987-88.

SEDIMENT LOADS.--Maximum daily, 200,000 tons, Sept. 2, 1982; minimum daily, 0.04 tons, Nov. 25, 1987.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE:Maximum recorded, 249 microsiemens, Nov. 1; minimum recorded 48 microsiemens, Sept. 3.

pH:Maximum 8.0 units, Oct. 5; minimum recorded, 6.5 units, Feb. 15, 16.

WATER TEMPERATURES:Maximum recorded, 28.9°C, Aug. 27; minimum recorded, 0.0°C, Jan. 24-27.

DISSOLVED OXYGEN:Maximum recorded, 15.6 mg/L, Jan. 31 and Feb. 1; minimum recorded, 5.5 mg/L, Aug. 30.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 219 | 209 | 212 | 249 | 240 | 243 | 135 | 133 | 134 | 108 | 106 | 107 |
| 2 | 232 | 214 | 226 | 243 | 236 | 241 | 134 | 133 | 133 | 111 | 108 | 109 |
| 3 | 234 | 232 | 233 | 236 | 206 | 221 | 133 | 133 | 133 | 113 | 111 | 111 |
| 4 | 232 | 225 | 228 | 206 | 187 | 195 | 133 | 129 | 132 | 115 | 113 | 115 |
| 5 | 225 | 210 | 218 | 187 | 173 | 180 | 129 | 65 | 95 | 119 | 115 | 117 |
| 6 | 212 | 198 | 206 | 175 | 144 | 159 | 83 | 65 | 67 | 121 | 119 | 120 |
| 7 | 201 | 191 | 196 | 159 | 129 | 146 | 68 | 65 | 66 | 121 | 121 | 121 |
| 8 | 191 | 183 | 187 | 177 | 159 | 170 | 69 | 68 | 68 | 124 | 121 | 122 |
| 9 | 183 | 176 | 179 | 170 | 148 | 157 | 71 | 69 | 70 | 127 | 124 | 125 |
| 10 | 176 | 170 | 173 | 148 | 140 | 144 | 73 | 71 | 73 | 127 | 126 | 127 |
| 11 | 170 | 165 | 167 | 140 | 64 | 120 | 73 | 64 | 69 | 127 | 126 | 126 |
| 12 | 166 | 156 | 161 | 104 | 84 | 92 | 72 | 64 | 69 | 129 | 127 | 128 |
| 13 | 156 | 144 | 152 | 105 | 92 | 99 | 72 | 66 | 71 | 132 | 129 | 131 |
| 14 | 144 | 138 | 140 | 109 | 105 | 107 | 80 | 66 | 75 | 132 | 131 | 132 |
| 15 | 149 | 139 | 144 | 110 | 109 | 110 | 87 | 77 | 84 | 131 | 130 | 131 |
| 16 | 159 | 149 | 155 | 111 | 110 | 110 | 90 | 87 | 88 | 132 | 130 | 131 |
| 17 | 162 | 157 | 159 | 111 | 101 | 106 | 94 | 90 | 92 | 130 | 129 | 129 |
| 18 | 197 | 162 | 177 | 106 | 101 | 103 | 97 | 94 | 96 | 131 | 129 | 130 |
| 19 | 217 | 197 | 210 | 112 | 106 | 109 | 100 | 97 | 99 | 134 | 131 | 132 |
| 20 | 218 | 216 | 217 | 115 | 112 | 113 | 104 | 99 | 100 | 135 | 132 | 134 |
| 21 | 216 | 211 | 213 | 120 | 115 | 116 | 127 | 104 | 120 | 136 | 132 | 133 |
| 22 | 211 | 209 | 209 | 125 | 120 | 123 | 117 | 104 | 108 | 138 | 136 | 137 |
| 23 | 210 | 208 | 208 | 133 | 125 | 127 | 104 | 103 | 104 | 140 | 136 | 137 |
| 24 | 210 | 209 | 210 | 146 | 133 | 141 | 104 | 102 | 103 | 146 | 140 | 144 |
| 25 | 212 | 210 | 211 | 146 | 145 | 146 | 104 | 102 | 102 | 146 | 145 | 146 |
| 26 | 211 | 206 | 209 | 145 | 142 | 144 | 108 | 104 | 106 | 150 | 146 | 148 |
| 27 | 206 | 196 | 201 | 143 | 139 | 141 | 105 | 99 | 102 | 154 | 150 | 152 |
| 28 | 196 | 185 | 190 | 139 | 136 | 136 | 99 | 98 | 99 | 155 | 154 | 155 |
| 29 | 185 | 179 | 181 | 136 | 133 | 134 | 100 | 99 | 99 | 154 | 150 | 151 |
| 30 | 180 | 169 | 175 | 135 | 134 | 134 | 101 | 100 | 100 | 151 | 122 | 139 |
| 31 | 248 | 169 | 199 | --- | --- | --- | 106 | 101 | 104 | 151 | 122 | 141 |
| MONTH | 248 | 138 | 192 | 249 | 64 | 142 | 135 | 64 | 96 | 155 | 106 | 131 |

03410500 SOUTH FORK CUMBERLAND RIVER NEAR STEARNS, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 21.0 | 20.5 | 20.7 | 14.3 | 13.3 | 13.9 | 5.3 | 4.5 | 4.8 | 6.0 | 4.7 | 5.4 |
| 2 | 21.9 | 20.8 | 21.3 | 13.3 | 12.5 | 12.8 | 4.5 | 4.0 | 4.2 | 6.6 | 5.9 | 6.2 |
| 3 | 22.5 | 21.2 | 21.8 | 12.5 | 12.0 | 12.2 | 4.0 | 3.7 | 3.8 | 6.6 | 6.4 | 6.6 |
| 4 | 22.1 | 21.6 | 21.9 | 12.0 | 11.6 | 11.9 | 3.7 | 2.5 | 3.2 | 6.4 | 6.1 | 6.2 |
| 5 | 22.7 | 21.7 | 22.0 | 11.6 | 11.3 | 11.5 | 6.3 | 2.5 | 4.4 | 6.2 | 5.9 | 6.1 |
| 6 | 22.4 | 20.8 | 21.6 | 11.4 | 10.5 | 11.1 | 6.4 | 5.8 | 6.3 | 5.9 | 5.2 | 5.6 |
| 7 | 21.9 | 20.8 | 21.4 | 10.8 | 10.4 | 10.6 | 5.8 | 4.7 | 5.2 | 5.2 | 4.8 | 4.9 |
| 8 | 21.1 | 20.0 | 20.5 | 10.6 | 10.2 | 10.5 | 4.7 | 4.0 | 4.2 | 4.8 | 4.4 | 4.7 |
| 9 | 20.7 | 20.3 | 20.4 | 11.1 | 10.5 | 10.8 | 4.1 | 3.7 | 3.9 | 4.8 | 4.3 | 4.6 |
| 10 | 20.5 | 20.2 | 20.3 | 12.1 | 11.0 | 11.5 | 3.9 | 3.7 | 3.8 | 4.7 | 4.1 | 4.3 |
| 11 | 20.4 | 20.1 | 20.3 | 14.4 | 12.1 | 12.9 | 5.5 | 3.7 | 4.5 | 4.1 | 3.2 | 3.5 |
| 12 | 20.7 | 20.1 | 20.4 | 14.4 | 13.3 | 13.8 | 6.1 | 5.5 | 5.9 | 3.2 | 2.4 | 2.6 |
| 13 | 20.6 | 19.6 | 20.2 | 13.3 | 12.4 | 12.9 | 6.7 | 6.1 | 6.3 | 2.4 | 2.0 | 2.1 |
| 14 | 19.6 | 18.7 | 19.1 | 12.4 | 11.3 | 11.8 | 7.2 | 6.7 | 7.0 | 2.1 | 1.8 | 1.9 |
| 15 | 18.9 | 18.3 | 18.5 | 11.3 | 10.4 | 10.9 | 7.2 | 6.6 | 6.9 | 1.8 | 1.1 | 1.3 |
| 16 | 18.3 | 17.4 | 18.0 | 10.4 | 9.5 | 10.1 | 6.6 | 6.4 | 6.5 | 1.1 | 0.6 | 0.8 |
| 17 | 17.4 | 16.5 | 16.9 | 9.5 | 8.6 | 9.1 | 7.0 | 6.4 | 6.7 | 0.6 | 0.1 | 0.4 |
| 18 | 16.7 | 15.8 | 16.2 | 8.6 | 8.0 | 8.2 | 7.5 | 6.9 | 7.1 | 0.1 | 0.1 | 0.1 |
| 19 | 16.1 | 15.6 | 15.9 | 8.2 | 7.9 | 8.1 | 8.2 | 7.5 | 7.8 | 0.2 | 0.1 | 0.1 |
| 20 | 15.9 | 15.6 | 15.8 | 8.2 | 7.6 | 7.9 | 8.5 | 8.2 | 8.4 | 0.7 | 0.1 | 0.4 |
| 21 | 15.6 | 15.4 | 15.5 | 8.9 | 8.2 | 8.5 | 8.4 | 7.8 | 8.1 | 0.8 | 0.5 | 0.6 |
| 22 | 16.1 | 15.2 | 15.5 | 8.9 | 8.5 | 8.6 | 7.8 | 6.9 | 7.3 | 0.5 | 0.2 | 0.4 |
| 23 | 15.7 | 14.8 | 15.3 | 8.5 | 8.0 | 8.2 | 6.9 | 6.3 | 6.5 | 0.2 | 0.1 | 0.2 |
| 24 | 15.5 | 15.1 | 15.3 | 8.1 | 7.7 | 7.8 | 6.4 | 6.1 | 6.2 | 0.0 | 0.0 | 0.0 |
| 25 | 15.4 | 15.1 | 15.3 | 7.7 | 7.4 | 7.5 | 6.3 | 5.8 | 6.0 | 0.3 | 0.0 | 0.1 |
| 26 | 15.8 | 15.3 | 15.5 | 7.5 | 7.2 | 7.4 | 5.8 | 5.1 | 5.4 | 0.0 | 0.0 | 0.0 |
| 27 | 16.0 | 15.4 | 15.6 | 7.2 | 6.5 | 6.9 | 5.1 | 4.1 | 4.5 | 0.0 | 0.0 | 0.0 |
| 28 | 15.6 | 15.3 | 15.5 | 6.5 | 5.7 | 6.1 | 4.1 | 3.5 | 3.7 | 0.4 | 0.2 | 0.1 |
| 29 | 15.8 | 15.3 | 15.6 | 5.7 | 5.2 | 5.5 | 3.6 | 3.2 | 3.4 | 0.3 | 0.2 | 0.2 |
| 30 | 15.7 | 14.9 | 15.3 | 5.6 | 5.3 | 5.4 | 3.9 | 3.5 | 3.7 | 0.2 | 0.2 | 0.2 |
| 31 | 14.9 | 14.3 | 14.6 | --- | --- | --- | 4.7 | 3.9 | 4.3 | 0.9 | 0.2 | 0.5 |
| MONTH | 22.7 | 14.3 | 18.1 | 14.4 | 5.2 | 9.8 | 8.5 | 2.5 | 5.5 | 6.6 | 0.0 | 2.3 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 2.1 | 0.9 | 1.3 | 6.9 | 5.6 | 6.2 | 12.4 | 11.1 | 11.8 | 18.5 | 17.6 | 18.0 |
| 2 | 3.3 | 2.1 | 2.7 | 7.6 | 6.9 | 7.3 | 12.9 | 11.5 | 12.1 | 18.3 | 16.9 | 17.8 |
| 3 | 4.4 | 3.3 | 3.8 | 7.9 | 7.2 | 7.5 | 13.7 | 12.1 | 12.8 | 18.1 | 16.8 | 17.3 |
| 4 | 5.6 | 4.4 | 5.1 | 7.6 | 6.8 | 7.2 | 14.2 | 13.1 | 13.6 | 18.0 | 17.1 | 17.5 |
| 5 | 5.6 | 5.1 | 5.4 | 8.0 | 7.5 | 7.7 | 15.4 | 13.8 | 14.6 | 17.9 | 17.6 | 17.7 |
| 6 | 5.1 | 4.3 | 4.7 | 8.2 | 7.9 | 8.1 | 14.8 | 12.9 | 14.4 | 17.6 | 15.3 | 16.0 |
| 7 | 4.3 | 3.5 | 4.0 | 8.7 | 7.7 | 8.2 | 12.9 | 11.9 | 12.3 | 15.3 | 15.0 | 15.1 |
| 8 | 3.5 | 2.7 | 3.0 | 8.7 | 8.0 | 8.4 | 12.3 | 12.0 | 12.1 | 15.7 | 14.9 | 15.2 |
| 9 | 2.7 | 2.1 | 2.3 | 9.2 | 8.6 | 8.8 | 12.3 | 10.7 | 11.5 | 16.9 | 15.7 | 16.2 |
| 10 | 2.2 | 1.9 | 2.1 | 8.7 | 7.9 | 8.4 | 10.7 | 9.5 | 9.9 | 18.4 | 16.8 | 17.5 |
| 11 | 2.5 | 1.9 | 2.1 | 8.8 | 8.0 | 8.3 | 10.2 | 9.4 | 9.7 | 19.4 | 18.1 | 18.7 |
| 12 | 2.6 | 2.1 | 2.3 | 9.0 | 7.8 | 8.4 | 11.0 | 10.0 | 10.4 | 19.6 | 18.5 | 19.0 |
| 13 | 2.6 | 2.0 | 2.3 | 9.5 | 8.5 | 9.0 | 12.0 | 10.9 | 11.4 | 18.8 | 17.7 | 18.3 |
| 14 | 2.8 | 2.4 | 2.6 | 10.2 | 9.3 | 9.7 | 13.0 | 11.5 | 12.2 | 18.5 | 17.8 | 18.0 |
| 15 | 6.3 | 2.8 | 4.5 | 11.2 | 10.1 | 10.6 | 14.1 | 12.5 | 13.2 | 18.2 | 17.7 | 17.9 |
| 16 | 7.2 | 6.3 | 6.9 | 12.0 | 10.9 | 11.4 | 14.6 | 13.6 | 14.0 | 18.0 | 17.3 | 17.6 |
| 17 | 7.2 | 6.1 | 6.7 | 12.6 | 11.6 | 12.1 | 14.6 | 13.9 | 14.4 | 17.9 | 17.5 | 17.7 |
| 18 | 6.1 | 5.0 | 5.4 | 12.9 | 12.2 | 12.5 | 14.3 | 13.5 | 14.0 | 17.8 | 16.8 | 17.2 |
| 19 | 5.1 | 4.8 | 4.9 | 13.5 | 12.6 | 13.0 | 14.4 | 13.4 | 13.8 | 16.8 | 16.5 | 16.6 |
| 20 | 5.8 | 5.1 | 5.4 | 14.3 | 12.9 | 13.5 | 15.6 | 14.3 | 15.0 | 17.7 | 16.6 | 17.1 |
| 21 | 6.6 | 5.8 | 6.2 | 14.5 | 13.8 | 14.1 | 16.7 | 15.5 | 16.0 | 17.7 | 17.4 | 17.5 |
| 22 | 8.8 | 6.6 | 7.5 | 14.9 | 13.9 | 14.3 | 16.6 | 16.1 | 16.4 | 17.4 | 16.9 | 17.1 |
| 23 | 8.9 | 7.6 | 8.4 | 15.0 | 13.7 | 14.3 | 16.1 | 15.0 | 15.5 | 17.3 | 16.8 | 17.0 |
| 24 | 7.6 | 6.3 | 6.8 | 15.2 | 13.5 | 14.3 | 15.3 | 14.2 | 14.6 | 17.5 | 16.6 | 17.0 |
| 25 | 6.3 | 5.5 | 5.9 | 14.9 | 13.7 | 14.3 | 14.5 | 14.1 | 14.3 | 17.3 | 16.6 | 16.9 |
| 26 | 5.5 | 4.8 | 5.1 | 14.6 | 13.9 | 14.2 | 14.1 | 13.9 | 14.0 | 16.9 | 16.5 | 16.8 |
| 27 | 4.8 | 4.7 | 4.8 | 14.8 | 13.1 | 14.0 | 15.2 | 13.7 | 14.4 | 17.3 | 16.2 | 16.7 |
| 28 | 5.6 | 4.8 | 5.1 | 15.1 | 13.6 | 14.4 | 16.0 | 14.5 | 15.2 | 17.9 | 16.7 | 17.3 |
| 29 | --- | --- | --- | 14.8 | 13.8 | 14.3 | 16.8 | 15.5 | 16.1 | 17.9 | 17.6 | 17.8 |
| 30 | --- | --- | --- | 13.8 | 12.9 | 13.4 | 17.8 | 16.7 | 17.2 | 18.9 | 17.3 | 18.0 |
| 31 | --- | --- | --- | 12.4 | 11.5 | 11.9 | --- | --- | --- | 19.1 | 18.0 | 18.5 |
| MONTH | 8.9 | 0.9 | 4.5 | 15.2 | 5.6 | 11.0 | 17.8 | 9.4 | 13.6 | 19.6 | 14.9 | 17.3 |

03410500 SOUTH FORK CUMBERLAND RIVER NEAR STEARNS, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 9.5 | 9.0 | 9.3 | 10.6 | 10.0 | 10.4 | 13.9 | 13.5 | 13.7 | 12.0 | 11.4 | 11.6 |
| 2 | 9.5 | 8.9 | 9.2 | 10.9 | 10.4 | 10.7 | 14.3 | 13.8 | 14.0 | 11.6 | 10.9 | 11.2 |
| 3 | 9.6 | 8.6 | 9.1 | 11.1 | 10.7 | 10.9 | 14.5 | 14.1 | 14.3 | 11.2 | 10.9 | 11.0 |
| 4 | 9.1 | 8.4 | 8.8 | 11.1 | 10.7 | 10.9 | 15.1 | 14.3 | 14.6 | 11.2 | 11.0 | 11.1 |
| 5 | 9.1 | 8.2 | 8.6 | 11.4 | 10.8 | 11.1 | 15.1 | 12.3 | 14.0 | 11.3 | 11.0 | 11.2 |
| 6 | 8.7 | 8.0 | 8.3 | 11.9 | 11.1 | 11.4 | 14.5 | 13.4 | 14.3 | 11.6 | 11.2 | 11.3 |
| 7 | 8.4 | 8.0 | 8.2 | 12.0 | 11.8 | 11.9 | 14.7 | 14.3 | 14.5 | 11.9 | 11.5 | 11.7 |
| 8 | 9.0 | 7.9 | 8.4 | 12.2 | 11.9 | 12.1 | 15.0 | 14.7 | 14.9 | 11.9 | 11.6 | 11.8 |
| 9 | 8.5 | 7.9 | 8.2 | 12.1 | 11.9 | 12.0 | 15.1 | 14.8 | 14.9 | 11.9 | 11.7 | 11.8 |
| 10 | 8.5 | 7.7 | 8.0 | 12.0 | 11.6 | 11.8 | 14.9 | 14.7 | 14.8 | --- | --- | --- |
| 11 | 8.8 | 8.0 | 8.3 | 11.7 | 10.3 | 11.2 | 15.0 | 14.6 | 14.7 | --- | --- | --- |
| 12 | 9.1 | 8.2 | 8.6 | 11.4 | 10.1 | 11.1 | 14.8 | 14.1 | 14.5 | --- | --- | --- |
| 13 | 8.8 | 8.1 | 8.5 | 11.3 | 11.0 | 11.2 | 14.3 | 13.8 | 14.0 | --- | --- | --- |
| 14 | 9.1 | 8.4 | 8.7 | 11.4 | 11.2 | 11.3 | 14.1 | 10.8 | 12.6 | --- | --- | --- |
| 15 | 9.1 | 8.4 | 8.7 | 12.0 | 11.3 | 11.8 | 11.6 | 10.6 | 11.0 | --- | --- | --- |
| 16 | 9.3 | 8.6 | 8.9 | 12.4 | 11.9 | 12.1 | 11.4 | 10.8 | 11.0 | --- | --- | --- |
| 17 | 9.6 | 8.8 | 9.2 | 12.6 | 12.4 | 12.5 | 11.6 | 10.9 | 11.2 | --- | --- | --- |
| 18 | 10.1 | 9.3 | 9.7 | 12.9 | 12.5 | 12.7 | 11.3 | 10.5 | 10.9 | --- | --- | --- |
| 19 | 10.1 | 9.5 | 9.8 | 12.9 | 12.7 | 12.8 | 11.2 | 10.6 | 10.9 | --- | --- | --- |
| 20 | 9.9 | 9.6 | 9.7 | 13.0 | 12.6 | 12.8 | 11.0 | 10.2 | 10.6 | --- | --- | --- |
| 21 | 10.1 | 9.4 | 9.7 | 12.8 | 12.3 | 12.5 | 11.0 | 10.3 | 10.5 | --- | --- | --- |
| 22 | 10.1 | 9.5 | 9.8 | 12.5 | 12.2 | 12.4 | 10.9 | 10.5 | 10.7 | --- | --- | --- |
| 23 | 10.1 | 9.4 | 9.8 | 12.5 | 12.3 | 12.4 | 11.5 | 10.7 | 11.2 | --- | --- | --- |
| 24 | 9.9 | 9.4 | 9.7 | 12.9 | 12.4 | 12.7 | 11.6 | 10.9 | 11.4 | --- | --- | --- |
| 25 | 9.8 | 9.3 | 9.5 | 13.0 | 12.8 | 12.9 | 12.2 | 11.4 | 11.7 | --- | --- | --- |
| 26 | 9.6 | 8.9 | 9.3 | 12.9 | 12.8 | 12.8 | 12.5 | 12.0 | 12.3 | --- | --- | --- |
| 27 | 10.0 | 9.1 | 9.5 | 13.3 | 12.8 | 13.1 | 12.6 | 12.2 | 12.5 | --- | --- | --- |
| 28 | 10.0 | 9.3 | 9.6 | 13.7 | 13.2 | 13.5 | 12.9 | 12.4 | 12.6 | --- | --- | --- |
| 29 | 10.0 | 9.7 | 9.9 | 13.8 | 13.4 | 13.6 | 12.7 | 12.3 | 12.5 | --- | --- | --- |
| 30 | 9.9 | 9.6 | 9.7 | 13.7 | 13.4 | 13.5 | 12.5 | 12.1 | 12.4 | 14.5 | 11.5 | 13.3 |
| 31 | 10.2 | 9.6 | 10.0 | --- | --- | --- | 12.5 | 11.9 | 12.1 | 15.6 | 13.6 | 14.5 |
| MONTH | 10.2 | 7.7 | 9.1 | 13.8 | 10.0 | 12.1 | 15.1 | 10.2 | 12.8 | 15.6 | 10.9 | 11.9 |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 15.6 | 14.3 | 15.1 | 12.9 | 12.1 | 12.5 | 10.2 | 9.8 | 10.0 | 9.0 | 8.7 | 8.9 |
| 2 | 14.5 | 13.6 | 14.1 | 12.2 | 11.5 | 11.8 | 10.1 | 9.8 | 10 | 8.7 | 8.4 | 8.5 |
| 3 | 13.8 | 13.0 | 13.3 | 11.7 | 11.3 | 11.5 | 9.8 | 9.6 | 9.7 | 8.7 | 8.6 | 8.7 |
| 4 | 13.4 | 11.8 | 12.6 | 11.8 | 11.2 | 11.5 | 9.6 | 9.2 | 9.4 | 8.8 | 8.6 | 8.7 |
| 5 | 11.9 | 10.6 | 11.0 | 11.3 | 11.0 | 11.2 | 9.3 | 9.1 | 9.2 | 8.9 | 8.6 | 8.7 |
| 6 | 11.2 | 10.5 | 10.9 | 11.1 | 10.7 | 10.9 | 9.7 | 9.0 | 9.2 | 10.0 | 8.9 | 9.6 |
| 7 | 11.8 | 11.0 | 11.3 | 11.6 | 10.7 | 11.0 | 10.3 | 9.6 | 10 | 10.1 | 9.9 | 10.0 |
| 8 | 12.2 | 11.6 | 11.8 | 11.7 | 11.2 | 11.5 | 10.2 | 9.8 | 10.0 | 10.1 | 9.8 | 10.0 |
| 9 | 13.2 | 12.1 | 12.6 | 11.5 | 11.0 | 11.2 | 10.4 | 9.8 | 10.2 | 9.8 | 9.4 | 9.6 |
| 10 | 12.9 | 12.4 | 12.7 | 11.5 | 11.0 | 11.3 | 11.4 | 10.4 | 10.7 | 9.4 | 9.0 | 9.2 |
| 11 | 13.1 | 12.4 | 12.8 | 11.4 | 11.0 | 11.2 | 11.6 | 10.9 | 11.3 | 9.0 | 8.8 | 8.9 |
| 12 | 13.0 | 12.3 | 12.7 | 11.2 | 10.7 | 11.0 | 11.0 | 10.7 | 10.9 | 9.0 | 8.8 | 8.9 |
| 13 | 12.9 | 12.4 | 12.6 | 11.0 | 10.6 | 10.8 | 10.8 | 10.5 | 10.6 | 9.1 | 8.8 | 9.0 |
| 14 | 12.9 | 12.1 | 12.4 | 11.0 | 10.3 | 10.5 | 10.5 | 10.2 | 10.4 | 9.1 | 8.8 | 8.9 |
| 15 | 13.7 | 11.8 | 12.7 | 10.3 | 9.6 | 10.0 | 10.2 | 9.8 | 10.1 | 9.0 | 8.8 | 8.9 |
| 16 | 14.9 | 12.1 | 14.4 | 9.8 | 9.3 | 9.6 | 9.9 | 9.6 | 9.8 | 9.1 | 8.8 | 8.9 |
| 17 | 14.8 | 14.3 | 14.6 | 9.5 | 9.1 | 9.3 | 9.6 | 9.3 | 9.5 | 9.0 | 8.8 | 8.9 |
| 18 | 15.2 | 14.3 | 14.6 | 9.3 | 8.9 | 9.1 | 10.3 | 9.5 | 9.9 | 9.4 | 8.7 | 9.1 |
| 19 | 15.2 | 14.7 | 14.9 | 9.4 | 8.9 | 9.2 | 10.2 | 10.0 | 10.1 | 9.4 | 9.2 | 9.3 |
| 20 | 14.8 | 14.1 | 14.5 | 9.4 | 8.6 | 8.9 | 10.1 | 9.6 | 9.8 | 9.2 | 9.0 | 9.1 |
| 21 | 14.2 | 13.5 | 13.9 | 10.0 | 9.2 | 9.7 | 9.6 | 9.3 | 9.5 | 9.1 | 8.9 | 9.0 |
| 22 | 13.6 | 12.7 | 13.1 | 10.1 | 9.7 | 9.9 | 9.3 | 9.2 | 9.3 | 9.2 | 9.0 | 9.1 |
| 23 | 13.3 | 12.9 | 13.1 | 9.9 | 9.2 | 9.6 | 9.7 | 9.3 | 9.5 | 9.2 | 8.9 | 9.0 |
| 24 | 13.6 | 12.8 | 13.2 | 9.4 | 9.0 | 9.2 | 9.8 | 9.5 | 9.7 | 9.0 | 8.9 | 9.0 |
| 25 | 13.5 | 13.2 | 13.3 | 9.4 | 8.8 | 9.1 | 9.8 | 9.6 | 9.7 | 9.0 | 8.9 | 8.9 |
| 26 | 13.8 | 13.3 | 13.6 | 9.3 | 8.9 | 9.0 | 9.7 | 9.5 | 9.6 | 9.2 | 8.8 | 9.0 |
| 27 | 13.6 | 13.3 | 13.4 | 9.4 | 9.0 | 9.2 | 9.8 | 9.6 | 9.7 | 9.3 | 9.0 | 9.1 |
| 28 | 13.4 | 12.8 | 13.1 | 9.2 | 8.8 | 9.0 | 9.7 | 9.4 | 9.6 | 9.2 | 8.8 | 9.0 |
| 29 | --- | --- | --- | 9.3 | 8.9 | 9.1 | 9.4 | 9.1 | 9.3 | 8.8 | 8.3 | 8.5 |
| 30 | --- | --- | --- | 9.7 | 9.1 | 9.3 | 9.3 | 9.0 | 9.1 | 8.6 | 8.2 | 8.4 |
| 31 | --- | --- | --- | 9.9 | 9.7 | 9.8 | --- | --- | --- | 8.5 | 8.1 | 8.3 |
| MONTH | 15.6 | 10.5 | 13.2 | 12.9 | 8.6 | 10.2 | 11.6 | 9.0 | 9.9 | 10.1 | 8.1 | 9.0 |

[THIS PAGE INTENTIONALLY BLANK.]

03410600 SOUTH FORK CUMBERLAND RIVER AT YAMACRAW, KY

LOCATION.--Lat 36°43'32", long 84°32'38", McCreary County, Hydrologic Unit 05130104, on left bank 200 ft upstream of bridge on State Highway 92 at Yamacraw, 700 feet upstream from Wolf Creek, 0.6 mile downstream from Rock Creek, and at mile 40.3.

DRAINAGE AREA.--1,083 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June 1999 to September 30, 2000, October 1, 2002 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 711.166 ft above NGVD of 1929.

REMARKS.--Records poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|---------|--------|---------|--------|---------|---------|---------|--------|--------|--------|
| 1 | 487 | 990 | 660 | e1,800 | 2,650 | e4,000 | e1,200 | e1,800 | e700 | e560 | e1,600 | 622 |
| 2 | 369 | 724 | 609 | e1,600 | 2,240 | e3,500 | e1,100 | e1,500 | e600 | e580 | e1,500 | 950 |
| 3 | 302 | 570 | 568 | e1,400 | 1,910 | e3,000 | e1,000 | e1,400 | e500 | e780 | e1,800 | 7,240 |
| 4 | 259 | 492 | 584 | e1,300 | 3,630 | e2,600 | e960 | e1,200 | e520 | e820 | e3,000 | 24,400 |
| 5 | 233 | 520 | 13,800 | e1,200 | 6,110 | e2,200 | e1,000 | e2,600 | e560 | e600 | e2,300 | 15,100 |
| 6 | 223 | 1,880 | 13,000 | e1,100 | 4,060 | e1,950 | e2,000 | e17,000 | e500 | e500 | e2,100 | 5,970 |
| 7 | 208 | 3,250 | 5,530 | e1,050 | 3,240 | e1,850 | 17,600 | 22,000 | e750 | e540 | e1,500 | e2,700 |
| 8 | 198 | 1,990 | 3,470 | e970 | 2,650 | e1,700 | 18,000 | 23,100 | e5,000 | e440 | e1,000 | e1,700 |
| 9 | 206 | 1,380 | 2,570 | e940 | 2,080 | e1,550 | 22,600 | e8,000 | e2,350 | e390 | e800 | e1,400 |
| 10 | 193 | 1,070 | 2,100 | e880 | 1,920 | e1,400 | 24,900 | e4,400 | e1,400 | e650 | e620 | e1,100 |
| 11 | 214 | 6,650 | 6,750 | e800 | 1,880 | e1,300 | 30,300 | e3,200 | e1,800 | e1,800 | e600 | e900 |
| 12 | e280 | 8,080 | 8,300 | e730 | 1,800 | e1,200 | e11,000 | e3,600 | e3,200 | e2,100 | e900 | e780 |
| 13 | e400 | 3,310 | 6,230 | e660 | 1,780 | e1,100 | e6,000 | e2,400 | e2,600 | e1,250 | e820 | e700 |
| 14 | e440 | 2,080 | 17,400 | e630 | 1,770 | e1,050 | e4,000 | e1,800 | e2,500 | e1,170 | e620 | e620 |
| 15 | e400 | 1,570 | 10,000 | e600 | 15,600 | e1,000 | e3,000 | e1,500 | e5,400 | e900 | e480 | e600 |
| 16 | 393 | 2,100 | 5,530 | e570 | 35,300 | e950 | e2,800 | e1,600 | e6,200 | e740 | e400 | e580 |
| 17 | 426 | 2,580 | 3,780 | e610 | e24,000 | e920 | e2,700 | e2,400 | e10,000 | e620 | e370 | e550 |
| 18 | 462 | 2,010 | 2,850 | e560 | e11,000 | e900 | e13,000 | e7,000 | e8,500 | e520 | e400 | e460 |
| 19 | 418 | 1,630 | 2,300 | e540 | e6,500 | e880 | e7,000 | e5,000 | e9,500 | e430 | e540 | e400 |
| 20 | 365 | 1,470 | 3,240 | e530 | e4,600 | e900 | e4,000 | e3,200 | e6,000 | e360 | e370 | 356 |
| 21 | 332 | 1,390 | 5,470 | e510 | e3,600 | e1,000 | e3,200 | e3,000 | e3,400 | e320 | e290 | 314 |
| 22 | 316 | 1,360 | 3,860 | e620 | e18,000 | e950 | e3,400 | e5,000 | e2,200 | e310 | e260 | 1,810 |
| 23 | 307 | 1,430 | 2,970 | e740 | 31,600 | e870 | e2,600 | e3,800 | e1,500 | e330 | e230 | 14,700 |
| 24 | 291 | e1,250 | 2,740 | e630 | e12,000 | e800 | e2,100 | e2,800 | e1,100 | e700 | e220 | 5,350 |
| 25 | 288 | 1,070 | 5,590 | e530 | e7,000 | e750 | e1,850 | e2,000 | e850 | e500 | e210 | 2,700 |
| 26 | 297 | 957 | 5,990 | e500 | e4,900 | e730 | e1,800 | e1,600 | e700 | e380 | e200 | 1,760 |
| 27 | 284 | 896 | 4,490 | e490 | e4,200 | e710 | e1,750 | e1,300 | e650 | e300 | e180 | 1,370 |
| 28 | 275 | 866 | e3,400 | e480 | e4,500 | e700 | e1,500 | e1,100 | e700 | e260 | e180 | 1,670 |
| 29 | 296 | 772 | e2,800 | 760 | --- | e690 | e1,200 | e950 | e650 | e350 | 154 | 1,750 |
| 30 | 876 | 704 | e2,400 | 2,670 | --- | e750 | e1,500 | e850 | e550 | e320 | 166 | 1,230 |
| 31 | 1,410 | --- | e2,200 | 3,320 | --- | e1,300 | --- | e800 | --- | e1,200 | 300 | --- |
| TOTAL | 11,448 | 55,041 | 151,181 | 29,720 | 220,520 | 43,200 | 195,060 | 137,900 | 80,880 | 20,720 | 24,110 | 99,782 |
| MEAN | 369 | 1,835 | 4,877 | 959 | 7,876 | 1,394 | 6,502 | 4,448 | 2,696 | 668 | 778 | 3,326 |
| MAX | 1,410 | 8,080 | 17,400 | 3,320 | 35,300 | 4,000 | 30,300 | 23,100 | 10,000 | 2,100 | 3,000 | 24,400 |
| MIN | 193 | 492 | 568 | 480 | 1,770 | 690 | 960 | 800 | 500 | 260 | 154 | 314 |
| CFSM | 0.34 | 1.69 | 4.50 | 0.89 | 7.27 | 1.29 | 6.00 | 4.11 | 2.49 | 0.62 | 0.72 | 3.07 |
| IN. | 0.39 | 1.89 | 5.19 | 1.02 | 7.57 | 1.48 | 6.70 | 4.74 | 2.78 | 0.71 | 0.83 | 3.43 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1999 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 222 | 986 | 2,591 | 969 | 4,953 | 1,949 | 5,512 | 3,162 | 1,763 | 1,005 | 399 | 1,144 |
| MAX | 369 | 1,835 | 4,877 | 979 | 7,876 | 2,504 | 6,502 | 4,448 | 2,696 | 2,092 | 778 | 3,326 |
| (WY) | (2003) | (2003) | (2003) | (2000) | (2003) | (2000) | (2003) | (2003) | (2003) | (1999) | (2003) | (2003) |
| MIN | 75.6 | 137 | 305 | 959 | 2,131 | 1,394 | 4,523 | 1,875 | 718 | 255 | 180 | 40.3 |
| (WY) | (2000) | (2000) | (2000) | (2003) | (2000) | (2003) | (2000) | (2000) | (2000) | (2000) | (1999) | (1999) |

03410600 SOUTH FORK CUMBERLAND RIVER AT YAMACRAW, KY—Continued

| SUMMARY STATISTICS | FOR 2003 WATER YEAR | | WATER YEARS 1999 - 2003 | |
|--------------------------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 1069562 | | | |
| ANNUAL MEAN | 2930 | | 2,036 | |
| HIGHEST ANNUAL MEAN | | | 2,930 | 2003 |
| LOWEST ANNUAL MEAN | | | 1,143 | 2000 |
| HIGHEST DAILY MEAN | 35,300 | Feb 16 | 35,300 | Feb 16, 2003 |
| LOWEST DAILY MEAN | 154 | Aug 29 | 25 | Sep 27, 1999 |
| ANNUAL SEVEN-DAY MINIMUM | 187 | Aug 24 | 25 | Sep 26, 1999 |
| MAXIMUM PEAK FLOW | 37,900 | Feb 16 | 37,900 | Feb 16, 2003 |
| MAXIMUM PEAK STAGE | 32.57 | Feb 16 | 32.57 | Feb 16, 2003 |
| ANNUAL RUNOFF (CFSM) | 2.71 | | 1.88 | |
| ANNUAL RUNOFF (INCHES) | 36.74 | | 25.54 | |
| 10 PERCENT EXCEEDS | 6,560 | | 4,500 | |
| 50 PERCENT EXCEEDS | 1,250 | | 780 | |
| 90 PERCENT EXCEEDS | 331 | | 78 | |

e Estimated



03410600 SOUTH FORK CUMBERLAND RIVER AT YAMACRAW, KY—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Oct. 1, 2002 to current water year.

INSTRUMENTATION.--Four parameter water-quality monitor with telemetry since Oct. 1, 2002.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE:Maximum recorded, 235 microsiemens, Oct. 1; minimum recorded 53 microsiemens, Feb. 16.

pH:Maximum 8.0 units, Nov. 26; minimum recorded, 6.6 units, July 7.

WATER TEMPERATURES:Maximum recorded, 28.8°C, Aug. 27; minimum recorded, 0.0°C, Jan. 18-20 and 23-29.

DISSOLVED OXYGEN:Maximum recorded, 14.8 mg/L, Jan. 31; minimum recorded, 4.3 mg/L, July 23.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 235 | 218 | 226 | 232 | 172 | 212 | --- | --- | --- | 103 | 101 | 102 |
| 2 | 221 | 207 | 212 | 231 | 225 | 226 | --- | --- | --- | 105 | 103 | 104 |
| 3 | 218 | 207 | 211 | 228 | 224 | 227 | --- | --- | --- | 107 | 105 | 107 |
| 4 | 226 | 218 | 221 | 224 | 206 | 216 | --- | --- | --- | 113 | 107 | 110 |
| 5 | 229 | 224 | 227 | 206 | 180 | 192 | --- | --- | --- | 115 | 113 | 114 |
| 6 | 229 | 227 | 228 | 180 | 137 | 160 | --- | --- | --- | 119 | 115 | 117 |
| 7 | 227 | 222 | 225 | 142 | 119 | 130 | --- | --- | --- | 121 | 119 | 121 |
| 8 | 222 | 213 | 217 | 160 | 142 | 149 | --- | --- | --- | 122 | 120 | 121 |
| 9 | 213 | 209 | 211 | 161 | 145 | 155 | --- | --- | --- | 122 | 120 | 121 |
| 10 | 210 | 200 | 206 | 145 | 133 | 138 | --- | --- | --- | 125 | 122 | 124 |
| 11 | 200 | 199 | 200 | 147 | 89 | 127 | --- | --- | --- | 125 | 124 | 125 |
| 12 | --- | --- | --- | 145 | 96 | 106 | 79 | 73 | 77 | 126 | 124 | 125 |
| 13 | --- | --- | --- | 106 | 97 | 102 | 83 | 72 | 81 | 129 | 125 | 128 |
| 14 | --- | --- | --- | 111 | 106 | 109 | 77 | 68 | 73 | 131 | 129 | 130 |
| 15 | --- | --- | --- | 116 | 111 | 113 | 75 | 74 | 74 | 132 | 130 | 131 |
| 16 | 148 | 145 | 147 | 117 | 109 | 113 | 80 | 75 | 77 | 131 | 130 | 131 |
| 17 | 157 | 148 | 152 | 110 | 104 | 108 | 84 | 80 | 82 | 131 | 130 | 131 |
| 18 | 162 | 157 | 160 | 104 | 101 | 102 | 89 | 84 | 87 | 132 | 130 | 131 |
| 19 | 176 | 161 | 165 | 110 | 104 | 107 | 93 | 89 | 91 | 133 | 131 | 132 |
| 20 | 202 | 176 | 190 | 114 | 110 | 112 | 95 | 91 | 93 | 134 | 132 | 133 |
| 21 | 212 | 202 | 208 | 117 | 114 | 116 | 125 | 93 | 111 | 140 | 134 | 137 |
| 22 | 213 | 197 | 210 | 124 | 117 | 120 | 124 | 98 | 107 | 134 | 132 | 133 |
| 23 | 211 | 205 | 208 | 128 | 124 | 126 | 98 | 97 | 97 | 136 | 134 | 135 |
| 24 | 207 | 205 | 205 | --- | --- | --- | 98 | 93 | 97 | 141 | 136 | 138 |
| 25 | 205 | 204 | 205 | 150 | 148 | 149 | 93 | 92 | 92 | 145 | 141 | 143 |
| 26 | 205 | 203 | 204 | 150 | 148 | 149 | 102 | 93 | 98 | 146 | 145 | 145 |
| 27 | 204 | 203 | 203 | 148 | 144 | 150 | 102 | 96 | 98 | 150 | 145 | 147 |
| 28 | 203 | 200 | 201 | 144 | 141 | 143 | 96 | 94 | 95 | 152 | 150 | 150 |
| 29 | 200 | 194 | 197 | 149 | 131 | 142 | 95 | 94 | 94 | 152 | 138 | 151 |
| 30 | 194 | 168 | 181 | --- | --- | --- | 97 | 95 | 96 | 138 | 128 | 133 |
| 31 | 172 | 161 | 164 | --- | --- | --- | 101 | 97 | 99 | 141 | 117 | 129 |
| MONTH | 235 | 145 | 199 | 232 | 89 | 143 | 125 | 68 | 91 | 152 | 101 | 128 |

03410600 SOUTH FORK CUMBERLAND RIVER AT YAMACRAW, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 20.9 | 20.5 | 20.8 | 14.0 | 13.2 | 13.7 | 5.5 | 4.5 | 4.9 | 6.0 | 5.0 | 5.5 |
| 2 | 21.7 | 20.7 | 21.2 | 13.2 | 12.5 | 12.8 | 4.5 | 4.1 | 4.2 | 6.5 | 6.0 | 6.2 |
| 3 | 22.5 | 21.3 | 21.9 | 12.5 | 12.0 | 12.2 | 4.1 | 3.7 | 3.9 | 6.5 | 6.1 | 6.3 |
| 4 | 22.5 | 22.0 | 22.3 | 12.0 | 11.8 | 11.9 | 3.7 | 2.8 | 3.2 | 6.1 | 5.8 | 6.0 |
| 5 | 22.9 | 21.8 | 22.2 | 11.8 | 11.6 | 11.7 | 5.9 | 2.8 | 4.0 | 6.1 | 5.7 | 5.9 |
| 6 | 22.7 | 21.1 | 21.7 | 11.8 | 10.8 | 11.3 | 6.3 | 5.8 | 6.1 | 5.9 | 5.3 | 5.7 |
| 7 | 21.9 | 20.8 | 21.4 | 10.8 | 10.4 | 10.6 | 5.8 | 4.7 | 5.2 | 5.3 | 4.7 | 5.0 |
| 8 | 20.9 | 19.8 | 20.4 | 10.8 | 10.1 | 10.5 | 4.7 | 4.0 | 4.2 | 4.9 | 4.3 | 4.7 |
| 9 | 20.3 | 19.8 | 20.0 | 11.3 | 10.3 | 10.8 | 4.1 | 3.7 | 3.9 | 5.1 | 4.4 | 4.8 |
| 10 | 20.2 | 20.0 | 20.1 | 12.6 | 11.3 | 12.0 | 3.9 | 3.7 | 3.8 | 4.9 | 4.3 | 4.6 |
| 11 | 20.0 | 19.9 | 19.9 | 14.1 | 12.5 | 12.9 | 5.3 | 3.8 | 4.5 | 4.3 | 3.2 | 3.7 |
| 12 | --- | --- | --- | 14.2 | 13.3 | 13.8 | 6.0 | 5.3 | 5.8 | 3.2 | 2.3 | 2.6 |
| 13 | --- | --- | --- | 13.3 | 12.3 | 12.9 | 6.8 | 6.0 | 6.2 | 2.3 | 1.7 | 2.1 |
| 14 | --- | --- | --- | 12.3 | 11.4 | 11.9 | 7.1 | 6.8 | 6.9 | 2.1 | 1.7 | 1.9 |
| 15 | --- | --- | --- | 11.4 | 10.7 | 11.0 | 7.1 | 6.7 | 6.9 | 1.8 | 1.1 | 1.4 |
| 16 | 18.3 | 17.3 | 17.8 | 10.7 | 9.7 | 10.2 | 6.7 | 6.3 | 6.5 | 1.3 | 0.5 | 0.9 |
| 17 | 17.3 | 16.2 | 16.7 | 9.7 | 8.6 | 9.1 | 6.9 | 6.5 | 6.7 | 1.0 | 0.3 | 0.5 |
| 18 | 16.4 | 15.5 | 16.0 | 8.6 | 8.0 | 8.3 | 7.3 | 6.8 | 7.1 | 0.5 | 0.0 | 0.2 |
| 19 | 15.9 | 15.5 | 15.7 | 8.5 | 7.9 | 8.2 | 8.2 | 7.3 | 7.8 | 0.4 | 0.0 | 0.2 |
| 20 | 15.8 | 15.6 | 15.7 | 8.4 | 7.9 | 8.2 | 8.5 | 8.1 | 8.3 | 0.8 | 0.0 | 0.4 |
| 21 | 15.7 | 15.4 | 15.5 | 9.0 | 8.2 | 8.6 | 8.1 | 7.7 | 8.0 | 0.9 | 0.5 | 0.7 |
| 22 | 16.2 | 15.2 | 15.6 | 8.9 | 8.3 | 8.6 | 7.7 | 7.0 | 7.4 | 0.9 | 0.1 | 0.4 |
| 23 | 16.3 | 15.1 | 15.6 | 8.3 | 7.8 | 8.1 | 7.0 | 6.3 | 6.6 | 0.3 | 0.0 | 0.0 |
| 24 | 15.7 | 15.3 | 15.5 | --- | --- | --- | 6.3 | 6.2 | 6.3 | 0.3 | 0.0 | 0.0 |
| 25 | 15.6 | 15.3 | 15.5 | 7.7 | 7.6 | 7.7 | 6.3 | 5.7 | 6.0 | 0.2 | 0.0 | 0.0 |
| 26 | 16.0 | 15.5 | 15.7 | 7.6 | 7.3 | 7.5 | 5.7 | 5.0 | 5.4 | 0.0 | 0.0 | 0.0 |
| 27 | 16.2 | 15.5 | 15.8 | 7.3 | 6.5 | 6.9 | 5.0 | 4.2 | 4.6 | 0.1 | 0.0 | 0.0 |
| 28 | 15.6 | 15.4 | 15.5 | 6.5 | 5.8 | 6.1 | 4.2 | 3.5 | 3.9 | 0.0 | 0.0 | 0.0 |
| 29 | 15.7 | 15.2 | 15.5 | 5.8 | 5.1 | 5.5 | 3.8 | 3.4 | 3.6 | 0.2 | 0.0 | 0.0 |
| 30 | 15.6 | 14.7 | 15.2 | 6.0 | 5.5 | 5.6 | 4.2 | 3.4 | 3.7 | 0.4 | 0.1 | 0.3 |
| 31 | 14.7 | 14.0 | 14.3 | --- | --- | --- | 5.0 | 4.0 | 4.4 | 0.8 | 0.1 | 0.4 |
| MONTH | 22.9 | 14.0 | 17.9 | 14.2 | 5.1 | 10.0 | 8.5 | 2.8 | 5.5 | 6.5 | 0.0 | 2.3 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 1.4 | 0.8 | 1.1 | 6.4 | 5.1 | 5.6 | 12.8 | 11.4 | 12.0 | 18.4 | 17.5 | 17.9 |
| 2 | 2.9 | 1.4 | 2.2 | 7.0 | 6.4 | 6.8 | 13.4 | 12.0 | 12.7 | 18.5 | 18.2 | 18.4 |
| 3 | 4.3 | 2.8 | 3.4 | 7.4 | 7.0 | 7.1 | 14.1 | 12.6 | 13.3 | 18.4 | 17.4 | 17.8 |
| 4 | 5.3 | 4.3 | 4.9 | 7.5 | 7.0 | 7.2 | 14.4 | 13.7 | 14.0 | 17.8 | 17.4 | 17.6 |
| 5 | 5.2 | 4.8 | 5.0 | 7.9 | 7.2 | 7.5 | 15.2 | 14.2 | 14.7 | 18.0 | 17.7 | 17.8 |
| 6 | 4.8 | 4.2 | 4.5 | 8.0 | 7.9 | 7.9 | 14.9 | 13.5 | 14.3 | 17.9 | 15.6 | 16.5 |
| 7 | 4.2 | 3.3 | 3.8 | 8.0 | 7.5 | 7.8 | 13.5 | 12.0 | 12.3 | 15.6 | 15.2 | 15.3 |
| 8 | 3.3 | 2.4 | 2.8 | 8.4 | 8.0 | 8.2 | 12.2 | 12.1 | 12.1 | 15.7 | 15.0 | 15.3 |
| 9 | 2.5 | 1.8 | 2.2 | 8.7 | 8.4 | 8.5 | 12.2 | 10.9 | 11.6 | 16.9 | 15.7 | 16.2 |
| 10 | 2.2 | 1.9 | 2.0 | 8.5 | 8.0 | 8.3 | 10.9 | 9.6 | 10.1 | 18.4 | 16.8 | 17.4 |
| 11 | 2.4 | 1.8 | 2.1 | 8.2 | 7.9 | 8.1 | 10.3 | 9.6 | 9.8 | 19.3 | 18.2 | 18.7 |
| 12 | 2.6 | 1.9 | 2.3 | 8.7 | 8.2 | 8.4 | 11.1 | 10.2 | 10.6 | 19.3 | 18.6 | 19.0 |
| 13 | 2.8 | 1.7 | 2.2 | 9.2 | 8.6 | 9.0 | 12.2 | 11.0 | 11.5 | 19.2 | 18.3 | 18.7 |
| 14 | 2.9 | 2.3 | 2.5 | 9.9 | 9.2 | 9.6 | 13.0 | 11.7 | 12.1 | 18.7 | 18.2 | 18.4 |
| 15 | 6.1 | 2.9 | 4.2 | 10.9 | 9.9 | 10.4 | 13.7 | 12.8 | 13.1 | 18.6 | 17.9 | 18.1 |
| 16 | 6.9 | 6.1 | 6.6 | 11.5 | 10.9 | 11.2 | 14.4 | 13.7 | 14.1 | 18.3 | 17.9 | 18.1 |
| 17 | 6.9 | 6.0 | 6.6 | 12.3 | 11.5 | 11.9 | 14.6 | 14.4 | 14.5 | 18.2 | 17.7 | 18.0 |
| 18 | 6.0 | 4.9 | 5.3 | 12.8 | 12.3 | 12.5 | 14.6 | 13.7 | 14.2 | 18.0 | 17.2 | 17.6 |
| 19 | 5.0 | 4.6 | 4.8 | 13.2 | 12.6 | 12.9 | 14.6 | 13.5 | 13.9 | 17.2 | 16.8 | 17.0 |
| 20 | 5.3 | 5.0 | 5.0 | 13.8 | 13.0 | 13.4 | 15.7 | 14.4 | 14.8 | 17.7 | 16.7 | 17.1 |
| 21 | 6.3 | 5.8 | 6.1 | 14.0 | 13.7 | 13.9 | 16.6 | 15.6 | 15.9 | 17.8 | 17.4 | 17.6 |
| 22 | 8.5 | 6.3 | 7.2 | 14.4 | 13.7 | 14.0 | 16.6 | 16.2 | 16.4 | 17.4 | 17.1 | 17.3 |
| 23 | 8.6 | 7.6 | 8.2 | 14.3 | 13.8 | 14.1 | 16.2 | 15.7 | 15.8 | 17.4 | 16.9 | 17.1 |
| 24 | 7.6 | 6.3 | 6.9 | 14.5 | 13.6 | 14.0 | 15.8 | 14.8 | 15.2 | 17.8 | 16.7 | 17.2 |
| 25 | 6.3 | 5.4 | 5.8 | 14.7 | 13.9 | 14.4 | 14.8 | 14.4 | 14.6 | 17.6 | 17.0 | 17.2 |
| 26 | 5.4 | 4.8 | 5.0 | 14.7 | 14.1 | 14.5 | 14.8 | 14.2 | 14.5 | 17.1 | 16.6 | 16.8 |
| 27 | 4.8 | 4.6 | 4.6 | 14.4 | 13.5 | 14.0 | 14.7 | 14.2 | 14.3 | 17.4 | 16.6 | 16.9 |
| 28 | 5.1 | 4.6 | 4.8 | 15.1 | 14.1 | 14.6 | 15.3 | 14.7 | 15.1 | 18.0 | 17.1 | 17.4 |
| 29 | --- | --- | --- | 15.1 | 14.0 | 14.7 | 16.4 | 15.3 | 16.0 | 18.0 | 17.8 | 17.9 |
| 30 | --- | --- | --- | 14.0 | 12.7 | 13.3 | 17.9 | 16.4 | 17.0 | 18.4 | 17.7 | 18.0 |
| 31 | --- | --- | --- | 12.0 | 11.4 | 11.8 | --- | --- | --- | 19.0 | 18.4 | 18.7 |
| MONTH | 8.6 | 0.8 | 4.4 | 15.1 | 5.1 | 10.8 | 17.9 | 9.6 | 13.7 | 19.3 | 15.0 | 17.5 |

03410600 SOUTH FORK CUMBERLAND RIVER AT YAMACRAW, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 8.1 | 7.4 | 7.9 | 10.2 | 9.9 | 10.1 | --- | --- | --- | 11.2 | 10.8 | 11.0 |
| 2 | 8.3 | 7.2 | 7.8 | 10.3 | 10.0 | 10.1 | --- | --- | --- | 10.9 | 10.8 | 10.8 |
| 3 | 8.2 | 7.6 | 7.8 | --- | --- | --- | --- | --- | --- | 11.0 | 10.7 | 10.8 |
| 4 | 10.7 | 7.5 | 8.1 | 10.3 | 10.0 | 10.2 | --- | --- | --- | 11.2 | 11.0 | 11.1 |
| 5 | 8.1 | 7.4 | 7.7 | 10.3 | 10.0 | 10.1 | --- | --- | --- | 11.3 | 11.2 | 11.2 |
| 6 | 8.8 | 7.6 | 8.0 | --- | --- | --- | --- | --- | --- | 11.7 | 11.3 | 11.4 |
| 7 | 8.2 | 7.7 | 7.9 | --- | --- | --- | --- | --- | --- | 11.9 | 11.6 | 11.8 |
| 8 | 9.1 | 7.9 | 8.3 | --- | --- | --- | --- | --- | --- | 12.5 | 11.9 | 12.2 |
| 9 | 8.6 | 7.6 | 8.2 | --- | --- | --- | --- | --- | --- | 12.5 | 11.7 | 12.1 |
| 10 | 7.7 | 7.3 | 7.5 | 10.2 | 9.9 | 10.0 | --- | --- | --- | 12.7 | 11.9 | 12.3 |
| 11 | 7.6 | 7.5 | 7.6 | 10.2 | 9.7 | 9.9 | --- | --- | --- | 13.1 | 12.4 | 12.8 |
| 12 | --- | --- | --- | 10.2 | 8.9 | 9.6 | 11.7 | 10.6 | 11.3 | 13.3 | 12.4 | 13.0 |
| 13 | --- | --- | --- | 9.2 | 8.2 | 8.6 | 11.7 | 10.4 | 10.9 | 13.5 | 12.4 | 13.1 |
| 14 | --- | --- | --- | 9.4 | 8.5 | 8.9 | 11.9 | 11.5 | 11.7 | 13.2 | 12.4 | 12.8 |
| 15 | --- | --- | --- | 9.7 | 9.1 | 9.4 | 11.7 | 10.7 | 11.3 | 13.7 | 12.8 | 13.1 |
| 16 | 8.9 | 8.5 | 8.6 | 10.1 | 9.6 | 9.8 | 11.4 | 10.2 | 10.7 | 13.5 | 12.5 | 13.0 |
| 17 | 9.3 | 8.7 | 8.9 | --- | --- | --- | 10.6 | 9.3 | 10.0 | 14.3 | 12.4 | 13.1 |
| 18 | 9.5 | 9.0 | 9.2 | --- | --- | --- | 9.9 | 9.1 | 9.5 | 13.9 | 11.0 | 12.1 |
| 19 | 9.6 | 9.0 | 9.3 | --- | --- | --- | 9.5 | 8.8 | 9.1 | 14.0 | 12.1 | 12.8 |
| 20 | 9.3 | 9.0 | 9.2 | --- | --- | --- | 10.5 | 8.8 | 9.2 | 14.5 | 12.0 | 13.1 |
| 21 | 9.4 | 8.9 | 9.3 | --- | --- | --- | 10.3 | 9.5 | 10.0 | 13.7 | 13.2 | 13.5 |
| 22 | 9.6 | 9.2 | 9.3 | --- | --- | --- | 10.0 | 9.5 | 9.7 | 13.7 | 11.6 | 12.9 |
| 23 | 9.6 | 9.2 | 9.4 | --- | --- | --- | 10.3 | 9.7 | 9.9 | 13.0 | 12.3 | 12.7 |
| 24 | 9.5 | 9.0 | 9.3 | --- | --- | --- | 10.3 | 9.8 | 10.0 | 13.5 | 10.9 | 12.1 |
| 25 | 9.3 | 9.0 | 9.2 | --- | --- | --- | 11.1 | 9.9 | 10.5 | 11.9 | 10.5 | 11.4 |
| 26 | 9.3 | 8.8 | 9.1 | --- | --- | --- | 11.4 | 10.8 | 11.1 | 12.8 | 10.6 | 11.8 |
| 27 | 9.6 | 8.9 | 9.2 | --- | --- | --- | 11.6 | 10.9 | 11.1 | 12.9 | 10.8 | 11.7 |
| 28 | 9.3 | 8.9 | 9.1 | --- | --- | --- | 11.6 | 11.1 | 11.4 | 13.5 | 11.1 | 12.1 |
| 29 | 9.2 | 8.8 | 9.0 | --- | --- | --- | 11.6 | 11.5 | 11.6 | 12.7 | 10.4 | 11.6 |
| 30 | 10.1 | 8.8 | 9.4 | --- | --- | --- | 11.7 | 11.5 | 11.6 | 13.9 | 12.3 | 13.3 |
| 31 | 10.3 | 9.8 | 10.0 | --- | --- | --- | 11.5 | 11.2 | 11.4 | 14.8 | 12.9 | 13.7 |
| MONTH | 10.7 | 7.2 | 8.7 | 10.3 | 8.2 | 9.7 | 11.9 | 8.8 | 10.6 | 14.8 | 10.4 | 12.3 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | | | | | | | | | | | | |
| 1 | 14.6 | 13.4 | 14.0 | 13.4 | 11.8 | 12.6 | 11.8 | 11.1 | 11.5 | 8.2 | 7.3 | 7.8 |
| 2 | 13.7 | 12.4 | 13.0 | 12.7 | 11.4 | 11.9 | 11.8 | 10.6 | 11.1 | 7.6 | 6.7 | 7.4 |
| 3 | 12.9 | 11.6 | 12.3 | 12.6 | 11.3 | 11.7 | 11.3 | 10.3 | 10.7 | 7.8 | 7.2 | 7.5 |
| 4 | 14.0 | 11.6 | 12.4 | 12.4 | 11.4 | 11.7 | 10.7 | 9.9 | 10.3 | 7.8 | 6.9 | 7.4 |
| 5 | --- | --- | --- | 12.4 | 11.2 | 11.5 | 10.9 | 9.7 | 10.1 | 8.4 | 7.0 | 7.5 |
| 6 | --- | --- | --- | 12.0 | 11.1 | 11.3 | 11.3 | 9.6 | 10.5 | 10.8 | 8.4 | 9.9 |
| 7 | --- | --- | --- | 11.8 | 11.2 | 11.3 | 15.3 | 11.3 | 14.6 | 11.1 | 10.1 | 10.6 |
| 8 | --- | --- | --- | 11.6 | 11.0 | 11.2 | 15.7 | 13.4 | 14.5 | 12.0 | 10.4 | 11.3 |
| 9 | --- | --- | --- | 11.4 | 10.9 | 11.0 | 15.3 | 13.5 | 14.6 | 11.9 | 9.3 | 10.4 |
| 10 | --- | --- | --- | 11.4 | 10.9 | 11.1 | 16.0 | 14.2 | 15.1 | 9.7 | 8.1 | 9.0 |
| 11 | --- | --- | --- | 11.6 | 11.0 | 11.2 | 16.5 | 14.6 | 15.7 | 8.8 | 7.7 | 8.2 |
| 12 | --- | --- | --- | 11.6 | 10.8 | 11.0 | 14.7 | 12.6 | 13.7 | 8.4 | 7.8 | 8.0 |
| 13 | --- | --- | --- | 11.3 | 10.6 | 10.9 | 13.3 | 11.8 | 12.4 | 8.2 | 7.7 | 7.9 |
| 14 | --- | --- | --- | 11.3 | 10.5 | 10.7 | 12.0 | 11.3 | 11.7 | 8.2 | 7.3 | 7.7 |
| 15 | 14.4 | 12.2 | 13.3 | 10.8 | 10.1 | 10.4 | 11.3 | 10.5 | 11.0 | 7.7 | 7.1 | 7.5 |
| 16 | 15.4 | 14.4 | 14.9 | 11.0 | 9.8 | 10.1 | 10.6 | 9.1 | 10.0 | 7.8 | 7.2 | 7.5 |
| 17 | 15.2 | 13.4 | 14.6 | 10.0 | 9.5 | 9.8 | 9.8 | 8.6 | 9.5 | 8.2 | 7.7 | 7.9 |
| 18 | 14.3 | 12.6 | 13.3 | 10.0 | 9.3 | 9.5 | 11.6 | 9.6 | 10.6 | 9.5 | 7.9 | 8.7 |
| 19 | 13.5 | 12.2 | 12.6 | 9.5 | 9.1 | 9.3 | 11.0 | 9.9 | 10.5 | 9.2 | 7.9 | 8.4 |
| 20 | 12.7 | 11.9 | 12.3 | 9.6 | 8.9 | 9.2 | 10.2 | 9.3 | 9.8 | 8.1 | 7.1 | 7.7 |
| 21 | 11.6 | 11.1 | 11.3 | 9.7 | 9.2 | 9.3 | 9.4 | 8.6 | 9.0 | 7.8 | 7.0 | 7.3 |
| 22 | 12.8 | 11.0 | 11.7 | 9.7 | 9.2 | 9.3 | 9.1 | 8.7 | 8.9 | 8.1 | 7.6 | 7.8 |
| 23 | 13.8 | 12.6 | 13.1 | 9.7 | 9.0 | 9.3 | 9.2 | 8.7 | 8.9 | 8.4 | 7.9 | 8.2 |
| 24 | 13.4 | 11.6 | 12.5 | 9.5 | 9.1 | 9.3 | 9.4 | 8.8 | 9.1 | 8.9 | 7.9 | 8.3 |
| 25 | 13.8 | 11.9 | 12.6 | 9.4 | 8.7 | 9.2 | 9.4 | 8.7 | 9.1 | 9.0 | 8.0 | 8.5 |
| 26 | 13.9 | 12.2 | 12.7 | 11.3 | 8.5 | 9.7 | 9.4 | 8.8 | 9.1 | 9.4 | 8.2 | 8.8 |
| 27 | 14.1 | 12.4 | 13.0 | 11.6 | 9.5 | 10.2 | 9.4 | 8.6 | 9.1 | 9.6 | 8.6 | 9.1 |
| 28 | 13.9 | 12.4 | 12.9 | 11.2 | 9.8 | 10.4 | 9.0 | 8.1 | 8.7 | 9.5 | 7.9 | 8.6 |
| 29 | --- | --- | --- | 10.8 | 9.8 | 10.3 | 8.6 | 6.7 | 8.0 | 10.1 | 8.1 | 8.7 |
| 30 | --- | --- | --- | 11.8 | 10.0 | 10.7 | 8.2 | 6.5 | 7.8 | 9.8 | 8.2 | 8.8 |
| 31 | --- | --- | --- | 12.1 | 11.3 | 11.6 | --- | --- | --- | 9.5 | 8.0 | 8.8 |
| MONTH | 15.4 | 11.0 | 12.9 | 13.4 | 8.5 | 10.5 | 16.5 | 6.5 | 10.9 | 12.0 | 6.7 | 8.4 |

[THIS PAGE INTENTIONALLY BLANK.]

03413200 BEAVER CREEK NEAR MONTICELLO, KY

LOCATION.--Lat 36°47'51", long 84°53'46", Wayne County, Hydrologic Unit 05130103, on left bank upstream of bridge on State Highway 200, 0.6 mi downstream from unnamed tributary, 0.8 mi northeast of Bethesda, 0.9 mi upstream from unnamed tributary, 3.8 mi southwest of Monticello, and at mile 24.0.

DRAINAGE AREA.--43.4 mi².

PERIOD OF RECORD.--October 1968 to September 1983, October 1989 to current year.

REVISED RECORDS.--WDR-98-1: Peak discharges and annual maximum.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 804.72 ft above NGVD of 1929.

REMARKS.--Records good except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Army Corps of Engineers, Nashville District.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of 1946 reached a stage of 10.8 ft from information by local residents.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Feb 16 | 0100 | *2,680 | *7.91 | Aug 2 | 2300 | 1,720 | 6.16 |
| Jul 31 | 1700 | 1,560 | 5.91 | Sep 22 | 1600 | 1,640 | 6.04 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|--------|-------|-------|-------|---------|---------|---------|---------|
| 1 | 6.4 | 17 | 9.1 | 43 | 51 | 83 | 27 | 20 | 9.6 | 11 | 289 | 257 |
| 2 | 5.0 | 13 | 8.5 | 39 | 44 | 74 | 25 | 18 | 8.4 | 11 | 405 | 100 |
| 3 | 4.2 | 10 | 7.8 | 48 | 40 | 62 | 24 | 18 | 10 | 9.5 | 837 | 393 |
| 4 | 3.4 | 9.6 | 15 | 44 | 427 | 56 | 23 | 16 | 10 | 8.4 | 228 | 299 |
| 5 | 3.6 | 48 | 465 | 41 | 157 | 52 | 27 | 22 | 8.1 | 7.7 | 155 | 141 |
| 6 | 3.2 | 114 | 155 | 35 | 97 | 49 | 90 | 26 | 7.8 | 7.3 | 91 | 81 |
| 7 | 3.0 | 41 | 85 | 30 | 77 | 44 | 805 | 72 | 74 | 6.8 | 63 | 53 |
| 8 | 2.9 | 22 | 63 | e27 | 61 | 39 | 271 | 131 | 43 | 6.6 | 47 | 38 |
| 9 | 2.8 | 17 | 52 | e24 | 54 | 36 | 374 | 64 | 22 | 7.6 | 36 | 30 |
| 10 | 4.2 | 14 | 47 | e22 | 52 | 31 | 939 | 42 | 16 | 14 | 44 | 25 |
| 11 | 24 | 36 | 485 | e20 | 51 | 29 | 595 | 84 | 59 | 50 | 36 | 20 |
| 12 | 20 | 26 | 202 | e19 | 50 | 28 | 234 | 56 | 88 | 18 | 30 | 18 |
| 13 | 14 | 16 | 225 | e18 | 42 | 27 | 140 | 36 | 37 | 14 | 23 | 16 |
| 14 | 11 | 12 | 465 | e17 | 82 | 25 | 99 | 28 | 27 | 14 | 19 | 14 |
| 15 | 7.7 | 27 | 195 | e16 | 1,020 | 24 | 75 | 25 | 168 | 9.6 | 16 | 13 |
| 16 | 7.1 | 143 | 115 | e15 | e2,200 | 23 | 61 | 22 | 91 | 8.2 | 15 | 12 |
| 17 | 6.3 | 74 | 78 | e14 | 718 | 22 | 145 | 50 | 62 | 7.2 | 14 | 10 |
| 18 | 5.2 | 47 | 59 | e13 | 254 | 21 | 220 | 49 | 69 | 6.6 | 13 | 9.6 |
| 19 | 4.6 | 35 | 53 | e13 | 152 | 27 | 113 | 34 | 196 | 6.3 | 11 | 8.7 |
| 20 | 4.3 | 30 | 228 | e12 | 164 | 44 | 82 | 26 | 91 | 6.0 | 10 | 8.0 |
| 21 | 4.1 | 27 | 117 | e17 | 135 | 36 | 74 | 26 | 56 | 6.2 | 9.5 | 7.6 |
| 22 | 3.8 | 23 | 82 | e15 | 803 | 25 | 63 | 26 | 38 | 6.6 | 8.2 | 657 |
| 23 | 3.4 | 19 | 61 | e14 | 413 | 23 | 52 | 23 | 28 | 6.7 | 7.4 | 297 |
| 24 | 3.3 | 17 | 104 | e12 | 233 | 21 | 45 | 20 | 23 | 6.9 | 7.2 | 109 |
| 25 | 3.4 | 15 | 184 | e11 | 159 | 20 | 40 | 17 | 18 | 5.7 | 6.6 | 62 |
| 26 | 3.9 | 14 | 110 | e10 | 123 | 20 | 35 | 16 | 16 | 4.9 | 6.2 | 44 |
| 27 | 4.1 | 13 | 83 | e9.6 | 106 | 19 | 29 | 14 | 15 | 4.6 | 5.9 | 34 |
| 28 | 4.4 | 11 | 67 | e9.4 | 99 | 19 | 26 | 13 | 14 | 4.9 | 5.6 | 28 |
| 29 | 4.5 | 10 | 56 | 94 | --- | 35 | 23 | 13 | 12 | 151 | 5.3 | 21 |
| 30 | 5.6 | 10 | 47 | 95 | --- | 42 | 21 | 12 | 11 | 62 | 5.5 | 18 |
| 31 | 2.6 | --- | 41 | 60 | --- | 29 | --- | 11 | --- | 624 | 98 | --- |
| TOTAL | 300.3 | 910.6 | 3,964.4 | 857.0 | 7,864 | 1,085 | 4,777 | 1,030 | 1,327.9 | 1,113.3 | 2,547.4 | 2,823.9 |
| MEAN | 9.69 | 30.4 | 128 | 27.6 | 281 | 35.0 | 159 | 33.2 | 44.3 | 35.9 | 82.2 | 94.1 |
| MAX | 56 | 143 | 485 | 95 | 2,200 | 83 | 939 | 131 | 196 | 624 | 837 | 657 |
| MIN | 2.8 | 9.6 | 7.8 | 9.4 | 40 | 19 | 21 | 11 | 7.8 | 4.6 | 5.3 | 7.6 |
| CFSM | 0.22 | 0.70 | 2.95 | 0.64 | 6.47 | 0.81 | 3.67 | 0.77 | 1.02 | 0.83 | 1.89 | 2.17 |
| IN. | 0.26 | 0.78 | 3.40 | 0.73 | 6.74 | 0.93 | 4.09 | 0.88 | 1.14 | 0.95 | 2.18 | 2.42 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1990 - 2003, BY WATER YEAR (WY)

| MEAN | 17.2 | 23.6 | 76.5 | 90.4 | 117 | 123 | 82.7 | 45.2 | 37.9 | 12.4 | 13.0 | 12.3 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MAX | 164 | 78.6 | 306 | 155 | 281 | 299 | 242 | 114 | 151 | 37.5 | 82.2 | 94.1 |
| (WY) | (1990) | (1997) | (1991) | (1994) | (2003) | (1997) | (1998) | (1995) | (1998) | (2001) | (2003) | (2003) |
| MIN | 1.49 | 2.08 | 8.31 | 26.7 | 42.4 | 35.0 | 21.4 | 11.0 | 7.98 | 3.89 | 1.91 | 1.77 |
| (WY) | (2000) | (2001) | (1998) | (2000) | (2002) | (2003) | (1995) | (2001) | (1991) | (1990) | (1990) | (2000) |

03413200 BEAVER CREEK NEAR MONTICELLO, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1990 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 21,310.7 | | 28,600.8 | | 53.9 | |
| ANNUAL MEAN | 58.4 | | 78.4 | | 78.4 | |
| HIGHEST ANNUAL MEAN | | | | | 24.7 | 2003 |
| LOWEST ANNUAL MEAN | | | | | 24.7 | 2000 |
| HIGHEST DAILY MEAN | 1,830 | Mar 18 | 2,200 | Feb 16 | 2,200 | Feb 16, 2003 |
| LOWEST DAILY MEAN | 1.5 | Aug 9 | 2.8 | Oct 9 | 1.2 | Sep 6, 1995 |
| ANNUAL SEVEN-DAY MINIMUM | 1.5 | Aug 9 | 3.3 | Oct 3 | 1.2 | Oct 23, 1999 |
| MAXIMUM PEAK FLOW | | | 2,680 | Feb 16 | 3,180 | Mar 18, 2002 |
| MAXIMUM PEAK STAGE | | | 7.91 | Feb 16 | 8.79 | Mar 18, 2002 |
| INSTANTANEOUS LOW FLOW | | | | | 0.50 | Oct 2, 1968 |
| ANNUAL RUNOFF (CFSM) | 1.35 | | 1.81 | | 1.24 | |
| ANNUAL RUNOFF (INCHES) | 18.27 | | 24.51 | | 16.89 | |
| 10 PERCENT EXCEEDS | 119 | | 161 | | 119 | |
| 50 PERCENT EXCEEDS | 18 | | 26 | | 17 | |
| 90 PERCENT EXCEEDS | 2.1 | | 6.6 | | 2.3 | |

e Estimated



CUMBERLAND RIVER BASIN

03438000 LITTLE RIVER NEAR CADIZ, KY

LOCATION.--Lat 36°46'40", long 87°43'18", Trigg County, Hydrologic Unit 05130205, on right bank at upstream side of bridge on State Highway 1253, 50 ft downstream from Casey Creek, 8.8 mi southeast of Cadiz, and at mile 34.3.

DRAINAGE AREA.--244 mi², of which about 94 mi² does not contribute directly to surface runoff.

WATER DISCHARGE RECORDS

PERIOD OF RECORD.--February 1940 to current year.

REVISED RECORDS.--WSP 1173: 1942-43, 1946(M), 1949. WSP 1306: 1940(M). WSP 1626: Drainage area.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 391.45 ft above NGVD of 1929. Prior to July 31, 1945, nonrecording gage at same site and datum.

REMARKS.--Records good except for those estimated, which are fair.

COOPERATION.--U.S. Army Corps of Engineer, Nashville District and Kentucky Natural Resources and Environmental Protection Cabinet.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 3,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Oct 11 | 1000 | 3,990 | 11.53 | Feb 23 | 0300 | 5,260 | 13.50 |
| Dec 19 | 2030 | *7,030 | *15.72 | May 5 | 0400 | 4,410 | 12.19 |
| Jan 1 | 1800 | 3,590 | 10.89 | May 7 | 0430 | 6,290 | 14.86 |
| Feb 15 | 1430 | 4,310 | 12.02 | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|-------|
| 1 | 711 | 359 | 150 | 2,930 | 213 | 988 | 437 | 904 | 216 | 154 | 565 | 296 |
| 2 | 594 | 323 | 143 | 2,090 | 213 | 893 | 392 | 770 | 209 | 149 | 514 | 372 |
| 3 | 514 | 296 | 138 | 1,420 | 209 | 797 | e347 | 689 | 205 | 131 | 1,790 | 1,580 |
| 4 | 452 | 278 | 141 | 1,130 | 215 | 724 | e316 | 591 | 200 | 124 | 724 | 755 |
| 5 | 437 | 325 | 167 | 964 | 245 | 673 | e390 | 2,450 | 188 | 117 | 593 | 548 |
| 6 | 384 | 816 | 234 | 825 | 225 | 633 | e1,300 | 1,320 | 178 | 111 | 538 | 440 |
| 7 | 344 | 651 | 227 | 713 | 211 | 558 | e1,400 | 5,170 | 172 | 105 | 364 | 372 |
| 8 | 318 | 532 | 214 | 648 | 200 | 527 | 929 | 3,470 | 164 | 99 | 285 | 325 |
| 9 | 291 | 465 | 239 | 597 | 189 | 492 | 710 | 1,850 | 154 | 95 | 234 | 288 |
| 10 | 1,090 | 426 | 310 | 538 | 184 | 453 | 1,580 | 1,340 | 168 | 103 | 204 | 260 |
| 11 | 3,250 | 489 | 732 | 480 | 185 | 426 | 1,310 | 1,080 | 1,280 | 110 | 180 | 236 |
| 12 | 1,760 | 466 | 817 | 432 | 202 | 405 | e900 | 910 | 2,570 | 97 | 163 | 217 |
| 13 | 1,180 | 384 | 786 | 399 | 217 | 387 | e770 | 770 | 1,180 | 87 | 147 | 203 |
| 14 | 870 | 348 | 1,330 | 375 | 775 | 367 | e640 | 675 | 734 | 96 | 133 | 189 |
| 15 | 720 | 338 | 989 | 348 | 3,710 | 350 | e510 | 603 | 549 | 87 | 123 | 176 |
| 16 | 617 | 426 | 778 | 331 | 3,480 | 334 | e460 | 540 | 454 | 85 | 115 | 164 |
| 17 | 533 | 420 | 659 | 313 | 2,430 | 323 | 880 | 754 | 383 | 76 | 105 | 153 |
| 18 | 463 | 369 | 584 | 294 | 1,600 | 316 | 916 | 775 | 346 | 68 | 97 | 143 |
| 19 | 414 | 335 | 2,930 | 278 | 1,340 | 416 | 632 | 583 | 318 | 65 | 91 | 135 |
| 20 | 395 | 309 | 5,210 | 265 | 1,480 | 792 | 695 | 508 | 280 | 61 | 86 | 125 |
| 21 | 385 | 289 | 2,230 | 256 | 1,310 | 542 | 2,130 | 458 | 250 | 59 | 81 | 119 |
| 22 | 346 | 269 | 1,540 | 248 | 3,060 | 443 | 1,210 | 418 | 224 | 68 | 285 | 139 |
| 23 | 313 | 245 | 1,150 | 236 | 4,010 | 382 | 842 | 382 | 208 | 157 | 1,340 | 263 |
| 24 | 287 | 227 | 982 | 221 | 2,250 | 340 | 690 | 347 | 193 | 86 | 546 | 171 |
| 25 | 269 | 212 | 1,080 | 209 | 1,650 | 313 | 940 | 325 | 180 | 66 | 385 | 136 |
| 26 | 252 | 200 | 900 | 200 | 1,340 | 351 | 1,220 | 303 | 171 | 56 | 305 | 121 |
| 27 | 237 | 186 | 763 | 191 | 1,170 | 352 | 939 | 284 | 166 | 51 | 251 | 113 |
| 28 | 237 | 174 | 682 | 184 | 1,080 | 324 | 724 | 267 | 158 | 47 | 214 | 117 |
| 29 | 320 | 164 | 621 | 186 | --- | 504 | 610 | e250 | 149 | e46 | 186 | 101 |
| 30 | 472 | 158 | 575 | 214 | --- | 742 | 1,240 | e237 | 141 | e45 | 252 | 94 |
| 31 | 415 | --- | 923 | 224 | --- | 497 | --- | 230 | --- | e400 | 381 | --- |
| TOTAL | 18,870 | 10,479 | 28,224 | 17,739 | 33,393 | 15,644 | 26,059 | 29,253 | 11,788 | 3,101 | 11,277 | 8,351 |
| MEAN | 609 | 349 | 910 | 572 | 1,193 | 505 | 869 | 944 | 393 | 100 | 364 | 278 |
| MAX | 3,250 | 816 | 5,210 | 2,930 | 4,010 | 988 | 2,130 | 5,170 | 2,570 | 400 | 1,790 | 1,580 |
| MIN | 237 | 158 | 138 | 184 | 184 | 313 | 316 | 230 | 141 | 45 | 81 | 94 |
| CFSM | 2.49 | 1.43 | 3.73 | 2.35 | 4.89 | 2.07 | 3.56 | 3.87 | 1.61 | 0.41 | 1.49 | 1.14 |
| IN. | 2.88 | 1.60 | 4.30 | 2.70 | 5.09 | 2.39 | 3.97 | 4.46 | 1.80 | 0.47 | 1.72 | 1.27 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1940 - 2003, BY WATER YEAR (WY)

| | 75.9 | 214 | 469 | 553 | 690 | 759 | 551 | 440 | 227 | 145 | 95.7 | 103 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 75.9 | 214 | 469 | 553 | 690 | 759 | 551 | 440 | 227 | 145 | 95.7 | 103 |
| MAX | 609 | 1,677 | 1,985 | 2,168 | 2,130 | 3,653 | 1,924 | 1,875 | 1,498 | 790 | 381 | 925 |
| (WY) | (2003) | (1958) | (1979) | (1950) | (1989) | (1997) | (1979) | (1984) | (1998) | (1989) | (1950) | (1950) |
| MIN | 12.3 | 14.1 | 14.2 | 27.3 | 39.6 | 28.1 | 37.5 | 21.4 | 34.0 | 29.6 | 23.9 | 15.7 |
| (WY) | (1944) | (1941) | (1964) | (1963) | (1963) | (1941) | (1941) | (1941) | (1963) | (1988) | (1952) | (1941) |

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1940 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 201,226 | | 214,178 | | | |
| ANNUAL MEAN | 551 | | 587 | | 359 | |
| HIGHEST ANNUAL MEAN | | | | | 757 | 1997 |
| LOWEST ANNUAL MEAN | | | | | 58.9 | 1941 |
| HIGHEST DAILY MEAN | 7,510 | Sep 27 | 5,210 | Dec 20 | 24,300 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 31 | Sep 1 | 45 | Jul 30 | 3.6 | Oct 3, 1941 |
| ANNUAL SEVEN-DAY MINIMUM | 35 | Aug 29 | 57 | Jul 24 | 7.0 | Oct 24, 1940 |
| MAXIMUM PEAK FLOW | | | 7,030 | Dec 19 | 37,600 | Mar 1, 1997 |
| MAXIMUM PEAK STAGE | | | 15.72 | Dec 19 | 26.44 | Mar 1, 1997 |
| INSTANTANEOUS LOW FLOW | | | | | 1.0 | Oct 3, 1941 |
| ANNUAL RUNOFF (CFSM) | 2.26 | | 2.40 | | 1.47 | |
| ANNUAL RUNOFF (INCHES) | 30.68 | | 32.65 | | 19.98 | |
| 10 PERCENT EXCEEDS | 1,150 | | 1,300 | | 838 | |
| 50 PERCENT EXCEEDS | 310 | | 350 | | 141 | |
| 90 PERCENT EXCEEDS | 50 | | 120 | | 28 | |

e Estimated



CUMBERLAND RIVER BASIN

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.4 | 7.3 | 7.4 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 7.4 | 7.5 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 7.5 | 7.5 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 7.6 | 7.6 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.9 | 7.3 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 7.2 | 7.3 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.8 | 7.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 7.0 | 7.1 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 7.2 | 7.3 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | e7.6 | 7.4 | 7.3 | 7.4 |
| 11 | --- | --- | --- | --- | --- | --- | 7.5 | 7.5 | 7.5 | 7.5 | 7.4 | 7.4 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | e7.6 | 7.5 | 7.5 | 7.5 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 7.5 | 7.5 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 7.6 | 7.6 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 7.6 | 7.6 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | e7.7 | 7.6 | 7.6 | 7.6 |
| 17 | --- | --- | --- | --- | --- | --- | 7.7 | 7.5 | 7.5 | 7.6 | 7.6 | 7.6 |
| 18 | --- | --- | --- | --- | --- | --- | 7.5 | 7.4 | 7.4 | 7.6 | 7.5 | 7.5 |
| 19 | --- | --- | --- | --- | --- | --- | 7.5 | 7.4 | 7.5 | 7.6 | 7.5 | 7.5 |
| 20 | --- | --- | --- | --- | --- | --- | 7.6 | 7.5 | 7.5 | 7.6 | 7.6 | 7.6 |
| 21 | --- | --- | --- | --- | --- | --- | 7.5 | 7.3 | 7.3 | 7.7 | 7.6 | 7.7 |
| 22 | --- | --- | --- | --- | --- | --- | 7.4 | 7.3 | 7.3 | 7.8 | 7.7 | 7.7 |
| 23 | --- | --- | --- | --- | --- | --- | 7.5 | 7.4 | 7.5 | 7.8 | 7.7 | 7.8 |
| 24 | --- | --- | --- | --- | --- | --- | 7.6 | 7.5 | 7.5 | 7.8 | 7.8 | 7.8 |
| 25 | --- | --- | --- | --- | --- | --- | 7.6 | 7.3 | 7.5 | 7.8 | 7.8 | 7.8 |
| 26 | --- | --- | --- | --- | --- | --- | 7.4 | 7.3 | 7.4 | 7.9 | 7.8 | 7.8 |
| 27 | --- | --- | --- | --- | --- | --- | 7.5 | 7.4 | 7.4 | 8.0 | 7.8 | 7.9 |
| 28 | --- | --- | --- | --- | --- | --- | 7.6 | 7.4 | 7.5 | 8.0 | 7.9 | 7.9 |
| 29 | --- | --- | --- | --- | --- | --- | 7.6 | 7.5 | 7.6 | --- | --- | e7.9 |
| 30 | --- | --- | --- | --- | --- | --- | 7.6 | 7.3 | 7.4 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 7.7 | 7.3 | 7.5 | 8.0 | 6.8 | 7.6 |

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS—CONTINUED
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|-----|-----|------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | | | | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | e7.6 | 7.4 | 7.3 | 7.4 | | | |
| 2 | --- | --- | e8.0 | --- | --- | e7.8 | --- | --- | e7.6 | --- | --- | e7.4 | | | |
| 3 | 8.0 | 7.9 | 7.9 | 7.8 | 7.8 | 7.8 | 7.6 | 7.5 | 7.5 | 7.4 | 7.2 | 7.3 | | | |
| 4 | 8.0 | 7.9 | 7.9 | 7.8 | 7.7 | 7.8 | --- | --- | e7.7 | 7.4 | 7.2 | 7.3 | | | |
| 5 | 8.1 | 8.0 | 8.0 | 7.8 | 7.7 | 7.7 | --- | --- | e7.4 | 7.5 | 7.4 | 7.4 | | | |
| 6 | 8.0 | 7.9 | 8.0 | 7.8 | 7.7 | 7.7 | 7.5 | 7.4 | 7.4 | 7.6 | 7.5 | 7.6 | | | |
| 7 | 8.0 | 7.9 | 7.9 | 7.8 | 7.7 | 7.7 | 7.5 | 7.4 | 7.5 | 7.6 | 7.6 | 7.6 | | | |
| 8 | 8.0 | 7.9 | 7.9 | 7.8 | 7.7 | 7.7 | 7.8 | 7.4 | 7.6 | 7.7 | 7.6 | 7.7 | | | |
| 9 | 8.0 | 7.9 | 7.9 | 7.8 | 7.7 | 7.7 | --- | --- | e7.7 | 7.8 | 7.7 | 7.8 | | | |
| 10 | 7.9 | 7.7 | 7.8 | 7.8 | 7.7 | 7.7 | --- | --- | e7.8 | 7.8 | 7.7 | 7.8 | | | |
| 11 | 7.7 | 7.2 | 7.5 | 7.8 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.7 | 7.8 | | | |
| 12 | 7.4 | 7.2 | 7.2 | 7.8 | 7.7 | 7.7 | --- | --- | e7.8 | 7.8 | 7.7 | 7.8 | | | |
| 13 | 7.4 | 7.2 | 7.3 | 7.8 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.7 | 7.8 | | | |
| 14 | 7.5 | 7.4 | 7.4 | 7.8 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | | | |
| 15 | 7.6 | 7.5 | 7.5 | 7.8 | 7.7 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | 7.8 | | | |
| 16 | 7.6 | 7.6 | 7.6 | 7.7 | 7.6 | 7.7 | 7.8 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 | | | |
| 17 | 7.7 | 7.5 | 7.6 | 7.7 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 | 7.9 | 7.8 | 7.8 | | | |
| 18 | 7.7 | 7.6 | 7.6 | 7.7 | 7.6 | 7.6 | 7.9 | 7.8 | 7.8 | 7.9 | 7.8 | 7.9 | | | |
| 19 | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 | 7.9 | 7.8 | 7.9 | | | |
| 20 | 7.6 | 7.4 | 7.5 | 7.7 | 7.6 | 7.7 | 7.8 | 7.8 | 7.8 | 7.9 | 7.8 | 7.9 | | | |
| 21 | --- | --- | --- | 7.7 | 7.6 | 7.6 | 7.9 | 7.8 | 7.8 | 7.9 | 7.9 | 7.9 | | | |
| 22 | --- | --- | --- | 7.7 | 7.6 | 7.6 | 7.8 | 7.2 | 7.8 | 7.9 | 7.8 | 7.8 | | | |
| 23 | --- | --- | --- | 7.8 | 7.7 | 7.7 | 7.2 | 7.0 | 7.1 | 7.8 | 7.8 | 7.8 | | | |
| 24 | --- | --- | --- | 7.7 | 7.7 | 7.7 | 7.1 | 7.0 | 7.0 | 7.8 | 7.8 | 7.8 | | | |
| 25 | --- | --- | --- | 7.7 | 7.7 | 7.7 | 7.3 | 7.0 | 7.2 | 7.8 | 7.8 | 7.8 | | | |
| 26 | --- | --- | --- | 7.7 | 7.7 | 7.7 | 7.4 | 7.3 | 7.3 | 7.9 | 7.8 | 7.8 | | | |
| 27 | --- | --- | --- | 7.7 | 7.6 | 7.7 | 7.6 | 7.3 | 7.5 | 7.8 | 7.8 | 7.8 | | | |
| 28 | --- | --- | --- | --- | --- | e7.6 | 7.7 | 7.6 | 7.6 | --- | --- | e7.8 | | | |
| 29 | --- | --- | --- | --- | --- | --- | 7.7 | 7.7 | 7.7 | --- | --- | e7.8 | | | |
| 30 | --- | --- | --- | --- | --- | --- | 7.8 | 7.6 | 7.7 | --- | --- | e7.8 | | | |
| 31 | --- | --- | --- | --- | --- | e7.5 | 7.6 | 7.3 | 7.4 | --- | --- | --- | | | |
| MONTH | 8.1 | 7.2 | 7.7 | 7.8 | 7.6 | 7.7 | 7.9 | 7.0 | 7.6 | 7.9 | 7.2 | 7.7 | | | |
| YEAR | 8.1 | 6.8 | 7.6 | | | | | | | | | | | | |

e Estimated

CUMBERLAND RIVER BASIN

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.5 | 16.8 | 17.2 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.3 | 16.6 | 17.0 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.2 | 16.3 | 16.8 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.9 | 15.8 | 16.1 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.1 | 16.0 | 16.6 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.3 | 16.7 | 17.0 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 16.7 | 17.5 |
| 8 | --- | --- | --- | --- | --- | --- | 13.8 | 12.5 | 13.2 | 17.8 | 16.9 | 17.4 |
| 9 | --- | --- | --- | --- | --- | --- | 13.4 | 11.9 | 12.6 | 17.9 | 16.8 | 17.3 |
| 10 | --- | --- | --- | --- | --- | --- | 11.9 | 10.2 | 11.2 | 18.2 | 17.3 | 17.7 |
| 11 | --- | --- | --- | --- | --- | --- | 12.7 | 9.9 | 11.3 | 18.2 | 17.5 | 17.8 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | 12.5 | 17.5 | 16.6 | 17.0 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.0 | 15.9 | 16.5 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.8 | 16.3 | 16.5 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.0 | 16.2 | 16.6 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.0 | 16.4 | 16.7 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.2 | 16.6 | 16.9 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 17.2 | 17.6 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.9 | 17.3 | 17.7 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.8 | 17.0 | 17.4 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.0 | 16.4 | 16.7 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.9 | 16.0 | 16.6 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.1 | 16.1 | 16.7 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.1 | 16.3 | 16.7 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | 14.6 | 17.1 | 15.9 | 16.5 |
| 26 | --- | --- | --- | --- | --- | --- | 15.0 | 14.0 | 14.5 | 16.4 | 15.4 | 16.0 |
| 27 | --- | --- | --- | --- | --- | --- | 15.8 | 14.4 | 15.1 | 17.0 | 16.0 | 16.6 |
| 28 | --- | --- | --- | --- | --- | --- | 16.5 | 14.9 | 15.7 | 17.0 | 16.5 | 16.8 |
| 29 | --- | --- | --- | --- | --- | --- | 17.3 | 15.7 | 16.4 | --- | --- | 16.7 |
| 30 | --- | --- | --- | --- | --- | --- | 18.0 | 16.5 | 17.2 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 18.0 | 9.9 | 14.0 | 18.2 | 15.4 | 16.9 |

CUMBERLAND RIVER BASIN

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 8.0 | 8.6 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.8 | 9.0 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 8.9 | 9.2 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.7 | 9.3 | 9.5 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.7 | 8.1 | 8.9 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 8.3 | 8.6 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 7.4 | 8.3 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 7.6 | 8.3 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.7 | 8.8 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.7 | 8.9 |
| 11 | --- | --- | --- | --- | --- | --- | 10.7 | 10.0 | 10.4 | 9.1 | 8.8 | 8.9 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | 10.1 | 9.6 | 9.1 | 9.4 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 9.5 | 9.7 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | 9.6 | 9.7 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.6 | 9.7 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 9.3 | 9.8 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.2 | 9.6 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.2 | 8.6 | 8.8 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.7 | 9.0 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 9.1 | 9.2 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.3 | 9.7 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 9.7 | 9.9 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.4 | 9.7 | 10 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.4 | 9.8 | 10.1 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 10.2 | 9.6 | 9.8 |
| 26 | --- | --- | --- | --- | --- | --- | 9.4 | 9.0 | 9.2 | 10.8 | 9.9 | 10.3 |
| 27 | --- | --- | --- | --- | --- | --- | 10.4 | 9.1 | 9.9 | 10.9 | 10.0 | 10.6 |
| 28 | --- | --- | --- | --- | --- | --- | 10.3 | 9.7 | 10.0 | 10.9 | 10.0 | 10.5 |
| 29 | --- | --- | --- | --- | --- | --- | 10.2 | 9.6 | 9.9 | --- | --- | 10.3 |
| 30 | --- | --- | --- | --- | --- | --- | 9.7 | 7.1 | 8.7 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 10.7 | 7.1 | 9.7 | 10.9 | 7.4 | 9.4 |

CUMBERLAND RIVER BASIN

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

TURBIDITY, WATER, UNFILTERED, NEPHELOMETRIC TURBIDITY UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 190 | 48 | 110 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 59 | 40 | 45 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 58 | 34 | 42 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 46 | 23 | 28 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 950 | 46 | 250 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 200 | 63 | 120 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 640 | 63 | 340 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 270 | 64 | 120 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 64 | 46 | 53 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 46 | 35 | 40 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 37 | 27 | 31 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 32 | 21 | 27 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23 | 18 | 21 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19 | 14 | 16 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 14 | 11 | 13 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 12 | 9.0 | 10 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15 | 9.0 | 11 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17 | 9.0 | 11 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 14 | 9.0 | 12 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13 | 8.0 | 9.4 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11 | 9.0 | 9.9 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10 | 8.0 | 9.5 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10 | 8.0 | 9.2 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 6.0 | 7.6 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | 72 | 10 | 7.0 | 8.1 |
| 26 | --- | --- | --- | --- | --- | --- | 230 | 70 | 130 | 9.0 | 7.0 | 7.9 |
| 27 | --- | --- | --- | --- | --- | --- | 70 | 41 | 54 | 8.0 | 7.0 | 7.2 |
| 28 | --- | --- | --- | --- | --- | --- | 41 | 29 | 35 | 12 | 7.0 | 9.6 |
| 29 | --- | --- | --- | --- | --- | --- | 30 | 25 | 27 | --- | --- | 11 |
| 30 | --- | --- | --- | --- | --- | --- | 440 | 23 | 140 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 440 | 23 | 76 | 950 | 6.0 | 48 |

03438220 CUMBERLAND RIVER NEAR GRAND RIVERS, KY

WATER-QUALITY RECORDS

LOCATION.--Lat 3701'18", long 8813'16", Lyon County, Hydrologic Unit 05130205, on right bank in powerhouse at Barkley Dam, 0.7 mi upstream from bridge on U.S. Highway 62 and 641, 1.5 mi northeast of Grand Rivers, and at mile 30.6.

PERIOD OF RECORD.--Water years 1969 to 1986, September 1995 to September 1996, November 1998 to current year.

INSTRUMENTATION.--Water-quality monitor with telemetry.

REMARKS.--Flow regulated by Barkley Dam and reservoirs above station. Periods of missing record were due to instrument malfunctions. Supersaturation of oxygen may occur due to local hydraulic conditions.

COOPERATION.--U.S. Army Corps of Engineers, Nashville District.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 948 microsiemens, June 13, 1996; minimum 160 microsiemens, Dec. 6, 8, 2001.

pH: Maximum, 9.7 units, June 20, 1996; minimum, 6.0 units, Sept. 12, 1995.

WATER TEMPERATURE: Maximum, 32.4°C, July 30, 1999; minimum, 0.5°C, Feb. 6, 1995.

DISSOLVED OXYGEN: Maximum, 20.6 mg/L, Jan. 13, 2001; minimum, 1.8 mg/L, August 11, 14, 2001.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 278 microsiemens, Nov. 9, Feb. 16; minimum 156 microsiemens, Oct. 10.

pH: Maximum, 9.0 units, July 7-19; minimum, 7.2 units, Sept. 19.

WATER TEMPERATURE: Maximum, 30.3°C, Aug. 26; minimum, 1.3°C, Jan. 27.

DISSOLVED OXYGEN: Maximum, 17.4 mg/L, Jan. 20; minimum, 5.0 mg/L, Mar. 28, 29.

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 203 | 187 | 193 | 208 | 187 | 194 | 242 | 219 | 224 | 255 | 235 | 247 |
| 2 | 193 | 182 | 186 | 217 | 188 | 198 | 241 | 219 | 229 | 260 | 243 | 254 |
| 3 | 190 | 180 | 185 | 253 | 213 | 225 | 256 | 231 | 242 | 250 | 233 | 242 |
| 4 | 185 | 171 | 178 | 255 | 230 | 245 | 271 | 232 | 251 | 251 | 233 | 244 |
| 5 | 183 | 171 | 179 | 255 | 208 | 224 | 258 | 228 | 237 | 247 | 227 | 237 |
| 6 | 180 | 171 | 176 | 233 | 217 | 223 | 273 | 252 | 264 | 244 | 226 | 234 |
| 7 | 189 | 177 | 184 | 246 | 226 | 235 | 273 | 269 | 271 | 245 | 228 | 238 |
| 8 | 186 | 164 | 176 | 264 | 234 | 246 | 275 | 259 | 267 | 247 | 229 | 240 |
| 9 | 185 | 167 | 175 | 278 | 245 | 260 | 275 | 246 | 261 | 250 | 213 | 234 |
| 10 | 177 | 156 | 169 | 273 | 229 | 259 | 261 | 238 | 249 | 256 | 217 | 236 |
| 11 | 202 | 175 | 184 | 275 | 242 | 259 | 255 | 232 | 245 | 265 | 227 | 249 |
| 12 | 223 | 199 | 211 | 266 | 245 | 258 | 257 | 246 | 254 | 265 | 230 | 246 |
| 13 | 237 | 219 | 234 | 270 | 258 | 266 | 251 | 239 | 244 | 261 | 231 | 245 |
| 14 | 242 | 200 | 225 | 269 | 254 | 260 | 245 | 234 | 241 | 254 | 225 | 241 |
| 15 | 254 | 215 | 236 | 258 | 233 | 240 | 257 | 245 | 249 | 252 | 222 | 239 |
| 16 | 215 | 197 | 205 | 254 | 238 | 246 | 255 | 248 | 252 | 249 | 218 | 233 |
| 17 | 208 | 195 | 204 | 263 | 246 | 253 | 254 | 250 | 253 | 250 | 209 | 231 |
| 18 | 210 | 191 | 201 | 262 | 237 | 253 | 254 | 229 | 251 | 249 | 216 | 237 |
| 19 | 234 | 202 | 214 | 246 | 233 | 239 | 251 | 234 | 246 | 245 | 226 | 236 |
| 20 | 237 | 207 | 229 | 243 | 228 | 235 | 257 | 249 | 254 | 250 | 221 | 240 |
| 21 | 225 | 201 | 210 | 248 | 213 | 233 | 256 | 253 | 255 | 251 | 244 | 249 |
| 22 | 209 | 189 | 201 | 251 | 226 | 235 | 253 | 228 | 237 | 248 | 225 | 241 |
| 23 | 203 | 184 | 194 | 240 | 227 | 233 | 232 | 219 | 224 | 246 | 224 | 238 |
| 24 | 189 | 182 | 185 | 245 | 228 | 239 | 225 | 211 | 221 | 239 | 216 | 230 |
| 25 | 188 | 176 | 181 | 251 | 226 | 238 | 227 | 212 | 219 | 237 | 202 | 219 |
| 26 | 207 | 179 | 192 | 248 | 232 | 239 | 239 | 225 | 232 | 240 | 203 | 222 |
| 27 | 226 | 204 | 212 | 242 | 223 | 230 | 249 | 236 | 241 | 241 | 232 | 238 |
| 28 | 241 | 209 | 221 | 230 | 212 | 219 | 250 | 240 | 247 | 240 | 216 | 228 |
| 29 | 224 | 205 | 213 | 226 | 212 | 218 | 255 | 233 | 248 | 239 | 220 | 235 |
| 30 | 223 | 190 | 205 | 268 | 224 | 247 | 257 | 244 | 251 | 238 | 217 | 231 |
| 31 | 196 | 186 | 190 | --- | --- | --- | 258 | 233 | 247 | 234 | 217 | 225 |
| MONTH | 254 | 156 | 198 | 278 | 187 | 238 | 275 | 211 | 245 | 265 | 202 | 237 |

03438220 CUMBERLAND RIVER NEAR GRAND RIVERS, KY—Continued

PH, WATER, UNFILTERED, FIELD, STANDARD UNITS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 7.6 | 7.3 | 7.4 | 7.6 | 7.5 | 7.5 | 8.0 | 7.9 | 7.9 | 7.6 | 7.5 | 7.6 |
| 2 | 7.6 | 7.2 | 7.4 | 7.7 | 7.5 | 7.6 | 8.1 | 7.8 | 7.9 | 7.6 | 7.5 | 7.5 |
| 3 | 7.6 | 7.4 | 7.5 | 7.7 | 7.6 | 7.6 | 8.1 | 7.9 | 8.0 | 7.6 | 7.5 | 7.5 |
| 4 | 7.7 | 7.3 | 7.5 | 7.9 | 7.7 | 7.8 | 8.1 | 7.9 | 8.0 | 7.6 | 7.5 | 7.5 |
| 5 | 7.6 | 7.3 | 7.3 | 7.8 | 7.6 | 7.7 | 8.1 | 7.9 | 8.0 | 7.6 | 7.4 | 7.5 |
| 6 | 7.4 | 7.3 | 7.3 | 7.8 | 7.6 | 7.7 | 8.2 | 8.1 | 8.2 | 7.5 | 7.4 | 7.4 |
| 7 | 7.4 | 7.2 | 7.3 | 8.0 | 7.7 | 7.8 | 8.2 | 8.1 | 8.1 | 7.6 | 7.4 | 7.5 |
| 8 | 7.5 | 7.2 | 7.3 | 8.3 | 7.8 | 8.0 | 8.1 | 8.0 | 8.0 | 7.6 | 7.4 | 7.5 |
| 9 | 7.5 | 7.2 | 7.3 | 8.3 | 8.0 | 8.1 | 8.1 | 7.9 | 8.0 | 7.5 | 7.3 | 7.4 |
| 10 | 7.3 | 7.2 | 7.2 | 8.2 | 8.0 | 8.1 | 8.0 | 7.7 | 7.8 | 7.5 | 7.3 | 7.4 |
| 11 | 7.4 | 7.2 | 7.3 | 8.3 | 8.0 | 8.1 | 7.8 | 7.7 | 7.7 | 7.5 | 7.3 | 7.4 |
| 12 | 7.3 | 7.2 | 7.3 | 8.2 | 8.0 | 8.1 | 7.8 | 7.6 | 7.7 | 7.6 | 7.3 | 7.4 |
| 13 | 7.5 | 7.3 | 7.4 | 8.2 | 8.0 | 8.1 | 7.7 | 7.6 | 7.7 | 7.6 | 7.4 | 7.4 |
| 14 | 7.5 | 7.3 | 7.4 | 8.2 | 8.0 | 8.1 | 7.7 | 7.6 | 7.6 | 8.4 | 7.3 | 7.9 |
| 15 | 7.5 | 7.3 | 7.4 | 8.0 | 7.9 | 7.9 | 7.7 | 7.6 | 7.7 | 8.5 | 8.3 | 8.4 |
| 16 | 7.4 | 7.2 | 7.3 | 8.0 | 7.9 | 7.9 | 7.9 | 7.6 | 7.7 | 8.4 | 8.1 | 8.2 |
| 17 | 7.4 | 7.2 | 7.3 | 8.0 | 7.9 | 7.9 | 7.8 | 7.8 | 7.8 | 8.3 | 8.0 | 8.2 |
| 18 | 7.5 | 7.2 | 7.3 | 8.0 | 7.8 | 7.9 | 7.9 | 7.8 | 7.9 | 8.5 | 8.2 | 8.3 |
| 19 | 7.4 | 7.2 | 7.3 | 8.0 | 7.8 | 7.9 | 7.9 | 7.7 | 7.8 | 8.6 | 8.2 | 8.3 |
| 20 | 7.6 | 7.3 | 7.3 | 8.1 | 7.9 | 8.0 | 7.8 | 7.8 | 7.8 | 8.6 | 8.2 | 8.4 |
| 21 | 7.5 | 7.2 | 7.3 | 8.1 | 7.9 | 8.0 | 7.8 | 7.7 | 7.8 | 8.6 | 8.4 | 8.5 |
| 22 | 7.9 | 7.2 | 7.5 | 8.2 | 8.0 | 8.1 | 7.8 | 7.6 | 7.6 | 8.6 | 8.4 | 8.5 |
| 23 | 8.0 | 7.6 | 7.7 | 8.3 | 8.1 | 8.2 | 7.6 | 7.5 | 7.5 | 8.6 | 8.4 | 8.5 |
| 24 | 7.8 | 7.6 | 7.7 | 8.3 | 8.0 | 8.1 | 7.5 | 7.5 | 7.5 | 8.6 | 8.3 | 8.5 |
| 25 | 7.7 | 7.4 | 7.6 | 8.2 | 7.9 | 8.0 | 7.5 | 7.4 | 7.4 | 8.6 | 8.3 | 8.4 |
| 26 | 7.5 | 7.4 | 7.5 | 8.1 | 8.0 | 8.0 | 7.5 | 7.4 | 7.5 | 8.5 | 8.2 | 8.4 |
| 27 | 7.7 | 7.5 | 7.6 | 8.1 | 7.9 | 8.0 | 7.6 | 7.5 | 7.5 | 8.6 | 8.4 | 8.5 |
| 28 | 7.8 | 7.6 | 7.7 | 8.0 | 7.8 | 7.9 | 7.6 | 7.5 | 7.6 | 8.6 | 8.3 | 8.5 |
| 29 | 7.7 | 7.6 | 7.6 | 8.0 | 7.7 | 7.8 | 7.7 | 7.6 | 7.6 | 8.5 | 8.4 | 8.4 |
| 30 | 7.6 | 7.5 | 7.6 | 8.0 | 7.8 | 8.0 | 7.7 | 7.6 | 7.7 | 8.9 | 8.4 | 8.6 |
| 31 | 7.5 | 7.5 | 7.5 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 8.8 | 8.6 | 8.7 |
| MONTH | 8.0 | 7.2 | 7.4 | 8.3 | 7.5 | 7.9 | 8.2 | 7.4 | 7.8 | 8.9 | 7.3 | 8.0 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.8 | 8.5 | 8.7 | 7.7 | 7.6 | 7.7 | --- | --- | --- | --- | --- | --- |
| 2 | 8.9 | 8.7 | 8.8 | 7.7 | 7.6 | 7.7 | --- | --- | --- | --- | --- | 8.7 |
| 3 | 8.9 | 8.7 | 8.8 | 7.7 | 7.7 | 7.7 | --- | --- | --- | --- | --- | --- |
| 4 | 8.9 | 8.6 | 8.7 | 7.7 | 7.7 | 7.7 | --- | --- | 8.8 | --- | --- | --- |
| 5 | 8.9 | 8.7 | 8.8 | 7.8 | 7.7 | 7.7 | 8.8 | 8.7 | 8.7 | --- | --- | --- |
| 6 | 8.8 | 8.6 | 8.7 | 7.8 | 7.7 | 7.8 | 8.8 | 8.7 | 8.7 | --- | --- | --- |
| 7 | 8.8 | 8.4 | 8.5 | 7.8 | 7.8 | 7.8 | 8.7 | 8.5 | 8.6 | --- | --- | --- |
| 8 | 8.6 | 8.4 | 8.5 | 7.9 | 7.7 | 7.8 | 8.5 | 8.4 | 8.5 | --- | --- | --- |
| 9 | 8.6 | 8.4 | 8.5 | 8.0 | 7.8 | 7.8 | 8.4 | 8.3 | 8.3 | --- | --- | --- |
| 10 | 8.6 | 8.4 | 8.5 | 7.9 | 7.8 | 7.9 | 8.5 | 8.2 | 8.3 | --- | --- | --- |
| 11 | 8.7 | 8.4 | 8.5 | 8.1 | 7.9 | 8.0 | 8.5 | 8.3 | 8.4 | --- | --- | --- |
| 12 | 8.7 | 8.3 | 8.5 | 8.2 | 8.0 | 8.1 | 8.5 | 8.3 | 8.4 | --- | --- | --- |
| 13 | 8.8 | 8.4 | 8.6 | 8.3 | 8.1 | 8.2 | 8.6 | 8.3 | 8.4 | --- | --- | --- |
| 14 | 8.6 | 8.4 | 8.5 | 8.4 | 8.2 | 8.3 | 8.6 | 8.3 | 8.5 | --- | --- | --- |
| 15 | 8.5 | 8.4 | 8.5 | 8.6 | 8.3 | 8.4 | 8.6 | 8.4 | 8.5 | --- | --- | --- |
| 16 | 8.4 | 7.9 | 8.2 | 8.8 | 8.5 | 8.6 | 8.6 | 8.4 | 8.5 | --- | --- | --- |
| 17 | 7.9 | 7.6 | 7.7 | 9.0 | 8.6 | 8.8 | 8.5 | 8.3 | 8.4 | --- | --- | --- |
| 18 | 7.6 | 7.5 | 7.6 | --- | --- | 8.2 | 8.5 | 8.3 | 8.4 | --- | --- | --- |
| 19 | 7.5 | 7.5 | 7.5 | 8.7 | 8.4 | 8.6 | 8.4 | 8.2 | 8.3 | --- | --- | --- |
| 20 | 7.5 | 7.5 | 7.5 | 8.6 | 8.3 | 8.5 | 8.3 | 8.1 | 8.2 | --- | --- | --- |
| 21 | 7.6 | 7.5 | 7.5 | --- | --- | 8.0 | 8.4 | 8.1 | 8.2 | --- | --- | --- |
| 22 | 7.7 | 7.6 | 7.6 | --- | --- | --- | 8.5 | 8.2 | 8.4 | --- | --- | --- |
| 23 | 7.7 | 7.7 | 7.7 | --- | --- | --- | 8.6 | 8.3 | 8.4 | --- | --- | --- |
| 24 | 7.7 | 7.6 | 7.6 | --- | --- | 8.3 | 8.5 | 8.2 | 8.4 | --- | --- | --- |
| 25 | 7.6 | 7.6 | 7.6 | 8.4 | 8.2 | 8.3 | 8.4 | 8.1 | 8.3 | --- | --- | --- |
| 26 | 7.6 | 7.6 | 7.6 | 8.6 | 8.3 | 8.4 | 8.4 | 8.3 | 8.3 | --- | --- | --- |
| 27 | 7.6 | 7.6 | 7.6 | 8.8 | 8.4 | 8.6 | 8.6 | 8.3 | 8.4 | --- | --- | --- |
| 28 | 7.7 | 7.6 | 7.6 | 8.7 | 8.2 | 8.5 | 8.6 | 8.3 | 8.5 | --- | --- | --- |
| 29 | --- | --- | --- | 8.6 | 8.5 | 8.6 | 8.7 | 8.1 | 8.5 | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | 8.6 | --- | --- | 8.3 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 8.9 | 7.5 | 8.2 | 9.0 | 7.6 | 8.2 | 8.8 | 8.1 | 8.4 | --- | --- | 8.7 |

CUMBERLAND RIVER BASIN

03438220 CUMBERLAND RIVER NEAR GRAND RIVERS, KY—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|-----|-----|------|
| | | | | | | | | | | | | |
| 1 | 23.8 | 23.5 | 23.7 | 15.6 | 15.0 | 15.3 | 9.0 | 8.2 | 8.7 | 8.2 | 8.0 | 8.1 |
| 2 | 24.2 | 23.4 | 23.8 | 15.1 | 14.1 | 14.5 | 8.6 | 8.0 | 8.3 | 8.1 | 7.9 | 8.0 |
| 3 | 24.4 | 23.8 | 24.1 | 14.5 | 13.6 | 14.0 | 8.3 | 7.4 | 8.0 | 7.9 | 6.9 | 7.5 |
| 4 | 24.4 | 23.7 | 24.0 | 14.0 | 13.2 | 13.7 | 7.8 | 5.8 | 6.8 | 7.5 | 6.6 | 7.1 |
| 5 | 23.8 | 23.4 | 23.6 | 14.1 | 13.1 | 13.7 | 7.2 | 5.4 | 6.7 | 7.5 | 7.1 | 7.3 |
| 6 | 23.6 | 22.9 | 23.2 | 13.9 | 13.0 | 13.5 | 6.1 | 5.4 | 5.8 | 7.5 | 6.8 | 7.3 |
| 7 | 22.9 | 22.3 | 22.5 | 13.4 | 12.4 | 13.1 | 6.3 | 5.6 | 6.0 | 7.3 | 6.5 | 6.9 |
| 8 | 22.5 | 21.8 | 22.1 | 13.5 | 12.4 | 13.0 | 7.0 | 6.0 | 6.5 | 7.6 | 6.8 | 7.2 |
| 9 | 21.9 | 21.7 | 21.8 | 13.9 | 13.1 | 13.4 | 7.0 | 6.4 | 6.7 | 7.8 | 7.2 | 7.5 |
| 10 | 21.7 | 20.8 | 21.3 | 14.9 | 13.9 | 14.4 | 6.8 | 6.3 | 6.7 | 7.5 | 7.1 | 7.3 |
| 11 | 21.0 | 20.5 | 20.8 | 14.9 | 14.4 | 14.6 | 6.7 | 6.2 | 6.5 | 7.1 | 6.7 | 6.9 |
| 12 | 20.5 | 20.3 | 20.4 | 14.5 | 13.7 | 14.1 | 6.4 | 6.0 | 6.2 | 6.7 | 5.7 | 6.3 |
| 13 | 20.4 | 19.7 | 20.0 | 14.3 | 13.5 | 13.9 | 6.7 | 6.2 | 6.4 | 6.3 | 5.8 | 6.1 |
| 14 | 19.7 | 19.0 | 19.4 | 14.0 | 13.6 | 13.8 | 7.2 | 6.3 | 6.8 | 6.1 | 5.7 | 6.0 |
| 15 | 19.5 | 19.1 | 19.3 | 13.9 | 13.6 | 13.7 | 7.4 | 6.8 | 7.1 | 5.8 | 4.9 | 5.5 |
| 16 | 19.2 | 18.7 | 18.9 | 13.6 | 12.1 | 12.8 | 7.6 | 7.1 | 7.3 | 5.7 | 5.0 | 5.4 |
| 17 | 18.8 | 18.2 | 18.5 | 12.4 | 11.6 | 12.0 | 8.5 | 7.6 | 8.0 | 5.2 | 4.2 | 4.9 |
| 18 | 18.4 | 17.9 | 18.2 | 11.9 | 11.3 | 11.7 | 9.2 | 8.5 | 8.9 | 4.4 | 2.8 | 3.8 |
| 19 | 18.0 | 17.2 | 17.6 | 12.3 | 11.6 | 12.0 | 9.4 | 9.1 | 9.2 | 4.1 | 3.0 | 3.7 |
| 20 | 17.3 | 16.7 | 17.0 | 12.2 | 11.6 | 11.9 | 9.3 | 8.7 | 9.0 | 4.2 | 3.4 | 3.8 |
| 21 | 17.6 | 16.9 | 17.2 | 12.3 | 11.8 | 12.0 | 8.9 | 8.2 | 8.6 | 4.2 | 3.9 | 4.0 |
| 22 | 17.9 | 16.8 | 17.4 | 11.8 | 10.6 | 11.3 | 9.1 | 8.7 | 9.0 | 4.1 | 3.5 | 3.8 |
| 23 | 17.6 | 16.9 | 17.4 | 11.2 | 10.4 | 10.8 | 9.0 | 8.7 | 8.9 | 3.7 | 2.3 | 3.1 |
| 24 | 17.4 | 17.1 | 17.3 | 11.5 | 10.8 | 11.1 | 8.9 | 8.3 | 8.6 | 2.8 | 2.2 | 2.5 |
| 25 | 17.4 | 17.0 | 17.3 | 11.2 | 10.5 | 10.9 | 8.5 | 6.9 | 7.7 | 2.7 | 2.1 | 2.4 |
| 26 | 17.4 | 16.9 | 17.1 | 10.6 | 9.9 | 10.2 | 7.4 | 6.6 | 6.9 | 2.3 | 1.8 | 2.1 |
| 27 | 16.9 | 16.2 | 16.5 | 10.3 | 9.5 | 9.9 | 7.0 | 6.5 | 6.8 | 1.8 | 1.3 | 1.6 |
| 28 | 16.4 | 15.6 | 16.1 | 9.9 | 9.4 | 9.7 | 7.1 | 6.6 | 6.8 | 2.5 | 1.5 | 2.0 |
| 29 | 16.5 | 15.9 | 16.3 | 9.7 | 9.3 | 9.5 | 7.5 | 6.7 | 7.1 | 3.0 | 2.5 | 2.8 |
| 30 | 16.3 | 15.8 | 16.0 | 9.5 | 8.8 | 9.1 | 8.1 | 7.4 | 7.8 | 3.2 | 2.6 | 2.9 |
| 31 | 15.9 | 15.5 | 15.7 | --- | --- | --- | 8.3 | 8.0 | 8.2 | 3.2 | 2.8 | 3.0 |
| MONTH | 24.4 | 15.5 | 19.5 | 15.6 | 8.8 | 12.5 | 9.4 | 5.4 | 7.5 | 8.2 | 1.3 | 5.1 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.0 | 3.1 | 3.7 | 6.7 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 2 | 4.8 | 3.8 | 4.2 | 6.8 | 6.6 | 6.7 | --- | --- | --- | --- | --- | 19.4 |
| 3 | 5.8 | 4.7 | 5.2 | 7.2 | 6.3 | 6.7 | --- | --- | --- | --- | --- | --- |
| 4 | 5.4 | 5.0 | 5.2 | 7.6 | 6.7 | 7.1 | --- | --- | 15.4 | --- | --- | --- |
| 5 | 5.4 | 4.7 | 5.1 | 7.6 | 7.4 | 7.5 | 15.5 | 15.0 | 15.2 | --- | --- | --- |
| 6 | 5.3 | 4.9 | 5.2 | 7.5 | 7.0 | 7.3 | 15.2 | 14.2 | 14.8 | --- | --- | --- |
| 7 | 5.0 | 4.3 | 4.8 | 7.9 | 6.7 | 7.3 | 14.6 | 13.9 | 14.2 | --- | --- | --- |
| 8 | 4.8 | 3.7 | 4.3 | 8.7 | 7.4 | 8.0 | 14.8 | 14.6 | 14.7 | --- | --- | --- |
| 9 | 4.6 | 4.0 | 4.3 | 8.5 | 8.0 | 8.3 | 14.6 | 13.4 | 13.9 | --- | --- | --- |
| 10 | 4.5 | 4.0 | 4.3 | 8.2 | 7.3 | 7.8 | 13.6 | 12.8 | 13.2 | --- | --- | --- |
| 11 | 5.1 | 4.1 | 4.6 | 8.5 | 7.5 | 8.0 | 14.1 | 13.4 | 13.7 | --- | --- | --- |
| 12 | 5.4 | 4.5 | 4.9 | 8.9 | 8.1 | 8.5 | 14.5 | 13.6 | 14.0 | --- | --- | --- |
| 13 | 5.7 | 4.7 | 5.2 | 9.6 | 8.8 | 9.2 | 15.4 | 13.9 | 14.6 | --- | --- | --- |
| 14 | 6.0 | 5.4 | 5.7 | 9.8 | 9.2 | 9.5 | 15.9 | 14.7 | 15.2 | --- | --- | --- |
| 15 | 6.8 | 6.0 | 6.3 | 10.4 | 9.5 | 9.9 | 16.6 | 15.5 | 16.0 | --- | --- | --- |
| 16 | 6.2 | 5.6 | 5.9 | 11.2 | 10.2 | 10.6 | 16.6 | 16.1 | 16.3 | --- | --- | --- |
| 17 | 6.4 | 5.8 | 6.1 | 11.3 | 10.8 | 11.1 | 16.3 | 16.0 | 16.1 | --- | --- | --- |
| 18 | 7.0 | 6.4 | 6.7 | --- | --- | 11.2 | 16.6 | 16.0 | 16.2 | --- | --- | --- |
| 19 | 6.8 | 6.7 | 6.8 | 13.0 | 11.4 | 12.1 | 16.8 | 16.1 | 16.5 | --- | --- | --- |
| 20 | 6.9 | 6.7 | 6.8 | 12.9 | 12.1 | 12.5 | 17.2 | 16.5 | 16.9 | --- | --- | --- |
| 21 | 7.2 | 6.8 | 7.0 | --- | --- | 12.5 | 17.1 | 16.6 | 16.9 | --- | --- | --- |
| 22 | 7.2 | 7.0 | 7.2 | --- | --- | --- | 17.0 | 16.4 | 16.7 | --- | --- | --- |
| 23 | 7.1 | 6.8 | 6.9 | --- | --- | --- | 17.4 | 16.4 | 16.9 | --- | --- | --- |
| 24 | 7.3 | 6.9 | 7.1 | --- | --- | 13.4 | 16.9 | 16.4 | 16.6 | --- | --- | --- |
| 25 | 7.0 | 6.4 | 6.7 | 14.7 | 13.2 | 14.0 | 16.8 | 16.3 | 16.6 | --- | --- | --- |
| 26 | 6.4 | 6.2 | 6.2 | 14.8 | 13.8 | 14.2 | 16.7 | 16.1 | 16.4 | --- | --- | --- |
| 27 | 6.4 | 6.2 | 6.3 | 15.0 | 14.0 | 14.6 | 17.8 | 16.4 | 17.0 | --- | --- | --- |
| 28 | 6.5 | 6.3 | 6.4 | 15.5 | 14.7 | 14.9 | 18.2 | 16.9 | 17.6 | --- | --- | --- |
| 29 | --- | --- | --- | 14.7 | 14.2 | 14.6 | 19.1 | 17.7 | 18.4 | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | 14.0 | --- | --- | 19.0 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 7.3 | 3.1 | 5.7 | 15.5 | 6.3 | 10.3 | 19.1 | 12.8 | 15.9 | --- | --- | 19.4 |

CUMBERLAND RIVER BASIN

03438220 CUMBERLAND RIVER NEAR GRAND RIVERS, KY—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | | | | | | | | | | | | |
| 1 | 6.4 | 5.8 | 6.1 | 9.7 | 8.8 | 9.2 | 10.8 | 10.2 | 10.4 | 10.8 | 10.6 | 10.7 |
| 2 | 7.1 | 6.3 | 6.6 | 9.9 | 9.1 | 9.6 | 10.9 | 10.2 | 10.5 | 11.0 | 10.8 | 10.9 |
| 3 | 7.4 | 6.2 | 6.8 | 9.9 | 9.3 | 9.6 | 11.1 | 10.2 | 10.4 | 11.2 | 10.9 | 11.0 |
| 4 | 7.6 | 6.2 | 6.8 | 10.6 | 9.3 | 9.9 | 11.2 | 10.1 | 10.7 | 11.4 | 11.1 | 11.2 |
| 5 | 7.4 | 6.0 | 6.4 | 10.4 | 9.5 | 9.9 | 11.2 | 9.9 | 10.3 | 11.6 | 11.2 | 11.4 |
| 6 | 7.8 | 6.6 | 7.2 | 10.5 | 9.4 | 9.9 | 11.6 | 10.6 | 11.0 | 11.7 | 11.5 | 11.6 |
| 7 | 7.2 | 6.3 | 7.0 | 11.2 | 9.9 | 10.5 | 11.5 | 10.6 | 10.9 | 12.0 | 11.7 | 11.8 |
| 8 | 8.0 | 6.6 | 7.3 | 11.0 | 9.8 | 10.4 | 10.9 | 10.2 | 10.6 | 12.2 | 11.9 | 12.1 |
| 9 | 8.3 | 6.9 | 7.4 | 10.3 | 9.6 | 9.9 | 11.0 | 10.0 | 10.4 | 12.4 | 12.2 | 12.3 |
| 10 | 7.3 | 6.8 | 7.0 | 10.6 | 9.6 | 10.0 | 10.6 | 9.9 | 10.2 | 12.6 | 12.3 | 12.5 |
| 11 | 7.5 | 6.8 | 7.0 | 11.2 | 9.8 | 10.2 | 10.5 | 9.7 | 10.1 | 12.9 | 12.6 | 12.7 |
| 12 | 7.3 | 6.8 | 7.1 | 10.4 | 9.9 | 10.1 | 10.5 | 9.8 | 10.1 | 13.1 | 12.8 | 12.9 |
| 13 | 8.2 | 7.0 | 7.5 | 10.6 | 9.8 | 10.1 | 10.3 | 9.8 | 10.0 | 13.3 | 13.0 | 13.1 |
| 14 | 8.6 | 7.6 | 8.1 | 10.6 | 9.7 | 10.1 | 10.2 | 9.6 | 9.9 | 14.3 | 13.0 | 13.5 |
| 15 | 8.6 | 7.5 | 8.0 | 10.6 | 10.2 | 10.4 | 10.2 | 9.6 | 9.9 | 15.2 | 13.4 | 14.1 |
| 16 | 8.5 | 7.5 | 8.0 | 10.9 | 10.5 | 10.6 | 9.9 | 8.9 | 9.3 | 15.2 | 13.5 | 14.2 |
| 17 | 8.7 | 7.9 | 8.2 | 11.0 | 10.5 | 10.7 | 9.0 | 8.7 | 8.9 | 16.1 | 14.2 | 15.0 |
| 18 | 8.9 | 7.9 | 8.4 | 11.0 | 10.6 | 10.8 | 9.1 | 8.8 | 9.0 | 16.8 | 15.4 | 16.0 |
| 19 | 8.7 | 8.4 | 8.5 | 11.1 | 10.7 | 10.9 | 9.1 | 8.9 | 9.0 | 17.2 | 15.1 | 15.9 |
| 20 | 9.6 | 8.3 | 8.7 | 11.4 | 10.7 | 11.0 | 9.2 | 8.9 | 9.0 | 17.4 | 15.3 | 16.2 |
| 21 | 9.6 | 8.5 | 8.9 | 11.1 | 10.7 | 10.9 | 9.3 | 9.1 | 9.2 | 17.2 | 16.3 | 16.7 |
| 22 | 9.3 | 8.0 | 8.7 | 11.0 | 10.5 | 10.8 | 9.2 | 8.9 | 9.1 | 16.7 | 15.9 | 16.3 |
| 23 | 9.3 | 7.9 | 8.3 | 11.4 | 10.5 | 10.9 | 9.1 | 8.9 | 9.0 | 16.6 | 15.9 | 16.1 |
| 24 | 9.0 | 8.0 | 8.3 | 11.8 | 10.4 | 11.0 | 9.3 | 8.9 | 9.1 | 17.0 | 15.9 | 16.5 |
| 25 | 8.9 | 8.0 | 8.5 | 11.8 | 10.7 | 11.2 | 9.4 | 9.2 | 9.3 | 16.9 | 15.8 | 16.2 |
| 26 | 8.9 | 8.6 | 8.8 | 11.4 | 10.8 | 11.0 | 9.5 | 9.3 | 9.4 | 16.2 | 15.6 | 15.9 |
| 27 | 9.3 | 8.7 | 9.0 | 11.3 | 10.5 | 10.8 | 9.7 | 9.4 | 9.6 | 16.3 | 15.6 | 16.0 |
| 28 | 9.8 | 8.8 | 9.2 | 11.0 | 10.2 | 10.5 | 10.1 | 9.7 | 9.9 | 16.2 | 15.6 | 15.9 |
| 29 | 10.1 | 8.7 | 8.9 | 10.8 | 10.2 | 10.4 | 10.3 | 10.0 | 10.1 | 16.2 | 15.8 | 16.0 |
| 30 | 9.0 | 8.6 | 8.8 | 11.0 | 10.3 | 10.6 | 10.5 | 10.2 | 10.4 | 16.6 | 14.8 | 15.9 |
| 31 | 9.2 | 8.6 | 8.8 | --- | --- | --- | 10.7 | 10.5 | 10.6 | 15.8 | 14.4 | 15.0 |
| MONTH | 10.1 | 5.8 | 7.9 | 11.8 | 8.8 | 10.4 | 11.6 | 8.7 | 9.9 | 17.4 | 10.6 | 14.1 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 15.6 | 14.3 | 14.8 | 14.7 | 14.6 | 14.7 | --- | --- | --- | --- | --- | --- |
| 2 | 16.0 | 15.0 | 15.4 | 14.7 | 14.5 | 14.6 | --- | --- | --- | --- | --- | --- |
| 3 | 15.5 | 14.2 | 14.8 | 14.8 | 14.7 | 14.7 | --- | --- | --- | --- | --- | --- |
| 4 | 14.2 | 13.3 | 13.6 | 14.8 | 14.6 | 14.7 | --- | --- | 10.3 | --- | --- | --- |
| 5 | 14.8 | 13.4 | 14.0 | 14.8 | 14.6 | 14.7 | 10.0 | 9.3 | 9.5 | --- | --- | --- |
| 6 | 14.1 | 13.3 | 13.7 | 14.7 | 12.9 | 13.6 | 9.5 | 9.3 | 9.4 | --- | --- | --- |
| 7 | 14.0 | 12.8 | 13.2 | 13.4 | 13.0 | 13.2 | 9.4 | 9.0 | 9.3 | --- | --- | --- |
| 8 | 13.8 | 12.8 | 13.2 | 13.3 | 13.0 | 13.2 | 9.7 | 9.0 | 9.3 | --- | --- | --- |
| 9 | 13.8 | 12.8 | 13.2 | 13.3 | 12.9 | 13.1 | 9.8 | 9.3 | 9.5 | --- | --- | --- |
| 10 | 13.8 | 12.8 | 13.2 | 13.4 | 13.0 | 13.2 | 10.8 | 9.7 | 10.1 | --- | --- | --- |
| 11 | 13.7 | 12.7 | 13.1 | 13.7 | 13.1 | 13.4 | 10.8 | 10.1 | 10.5 | --- | --- | --- |
| 12 | 14.0 | 12.6 | 13.1 | 13.9 | 13.3 | 13.5 | 11.3 | 10.3 | 10.8 | --- | --- | --- |
| 13 | 14.3 | 12.7 | 13.4 | 13.6 | 13.3 | 13.4 | 11.9 | 10.5 | 11.2 | --- | --- | --- |
| 14 | 13.6 | 12.8 | 13.2 | 13.7 | 13.0 | 13.3 | 12.0 | 10.8 | 11.4 | --- | --- | --- |
| 15 | 13.6 | 12.9 | 13.3 | 13.9 | 13.1 | 13.5 | 12.0 | 11.2 | 11.5 | --- | --- | --- |
| 16 | 13.4 | 12.5 | 13.1 | 14.2 | 13.5 | 13.8 | 11.4 | 10.4 | 11.0 | --- | --- | --- |
| 17 | 12.6 | 12.0 | 12.2 | 14.6 | 13.5 | 14.1 | 11.1 | 9.9 | 10.3 | --- | --- | --- |
| 18 | 12.0 | 11.9 | 11.9 | --- | --- | 14.1 | 10.7 | 9.8 | 10.2 | --- | --- | --- |
| 19 | 11.9 | 11.8 | 11.9 | 13.0 | 10.3 | 11.1 | 10.4 | 9.8 | 10.1 | --- | --- | --- |
| 20 | 12.0 | 11.9 | 12.0 | 10.8 | 9.8 | 10.2 | 10.2 | 9.4 | 9.8 | --- | --- | --- |
| 21 | 14.0 | 11.9 | 12.3 | --- | --- | 9.6 | 11.9 | 9.4 | 9.9 | --- | --- | --- |
| 22 | 14.2 | 14.0 | 14.1 | --- | --- | --- | 11.3 | 9.9 | 10.2 | --- | --- | --- |
| 23 | 14.3 | 14.2 | 14.2 | --- | --- | --- | 11.4 | 9.9 | 10.3 | --- | --- | --- |
| 24 | 14.2 | 14.1 | 14.2 | --- | --- | 11.9 | 11.1 | 9.9 | 10.3 | --- | --- | --- |
| 25 | 14.4 | 14.2 | 14.3 | 11.6 | 9.2 | 10.6 | 11.6 | 10.0 | 10.4 | --- | --- | --- |
| 26 | 14.5 | 14.4 | 14.4 | 10.0 | 7.4 | 8.4 | 10.6 | 10.2 | 10.3 | --- | --- | --- |
| 27 | 14.4 | 14.4 | 14.4 | 7.6 | 5.9 | 6.7 | 10.9 | 10.2 | 10.4 | --- | --- | --- |
| 28 | 14.8 | 14.4 | 14.5 | 5.9 | 5.0 | 5.4 | 10.7 | 10.3 | 10.5 | --- | --- | --- |
| 29 | --- | --- | --- | 5.4 | 5.0 | 5.2 | 10.9 | 10.4 | 10.6 | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 16.0 | 11.8 | 13.5 | 14.8 | 5.0 | 12.1 | 12.0 | 9.0 | 10.3 | --- | --- | --- |

03438500 CUMBERLAND RIVER AT SMITHLAND, KY

(National stream-quality accounting network station)

WATER-QUALITY RECORDS

LOCATION.--Lat 37°08' 55", long 88°23' 57", Livingston County, Hydrologic Unit 05130205, 1.0 mi (1.6 km) downstream from McCormick Creek, 27.8 mi (44.7 km) downstream from gaging station near Grand Rivers, and at mile 2.8 (4.5 km).

PERIOD OF RECORD.--Water years 1950-65, 1968-1980, 2002 to current water year.

PERIOD OF DAILY RECORD.--

WATER TEMPERATURES.--October 1949 to July 1966, July 1967 to August 1980.

REMARKS.--Records of daily discharge are published for gaging station near Grand Rivers (station 03438220). Flow is completely regulated. Barkley-Kentucky Canal (station 03438190) diverts waters from or to Kentucky Lake in the Tennessee River Basin.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Turbidity, wat unflab, Hach 2100AN NTU (99872) | UV absorbance, 254 nm, wat flt units /cm (50624) | UV absorbance, 280 nm, wat flt units /cm (61726) | Dissolved oxygen, percent of saturation (00300) | pH, water, unfltrd field, std units (00400) | Specific conductance, wat unfl uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Hardness, water, unfltrd mg/L as CaCO3 (00900) | |
|-----------|------|---------------|--------------------------------------|--|--|--|---|---|--|-----------------------------------|--|-----|
| DEC 11... | 1350 | Environmental | 22,500 | 7.4 | 0.055 | 0.041 | 8.9 | 74 | 8.0 | 150 | 7.0 | 100 |
| DEC 11... | 1358 | Field Blank | -- | -- | <0.004 | <0.004 | -- | -- | -- | -- | -- | -- |
| FEB 26... | 1400 | Environmental | 98,500 | 71 | 0.063 | 0.048 | 13.7 | 110 | 7.7 | 205 | 6.0 | 99 |
| FEB 26... | 1410 | Replicate | -- | 68 | 0.062 | 0.047 | -- | -- | -- | -- | -- | 98 |
| MAR 27... | 1110 | Environmental | 34,900 | 14 | 0.047 | 0.036 | 12.2 | 121 | 8.7 | 200 | 14.5 | 90 |
| MAY 07... | 1230 | Environmental | 83,500 | 32 | 0.051 | 0.038 | 11.5 | 125 | 8.5 | 210 | 19.0 | 94 |
| MAY 07... | 1238 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUN 26... | 1300 | Environmental | 58,400 | E12 | 0.070 | 0.052 | 7.1 | 93 | 7.6 | 199 | 29.5 | 91 |
| JUN 26... | 1310 | Other QA | -- | -- | 0.071 | 0.052 | -- | -- | -- | -- | -- | 91 |
| SEP 10... | 1240 | Environmental | 41,200 | 19 | 0.043 | 0.027 | 7.5 | 97 | 7.9 | 171 | 28.9 | 69 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Calcium water, fltrd, mg/L (00915) | Magnesium, water, fltrd, mg/L (00925) | Potassium, water, fltrd, mg/L (00935) | Sodium, water, fltrd, mg/L (00930) | Alkalinity, wat flt inc tit field, mg/L as CaCO3 (39086) | Bicarbonate, wat flt incrm. titr., field, mg/L (00453) | Chloride, water, fltrd, mg/L (00940) | Fluoride, water, fltrd, mg/L (00950) | Silica, water, fltrd, mg/L (00955) | Sulfate water, fltrd, mg/L (00945) | Residue on evap. at 180degC wat flt mg/L (70300) | Ammonia + org-N, water, fltrd, mg/L as N (00623) | Ammonia + org-N, water, unfltrd mg/L as N (00625) |
|-----------|------------------------------------|---------------------------------------|---------------------------------------|------------------------------------|--|--|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|--|--|---|
| DEC 11... | 33.0 | 5.13 | 1.67 | 6.18 | 85 | 104 | 6.08 | <0.17 | 4.43 | 17.2 | 135 | 0.18 | 0.28 |
| DEC 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 26... | 32.6 | 4.14 | 1.51 | 2.98 | 82 | -- | 5.19 | 0.08 | 4.59 | 15.4 | 123 | 0.15 | 0.46 |
| FEB 26... | 32.4 | 4.12 | 1.33 | 2.96 | -- | -- | 5.37 | 0.09 | 4.56 | 15.4 | 124 | 0.14 | 0.46 |
| MAR 27... | 27.6 | 4.99 | 1.40 | 4.96 | 66 | 77 | 5.74 | 0.08 | 2.15 | 20.7 | 115 | 0.13 | 0.37 |
| MAY 07... | 28.9 | 5.13 | 1.52 | 4.03 | 74 | 90 | 4.87 | <0.17 | 0.90 | 21.7 | 122 | 0.10 | 0.53 |
| MAY 07... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUN 26... | 29.5 | 4.09 | 1.94 | 3.78 | 77 | 94 | 5.22 | <0.2 | 3.60 | 13.4 | 112 | E.28 | E.74 |
| JUN 26... | 29.7 | 4.12 | 1.93 | 3.79 | -- | -- | 5.25 | <0.2 | 3.65 | 13.6 | 107 | E.28 | E.42 |
| SEP 10... | 19.9 | 4.74 | 1.70 | 5.33 | 53 | 65 | 6.33 | <0.2 | 5.07 | 15.6 | 104 | 0.16 | 0.49 |

03438500 CUMBERLAND RIVER AT SMITHLAND, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) | Nitrite water, fltrd, mg/L as N (00613) | Ortho- phos- phate, water, fltrd, mg/L as P (00671) | Partic- ulate nitro- gen, susp, water, mg/L (49570) | Phos- phorus, water, fltrd, mg/L (00666) | Phos- phorus, water, unfltrd mg/L (00665) | Total carbon, suspnd sedimnt total, mg/L (00694) | Inor- ganic carbon, suspnd sedimnt total, mg/L (00688) | Organic carbon, suspnd sedimnt total, mg/L (00689) | Organic carbon, water, fltrd, mg/L (00681) | Pheo- phytin a, phyto- plank- ton, ug/L (62360) | Chloro- phyll a phyto- plank- ton, fluoro, ug/L (70953) |
|-----------------------|--|---|--|--|--|---|--|--|---|--|---|--|--|
| DEC 11... 11... | <0.04 -- | 0.63 -- | <0.008 -- | 0.034 -- | 0.13 <0.02 | 0.043 -- | 0.099 -- | 0.7 <0.1 | <0.1 <0.1 | 0.7 <0.1 | 2.1 <0.3 | 6.7 -- | 8.9 -- |
| FEB 26... 26... | E.03 E.04 | 0.92 0.93 | <0.008 <0.008 | 0.035 0.036 | 0.28 0.29 | 0.043 0.042 | 0.23 0.23 | 2.2 2.1 | <0.1 <0.1 | 2.2 2.1 | 2.2 2.2 | 8.8 6.1 | 5.2 4.0 |
| MAR 27... | <0.04 | 0.51 | E.006 | <0.007 | 0.29 | 0.005 | 0.058 | 1.5 | <0.1 | 1.5 | 1.8 | 10.2 | 26.2 |
| MAY 07... 07... | <0.04 -- | 0.41 -- | E.006 -- | <0.007 -- | 0.32 -- | 0.007 -- | 0.107 -- | 1.7 -- | <0.1 -- | 1.7 -- | 1.9 -- | 21.6 -- | 12.5 -- |
| JUN 26... 26... | E.07 E.06 | E.31 E.31 | E.015 E.016 | E.008 E.008 | 0.25 0.22 | E.021 E.021 | E.088 E.075 | 1.4 1.3 | <0.1 <0.1 | 1.4 1.3 | 2.4 2.5 | 15.2 -- | 15.9 -- |
| SEP 10... | <0.04 | 0.15 | <0.008 | 0.031 | 0.29 | 0.042 | 0.113 | 1.6 | <0.1 | 1.6 | 2.3 | 13.6 | 26.2 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Alum- inum, water, fltrd, ug/L (01106) | Anti- mony, water, fltrd, ug/L (01095) | Arsenic water, fltrd, ug/L (01000) | Barium, water, fltrd, ug/L (01005) | Beryll- ium, water, fltrd, ug/L (01010) | Boron, water, fltrd, ug/L (01020) | Cadmium water, fltrd, ug/L (01025) | Chrom- ium, water, fltrd, ug/L (01030) | Cobalt water, fltrd, ug/L (01035) | Copper, water, fltrd, ug/L (01040) | Iron, water, fltrd, ug/L (01046) | Lead, water, fltrd, ug/L (01049) | Lithium water, fltrd, ug/L (01130) |
|-----------------------|---|---|--|--|--|---|--|---|---|--|--|--|--|
| DEC 11... 11... | 2 -- | <0.30 -- | 0.6 -- | 23 -- | <0.06 -- | 23 -- | <0.04 -- | <0.8 -- | 0.11 -- | 0.9 -- | E7 -- | <0.08 -- | 1.1 -- |
| FEB 26... 26... | 4 4 | <0.30 <0.30 | 0.5 0.3 | 21 21 | <0.06 <0.06 | 11 16 | <0.04 <0.04 | <0.8 <0.8 | 0.15 0.14 | 0.6 0.5 | 14 13 | <0.08 <0.08 | 0.6 0.7 |
| MAR 27... | -- | -- | 0.3 | -- | -- | 17 | -- | -- | -- | -- | 10 | -- | 1.3 |
| MAY 07... 07... | 4 -- | <0.30 -- | 0.4 -- | 21 -- | <0.06 -- | 20 -- | <0.04 -- | <0.8 -- | 0.15 -- | 0.7 -- | <10 -- | <0.08 -- | 1.2 -- |
| JUN 26... 26... | 3 4 | <0.30 <0.30 | 0.7 0.7 | 22 22 | <0.06 <0.06 | 17 19 | <0.04 <0.04 | 1.0 <0.8 | 0.10 0.11 | 0.8 0.8 | E4 E4 | <0.08 E.07 | 0.7 0.7 |
| SEP 10... | -- | -- | 1.1 | -- | -- | 21 | -- | -- | -- | -- | <8 | -- | 0.9 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Mangan- ese, water, fltrd, ug/L (01056) | Molyb- denum, water, fltrd, ug/L (01060) | Nickel, water, fltrd, ug/L (01065) | Selen- ium, water, fltrd, ug/L (01145) | Silver, water, fltrd, ug/L (01075) | Stront- ium, water, fltrd, ug/L (01080) | Vanad- ium, water, fltrd, ug/L (01085) | Zinc, water, fltrd, ug/L (01090) | 2,6-Di- ethyl- aniline water fltrd 0.7u GF (82660) | CIAT, water, fltrd, ug/L (04040) | Aceto- chlor, water, fltrd, ug/L (49260) | Ala- chlor, water, fltrd, ug/L (46342) | alpha- HCH, water, fltrd, ug/L (34253) |
|-----------------------|--|---|--|---|--|--|---|--|--|--|---|---|---|
| DEC 11... 11... | 1.8 -- | 1.2 -- | 1.50 -- | <0.5 -- | <0.20 -- | 99.7 -- | 0.7 -- | 16 -- | <0.006 -- | E.021 -- | <0.006 -- | <0.004 -- | <0.005 -- |
| FEB 26... 26... | 2.9 2.8 | 0.4 0.4 | 1.86 1.89 | E.3 <0.5 | <0.20 <0.20 | 94.8 91.8 | 0.9 0.9 | M <1 | <0.006 <0.006 | E.031 E.029 | <0.006 <0.006 | <0.004 <0.004 | <0.005 <0.005 |
| MAR 27... | -- | -- | -- | <0.5 | -- | 91.0 | 1.0 | -- | <0.006 | E.030 | <0.006 | <0.004 | <0.005 |
| MAY 07... 07... | 0.4 -- | 0.5 -- | 1.09 -- | <0.5 -- | <0.20 -- | 99.2 -- | 1.0 -- | <1 -- | <0.006 <0.006 | E.067 <0.006 | 0.025 <0.006 | <0.004 <0.004 | <0.005 <0.005 |
| JUN 26... 26... | 0.3 0.3 | 0.6 0.6 | 1.26 1.28 | E.3 E.3 | <0.20 <0.20 | 86.0 86.7 | 0.8 0.8 | <1 <1 | <0.006 -- | E.053 -- | E.007 -- | <0.004 -- | <0.005 -- |
| SEP 10... | -- | -- | -- | <0.5 | -- | 80.6 | 1.2 | -- | <0.006 | E.008 | <0.006 | <0.004 | <0.005 |

03438500 CUMBERLAND RIVER AT SMITHLAND, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Atrazine, water, fltrd, ug/L (39632) | Azin-phos-methyl, water, fltrd, 0.7u GF ug/L (82686) | Ben-fluralin, water, fltrd, 0.7u GF ug/L (82673) | Butyl-ate, water, fltrd, ug/L (04028) | Car-baryl, water, fltrd, 0.7u GF ug/L (82680) | Carbo-furan, water, fltrd, 0.7u GF ug/L (82674) | Chlor-pyri-fos water, fltrd, ug/L (38933) | cis-Per-methrin water fltrd, 0.7u GF ug/L (82687) | Cyana-zine, water, fltrd, 0.7u GF ug/L (04041) | DCPA, water fltrd, 0.7u GF ug/L (82682) | Diazi-non, water, fltrd, ug/L (39572) | Diel-drin, water, fltrd, ug/L (39381) | Disul-foton, water, fltrd, 0.7u GF ug/L (82677) |
|-----------|--------------------------------------|--|--|---------------------------------------|---|---|---|---|--|---|---------------------------------------|---------------------------------------|---|
| DEC 11... | 0.045 | <0.050 | <0.010 | <0.002 | E.003 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.006 | <0.005 | <0.02 |
| DEC 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 26... | 0.040 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| FEB 26... | 0.036 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| MAR 27... | 0.074 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| MAY 07... | 0.573 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| MAY 07... | <0.007 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |
| JUN 26... | E.331 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | E.009 | <0.005 | <0.02 |
| JUN 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 10... | 0.071 | <0.050 | <0.010 | <0.002 | <0.041 | <0.020 | <0.005 | <0.006 | <0.018 | <0.003 | <0.005 | <0.005 | <0.02 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd, 0.7u GF ug/L (82668) | Ethal-fluralin, water, fltrd, 0.7u GF ug/L (82663) | Etho-prop, water, fltrd, 0.7u GF ug/L (82672) | Fonofos water, fltrd, ug/L (04095) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd, 0.7u GF ug/L (82666) | Malathion, water, fltrd, ug/L (39532) | Methyl parathion, water, fltrd, 0.7u GF ug/L (82667) | Metola-chlor, water, fltrd, ug/L (39415) | Metri-buzin, water, fltrd, ug/L (82630) | Moli-nate, water, fltrd, 0.7u GF ug/L (82671) | Naprop-amide, water, fltrd, 0.7u GF ug/L (82684) | p,p'-DDE, water, fltrd, ug/L (34653) |
|-----------|--|--|---|------------------------------------|------------------------------------|---|---------------------------------------|--|--|---|---|--|--------------------------------------|
| DEC 11... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.004 | <0.006 | <0.002 | <0.007 | <0.003 |
| DEC 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 26... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.008 | <0.006 | <0.002 | <0.007 | <0.003 |
| FEB 26... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.007 | <0.006 | <0.002 | <0.007 | <0.003 |
| MAR 27... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.005 | <0.006 | <0.005 | <0.007 | <0.003 |
| MAY 07... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | 0.022 | <0.006 | <0.002 | <0.007 | <0.003 |
| MAY 07... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | <0.013 | <0.006 | <0.002 | <0.007 | <0.003 |
| JUN 26... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.028 | <0.006 | <0.002 | <0.007 | <0.003 |
| JUN 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 10... | <0.002 | <0.009 | <0.005 | <0.003 | <0.004 | <0.035 | <0.027 | <0.006 | E.011 | <0.006 | <0.002 | <0.007 | <0.003 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Parathion, water, fltrd, ug/L (39542) | Peb-ulate, water, fltrd, 0.7u GF ug/L (82669) | Pendi-meth-alin, water, fltrd, 0.7u GF ug/L (82683) | Phorate water fltrd, 0.7u GF ug/L (82664) | Prome-ton, water, fltrd, ug/L (04037) | Pron-amide, water, fltrd, 0.7u GF ug/L (82676) | Propa-chlor, water, fltrd, ug/L (04024) | Pro-pa-nil, water, fltrd, 0.7u GF ug/L (82679) | Propar-gite, water, fltrd, 0.7u GF ug/L (82685) | Simazine, water, fltrd, ug/L (04035) | Tebu-thiuron water fltrd, 0.7u GF ug/L (82670) | Terba-cil, water, fltrd, 0.7u GF ug/L (82665) | Terbu-fos, water, fltrd, 0.7u GF ug/L (82675) |
|-----------|---------------------------------------|---|---|---|---------------------------------------|--|---|--|---|--------------------------------------|--|---|---|
| DEC 11... | <0.010 | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.018 | E.01 | <0.034 | <0.02 |
| DEC 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| FEB 26... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.056 | <0.02 | <0.034 | <0.02 |
| FEB 26... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.052 | E.01 | <0.034 | <0.02 |
| MAR 27... | <0.010 | <0.004 | <0.022 | <0.011 | M | <0.004 | <0.010 | <0.011 | <0.02 | 0.029 | E.01 | <0.034 | <0.02 |
| MAY 07... | <0.010 | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.110 | <0.02 | <0.034 | <0.02 |
| MAY 07... | <0.010 | <0.004 | <0.022 | <0.011 | <0.01 | <0.004 | <0.010 | <0.011 | <0.02 | <0.005 | <0.02 | <0.034 | <0.02 |
| JUN 26... | <0.010 | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | E.034 | E.01 | <0.034 | <0.02 |
| JUN 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 10... | <0.010 | <0.004 | <0.022 | <0.011 | E.01 | <0.004 | <0.010 | <0.011 | <0.02 | 0.011 | E.01 | <0.034 | <0.02 |

03438500 CUMBERLAND RIVER AT SMITHLAND, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | Uranium natural water, fltrd, ug/L (22703) | Suspnd. sedi- ment, sieve diametr percent <.063mm (70331) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|-------|--|--|---|---|--|--|
| DEC | | | | | | |
| 11... | <0.005 | <0.002 | <0.009 | 0.25 | 52 | 20 |
| 11... | -- | -- | -- | -- | -- | -- |
| FEB | | | | | | |
| 26... | <0.005 | <0.002 | <0.009 | 0.23 | 99 | 82 |
| 26... | <0.005 | <0.002 | <0.009 | 0.25 | 99 | 91 |
| MAR | | | | | | |
| 27... | <0.005 | <0.002 | <0.009 | -- | 99 | 15 |
| MAY | | | | | | |
| 07... | <0.005 | <0.002 | <0.009 | 0.22 | 90 | 41 |
| 07... | <0.005 | <0.002 | <0.009 | -- | -- | -- |
| JUN | | | | | | |
| 26... | <0.005 | <0.002 | <0.009 | 0.18 | 89 | 24 |
| 26... | -- | -- | -- | 0.18 | -- | -- |
| SEP | | | | | | |
| 10... | <0.005 | <0.002 | <0.009 | -- | 97 | 25 |

Other QA--Grab sample at center vertical (surface only).
E--Laboratory estimated value.
M--Presence of material verified but not quantified.
<--Numeric result is less than the value shown.

03609750 TENNESSEE RIVER AT HIGHWAY 60 NEAR PADUCAH, KY

(National stream-quality accounting network)

LOCATION.--Lat 37°02'16", long 88°31'46", McCracken County, Hydrologic Unit 06040006, at auxiliary gaging station at bridge on U.S. Highway 60, 16.3 mi downstream from gaging station, 2.4 mi east of Paducah, and at mile 5.3.

DRAINAGE AREA.--40,330 mi²; 40,200 mi² at gaging station.

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1950, 1952, 1967-72, 1974-86, 1997 to current water year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--November 1973 to September 1981.

WATER TEMPERATURES.--November 1973 to September 1981.

REMARKS.--Records of daily discharge are published for gaging station near Paducah (station 03609500) 16.3 mi upstream. Flow is completely regulated. Barkley-Kentucky Canal (station 03438190) diverts water from or to Lake Barkley in the Cumberland River Basin.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Turbidity, wat unfltrd Hach 2100AN NTU (99872) | UV absorbance, 254 nm, wat flt units /cm (50624) | UV absorbance, 280 nm, wat flt units /cm (61726) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specific conductance, wat unfltrd uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Hardness, water, unfltrd mg/L as CaCO ₃ (00900) |
|-----------|------|---------------|--------------------------------------|--|--|--|--------------------------------|---|---|---|-----------------------------------|--|
| NOV 07... | 1140 | Environmental | 34,200 | 3.9 | 0.060 | 0.044 | 9.3 | 90 | 7.6 | 177 | 14.0 | 64 |
| FEB 13... | 1210 | Environmental | 65,500 | 9.0 | 0.049 | 0.037 | 14.4 | 113 | 8.3 | 196 | 5.0 | 75 |
| 13... | 1218 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAR 13... | 1240 | Environmental | 96,800 | -- | -- | -- | 14.3 | 125 | 7.7 | 135 | 9.5 | 57 |
| 13... | 1248 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 24... | 1250 | Environmental | 27,000 | 4.6 | 0.058 | 0.045 | 9.5 | 101 | 7.8 | 162 | 18.0 | 64 |
| 24... | 1300 | Replicate | -- | 6.6 | 0.055 | 0.041 | -- | -- | -- | -- | -- | 64 |
| MAY 21... | 1155 | Environmental | 67,200 | 12 | 0.076 | 0.057 | 10.8 | -- | 6.9 | 142 | -- | 57 |
| JUL 17... | 1300 | Environmental | 62,100 | 14 | 0.056 | 0.041 | 6.9 | 90 | 7.6 | 142 | 29.0 | 51 |
| 17... | 1310 | Other QA | -- | 3.9 | -- | -- | -- | -- | -- | -- | -- | 50 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Calcium water, fltrd, mg/L (00915) | Magnesium, water, fltrd, mg/L (00925) | Potassium, water, fltrd, mg/L (00935) | Sodium, water, fltrd, mg/L (00930) | Alkalinity, wat flt inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat flt incrm. titr., field, mg/L (00453) | Chloride, water, fltrd, mg/L (00940) | Fluoride, water, fltrd, mg/L (00950) | Silica, water, fltrd, mg/L (00955) | Sulfate water, fltrd, mg/L (00945) | Residue on evap. at 180degC wat flt mg/L (70300) | Ammonia + org-N, water, fltrd, mg/L as N (00623) | Ammonia + org-N, water, unfltrd mg/L as N (00625) |
|-----------|------------------------------------|---------------------------------------|---------------------------------------|------------------------------------|--|--|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|--|--|---|
| NOV 07... | 18.2 | 4.47 | 1.97 | 8.63 | 55 | 68 | 8.43 | <0.2 | 6.24 | 13.8 | 98 | 0.22 | 0.25 |
| FEB 13... | 23.5 | 4.04 | 1.49 | 7.18 | 67 | 82 | 9.17 | 0.07 | 3.45 | 14.2 | 110 | 0.14 | 0.32 |
| 13... | 0.02 | <0.008 | <0.01 | <0.09 | -- | -- | 0.04 | <0.01 | <0.13 | <0.01 | -- | -- | -- |
| MAR 13... | 18.0 | 2.92 | 1.42 | 3.87 | 48 | 59 | 4.63 | 0.07 | 4.40 | 8.9 | 79 | -- | -- |
| 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 24... | 20.1 | 3.37 | 1.48 | 5.66 | 55 | 67 | 6.28 | <0.17 | 2.38 | 10.1 | 100 | 0.21 | 0.32 |
| 24... | 20.3 | 3.35 | 1.47 | 5.49 | 55 | -- | 6.27 | <0.17 | 2.35 | 10.1 | 90 | 0.23 | 0.31 |
| MAY 21... | 17.5 | 3.11 | 1.83 | 3.36 | 50 | 61 | 4.20 | <0.2 | 3.20 | 8.6 | 88 | 0.21 | 0.30 |
| JUL 17... | 14.8 | 3.34 | 1.71 | 5.43 | 45 | 55 | 6.57 | <0.2 | 1.24 | 9.7 | 72 | 0.21 | 0.54 |
| 17... | 14.6 | 3.33 | 1.72 | 5.33 | -- | -- | 6.18 | <0.2 | 1.24 | 9.6 | 73 | 0.23 | 0.39 |

03609750 TENNESSEE RIVER AT HIGHWAY 60 NEAR PADUCAH, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water, fltrd, mg/L as N (00631) | Nitrite water, fltrd, mg/L as N (00613) | Ortho-phosphate, water, fltrd, mg/L as P (00671) | Particulate nitrogen, susp, water, mg/L (49570) | Phosphorus, water, fltrd, mg/L (00666) | Phosphorus, water, unfltrd mg/L (00665) | Total carbon, suspnd sedimnt total, mg/L (00694) | Inorganic carbon, suspnd sedimnt total, mg/L (00688) | Organic carbon, suspnd sedimnt total, mg/L (00689) | Organic carbon, water, fltrd, mg/L (00681) | Pheophytin a, phytoplankton, ug/L (62360) | Chlorophyll a phytoplankton, fluoro, ug/L (70953) |
|-----------|---|---|---|--|---|--|---|--|--|--|--|---|---|
| NOV 07... | E.03 | 0.48 | 0.028 | 0.054 | 0.04 | 0.063 | 0.079 | 0.3 | <0.1 | 0.3 | 2.7 | 2.2 | 1.6 |
| FEB 13... | <0.04 | 0.56 | E.006 | 0.013 | 0.14 | 0.016 | 0.051 | 0.8 | <0.1 | 0.8 | 1.7 | 5.2 | 11.9 |
| FEB 13... | <0.015 | <0.022 | <0.002 | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAR 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1.7 | 3.7 |
| MAR 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 24... | E.03 | 0.35 | E.006 | 0.011 | 0.08 | 0.020 | 0.035 | 0.4 | <0.1 | 0.4 | 1.9 | 3.9 | 1.6 |
| APR 24... | E.03 | 0.35 | E.006 | 0.011 | 0.10 | 0.021 | 0.038 | 0.4 | <0.1 | 0.4 | 2.0 | 3.3 | 1.1 |
| MAY 21... | E.02 | 0.42 | 0.027 | 0.036 | 0.07 | 0.047 | 0.087 | 0.4 | <0.1 | 0.4 | 2.9 | 2.5 | 1.2 |
| JUL 17... | E.04 | 0.10 | E.007 | 0.019 | 0.13 | 0.028 | 0.059 | 0.7 | <0.1 | 0.7 | 2.3 | 8.0 | 10.8 |
| JUL 17... | E.03 | 0.10 | 0.008 | 0.018 | -- | 0.026 | 0.050 | -- | -- | -- | -- | 4.7 | 6.9 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Aluminum, water, fltrd, ug/L (01106) | Antimony, water, fltrd, ug/L (01095) | Arsenic water, fltrd, ug/L (01000) | Barium, water, fltrd, ug/L (01005) | Beryllium, water, fltrd, ug/L (01010) | Boron, water, fltrd, ug/L (01020) | Cadmium water, fltrd, ug/L (01025) | Chromium, water, fltrd, ug/L (01030) | Cobalt water, fltrd, ug/L (01035) | Copper, water, fltrd, ug/L (01040) | Iron, water, fltrd, ug/L (01046) | Lead, water, fltrd, ug/L (01049) | Lithium water, fltrd, ug/L (01130) |
|-----------|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|---------------------------------------|-----------------------------------|------------------------------------|--------------------------------------|-----------------------------------|------------------------------------|----------------------------------|----------------------------------|------------------------------------|
| NOV 07... | 3 | E.22 | 0.9 | 22 | <0.06 | 29 | <0.04 | <0.8 | 0.09 | 1.2 | E6 | <0.08 | 1.5 |
| FEB 13... | 4 | <0.30 | 0.5 | 20 | <0.06 | 19 | <0.04 | <0.8 | 0.12 | 0.8 | 12 | <0.08 | 1.2 |
| FEB 13... | -- | -- | <0.3 | -- | -- | <7 | -- | -- | -- | -- | <10 | -- | <0.5 |
| MAR 13... | 6 | <0.30 | 0.3 | 18 | <0.06 | 11 | <0.04 | <0.8 | 0.09 | 0.8 | 22 | <0.08 | 0.7 |
| MAR 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 24... | 4 | <0.30 | 0.5 | 20 | <0.06 | 12 | <0.04 | <0.8 | 0.09 | 0.7 | E8 | <0.08 | 1.0 |
| APR 24... | 4 | <0.30 | 0.5 | 20 | <0.06 | 12 | <0.04 | <0.8 | 0.09 | 0.7 | E7 | <0.08 | 0.9 |
| MAY 21... | -- | -- | 0.6 | -- | -- | 19 | -- | -- | -- | -- | <10 | -- | 0.7 |
| JUL 17... | 6 | E.15 | 1.0 | 20 | <0.06 | 19 | <0.04 | <0.8 | 0.07 | 0.8 | E6 | <0.08 | 0.6 |
| JUL 17... | 5 | <0.30 | 1.0 | 20 | <0.06 | 20 | E.04 | <0.8 | 0.08 | 0.8 | E7 | <0.08 | 0.7 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Manganese, water, fltrd, ug/L (01056) | Molybdenum, water, fltrd, ug/L (01060) | Nickel, water, fltrd, ug/L (01065) | Selenium, water, fltrd, ug/L (01145) | Silver, water, fltrd, ug/L (01075) | Strontium, water, fltrd, ug/L (01080) | Vanadium, water, fltrd, ug/L (01085) | Zinc, water, fltrd, ug/L (01090) | 2,6-Diethyl-aniline water fltrd 0.7u GF (82660) | CIAT, water, fltrd, ug/L (04040) | Aceto-chlor, water, fltrd, ug/L (49260) | Ala-chlor, water, fltrd, ug/L (46342) | alpha-HCH, water, fltrd, ug/L (34253) |
|-----------|---------------------------------------|--|------------------------------------|--------------------------------------|------------------------------------|---------------------------------------|--------------------------------------|----------------------------------|---|----------------------------------|---|---------------------------------------|---------------------------------------|
| NOV 07... | 1.3 | 1.6 | 0.84 | <0.5 | <0.20 | 67.4 | 1.0 | 2 | <0.006 | E.008 | <0.006 | <0.004 | <0.005 |
| FEB 13... | 4.5 | 0.7 | 1.25 | <0.5 | <0.20 | 67.5 | 1.2 | M | <0.006 | E.008 | <0.006 | <0.004 | <0.005 |
| FEB 13... | -- | -- | -- | <0.5 | -- | <0.20 | E.1 | -- | -- | -- | -- | -- | -- |
| MAR 13... | 6.4 | 0.4 | 0.79 | <0.5 | <0.20 | 53.9 | 0.4 | 8 | -- | -- | -- | -- | -- |
| MAR 13... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 24... | 0.9 | 0.5 | 1.03 | <0.5 | <0.20 | 59.3 | 0.8 | M | <0.006 | E.010 | <0.006 | <0.004 | <0.005 |
| APR 24... | 0.8 | 0.5 | 1.06 | <0.5 | <0.20 | 59.5 | 0.8 | M | <0.006 | E.011 | <0.006 | <0.004 | <0.005 |
| MAY 21... | -- | -- | -- | <0.5 | -- | 53.7 | 0.7 | -- | <0.006 | E.021 | 0.006 | 0.005 | <0.005 |
| JUL 17... | 0.4 | 1.0 | 0.67 | <0.5 | <0.20 | 55.0 | 0.9 | M | <0.006 | E.014 | <0.006 | <0.004 | <0.005 |
| JUL 17... | 0.3 | 1.0 | 0.69 | <0.5 | <0.20 | 54.6 | 0.9 | <1 | -- | -- | -- | -- | -- |

03609750 TENNESSEE RIVER AT HIGHWAY 60 NEAR PADUCAH, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | Uranium natural water, fltrd, ug/L (22703) | Suspnd. sedi- ment, sieve diametr percent <.063mm (70331) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|--|--|---|---|--|--|
| NOV 07... | <0.005 | <0.002 | <0.009 | 0.15 | 99 | 4 |
| FEB 13... | <0.005 | <0.002 | <0.009 | 0.18 | 99 | 6 |
| 13... | -- | -- | -- | -- | -- | -- |
| MAR 13... | -- | -- | -- | 0.09 | 99 | 10 |
| 13... | -- | -- | -- | -- | -- | -- |
| APR 24... | <0.005 | <0.002 | <0.009 | 0.14 | 99 | 5 |
| 24... | <0.005 | <0.002 | <0.009 | 0.15 | 100 | 5 |
| MAY 21... | <0.005 | <0.002 | <0.009 | -- | 100 | 13 |
| JUL 17... | <0.005 | <0.002 | <0.009 | 0.06 | 97 | 10 |
| 17... | -- | -- | -- | 0.06 | -- | -- |

Other QA--Grab sample at center vertical (surface only).

E--Laboratory estimated value.


M--Presence of material verified but not quantified.

<--Numeric result is less than the value shown.

03610200 CLARKS RIVER AT ALMO, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1983 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 103,629.3 | | 82,881.9 | | 188 | |
| ANNUAL MEAN | 284 | | 227 | | 405 | |
| HIGHEST ANNUAL MEAN | | | | | 2002 | |
| LOWEST ANNUAL MEAN | | | | | 1987 | |
| HIGHEST DAILY MEAN | 6,350 | May 18 | 5,220 | Dec 19 | 14,000 | Mar 2, 1997 |
| LOWEST DAILY MEAN | 4.5 | Sep 2 | 9.3 | Sep 29 | 1.6 | Aug 29, 1983 |
| ANNUAL SEVEN-DAY MINIMUM | 5.3 | Aug 31 | 11 | Sep 24 | 1.7 | Aug 31, 1983 |
| MAXIMUM PEAK FLOW | | | 8,770 | Dec 20 | 23,300 | Mar 2, 1997 |
| MAXIMUM PEAK STAGE | | | 15.69 | Dec 20 | 18.35 | Mar 2, 1997 |
| ANNUAL RUNOFF (CFSM) | 2.12 | | 1.69 | | 1.40 | |
| ANNUAL RUNOFF (INCHES) | 28.77 | | 23.01 | | 19.06 | |
| 10 PERCENT EXCEEDS | 517 | | 419 | | 315 | |
| 50 PERCENT EXCEEDS | 56 | | 48 | | 32 | |
| 90 PERCENT EXCEEDS | 11 | | 15 | | 5.8 | |

e Estimated



03611260 MASSAC CREEK NEAR PADUCAH, KY

LOCATION.--Lat 37°02'29", long 88°42'39", McCracken County, Hydrologic Unit 05140206, on left upstream wingwall of bridge on U.S. Highway 62, 1.2 mi upstream from Middle Fork, 6.9 mi west of post office in Paducah, and at mile 8.3.

DRAINAGE AREA.--14.6 mi².

PERIOD OF RECORD.--October 1971 to current year.

REVISED RECORDS.--1983 (M), 1984 (M).

GAGE.--Water-stage recorder with telemetry. Datum of gage is 345.53 ft above NGVD of 1929.

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,500 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|--------|------|--------------------------------|------------------|
| May 17 | 0900 | *2,150 | *12.08 | Jun 11 | 1045 | 1,650 | 11.10 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|----------|--------|---------|-------|-------|---------|--------|--------|-------|--------|
| 1 | e0.48 | 0.88 | e0.80 | 279 | 8.9 | 13 | 2.6 | 16 | 1.2 | 6.7 | 1.2 | 0.59 |
| 2 | e0.46 | e0.86 | e1.0 | 73 | 6.2 | 11 | 2.1 | 26 | 1.3 | 2.4 | 3.4 | 96 |
| 3 | e0.42 | e0.84 | 1.2 | 43 | 6.7 | 8.6 | 1.7 | 12 | 3.0 | 1.7 | 0.97 | 30 |
| 4 | 3.0 | e0.82 | 2.4 | 26 | 14 | 8.1 | 1.7 | 66 | 1.2 | 1.2 | 0.66 | 7.0 |
| 5 | 1.4 | 27 | 4.0 | 20 | 4.9 | 7.2 | 6.6 | 30 | 0.76 | 193 | 0.60 | 2.2 |
| 6 | 1.3 | 10 | e2.4 | 15 | 5.6 | 5.7 | 71 | 12 | 0.67 | 30 | 0.60 | 1.4 |
| 7 | e0.90 | e2.2 | e2.0 | 12 | 7.2 | 3.9 | 147 | 123 | 0.71 | 8.5 | 0.59 | 1.1 |
| 8 | e0.80 | e1.5 | e1.8 | 12 | 5.0 | 3.6 | 24 | 109 | 0.59 | 3.8 | 0.58 | 1.3 |
| 9 | e0.70 | e2.2 | e2.0 | 11 | 4.3 | 2.6 | 16 | 37 | 0.50 | 2.5 | 0.56 | 0.90 |
| 10 | 81 | 142 | e10 | 7.6 | 6.2 | 1.8 | 13 | 17 | 13 | 1.9 | 0.56 | 0.70 |
| 11 | 14 | 37 | 35 | 6.0 | 25 | 1.8 | 10 | 15 | 711 | 1.4 | 0.55 | 0.67 |
| 12 | 2.5 | 6.5 | 9.7 | e4.5 | 16 | 1.7 | 8.0 | 8.8 | 90 | 1.0 | 0.51 | 0.68 |
| 13 | 1.1 | 2.7 | 173 | e4.0 | 10 | 2.6 | 5.8 | 6.3 | 27 | 0.91 | 0.52 | 0.97 |
| 14 | 0.77 | 1.3 | 59 | e3.5 | 360 | 1.9 | 4.5 | 5.1 | 24 | 0.69 | 0.51 | 1.3 |
| 15 | e0.66 | 6.8 | 17 | 2.4 | 259 | 2.5 | 3.6 | 4.5 | 13 | 0.60 | 0.50 | 0.70 |
| 16 | e0.60 | 2.8 | 9.8 | 3.2 | 141 | 2.3 | 3.5 | 4.3 | 15 | 0.57 | 0.53 | 0.63 |
| 17 | e0.50 | e1.2 | 7.0 | e2.1 | 40 | 2.1 | 26 | 654 | 6.6 | 0.53 | 2.2 | 0.64 |
| 18 | e0.50 | e0.80 | 4.4 | e1.8 | 32 | 1.7 | 6.8 | 89 | 6.5 | 11 | 2.9 | 0.67 |
| 19 | 3.1 | e0.78 | 527 | e1.7 | 216 | 133 | 4.5 | 48 | 5.4 | 3.6 | 0.47 | 0.70 |
| 20 | 7.0 | e0.72 | 82 | e1.8 | 62 | 27 | 3.8 | 27 | 3.2 | 0.89 | 0.45 | 0.65 |
| 21 | 1.2 | e0.66 | 34 | e4.0 | 61 | 24 | 2.8 | 20 | 2.1 | 0.60 | 0.43 | 1.4 |
| 22 | 0.80 | e0.60 | 29 | e1.7 | e320 | 13 | 1.9 | 13 | 1.5 | 0.59 | 0.47 | 56 |
| 23 | 0.71 | e0.58 | 21 | e1.4 | e90 | 9.3 | 1.6 | 8.8 | 1.2 | 0.53 | 0.56 | 3.7 |
| 24 | e0.66 | e0.56 | 40 | e1.2 | 39 | 7.2 | 44 | 5.6 | 0.98 | 0.51 | 0.55 | 1.4 |
| 25 | e0.64 | e0.54 | 30 | e1.1 | 22 | 5.8 | 218 | 62 | 0.67 | 0.50 | 0.43 | 0.92 |
| 26 | e0.62 | e0.52 | 19 | e1.0 | 17 | 5.6 | 72 | 20 | 1.2 | 0.47 | 0.44 | 0.76 |
| 27 | e0.60 | e0.50 | 16 | e0.96 | 18 | 4.0 | 19 | 9.2 | 0.87 | 0.48 | 0.45 | 3.2 |
| 28 | 2.1 | e0.50 | 14 | e1.1 | 18 | 4.4 | 11 | 4.9 | 0.55 | 1.6 | 0.88 | 0.97 |
| 29 | 7.5 | e0.52 | 12 | e1.2 | --- | 11 | 11 | 3.6 | 0.45 | 6.8 | 0.46 | 0.77 |
| 30 | 3.0 | e0.70 | e20 | 6.5 | --- | 4.4 | 41 | 2.5 | 26 | 0.71 | 4.6 | 0.80 |
| 31 | 1.1 | --- | e400 | 5.8 | --- | 3.1 | --- | 2.0 | --- | 7.3 | 0.66 | --- |
| TOTAL | 140.12 | 274.38 | 1,586.50 | 566.36 | 1,815.0 | 333.9 | 784.5 | 1,461.6 | 960.15 | 292.98 | 28.79 | 218.72 |
| MEAN | 4.52 | 9.15 | 51.2 | 18.3 | 64.8 | 10.8 | 26.1 | 47.1 | 32.0 | 9.45 | 0.93 | 7.29 |
| MAX | 81 | 142 | 527 | 279 | 360 | 133 | 218 | 654 | 711 | 193 | 4.6 | 96 |
| MIN | 0.42 | 0.50 | 0.80 | 0.96 | 4.3 | 1.7 | 1.6 | 2.0 | 0.45 | 0.47 | 0.43 | 0.59 |
| CFSM | 0.31 | 0.63 | 3.51 | 1.25 | 4.44 | 0.74 | 1.79 | 3.23 | 2.19 | 0.65 | 0.06 | 0.50 |
| IN. | 0.36 | 0.70 | 4.04 | 1.44 | 4.62 | 0.85 | 2.00 | 3.72 | 2.45 | 0.75 | 0.07 | 0.56 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1972 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 3.55 | 15.0 | 28.8 | 23.3 | 36.1 | 30.9 | 30.3 | 20.6 | 10.0 | 8.29 | 2.84 | 4.24 |
| MAX | 19.4 | 70.8 | 105 | 65.8 | 160 | 109 | 121 | 102 | 53.8 | 37.3 | 13.9 | 50.1 |
| (WY) | (1986) | (1997) | (1983) | (2000) | (1989) | (1997) | (1973) | (2002) | (1998) | (1983) | (1982) | (1985) |
| MIN | 0.25 | 0.37 | 0.71 | 0.58 | 4.19 | 8.37 | 2.14 | 1.17 | 0.32 | 0.37 | 0.30 | 0.23 |
| (WY) | (1982) | (1972) | (1977) | (1977) | (1996) | (1987) | (1986) | (1992) | (1972) | (1974) | (1980) | (1976) |

03611260 MASSAC CREEK NEAR PADUCAH, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1972 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 10,709.90 | | 8,463.00 | | 17.7 | |
| ANNUAL MEAN | 29.3 | | 23.2 | | 6.54 | |
| HIGHEST ANNUAL MEAN | | | | | 37.9 | 1979 |
| LOWEST ANNUAL MEAN | | | | | 6.54 | 1987 |
| HIGHEST DAILY MEAN | 1,300 | May 17 | 711 | Jun 11 | 1,910 | Jan 3, 2000 |
| LOWEST DAILY MEAN | 0.28 | Sep 1 | 0.42 | Oct 3 | 0.09 | Nov 13, 1971 |
| ANNUAL SEVEN-DAY MINIMUM | 0.32 | Aug 29 | 0.48 | Aug 20 | 0.10 | Nov 10, 1971 |
| MAXIMUM PEAK FLOW | | | 2,150 | May 17 | 5,990 | Sep 5, 1985 |
| MAXIMUM PEAK STAGE | | | 12.08 | May 17 | 15.86 | Sep 5, 1985 |
| INSTANTANEOUS LOW FLOW | | | | | 0.06 | Nov 14, 1971 |
| ANNUAL RUNOFF (CFSM) | 2.01 | | 1.59 | | 1.21 | |
| ANNUAL RUNOFF (INCHES) | 27.29 | | 21.56 | | 16.50 | |
| 10 PERCENT EXCEEDS | 53 | | 42 | | 28 | |
| 50 PERCENT EXCEEDS | 3.0 | | 3.1 | | 2.3 | |
| 90 PERCENT EXCEEDS | 0.44 | | 0.56 | | 0.45 | |

e Estimated



03611500 OHIO RIVER AT METROPOLIS, IL

LOCATION.--Lat 37°08'51", long 88°44'27", Massac County IL., Hydrologic Unit 05140206, near center of span on downstream side of pier of Paducah & Illinois Railroad bridge at Metropolis, 9.5 mi downstream from Tennessee River, 37 mi upstream from mouth, and at mile 944.1.

DRAINAGE AREA.--203,000 mi², approximately.

PERIOD OF RECORD.--January 1928 to current year. Prior to April 1928 monthly discharge only, published in WSP 1305. Gage-height records collected 9.6 mi upstream at Paducah since 1890 are contained in reports of National Weather Service. Occasional discharge measurements 1881 to 1924 in reports of Mississippi River Commission.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 276.27 ft above NGVD of 1929. Prior to Dec. 22, 1936, water-stage recorders (temporary installations) at Paducah, Ky., Metropolis and Joppa, Il., and Dam 52. Auxiliary water-stage recorder near Grand Chain, 0.5 mi upstream from Dam 53, and 18 mi downstream from base gage. Prior to May 29, 1936, auxiliary nonrecording gage at Dam 53.

REMARKS.--Records fair except discharges below 100,000 ft³/s and for periods of estimated record, which are poor. Flow regulated by many dams and reservoirs. Maximum daily discharge includes overflow through Bay Creek and Cache River Valleys.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet and U.S. Army Corps of Engineers, Louisville District and National Stream Quality Accounting Network.

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----------|-----------|------------|-----------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| 1 | 217,000 | 206,000 | 161,000 | 485,000 | 143,000 | 986,000 | 286,000 | 228,000 | e180,000 | 180,000 | 238,000 | 195,000 |
| 2 | 206,000 | 229,000 | 164,000 | 499,000 | 153,000 | 985,000 | 270,000 | 232,000 | e150,000 | 190,000 | 267,000 | e280,000 |
| 3 | 179,000 | 235,000 | 198,000 | 486,000 | 162,000 | 978,000 | 237,000 | 249,000 | 209,000 | 192,000 | 278,000 | 294,000 |
| 4 | 175,000 | 228,000 | 204,000 | 508,000 | 193,000 | 944,000 | 223,000 | 235,000 | 230,000 | 183,000 | 263,000 | 337,000 |
| 5 | 126,000 | 190,000 | 194,000 | 517,000 | 232,000 | 920,000 | 216,000 | 242,000 | 247,000 | 192,000 | 286,000 | 485,000 |
| 6 | 110,000 | 166,000 | 191,000 | 517,000 | 268,000 | 882,000 | 218,000 | 326,000 | 274,000 | 193,000 | 293,000 | 511,000 |
| 7 | 82,700 | 189,000 | 179,000 | 519,000 | 296,000 | 827,000 | 231,000 | 556,000 | 295,000 | 201,000 | 304,000 | 519,000 |
| 8 | 89,000 | 234,000 | 173,000 | 526,000 | 316,000 | 751,000 | 239,000 | 727,000 | 329,000 | 218,000 | 329,000 | 498,000 |
| 9 | 86,400 | 280,000 | 204,000 | 516,000 | 332,000 | 699,000 | 267,000 | 805,000 | 387,000 | 231,000 | 331,000 | 498,000 |
| 10 | 105,000 | 309,000 | 208,000 | 473,000 | 325,000 | 630,000 | 323,000 | 799,000 | 399,000 | 224,000 | 302,000 | 487,000 |
| 11 | 125,000 | 336,000 | 223,000 | 407,000 | 307,000 | 578,000 | 412,000 | 828,000 | 453,000 | 268,000 | 268,000 | 442,000 |
| 12 | 136,000 | 354,000 | 263,000 | 312,000 | 279,000 | 561,000 | 463,000 | 875,000 | 501,000 | 319,000 | 278,000 | 293,000 |
| 13 | 237,000 | 428,000 | 306,000 | 268,000 | 245,000 | 553,000 | 491,000 | 895,000 | 514,000 | 387,000 | 292,000 | 169,000 |
| 14 | 244,000 | 443,000 | 340,000 | 280,000 | 245,000 | 538,000 | 518,000 | 902,000 | 513,000 | 433,000 | 279,000 | 208,000 |
| 15 | 230,000 | 422,000 | 377,000 | 284,000 | e353,000 | 515,000 | 554,000 | 856,000 | 496,000 | 411,000 | 273,000 | 194,000 |
| 16 | 192,000 | 384,000 | 428,000 | 239,000 | e560,000 | 502,000 | 568,000 | 851,000 | 473,000 | 393,000 | 248,000 | 154,000 |
| 17 | 150,000 | 372,000 | 515,000 | 198,000 | e668,000 | 477,000 | 569,000 | 869,000 | 453,000 | 356,000 | 232,000 | 169,000 |
| 18 | 129,000 | 345,000 | 537,000 | 183,000 | 758,000 | 440,000 | 536,000 | 873,000 | 450,000 | 286,000 | 229,000 | 165,000 |
| 19 | 183,000 | 290,000 | 587,000 | 162,000 | 812,000 | 437,000 | 497,000 | 871,000 | 472,000 | 227,000 | 217,000 | 160,000 |
| 20 | 204,000 | 275,000 | 625,000 | 173,000 | 853,000 | 444,000 | 443,000 | 857,000 | 506,000 | 203,000 | 222,000 | 161,000 |
| 21 | 165,000 | 278,000 | 641,000 | 168,000 | 881,000 | 453,000 | 351,000 | 850,000 | 530,000 | 227,000 | 234,000 | 154,000 |
| 22 | 114,000 | 294,000 | 659,000 | 167,000 | 918,000 | 424,000 | 305,000 | 838,000 | 548,000 | 272,000 | 215,000 | 205,000 |
| 23 | 115,000 | 291,000 | 647,000 | 177,000 | 949,000 | 430,000 | 310,000 | 818,000 | 553,000 | 250,000 | 166,000 | e300,000 |
| 24 | 108,000 | 271,000 | 602,000 | 204,000 | 972,000 | 441,000 | 317,000 | 790,000 | 551,000 | 244,000 | 171,000 | 365,000 |
| 25 | 112,000 | 254,000 | 576,000 | 181,000 | 990,000 | 423,000 | 341,000 | 769,000 | 530,000 | 265,000 | 181,000 | 358,000 |
| 26 | 99,000 | 253,000 | 562,000 | 141,000 | 1,000,000 | 424,000 | 367,000 | 746,000 | 486,000 | 297,000 | 176,000 | 311,000 |
| 27 | 109,000 | 238,000 | 564,000 | 147,000 | 1,010,000 | 392,000 | 350,000 | 693,000 | 359,000 | 313,000 | 175,000 | 277,000 |
| 28 | 111,000 | 196,000 | 547,000 | 142,000 | 1,000,000 | 349,000 | 341,000 | 573,000 | e250,000 | 336,000 | 167,000 | 279,000 |
| 29 | 113,000 | 181,000 | 505,000 | 121,000 | --- | 303,000 | 292,000 | 463,000 | e100,000 | 318,000 | 168,000 | 293,000 |
| 30 | 131,000 | 177,000 | 476,000 | 118,000 | --- | 277,000 | 268,000 | 370,000 | e140,000 | 275,000 | 139,000 | 288,000 |
| 31 | 175,000 | --- | 471,000 | 136,000 | --- | 284,000 | --- | e220,000 | --- | 237,000 | 160,000 | --- |
| TOTAL | 4,558,100 | 8,348,000 | 12,327,000 | 9,254,000 | 15,220,000 | 17,847,000 | 10,803,000 | 20,206,000 | 11,578,000 | 8,321,000 | 7,381,000 | 9,049,000 |
| MEAN | 147,000 | 278,300 | 397,600 | 298,500 | 543,600 | 575,700 | 360,100 | 651,800 | 385,900 | 268,400 | 238,100 | 301,600 |
| MAX | 244,000 | 443,000 | 659,000 | 526,000 | 1,010,000 | 986,000 | 569,000 | 902,000 | 553,000 | 433,000 | 331,000 | 519,000 |
| MIN | 82,700 | 166,000 | 161,000 | 118,000 | 143,000 | 277,000 | 216,000 | 220,000 | 100,000 | 180,000 | 139,000 | 154,000 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1928 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|---------|---------|---------|-----------|-----------|-----------|---------|---------|---------|---------|---------|---------|
| MEAN | 104,400 | 164,700 | 291,100 | 392,200 | 468,500 | 522,600 | 454,200 | 344,100 | 221,700 | 154,700 | 123,300 | 102,000 |
| MAX | 335,600 | 450,300 | 717,500 | 1,022,000 | 1,217,000 | 1,039,000 | 896,400 | 917,800 | 596,400 | 441,200 | 331,100 | 383,500 |
| (WY) | (1980) | (1986) | (1973) | (1937) | (1937) | (1997) | (1994) | (1983) | (1997) | (1928) | (1958) | (1979) |
| MIN | 22,710 | 33,400 | 48,610 | 71,650 | 77,380 | 154,700 | 129,900 | 75,180 | 53,840 | 23,350 | 25,390 | 29,330 |
| (WY) | (1931) | (1931) | (1931) | (1940) | (1934) | (1941) | (1986) | (1941) | (1936) | (1930) | (1930) | (1930) |

03611500 OHIO RIVER AT METROPOLIS, IL—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1928 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 110,021,700 | | 134,892,100 | | 277,000 | |
| ANNUAL MEAN | 301,400 | | 369,600 | | 436,600 | |
| HIGHEST ANNUAL MEAN | | | | | 120,300 | |
| LOWEST ANNUAL MEAN | | | | | 15,000 | |
| HIGHEST DAILY MEAN | 940,000 | Mar 26 | 1,010,000 | Feb 27 | 1,850,000 | Feb 1, 1937 |
| LOWEST DAILY MEAN | 30,500 | Sep 15 | 82,700 | Oct 7 | 16,600 | Jul 20, 1930 |
| ANNUAL SEVEN-DAY MINIMUM | 38,500 | Sep 10 | 103,000 | Oct 5 | 16,600 | Jul 20, 1930 |
| MAXIMUM PEAK FLOW | | | 1,010,000 | | 1,850,000 | |
| MAXIMUM PEAK STAGE | | | 52.01 | | 66.60 | |
| 10 PERCENT EXCEEDS | 719,000 | | 748,000 | | 638,000 | |
| 50 PERCENT EXCEEDS | 197,000 | | 293,000 | | 190,000 | |
| 90 PERCENT EXCEEDS | 67,300 | | 161,000 | | 68,600 | |

e Estimated



03611800 BAYOU CREEK NEAR HEATH, KY

LOCATION.--Lat 37°05'58", long 88°49'27", McCracken County, Hydrologic Unit 05140206, on left downstream wingwall of bridge on Dyke Road, 1.0 mi southwest of Paducah Gaseous Diffusion Plant, 2.0 mi northwest of Heath, 3.0 mi upstream from Brushy Creek, and at mile 7.3.

DRAINAGE AREA.--6.55 mi².

PERIOD OF RECORD.--October 1990 to November 1991, June 1993 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 366.06 ft above NGVD of 1929 (levels by U.S. Department of Energy).

REMARKS.--Records fair except those estimated, which are poor.

COOPERATION.--Kentucky Cabinet for Health Services.

EXTREMES FOR CURRENT YEAR.--No peak discharges greater than base discharge of 900 ft³/s and maximum (*):

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 900 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------------------------------------|------|--------------------------------|------------------|------|------|--------------------------------|------------------|
| No peak greater than base discharge. | | | | | | | |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|--------|-------|--------|--------|-------|--------|-------|-------|-------|
| 1 | 0.05 | 0.61 | 0.23 | 101 | 2.4 | 4.2 | 2.1 | 16 | 0.91 | 0.33 | 0.31 | 1.5 |
| 2 | 0.08 | 0.78 | 0.25 | 29 | 1.6 | 2.9 | 1.8 | 11 | 0.94 | 0.32 | 0.40 | 19 |
| 3 | 0.09 | 1.0 | 0.25 | 17 | 4.9 | 2.0 | 1.8 | 4.0 | 1.3 | 0.30 | 0.36 | 2.5 |
| 4 | 0.46 | 1.1 | 0.47 | 7.5 | 8.6 | 1.7 | 1.8 | 7.9 | 1.1 | 0.28 | 0.31 | 0.40 |
| 5 | 0.22 | 4.8 | 0.44 | 4.7 | 1.8 | 1.5 | 2.1 | 7.9 | 0.87 | 0.32 | 0.35 | 0.19 |
| 6 | 0.52 | 2.1 | 0.41 | 2.4 | 1.9 | e1.1 | 36 | 2.8 | 0.79 | 0.32 | 0.36 | 0.17 |
| 7 | 0.30 | 1.3 | 0.44 | 1.7 | 2.2 | e0.63 | 46 | e11 | 0.74 | 0.30 | 1.0 | 0.20 |
| 8 | 0.29 | 1.0 | 0.69 | 1.6 | 1.9 | 0.68 | 4.4 | 6.5 | 0.69 | 0.26 | 0.69 | 0.21 |
| 9 | 0.55 | 30 | 1.2 | 1.3 | 1.8 | 0.55 | 2.7 | 3.8 | 0.60 | 0.26 | 0.32 | 0.21 |
| 10 | 17 | 12 | 3.4 | 0.81 | 4.5 | 0.44 | 2.0 | 2.2 | 1.1 | 0.29 | 0.33 | 0.19 |
| 11 | 0.64 | 1.9 | 12 | 0.57 | 16 | 0.71 | 1.6 | 47 | 178 | 0.27 | 0.38 | 0.20 |
| 12 | 0.03 | 0.17 | 2.5 | 0.55 | e8.4 | 0.47 | 1.3 | 2.9 | 7.1 | 0.27 | 0.37 | 0.25 |
| 13 | 0.02 | 0.08 | 42 | 0.52 | 3.0 | 1.2 | 1.0 | 1.7 | 2.3 | 0.27 | 0.36 | 0.32 |
| 14 | 0.03 | 0.06 | 8.2 | 0.48 | 145 | 0.89 | 0.88 | 1.4 | 1.4 | 0.28 | 0.35 | 0.32 |
| 15 | 0.03 | 0.21 | 1.0 | 0.41 | 91 | 0.79 | 0.91 | 1.4 | 0.87 | 0.28 | 0.38 | 0.33 |
| 16 | 0.03 | 0.16 | 0.24 | 0.46 | 51 | 0.67 | 1.4 | 1.2 | 0.57 | 0.27 | 0.41 | 0.34 |
| 17 | 0.03 | 0.12 | 0.08 | 0.54 | 16 | 0.58 | 21 | 95 | 0.40 | 0.30 | 0.43 | 0.35 |
| 18 | 0.04 | 0.09 | 39 | 0.52 | 43 | 0.74 | 2.8 | 5.9 | 0.35 | 0.42 | 0.42 | 0.37 |
| 19 | 0.23 | 0.10 | 185 | 0.50 | 97 | 48 | 1.9 | 6.3 | 0.52 | 0.38 | 0.41 | 0.37 |
| 20 | 0.37 | 0.10 | 22 | 0.59 | 25 | 10 | 1.6 | 4.8 | 0.64 | 0.36 | 0.43 | 0.38 |
| 21 | 0.25 | 0.10 | 5.9 | 0.97 | 22 | 11 | 1.4 | 2.8 | 0.26 | 0.38 | 0.42 | 0.46 |
| 22 | 0.18 | 0.10 | 3.9 | 0.71 | 176 | 4.6 | 1.2 | 1.8 | 0.22 | 0.40 | 0.42 | 0.35 |
| 23 | 0.22 | 0.10 | 1.9 | 0.73 | 36 | 3.2 | 1.0 | 1.4 | 0.21 | 0.39 | 0.45 | 0.17 |
| 24 | 0.24 | 0.09 | 23 | 0.73 | 21 | 2.5 | 4.2 | 1.2 | 0.21 | 0.40 | 0.48 | 0.18 |
| 25 | 0.29 | 0.08 | 12 | 0.70 | 11 | 2.2 | 84 | 51 | 0.20 | 0.42 | 0.50 | 0.18 |
| 26 | 0.32 | 0.16 | 2.9 | 0.68 | 10 | 3.0 | 20 | 4.9 | 0.69 | 0.44 | 0.46 | 0.21 |
| 27 | 0.41 | 0.15 | 1.8 | 0.71 | 7.2 | 2.1 | 3.8 | 2.2 | 0.32 | 0.44 | 0.54 | 0.55 |
| 28 | 0.70 | 0.19 | 1.6 | 0.64 | 6.2 | 2.8 | 2.3 | 1.7 | 0.26 | 0.71 | 0.52 | 0.15 |
| 29 | 2.6 | 0.24 | 1.3 | 0.63 | --- | 6.0 | 17 | 1.4 | 0.22 | 0.46 | 0.48 | 0.15 |
| 30 | 1.2 | 0.23 | 15 | 0.69 | --- | 3.1 | 68 | 1.2 | 0.28 | 3.5 | 0.84 | 0.18 |
| 31 | 0.77 | --- | 147 | 1.4 | --- | 2.4 | --- | 1.1 | --- | 1.1 | e0.47 | --- |
| TOTAL | 28.19 | 59.12 | 536.10 | 180.74 | 816.4 | 122.65 | 337.99 | 311.4 | 204.06 | 14.72 | 13.95 | 30.38 |
| MEAN | 0.91 | 1.97 | 17.3 | 5.83 | 29.2 | 3.96 | 11.3 | 10.0 | 6.80 | 0.47 | 0.45 | 1.01 |
| MAX | 17 | 30 | 185 | 101 | 176 | 48 | 84 | 95 | 178 | 3.5 | 1.0 | 19 |
| MIN | 0.02 | 0.06 | 0.08 | 0.41 | 1.6 | 0.44 | 0.88 | 1.1 | 0.20 | 0.26 | 0.31 | 0.15 |
| CFSM | 0.14 | 0.30 | 2.64 | 0.89 | 4.45 | 0.60 | 1.72 | 1.53 | 1.04 | 0.07 | 0.07 | 0.15 |
| IN. | 0.16 | 0.34 | 3.04 | 1.03 | 4.64 | 0.70 | 1.92 | 1.77 | 1.16 | 0.08 | 0.08 | 0.17 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1991 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 1.83 | 5.43 | 11.7 | 10.1 | 12.1 | 10.6 | 8.81 | 9.58 | 4.33 | 2.62 | 1.43 | 0.91 |
| MAX | 9.97 | 22.8 | 37.2 | 24.4 | 29.2 | 34.9 | 16.6 | 31.2 | 16.6 | 7.59 | 8.31 | 2.73 |
| (WY) | (2002) | (1997) | (1991) | (1999) | (2003) | (1997) | (1994) | (2002) | (1998) | (1998) | (1998) | (2002) |
| MIN | 0.21 | 0.21 | 0.50 | 0.89 | 0.60 | 3.26 | 3.47 | 0.56 | 0.17 | 0.089 | 0.12 | 0.15 |
| (WY) | (1998) | (2000) | (1998) | (2001) | (1996) | (1995) | (2001) | (1994) | (1994) | (1993) | (1993) | (1998) |

03611800 BAYOU CREEK NEAR HEATH, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1991 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,463.16 | | 2,655.70 | | 6.67 | |
| ANNUAL MEAN | 9.49 | | 7.28 | | 13.2 | |
| HIGHEST ANNUAL MEAN | | | | | 3.60 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 3.60 | 2001 |
| HIGHEST DAILY MEAN | 411 | May 17 | 185 | Dec 19 | 710 | Mar 1, 1997 |
| LOWEST DAILY MEAN | 0.02 | Oct 13 | 0.02 | Oct 13 | 0.02 | Oct 13, 2002 |
| ANNUAL SEVEN-DAY MINIMUM | 0.03 | Oct 12 | 0.03 | Oct 12 | 0.03 | Oct 12, 2002 |
| MAXIMUM PEAK FLOW | | | 841 | Jun 11 | 1,870 | Mar 1, 1997 |
| MAXIMUM PEAK STAGE | | | 5.66 | Jun 11 | 9.90 | Mar 1, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.45 | | 1.11 | | 1.02 | |
| ANNUAL RUNOFF (INCHES) | 19.67 | | 15.08 | | 13.83 | |
| 10 PERCENT EXCEEDS | 12 | | 16 | | 6.9 | |
| 50 PERCENT EXCEEDS | 0.58 | | 0.71 | | 0.49 | |
| 90 PERCENT EXCEEDS | 0.09 | | 0.19 | | 0.15 | |

e Estimated



03611850 BAYOU CREEK NEAR GRAHAMVILLE, KY

LOCATION.--Lat 37°08'41", long 88°49'38", McCracken County, Hydrologic Unit 05140206, near right bank on downstream side of bridge on State Highway 358, 750 ft downstream of Brushy Creek, 1.4 mi north of Paducah Gaseous Diffusion Plant, 3.6 mi northwest of Grahamville, and at mile 4.1.

DRAINAGE AREA.--14.9 mi².

PERIOD OF RECORD.--October 1990 to November 1991, June 1993 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 330 ft above NGVD of 1929 (from topographic map).

REMARKS.--Records fair except for those estimated, which are poor.

COOPERATION.--Kentucky Cabinet for Health Services.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 1,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec 19 | 0145 | *1,340 | *10.77 | May 11 | 0330 | 1,120 | 9.70 |
| Apr 7 | 0030 | 1,160 | 9.88 | May 17 | 0645 | 1,170 | 9.95 |
| Apr 25 | 1430 | 1,050 | 9.31 | Jun 11 | 0900 | 1,260 | 10.38 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|---------|-------|---------|-------|---------|---------|-------|-------|------|-------|
| 1 | 6.2 | 6.9 | 6.7 | 343 | 8.9 | 13 | 9.0 | 73 | e8.0 | e7.0 | e25 | e30 |
| 2 | 6.7 | 7.0 | 6.6 | 72 | 7.7 | 12 | 8.7 | 44 | e8.0 | e7.0 | e30 | 186 |
| 3 | 6.6 | 7.3 | 6.0 | 37 | 17 | 11 | 8.4 | 16 | e10 | e8.0 | e20 | e50 |
| 4 | 11 | 7.0 | 7.5 | 18 | 23 | 10 | 8.3 | 118 | e7.0 | e8.0 | e15 | e18 |
| 5 | 6.8 | 17 | 8.3 | 14 | 8.2 | 10 | 8.3 | 51 | e6.0 | e7.0 | e18 | 7.8 |
| 6 | 11 | 8.2 | 6.8 | 11 | 8.4 | 10 | 91 | 15 | e6.0 | e8.0 | e20 | 7.6 |
| 7 | 7.0 | 7.2 | 6.6 | 9.9 | 8.4 | 10 | 234 | 294 | e7.0 | e8.0 | e40 | 7.6 |
| 8 | 6.8 | 6.7 | 7.0 | 9.2 | 7.9 | 9.8 | 18 | 24 | e6.0 | e9.0 | e30 | 8.1 |
| 9 | 8.2 | 102 | 6.8 | 8.7 | 7.4 | 9.8 | 12 | e15 | e6.0 | e9.0 | e15 | 8.0 |
| 10 | 115 | 68 | 10 | 8.2 | 11 | 9.8 | 10 | e8.0 | e6.0 | e9.0 | e12 | 7.7 |
| 11 | 11 | 18 | 28 | 7.8 | 29 | 9.6 | 9.8 | 271 | 486 | e8.0 | e30 | 7.5 |
| 12 | 8.4 | 8.1 | 11 | 7.7 | 18 | 9.2 | 9.4 | e15 | 62 | e8.0 | e20 | 8.0 |
| 13 | 8.0 | 7.2 | 176 | 7.6 | 9.9 | 10 | 9.1 | e10 | e20 | e8.0 | e15 | 8.9 |
| 14 | 7.6 | 7.3 | 50 | 7.6 | 416 | 9.6 | 8.8 | e8.0 | e10 | e9.0 | e16 | 8.5 |
| 15 | 7.0 | 8.2 | 12 | 7.6 | 263 | 9.1 | 8.4 | e8.0 | e9.0 | e9.0 | e16 | 7.8 |
| 16 | 7.1 | 7.6 | 9.0 | 8.2 | 138 | 8.7 | 8.6 | e7.0 | e8.0 | e8.0 | e18 | 7.8 |
| 17 | 7.2 | 7.0 | 8.5 | 8.0 | 34 | 8.4 | 98 | 340 | e6.0 | e8.0 | e16 | 8.3 |
| 18 | 7.2 | 7.7 | 99 | 8.1 | 103 | 8.3 | 9.8 | 31 | e6.0 | e10 | e25 | 8.1 |
| 19 | 10 | 7.9 | 568 | 7.8 | 281 | 171 | 9.0 | e20 | e7.0 | e9.0 | e14 | 8.0 |
| 20 | 7.5 | 7.1 | 64 | 7.9 | 63 | 28 | 8.4 | e20 | e10 | e9.0 | e12 | 7.7 |
| 21 | 7.0 | 6.3 | 22 | 8.4 | 45 | 36 | 8.3 | e18 | e8.0 | e8.0 | e12 | 7.9 |
| 22 | 7.7 | 6.6 | 19 | 7.9 | 496 | 13 | 8.2 | e16 | e7.0 | e8.0 | e14 | 13 |
| 23 | 7.7 | 6.6 | 12 | 8.0 | 104 | 11 | 8.1 | e16 | e7.0 | e8.0 | e14 | 7.9 |
| 24 | 6.8 | 6.6 | 56 | 8.0 | 51 | 10 | 13 | e14 | e8.0 | e7.0 | e12 | 7.7 |
| 25 | 6.9 | 6.8 | 29 | 7.9 | e20 | 10 | 380 | 179 | e6.0 | e8.0 | e14 | 7.3 |
| 26 | 7.0 | 7.0 | 13 | 7.8 | e16 | 11 | 114 | 28 | e15 | e8.0 | e15 | 6.8 |
| 27 | 7.4 | 6.8 | 11 | 7.9 | 14 | 10 | 13 | e15 | e6.0 | e9.0 | e40 | 8.0 |
| 28 | 7.9 | 6.6 | 9.4 | 8.0 | 14 | 12 | 11 | e12 | e6.0 | e12 | e30 | 6.1 |
| 29 | 10 | 6.5 | 8.7 | 12 | --- | 16 | 71 | e10 | e6.0 | e10 | e14 | 6.1 |
| 30 | 6.5 | 6.7 | 28 | 9.5 | --- | 10 | 306 | e8.0 | e6.0 | 87 | e42 | 6.2 |
| 31 | 6.7 | --- | 480 | 8.7 | --- | 9.4 | --- | e8.0 | --- | e30 | e20 | --- |
| TOTAL | 347.9 | 389.9 | 1,785.9 | 703.4 | 2,222.8 | 525.7 | 1,519.6 | 1,712.0 | 769.0 | 361.0 | 634 | 488.4 |
| MEAN | 11.2 | 13.0 | 57.6 | 22.7 | 79.4 | 17.0 | 50.7 | 55.2 | 25.6 | 11.6 | 20.5 | 16.3 |
| MAX | 115 | 102 | 568 | 343 | 496 | 171 | 380 | 340 | 486 | 87 | 42 | 186 |
| MIN | 6.2 | 6.3 | 6.0 | 7.6 | 7.4 | 8.3 | 8.1 | 7.0 | 6.0 | 7.0 | 12 | 6.1 |
| CFSM | 0.75 | 0.87 | 3.87 | 1.52 | 5.33 | 1.14 | 3.40 | 3.71 | 1.72 | 0.78 | 1.37 | 1.09 |
| IN. | 0.87 | 0.97 | 4.46 | 1.76 | 5.55 | 1.31 | 3.79 | 4.27 | 1.92 | 0.90 | 1.58 | 1.22 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1991 - 2003, BY WATER YEAR (WY)

| | 10.7 | 19.0 | 31.9 | 27.9 | 34.1 | 30.2 | 29.7 | 29.3 | 17.7 | 13.5 | 12.0 | 9.72 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 10.7 | 19.0 | 31.9 | 27.9 | 34.1 | 30.2 | 29.7 | 29.3 | 17.7 | 13.5 | 12.0 | 9.72 |
| MAX | 29.0 | 56.7 | 85.9 | 55.8 | 79.4 | 77.5 | 50.7 | 69.6 | 32.4 | 27.4 | 21.4 | 16.4 |
| (WY) | (2002) | (1997) | (2002) | (1999) | (2003) | (1997) | (2003) | (2002) | (1998) | (2001) | (1998) | (2002) |
| MIN | 4.87 | 4.32 | 6.66 | 7.02 | 6.13 | 15.0 | 12.4 | 8.86 | 7.56 | 6.37 | 6.51 | 5.11 |
| (WY) | (2001) | (2000) | (1996) | (2001) | (1996) | (1995) | (2001) | (2001) | (1991) | (1994) | (1993) | (1997) |

03611850 BAYOU CREEK NEAR GRAHAMVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1991 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|-------------|
| ANNUAL TOTAL | 10,825.0 | | 11,459.6 | | 22.3 | |
| ANNUAL MEAN | 29.7 | | 31.4 | | 14.7 | |
| HIGHEST ANNUAL MEAN | | | | | 36.8 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 14.7 | 2001 |
| HIGHEST DAILY MEAN | 693 | May 17 | 568 | Dec 19 | 923 | Mar 1, 1997 |
| LOWEST DAILY MEAN | 5.0 | Sep 8 | 6.0 | Dec 3 | 1.9 | Oct 9, 1996 |
| ANNUAL SEVEN-DAY MINIMUM | 5.2 | Sep 3 | 6.3 | Jun 4 | 2.7 | Oct 2, 1997 |
| MAXIMUM PEAK FLOW | | | | | 1,750 | Mar 1, 1997 |
| MAXIMUM PEAK STAGE | | | | | 12.60 | Mar 1, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.99 | | 2.11 | | 1.49 | |
| ANNUAL RUNOFF (INCHES) | 27.03 | | 28.61 | | 20.31 | |
| 10 PERCENT EXCEEDS | 46 | | 58 | | 30 | |
| 50 PERCENT EXCEEDS | 9.0 | | 9.0 | | 8.9 | |
| 90 PERCENT EXCEEDS | 6.4 | | 6.8 | | 5.0 | |

e Estimated



03611900 LITTLE BAYOU CREEK NEAR GRAHAMVILLE, KY

LOCATION.--Lat 37°08'22", long 88°47'26", McCracken County, Hydrologic Unit 05140206, on left bank on reservation of Tennessee Valley Authority Shawnee Steam Plant, 30 ft upstream of bridge on unnamed county road, 1.1 mi southwest of Shawnee Steam Plant, 2.2 mi upstream from Bayou Creek, and 2.3 mi north of Grahamville.

DRAINAGE AREA.--5.78 mi².

PERIOD OF RECORD.--October 1990 to November 1991, June 1993 to current year.

GAGE.--Water-stage recorder with telemetry. Datum of gage is 324.80 ft above NGVD of 1929 (levels by U.S. Department of Energy).

REMARKS.--Records fair except for those estimated, which are poor. Some regulation from Paducah Gaseous Diffusion Plant, 0.4 mi upstream.

COOPERATION.--Kentucky Cabinet for Health Services.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 400 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec 19 | 0200 | 405 | 6.27 | May 17 | 0700 | *524 | *7.12 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|------|-------|
| 1 | 0.75 | 1.8 | e0.90 | 90 | 1.7 | e3.6 | 1.4 | 13 | 1.1 | 1.3 | 1.4 | 8.4 |
| 2 | e0.70 | 1.9 | 0.94 | 16 | 1.3 | e2.8 | 1.2 | 14 | 1.1 | 1.2 | 2.0 | 34 |
| 3 | e0.75 | 2.2 | 1.4 | 9.0 | 2.4 | 2.1 | 1.1 | 5.0 | 1.7 | 1.1 | 1.3 | 9.6 |
| 4 | e2.1 | 2.2 | 2.6 | 4.3 | 4.1 | 2.3 | 1.1 | 24 | 1.2 | 1.1 | 1.3 | 2.4 |
| 5 | 0.87 | 4.3 | 2.9 | 3.1 | 1.7 | 3.1 | 1.4 | 15 | 1.1 | 1.1 | 1.4 | 1.5 |
| 6 | 1.8 | 1.7 | 2.4 | 2.1 | 1.9 | 2.4 | 20 | 3.6 | 1.0 | 1.1 | 1.5 | 1.5 |
| 7 | 1.3 | 1.9 | 1.9 | 1.6 | 2.0 | 1.3 | 77 | 68 | 1.0 | 1.1 | 2.4 | 1.4 |
| 8 | 0.89 | 2.8 | 1.6 | 1.5 | 1.6 | 1.2 | 7.0 | 9.8 | 1.0 | 1.1 | 1.8 | 1.4 |
| 9 | 0.94 | 15 | 1.7 | 1.3 | 1.5 | 1.3 | 3.6 | 5.3 | 1.0 | 1.1 | 1.3 | 1.5 |
| 10 | 15 | 9.3 | 2.1 | 1.1 | 2.5 | 1.8 | 2.6 | 2.7 | 2.3 | 1.1 | 1.3 | 1.5 |
| 11 | 1.8 | 3.2 | 4.8 | 1.0 | 5.1 | 1.9 | 1.9 | 72 | 133 | 1.1 | 2.0 | 1.5 |
| 12 | 0.73 | 1.4 | 1.7 | 0.98 | 4.5 | 1.2 | 1.6 | 4.4 | 16 | 1.0 | 1.6 | 1.5 |
| 13 | 0.62 | 1.3 | 25 | 0.99 | 2.3 | 1.9 | 1.4 | e2.8 | 3.4 | 1.00 | 1.3 | 1.7 |
| 14 | 0.63 | e1.3 | 7.6 | 0.88 | 96 | 1.3 | 1.2 | e2.2 | 1.9 | 1.0 | 1.3 | 1.7 |
| 15 | e0.60 | e1.7 | 1.7 | 0.99 | 67 | 1.2 | 1.1 | e2.0 | 1.5 | 1.5 | 1.3 | 1.5 |
| 16 | e0.60 | e1.3 | 1.5 | 1.2 | 30 | 1.2 | 1.4 | 2.4 | 1.4 | 1.2 | 1.3 | 1.6 |
| 17 | e0.62 | e1.2 | 1.6 | 1.6 | 12 | 1.8 | 31 | 122 | 1.3 | 1.1 | 1.3 | 1.6 |
| 18 | e0.60 | e1.2 | 14 | 1.6 | 19 | 1.8 | 4.3 | 11 | 1.3 | 2.6 | 1.6 | 1.6 |
| 19 | e1.6 | e1.2 | 148 | 1.6 | 74 | 40 | 2.3 | 4.9 | 1.3 | 1.9 | 1.4 | 1.6 |
| 20 | e1.4 | e1.2 | 15 | 1.5 | 20 | 11 | 1.7 | 4.9 | 1.3 | 1.5 | 1.3 | 1.7 |
| 21 | 1.1 | e1.1 | 3.1 | 1.5 | 12 | 14 | 1.5 | 4.1 | 1.1 | 1.5 | 1.4 | 1.8 |
| 22 | 1.1 | e1.0 | 2.5 | 1.4 | 132 | 4.3 | 1.4 | 2.8 | 1.1 | 1.5 | 1.4 | 3.8 |
| 23 | 1.2 | e1.0 | 1.4 | 1.4 | 31 | 2.5 | 1.4 | 1.5 | 1.1 | 1.5 | 1.5 | 1.6 |
| 24 | 1.1 | e0.98 | 9.2 | 1.4 | 13 | 1.9 | 3.5 | 1.3 | 1.1 | 1.5 | 1.5 | 1.6 |
| 25 | 1.4 | e0.92 | 7.0 | 1.4 | 8.1 | 1.6 | 66 | 37 | 1.1 | 1.5 | 1.5 | 1.5 |
| 26 | 1.4 | e0.90 | 2.2 | 1.4 | e7.0 | 2.5 | 35 | 8.0 | 3.1 | 1.5 | 1.5 | 0.64 |
| 27 | 1.4 | e0.88 | 1.4 | 1.4 | e6.0 | 1.7 | 4.7 | 3.2 | 1.4 | 1.5 | 4.1 | 1.7 |
| 28 | 2.1 | e0.98 | 1.2 | 1.4 | e5.2 | 2.0 | 2.3 | 2.1 | 1.1 | 2.4 | 3.4 | 0.63 |
| 29 | 3.3 | e0.92 | 1.0 | 2.1 | --- | 4.6 | 4.7 | 1.3 | 1.0 | 2.2 | 1.5 | 0.64 |
| 30 | 1.5 | e0.90 | 4.8 | 2.0 | --- | 2.2 | 58 | 1.2 | 1.4 | 26 | 6.6 | 0.68 |
| 31 | 1.5 | --- | 109 | 2.0 | --- | 1.6 | --- | 1.2 | --- | 4.5 | 1.6 | --- |
| TOTAL | 51.40 | 67.68 | 382.14 | 159.74 | 564.9 | 124.1 | 342.8 | 452.7 | 188.4 | 70.80 | 56.1 | 93.79 |
| MEAN | 1.66 | 2.26 | 12.3 | 5.15 | 20.2 | 4.00 | 11.4 | 14.6 | 6.28 | 2.28 | 1.81 | 3.13 |
| MAX | 15 | 15 | 148 | 90 | 132 | 40 | 77 | 122 | 133 | 26 | 6.6 | 34 |
| MIN | 0.60 | 0.88 | 0.90 | 0.88 | 1.3 | 1.2 | 1.1 | 1.2 | 1.0 | 1.0 | 1.3 | 0.63 |
| CFSM | 0.29 | 0.39 | 2.13 | 0.89 | 3.49 | 0.69 | 1.98 | 2.53 | 1.09 | 0.40 | 0.31 | 0.54 |
| IN. | 0.33 | 0.44 | 2.46 | 1.03 | 3.64 | 0.80 | 2.21 | 2.91 | 1.21 | 0.46 | 0.36 | 0.60 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1991 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 2.55 | 5.56 | 10.6 | 9.84 | 10.6 | 10.7 | 9.47 | 10.1 | 4.18 | 2.92 | 2.03 | 1.64 |
| MAX | 7.45 | 18.3 | 33.5 | 20.4 | 20.2 | 32.5 | 19.2 | 31.3 | 12.4 | 8.74 | 8.11 | 3.13 |
| (WY) | (2002) | (1997) | (1991) | (1999) | (2003) | (1997) | (1994) | (2002) | (1998) | (2001) | (1998) | (2003) |
| MIN | 1.16 | 0.71 | 1.26 | 1.17 | 1.02 | 3.79 | 2.25 | 1.48 | 0.91 | 0.82 | 0.72 | 0.78 |
| (WY) | (2001) | (2000) | (1996) | (2001) | (1996) | (1995) | (2001) | (1994) | (2002) | (1991) | (1996) | (1998) |

03611900 LITTLE BAYOU CREEK NEAR GRAHAMVILLE, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1991 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 3,385.60 | | 2,554.55 | | 6.73 | |
| ANNUAL MEAN | 9.28 | | 7.00 | | 3.75 | |
| HIGHEST ANNUAL MEAN | | | | | 12.4 | 2002 |
| LOWEST ANNUAL MEAN | | | | | 3.75 | 2001 |
| HIGHEST DAILY MEAN | 329 | May 13 | 148 | Dec 19 | 506 | Mar 1, 1997 |
| LOWEST DAILY MEAN | 0.60 | Oct 15 | 0.60 | Oct 15 | 0.02 | May 25, 1995 |
| ANNUAL SEVEN-DAY MINIMUM | 0.63 | Oct 12 | 0.63 | Oct 12 | 0.35 | Aug 2, 2001 |
| MAXIMUM PEAK FLOW | | | | | 1,300 | Mar 1, 1997 |
| MAXIMUM PEAK STAGE | | | | | 11.26 | Mar 1, 1997 |
| ANNUAL RUNOFF (CFSM) | 1.60 | | 1.21 | | 1.16 | |
| ANNUAL RUNOFF (INCHES) | 21.79 | | 16.44 | | 15.82 | |
| 10 PERCENT EXCEEDS | 14 | | 13 | | 9.4 | |
| 50 PERCENT EXCEEDS | 1.4 | | 1.6 | | 1.3 | |
| 90 PERCENT EXCEEDS | 0.71 | | 1.0 | | 0.70 | |

e Estimated



03612500 OHIO RIVER AT LOCK AND DAM 53, NEAR GRAND CHAIN, IL

(National stream-quality accounting network station)

WATER-QUALITY RECORDS

LOCATION.--Lat 37°12'11", long 89°02'30", Pulaski County, Hydrologic Unit 05140206, at auxilliary gaging station, 0.5 mi upstream from Gar Creek, 3.0 mi southwest of Grand Chain, IL, 18.1 mi downstream from gaging station at Metropolis, and at mile 962.2.

DRAINAGE AREA.--203,100 mi², approximately.

PERIOD OF RECORD.--Water years 1955 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--October 1954 to September 1970, January 1973 to September 1990.

WATER TEMPERATURES.--October 1954 to September 1970, January 1973 to September 1990.

REMARKS.--Records of daily discharge are published for gaging station at Metropolis, IL (station 03611500). Flow regulated by many dams and reservoirs.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE.--Maximum daily recorded, 693 microsiemens, Nov. 25, 1968; minimum daily recorded, 170 microsiemens, Feb. 9, 1957.

WATER TEMPERATURES.--Maximum daily recorded, 30.0°C, July 15, 1964, July 17-21, 25, 1977; minimum daily recorded, 0.0°C, on several days during most winter months.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Turbidity, wat unf lab, Hach 2100AN NTU (99872) | UV absorbance, 254 nm, wat flt units /cm (50624) | UV absorbance, 280 nm, wat flt units /cm (61726) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specific conductance, wat unf uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Hardness, water, unfltrd mg/L as CaCO3 (00900) |
|-------|------|---------------|--------------------------------------|---|--|--|--------------------------------|---|---|---|-----------------------------------|--|
| NOV | | | | | | | | | | | | |
| 06... | 1440 | Environmental | 173,000 | 12 | 0.074 | 0.055 | 9.5 | 91 | 7.8 | 330 | 13.5 | 120 |
| 06... | 1448 | Field Blank | -- | -- | <0.004 | <0.004 | -- | -- | -- | -- | -- | -- |
| DEC | | | | | | | | | | | | |
| 10... | 1200 | Environmental | 209,000 | 11 | 0.063 | 0.047 | 7.8 | 63 | 8.0 | 179 | 6.5 | 120 |
| FEB | | | | | | | | | | | | |
| 12... | 1310 | Environmental | 277,000 | 37 | 0.051 | 0.039 | 14.5 | 108 | 8.1 | 361 | 3.5 | 140 |
| 12... | 1320 | Replicate | -- | 37 | 0.050 | 0.037 | -- | -- | -- | -- | -- | 130 |
| 27... | 1510 | Environmental | 1,000,000 | 140 | 0.077 | 0.059 | 13.3 | 103 | 7.7 | 248 | 4.5 | 87 |
| MAR | | | | | | | | | | | | |
| 12... | 1230 | Environmental | 538,000 | -- | -- | -- | 13.2 | 108 | 7.7 | 309 | 6.5 | 120 |
| 12... | 1238 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 26... | 1220 | Environmental | 413,000 | 76 | 0.074 | 0.056 | 11.0 | 100 | 7.7 | 332 | 11.0 | 130 |
| APR | | | | | | | | | | | | |
| 09... | 1310 | Environmental | 243,000 | 47 | 0.068 | 0.051 | 9.5 | 90 | 7.9 | 334 | 12.5 | 140 |
| 09... | 1320 | Replicate | -- | 47 | 0.067 | 0.050 | -- | -- | -- | -- | -- | 140 |
| 23... | 1300 | Environmental | 313,000 | 67 | 0.067 | 0.050 | 9.8 | 100 | 7.8 | 281 | 16.0 | 120 |
| 23... | 1308 | Field Blank | -- | -- | 0.001 | 0.001 | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | | |
| 06... | 1320 | Environmental | 260,000 | 42 | 0.089 | 0.066 | 9.0 | 98 | 7.7 | 278 | 19.0 | 110 |
| 20... | 1120 | Environmental | 857,000 | 63 | 0.110 | 0.082 | 7.2 | 80 | 7.2 | 285 | 20.5 | 110 |
| JUN | | | | | | | | | | | | |
| 05... | 1400 | Environmental | 252,000 | 36 | 0.087 | 0.064 | 8.1 | -- | 7.8 | -- | 20.0 | 120 |
| 25... | 1320 | Environmental | 507,000 | E86 | 0.084 | 0.062 | 7.4 | 87 | 7.6 | 289 | 24.0 | 110 |
| 25... | 1328 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUL | | | | | | | | | | | | |
| 16... | 1350 | Environmental | 381,000 | 99 | 0.084 | 0.062 | 10.4 | 133 | 7.7 | 298 | 28.0 | 110 |
| 16... | 1358 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | |
| 13... | 1330 | Environmental | 278,000 | 36 | 0.081 | 0.059 | 9.3 | 117 | 7.8 | 327 | 27.5 | 140 |
| SEP | | | | | | | | | | | | |
| 09... | 1500 | Environmental | 487,000 | 180 | 0.113 | 0.085 | 7.8 | 102 | 7.6 | 294 | 29.0 | 120 |
| 09... | 1510 | Other QA | -- | 120 | 0.111 | 0.082 | -- | -- | -- | -- | -- | 110 |

03612500 OHIO RIVER AT LOCK AND DAM 53, NEAR GRAND CHAIN, IL—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Calcium water, fltrd, mg/L (00915) | Magnes- ium, water, fltrd, mg/L (00925) | Potas- sium, water, fltrd, mg/L (00935) | Sodium, water, fltrd, mg/L (00930) | Alka- linity, wat flt inc tit field, mg/L as CaCO3 (39086) | Bicar- bonate, wat flt incrm. titr., field, mg/L (00453) | Chlor- ide, water, fltrd, mg/L (00940) | Fluor- ide, water, fltrd, mg/L (00950) | Silica, water, fltrd, mg/L (00955) | Sulfate water, fltrd, mg/L (00945) | Residue on evap. at 180degC wat flt mg/L (70300) | Ammonia + org-N, water, fltrd, mg/L as N (00623) | Ammonia + org-N, water, unfltrd mg/L as N (00625) |
|-------|--|--|--|--|---|---|---|---|--|--|---|---|--|
| NOV | | | | | | | | | | | | | |
| 06... | 33.0 | 8.57 | 2.76 | 17.2 | 79 | 96 | 19.7 | <0.2 | 5.09 | 47.3 | 189 | 0.23 | 0.35 |
| 06... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC | | | | | | | | | | | | | |
| 10... | 34.2 | 7.71 | 2.04 | 12.3 | 83 | 101 | 12.8 | <0.17 | 5.16 | 36.6 | 180 | 0.22 | 0.30 |
| FEB | | | | | | | | | | | | | |
| 12... | 37.9 | 10.1 | 2.05 | 18.7 | 89 | 109 | 28.2 | 0.13 | 4.78 | 48.2 | 214 | 0.24 | 0.54 |
| 12... | 36.6 | 9.64 | 2.09 | 17.7 | 88 | 107 | 26.1 | 0.13 | 4.62 | 46.2 | 206 | 0.30 | 0.53 |
| 27... | 25.6 | 5.59 | 1.71 | 8.44 | 65 | 79 | 12.9 | 0.09 | 4.84 | 25.5 | 134 | 0.23 | 0.61 |
| MAR | | | | | | | | | | | | | |
| 12... | 32.6 | 8.54 | 1.80 | 15.9 | 67 | 82 | 24.2 | 0.13 | 5.61 | 42.5 | 186 | -- | -- |
| 12... | 0.08 | <0.008 | 0.05 | E.07 | -- | -- | 0.44 | <0.01 | <0.13 | 0.06 | -- | -- | -- |
| 26... | 36.1 | 9.35 | 2.15 | 15.8 | 75 | 91 | 23.8 | 0.12 | 5.37 | 43.7 | 202 | 0.24 | 0.62 |
| APR | | | | | | | | | | | | | |
| 09... | 38.3 | 10.2 | 2.46 | 12.8 | 89 | 109 | 19.2 | 0.13 | 4.01 | 45.4 | 206 | 0.16 | 0.57 |
| 09... | 37.5 | 10.1 | 2.04 | 12.7 | -- | -- | 19.2 | 0.13 | 3.95 | 47.9 | 203 | 0.16 | 0.53 |
| 23... | 32.5 | 8.24 | 1.96 | 10.2 | 74 | 90 | 12.2 | <0.17 | 4.23 | 37.3 | 168 | 0.20 | 0.62 |
| 23... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | | | |
| 06... | 30.9 | 8.00 | 2.12 | 9.19 | 74 | 90 | 12.2 | <0.17 | 3.93 | 35.0 | 165 | 0.22 | 0.50 |
| 20... | 32.1 | 7.54 | 2.66 | 8.76 | 77 | 93 | 18.1 | <0.2 | 4.76 | 28.6 | 166 | 0.31 | 0.61 |
| JUN | | | | | | | | | | | | | |
| 05... | 32.8 | 8.91 | 2.08 | 9.66 | 91 | 111 | 13.0 | <0.2 | 5.08 | 38.4 | 187 | 0.22 | 0.59 |
| 25... | 31.0 | 7.86 | 2.42 | 9.79 | 76 | 93 | 12.7 | <0.2 | 5.80 | 37.9 | 164 | E.23 | E.53 |
| 25... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUL | | | | | | | | | | | | | |
| 16... | 30.8 | 8.88 | 2.64 | 11.1 | 78 | 95 | 14.3 | <0.2 | 4.82 | 36.5 | 167 | 0.20 | 0.79 |
| 16... | 0.05 | E.004 | <0.008 | 0.26 | -- | -- | 0.02 | 0.01 | 0.40 | <0.01 | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 13... | 38.4 | 10.6 | 2.90 | 14.9 | 79 | 96 | 17.9 | <0.2 | 4.87 | 45.5 | 127 | 0.22 | 0.46 |
| SEP | | | | | | | | | | | | | |
| 09... | 33.6 | 8.54 | 3.10 | 10.6 | 85 | 103 | 13.9 | <0.2 | 6.44 | 33.8 | 180 | 0.19 | 1.0 |
| 09... | 32.2 | 8.21 | 2.97 | 10.3 | -- | -- | 13.7 | <0.2 | 6.22 | 33.6 | 175 | 0.23 | 0.78 |

03612500 OHIO RIVER AT LOCK AND DAM 53, NEAR GRAND CHAIN, IL—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) | Nitrite water, fltrd, mg/L as N (00613) | Ortho- phos- phate, water, fltrd, mg/L as P (00671) | Partic- ulate nitro- gen, susp, water, mg/L (49570) | Phos- phorus, water, fltrd, mg/L (00666) | Phos- phorus, water, unfltrd mg/L (00665) | Total carbon, suspnd sedimnt total, mg/L (00694) | Inor- ganic carbon, suspnd sedimnt total, mg/L (00688) | Organic carbon, suspnd sedimnt total, mg/L (00689) | Organic carbon, water, fltrd, mg/L (00681) | Pheo- phytin a, phyto- plank- ton, ug/L (62360) | Chloro- phyll a phyto- plank- ton, fluoro, ug/L (70953) |
|-------|--|---|--|--|--|---|--|--|---|--|---|--|--|
| NOV | | | | | | | | | | | | | |
| 06... | <0.04 | 1.02 | 0.022 | 0.048 | 0.11 | 0.058 | 0.10 | 0.7 | <0.1 | 0.7 | 2.8 | 5.3 | 4.6 |
| 06... | -- | -- | -- | -- | <0.02 | -- | -- | <0.1 | <0.1 | <0.1 | E.2 | -- | -- |
| DEC | | | | | | | | | | | | | |
| 10... | 0.05 | 0.86 | E.004 | 0.036 | 0.08 | 0.045 | 0.08 | 0.6 | <0.1 | 0.6 | 2.2 | 4.4 | 8.2 |
| FEB | | | | | | | | | | | | | |
| 12... | 0.09 | 1.35 | 0.011 | 0.025 | 0.26 | 0.029 | 0.12 | 2.1 | <0.1 | 2.1 | 1.9 | 5.2 | 9.9 |
| 12... | 0.09 | 1.33 | 0.011 | 0.023 | 0.24 | 0.029 | 0.12 | 2.0 | <0.1 | 2.0 | 1.8 | 4.9 | 10.5 |
| 27... | 0.06 | 0.97 | E.004 | 0.029 | -- | 0.035 | 0.25 | -- | -- | -- | 2.7 | -- | -- |
| MAR | | | | | | | | | | | | | |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 4.1 | 4.4 |
| 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 26... | E.03 | 1.67 | 0.024 | 0.028 | 0.30 | 0.037 | 0.17 | 2.5 | <0.1 | 2.5 | 2.6 | 4.6 | 6.6 |
| APR | | | | | | | | | | | | | |
| 09... | <0.04 | 1.51 | 0.021 | 0.023 | 0.24 | 0.033 | 0.14 | 2.1 | <0.1 | 2.1 | 2.5 | 6.8 | 3.2 |
| 09... | <0.04 | 1.51 | 0.021 | 0.025 | 0.24 | 0.034 | 0.14 | 2.2 | <0.1 | 2.2 | 2.5 | 6.6 | 3.1 |
| 23... | <0.04 | 0.93 | 0.014 | 0.016 | 0.33 | 0.025 | 0.15 | 3.6 | <0.1 | 3.6 | 2.4 | 9.6 | 5.7 |
| 23... | -- | -- | -- | -- | <0.02 | -- | -- | <0.1 | <0.1 | <0.1 | E.2 | -- | -- |
| MAY | | | | | | | | | | | | | |
| 06... | E.02 | 0.84 | 0.011 | 0.019 | 0.30 | 0.027 | 0.10 | 1.5 | <0.1 | 1.5 | 2.9 | -- | -- |
| 20... | <0.04 | 1.29 | 0.017 | 0.041 | 0.27 | 0.051 | 0.17 | 2.3 | <0.1 | 2.3 | 3.4 | 6.3 | 3.3 |
| JUN | | | | | | | | | | | | | |
| 05... | <0.015 | 1.25 | 0.009 | 0.027 | 0.20 | 0.039 | 0.13 | 1.8 | <0.1 | 1.7 | 4.3 | 9.5 | 6.7 |
| 25... | <0.04 | E1.31 | E.005 | E.030 | 0.38 | E.039 | E.20 | 4.5 | <0.1 | 4.4 | 2.7 | 6.5 | 5.9 |
| 25... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUL | | | | | | | | | | | | | |
| 16... | <0.04 | 1.35 | <0.008 | 0.039 | 0.39 | 0.047 | 0.24 | 4.6 | <0.1 | 4.6 | 2.9 | 10.3 | 8.4 |
| 16... | <0.015 | <0.022 | <0.002 | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 13... | <0.04 | 0.83 | E.006 | 0.038 | 0.17 | 0.049 | 0.12 | 1.3 | <0.1 | 1.3 | 2.7 | 11.1 | 13.1 |
| SEP | | | | | | | | | | | | | |
| 09... | <0.04 | 0.88 | <0.008 | 0.054 | 0.77 | 0.064 | 0.49 | 9.4 | 0.2 | 9.2 | 3.5 | 27.6 | <0.6 |
| 09... | <0.04 | 0.86 | <0.008 | 0.053 | 0.48 | 0.064 | 0.30 | 4.3 | <0.1 | 4.2 | 3.4 | -- | -- |

03612500 OHIO RIVER AT LOCK AND DAM 53, NEAR GRAND CHAIN, IL—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Aluminum, water, flt'd, ug/L (01106) | Anti- mony, water, flt'd, ug/L (01095) | Arsenic water, flt'd, ug/L (01000) | Barium, water, flt'd, ug/L (01005) | Beryll- ium, water, flt'd, ug/L (01010) | Boron, water, flt'd, ug/L (01020) | Cadmium water, flt'd, ug/L (01025) | Chrom- ium, water, flt'd, ug/L (01030) | Cobalt water, flt'd, ug/L (01035) | Copper, water, flt'd, ug/L (01040) | Iron, water, flt'd, ug/L (01046) | Lead, water, flt'd, ug/L (01049) | Lithium water, flt'd, ug/L (01130) |
|-------|--|---|--|--|--|---|--|---|---|--|--|--|--|
| NOV | | | | | | | | | | | | | |
| 06... | -- | -- | 1.0 | -- | -- | 53 | -- | -- | -- | -- | <10 | -- | 3.8 |
| 06... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC | | | | | | | | | | | | | |
| 10... | -- | -- | 0.7 | -- | -- | 37 | -- | -- | -- | -- | E6 | -- | 2.4 |
| FEB | | | | | | | | | | | | | |
| 12... | -- | -- | 0.5 | -- | -- | 42 | -- | -- | -- | -- | E7 | -- | 3.7 |
| 12... | -- | -- | 0.5 | -- | -- | 41 | -- | -- | -- | -- | E9 | -- | 3.6 |
| 27... | 6 | <0.30 | 0.4 | 25 | <0.06 | 16 | <0.04 | <0.8 | 0.16 | 1.0 | 23 | <0.08 | 1.5 |
| MAR | | | | | | | | | | | | | |
| 12... | -- | -- | 0.4 | -- | -- | 24 | -- | -- | -- | -- | 10 | -- | 2.6 |
| 12... | -- | -- | <0.3 | -- | -- | <7 | -- | -- | -- | -- | <10 | -- | <0.5 |
| 26... | -- | -- | 0.6 | -- | -- | 28 | -- | -- | -- | -- | 16 | -- | 3.0 |
| APR | | | | | | | | | | | | | |
| 09... | -- | -- | 0.5 | -- | -- | 31 | -- | -- | -- | -- | 11 | -- | 3.1 |
| 09... | -- | -- | 0.5 | -- | -- | 31 | -- | -- | -- | -- | 10 | -- | 3.1 |
| 23... | -- | -- | 0.5 | -- | -- | 26 | -- | -- | -- | -- | E5 | -- | 2.6 |
| 23... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | | | |
| 06... | -- | -- | 0.6 | -- | -- | 34 | -- | -- | -- | -- | E8 | -- | 2.0 |
| 20... | -- | -- | 0.7 | -- | -- | 32 | -- | -- | -- | -- | <10 | -- | 2.3 |
| JUN | | | | | | | | | | | | | |
| 05... | 8 | <0.30 | 0.8 | 31 | <0.06 | 33 | <0.04 | <0.8 | 0.16 | 1.7 | E5 | <0.08 | 2.5 |
| 25... | -- | -- | 0.8 | -- | -- | 29 | -- | -- | -- | -- | <8 | -- | 2.4 |
| 25... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JUL | | | | | | | | | | | | | |
| 16... | -- | -- | 0.9 | -- | -- | 37 | -- | -- | -- | -- | E4 | -- | 3.0 |
| 16... | -- | -- | <0.3 | -- | -- | <7 | -- | -- | -- | -- | <8 | -- | <0.5 |
| AUG | | | | | | | | | | | | | |
| 13... | 7 | E.19 | 1.0 | 36 | <0.06 | 49 | <0.04 | <0.8 | 0.13 | 1.5 | <8 | <0.08 | 3.4 |
| SEP | | | | | | | | | | | | | |
| 09... | -- | -- | 1.1 | -- | -- | 40 | -- | -- | -- | -- | 11 | -- | 2.9 |
| 09... | -- | -- | 1.0 | -- | -- | 40 | -- | -- | -- | -- | E6 | -- | 2.8 |

03612500 OHIO RIVER AT LOCK AND DAM 53, NEAR GRAND CHAIN, IL—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Mangan- ese, water, fltrd, ug/L (01056) | Molyb- denum, water, fltrd, ug/L (01060) | Nickel, water, fltrd, ug/L (01065) | Selen- ium, water, fltrd, ug/L (01145) | Silver, water, fltrd, ug/L (01075) | Stront- ium, water, fltrd, ug/L (01080) | Vanad- ium, water, fltrd, ug/L (01085) | Zinc, water, fltrd, ug/L (01090) | 2,6-Di- ethyl- aniline water fltrd 0.7u GF ug/L (82660) | CIAT, water, fltrd, ug/L (04040) | Aceto- chlor, water, fltrd, ug/L (49260) | Ala- chlor, water, fltrd, ug/L (46342) | alpha- HCH, water, fltrd, ug/L (34253) |
|-------|--|---|--|---|--|--|---|--|--|--|---|---|---|
| NOV | | | | | | | | | | | | | |
| 06... | -- | -- | -- | E.5 | -- | 161 | 0.7 | -- | <0.006 | E.023 | <0.006 | <0.004 | <0.005 |
| 06... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC | | | | | | | | | | | | | |
| 10... | -- | -- | -- | E.3 | -- | 147 | 0.7 | -- | <0.006 | E.018 | <0.006 | <0.004 | <0.005 |
| FEB | | | | | | | | | | | | | |
| 12... | -- | -- | -- | E.4 | -- | 179 | 1.5 | -- | <0.006 | E.013 | <0.006 | <0.004 | <0.005 |
| 12... | -- | -- | -- | 0.5 | -- | 172 | 1.5 | -- | <0.006 | E.014 | <0.006 | <0.004 | <0.005 |
| 27... | 8.1 | 0.7 | 1.96 | E.3 | <0.20 | 95.5 | 0.7 | M | <0.006 | E.016 | <0.006 | <0.004 | <0.005 |
| MAR | | | | | | | | | | | | | |
| 12... | -- | -- | -- | E.4 | -- | 155 | 0.5 | -- | -- | -- | -- | -- | -- |
| 12... | -- | -- | -- | <0.5 | -- | E.16 | <0.1 | -- | -- | -- | -- | -- | -- |
| 26... | -- | -- | -- | 0.6 | -- | 178 | 1.0 | -- | <0.006 | E.022 | 0.007 | <0.004 | <0.005 |
| APR | | | | | | | | | | | | | |
| 09... | -- | -- | -- | E.3 | -- | 174 | 1.4 | -- | <0.006 | E.036 | 0.021 | <0.004 | <0.005 |
| 09... | -- | -- | -- | E.5 | -- | 176 | 1.5 | -- | <0.006 | E.042 | 0.022 | <0.004 | <0.005 |
| 23... | -- | -- | -- | E.4 | -- | 150 | 1.3 | -- | <0.006 | E.034 | 0.054 | <0.004 | <0.005 |
| 23... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | | | |
| 06... | -- | -- | -- | E.3 | -- | 110 | 1.1 | -- | <0.006 | E.093 | 0.077 | <0.004 | <0.005 |
| 20... | -- | -- | -- | E.3 | -- | 138 | 0.7 | -- | <0.006 | E.154 | 0.357 | 0.013 | <0.005 |
| JUN | | | | | | | | | | | | | |
| 05... | 1.0 | 1.6 | 1.42 | E.4 | <0.20 | 145 | 0.8 | M | -- | -- | -- | -- | -- |
| 25... | -- | -- | -- | 0.6 | -- | 159 | 0.8 | -- | <0.006 | E.149 | E.132 | E.011 | <0.005 |
| 25... | -- | -- | -- | -- | -- | -- | -- | -- | <0.006 | <0.006 | <0.006 | <0.004 | <0.005 |
| JUL | | | | | | | | | | | | | |
| 16... | -- | -- | -- | 0.5 | -- | 178 | 1.2 | -- | <0.006 | E.080 | 0.093 | 0.014 | <0.005 |
| 16... | -- | -- | -- | <0.5 | -- | <0.20 | <0.1 | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | | | | | | | | |
| 13... | 0.3 | 2.4 | 2.07 | E.4 | <0.20 | 176 | 1.3 | <1 | <0.006 | E.035 | 0.015 | <0.004 | <0.005 |
| SEP | | | | | | | | | | | | | |
| 09... | -- | -- | -- | E.4 | -- | 158 | 1.3 | -- | <0.006 | E.024 | 0.012 | <0.004 | <0.005 |
| 09... | -- | -- | -- | E.3 | -- | 157 | 1.3 | -- | -- | -- | -- | -- | -- |

03612500 OHIO RIVER AT LOCK AND DAM 53, NEAR GRAND CHAIN, IL—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | Uranium natural water, fltrd, ug/L (22703) | Suspnd. sedi- ment, sieve diametr percent <.063mm (70331) | Sus- pended sedi- ment concentr- ation mg/L (80154) |
|-------|--|--|---|---|--|--|
| NOV | | | | | | |
| 06... | <0.005 | <0.002 | <0.009 | -- | 97 | 18 |
| 06... | -- | -- | -- | -- | -- | -- |
| DEC | | | | | | |
| 10... | <0.005 | <0.002 | <0.009 | -- | 93 | 12 |
| FEB | | | | | | |
| 12... | <0.005 | <0.002 | <0.009 | -- | 97 | 66 |
| 12... | <0.005 | <0.002 | <0.009 | -- | 97 | 65 |
| 27... | <0.005 | <0.002 | <0.009 | 0.20 | 81 | 194 |
| MAR | | | | | | |
| 12... | -- | -- | -- | -- | 88 | 117 |
| 12... | -- | -- | -- | -- | -- | -- |
| 26... | <0.005 | <0.002 | <0.009 | -- | 93 | 97 |
| APR | | | | | | |
| 09... | <0.005 | <0.002 | <0.009 | -- | 98 | 73 |
| 09... | <0.005 | <0.002 | <0.009 | -- | 97 | 73 |
| 23... | <0.005 | <0.002 | <0.009 | -- | 97 | 93 |
| 23... | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | |
| 06... | <0.005 | <0.002 | <0.009 | -- | 98 | 46 |
| 20... | <0.005 | <0.002 | <0.009 | -- | 94 | 90 |
| JUN | | | | | | |
| 05... | -- | -- | -- | 0.43 | 98 | 56 |
| 25... | <0.005 | <0.002 | <0.009 | -- | 96 | 138 |
| 25... | <0.005 | <0.002 | <0.009 | -- | -- | -- |
| JUL | | | | | | |
| 16... | <0.005 | <0.002 | <0.009 | -- | 88 | 189 |
| 16... | -- | -- | -- | -- | -- | -- |
| AUG | | | | | | |
| 13... | <0.005 | <0.002 | <0.009 | 0.34 | 95 | 48 |
| SEP | | | | | | |
| 09... | <0.005 | <0.002 | <0.009 | -- | 96 | 316 |
| 09... | -- | -- | -- | -- | -- | -- |

Other QA--Grab sample at center vertical (surface only).

E--Laboratory estimated value.

M--Presence of material verified but not quantified.

<--Numeric result is less than the value shown.

[THIS PAGE INTENTIONALLY BLANK.]

07024000 BAYOU DE CHIEN NEAR CLINTON, KY

LOCATION.--Lat 36°37'43", long 88°57'50", Hickman County, Hydrologic Unit 08010201, on right bank at downstream side of bridge on U.S. Highway 51, 1.1 mi upstream from Cane Creek, 3.2 mi southeast of Clinton, and at mile 15.1.

DRAINAGE AREA.--68.7 mi².

PERIOD OF RECORD.--October 1939 to September 1950 (monthly discharge only for some periods, published in WSP 1311), October 1950 to September 1978, September 1984 to current year. Published as "Bayou du Chien near Clinton," October 1954 to September 1968.

REVISED RECORDS.--WSP 1311: 1940 (M), 1942-44 (M). WSP 1711: Drainage area. WDR-KY-89: 1985-89 (m).

GAGE.--Water-Stage recorder with telemetry. Datum of gage is 307.71 ft above NGVD of 1929. Prior to Aug. 2, 1951, nonrecording gage at same site and datum.

REMARKS.-- Records fair except for those estimated, which are poor. Minium flow affected by backwater from the Mississippi River.

COOPERATION.--Kentucky Natural Resources and Environmental Protection Cabinet.

PEAK DISCHARGES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 2,000 ft³/s and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec 20 | 0100 | 4,500 | 16.27 | May 17 | 2330 | *6,240 | *16.79 |
| Feb 15 | 2130 | 2,180 | 15.39 | Jun 12 | 1700 | 2,940 | 15.34 |

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003
DAILY MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|------|------|-------|
| 1 | 22 | 25 | 26 | 718 | 49 | 111 | 35 | 42 | 32 | 29 | 26 | 28 |
| 2 | 22 | 24 | 26 | 191 | 42 | 79 | 34 | 74 | 32 | 23 | 28 | 402 |
| 3 | 22 | 26 | 27 | 132 | 49 | 63 | 34 | 46 | 35 | 21 | 28 | 230 |
| 4 | 27 | 26 | 55 | 75 | 112 | 58 | 36 | 40 | 33 | 20 | 28 | 39 |
| 5 | 23 | 235 | 161 | 59 | 43 | 56 | 111 | 693 | 31 | 32 | 42 | 28 |
| 6 | 21 | 77 | 51 | 46 | 47 | 51 | 222 | 132 | 31 | 23 | 25 | 25 |
| 7 | 21 | 38 | 42 | 41 | 51 | 47 | 557 | 884 | 31 | 21 | 23 | 24 |
| 8 | 20 | 32 | 44 | 43 | e36 | 46 | 103 | 562 | 30 | 19 | 22 | 23 |
| 9 | 20 | 30 | 37 | 41 | e37 | 43 | 66 | 125 | 28 | 19 | 22 | 23 |
| 10 | 903 | 39 | 37 | 36 | 49 | 40 | 62 | 75 | 96 | 20 | 22 | 22 |
| 11 | 1,170 | 34 | 44 | 33 | 123 | 40 | 52 | 181 | 893 | 19 | 21 | 22 |
| 12 | 170 | 29 | 35 | 31 | 131 | 40 | 46 | 66 | 2,130 | 18 | 21 | 22 |
| 13 | 42 | 28 | 412 | 34 | 64 | 42 | 42 | 55 | 820 | 21 | 21 | 22 |
| 14 | 33 | 29 | 176 | 34 | 828 | 39 | 40 | 52 | 114 | 19 | 21 | 25 |
| 15 | 30 | 40 | 56 | e32 | 1,740 | 40 | 38 | 51 | 56 | 19 | 21 | 21 |
| 16 | 29 | 34 | 42 | e30 | 1,510 | 39 | 38 | 62 | 55 | 22 | 21 | 21 |
| 17 | 28 | 30 | 38 | e32 | 534 | 38 | 71 | 2,080 | 40 | 19 | 21 | 21 |
| 18 | 27 | 30 | 94 | e32 | 127 | 40 | 43 | 3,660 | 241 | 25 | 20 | 21 |
| 19 | 29 | 32 | 2,100 | e30 | 592 | 576 | 40 | 607 | 65 | 27 | 20 | 21 |
| 20 | 33 | 29 | 3,380 | e36 | 333 | 130 | 44 | 124 | 34 | 20 | 20 | 21 |
| 21 | 26 | 29 | 662 | 42 | 512 | 75 | 40 | 89 | 27 | 20 | 19 | 32 |
| 22 | 24 | 28 | 96 | 31 | 1,130 | 62 | 36 | 61 | 26 | 21 | 21 | 407 |
| 23 | 23 | 27 | 45 | e28 | 1,370 | 48 | 35 | 51 | 25 | 19 | 63 | 43 |
| 24 | 23 | 27 | 44 | e25 | 277 | 43 | 43 | 44 | 24 | 19 | 22 | 26 |
| 25 | 26 | 27 | 35 | 28 | 96 | 40 | 294 | 45 | 22 | 18 | 20 | 23 |
| 26 | 26 | 27 | 26 | e28 | 83 | 39 | 106 | 42 | 22 | 19 | 20 | 22 |
| 27 | 25 | 27 | 23 | e24 | 92 | 37 | 52 | 39 | 22 | 19 | 20 | 22 |
| 28 | 36 | 26 | 23 | e28 | 130 | 38 | 43 | 36 | 21 | 18 | 20 | 22 |
| 29 | 36 | 27 | 22 | 54 | --- | 45 | 41 | 37 | 20 | 30 | 19 | 21 |
| 30 | 28 | 29 | 25 | 40 | --- | 37 | 43 | 36 | 20 | 34 | 67 | 22 |
| 31 | 26 | --- | 412 | 43 | --- | 36 | --- | 36 | --- | 130 | 33 | --- |
| TOTAL | 2,991 | 1,141 | 8,296 | 2,077 | 10,187 | 2,118 | 2,447 | 10,127 | 5,056 | 783 | 797 | 1,701 |
| MEAN | 96.5 | 38.0 | 268 | 67.0 | 364 | 68.3 | 81.6 | 327 | 169 | 25.3 | 25.7 | 56.7 |
| MAX | 1,170 | 235 | 3,380 | 718 | 1,740 | 576 | 557 | 3,660 | 2,130 | 130 | 67 | 407 |
| MIN | 20 | 24 | 22 | 24 | 36 | 36 | 34 | 36 | 20 | 18 | 19 | 21 |
| CFSM | 1.40 | 0.55 | 3.90 | 0.98 | 5.30 | 0.99 | 1.19 | 4.76 | 2.45 | 0.37 | 0.37 | 0.83 |
| IN. | 1.62 | 0.62 | 4.49 | 1.12 | 5.52 | 1.15 | 1.33 | 5.48 | 2.74 | 0.42 | 0.43 | 0.92 |


STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1940 - 2003, BY WATER YEAR (WY)

| | | | | | | | | | | | | |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| MEAN | 33.9 | 81.3 | 133 | 150 | 188 | 207 | 135 | 109 | 76.0 | 57.0 | 39.2 | 35.2 |
| MAX | 165 | 520 | 557 | 586 | 672 | 1,138 | 335 | 470 | 419 | 397 | 206 | 268 |
| (WY) | (1985) | (1958) | (1991) | (1950) | (1989) | (1975) | (1970) | (1978) | (1976) | (1976) | (1977) | (1977) |
| MIN | 7.27 | 9.41 | 12.1 | 12.7 | 16.2 | 14.2 | 18.6 | 12.1 | 11.7 | 10.7 | 9.43 | 8.74 |
| (WY) | (1944) | (1944) | (1944) | (1944) | (1941) | (1941) | (1986) | (1969) | (1952) | (1943) | (1953) | (1941) |

07024000 BAYOU DE CHIEN NEAR CLINTON, KY—Continued

| SUMMARY STATISTICS | FOR 2002 CALENDAR YEAR | | FOR 2003 WATER YEAR | | WATER YEARS 1940 - 2003 | |
|--------------------------|------------------------|--------|---------------------|--------|-------------------------|--------------|
| ANNUAL TOTAL | 40,760 | | 47,721 | | 103 | |
| ANNUAL MEAN | 112 | | 131 | | 18.7 | |
| HIGHEST ANNUAL MEAN | | | | | 268 | 1976 |
| LOWEST ANNUAL MEAN | | | | | 18.7 | 1941 |
| HIGHEST DAILY MEAN | 3,380 | Dec 20 | 3,660 | May 18 | 7,150 | Jan 2, 1966 |
| LOWEST DAILY MEAN | 16 | Aug 22 | 18 | Jul 12 | 4.0 | May 29, 1943 |
| ANNUAL SEVEN-DAY MINIMUM | 16 | Sep 4 | 19 | Jul 22 | 4.7 | Jun 20, 1942 |
| MAXIMUM PEAK FLOW | | | 6,240 | May 17 | 9,460 | Jan 2, 1966 |
| MAXIMUM PEAK STAGE | | | 16.79 | May 17 | 16.79 | May 17, 2003 |
| ANNUAL RUNOFF (CFSM) | 1.63 | | 1.90 | | 1.50 | |
| ANNUAL RUNOFF (INCHES) | 22.07 | | 25.84 | | 20.42 | |
| 10 PERCENT EXCEEDS | 178 | | 203 | | 187 | |
| 50 PERCENT EXCEEDS | 36 | | 35 | | 24 | |
| 90 PERCENT EXCEEDS | 18 | | 21 | | 11 | |

e Estimated



DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

As the number of streams on which streamflow information is likely to be desired far exceeds the number of stream-gaging stations feasible to operate at one time, the U.S. Geological Survey collects limited streamflow data at sites other than stream-gaging stations. When limited streamflow data are collected on a systematic basis over a period of years for use in hydrologic analyses, the site at which the data are collected is called a partial-record station. Data collected at these partial-record stations are usable in low-flow or floodflow analyses, depending on the type of data collected. In addition, discharge measurements are made at other sites not included in the partial-record program. These measurements are generally made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites.

Crest-stage partial-record stations

The following table contains annual maximum discharges for crest-stage stations. A crest-stage gage is a device which will register the peak stage occurring between inspections of the gage. At a few of these stations crest stages are determined from continuous water-stage recorder graphs. A stage-discharge relation for each gage is developed from discharge measurements made by indirect measurements of peak flow or by current meter. The date of the maximum discharge is not always certain but is usually determined by comparison with nearby continuous record stations, weather records, or local inquiry. Only the maximum discharge for each water year is given. Information on some lower floods may have been obtained but is not published herein. The years given in the period of record represent water years for which the annual maximum has been determined.

Annual maximum discharge at crest-stage partial-record stations during water year 2003

| Station number | Station name | Location | Drainage area (mi ²) | Period of record | Annual maximum | | |
|--------------------------|---|---|----------------------------------|------------------|----------------|--------------------|--------------------------------|
| | | | | | Date | Gage height (feet) | Discharge (ft ³ /s) |
| <u>GOOSE CREEK BASIN</u> | | | | | | | |
| 03292474 | Goose Creek at Old Westport Road nr St. Matthews, Ky. | Lat 38°16'33", long 85°36'22", Jefferson County, Hydrologic Unit 05140101, on downstream side of bridge on Westport Road, left bank, 1.2 mile northeast of St. Matthews, 5.0 miles above Little Goose Creek, and at mile 5.5. | 6.0 | †1993-96 | 06-11-93 | 4.23 | 460 |
| | | | | | 08-29-94 | 3.79 | 850 |
| | | | | | 05-18-95 | 3.72 | 383 |
| | | | | | 05-11-96 | 3.47 | 349 |
| 03292475 | Goose Creek at U.S. HWY. 42 near Glenview Acres, Ky. | Lat 38°18'12", long 85°37'41", Jefferson County, Hydrologic Unit 05140101, at culvert on U.S. Highway 42, 1.7 mi above Little Goose Creek, and mile 2.1. | 10.1 | †1993-98 | 06-11-93 | 5.71 | 609 |
| | | | | | 11-17-93 | 7.83 | 1,710 |
| | | | | | 05-18-95 | 4.76 | 410 |
| | | | | | 01-24-96 | 8.02 | 1,850 |
| | | | | | 03-02-97 | u | u |
| | | | | | 07-30-98 | 4.87 | 392 |
| 03292480 | Little Goose Creek near Harrods Creek, Ky. | Lat 38°18'45", long 85°37'33", Jefferson County, Hydrologic Unit 05140101, at bridge on Hwy 42, and at mile 1.8. | 5.8 | †1993-98 | 06-11-93 | 6.45 | 225 |
| | | | | | 12-04-94 | 13.92 | 2,530 |
| | | | | | 05-18-95 | 6.98 | 278 |
| | | | | | 05-11-96 | 6.84 | 263 |
| | | | | | 03-02-97 | u | u |
| | | | | | 07-15-98 | 7.51 | 338 |

Annual maximum discharge at crest-stage partial-record stations during water year 2003

| Station number | Station name | Location | Drainage area (mi ²) | Period of record | Annual maximum | | |
|-------------------------------------|--|---|----------------------------------|----------------------------|----------------|--------------------|--------------------------------|
| | | | | | Date | Gage height (feet) | Discharge (ft ³ /s) |
| <u>BEARGRASS CREEK BASIN</u> | | | | | | | |
| 03292550 | South Fork Beargrass Creek at Winter Avenue at Louisville, Ky. | Lat 38°14'04", long 85°45'50", Jefferson County, Hydrologic Unit 05140101, at bridge on Winter Avenue, 1.4 mi above Middle Fork Beargrass Creek, and at mile 3.3. | 22.6 | †1993-98 | 07-14-93 | 8.04 | 2,180 |
| | | | | | 01-07-94 | 6.32 | 1,090 |
| | | | | | 05-18-95 | 7.78 | 2,000 |
| | | | | | 10-05-95 | 8.53 | 2,540 |
| | | | | | 03-02-97 | u | u |
| | | | | | 08-09-97 | 7.41 | 1,780 |
| | | | | | 06-10-98 | 9.08 | 2,920 |
| 03293200 | Middle Fork Beargrass Creek at Scenic Loop at Louisville, Ky. | Lat 38°14'32", long 85°41'57", Jefferson County, Hydrologic Unit 05140101, at bridge on Scenic Loop and at mile 1.9. | 22.7 | 1993-96, †1997- 2003 | 07-14-93 | 8.30 | 1,560 |
| | | | | | 01-28-94 | 7.31 | 1,200 |
| | | | | | 05-17-95 | 10.83 | 2,800 |
| | | | | | 05-11-96 | 11.33 | 3,030 |
| | | | | | 03-02-97 | u | u |
| | | | | | 08-09-97 | 9.25 | 1,960 |
| | | | | | 05-23-98 | 8.11 | 1,490 |
| | | | | | 06-02-99 | 7.22 | 1,170 |
| | | | | | 01-03-00 | 11.32 | 3,020 |
| | | | | | 12-16-00 | 10.20 | 2,400 |
| | | | | | 07-18-01 | 9.33 | 1,990 |
| 09-27-03 | 9.21 | 1,940 | | | | | |
| 03293530 | Muddy Fork at Mockingbird Valley Road at Louisville, Ky. | Lat 38°16'35", long 85°41'37", Jefferson County, Hydrologic Unit 05140101, at culvert on Mockingbird Valley Road and at mile 1.5. | 6.2 | †1993-2003 | 07-14-93 | 4.88 | 286 |
| | | | | | 01-28-94 | 8.09 | 948 |
| | | | | | 05-18-95 | 8.33 | 1,080 |
| | | | | | 10-05-95 | 6.27 | 465 |
| | | | | | 03-02-97 | u | u |
| | | | | | 05-23-98 | 4.99 | 294 |
| | | | | | 04-28-99 | 4.67 | 270 |
| | | | | | 01-03-00 | 7.46 | 728 |
| | | | | | 12-16-00 | 5.61 | 369 |
| 12-17-01 | 6.79 | 559 | | | | | |
| <u>MILL CREEK BASIN</u> | | | | | | | |
| 03294570 | Mill Creek at Orell Road near Louisville, Ky. | Lat 38°04'41", long 85°53'24", Jefferson County, Hydrologic Unit 05140101, at bridge on on Orell Road, and at mile 1.5. | 13.5 | †1993-99 | 08-17-93 | 5.61 | 883 |
| | | | | | 01-28-94 | 6.68 | 1,610 |
| | | | | | 01-28-95 | 6.74 | 1,650 |
| | | | | | 03-19-96 | 9.08 | 3,060 |
| | | | | | 03-02-97 | u | u |
| | | | | | 06-18-97 | 9.67 | 3,430 |
| | | | | | 04-16-98 | 11.38 | 3,910 |
| 01-23-99 | 10.35 | 3,890 | | | | | |

Annual maximum discharge at crest-stage partial-record stations during water year 2003

| Station number | Station name | Location | Drainage area (mi ²) | Period of record | Annual maximum | | |
|-------------------------|--|--|----------------------------------|------------------------|----------------|--------------------|--------------------------------|
| | | | | | Date | Gage height (feet) | Discharge (ft ³ /s) |
| <u>SALT RIVER BASIN</u> | | | | | | | |
| 03297980 | Long Run near Fisherville, Ky. | Lat 38°13'10", long 85°26'56", Jefferson County, Hydrologic Unit 05140101, at bridge on State Highway 1531, 0.7 mi below South Long Run and mile 2.4. | 22.5 | †1993-2003 | 07-14-93 | 9.38 | 4,270 |
| | | | | | 01-28-94 | 7.42 | 2,350 |
| | | | | | 08-05-95 | 8.21 | 3,050 |
| | | | | | 02-20-96 | 7.98 | 2,800 |
| | | | | | 03-02-97 | 11.35 | 6,640 |
| | | | | | 06-10-98 | 8.00 | 2,850 |
| | | | | | 02-18-00 | 9.58 | 4,500 |
| | | | | | 12-16-00 | 7.40 | 2,350 |
| | | | | | 01-24-02 | 9.76 | 4,710 |
| 03298100 | Pope Lick at Pope Lick Road near Middletown, Ky. | Lat 38°13'09", long 85°31'07", Jefferson County, Hydrologic Unit 05140102, at culvert on Pope Lick Road, and at mile 3.2. | 2.9 | †1993-2003 | 04-30-94 | 6.78 | 238 |
| | | | | | 05-18-95 | 8.04 | 374 |
| | | | | | 07-15-96 | 8.74 | 473 |
| | | | | | 03-02-97 | u | u |
| | | | | | 12-01-97 | 8.49 | 438 |
| | | | | | 04-29-99 | 8.61 | 455 |
| | | | | | 02-19-00 | 8.50 | 439 |
| 01-24-02 | 8.63 | 458 | | | | | |
| 03298150 | Chenoweth Run at Gelhaus Lane near Fern Creek, Ky. | Lat 38°09'36", long 85°32'32", Jefferson County, Hydrologic Unit 05140102, at bridge on Gelhaus Lane, 100 ft above Razor Branch, and at mile 2.3. | 11.6 | †1993-95 | 06-04-93 | 9.24 | 1,830 |
| | | | | | 05-07-94 | 8.19 | 1,410 |
| | | | | | 08-08-95 | 9.20 | 1,820 |
| 03298200 | Floyds Fork near Mount Washington, Ky. | Lat 38°05'07", long 85°33'18", Jefferson County, Hydrologic Unit 05140102, at bridge on U.S. Highway 31E, 0.2 mi below Old Mans Run, and at mile 18.7. | 213 | 1993-96, †1999-2000 | 07-14-93 | 20.58 | 6,860 |
| | | | | | 02-22-94 | 20.50 | 6,800 |
| | | | | | 05-18-95 | 20.37 | 6,690 |
| | | | | | 01-24-96 | 15.94 | 3,960 |
| | | | | | 03-02-97 | u | u |
| | | | | | 06-29-99 | 18.13 | 5,280 |
| | | | | | 02-19-00 | 23.00 | 8,640 |
| 03298250 | Cedar Creek at Thixton Road near Louisville, Ky. | Lat 38°04'45", long 85°36'58", Jefferson County, Hydrologic Unit 05140102, at culvert on Thixton Road, 4.2 mi above Pennsylvania Run, at mile 7.4. | 11.1 | †1993-98 | 05-18-93 | 3.22 | 982 |
| | | | | | 04-30-94 | 2.49 | 595 |
| | | | | | 05-18-95 | 2.63 | 663 |
| | | | | | 05-26-96 | 4.40 | 1,770 |
| | | | | | 03-02-97 | 8.21 | 6,390 |
| 08-08-98 | 3.42 | 1,100 | | | | | |
| 03298300 | Pennsylvania Run at Mount Washington Road near Louisville, Ky. | Lat 38°05'15", long 85°38'33", Jefferson County, Hydrologic Unit 05140102, at bridge on Mt. Washington Road, and at mile 1.9. | 6.4 | †1993-98 | 06-04-93 | 4.21 | 358 |
| | | | | | 04-30-94 | 4.47 | 408 |
| | | | | | 05-18-95 | 4.73 | 462 |
| | | | | | 05-26-96 | 7.92 | 1,420 |
| | | | | | 03-02-97 | 12.09 | 3,770 |
| | | | | | 07-07-98 | 3.91 | 305 |

Annual maximum discharge at crest-stage partial-record stations during water year 2003

| Station number | Station name | Location | Drainage area (mi ²) | Period of record | Annual maximum | | |
|-----------------------------------|---|--|----------------------------------|------------------|----------------|--------------------|--------------------------------|
| | | | | | Date | Gage height (feet) | Discharge (ft ³ /s) |
| <u>SALT RIVER BASIN—Continued</u> | | | | | | | |
| 03301880 | Southern Ditch at Minors Lane near Okolona, Ky. | Lat 38°08'04", long 85°42'34", Jefferson County, Hydrologic Unit 05140102, at bridge on Minors Lane, 0.2 mi below Mud Creek, and at mile 4.2. | 12.8 | †1993-2003 | 06-04-93 | 5.29 | 1,560 |
| | | | | | 04-30-94 | 4.29 | 981 |
| | | | | | 05-18-95 | 7.57 | 3,810 |
| | | | | | 05-26-96 | 10.65 | 10,300 |
| | | | | | 03-02-97 | 10.72 | 10,500 |
| | | | | | 07-07-98 | 7.11 | 3,230 |
| | | | | | 06-29-99 | 11.41 | 13,000 |
| | | | | | 01-04-00 | 8.82 | 5,850 |
| | | | | | 03-26-02 | 7.32 | 3,490 |
| | | | | | 02-22-03 | 5.67 | 1,840 |
| 03301940 | Northern Ditch at Okolona, Ky. | Lat 38°09'01", long 85°41'37", Jefferson County, Hydrologic Unit 05140102, at bridge on Preston Highway, 0.1 mi above Spring Ditch, and at mile 5.1. | 11.1 | †1993-97 | 06-04-93 | 6.24 | 332 |
| | | | | | 04-30-94 | 6.34 | 340 |
| | | | | | 05-18-95 | 9.57 | 902 |
| | | | | | 01-24-96 | 6.60 | 555 |
| | | | | | 03-02-97 | u | u |
| | | | | | 06-18-97 | 9.26 | 870 |
| 03301950 | Spring Ditch at Private Drive near Okolona, Ky. | Lat 38°09'27", long 85°40'57", Jefferson County, Hydrologic Unit 05140102, at culvert on Private Drive, and at mile 1.0. | 1.6 | †1993-2003 | 06-04-93 | 3.04 | 102 |
| | | | | | 04-30-94 | 4.06 | 179 |
| | | | | | 05-18-95 | 6.17 | 379 |
| | | | | | 07-15-96 | 8.01 | 571 |
| | | | | | 03-02-97 | 8.09 | 581 |
| | | | | | 06-23-98 | 5.22 | 279 |
| | | | | | 06-29-99 | 7.60 | 525 |
| | | | | | 02-19-00 | 7.64 | 529 |
| | | | | | 07-18-01 | 4.53 | 218 |
| | | | | | 04-28-02 | 5.03 | 263 |
| 05-05-03 | 4.39 | 206 | | | | | |
| 03302030 | Pond Creek at Pendleton Road near Louisville, Ky. | Lat 38°03'15", long 85°52'18", Jefferson County, Hydrologic Unit 05140102, at bridge on Pendleton Road, 1.3 above Brier Crakk at mile 7.1. | 80.3 | †1993-98 | 08-17-93 | 13.88 | 2,810 |
| | | | | | 05-07-94 | ^b 16.06 | 4,870 |
| | | | | | 05-18-95 | ^b 19.94 | 10,880 |
| | | | | | 01-24-96 | ^b 19.62 | 10,240 |
| | | | | | 03-02-97 | ^b 26.19 | u |
| | | | | | 04-16-98 | 17.14 | 6,190 |

Annual maximum discharge at crest-stage partial-record stations during water year 2003

| Station number | Station name | Location | Drainage area (mi ²) | Period of record | Annual maximum | | |
|-------------------------------|---|---|----------------------------------|---------------------|-----------------------|--------------------|--------------------------------|
| | | | | | Date | Gage height (feet) | Discharge (ft ³ /s) |
| <u>CUMBERLAND RIVER BASIN</u> | | | | | | | |
| 03400500 | Poor Fork at Cumberland, Ky. | Lat 36°58'26", long 82°59'38", Harlan County, Hydrologic Unit 05130101, at left upstream side of New York Avenue bridge at Cumberland, 250 ft upstream from Cloverlick Creek, 0.6 mi downstream from Looney Creek, and at mile 718.8. | 82.3 | †1941-92, 1993-2003 | 02-16-03 ^d | 10.73 | 5,820 |
| 03438220 | Laurel River at Municipal Dam, near Corbin, Ky. | Lat 36°58'13", long 84°07'11", Jefferson County, Hydrologic Unit 05140101, at bridge on State Highway 1531, 0.7 mi below South Long Run and mile 2.4. | 140 | †1974-92, 1993-2003 | 02-16-03 ^d | 24.90 | 8,170 |

†Converted to a continuous-record gaging station

^uUnknown

^bPossible backwater from Ohio River

^dDiscontinued

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|----------------------------|--|--|------------------|------------|---|
| HARRODS CREEK BASIN | | | | | |
| 0329247337 | Inflow to Pond at 5 Wolf Pen Lane near Prospect, Ky. | Lat 38°19'05", Long 85°35'09", Jefferson County, Hydrologic Unit 05140101, at inflow to pond. | 2003 | 05-22-03 | 1.27 |
| | | | | 05-30-03 | .67 |
| | | | | 06-01-03 | .44 |
| | | | | 06-03-03 | .61 |
| | | | | 06-06-03 | .39 |
| | | | | 06-09-03 | .30 |
| | | | | 06-12-03 | .58 |
| | | | | 06-16-03 | .95 |
| | | | | 06-19-03 | .79 |
| | | | | 06-23-03 | .35 |
| | | | | 06-23-03 | .38 |
| | | | | 06-30-03 | .17 |
| 0329247338 | Outflow to Pond at 5 Wolf Pen Lane near Prospect, Ky. | Lat 38°19'04", Long 85°35'20", Jefferson County, Hydrologic Unit 05140101, at outflow to pond. | 2003 | 05-22-03 | 1.06 |
| | | | | 05-30-03 | .48 |
| | | | | 06-01-03 | .55 |
| | | | | 06-03-03 | .49 |
| | | | | 06-06-03 | .17 |
| | | | | 06-09-03 | .17 |
| | | | | 06-12-03 | .35 |
| | | | | 06-16-03 | .38 |
| | | | | 06-19-03 | .25 |
| | | | | 06-23-03 | .11 |
| | | | | 06-30-03 | .10 |
| | | | | 0329247339 | Outflow of Pond at 6 Wolf Pen Lane near Prospect, Ky. |
| 05-30-03 | .25 | | | | |
| 06-01-03 | .42 | | | | |
| 06-03-03 | 1.06 | | | | |
| 06-06-03 | .28 | | | | |
| 06-09-03 | .92 | | | | |
| 06-12-03 | .57 | | | | |
| 06-16-03 | .62 | | | | |
| 06-19-03 | .30 | | | | |
| 06-23-03 | .19 | | | | |
| 06-30-03 | .00 | | | | |
| 0329247341 | Outflow to Pond at 2 Wolf Pen Lane near Prospect, Ky. | Lat 38°19'23", Long 85°35'28", Jefferson County, Hydrologic Unit 05140101, at outflow of pond at 2 Wolf Pen Lane. | 2003 | | |
| | | | | 05-30-03 | .17 |
| | | | | 06-01-03 | .19 |
| | | | | 06-03-03 | .29 |
| | | | | 06-06-03 | .17 |
| | | | | 06-09-03 | .17 |
| 0329247342 | Pond Drainage Below Spring at 2 Wolf Pen Lane near Prospect, Ky. | Lat 38°19'25", Long 85°35'29", Jefferson County, Hydrologic Unit 05140101, at Drainage Below Spring at 2 Wolf Pen Lane. | 2003 | 05-20-03 | .93 |
| | | | | 06-01-03 | .67 |
| | | | | 06-03-03 | 1.02 |
| | | | | 06-06-03 | .85 |
| | | | | 06-09-03 | .90 |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--------------------------------------|---|---|------------------|----------|--------------------------------|
| HARRODS CREEK BASIN—Continued | | | | | |
| 0329247343 | Unnamed Tributary Below Spring Inflow at 2 Wolf Pen Lane near Prospect, Ky. | Lat 38°19'27", Long 85°35'28", Jefferson County, HydrologicUnit 05140101, at Unnamed Tributary Below Spring Inflow. | 2003 | 05-30-03 | 0.07 |
| | | | | 06-01-03 | .05 |
| | | | | 06-03-03 | .05 |
| | | | | 06-06-03 | .02 |
| | | | | 06-09-03 | .01 |
| 0329247344 | Outflow of Pond 4 at 8116 Wolf Pen Lane near Prospect, Ky. | Lat 38°19'33", Long 85°35'32", Jefferson County, HydrologicUnit 05140101, at outflow of Pond 4 at 8116 Wolf Pen Lane. | 2003 | 05-30-03 | .93 |
| | | | | 06-01-03 | .81 |
| | | | | 06-03-03 | 1.09 |
| | | | | 06-06-03 | .79 |
| | | | | 06-09-03 | .78 |
| 0329247345 | Outflow of Pond at Bridge above Wolf Pen Branch near Prospect, Ky. | Lat 38°19'39", Long 85°35'35", Jefferson County, HydrologicUnit 05140101, at outflow of Pond at Bridge above Wolf Pen Branch. | 2003 | 05-22-03 | 2.83 |
| | | | | 05-30-03 | 1.00 |
| | | | | 06-01-03 | .91 |
| | | | | 06-03-03 | 1.20 |
| | | | | 06-06-03 | .78 |
| | | | | 06-09-03 | .89 |
| | | | | 06-12-03 | .91 |
| | | | | 06-16-03 | 1.93 |
| | | | | 06-19-03 | .66 |
| | | | | 06-23-03 | .44 |
| 06-30-03 | .20 | | | | |
| 0329247350 | Wolf Pen Branch above Pond Outflow near Prospect, Ky. | Lat 38°19'41", Long 85°35'36", Jefferson County, HydrologicUnit 05140101, at Wolf Pen Branch above Pond outflow. | 2003 | 05-22-03 | 3.91 |
| | | | | 05-30-03 | 1.66 |
| | | | | 06-01-03 | 1.34 |
| | | | | 06-03-03 | 2.12 |
| | | | | 06-06-03 | .87 |
| | | | | 06-09-03 | 1.27 |
| | | | | 06-12-03 | 3.21 |
| | | | | 06-16-03 | 3.66 |
| | | | | 06-19-03 | 1.51 |
| | | | | 06-23-03 | .87 |
| 06-30-03 | .59 | | | | |
| 0329247355 | Unnamed Tributary at Culvert UTZ near Prospect, Ky. | Lat 38°19'39", Long 85°35'41", Jefferson County, HydrologicUnit 05140101, Unnamed Tributary at Unnamed Tributary at Culvert at UTZ sampling site. | 2003 | 05-30-03 | .30 |
| | | | | 06-01-03 | .41 |
| | | | | 06-03-03 | .43 |
| | | | | 06-06-03 | .18 |
| | | | | 06-09-03 | .18 |
| 0329247360 | Wolf Pen Branch at Sample Site 7 near Prospect, Ky. | Lat 38°19'42", Long 85°35'42", Jefferson County, Hydrologic Unit 05140101, on Wolf Pen Branch at Sample Site 7. | 2003 | 06-12-03 | .22 |
| | | | | 05-30-03 | 2.88 |
| | | | | 06-01-03 | 2.25 |
| | | | | 06-03-03 | 3.29 |
| | | | | 06-06-03 | 1.70 |
| | | | | 06-09-03 | 2.61 |
| | | | | 06-12-03 | 3.54 |
| | | | | 06-16-03 | 5.39 |
| | | | | 06-19-03 | 2.18 |
| 06-23-03 | 1.34 | | | | |
| 06-30-03 | 1.06 | | | | |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--------------------------------------|---|--|------------------|----------|--------------------------------|
| <u>GREEN RIVER BASIN</u> | | | | | |
| 03316000 | Mud River near Lewisburg, Ky. | Lat 37°00'15", Long 86°54'26", Logan County, Hydrologic Unit 05110003, at upstream side of bridge on State Highway 106, 2.5 mi northeast of Lewisburg, 7.5 mi downstream from Motts Lick Creek, and 14.0 mi upstream from Wolf Lick Creek. | 2001-03 | 10-06-02 | 20.1 |
| | | | | 03-05-03 | 175 |
| | | | | 07-08-03 | 29.8 |
| <u>CUMBERLAND RIVER BASIN</u> | | | | | |
| 03410540 | White Oak Creek above Cabin Branch at Co-operative, Ky. | Lat 36°41'27", Long 84°37'24", McCreary County, Hydrologic Unit 05130104, 20 ft upstream of mouth of Cabin Branch, 400 ft downstream of Old Kidds Grocery, and 1,650 ft upstream of Boarding Hollow. | 2002-03 | 10-29-02 | 2.80 |
| | | | | 11-18-02 | 2.32 |
| | | | | 12-17-02 | 8.28 |
| | | | | 01-28-03 | .862 |
| | | | | 02-25-03 | 13.2 |
| | | | | 03-24-03 | 2.16 |
| | | | | 04-28-03 | 5.34 |
| | | | | 05-19-03 | 4.50 |
| | | | | 06-26-03 | 1.03 |
| | | | | 07-21-03 | .700 |
| | | | | 08-25-03 | .430 |
| 09-23-03 | 6.59 | | | | |
| 03410542 | Cabin Branch at Mouth at Co-operative. Ky. | Lat 36°41'28", Long 84°37'25", McCreary County, Hydrologic Unit 05130104, 20 ft upstream of State Highway 1363, 40 ft upstream of Rock Creek, and 1,600 ft above Boarding House Hollow. | 2002-03 | 10-29-02 | .240 |
| | | | | 11-18-02 | .751 |
| | | | | 12-17-02 | 1.49 |
| | | | | 01-28-03 | .382 |
| | | | | 02-25-03 | 3.62 |
| | | | | 03-24-03 | 1.23 |
| | | | | 04-28-03 | 2.63 |
| | | | | 05-19-03 | 1.20 |
| | | | | 06-25-03 | .336 |
| | | | | 07-21-03 | .252 |
| | | | | 08-25-03 | .100 |
| 09-23-03 | 1.68 | | | | |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--|---|---|------------------|----------|--------------------------------|
| <u>CUMBERLAND RIVER BASIN—Continued</u> | | | | | |
| 03410545 | Unnamed Tributary at Mouth Below Boarding House Hollow at Co-operative, Ky. | Lat 36°41'36", Long 84°36'56", McCreary County, Hydrologic Unit 05130104, 10 ft downstream of State Highway 1363, 10 ft upstream of Rock Creek, and 1,000 ft above Unnamed Tributary at Co-operative. | 2002-03 | 10-29-02 | 0.380 |
| | | | | 11-18-02 | 1.12 |
| | | | | 12-17-02 | 1.07 |
| | | | | 01-28-03 | .063 |
| | | | | 02-25-03 | 1.84 |
| | | | | 03-24-03 | .090 |
| | | | | 04-28-03 | 2.55 |
| | | | | 05-19-03 | .285 |
| | | | | 06-25-03 | .135 |
| | | | | 07-21-03 | .033 |
| 03410547 | Unnamed Tributary to White Oak Creek at Culvert at Co-operative, Ky. | Lat 36°41'36", Long 84°36'37", McCreary County, Hydrologic Unit 05130104, 10 ft downstream of State Highway 1363, 20 ft upstream of Rock Creek, and 1,000 ft below Boarding House Hollow. | 2002-03 | 10-29-02 | .150 |
| | | | | 11-18-02 | 1.50 |
| | | | | 12-17-02 | .363 |
| | | | | 01-28-03 | .351 |
| | | | | 02-25-03 | 1.93 |
| | | | | 03-24-03 | .490 |
| | | | | 04-28-03 | .440 |
| | | | | 05-19-03 | .620 |
| | | | | 06-25-03 | .320 |
| | | | | 07-21-03 | .100 |
| 03410552 | White Oak Creek above Jones Branch at White Oak Junction, Ky. | Lat 36°42'06", Long 84°35'52", McCreary County, Hydrologic Unit 05130104, 20 ft above Mouth of Jones Branch, 220 ft upstream of Bridge near Mouth of White Oak Creek, and 240 ft upstream of Rock Creek. | 2002-03 | 10-29-02 | 0 |
| | | | | 11-18-02 | 3.73 |
| | | | | 12-17-02 | 13.3 |
| | | | | 01-28-03 | 2.03 |
| | | | | 02-25-03 | 24.0 |
| | | | | 03-24-03 | 2.68 |
| | | | | 04-28-03 | 9.28 |
| | | | | 05-19-03 | 7.56 |
| | | | | 06-25-03 | .870 |
| | | | | 07-21-03 | 1.85 |
| 03410555 | Jones Branch above Unnamed Tributary at White Oak Junction, Ky. | Lat 36°42'29", Long 84°36'33", McCreary County, Hydrologic Unit 05130104, 20 ft downstream of Forest Service Road 821, 2,000 ft upstream of State Highway 1363, and 2,050 ft upstream of Mouth of Jones Branch. | 2002-03 | 10-29-02 | .570 |
| | | | | 11-18-02 | .560 |
| | | | | 12-17-02 | 3.29 |
| | | | | 01-28-03 | --- |
| | | | | 02-25-03 | 6.67 |
| | | | | 03-24-03 | 2.43 |
| | | | | 04-28-03 | 1.32 |
| | | | | 05-19-03 | 1.72 |
| | | | | 06-25-03 | .374 |
| | | | | 07-21-03 | .178 |
| 08-25-03 | .130 | | | | |
| 09-23-03 | 4.80 | | | | |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--|---|---|------------------|----------|--------------------------------|
| <u>CUMBERLAND RIVER BASIN—Continued</u> | | | | | |
| 03410557 | White Oak Creek at Mouth at White Oak Junction, Ky. | Lat 36°42'09", Long 84°35'47", McCreary County, Hydrologic Unit 05130104, 20 ft upstream of bridge near Mouth of White Oak Creek, 40 ft upstream of Rock Creek, and 200 ft below Mouth of Jones Branch. | 2002-03 | 10-29-02 | 0 |
| | | | | 11-18-02 | 3.37 |
| | | | | 12-17-02 | 18.0 |
| | | | | 01-28-03 | 2.51 |
| | | | | 02-25-03 | 19.6 |
| | | | | 03-24-03 | 4.75 |
| | | | | 04-28-03 | 8.34 |
| | | | | 05-19-03 | 8.28 |
| | | | | 06-25-03 | 1.46 |
| | | | | 07-21-03 | 1.02 |
| 03410559 | Rock Creek above White Oak Creek at White Oak Junction, Ky. | Lat 36°42'09", Long 84°35'43", McCreary County, Hydrologic Unit 05130104, 250 ft upstream of confluence with White Oak Creek, 1.0 mile upstream of Mouth of Roberts Hollow, and at mile 2.85. | 2002-03 | 10-29-02 | 2.02 |
| | | | | 11-18-02 | 102 |
| | | | | 12-17-02 | ^e 175 |
| | | | | 01-28-03 | 22.0 |
| | | | | 02-25-03 | ^e 350 |
| | | | | 03-24-03 | 27.0 |
| | | | | 04-28-03 | 47.6 |
| | | | | 05-19-03 | 69.3 |
| | | | | 06-25-03 | 24.5 |
| | | | | 07-21-03 | 11.7 |
| 03410561 | Jones Branch at White Oak Junction, Ky. | Lat 36°42'19", Long 84°35'41", McCreary County, Hydrologic Unit 05130104, at culvert, on Highway 1363, 150 ft northeast of intersection with Road 821 at White Oak Junction, Ky. | 2002-03 | 10-29-02 | .060 |
| | | | | 11-18-02 | .030 |
| | | | | 12-17-02 | .104 |
| | | | | 01-28-03 | .011 |
| | | | | 02-25-03 | .207 |
| | | | | 03-24-03 | .350 |
| | | | | 04-28-03 | .180 |
| | | | | 05-19-03 | .120 |
| | | | | 06-25-03 | .080 |
| | | | | 07-21-03 | .017 |
| 03410563 | White Oak Spring at White Oak Junction, Ky. | Lat 36°42'12", Long 84°35'51", McCreary County, Hydrologic Unit 05130104, 20 ft from left bank of Rock Creek, 0.3 mi northeast of intersection of Highway 1363, and Road 821 at White Oak Junction, Ky. | 2002-03 | 10-29-02 | 1.02 |
| | | | | 11-18-02 | .152 |
| | | | | 12-17-02 | 1.35 |
| | | | | 01-28-03 | .093 |
| | | | | 02-25-03 | .339 |
| | | | | 03-24-03 | 1.70 |
| | | | | 04-28-03 | .280 |
| | | | | 05-19-03 | .150 |
| | | | | 06-25-03 | .172 |
| | | | | 07-21-03 | .198 |
| 08-25-03 | .190 | | | | |
| 09-23-03 | .189 | | | | |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--|---|---|------------------|----------|--------------------------------|
| <u>CUMBERLAND RIVER BASIN—Continued</u> | | | | | |
| 03410569 | Rock Creek above Roberts Hollow at White Oak Junction, Ky. | Lat 36°42'35", Long 84°35'03", McCreary County, Hydrologic Unit 05130104, 500 ft above Mouth of Roberts Hollow, 4,600 ft downstream of White Oak Junction, and at mile 3.75. | 2002-03 | 10-29-02 | 16.9 |
| | | | | 11-18-02 | 111 |
| | | | | 12-17-02 | 191 |
| | | | | 01-28-03 | 26.3 |
| | | | | 02-25-03 | ^e 380 |
| | | | | 03-24-03 | 47.0 |
| | | | | 04-28-03 | 63.1 |
| | | | | 05-19-03 | 92.6 |
| | | | | 06-25-03 | 29.2 |
| | | | | 07-21-03 | 18.6 |
| 08-25-03 | 13.2 | | | | |
| 09-23-03 | ^e 230 | | | | |
| 03410570 | Roberts Hollow at Mouth at Paint Cliff, Ky. | Lat 36°42'37", Long 84°35'02", McCreary County, Hydrologic Unit 05130104, 20 ft upstream of Rock Creek, 30 ft downstream of State Highway 1363, and 75 ft above Unnamed Tributary Below Roberts Hollow. | 2002-03 | 10-29-02 | .260 |
| | | | | 11-18-02 | .460 |
| | | | | 12-17-02 | 2.27 |
| | | | | 01-28-03 | .186 |
| | | | | 02-25-03 | 2.89 |
| | | | | 03-24-03 | 1.41 |
| | | | | 04-28-03 | 1.38 |
| | | | | 05-19-03 | .732 |
| | | | | 06-25-03 | .370 |
| | | | | 07-21-03 | .043 |
| 08-25-03 | 1.10 | | | | |
| 09-23-03 | 3.40 | | | | |
| 03410571 | Unnamed Tributary at Culvert Below Roberts Hollow at Paint Cliff, Ky. | Lat 36°42'36", Long 84°34'57", McCreary County, Hydrologic Unit 05130104, 20 ft upstream of State Highway 1363, 20 ft upstream of Rock Creek, and 75 ft downstream of Mouth of Roberts Hollow. | 2002-03 | 10-29-02 | .200 |
| | | | | 11-18-02 | .438 |
| | | | | 12-17-02 | .895 |
| | | | | 01-28-03 | .370 |
| | | | | 02-25-03 | .925 |
| | | | | 03-24-03 | .800 |
| | | | | 04-28-03 | 1.03 |
| | | | | 05-19-03 | .825 |
| | | | | 06-25-03 | .840 |
| | | | | 07-21-03 | .380 |
| 08-25-03 | .030 | | | | |
| 09-23-03 | .376 | | | | |
| 03410575 | Paint Cliff Discharge at Paint Cliff, Ky. | Lat 36°42'25", Long 84°34'36", McCreary County, Hydrologic Unit 05130104, 20 ft upstream of State Highway 1363, 150 ft upstream of Rock Creek, and 1,800 ft above mouth of Poplar Spring Hollow. | 2002-03 | 10-29-02 | .270 |
| | | | | 11-18-02 | .030 |
| | | | | 12-17-02 | .335 |
| | | | | 01-28-03 | ^e .200 |
| | | | | 02-25-03 | .771 |
| | | | | 03-24-03 | 1.36 |
| | | | | 04-28-03 | .05 |
| | | | | 05-19-03 | 1.19 |
| | | | | 06-25-03 | .277 |
| | | | | 07-21-03 | .076 |
| 08-25-03 | .090 | | | | |
| 09-23-03 | .600 | | | | |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--|---|--|------------------|----------|--------------------------------|
| <u>CUMBERLAND RIVER BASIN—Continued</u> | | | | | |
| 03410578 | Poplar Spring Hollow at Mouth at Paint Cliff, Ky. | Lat 36°42'22", Long 84°34'06", McCreary County, Hydrologic Unit 05130104, 20 ft downstream of State Highway 1363, 40 ft upstream of Rock Creek, and 50 ft downstream of Old Kentucky and Tennessee Railroad Grade. | 2002-03 | 10-29-02 | 0.140 |
| | | | | 11-18-02 | .309 |
| | | | | 12-17-02 | 1.45 |
| | | | | 01-28-03 | .039 |
| | | | | 02-25-03 | 1.73 |
| | | | | 03-24-03 | 1.32 |
| | | | | 04-28-03 | .540 |
| | | | | 05-19-03 | .270 |
| | | | | 06-26-03 | .185 |
| | | | | 07-21-03 | .118 |
| | 08-25-03 | .050 | | | |
| | 09-23-03 | 1.21 | | | |
| 03410580 | Rock Creek Below Poplar Spring Hollow at Paint Cliff, Ky. | Lat 36°42'11", Long 84°33'50", McCreary County, Hydrologic Unit 05130104, 75 ft upstream of Forest Service Road 1271, 1,100 ft downstream of Mouth of Polpar Spring Hollow, and at mile 1.7. | 2002-03 | 10-29-02 | 19.4 |
| | | | | 11-18-02 | 105 |
| | | | | 12-17-02 | ^e 210 |
| | | | | 01-28-03 | 22.0 |
| | | | | 02-25-03 | ^e 400 |
| | | | | 03-24-03 | 52.0 |
| | | | | 04-28-03 | 55.1 |
| | | | | 05-19-03 | 104 |
| | | | | 06-25-03 | 26.3 |
| | | | | 07-21-03 | 19.9 |
| | 08-25-03 | 20.0 | | | |
| | 09-23-03 | ^e 240 | | | |
| 03410585 | Koger Fork above Mouth at Paint Cliff, Ky. | Lat 36°42'03", Long 84°32'49", McCreary County, Hydrologic Unit 05130104, 10 ft upstream of Rock Creek, 60 ft above Forest Service Road 1271, and 1,400 ft downstream of Forks of Koger Fork. | 2002-03 | 10-29-02 | .730 |
| | | | | 11-18-02 | .828 |
| | | | | 12-17-02 | 3.50 |
| | | | | 01-28-03 | .610 |
| | | | | 02-25-03 | 4.30 |
| | | | | 03-24-03 | 1.09 |
| | | | | 04-28-03 | .850 |
| | | | | 05-19-03 | .520 |
| | | | | 06-25-03 | .919 |
| | | | | 07-21-03 | .119 |
| | 08-25-03 | .090 | | | |
| | 09-23-03 | 7.62 | | | |

Discharge measurements made at miscellaneous sites during water year 2003

| Station no. | Station name | Location | Period of record | Date | Discharge (ft ³ /s) |
|--|---|---|------------------|----------|--------------------------------|
| <i>CUMBERLAND RIVER BASIN—Continued</i> | | | | | |
| 03410597 | Rock Creek Below Grassy Fork at Yamacraw, Ky. | Lat 36°42'36", Long 84°32'49", McCreary County, Hydrologic Unit 05130104, 20 ft below Mouth of Grassy Rock, 1,000 ft downstream from Mouth of Water Tank Hollow, and at mile 0.35. | 2002-03 | 10-29-02 | 18.8 |
| | | | | 11-18-02 | 114 |
| | | | | 12-17-02 | 230 |
| | | | | 01-28-03 | 25.9 |
| | | | | 02-25-03 | 0 |
| | | | | 03-24-03 | 45.3 |
| | | | | 04-28-03 | ^b 12.0 |
| | | | | 05-19-03 | 85.7 |
| | | | | 06-25-03 | 39 |
| | | | | 07-21-03 | 20.5 |
| 08-25-03 | 18.0 | | | | |
| 09-23-03 | ^e 250 | | | | |

^bBackwater^eEstimated

[THIS PAGE INTENTIONALLY BLANK.]

03437400 NORTH FORK LITTLE RIVER AT GARY LANE BRIDGE NEAR HOPKINSVILLE, KY

WATER-QUALITY RECORDS

LOCATION.--Lat 36°48'07", long 87°30'49", Christian County, Hydrologic Unit 05130205.

DRAINAGE AREA.--67 mi².

PERIOD OF RECORD.--March 2003 to current water year.

COOPERATION.--Kentucky Department of Agriculture and the Kentucky Environmental and Public Protection Cabinet.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specific conductance, wat unfltrd 25 degC (00095) | Temperature, water, deg C (00010) | Alkalinity, wat fltr inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat fltr incrm. titr., mg/L (00453) | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) |
|-----------|------|---------------|--------------------------------------|--------------------------------|---|---|---|-----------------------------------|---|--|---|--|
| MAR 20... | 1400 | Environmental | 220 | 10.0 | 100 | 7.6 | 276 | 14.5 | 85 | 103 | 0.04 | 1.33 |
| APR 02... | 1330 | Environmental | 68 | 10.8 | 109 | 7.7 | 385 | -- | 141 | 172 | <0.04 | 2.44 |
| MAY 01... | 0945 | Environmental | 269 | -- | 82 | 7.4 | 292 | 17.5 | 96 | 117 | 0.07 | 2.31 |
| 08... | 1750 | Environmental | 791 | 8.6 | 91 | 7.3 | 231 | 18.0 | 84 | 102 | 0.08 | 1.65 |
| JUN 18... | 1550 | Environmental | 54 | 7.3 | 82 | 7.5 | 399 | 20.4 | -- | -- | <0.04 | 2.99 |
| JUL 08... | 1440 | Environmental | 12 | 6.7 | 83 | 7.7 | 647 | 25.6 | 176 | 214 | 0.05 | 4.94 |
| 08... | 1448 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 20... | 1550 | Environmental | 14 | 12.3 | 150 | 7.7 | 652 | 25.4 | 161 | 197 | E.02 | 3.63 |
| 26... | 1450 | Environmental | 36 | 6.1 | 83 | 7.8 | 428 | 31.5 | 137 | -- | E.04 | 2.21 |
| 26... | 1458 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | <0.04 | <0.06 |
| SEP 16... | 1430 | Environmental | 22 | 8.9 | 103 | 7.6 | 491 | 22.3 | 133 | 162 | <0.04 | 2.14 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Orthophosphate, water, fltrd, mg/L as P (00671) | Phosphorus, water, unfltrd mg/L (00665) | 1,4-Naphthoquinone, water, fltrd, ug/L (61611) | 1-Naphthol, water, fltrd 0.7u GF ug/L (49295) | 2-(4-t-Butylphenoxy)cyclohexanol, wat fltr ug/L (61637) | 2,5-Dichloroaniline, water, fltrd, ug/L (61614) | 2,6-Diethyl-aniline, water, fltrd 0.7u GF ug/L (82660) | 2-[(2-Et-6-Me-Ph)-amino]propan-1-ol, ug/L (61615) | 2-Amino-N-isopropylbenzamide, wat fltr ug/L (61617) | CIAT, water, fltrd, ug/L (04040) | 2-Ethyl-6-methyl-aniline, water, fltrd, ug/L (61620) | 3-(Tri-fluoro-methyl)aniline, water, fltrd, ug/L (61630) | 3,4-Di-chloro-aniline, water, fltrd, ug/L (61625) |
|-----------|---|---|--|---|---|---|--|---|---|----------------------------------|--|--|---|
| MAR 20... | 0.057 | 0.194 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.042 | <0.004 | <0.01 | 0.007 |
| APR 02... | 0.087 | 0.138 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.090 | <0.004 | <0.01 | 0.013 |
| MAY 01... | 0.067 | 0.195 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.397 | <0.004 | <0.01 | 0.018 |
| 08... | 0.048 | 0.24 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.450 | <0.004 | <0.01 | <0.004 |
| JUN 18... | 0.335 | 0.37 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.167 | <0.004 | <0.01 | 0.032 |
| JUL 08... | 1.07 | 1.23 | <0.05 | <0.09 | <0.01 | 0.04 | <0.006 | <0.1 | <0.005 | E.095 | <0.004 | <0.01 | 0.149 |
| 08... | -- | -- | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | <0.006 | <0.004 | <0.01 | <0.004 |
| AUG 20... | 0.790 | 0.87 | <0.05 | <0.09 | <0.01 | 0.05 | <0.006 | <0.1 | <0.005 | E.178 | <0.004 | <0.01 | 0.217 |
| 26... | 0.483 | 0.59 | <0.05 | -- | <0.01 | E.01 | <0.006 | <0.1 | <0.005 | E.107 | <0.004 | <0.01 | 0.071 |
| 26... | <0.007 | <0.004 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | 0.97 | 1.11 | <0.05 | -- | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.114 | <0.004 | <0.01 | 0.113 |

03437400 NORTH FORK LITTLE RIVER AT GARY LANE BRIDGE NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | 3,5-Di-chloro-aniline water, fltrd, ug/L (61627) | 3-Phen-ox-y-benzyl alcohol water, fltrd, ug/L (61629) | 4-(MeOH)-pendi-meth-alin, wat flt ug/L (61665) | 4,4-Di' chloro-benzo-phen-one, wat flt ug/L (61631) | 4Chloro-2methyl phenol, water, fltrd, ug/L (61633) | 4Chloro phenyl-methyl sulfone water, fltrd, ug/L (61634) | Aceto-chlor, water, fltrd, ug/L (49260) | Ala-chlor, water, fltrd, ug/L (46342) | alpha-Endo-sulfan, water, fltrd, ug/L (34362) | alpha-HCH, water, fltrd, ug/L (34253) | alpha-HCH-d6, sur2002 /9002, wat un-f percent recov-ery (99224) | alpha-HCH-d6, surrog, wat flt 0.7u GF percent recov-ery (91065) | Atra-zine, water, fltrd, ug/L (39632) |
|-----------|--|---|--|---|--|--|---|---------------------------------------|---|---------------------------------------|---|---|---------------------------------------|
| MAR 20... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 88.5 | 90.3 | 0.598 |
| APR 02... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 93.8 | 88.2 | 0.578 |
| MAY 01... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.511 | 0.008 | <0.005 | <0.005 | 91.1 | 101 | 8.77 |
| MAY 08... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.226 | <0.004 | <0.005 | <0.005 | 95.0 | 103 | 4.89 |
| JUN 18... | <0.005 | <0.05 | <0.1 | <0.016 | <0.006 | <0.03 | 0.033 | <0.004 | <0.005 | <0.005 | 108 | 92.7 | 1.52 |
| JUL 08... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 88.7 | 100 | 0.349 |
| JUL 08... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 85.8 | 82.2 | <0.007 |
| AUG 20... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | 0.008 | <0.004 | <0.005 | <0.005 | 84.4 | 89.3 | 0.890 |
| AUG 26... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | 0.010 | <0.004 | <0.005 | <0.005 | 95.4 | 94.5 | 0.418 |
| AUG 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | 0.007 | <0.004 | <0.005 | <0.005 | 94.8 | 103 | 0.545 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azin-phos-methyl oxon, water, fltrd, ug/L (61635) | Azin-phos-methyl, water, fltrd 0.7u GF ug/L (82686) | Ben-flur-alin, water, fltrd 0.7u GF ug/L (82673) | beta-Endo-sulfan, water, fltrd, ug/L (34357) | Bifen-thrin, water, fltrd, ug/L (61580) | Butyl-ate, water, fltrd, ug/L (04028) | Car-baryl, water, fltrd 0.7u GF ug/L (82680) | Carbo-furan, water, fltrd 0.7u GF ug/L (82674) | Chlor-pyri-fos oxon, water, fltrd, ug/L (61636) | Chlor-pyri-fos water, fltrd, ug/L (38933) | cis-Per-methrin water fltrd 0.7u GF ug/L (82687) | cis-Propi-cona-zole, water, fltrd, ug/L (79846) | Cyana-zine, water, fltrd, ug/L (04041) |
|-----------|---|---|--|--|---|---------------------------------------|--|--|---|---|--|---|--|
| MAR 20... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | 0.015 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| APR 02... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | 0.013 | <0.041 | E.006 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| MAY 01... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.009 | E.014 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| MAY 08... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | E.006 | E.007 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| JUN 18... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | 0.004 | E.005 | <0.020 | <0.02 | <0.005 | <0.006 | <0.008 | <0.018 |
| JUL 08... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | 0.006 | E.003 | <0.025 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| JUL 08... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | 0.006 | <0.041 | <0.025 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 20... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.020 | <0.041 | E.035 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 26... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.010 | E.012 | E.033 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | 0.012 | <0.041 | E.015 | <0.06 | <0.005 | E.003 | <0.008 | <0.018 |

03437400 NORTH FORK LITTLE RIVER AT GARY LANE BRIDGE NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Cyclo- ate, water, fltrd, ug/L (04031) | lambda- Cyhalo- thrin, water, fltrd, ug/L (61595) | Cyber- methrin water, fltrd, ug/L (61586) | DCPA, water fltrd 0.7u GF ug/L (82682) | Diazi- non, water, fltrd, ug/L (39572) | Dicro- tophos, water fltrd, ug/L (38454) | Diel- drin, water, fltrd, ug/L (39381) | Dimeth- oate, water, fltrd 0.7u GF ug/L (82662) | Disulf- oton sulfone water, fltrd, ug/L (61640) | Disulf- oton sulf- oxide, water, fltrd, ug/L (61641) | Disul- foton, water, fltrd 0.7u GF ug/L (82677) | e-Di- metho- morph, water, fltrd, ug/L (79844) | Endo- sulfan ether, water, fltrd, ug/L (61642) |
|--------------|---|---|--|---|---|---|---|---|---|---|---|--|--|
| MAR 20... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | E.01 | <0.002 | <0.02 | <0.02 | <0.004 |
| APR 02... | <0.005 | <0.009 | <0.009 | <0.003 | E.003 | <0.08 | 0.006 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| MAY 01... | <0.005 | <0.009 | <0.009 | <0.003 | 0.026 | <0.08 | E.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| MAY 08... | <0.005 | <0.009 | <0.009 | <0.003 | 0.015 | <0.08 | <0.005 | <0.006 | E.01 | <0.002 | <0.02 | <0.02 | <0.004 |
| JUN 18... | <0.005 | <0.009 | <0.016 | <0.003 | <0.005 | <0.08 | 0.007 | <0.006 | E.06 | E.066 | <0.02 | <0.02 | <0.004 |
| JUL 08... | <0.005 | <0.009 | <0.009 | <0.025 | <0.06 | <0.005 | E.009 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| JUL 08... | <0.005 | <0.009 | <0.009 | <0.025 | <0.06 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 20... | <0.005 | <0.009 | <0.009 | <0.003 | 0.022 | <0.08 | 0.007 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 26... | <0.005 | <0.009 | <0.009 | <0.003 | 0.077 | <0.08 | 0.010 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.005 | <0.009 | <0.009 | <0.003 | 0.014 | <0.08 | 0.008 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd 0.7u GF ug/L (82668) | Ethal- flur- alin, water, fltrd 0.7u GF ug/L (82663) | Ethion monoxon water, fltrd, ug/L (61644) | Ethion, water, fltrd, ug/L (82346) | Etho- prop, water, fltrd 0.7u GF ug/L (82672) | Fenami- phos sulfone water, fltrd, ug/L (61645) | Fenami- phos sulf- oxide, water, fltrd, ug/L (61646) | Fenami- phos, water, fltrd, ug/L (61591) | Fen- thion sulf- oxide, water, fltrd, ug/L (61647) | Flume- tralin, water, fltrd, ug/L (61592) | Fonofos oxon, water, fltrd, ug/L (61649) | Fonofos water, fltrd, ug/L (04095) | Hexa- zinone, water, fltrd, ug/L (04025) |
|--------------|--|---|--|--|---|---|---|---|---|--|---|--|---|
| MAR 20... | 0.016 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| APR 02... | 0.009 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| MAY 01... | 0.007 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| MAY 08... | 0.007 | <0.009 | <0.03 | <0.004 | <0.005 | <0.031 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| JUN 18... | 0.004 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| JUL 08... | 0.007 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| JUL 08... | 0.007 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 20... | 0.012 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 26... | <0.010 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | 0.004 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |

03437400 NORTH FORK LITTLE RIVER AT GARY LANE BRIDGE NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ipro- dione, water, fltrd, ug/L (61593) | Isofen- phos, water, fltrd, ug/L (61594) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd 0.7u GF ug/L (82666) | Mala- oxon, water, fltrd, ug/L (61652) | Mala- thion, water, fltrd, ug/L (39532) | Meta- laxyl, water, fltrd, ug/L (61596) | Methi- althion water, fltrd, ug/L (61598) | c-Per- methric acid methyl ester, wat flt ug/L (79842) | Methyl para- oxon, water, fltrd, ug/L (61664) | Methyl para- thion, water, fltrd 0.7u GF ug/L (82667) | t-Per- methric acid methyl ester, wat flt ug/L (79843) | Metola- chlor, water, fltrd, ug/L (39415) |
|--------------|--|---|--|---|---|--|--|--|---|---|--|---|--|
| MAR 20... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | E.013 |
| APR 02... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.016 |
| MAY 01... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.023 |
| MAY 08... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.013 |
| JUN 18... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.027 |
| JUL 08... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | 0.018 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.019 |
| JUL 08... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | <0.013-- |
| AUG 20... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.020 |
| AUG 26... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.017 |
| AUG 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.015 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Metri- buzin, water, fltrd, ug/L (82630) | Moli- nate, water, fltrd 0.7u GF ug/L (82671) | Myclo- butanil water, fltrd, ug/L (61599) | Naprop- amide, water, fltrd 0.7u GF ug/L (82684) | O-Et-O- Me-S-Pr -phos- phoro- thioate wat flt ug/L (61660) | Oxy- fluor- fen, water, fltrd, ug/L (61600) | p,p'- DDE, water, fltrd, ug/L (34653) | Para- oxon, water, fltrd, ug/L (61663) | Para- thion, water, fltrd, ug/L (39542) | Peb- ulate, water, fltrd 0.7u GF ug/L (82669) | Pendi- meth- alin, water, fltrd 0.7u GF ug/L (82683) | Phorate oxon, water, fltrd, ug/L (61666) | Phorate water fltrd 0.7u GF ug/L (82664) |
|--------------|---|---|--|--|---|---|--|---|--|---|---|---|---|
| MAR 20... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| APR 02... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| MAY 01... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | E.012 | <0.10 | <0.011 |
| MAY 08... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| JUN 18... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.016 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| JUL 08... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| JUL 08... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 20... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 26... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |

03437400 NORTH FORK LITTLE RIVER AT GARY LANE BRIDGE NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Phosmet oxon, water, fltrd, ug/L (61668) | Phosmet water, fltrd, ug/L (61601) | Phoste- bupirim water, fltrd, ug/L (61602) | Pro- fenofos water, fltrd, ug/L (61603) | Prome- ton, water, fltrd, ug/L (04037) | Prome- tryn, water, fltrd, ug/L (04036) | Pron- amide, water, fltrd 0.7u GF ug/L (82676) | Propa- chlor, water, fltrd, ug/L (04024) | Pro- panil, water, fltrd 0.7u GF ug/L (82679) | Propar- gite, water, fltrd 0.7u GF ug/L (82685) | Propet- amphos, water, fltrd, ug/L (61604) | Sima- zine, water, fltrd, ug/L (04035) | Sulfo- tepp, water, fltrd, ug/L (61605) |
|--------------|---|--|---|--|---|--|--|---|---|---|---|---|--|
| MAR 20... | <0.06 | <0.008 | <0.005 | <0.006 | <0.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.459 | <0.003 |
| APR 02... | <0.06 | <0.008 | <0.005 | <0.006 | M | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.415 | <0.003 |
| MAY 01... | <0.06 | <0.008 | <0.005 | <0.006 | 0.02 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.768 | <0.003 |
| 08... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.371 | <0.003 |
| JUN 18... | <0.06 | <0.008 | <0.005 | <0.006 | 0.02 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.082 | <0.003 |
| JUL 08... | <0.06 | <0.008 | <0.005 | <0.006 | 0.06 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.034 | <0.003 |
| 08... | <0.06 | <0.008 | <0.005 | <0.006 | <0.015 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | <0.005 | <0.003 |
| AUG 20... | <0.06 | <0.008 | <0.005 | <0.006 | 0.10 | <0.005 | <0.010 | <0.010 | <0.015 | <0.02 | <0.004 | 0.071 | <0.003 |
| 26... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.064 | <0.003 |
| 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.06 | <0.008 | <0.005 | <0.006 | 0.03 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.054 | <0.003 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- phos oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin metab- olite R119365 wat flt ug/L (61671) | Teflu- thrin metab- olite R152913 wat flt ug/L (61672) | Teflu- thrin, water, fltrd, ug/L (61606) | Tem- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) |
|--------------|--|---|--|---|---|---|--|---|---|---|--|--|---|
| MAR 20... | <0.02 | <0.006 | <0.02 | <0.02 | <0.01 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| APR 02... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| MAY 01... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | M | <0.005 | <0.01 |
| 08... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| JUN 18... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| JUL 08... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| 08... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| AUG 20... | <0.02 | <0.006 | E.01 | -- | -- | <0.008 | <0.3 | <0.050 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| 26... | <0.02 | <0.006 | M | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |

03437400 NORTH FORK LITTLE RIVER AT GARY LANE BRIDGE NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- allate, water, fltrd 0.7u GF (82678) | Tribu- phos, water, fltrd, ug/L (61610) | Tri- flur- alin, water, fltrd 0.7u GF (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|--|--|---|--|---|--|
| MAR 20... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 63 |
| APR 02... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 13 |
| MAY 01... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 74 |
| 08... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 162 |
| JUN 18... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 8 |
| JUL 08... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 2 |
| 08... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | -- |
| AUG 20... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | -- |
| 26... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 9 |
| 26... | -- | -- | -- | -- | -- | -- |
| SEP 16... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 7 |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

03437600 SOUTH FORK LITTLE RIVER AT KY 107 NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- allate, water, fltrd 0.7u GF (82678) | Tribu- phos, water, fltrd, ug/L (61610) | Tri- flur- alin, water, fltrd 0.7u GF (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|--|--|---|--|---|--|
| MAR 20... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 81 |
| APR 02... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 4 |
| 02... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 5 |
| MAY 01... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 47 |
| 08... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 106 |
| JUN 18... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 9 |
| JUL 08... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 1 |
| AUG 20... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | -- |
| 26... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 6 |
| SEP 16... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 5 |
| 16... | -- | -- | -- | -- | -- | -- |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

03437680 LITTLE RIVER AT KY 345 NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin, water, fltrd, ug/L (61606) | Tem- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tribu- phos, water, fltrd, ug/L (61610) |
|--------------|--|---|--|---|--|---|---|---|--|--|---|--|--|
| MAY 01... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | 0.01 | <0.005 | <0.01 | <0.002 | <0.004 |
| AUG 20... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 | <0.002 | <0.004 |
| 20... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|---|--|---|--|
| MAY 01... | <0.009 | <0.05 | <0.01 | 68 |
| AUG 20... | <0.009 | <0.05 | <0.01 | -- |
| 20... | -- | -- | -- | -- |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

[THIS PAGE INTENTIONALLY BLANK.]

WATER-QUALITY RECORDS

LOCATION.--Lat 36°45'21", long 87°43'31", Trigg County, Hydrologic Unit 05130205.

DRAINAGE AREA.--306 mi².

PERIOD OF RECORD.--May 1, 2003 and Aug. 19, 2003.

COOPERATION.--Kentucky Department of Agriculture and the Kentucky Environmental and Public Protection Cabinet.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specif. conductance, wat unfltrd uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Alkalinity, wat flt inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat flt incrm. titr., mg/L (00453) | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) |
|-----------|------|---------------|--------------------------------------|--------------------------------|---|---|--|-----------------------------------|--|---|---|--|
| MAY 01... | 1630 | Environmental | 57 | 8.2 | 81 | 7.3 | 224 | 14.5 | 94 | 115 | <0.04 | 2.18 |
| AUG 19... | 1520 | Environmental | 5.2 | 10.4 | 114 | 7.7 | 356 | 19.4 | 168 | 204 | <0.04 | 2.38 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ortho-phosphate, water, fltrd, mg/L as P (00671) | Phosphorus, water, unfltrd mg/L (00665) | 1,4-Naphthoquinone, water, fltrd, ug/L (61611) | 1-Naphthol, water, fltrd 0.7u GF (49295) | 2-(4-t-Butylphenoxy)cyclohexanol, wat flt ug/L (61637) | 2,5-Dichloroaniline, water, fltrd, ug/L (61614) | 2,6-Diethyl-aniline, water, fltrd 0.7u GF (82660) | 2-[(2-Et-6-Me-Ph)-amino]propan-1-ol, ug/L (61615) | 2-Amino-N-isopropylbenzamide, wat flt ug/L (61617) | CIAT, water, fltrd, ug/L (04040) | 2-Ethyl-6-methyl-aniline, water, fltrd, ug/L (61620) | 3-(Tri-fluoro-methyl)aniline, water, fltrd, ug/L (61630) | 3,4-Di-chloro-aniline, water, fltrd, ug/L (61625) |
|-----------|--|---|--|--|--|---|---|---|--|----------------------------------|--|--|---|
| MAY 01... | 0.026 | 0.069 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.420 | <0.004 | <0.01 | <0.004 |
| AUG 19... | 0.020 | 0.027 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.150 | <0.004 | <0.01 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | 3,5-Di-chloro-aniline, water, fltrd, ug/L (61627) | 3-Phenoxyl alcohol, water, fltrd, ug/L (61629) | 4-(MeOH)-pendimethalin, wat flt ug/L (61665) | 4,4-Di'chloro-benzo-phenone, wat flt ug/L (61631) | 4Chloro-2methyl phenol, water, fltrd, ug/L (61633) | 4Chloro phenyl-methyl sulfone, water, fltrd, ug/L (61634) | Aceto-chlor, water, fltrd, ug/L (49260) | Ala-chlor, water, fltrd, ug/L (46342) | alpha-Endo-sulfan, water, fltrd, ug/L (34362) | alpha-HCH, water, fltrd, ug/L (34253) | alpha-HCH-d6, surrog, wat unfltrd percent recovery (99224) | alpha-HCH-d6, surrog, wat flt 0.7u GF percent recovery (91065) | Atra-zine, water, fltrd, ug/L (39632) |
|-----------|---|--|--|---|--|---|---|---------------------------------------|---|---------------------------------------|--|--|---------------------------------------|
| MAY 01... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.398 | <0.004 | <0.005 | <0.005 | 89.7 | 91.4 | 4.73 |
| AUG 19... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 103 | 81.6 | 0.094 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azin-phos-methyl oxon, water, fltrd, ug/L (61635) | Azin-phos-methyl, water, fltrd 0.7u GF (82686) | Ben-flur-alin, water, fltrd 0.7u GF (82673) | beta-Endo-sulfan, water, fltrd, ug/L (34357) | Bifen-thrin, water, fltrd, ug/L (61580) | Butyl-ate, water, fltrd, ug/L (04028) | Car-baryl, water, fltrd 0.7u GF (82680) | Carbo-furan, water, fltrd 0.7u GF (82674) | Chlor-pyrifos oxon, water, fltrd, ug/L (61636) | Chlor-pyrifos water, fltrd, ug/L (38933) | cis-Per-methrin, water, fltrd 0.7u GF (82687) | cis-Propi-conazole, water, fltrd, ug/L (79846) | Cyana-zine, water, fltrd, ug/L (04041) |
|-----------|---|--|---|--|---|---------------------------------------|---|---|--|--|---|--|--|
| MAY 01... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 19... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |

03437990 CASEY CREEK AT KY 525 NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Cyclo- ate, water, fltrd, ug/L (04031) | lambda- Cyhalo- thrin, water, fltrd, ug/L (61595) | Cyber- methrin water, fltrd, ug/L (61586) | DCPA, water fltrd 0.7u GF ug/L (82682) | Diazi- non, water, fltrd, ug/L (39572) | Dicro- tophos, water fltrd, ug/L (38454) | Diel- drin, water, fltrd, ug/L (39381) | Dimeth- oate, water, fltrd 0.7u GF ug/L (82662) | Disulf- oton sulfone water, fltrd, ug/L (61640) | Disulf- oton sulf- oxide, water, fltrd, ug/L (61641) | Disul- foton, water, fltrd 0.7u GF ug/L (82677) | e-Di- metho- morph, water, fltrd, ug/L (79844) | Endo- sulfan ether, water, fltrd, ug/L (61642) |
|--------------|---|---|--|---|---|---|---|---|---|---|---|--|--|
| MAY 01... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 19... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd 0.7u GF ug/L (82668) | Ethal- flur- alin, water, fltrd 0.7u GF ug/L (82663) | Ethion monoxon water, fltrd, ug/L (61644) | Ethion, water, fltrd, ug/L (82346) | Etho- prop, water, fltrd 0.7u GF ug/L (82672) | Fenami- phos sulfone water, fltrd, ug/L (61645) | Fenami- phos sulf- oxide, water, fltrd, ug/L (61646) | Fenami- phos, water, fltrd, ug/L (61591) | Fen- thion sulf- oxide, water, fltrd, ug/L (61647) | Flume- tralin, water, fltrd, ug/L (61592) | Fonofos oxon, water, fltrd, ug/L (61649) | Fonofos water, fltrd, ug/L (04095) | Hexa- zinone, water, fltrd, ug/L (04025) |
|--------------|--|---|--|--|---|---|---|---|---|--|---|--|---|
| MAY 01... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 19... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ipro- dione, water, fltrd, ug/L (61593) | Isofen- phos, water, fltrd, ug/L (61594) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd 0.7u GF ug/L (82666) | Malax- oxon, water, fltrd, ug/L (61652) | Malax- thion, water, fltrd, ug/L (39532) | Meta- laxyl, water, fltrd, ug/L (61596) | Methi- althion water, fltrd, ug/L (61598) | c-Per- methric acid methyl ester, wat flt ug/L (79842) | Methyl para- oxon, water, fltrd, ug/L (61664) | Methyl para- thion, water, fltrd 0.7u GF ug/L (82667) | t-Per- methric acid methyl ester, wat flt ug/L (79843) | Metola- chlor, water, fltrd, ug/L (39415) |
|--------------|--|---|--|---|--|---|--|--|---|---|--|---|--|
| MAY 01... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.029 |
| AUG 19... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | <0.013 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Metri- buzin, water, fltrd, ug/L (82630) | Moli- nate, water, fltrd 0.7u GF ug/L (82671) | Myclo- butanil water, fltrd, ug/L (61599) | Naprop- amide, water, fltrd 0.7u GF ug/L (82684) | O-Et-O- Me-S-Pr -phos- phoro- thioate wat flt ug/L (61660) | Oxy- fluro- fen, water, fltrd, ug/L (61600) | p,p'- DDE, water, fltrd, ug/L (34653) | Para- oxon, water, fltrd, ug/L (61663) | Para- thion, water, fltrd, ug/L (39542) | Peb- ulate, water, fltrd 0.7u GF ug/L (82669) | Pendi- meth- alin, water, fltrd 0.7u GF ug/L (82683) | Phorate oxon, water, fltrd, ug/L (61666) | Phorate water fltrd 0.7u GF ug/L (82664) |
|--------------|---|---|--|--|---|---|--|---|--|---|---|---|---|
| MAY 01... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 19... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Phosmet oxon, water, fltrd, ug/L (61668) | Phosmet water, fltrd, ug/L (61601) | Phoste- bupirim water, fltrd, ug/L (61602) | Pro- fenofos water, fltrd, ug/L (61603) | Prome- ton, water, fltrd, ug/L (04037) | Prome- tryn, water, fltrd, ug/L (04036) | Pron- amide, water, fltrd 0.7u GF ug/L (82676) | Propa- chlor, water, fltrd, ug/L (04024) | Pro- panil, water, fltrd 0.7u GF ug/L (82679) | Propar- gite, water, fltrd 0.7u GF ug/L (82685) | Propet- amphos, water, fltrd, ug/L (61604) | Simaz- ine, water, fltrd, ug/L (04035) | Sulfo- tepp, water, fltrd, ug/L (61605) |
|--------------|---|--|---|--|---|--|--|---|---|---|---|---|--|
| MAY 01... | <0.06 | <0.008 | <0.005 | <0.006 | <0.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.143 | <0.003 |
| AUG 19... | <0.06 | <0.008 | <0.005 | <0.006 | <0.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.011 | <0.003 |

03437990 CASEY CREEK AT KY 525 NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin, water, fltrd, ug/L (61606) | Tem- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tribu- phos, water, fltrd, ug/L (61610) |
|--------------|--|---|--|---|--|---|---|---|--|--|---|--|--|
| MAY 01... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | M | <0.005 | <0.01 | <0.002 | <0.004 |
| AUG 19... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 | <0.002 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|---|--|---|--|
| MAY 01... | <0.009 | <0.05 | <0.01 | -- |
| AUG 19... | <0.009 | <0.05 | <0.01 | -- |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

[THIS PAGE INTENTIONALLY BLANK.]

03438000 LITTLE RIVER NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- allate, water, fltrd 0.7u GF (82678) | Tribu- phos, water, fltrd, ug/L (61610) | Tri- flur- alin, water, fltrd 0.7u GF (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|--|--|---|--|---|--|
| MAR 19... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 161 |
| APR 01... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 10 |
| 01... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | -- |
| MAY 01... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 175 |
| 09... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 128 |
| JUN 17... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 26 |
| 17... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 26 |
| JUL 09... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 6 |
| 09... | -- | -- | -- | -- | -- | -- |
| AUG 19... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 9 |
| 27... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 25 |
| SEP 17... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 13 |
| 17... | -- | -- | -- | -- | -- | -- |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

WATER-QUALITY RECORDS

LOCATION.--Lat 36°53'12", long 87°35'02", Christian County, Hydrologic Unit 05130205.

PERIOD OF RECORD.--Apr. 30, 2003 and Aug. 21, 2003.

COOPERATION.--Kentucky Department of Agriculture and the Kentucky Environmental and Public Protection Cabinet.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd, std units (00400) | Specif. conductance, wat unfltrd, uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Alkalinity, wat fltr inc tit mg/L as CaCO3 (39086) | Bicarbonate, wat fltr incrm. titr., field, mg/L (00453) | Ammonia water, mg/L as N (00608) | Nitrite + nitrate water, fltrd, mg/L as N (00631) |
|-----------|------|---------------|--------------------------------------|--------------------------------|---|---------------------------------------|---|-----------------------------------|--|---|----------------------------------|---|
| APR 30... | 1105 | Environmental | 78 | 8.5 | 86 | 7.2 | 189 | 15.9 | 67 | 81 | E.02 | 2.01 |
| 30... | 1113 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG 21... | 0940 | Environmental | 0.41 | 3.3 | 33 | 7.2 | 469 | 16.2 | 192 | 234 | <0.04 | 4.68 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Orthophosphate, water, fltrd, mg/L as P (00671) | Phosphorus, water, unfltrd mg/L (00665) | 1,4-Naphthoquinone, water, fltrd, ug/L (61611) | 1-Naphthol, water, fltrd, 0.7u GF ug/L (49295) | 2-(4-t-Butylphenoxy)cyclohexanol, wat flt ug/L (61637) | 2,5-Dichloroaniline, water, fltrd, ug/L (61614) | 2,6-Diethyl-aniline, water, fltrd, 0.7u GF ug/L (82660) | 2-[(2-Et-6-Me-Ph)-amino]propan-1-ol, ug/L (61615) | 2-Amino-N-isopropylbenzamide, wat flt ug/L (61617) | CIAT, water, fltrd, ug/L (04040) | 2-Ethyl-6-methyl-aniline, water, fltrd, ug/L (61620) | 3-(Tri-fluoro-methyl)aniline, water, fltrd, ug/L (61630) | 3,4-Di-chloro-aniline, water, fltrd, ug/L (61625) |
|-----------|---|---|--|--|--|---|---|---|--|----------------------------------|--|--|---|
| APR 30... | 0.059 | 0.404 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.278 | <0.004 | <0.01 | <0.004 |
| 30... | -- | -- | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | <0.006 | <0.004 | <0.01 | <0.004 |
| AUG 21... | 0.029 | 0.045 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.269 | <0.004 | <0.01 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | 3,5-Di-chloro-aniline, water, fltrd, ug/L (61627) | 3-Phen-oxyl alcohol, water, fltrd, ug/L (61629) | 4-(MeOH)-pendi-methalin, wat flt ug/L (61665) | 4,4-Di'chloro-benzo-phenone, wat flt ug/L (61631) | 4Chloro-2methyl phenol, water, fltrd, ug/L (61633) | 4Chloro-phenyl-methyl sulfone, water, fltrd, ug/L (61634) | Aceto-chlor, water, fltrd, ug/L (49260) | Ala-chlor, water, fltrd, ug/L (46342) | alpha-Endo-sulfan, water, fltrd, ug/L (34362) | alpha-HCH, water, fltrd, ug/L (34253) | alpha-HCH-d6, sur2002 /9002, wat unfltrd, percent recovery (99224) | alpha-HCH-d6, surrog, wat flt 0.7u GF percent recovery (91065) | Atra-zine, water, fltrd, ug/L (39632) |
|-----------|---|---|---|---|--|---|---|---------------------------------------|---|---------------------------------------|--|--|---------------------------------------|
| APR 30... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.048 | 0.008 | <0.005 | <0.005 | 91.7 | 97.5 | 10.4 |
| 30... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 92.4 | 96.6 | <0.007 |
| AUG 21... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | E.006 | <0.004 | <0.005 | <0.005 | 87.1 | 95.2 | 0.125 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azin-phos-methyl oxon, water, fltrd, ug/L (61635) | Azin-phos-methyl, water, fltrd, 0.7u GF (82686) | Ben-flur-alin, water, fltrd, 0.7u GF (82673) | beta-Endo-sulfan, water, fltrd, ug/L (34357) | Bifen-thrin, water, fltrd, ug/L (61580) | Butyl-ate, water, fltrd, ug/L (04028) | Car-baryl, water, fltrd, 0.7u GF (82680) | Carbo-furan, water, fltrd, 0.7u GF (82674) | Chlor-pyri-fos oxon, water, fltrd, ug/L (61636) | Chlor-pyri-fos, water, fltrd, ug/L (38933) | cis-Per-methrin, water, fltrd, 0.7u GF (82687) | cis-Propi-cona-zole, water, fltrd, ug/L (79846) | Cyana-zine, water, fltrd, ug/L (04041) |
|-----------|---|---|--|--|---|---------------------------------------|--|--|---|--|--|---|--|
| APR 30... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | E.006 | <0.020 | <0.06 | <0.005 | <0.006 | 0.027 | <0.018 |
| 30... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 21... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |

03438024 MUDDY FORK NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Cyclo-ate, water, fltrd, ug/L (04031) | lambda-Cyhalo-thrin, water, fltrd, ug/L (61595) | Cypermethrin, water, fltrd, ug/L (61586) | DCPA, water, fltrd, 0.7u GF ug/L (82682) | Diazinon, water, fltrd, ug/L (39572) | Dicrotophos, water, fltrd, ug/L (38454) | Dieldrin, water, fltrd, ug/L (39381) | Dimethoate, water, fltrd, 0.7u GF ug/L (82662) | Disulfoton sulfone, water, fltrd, ug/L (61640) | Disulfoton sulf-oxide, water, fltrd, ug/L (61641) | Disulfoton, water, fltrd, 0.7u GF ug/L (82677) | e-Dimetho-morph, water, fltrd, ug/L (79844) | Endo-sulfan ether, water, fltrd, ug/L (61642) |
|-----------|---------------------------------------|---|--|--|--------------------------------------|---|--------------------------------------|--|--|---|--|---|---|
| APR 30... | <0.005 | <0.009 | <0.009 | 0.003 | 0.011 | <0.08 | <0.005 | <0.006 | E.01 | E.019 | <0.02 | <0.02 | <0.004 |
| APR 30... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 21... | <0.005 | <0.009 | <0.009 | <0.003 | 0.007 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd, 0.7u GF ug/L (82668) | Ethal-flur-alin, water, fltrd, 0.7u GF ug/L (82663) | Ethion monoxon, water, fltrd, ug/L (61644) | Ethion, water, fltrd, ug/L (82346) | Etho-prop, water, fltrd, 0.7u GF ug/L (82672) | Fenami-phos sulfone, water, fltrd, ug/L (61645) | Fenami-phos sulf-oxide, water, fltrd, ug/L (61646) | Fenami-phos, water, fltrd, ug/L (61591) | Fen-thion sulf-oxide, water, fltrd, ug/L (61647) | Flume-tralin, water, fltrd, ug/L (61592) | Fonofos oxon, water, fltrd, ug/L (61649) | Fonofos water, fltrd, ug/L (04095) | Hexa-zinone, water, fltrd, ug/L (04025) |
|-----------|--|---|--|------------------------------------|---|---|--|---|--|--|--|------------------------------------|---|
| APR 30... | <0.009 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| APR 30... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 21... | <0.004 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Iprodione, water, fltrd, ug/L (61593) | Isofen-phos, water, fltrd, ug/L (61594) | Lindane, water, fltrd, ug/L (39341) | Linuron, water, fltrd, 0.7u GF ug/L (82666) | Malaoxon, water, fltrd, ug/L (61652) | Malathion, water, fltrd, ug/L (39532) | Metaxyl, water, fltrd, ug/L (61596) | Methi-althion, water, fltrd, ug/L (61598) | c-Per-methric acid methyl ester, wat flt ug/L (79842) | Methyl para-oxon, water, fltrd, ug/L (61664) | Methyl para-thion, water, fltrd, 0.7u GF ug/L (82667) | t-Per-methric acid methyl ester, wat flt ug/L (79843) | Metola-chlor, water, fltrd, ug/L (39415) |
|-----------|---------------------------------------|---|-------------------------------------|---|--------------------------------------|---------------------------------------|-------------------------------------|---|---|--|---|---|--|
| APR 30... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | 0.033 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.034 |
| APR 30... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | <0.013 |
| AUG 21... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.019 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Metri-buzin, water, fltrd, ug/L (82630) | Molin-ate, water, fltrd, 0.7u GF ug/L (82671) | Myclob-anil, water, fltrd, ug/L (61599) | Naprop-amide, water, fltrd, 0.7u GF ug/L (82684) | O-Et-O-Me-S-Pr-phos-phorothioate, wat flt ug/L (61660) | Oxy-fluor-fen, water, fltrd, ug/L (61600) | p,p'-DDE, water, fltrd, ug/L (34653) | Para-oxon, water, fltrd, ug/L (61663) | Para-thion, water, fltrd, ug/L (39542) | Pebu-late, water, fltrd, 0.7u GF ug/L (82669) | Pendi-meth-alin, water, fltrd, 0.7u GF ug/L (82683) | Phorate oxon, water, fltrd, ug/L (61666) | Phorate water, fltrd, 0.7u GF ug/L (82664) |
|-----------|---|---|---|--|--|---|--------------------------------------|---------------------------------------|--|---|---|--|--|
| APR 30... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| APR 30... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 21... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Phosmet oxon, water, fltrd, ug/L (61668) | Phosmet, water, fltrd, ug/L (61601) | Phoste-bupirim, water, fltrd, ug/L (61602) | Pro-fenofos, water, fltrd, ug/L (61603) | Prometon, water, fltrd, ug/L (04037) | Prometryn, water, fltrd, ug/L (04036) | Pron-amide, water, fltrd, 0.7u GF ug/L (82676) | Propa-chlor, water, fltrd, ug/L (04024) | Pro-panil, water, fltrd, 0.7u GF ug/L (82679) | Propar-gite, water, fltrd, 0.7u GF ug/L (82685) | Propet-amphos, water, fltrd, ug/L (61604) | Sima-zine, water, fltrd, ug/L (04035) | Sulfo-tepp, water, fltrd, ug/L (61605) |
|-----------|--|-------------------------------------|--|---|--------------------------------------|---------------------------------------|--|---|---|---|---|---------------------------------------|--|
| APR 30... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.505 | <0.003 |
| APR 30... | <0.06 | <0.008 | <0.005 | <0.006 | <0.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | <0.005 | <0.003 |
| AUG 21... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.046 | <0.003 |

03438024 MUDDY FORK NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin, water, fltrd, ug/L (61606) | Teme- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tribu- phos, water, fltrd, ug/L (61610) |
|--------------|--|---|--|---|---|---|---|---|--|--|---|--|--|
| APR 30... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | 0.04 | <0.002 | <0.004 |
| 30... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 | <0.002 | <0.004 |
| AUG 21... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 | <0.002 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|---|--|---|--|
| APR 30... | <0.009 | <0.05 | <0.01 | 74 |
| 30... | <0.009 | <0.05 | <0.01 | -- |
| AUG 21... | <0.009 | <0.05 | <0.01 | -- |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

[THIS PAGE INTENTIONALLY BLANK.]

WATER-QUALITY RECORDS

LOCATION.--Lat 36°52'01", long 87°36'28", Christian County, Hydrologic Unit 05130205.

PERIOD OF RECORD.--Apr. 30, 2003 and Aug. 21, 2003.

COOPERATION.--Kentucky Department of Agriculture and the Kentucky Environmental and Public Protection Cabinet.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd, std units (00400) | Specif. conductance, wat unfiltered, uS/cm 25 degC (00095) | Temperature, water, deg C (00010) | Alkalinity, wat fltr inc tit field, mg/L as CaCO3 (39086) | Bicarbonate, wat fltr incrm. field, mg/L (00453) | Ammonia water, mg/L as N (00608) | Nitrite + nitrate water, mg/L as N (00631) |
|-----------|------|---------------|--------------------------------------|--------------------------------|---|---------------------------------------|--|-----------------------------------|---|--|----------------------------------|--|
| APR 30... | 1620 | Environmental | 443 | 8.4 | 88 | 7.3 | 191 | 16.5 | 73 | 90 | <0.04 | 1.92 |
| APR 30... | 1630 | Replicate | -- | -- | -- | -- | -- | -- | 73 | 90 | E.03 | 1.92 |
| AUG 21... | 1340 | Environmental | 0.90 | 6.1 | 72 | 7.6 | 419 | 24.2 | 180 | 219 | E.02 | 3.10 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Orthophosphate, water, fltrd, mg/L as P (00671) | Phosphorus, water, unfltrd mg/L (00665) | 1,4-Naphthoquinone, water, fltrd, ug/L (61611) | 1-Naphthol, water, fltrd, 0.7u GF ug/L (49295) | 2-(4-t-Butylphenoxy)cyclohexanol, wat fltr ug/L (61637) | 2,5-Dichloroaniline, water, fltrd, ug/L (61614) | 2,6-Diethyl-aniline, water, fltrd, 0.7u GF ug/L (82660) | 2-[(2-Et-6-Me-Ph)-amino]propan-1-ol, ug/L (61615) | 2-Amino-N-isopropylbenzamide, wat fltr ug/L (61617) | CIAT, water, fltrd, ug/L (04040) | 2-Ethyl-6-methyl-aniline, water, fltrd, ug/L (61620) | 3-(Tri-fluoro-methyl)aniline, water, fltrd, ug/L (61630) | 3,4-Di-chloro-aniline, water, fltrd, ug/L (61625) |
|-----------|---|---|--|--|---|---|---|---|---|----------------------------------|--|--|---|
| APR 30... | 0.092 | 0.297 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.370 | <0.004 | <0.01 | <0.004 |
| APR 30... | 0.090 | 0.297 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.341 | <0.004 | <0.01 | <0.004 |
| AUG 21... | 0.014 | 0.037 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.257 | <0.004 | <0.01 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | 3,5-Dichloroaniline, water, fltrd, ug/L (61627) | 3-Phenoxyl alcohol, water, fltrd, ug/L (61629) | 4-(MeOH)-pendimethalin, wat fltr ug/L (61665) | 4,4-Dichlorobenzophenone, wat fltr ug/L (61631) | 4-Chloro-2methylphenol, water, fltrd, ug/L (61633) | 4-Chlorophenylmethyl sulfone, water, fltrd, ug/L (61634) | Acetochlor, water, fltrd, ug/L (49260) | Alachlor, water, fltrd, ug/L (46342) | alpha-Endosulfan, water, fltrd, ug/L (34362) | alpha-HCH, water, fltrd, ug/L (34253) | alpha-HCH-d6, sur2002 /9002, wat unfiltered percent recovery (99224) | alpha-HCH-d6, surrog, wat fltr 0.7u GF percent recovery (91065) | Atrazine, water, fltrd, ug/L (39632) |
|-----------|---|--|---|---|--|--|--|--------------------------------------|--|---------------------------------------|--|---|--------------------------------------|
| APR 30... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.058 | 0.015 | <0.005 | <0.005 | 95.5 | 98.5 | 3.28 |
| APR 30... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.053 | 0.015 | <0.005 | <0.005 | 89.8 | 86.7 | 3.30 |
| AUG 21... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | E.004 | <0.004 | <0.005 | <0.005 | 91.4 | 93.1 | 0.141 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azinphosmethyl oxon, water, fltrd, ug/L (61635) | Azinphosmethyl, water, fltrd, 0.7u GF (82686) | Benfluralin, water, fltrd, 0.7u GF (82673) | beta-Endosulfan, water, fltrd, ug/L (34357) | Bifenthrin, water, fltrd, ug/L (61580) | Butylate, water, fltrd, ug/L (04028) | Carbaryl, water, fltrd, 0.7u GF (82680) | Carbofuran, water, fltrd, 0.7u GF (82674) | Chlorpyrifos oxon, water, fltrd, ug/L (61636) | Chlorpyrifos, water, fltrd, ug/L (38933) | cis-Permethrin, water, fltrd, 0.7u GF (82687) | cis-Propiconazole, water, fltrd, ug/L (79846) | Cyanazine, water, fltrd, ug/L (04041) |
|-----------|---|---|--|---|--|--------------------------------------|---|---|---|--|---|---|---------------------------------------|
| APR 30... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | E.017 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| APR 30... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | E.016 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 21... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |

03438028 SINKING FORK NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Cyclo-ate, water, fltrd, ug/L (04031) | lambda-Cyhalo-thrin, water, fltrd, ug/L (61595) | Cypermethrin, water, fltrd, ug/L (61586) | DCPA, water fltrd, 0.7u GF ug/L (82682) | Diazinon, water, fltrd, ug/L (39572) | Dicrotophos, water, fltrd, ug/L (38454) | Dieldrin, water, fltrd, ug/L (39381) | Dimethoate, water, fltrd, 0.7u GF ug/L (82662) | Disulfoton sulfone, water, fltrd, ug/L (61640) | Disulfoton sulf-oxide, water, fltrd, ug/L (61641) | Disulfoton, water, fltrd, 0.7u GF ug/L (82677) | e-Dimethomorph, water, fltrd, ug/L (79844) | Endosulfan ether, water, fltrd, ug/L (61642) |
|-----------|---------------------------------------|---|--|---|--------------------------------------|---|--------------------------------------|--|--|---|--|--|--|
| APR 30... | <0.005 | <0.009 | <0.009 | <0.003 | 0.020 | <0.08 | <0.005 | <0.006 | 0.05 | <0.002 | <0.02 | <0.02 | <0.004 |
| APR 30... | <0.005 | <0.009 | <0.009 | <0.003 | 0.016 | <0.08 | <0.005 | <0.006 | 0.04 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 21... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd, 0.7u GF ug/L (82668) | Ethal-fluralin, water, fltrd, 0.7u GF ug/L (82663) | Ethion monoxon, water, fltrd, ug/L (61644) | Ethion, water, fltrd, ug/L (82346) | Etho-prop, water, fltrd, 0.7u GF ug/L (82672) | Fenamiphos sulfone, water, fltrd, ug/L (61645) | Fenamiphos sulf-oxide, water, fltrd, ug/L (61646) | Fenamiphos, water, fltrd, ug/L (61591) | Fenthion sulf-oxide, water, fltrd, ug/L (61647) | Flume-tralin, water, fltrd, ug/L (61592) | Fonofos oxon, water, fltrd, ug/L (61649) | Fonofos water, fltrd, ug/L (04095) | Hexa-zinone, water, fltrd, ug/L (04025) |
|-----------|--|--|--|------------------------------------|---|--|---|--|---|--|--|------------------------------------|---|
| APR 30... | 0.009 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| APR 30... | 0.007 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 21... | <0.007 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Iprodione, water, fltrd, ug/L (61593) | Isofen-phos, water, fltrd, ug/L (61594) | Lindane, water, fltrd, ug/L (39341) | Linuron, water, fltrd, 0.7u GF ug/L (82666) | Malaoxon, water, fltrd, ug/L (61652) | Malathion, water, fltrd, ug/L (39532) | Metaxyl, water, fltrd, ug/L (61596) | Methi-althion, water, fltrd, ug/L (61598) | c-Permethric acid methyl ester, wat flt ug/L (79842) | Methyl para-oxon, water, fltrd, ug/L (61664) | Methyl para-thion, water, fltrd, 0.7u GF ug/L (82667) | t-Permethric acid methyl ester, wat flt ug/L (79843) | Metola-chlor, water, fltrd, ug/L (39415) |
|-----------|---------------------------------------|---|-------------------------------------|---|--------------------------------------|---------------------------------------|-------------------------------------|---|--|--|---|--|--|
| APR 30... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | E.007 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.064 |
| APR 30... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | E.009 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.062 |
| AUG 21... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | E.007 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Metribuzin, water, fltrd, ug/L (82630) | Molinate, water, fltrd, 0.7u GF ug/L (82671) | Myclobutanil, water, fltrd, ug/L (61599) | Napropamide, water, fltrd, 0.7u GF ug/L (82684) | O-Et-O-Me-S-Pr-phospho-thioate, wat flt ug/L (61660) | Oxy-fluorfen, water, fltrd, ug/L (61600) | p,p'-DDE, water, fltrd, ug/L (34653) | Para-oxon, water, fltrd, ug/L (61663) | Para-thion, water, fltrd, ug/L (39542) | Pebulate, water, fltrd, 0.7u GF ug/L (82669) | Pendi-methalin, water, fltrd, 0.7u GF ug/L (82683) | Phorate oxon, water, fltrd, ug/L (61666) | Phorate water, fltrd, 0.7u GF ug/L (82664) |
|-----------|--|--|--|---|--|--|--------------------------------------|---------------------------------------|--|--|--|--|--|
| APR 30... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| APR 30... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 21... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Phosmet oxon, water, fltrd, ug/L (61668) | Phosmet, water, fltrd, ug/L (61601) | Phostebupirim, water, fltrd, ug/L (61602) | Pro-fenofos, water, fltrd, ug/L (61603) | Prometon, water, fltrd, ug/L (04037) | Prometryn, water, fltrd, ug/L (04036) | Pronamide, water, fltrd, 0.7u GF ug/L (82676) | Propa-chlor, water, fltrd, ug/L (04024) | Propanil, water, fltrd, 0.7u GF ug/L (82679) | Propar-gite, water, fltrd, 0.7u GF ug/L (82685) | Propet-amphos, water, fltrd, ug/L (61604) | Sima-zine, water, fltrd, ug/L (04035) | Sulfo-tepp, water, fltrd, ug/L (61605) |
|-----------|--|-------------------------------------|---|---|--------------------------------------|---------------------------------------|---|---|--|---|---|---------------------------------------|--|
| APR 30... | <0.06 | <0.008 | <0.005 | <0.006 | 0.12 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.356 | <0.003 |
| APR 30... | <0.06 | <0.008 | <0.005 | <0.006 | 0.11 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.346 | <0.003 |
| AUG 21... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.027 | <0.003 |

03438028 SINKING FORK NEAR HOPKINSVILLE, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin, water, fltrd, ug/L (61606) | Teme- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tribu- phos, water, fltrd, ug/L (61610) |
|--------------|--|---|--|---|---|---|---|---|--|--|---|--|--|
| APR 30... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | E.01 | <0.002 | <0.004 |
| 30... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | E.01 | <0.002 | <0.004 |
| AUG 21... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 | <0.002 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|---|--|---|--|
| APR 30... | <0.009 | <0.05 | <0.01 | 161 |
| 30... | <0.009 | <0.05 | <0.01 | -- |
| AUG 21... | <0.009 | <0.05 | <0.01 | -- |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

[THIS PAGE INTENTIONALLY BLANK.]

03438040 SINKING CREEK AT KINGS CHAPEL ROAD NEAR CADIZ, KY

WATER-QUALITY RECORDS

LOCATION.--Lat 36°50'26", long 87°44'27", Christian County, Hydrologic Unit 05130205.

DRAINAGE AREA.--107 mi².

PERIOD OF RECORD.--March 2003 to current water year.

COOPERATION.--Kentucky Department of Agriculture and the Kentucky Environmental and Public Protection Cabinet.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specific conductance, wat unfltrd 25 degC (00095) | Temperature, water, deg C (00010) | Alkalinity, wat fltr inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat fltr inc titr., mg/L (00453) | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) |
|-----------|------|---------------|--------------------------------------|--------------------------------|---|---|---|-----------------------------------|---|---|---|--|
| MAR 19... | 1700 | Environmental | 297 | 9.7 | 96 | 7.4 | 362 | 14.0 | 136 | 166 | 0.10 | 5.29 |
| MAR 19... | 1718 | Field Blank | -- | -- | -- | -- | -- | -- | -- | -- | <0.015 | <0.022 |
| APR 01... | 1510 | Environmental | 150 | 11.8 | 115 | 7.7 | 358 | 14.0 | 137 | 167 | <0.04 | 4.69 |
| APR 30... | 1330 | Environmental | 1,950 | 7.7 | 79 | 7.2 | 112 | 16.5 | 36 | 43 | 0.04 | 1.24 |
| MAY 09... | 1700 | Environmental | 631 | 8.7 | 91 | 7.3 | 299 | 17.0 | 114 | 139 | E.02 | 4.27 |
| JUN 17... | 1830 | Environmental | 182 | 9.1 | 95 | 7.4 | 361 | 17.6 | -- | -- | <0.04 | 5.32 |
| JUL 09... | 1540 | Environmental | 35 | 9.3 | 104 | 7.7 | 405 | 20.4 | 163 | 199 | <0.04 | 5.69 |
| AUG 20... | 1430 | Environmental | 11 | 8.2 | 92 | 7.7 | 435 | 20.7 | 185 | 225 | E.02 | 4.60 |
| AUG 27... | 1640 | Environmental | 68 | 7.4 | 82 | 7.3 | 310 | 20.6 | 137 | 162 | <0.04 | 2.66 |
| AUG 27... | 1650 | Replicate | -- | -- | -- | -- | -- | -- | -- | -- | <0.04 | 2.71 |
| SEP 17... | 1520 | Environmental | 34 | 8.2 | 91 | 7.7 | 396 | 20.6 | 171 | -- | <0.04 | 3.74 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Orthophosphate, water, fltrd, mg/L as P (00671) | Phosphorus, water, unfltrd mg/L (00665) | 1,4-Naphthoquinone, water, fltrd, ug/L (61611) | 1-Naphthol, water, fltrd 0.7u GF ug/L (49295) | 2-(4-t-Butylphenoxy)cyclohexanol, wat fltr ug/L (61637) | 2,5-Dichloroaniline, water, fltrd, ug/L (61614) | 2,6-Diethyl-aniline, water, fltrd 0.7u GF ug/L (82660) | 2-[(2-Et-6-Me-Ph)-amino]propan-1-ol, ug/L (61615) | 2-Amino-N-isopropylbenzamide, wat fltr ug/L (61617) | CIAT, water, fltrd, ug/L (04040) | 2-Ethyl-6-methyl-aniline, water, fltrd, ug/L (61620) | 3-(Tri-fluoro-methyl)aniline, water, fltrd, ug/L (61630) | 3,4-Di-chloro-aniline, water, fltrd, ug/L (61625) |
|-----------|---|---|--|---|---|---|--|---|---|----------------------------------|--|--|---|
| MAR 19... | 0.060 | 0.176 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.379 | <0.004 | <0.01 | <0.004 |
| MAR 19... | <0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | 0.018 | 0.042 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.348 | <0.004 | <0.01 | <0.004 |
| APR 30... | 0.126 | 1.04 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.554 | <0.004 | <0.01 | <0.004 |
| MAY 09... | 0.042 | 0.136 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.493 | <0.004 | <0.01 | <0.004 |
| JUN 17... | 0.033 | 0.068 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.419 | <0.004 | <0.01 | <0.004 |
| JUL 09... | 0.026 | 0.044 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.300 | <0.004 | <0.01 | <0.004 |
| AUG 20... | 0.037 | 0.058 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.243 | <0.004 | <0.01 | <0.004 |
| AUG 27... | 0.144 | 0.197 | <0.05 | -- | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.204 | <0.004 | <0.01 | <0.004 |
| AUG 27... | 0.144 | 0.198 | <0.05 | -- | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.199 | <0.004 | <0.01 | <0.004 |
| SEP 17... | 0.044 | 0.066 | <0.05 | -- | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.269 | <0.004 | <0.01 | <0.004 |

03438040 SINKING CREEK AT KINGS CHAPEL ROAD NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | 3,5-Di-chloro-aniline water, fltrd, ug/L (61627) | 3-Phen-oxo-benzyl alcohol water, fltrd, ug/L (61629) | 4-(MeOH)-pendi-meth-alin, wat flt ug/L (61665) | 4,4-Di' chloro-benzo-phen-one, wat flt ug/L (61631) | 4Chloro 2methyl phenol, water, fltrd, ug/L (61633) | 4Chloro phenyl-methyl sulfone water, fltrd, ug/L (61634) | Aceto-chlor, water, fltrd, ug/L (49260) | Ala-chlor, water, fltrd, ug/L (46342) | alpha-Endo-sulfan, water, fltrd, ug/L (34362) | alpha-HCH, water, fltrd, ug/L (34253) | alpha-HCH-d6, sur2002 /9002, wat unfr percent recovery (99224) | alpha-HCH-d6, surrog, wat flt 0.7u GF percent recovery (91065) | Atra-zine, water, fltrd, ug/L (39632) |
|-----------|--|--|--|---|--|--|---|---------------------------------------|---|---------------------------------------|--|--|---------------------------------------|
| MAR 19... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 87.7 | 88.1 | 14.3 |
| MAR 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.008 | E.003 | <0.005 | <0.005 | 97.3 | 88.5 | 1.50 |
| APR 30... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.251 | 0.008 | <0.005 | <0.005 | 87.6 | 93.0 | 7.73 |
| MAY 09... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.053 | 0.005 | <0.005 | <0.005 | 99.1 | 99.1 | 1.19 |
| JUN 17... | <0.005 | <0.05 | <0.1 | <0.016 | <0.006 | <0.03 | 0.009 | <0.004 | <0.005 | <0.005 | 105 | 85.7 | 2.05 |
| JUL 09... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 87.9 | 86.2 | 0.200 |
| AUG 20... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | 0.008 | <0.004 | <0.005 | <0.005 | 95.5 | 81.3 | 0.101 |
| AUG 27... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | 0.007 | <0.004 | <0.005 | <0.005 | 95.6 | 92.9 | 0.152 |
| AUG 27... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | 0.006 | <0.004 | <0.005 | <0.005 | 98.2 | 93.8 | 0.172 |
| SEP 17... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | <0.006 | <0.004 | <0.005 | <0.005 | 95.5 | 97.3 | 0.125 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azin-phos-methyl oxon, water, fltrd, ug/L (61635) | Azin-phos-methyl, water, fltrd 0.7u GF ug/L (82686) | Ben-flur-alin, water, fltrd 0.7u GF ug/L (82673) | beta-Endo-sulfan, water, fltrd, ug/L (34357) | Bifen-thrin, water, fltrd, ug/L (61580) | Butyl-ate, water, fltrd, ug/L (04028) | Car-baryl, water, fltrd 0.7u GF ug/L (82680) | Carbo-furan, water, fltrd 0.7u GF ug/L (82674) | Chlor-pyri-fos oxon, water, fltrd, ug/L (61636) | Chlor-pyri-fos water, fltrd, ug/L (38933) | cis-Per-methrin water fltrd 0.7u GF ug/L (82687) | cis-Propi-cona-zole, water, fltrd, ug/L (79846) | Cyana-zine, water, fltrd, ug/L (04041) |
|-----------|---|---|--|--|---|---------------------------------------|--|--|---|---|--|---|--|
| MAR 19... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| MAR 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| APR 30... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | E.036 | <0.020 | <0.06 | <0.005 | <0.006 | 0.022 | <0.018 |
| MAY 09... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | E.006 | <0.018 |
| JUN 17... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.02 | <0.005 | <0.006 | <0.008 | <0.018 |
| JUL 09... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 20... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 27... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| AUG 27... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | E.007 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |
| SEP 17... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |

03438040 SINKING CREEK AT KINGS CHAPEL ROAD NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Cyclo- ate, water, fltrd, ug/L (04031) | lambda- Cyhalo- thrin, water, fltrd, ug/L (61595) | Cyber- methrin water, fltrd, ug/L (61586) | DCPA, water fltrd 0.7u GF ug/L (82682) | Diazi- non, water, fltrd, ug/L (39572) | Dicro- tophos, water fltrd, ug/L (38454) | Diel- drin, water, fltrd, ug/L (39381) | Dimeth- oate, water, fltrd 0.7u GF ug/L (82662) | Disulf- oton sulfone water, fltrd, ug/L (61640) | Disulf- oton sulf- oxide, water, fltrd, ug/L (61641) | Disul- foton, water, fltrd 0.7u GF ug/L (82677) | e-Di- metho- morph, water, fltrd, ug/L (79844) | Endo- sulfan ether, water, fltrd, ug/L (61642) |
|--------------|---|---|--|---|---|---|---|---|---|---|---|--|--|
| MAR 19... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | 0.04 | <0.002 | <0.02 | <0.02 | <0.004 |
| MAR 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | 0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| APR 30... | <0.005 | <0.009 | <0.009 | 0.004 | 0.020 | <0.08 | <0.005 | <0.006 | 0.06 | <0.002 | <0.02 | <0.02 | <0.004 |
| MAY 09... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | 0.03 | <0.002 | <0.02 | <0.02 | <0.004 |
| JUN 17... | <0.005 | <0.009 | <0.016 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| JUL 09... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 20... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 27... | <0.005 | <0.009 | <0.009 | <0.003 | 0.022 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 27... | <0.005 | <0.009 | <0.009 | <0.003 | 0.022 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |
| SEP 17... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd 0.7u GF ug/L (82668) | Ethal- flur- alin, water, fltrd 0.7u GF ug/L (82663) | Ethion monoxon water, fltrd, ug/L (61644) | Ethion, water, fltrd, ug/L (82346) | Etho- prop, water, fltrd 0.7u GF ug/L (82672) | Fenami- phos sulfone water, fltrd, ug/L (61645) | Fenami- phos sulf- oxide, water, fltrd, ug/L (61646) | Fenami- phos, water, fltrd, ug/L (61591) | Fen- thion sulf- oxide, water, fltrd, ug/L (61647) | Flume- tralin, water, fltrd, ug/L (61592) | Fonofos oxon, water, fltrd, ug/L (61649) | Fonofos water, fltrd, ug/L (04095) | Hexa- zinone, water, fltrd, ug/L (04025) |
|--------------|--|---|--|--|---|---|---|---|---|--|---|--|---|
| MAR 19... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| MAR 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| APR 30... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| MAY 09... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.031 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| JUN 17... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| JUL 09... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 20... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 27... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 27... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| SEP 17... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |

03438040 SINKING CREEK AT KINGS CHAPEL ROAD NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ipro- dione, water, fltrd, ug/L (61593) | Isofen- phos, water, fltrd, ug/L (61594) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd 0.7u GF ug/L (82666) | Mala- oxon, water, fltrd, ug/L (61652) | Mala- thion, water, fltrd, ug/L (39532) | Meta- laxyl, water, fltrd, ug/L (61596) | Methi- althion water, fltrd, ug/L (61598) | c-Per- methric acid methyl ester, wat flt ug/L (79842) | Methyl para- oxon, water, fltrd, ug/L (61664) | Methyl para- thion, water, fltrd 0.7u GF ug/L (82667) | t-Per- methric acid methyl ester, wat flt ug/L (79843) | Metola- chlor, water, fltrd, ug/L (39415) |
|--------------|--|---|--|---|---|--|--|--|---|---|--|---|--|
| MAR 19... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.046 |
| 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.033 |
| 30... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | E.010 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.133 |
| MAY 09... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.060 |
| JUN 17... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | 0.014 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.025 |
| JUL 09... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.019 |
| AUG 20... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | 0.010 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.037 |
| 27... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | 0.017 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.023 |
| 27... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | 0.018 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.026 |
| SEP 17... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | E.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.025 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Metri- buzin, water, fltrd, ug/L (82630) | Moli- nate, water, fltrd 0.7u GF ug/L (82671) | Myclo- butanil water, fltrd, ug/L (61599) | Naprop- amide, water, fltrd 0.7u GF ug/L (82684) | O-Et-O- Me-S-Pr -phos- phoro- thioate wat flt ug/L (61660) | Oxy- fluor- fen, water, fltrd, ug/L (61600) | p,p'- DDE, water, fltrd, ug/L (34653) | Para- oxon, water, fltrd, ug/L (61663) | Para- thion, water, fltrd, ug/L (39542) | Peb- ulate, water, fltrd 0.7u GF ug/L (82669) | Pendi- meth- alin, water, fltrd 0.7u GF ug/L (82683) | Phorate oxon, water, fltrd, ug/L (61666) | Phorate water fltrd 0.7u GF ug/L (82664) |
|--------------|---|---|--|--|---|---|--|---|--|---|---|---|---|
| MAR 19... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| APR 01... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| 30... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.015 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| MAY 09... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| JUN 17... | <0.006 | <0.002 | <0.008 | E.003 | <0.008 | <0.007 | <0.003 | <0.016 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| JUL 09... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 20... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| 27... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| 27... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| SEP 17... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |

03438040 SINKING CREEK AT KINGS CHAPEL ROAD NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Phosmet oxon, water, fltrd, ug/L (61668) | Phosmet water, fltrd, ug/L (61601) | Phoste- bupirim water, fltrd, ug/L (61602) | Pro- fenofos water, fltrd, ug/L (61603) | Prome- ton, water, fltrd, ug/L (04037) | Prome- tryn, water, fltrd, ug/L (04036) | Pron- amide, water, fltrd 0.7u GF ug/L (82676) | Propa- chlor, water, fltrd, ug/L (04024) | Pro- panil, water, fltrd 0.7u GF ug/L (82679) | Propar- gite, water, fltrd 0.7u GF ug/L (82685) | Propet- amphos, water, fltrd, ug/L (61604) | Sima- zine, water, fltrd, ug/L (04035) | Sulfo- tepp, water, fltrd, ug/L (61605) |
|--------------------------------|---|--|---|--|---|--|--|---|---|---|---|---|--|
| MAR 19... 19... | <0.06 -- | <0.008 -- | <0.005 -- | <0.006 -- | <0.01 -- | <0.005 -- | <0.004 -- | <0.010 -- | <0.011 -- | <0.02 -- | <0.004 -- | E6.08 -- | <0.003 -- |
| APR 01... 30... | <0.06 <0.06 | <0.008 <0.008 | <0.005 <0.005 | <0.006 <0.006 | <0.01 0.16 | <0.005 <0.005 | <0.004 <0.004 | <0.010 <0.010 | <0.011 <0.011 | <0.02 <0.02 | <0.004 <0.004 | 0.610 0.818 | <0.003 <0.003 |
| MAY 09... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.288 | <0.003 |
| JUN 17... | <0.06 | <0.008 | <0.005 | <0.006 | M | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.710 | <0.003 |
| JUL 09... | <0.06 | <0.008 | <0.005 | <0.006 | <0.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.085 | <0.003 |
| AUG 20... 27... 27... | <0.06 <0.06 <0.06 | <0.008 <0.008 <0.008 | <0.005 <0.005 <0.005 | <0.006 <0.006 <0.006 | M 0.02 0.02 | <0.005 <0.005 <0.005 | <0.004 <0.004 <0.004 | <0.010 <0.010 <0.010 | <0.011 <0.011 <0.011 | <0.02 <0.06 <0.02 | <0.004 <0.004 <0.004 | 0.029 0.054 0.055 | <0.003 <0.003 <0.003 |
| SEP 17... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.045 | <0.003 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- phos oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin metab- olite R119365 wat flt ug/L (61671) | Teflu- thrin metab- olite R152913 wat flt ug/L (61672) | Teflu- thrin, water, fltrd, ug/L (61606) | Tem- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) |
|--------------------------------|--|---|--|---|---|---|--|---|---|---|--|--|---|
| MAR 19... 19... | <0.02 -- | <0.006 -- | <0.02 -- | <0.02 -- | <0.01 -- | <0.008 -- | <0.3 -- | <0.034 -- | <0.07 -- | <0.02 -- | <0.01 -- | <0.005 -- | <0.01 -- |
| APR 01... 30... | <0.02 <0.02 | <0.006 <0.006 | <0.02 <0.02 | -- -- | -- -- | <0.008 <0.008 | <0.3 <0.3 | <0.034 <0.034 | <0.07 <0.07 | <0.02 <0.02 | <0.01 <0.01 | <0.005 <0.005 | <0.01 0.03 |
| MAY 09... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | E.01 |
| JUN 17... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| JUL 09... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |
| AUG 20... 27... 27... | <0.02 <0.02 <0.02 | <0.006 <0.006 <0.006 | <0.02 M <0.02 | -- -- -- | -- -- -- | <0.008 <0.008 <0.008 | <0.3 <0.3 <0.3 | <0.034 <0.034 <0.034 | <0.07 <0.07 <0.07 | <0.02 <0.02 <0.02 | <0.01 <0.01 <0.01 | <0.005 <0.005 <0.005 | <0.01 <0.01 <0.01 |
| SEP 17... | <0.02 | <0.006 | <0.02 | -- | -- | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 |

03438040 SINKING CREEK AT KINGS CHAPEL ROAD NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- allate, water, fltrd 0.7u GF (82678) | Tribu- phos, water, fltrd, ug/L (61610) | Tri- flur- alin, water, fltrd 0.7u GF (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|-------|--|--|---|--|---|--|
| MAR | | | | | | |
| 19... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 111 |
| 19... | -- | -- | -- | -- | -- | -- |
| APR | | | | | | |
| 01... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 12 |
| 30... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 1,020 |
| MAY | | | | | | |
| 09... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 84 |
| JUN | | | | | | |
| 17... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 19 |
| JUL | | | | | | |
| 09... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 4 |
| AUG | | | | | | |
| 20... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 2 |
| 27... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 16 |
| 27... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 17 |
| SEP | | | | | | |
| 17... | <0.002 | <0.004 | <0.009 | <0.05 | <0.01 | 5 |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

03438080 LITTLE RIVER AT CRUTE ROAD BRIDGE NEAR CADIZ, KY

WATER-QUALITY RECORDS

LOCATION.--Lat 36°50'35", long 87°47'07", Trigg County, Hydrologic Unit 05130205.

DRAINAGE AREA.--400 mi².

PERIOD OF RECORD.--Apr. 30, 2003 and Aug. 20, 2003.

COOPERATION.--Kentucky Department of Agriculture and the Kentucky Environmental and Public Protection Cabinet.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Time | Sample type | Instantaneous discharge, cfs (00061) | Dissolved oxygen, mg/L (00300) | Dissolved oxygen, percent of saturation (00301) | pH, water, unfltrd field, std units (00400) | Specif. conductance, wat unfltrd 25 degC (00095) | Temperature, deg C (00010) | Alkalinity, wat flt inc tit field, mg/L as CaCO ₃ (39086) | Bicarbonate, wat flt incrm. titr., mg/L (00453) | Ammonia water, fltrd, mg/L as N (00608) | Nitrite + nitrate water fltrd, mg/L as N (00631) |
|-----------|------|---------------|--------------------------------------|--------------------------------|---|---|--|----------------------------|--|---|---|--|
| APR 30... | 1650 | Environmental | 3,350 | 8.1 | 84 | 7.5 | 234 | 17.0 | 88 | 107 | 0.05 | 2.84 |
| AUG 20... | 1230 | Environmental | 108 | 8.1 | 95 | 7.8 | 434 | 22.9 | 177 | 216 | <0.04 | 3.70 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ortho-phosphate, water, fltrd, mg/L as P (00671) | Phosphorus, water, unfltrd mg/L (00665) | 1,4-Naphthoquinone, water, fltrd, ug/L (61611) | 1-Naphthol, water, fltrd 0.7u GF (49295) | 2-(4-t-Butylphenoxy)cyclohexanol, wat flt ug/L (61637) | 2,5-Dichloroaniline, water, fltrd, ug/L (61614) | 2,6-Diethyl-aniline, water, fltrd 0.7u GF (82660) | 2-[(2-Et-6-Me-Ph)-amino]propan-1-ol, ug/L (61615) | 2-Amino-N-isopropylbenzamide, wat flt ug/L (61617) | CIAT, water, fltrd, ug/L (04040) | 2-Ethyl-6-methyl-aniline, water, fltrd, ug/L (61620) | 3-(Tri-fluoro-methyl)aniline, water, fltrd, ug/L (61630) | 3,4-Di-chloro-aniline, water, fltrd, ug/L (61625) |
|-----------|--|---|--|--|--|---|---|---|--|----------------------------------|--|--|---|
| APR 30... | 0.110 | 0.630 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.452 | <0.004 | <0.01 | <0.004 |
| AUG 20... | 0.050 | 0.077 | <0.05 | <0.09 | <0.01 | <0.03 | <0.006 | <0.1 | <0.005 | E.184 | <0.004 | <0.01 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | 3,5-Di-chloro-aniline, water, fltrd, ug/L (61627) | 3-Phenoxyl alcohol, water, fltrd, ug/L (61629) | 4-(MeOH)-pendimethalin, wat flt ug/L (61665) | 4,4-Di'chloro-benzo-phenone, wat flt ug/L (61631) | 4Chloro-2methyl phenol, water, fltrd, ug/L (61633) | 4Chloro phenyl-methyl sulfone, water, fltrd, ug/L (61634) | Aceto-chlor, water, fltrd, ug/L (49260) | Ala-chlor, water, fltrd, ug/L (46342) | alpha-Endo-sulfan, water, fltrd, ug/L (34362) | alpha-HCH, water, fltrd, ug/L (34253) | alpha-HCH-d6, surrog, wat unfltrd percent recovery (99224) | alpha-HCH-d6, surrog, wat flt 0.7u GF percent recovery (91065) | Atra-zine, water, fltrd, ug/L (39632) |
|-----------|---|--|--|---|--|---|---|---------------------------------------|---|---------------------------------------|--|--|---------------------------------------|
| APR 30... | <0.005 | <0.05 | <0.1 | <0.003 | <0.006 | <0.03 | 0.294 | 0.008 | <0.005 | <0.005 | 89.8 | 97.3 | 4.63 |
| AUG 20... | <0.005 | -- | -- | <0.003 | <0.006 | <0.03 | E.005 | <0.004 | <0.005 | <0.005 | 99.1 | 83.2 | 0.177 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Azin-phos-methyl oxon, water, fltrd, ug/L (61635) | Azin-phos-methyl, water, fltrd 0.7u GF (82686) | Ben-flur-alin, water, fltrd 0.7u GF (82673) | beta-Endo-sulfan, water, fltrd, ug/L (34357) | Bifen-thrin, water, fltrd, ug/L (61580) | Butyl-ate, water, fltrd, ug/L (04028) | Car-baryl, water, fltrd 0.7u GF (82680) | Carbo-furan, water, fltrd 0.7u GF (82674) | Chlor-pyrifos oxon, water, fltrd, ug/L (61636) | Chlor-pyrifos water, fltrd, ug/L (38933) | cis-Per-methrin, water, fltrd 0.7u GF (82687) | cis-Propi-conazole, water, fltrd, ug/L (79846) | Cyana-zine, water, fltrd, ug/L (04041) |
|-----------|---|--|---|--|---|---------------------------------------|---|---|--|--|---|--|--|
| APR 30... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | E.018 | <0.020 | <0.06 | <0.005 | <0.006 | 0.014 | <0.018 |
| AUG 20... | <0.02 | <0.050 | <0.010 | <0.01 | <0.005 | <0.002 | <0.041 | <0.020 | <0.06 | <0.005 | <0.006 | <0.008 | <0.018 |

03438080 LITTLE RIVER AT CRUTE ROAD BRIDGE NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Cyclo- ate, water, fltrd, ug/L (04031) | lambda- Cyhalo- thrin, water, fltrd, ug/L (61595) | Cyber- methrin water, fltrd, ug/L (61586) | DCPA, water fltrd 0.7u GF ug/L (82682) | Diazi- non, water, fltrd, ug/L (39572) | Dicro- tophos, water fltrd, ug/L (38454) | Diel- drin, water, fltrd, ug/L (39381) | Dimeth- oate, water, fltrd 0.7u GF ug/L (82662) | Disulf- oton sulfone water, fltrd, ug/L (61640) | Disulf- oton sulf- oxide, water, fltrd, ug/L (61641) | Disul- foton, water, fltrd 0.7u GF ug/L (82677) | e-Di- metho- morph, water, fltrd, ug/L (79844) | Endo- sulfan ether, water, fltrd, ug/L (61642) |
|--------------|---|---|--|---|---|---|---|---|---|---|---|--|--|
| APR 30... | <0.005 | <0.009 | <0.009 | 0.003 | 0.016 | <0.08 | <0.005 | <0.006 | 0.03 | <0.002 | <0.02 | <0.02 | <0.004 |
| AUG 20... | <0.005 | <0.009 | <0.009 | <0.003 | <0.005 | <0.08 | <0.005 | <0.006 | <0.02 | <0.002 | <0.02 | <0.02 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | EPTC, water, fltrd 0.7u GF ug/L (82668) | Ethal- flur- alin, water, fltrd 0.7u GF ug/L (82663) | Ethion monoxon water, fltrd, ug/L (61644) | Ethion, water, fltrd, ug/L (82346) | Etho- prop, water, fltrd 0.7u GF ug/L (82672) | Fenami- phos sulfone water, fltrd, ug/L (61645) | Fenami- phos sulf- oxide, water, fltrd, ug/L (61646) | Fenami- phos, water, fltrd, ug/L (61591) | Fen- thion sulf- oxide, water, fltrd, ug/L (61647) | Flume- tralin, water, fltrd, ug/L (61592) | Fonofos oxon, water, fltrd, ug/L (61649) | Fonofos water, fltrd, ug/L (04095) | Hexa- zinone, water, fltrd, ug/L (04025) |
|--------------|--|---|--|--|---|---|---|---|---|--|---|--|---|
| APR 30... | 0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |
| AUG 20... | <0.002 | <0.009 | <0.03 | <0.004 | <0.005 | <0.008 | <0.03 | <0.03 | <0.008 | <0.004 | <0.002 | <0.003 | <0.013 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Ipro- dione, water, fltrd, ug/L (61593) | Isofen- phos, water, fltrd, ug/L (61594) | Lindane water, fltrd, ug/L (39341) | Linuron water fltrd 0.7u GF ug/L (82666) | Malax- oxon, water, fltrd, ug/L (61652) | Malax- thion, water, fltrd, ug/L (39532) | Meta- laxyl, water, fltrd, ug/L (61596) | Methi- althion water, fltrd, ug/L (61598) | c-Per- methric acid methyl ester, wat flt ug/L (79842) | Methyl para- oxon, water, fltrd, ug/L (61664) | Methyl para- thion, water, fltrd 0.7u GF ug/L (82667) | t-Per- methric acid methyl ester, wat flt ug/L (79843) | Metola- chlor, water, fltrd, ug/L (39415) |
|--------------|--|---|--|---|--|---|--|--|---|---|--|---|--|
| APR 30... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | E.006 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | 0.085 |
| AUG 20... | <1 | <0.003 | <0.004 | <0.035 | <0.008 | <0.027 | <0.005 | <0.006 | <0.04 | <0.03 | <0.006 | <0.03 | E.010 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Metri- buzin, water, fltrd, ug/L (82630) | Moli- nate, water, fltrd 0.7u GF ug/L (82671) | Myclo- butanil water, fltrd, ug/L (61599) | Naprop- amide, water, fltrd 0.7u GF ug/L (82684) | O-Et-O- Me-S-Pr -phos- phoro- thioate wat flt ug/L (61660) | Oxy- fluro- fen, water, fltrd, ug/L (61600) | p,p'- DDE, water, fltrd, ug/L (34653) | Para- oxon, water, fltrd, ug/L (61663) | Para- thion, water, fltrd, ug/L (39542) | Peb- ulate, water, fltrd 0.7u GF ug/L (82669) | Pendi- meth- alin, water, fltrd 0.7u GF ug/L (82683) | Phorate oxon, water, fltrd, ug/L (61666) | Phorate water fltrd 0.7u GF ug/L (82664) |
|--------------|---|---|--|--|---|---|--|---|--|---|---|---|---|
| APR 30... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |
| AUG 20... | <0.006 | <0.002 | <0.008 | <0.007 | <0.008 | <0.007 | <0.003 | <0.008 | <0.010 | <0.004 | <0.022 | <0.10 | <0.011 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Phosmet oxon, water, fltrd, ug/L (61668) | Phosmet water, fltrd, ug/L (61601) | Phoste- bupirim water, fltrd, ug/L (61602) | Pro- fenofos water, fltrd, ug/L (61603) | Prome- ton, water, fltrd, ug/L (04037) | Prome- tryn, water, fltrd, ug/L (04036) | Pron- amide, water, fltrd 0.7u GF ug/L (82676) | Propa- chlor, water, fltrd, ug/L (04024) | Pro- panil, water, fltrd 0.7u GF ug/L (82679) | Propar- gite, water, fltrd 0.7u GF ug/L (82685) | Propet- amphos, water, fltrd, ug/L (61604) | Simaz- ine, water, fltrd, ug/L (04035) | Sulfo- tepp, water, fltrd, ug/L (61605) |
|--------------|---|--|---|--|---|--|--|---|---|---|---|---|--|
| APR 30... | <0.06 | <0.008 | <0.005 | <0.006 | 0.08 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.555 | <0.003 |
| AUG 20... | <0.06 | <0.008 | <0.005 | <0.006 | E.01 | <0.005 | <0.004 | <0.010 | <0.011 | <0.02 | <0.004 | 0.026 | <0.003 |

03438080 LITTLE RIVER AT CRUTE ROAD BRIDGE NEAR CADIZ, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Sulpro- fos, water, fltrd, ug/L (38716) | Tebu- pirim- oxon, water, fltrd, ug/L (61669) | Tebu- thiuron water fltrd 0.7u GF ug/L (82670) | Teflu- thrin, water, fltrd, ug/L (61606) | Tem- phos, water, fltrd, ug/L (61607) | Terba- cil, water, fltrd 0.7u GF ug/L (82665) | Ter- bufos oxon sulfone water, fltrd, ug/L (61674) | Terbu- fos, water, fltrd 0.7u GF ug/L (82675) | Ter- buthyl- azine, water, fltrd, ug/L (04022) | Thio- bencarb water fltrd 0.7u GF ug/L (82681) | trans- Propi- cona- zole, water, fltrd, ug/L (79847) | Tri- allate, water, fltrd 0.7u GF ug/L (82678) | Tribu- phos, water, fltrd, ug/L (61610) |
|--------------|--|---|--|---|--|---|---|---|--|--|---|--|--|
| APR 30... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | 0.02 | <0.002 | <0.004 |
| AUG 20... | <0.02 | <0.006 | <0.02 | <0.008 | <0.3 | <0.034 | <0.07 | <0.02 | <0.01 | <0.005 | <0.01 | <0.002 | <0.004 |

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Tri- flur- alin, water, fltrd 0.7u GF ug/L (82661) | z-Di- metho- morph, water, fltrd, ug/L (79845) | Di- chlor- vos, water fltrd, ug/L (38775) | Sus- pended sedi- ment concen- tration mg/L (80154) |
|--------------|---|--|---|--|
| APR 30... | <0.009 | <0.05 | <0.01 | 518 |
| AUG 20... | <0.009 | <0.05 | <0.01 | 11 |

E--Laboratory estimated value.

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.




Figure 9. Location of observation wells in Graves County, Kentucky.




Figure 10. Location of observation wells in downtown Louisville, Kentucky.




Figure 11. Location of observation wells in northeastern Jefferson County, Kentucky.

GROUND-WATER LEVELS

GRAVES COUNTY

365210088391301. (Viola well), map number 1.

LOCATION.--Lat 36°52'10", long 88°39'13", Hydrologic Unit 08010201, County Code 083, Hickory quadrangle, in a cultivated field, 200 ft east of a private road, 1.2 mi northwest of Viola. Owner: J. Whittemore.

AQUIFER.--Sand of Claiborne Group of Eocene age. Aquifer code: 124 CLBR.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 10 in., depth 105 ft, cased to 85 ft, screened 85-105 ft.

INSTRUMENTATION.--Continuous water level recorder with telemetry, 60 minute interval.

DATUM.--Elevation of land-surface datum is 405.65 ft above NGVD of 1929. Measuring point: Floor of shelter, 4.03 ft above land-surface datum.

PERIOD OF RECORD.--February 1951 to September 1984 and October 1988 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 6.79 ft below land-surface datum, June 19, 2003; lowest measured, 19.24 ft below land-surface datum, Jan. 10, 1975.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-------|------|------|------|------|------|------|------|-------|-------|
| 1 | 11.24 | 10.94 | 10.69 | 8.42 | 9.26 | 7.68 | 8.46 | 7.95 | 7.66 | 7.97 | 9.07 | 10.21 |
| 2 | 11.25 | 10.84 | 10.39 | 8.35 | 9.03 | 7.72 | 8.50 | 8.02 | 7.65 | 7.95 | 8.95 | 10.14 |
| 3 | 11.21 | 10.68 | 10.82 | 8.54 | 8.87 | 7.84 | 8.46 | 8.10 | 7.59 | 8.01 | 8.90 | 10.03 |
| 4 | 10.85 | 10.68 | 10.66 | 8.42 | 9.26 | 7.69 | 8.33 | 7.91 | 7.80 | 8.12 | 8.86 | 9.97 |
| 5 | 11.44 | 10.25 | 10.70 | 8.36 | 9.43 | 7.69 | 8.67 | 7.63 | 7.99 | 8.30 | 8.85 | 9.98 |
| 6 | 11.35 | 10.54 | 10.80 | 8.75 | 9.21 | 7.97 | 8.64 | 7.81 | 7.91 | 8.37 | 8.88 | 9.94 |
| 7 | 11.45 | 10.54 | 10.71 | 8.71 | 9.35 | 8.07 | 8.26 | 7.80 | 7.92 | 8.48 | 8.94 | 9.92 |
| 8 | 11.38 | 10.29 | 10.72 | 8.32 | 9.27 | 7.98 | 8.24 | 7.64 | 8.05 | 8.62 | 8.99 | 9.93 |
| 9 | 11.37 | 10.06 | 10.69 | 8.25 | 9.12 | 8.31 | 8.16 | 7.46 | 8.21 | 8.60 | 9.09 | 9.97 |
| 10 | 11.19 | 9.83 | 10.34 | 8.69 | 8.95 | 8.42 | 8.05 | 7.36 | 8.22 | 8.52 | 9.17 | 10.02 |
| 11 | 10.84 | 10.33 | 10.19 | 8.95 | 9.01 | 8.29 | 7.94 | 7.50 | 8.11 | 8.72 | 9.19 | 10.01 |
| 12 | 10.72 | 10.55 | 10.18 | 9.10 | 9.13 | 8.18 | 8.00 | 7.73 | 7.51 | 8.79 | 9.29 | 9.94 |
| 13 | 10.93 | 10.52 | 9.61 | 8.93 | 8.99 | 8.29 | 8.17 | 7.76 | 7.27 | 8.88 | 9.46 | 9.99 |
| 14 | 10.70 | 10.33 | 9.82 | 8.95 | 8.52 | 8.47 | 8.24 | 7.65 | 7.27 | 8.94 | 9.62 | 10.04 |
| 15 | 10.42 | 10.18 | 9.59 | 9.17 | 8.14 | 8.37 | 8.20 | 7.66 | 7.29 | 8.99 | 9.59 | 10.23 |
| 16 | 10.51 | 10.37 | 9.49 | 8.78 | 8.08 | 8.31 | 8.01 | 7.81 | 7.23 | 9.09 | 9.44 | 10.24 |
| 17 | 10.62 | 10.34 | 9.42 | 9.16 | 8.04 | 8.19 | 7.95 | 7.54 | 7.15 | 9.21 | 9.39 | 10.19 |
| 18 | 10.69 | 10.34 | 9.43 | 8.98 | 8.11 | 8.20 | 8.22 | 7.21 | 7.09 | 9.18 | 9.52 | 10.15 |
| 19 | 10.60 | 10.46 | 9.06 | 9.10 | 7.98 | 8.12 | 8.19 | 7.20 | 6.83 | 9.15 | 9.64 | 10.20 |
| 20 | 10.68 | 10.29 | 8.85 | 9.01 | 7.96 | 8.00 | 8.17 | 7.29 | 6.94 | 9.14 | 9.69 | 10.37 |
| 21 | 10.65 | 10.09 | 8.84 | 9.12 | 7.54 | 8.14 | 8.17 | 7.29 | 7.00 | 8.97 | 9.73 | 10.30 |
| 22 | 10.75 | 10.36 | 8.80 | 9.31 | 6.96 | 8.27 | 8.31 | 7.18 | 7.05 | 9.10 | 9.72 | 10.08 |
| 23 | 10.78 | 10.39 | 8.79 | 9.56 | 7.49 | 8.20 | 8.40 | 7.19 | 7.15 | 9.25 | 9.84 | 10.18 |
| 24 | 10.71 | 10.38 | 8.51 | 9.63 | 7.83 | 8.19 | 8.19 | 7.20 | 7.31 | 9.40 | 9.95 | 10.09 |
| 25 | 10.49 | 10.57 | 8.90 | 9.37 | 7.94 | 8.13 | 7.83 | 7.16 | 7.43 | 9.48 | 9.96 | 10.12 |
| 26 | 10.67 | 10.53 | 9.18 | 9.35 | 7.69 | 8.31 | 8.00 | 7.27 | 7.44 | 9.53 | 9.95 | 9.95 |
| 27 | 10.75 | 10.69 | 9.10 | 9.53 | 7.56 | 8.13 | 8.09 | 7.37 | 7.63 | 9.50 | 9.95 | 10.01 |
| 28 | 10.58 | 10.62 | 8.98 | 9.21 | 7.72 | 8.11 | 8.00 | 7.31 | 7.70 | 9.38 | 10.07 | 10.15 |
| 29 | 10.38 | 10.25 | 8.94 | 9.31 | --- | 8.54 | 7.98 | 7.24 | 7.86 | 9.37 | 10.09 | 10.36 |
| 30 | 10.69 | 10.37 | 8.79 | 9.46 | --- | 8.66 | 7.98 | 7.25 | 7.93 | 9.37 | 10.20 | 10.41 |
| 31 | 10.83 | --- | 8.75 | 9.18 | --- | 8.65 | --- | 7.33 | --- | 9.24 | 10.22 | --- |
| MAX | 11.45 | 10.94 | 10.82 | 9.63 | 9.43 | 8.66 | 8.67 | 8.10 | 8.22 | 9.53 | 10.22 | 10.41 |
| MIN | 10.38 | 9.83 | 8.51 | 8.25 | 6.96 | 7.68 | 7.83 | 7.16 | 6.83 | 7.95 | 8.85 | 9.92 |

WTR YR 2003 HIGH 6.83 LOW 11.45

GROUND-WATER LEVELS

GRAVES COUNTY

365210088391301. Viola well, map number 1.--Continued.



GROUND-WATER LEVELS

JEFFERSON COUNTY

381441085452701. (Lib A-2), map number 1.

LOCATION.--Lat 38°14'41", long 85°45'27", Hydrologic Unit 05140101, County Code 111, Louisville West quadrangle, at the Louisville Free Public Library, 301 West York Street, on east side of building at base of the TV-radio tower, in Louisville. Owner: City of Louisville.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 8 in., depth 105 ft, cased and screened.

INSTRUMENTATION.--Continuous recorder, 30 minute interval.

DATUM.--Elevation of land-surface datum is 454.23 ft above NGVD of 1929. Measuring point: Top of casing, 1.00 ft above land-surface datum.

REMARKS.--Water-quality sample collected May 8, 1956.

PERIOD OF RECORD.--February 1937 to current year. February 1937 to September 1976 published in hydrograph form and on file at district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level observed, 27.51 ft below land-surface datum, June 1, 1997; lowest, 77.82 ft below land-surface datum, Sept. 18, 1955.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 33.79 | 33.56 | 33.26 | 32.79 | 32.35 | 31.81 | 31.23 | 31.29 | 31.37 | 31.61 | 31.87 | 31.94 |
| 2 | 33.84 | 33.52 | 33.16 | 32.78 | 32.29 | 31.76 | 31.27 | 31.36 | 31.36 | 31.54 | 31.86 | 31.93 |
| 3 | 33.81 | 33.49 | 33.27 | 32.80 | 32.26 | 31.74 | 31.24 | 31.31 | 31.26 | 31.63 | 31.86 | 31.94 |
| 4 | 33.72 | 33.47 | 33.23 | 32.78 | 32.34 | 31.68 | 31.21 | 31.24 | 31.29 | 31.63 | 31.84 | 31.94 |
| 5 | 33.82 | 33.38 | 33.16 | 32.76 | 32.39 | 31.64 | 31.28 | 31.15 | 31.32 | 31.67 | 31.83 | 31.96 |
| 6 | 33.77 | 33.38 | 33.19 | 32.79 | 32.30 | 31.66 | 31.29 | 31.26 | 31.35 | 31.65 | 31.89 | 31.88 |
| 7 | 33.74 | 33.36 | 33.15 | 32.73 | 32.27 | 31.61 | 31.18 | 31.32 | 31.32 | 31.67 | 31.84 | 31.84 |
| 8 | 33.70 | 33.30 | 33.16 | 32.68 | 32.24 | 31.56 | 31.20 | 31.31 | 31.34 | 31.72 | 31.85 | 31.83 |
| 9 | 33.68 | 33.24 | 33.17 | 32.65 | 32.21 | 31.60 | 31.35 | 31.35 | 31.37 | 31.74 | 31.91 | 31.89 |
| 10 | 33.66 | 33.18 | 33.12 | 32.70 | 32.18 | 31.56 | 31.57 | 31.33 | 31.42 | 31.66 | 31.86 | 31.89 |
| 11 | 33.62 | 33.36 | 33.09 | 32.72 | 32.18 | 31.48 | 31.40 | 31.30 | 31.40 | 31.75 | 31.89 | 31.96 |
| 12 | 33.64 | 33.45 | 33.12 | 32.73 | 32.22 | 31.44 | 31.28 | 31.31 | 31.44 | 31.74 | 31.87 | 31.88 |
| 13 | 33.66 | 33.46 | 33.05 | 32.64 | 32.17 | 31.46 | 31.29 | 31.25 | 31.47 | 31.70 | 31.91 | 31.94 |
| 14 | 33.61 | 33.43 | 33.10 | 32.62 | 32.10 | 31.45 | 31.32 | 31.21 | 31.45 | 31.71 | 31.92 | 31.89 |
| 15 | 33.54 | 33.42 | 33.05 | 32.64 | 32.11 | 31.41 | 31.27 | 31.21 | 31.47 | 31.76 | 31.93 | 31.92 |
| 16 | 33.52 | 33.42 | 33.06 | 32.57 | 32.06 | 31.40 | 31.29 | 31.20 | 31.53 | 31.81 | 31.89 | 31.92 |
| 17 | 33.52 | 33.36 | 33.03 | 32.60 | 32.06 | 31.39 | 31.21 | 31.17 | 31.51 | 31.82 | 31.87 | 31.95 |
| 18 | 33.53 | 33.38 | 32.99 | 32.54 | 32.07 | 31.40 | 31.29 | 31.16 | 31.50 | 31.76 | 31.95 | 31.88 |
| 19 | 33.49 | 33.36 | 32.95 | 32.54 | 32.05 | 31.39 | 31.29 | 31.21 | 31.52 | 31.76 | 31.95 | 31.86 |
| 20 | 33.50 | 33.32 | 32.96 | 32.53 | 32.05 | 31.39 | 31.28 | 31.29 | 31.51 | 31.76 | 31.98 | 31.89 |
| 21 | 33.49 | 33.24 | 32.99 | 32.51 | 31.98 | 31.37 | 31.19 | 31.26 | 31.47 | 31.78 | 32.02 | 31.84 |
| 22 | 33.51 | 33.28 | 32.97 | 32.51 | 31.88 | 31.36 | 31.19 | 31.30 | 31.48 | 31.77 | 31.98 | 31.82 |
| 23 | 33.53 | 33.29 | 33.01 | 32.52 | 32.06 | 31.33 | 31.20 | 31.29 | 31.47 | 31.82 | 32.00 | 31.83 |
| 24 | 33.51 | 33.28 | 32.89 | 32.66 | 32.07 | 31.36 | 31.19 | 31.28 | 31.56 | 31.79 | 31.98 | 31.81 |
| 25 | 33.47 | 33.29 | 32.95 | 32.48 | 32.05 | 31.32 | 31.11 | 31.29 | 31.57 | 31.81 | 32.04 | 31.86 |
| 26 | 33.49 | 33.26 | 33.04 | 32.46 | 31.92 | 31.38 | 31.14 | 31.32 | 31.58 | 31.80 | 32.07 | 31.78 |
| 27 | 33.52 | 33.29 | 32.98 | 32.49 | 31.87 | 31.30 | 31.21 | 31.35 | 31.59 | 31.81 | 32.04 | 31.74 |
| 28 | 33.48 | 33.25 | 32.89 | 32.40 | 31.86 | 31.30 | 31.21 | 31.29 | 31.52 | 31.81 | 32.10 | 31.71 |
| 29 | 33.44 | 33.17 | 32.89 | 32.41 | --- | 31.34 | 31.23 | 31.33 | 31.54 | 31.87 | 32.07 | 31.67 |
| 30 | 33.49 | 33.18 | 32.85 | 32.41 | --- | 31.32 | 31.27 | 31.30 | 31.61 | 31.90 | 32.06 | 31.60 |
| 31 | 33.64 | --- | 32.83 | 32.35 | --- | 31.29 | --- | 31.31 | --- | 31.88 | 32.00 | --- |
| MAX | 33.84 | 33.56 | 33.27 | 32.80 | 32.39 | 31.81 | 31.57 | 31.36 | 31.61 | 31.90 | 32.10 | 31.96 |
| MIN | 33.44 | 33.17 | 32.83 | 32.35 | 31.86 | 31.29 | 31.11 | 31.15 | 31.26 | 31.54 | 31.83 | 31.60 |

WTR YR 2003 HIGH 31.11 LOW 33.84

GROUND-WATER LEVELS

JEFFERSON COUNTY

381441085452701.(Lib A-2), map number 1--Continued.



GROUND-WATER LEVELS

JEFFERSON COUNTY

381504085443202. Local number (CP7A), map number 2.

LOCATION.--Lat 38°15'04", long 85°44'32", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at the southwest corner of east Louisville Park, 13.7 ft west of a tennis court fence, 16.5 ft east of curb on south Hancock Street, 58.2 ft north of curb on east Liberty Street, in Louisville. Owner: City of Louisville.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Augered observation water-table well, diameter 1.5 in., depth 84.6 ft, screened 71.1-74.1 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 467.19 ft above NGVD of 1929. Measuring point: Top of casing, at land-surface datum.

REMARKS.--Replaces destroyed well 381504085443201 (CP7), which was 10 ft north.

PERIOD OF RECORD.--July 1980 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 42.41 ft below land-surface datum, May 6, 1997; lowest measured, 49.44 ft below land-surface datum, Oct. 21, 2002.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003


| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Oct. 21, 2002 | 49.44 | Dec. 30, 2002 | 48.42 |
| Nov. 04, 2002 | 49.41 | Jan. 13, 2003 | 47.82 |
| Dec. 09, 2002 | 49.10 | Mar. 10, 2003 | 46.00 |

[THIS PAGE INTENTIONALLY BLANK.]

GROUND-WATER LEVELS

JEFFERSON COUNTY

381518085453402. Local number 86-11 (Courthouse Annex), map number 3--Continued.



GROUND-WATER LEVELS

JEFFERSON COUNTY

381522085445201 (Louisville Scrap Metal), map number 4.

LOCATION.--Lat 38°15'22", long 85°50'26", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at northeast corner of Floyd and Main Streets behind Louisville Scrap Metal Office. Owner: Louisville Scrap Metal.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 10 in. with 2" PVC casing and screen inserted for measurement access, depth 90.0 ft, screened 85.0-90.0 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 460.04 ft above NGVD of 1929. Measuring point: Top of 2" coupling 1.11 ft above land-surface datum.

PERIOD OF RECORD.--May 1991 to June 1993 and May 1996 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 34.22 ft below land-surface datum, Mar. 7, 1997; lowest measured, 42.54 ft below land-surface, datum, Oct. 7, 2002.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Oct. 07, 2002 | 42.54 | Dec. 30, 2002 | 40.92 |
| Nov. 04, 2002 | 42.09 | Jan. 13, 2003 | 40.36 |
| Dec. 09, 2002 | 41.73 | Mar. 10, 2003 | 38.46 |

381613085422801. (Edith Lane Landfill), map number 5.

LOCATION.--Lat 38°16'13", long 85°42'28", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, 50 feet east of landfill, 200 feet south of River Road. Owner: City of Louisville.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 2 in., depth 60.9, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 433.66 ft above NGVD of 1929. Measuring point: Top of pvc casing, 68 ft land-surface datum.

REMARKS.-- Unused landfill monitoring well.

PERIOD OF RECORD.--March 2001 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 8.23 ft below land-surface datum, Mar. 29, 2002; lowest measured, 14.29 ft below land-surface datum, Sept. 25, 2002.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 13.00 | Jun. 30, 2003 | 12.55 |
| Mar. 20, 2003 | 11.54 | | |

381638085415801. Local number (WC-4), map number 6.

LOCATION.--Lat 38°16'38", long 85°41'58", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at the northwest corner of River Road and Zorn Avenue, in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 4 in., depth 104 ft, screened 98-100 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 435.79 ft above NGVD of 1929. Measuring point: Floor of recorder shelter, 4.41 ft above land-surface datum.

REMARKS.-- Water levels affected by Ohio River, which causes level to rise above land-surface and nearby pumpage. Water-quality sample collected July 10, 1979.

PERIOD OF RECORD.--October 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level observed, 3.71 ft above land-surface datum, Mar. 13, 1967; lowest, 19.61 ft below land-surface datum, Feb. 13, 1948.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 14.14 | Jun. 30, 2003 | 13.85 |
| Mar. 20, 2003 | 12.91 | | |

GROUND-WATER LEVELS

601

JEFFERSON COUNTY

381648085421201. Local number (WC-5), map number 7.

LOCATION.--Lat 38°16'48", long 85°42'12", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, 200 ft west of Louisville Water Company pump house, 200 ft south of the Ohio River, 0.2 mi northwest of junction of River Road and Zorn Avenue, in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 4 in., depth 98 ft, screened 96-98 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 435.11 ft above NGVD of 1929. Measuring point: Top of pipe flange, 2.21 ft above land-surface datum.

REMARKS.-- Water levels affected by Ohio River, which causes level to rise above land-surface. Water-quality collected Apr. 30, 1948.

PERIOD OF RECORD.--May 1946 to current year. May 1946 to April 1977 published in hydrograph form and on file at the district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 0.04 ft above land-surface datum, Jan. 17, 1950; lowest measured, 18.31 ft below land-surface datum, Nov. 6, 1946.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 13.99 | Jun. 30, 2003 | 12.38 |
| Mar. 20, 2003 | 11.98 | | |

GROUND-WATER LEVELS

JEFFERSON COUNTY

381653085413302. Local number (WC-9A), map number 8.

LOCATION.--Lat 38°16'53", long 85°41'33", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, 45 ft east of River Road at Wagner Lane, opposite the southwest corner of Cox Park, in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 1.5 in., depth 90 ft, screened 76-78 ft, 88-90 ft.

INSTRUMENTATION.--Continuous recorder, 30 minute interval.

DATUM.--Elevation of land-surface datum is 437.65 ft above NGVD of 1929. Measuring point: Top of casing, 3.00 ft above land-surface datum.

PERIOD OF RECORD.--December 1979 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 6.40 ft below land-surface datum, May 20, 1996; lowest measured, 19.04 ft below land-surface datum, July 21, 1980.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 17.68 | 17.56 | 18.00 | 16.85 | 17.78 | 10.76 | 16.59 | 17.20 | 16.29 | 16.76 | 17.84 | 17.46 |
| 2 | 17.72 | 17.54 | 18.00 | 16.50 | 17.76 | 11.55 | 16.70 | 17.26 | 16.45 | 16.90 | 17.88 | 17.38 |
| 3 | 17.73 | 17.61 | 18.02 | 16.47 | 17.82 | 12.18 | 16.78 | 17.25 | 16.52 | 16.97 | 17.73 | 17.08 |
| 4 | 17.72 | 17.69 | 18.06 | 16.07 | 17.83 | 12.72 | 16.79 | 17.29 | 16.56 | 17.02 | 17.85 | 16.66 |
| 5 | 17.74 | 17.84 | 18.04 | 15.61 | 17.79 | 13.18 | 16.92 | 16.95 | 16.62 | 17.11 | 17.85 | 16.28 |
| 6 | 17.76 | 17.86 | 18.04 | 15.30 | 17.75 | 13.53 | 16.89 | 16.80 | 16.62 | 17.14 | 17.78 | 15.94 |
| 7 | 17.72 | 17.81 | 18.06 | 15.12 | 17.70 | 13.72 | 17.01 | 16.51 | 16.36 | 17.17 | 17.73 | 15.62 |
| 8 | 17.76 | 17.84 | 18.06 | 15.26 | 17.62 | 13.78 | 17.05 | 16.21 | 16.18 | 17.29 | 17.80 | 15.55 |
| 9 | 17.79 | 17.82 | 18.02 | 15.79 | 17.62 | 13.76 | 16.94 | 16.14 | 15.78 | 17.31 | 17.84 | 16.15 |
| 10 | 17.79 | 17.83 | 18.06 | 16.10 | 17.72 | 13.71 | 16.55 | 16.25 | 15.45 | 17.34 | 17.79 | 16.48 |
| 11 | 17.73 | 17.72 | 18.06 | 16.30 | 17.84 | 13.83 | 15.82 | 15.31 | 15.35 | 17.18 | 17.78 | 16.67 |
| 12 | 17.60 | 17.61 | 17.91 | 16.47 | 17.86 | 14.02 | 15.27 | 14.56 | 15.65 | 17.01 | 17.78 | 16.82 |
| 13 | 17.64 | 17.60 | 17.81 | 16.66 | 17.88 | 14.26 | 14.83 | 13.87 | 16.02 | 16.91 | 17.79 | 16.99 |
| 14 | 17.60 | 17.60 | 17.84 | 16.83 | 17.87 | 14.59 | 14.46 | 13.36 | 16.21 | 16.86 | 17.86 | 17.12 |
| 15 | 17.67 | 17.61 | 17.63 | 16.96 | 17.87 | 14.82 | 14.22 | 13.12 | 16.32 | 17.07 | 17.92 | 17.19 |
| 16 | 17.75 | 17.65 | 17.18 | 17.07 | 17.63 | 15.06 | 14.31 | 13.48 | 16.06 | 17.31 | 17.93 | 17.29 |
| 17 | 17.71 | 17.70 | 16.70 | 17.17 | 17.21 | 15.18 | 14.95 | 13.98 | 15.48 | 17.39 | 17.89 | 17.37 |
| 18 | 17.67 | 17.75 | 16.44 | 17.26 | 16.32 | 15.36 | 15.39 | 14.17 | 15.09 | 17.41 | 17.92 | 17.41 |
| 19 | 17.58 | 17.79 | 16.52 | 17.32 | 15.43 | 15.49 | 15.70 | 14.15 | 14.64 | 17.43 | 17.94 | 17.48 |
| 20 | 17.66 | 17.76 | 16.13 | 17.42 | 14.68 | 15.53 | 15.85 | 14.00 | 14.23 | 17.40 | 17.97 | 17.55 |
| 21 | 17.72 | 17.71 | 15.88 | 17.49 | 14.29 | 15.56 | 16.10 | 13.84 | 13.96 | 17.45 | 17.89 | 17.53 |
| 22 | 17.68 | 17.79 | 16.12 | 17.56 | 14.00 | 15.26 | 16.16 | 13.65 | 13.93 | 17.56 | 17.90 | 17.60 |
| 23 | 17.71 | 17.86 | 16.26 | 17.61 | 13.72 | 15.09 | 16.36 | 13.62 | 14.23 | 17.64 | 17.81 | 17.46 |
| 24 | 17.70 | 17.87 | 16.15 | 17.65 | 13.20 | 15.44 | 16.52 | 13.76 | 14.85 | 17.63 | 17.82 | 17.49 |
| 25 | 17.83 | 17.87 | 16.46 | 17.57 | 12.48 | 15.72 | 16.67 | 14.36 | 15.37 | 17.54 | 17.87 | 17.54 |
| 26 | 17.74 | 17.91 | 16.59 | 17.67 | 11.58 | 15.90 | 16.76 | 14.79 | 15.69 | 17.53 | 17.84 | 17.50 |
| 27 | 17.78 | 17.93 | 16.74 | 17.69 | 10.76 | 16.05 | 16.84 | 15.15 | 16.02 | 17.56 | 17.84 | 17.35 |
| 28 | 17.75 | 17.94 | 16.80 | 17.71 | 10.44 | 16.23 | 16.94 | 15.44 | 16.29 | 17.62 | 17.78 | 17.26 |
| 29 | 17.71 | 17.95 | 16.88 | 17.74 | --- | 16.36 | 17.02 | 15.70 | 16.47 | 17.73 | 17.88 | 17.33 |
| 30 | 17.66 | 17.93 | 16.96 | 17.76 | --- | 16.47 | 17.13 | 15.95 | 16.64 | 17.78 | 17.60 | 17.36 |
| 31 | 17.61 | --- | 17.05 | 17.76 | --- | 16.58 | --- | 16.12 | --- | 17.79 | 17.53 | --- |
| MAX | 17.83 | 17.95 | 18.06 | 17.76 | 17.88 | 16.58 | 17.13 | 17.29 | 16.64 | 17.79 | 17.97 | 17.60 |
| MIN | 17.58 | 17.54 | 15.88 | 15.12 | 10.44 | 10.76 | 14.22 | 13.12 | 13.93 | 16.76 | 17.53 | 15.55 |

WTR YR 2003 HIGH 10.44 LOW 18.06

GROUND-WATER LEVELS

JEFFERSON COUNTY

381653085413302. Local number (WC-9A), map number 8.--Continued.



GROUND-WATER LEVELS

JEFFERSON COUNTY

381701085414002. Local number (WC-8A), map number 9.

LOCATION.--Lat 38°17'01", long 85°41'40", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, on the south bank of the Ohio River at the northwest corner of Cox Park, in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 112OTSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 1.5 in., depth 86.8 ft, screened 86.8-90.8 ft.

INSTRUMENTATION.--Continuous recorder, 30 minute interval.

DATUM.--Elevation of land-surface datum is 432.62 ft above NGVD of 1929. Measuring point: Top of casing, 2.65 ft above land-surface datum.

REMARKS.--Replaces well 381702085414001 (WC-8) which was 100 ft north. Water levels affected by Ohio River.

PERIOD OF RECORD.--August 1979 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 1.74 ft below land-surface datum, Feb. 23, 2000; lowest measured, 14.35 ft below land-surface datum, Oct. 18, 1991.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 12.63 | 12.50 | 13.08 | 12.09 | 12.91 | 5.96 | 11.94 | 12.67 | 12.01 | 12.27 | 12.88 | 12.42 |
| 2 | 12.84 | 12.55 | 13.03 | 11.37 | 12.88 | 7.35 | 12.15 | 12.62 | 12.15 | 12.43 | 12.96 | 12.33 |
| 3 | 12.77 | 12.68 | 13.08 | 11.54 | 13.07 | 8.25 | 12.21 | 12.55 | 12.11 | 12.36 | 12.62 | 11.43 |
| 4 | 12.83 | 12.81 | 13.19 | 10.38 | 13.04 | 8.90 | 12.14 | 12.60 | 11.91 | 12.30 | 12.95 | 10.76 |
| 5 | 12.88 | 13.03 | 13.08 | 9.66 | 12.89 | 9.28 | 12.31 | 11.83 | 12.00 | 12.45 | 12.90 | 10.32 |
| 6 | 12.73 | 12.95 | 13.12 | 9.48 | 12.82 | 9.44 | 12.07 | 11.95 | 11.89 | 12.34 | 12.78 | 10.04 |
| 7 | 12.82 | 12.73 | 13.14 | 9.81 | 12.78 | 9.47 | 12.44 | 11.11 | 11.32 | 12.36 | 12.72 | 9.74 |
| 8 | 12.79 | 13.01 | 13.08 | 10.60 | 12.73 | 9.23 | 12.34 | 10.79 | 11.04 | 12.67 | 12.85 | 10.26 |
| 9 | 12.74 | 12.90 | 13.09 | 11.49 | 12.80 | 8.90 | 11.95 | 11.23 | 10.07 | 12.58 | 12.82 | 11.87 |
| 10 | 12.87 | 13.01 | 13.13 | 11.90 | 12.94 | 8.88 | 10.96 | 11.61 | 9.76 | 12.61 | 12.79 | 12.26 |
| 11 | 12.72 | 12.77 | 13.11 | 12.00 | 13.07 | 9.19 | 9.48 | 8.98 | 10.16 | 12.14 | 12.78 | 12.31 |
| 12 | 12.48 | 12.67 | 12.90 | 12.13 | 13.04 | 9.55 | 8.94 | 8.01 | 11.17 | 11.97 | 12.77 | 12.36 |
| 13 | 12.71 | 12.72 | 12.81 | 12.35 | 13.09 | 9.92 | 8.71 | 7.50 | 11.74 | 11.78 | 12.77 | 12.55 |
| 14 | 12.58 | 12.74 | 12.86 | 12.53 | 13.03 | 10.55 | 8.51 | 7.36 | 11.86 | 11.87 | 12.91 | 12.62 |
| 15 | 12.80 | 12.73 | 12.39 | 12.49 | 13.03 | 10.65 | 8.64 | 7.72 | 11.71 | 12.26 | 13.03 | 12.50 |
| 16 | 12.86 | 12.82 | 11.06 | 12.65 | 12.54 | 10.84 | 9.44 | 9.08 | 10.71 | 12.68 | 12.98 | 12.67 |
| 17 | 12.59 | 12.91 | 10.46 | 12.61 | 11.36 | 10.68 | 10.91 | 10.05 | 9.70 | 12.70 | 12.84 | 12.69 |
| 18 | 12.70 | 12.89 | 10.77 | 12.70 | 9.32 | 10.90 | 11.50 | 9.93 | 9.17 | 12.56 | 12.92 | 12.58 |
| 19 | 12.53 | 12.93 | 11.63 | 12.67 | 8.12 | 10.97 | 11.78 | 9.54 | 8.54 | 12.59 | 12.98 | 12.63 |
| 20 | 12.67 | 12.80 | 10.29 | 12.83 | 7.73 | 11.03 | 11.55 | 9.19 | 8.18 | 12.44 | 13.05 | 12.73 |
| 21 | 12.85 | 12.81 | 10.35 | 12.91 | 8.39 | 10.82 | 11.95 | 8.95 | 8.27 | 12.61 | 12.96 | 12.58 |
| 22 | 12.65 | 12.84 | 11.47 | 12.88 | 8.63 | 10.18 | 11.75 | 8.72 | 8.75 | 12.86 | 13.01 | 12.81 |
| 23 | 12.71 | 12.94 | 11.41 | 12.93 | 7.68 | 10.12 | 11.84 | 8.80 | 9.58 | 12.94 | 12.76 | 12.34 |
| 24 | 12.72 | 12.98 | 11.34 | 12.92 | 6.99 | 11.04 | 12.17 | 9.22 | 10.89 | 12.75 | 12.98 | 12.68 |
| 25 | 12.95 | 12.95 | 11.96 | 12.72 | 5.96 | 11.40 | 12.35 | 10.46 | 11.71 | 12.52 | 12.96 | 12.63 |
| 26 | 12.68 | 12.99 | 12.08 | 12.89 | 4.72 | 11.52 | 12.23 | 11.02 | 11.77 | 12.41 | 12.91 | 12.62 |
| 27 | 12.79 | 12.97 | 12.26 | 12.93 | 4.11 | 11.69 | 12.38 | 11.38 | 12.01 | 12.50 | 12.90 | 12.48 |
| 28 | 12.72 | 13.05 | 12.25 | 12.92 | 4.59 | 11.82 | 12.52 | 11.58 | 12.18 | 12.60 | 12.80 | 12.38 |
| 29 | 12.70 | 13.02 | 12.24 | 12.99 | --- | 11.80 | 12.58 | 11.68 | 12.08 | 12.90 | 13.03 | 12.60 |
| 30 | 12.61 | 13.00 | 12.44 | 12.98 | --- | 11.87 | 12.69 | 11.94 | 12.32 | 12.81 | 12.43 | 12.61 |
| 31 | 12.57 | --- | 12.46 | 12.88 | --- | 11.99 | --- | 11.90 | --- | 12.79 | 12.50 | --- |
| MAX | 12.95 | 13.05 | 13.19 | 12.99 | 13.09 | 11.99 | 12.69 | 12.67 | 12.32 | 12.94 | 13.05 | 12.81 |
| MIN | 12.48 | 12.50 | 10.29 | 9.48 | 4.11 | 5.96 | 8.51 | 7.36 | 8.18 | 11.78 | 12.43 | 9.74 |

WTR 2003 HIGH 4.11 LOW 13.19

GROUND-WATER LEVELS

JEFFERSON COUNTY

381701085414002. Local number (WC-8A), map number 9.--Continued



GROUND-WATER LEVELS

JEFFERSON COUNTY

381742085402001. Local number (WC-13), map number 10.

LOCATION.--Lat 38°17'42", long 85°40'20", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, 30 ft east of River Road, 300 ft northeast of junction of River Road and Blankenbaker Lane, in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 4 in., depth 106 ft, screened 104-106 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 438.87 ft above NGVD of 1929. Measuring point: Top of plug, 3.07 ft above land-surface datum.

PERIOD OF RECORD.--June 1946 to current year. June 1946 to November 1976 published in hydrograph form and on file at the district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 3.28 ft below land-surface datum, Jan. 18, 1950: lowest measured, 19.75 ft below land-surface datum, Jan. 29, 1954.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 17.59 | Jun. 30, 2003 | 16.28 |
| Mar. 20, 2003 | 16.48 | | |

381827085392401. Local number (WC-26), map number 11.

LOCATION.--Lat 38°18'27", long 85°39'24", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, 20 ft east of River Road, opposite River Valley Club in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 4 in., depth 130 ft, screened 128-130 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 455.94 ft above NGVD of 1929. Measuring point: Top of plug, 4.68 ft above land-surface datum.

PERIOD OF RECORD.--July 1946 to current year. July 1946 to November 1976 published in hydrograph form and on file at the district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 19.93 ft below land-surface datum, Jan. 18, 1950: lowest measured, 38.53 ft below land-surface datum, Feb. 3, 1948.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 32.66 | Jun. 30, 2003 | 33.38 |
| Mar. 20, 2003 | 32.33 | | |

381904085384801. Local number (WC-27), map number 12.

LOCATION.--Lat 38°19'04", long 85°38'48", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, 30 ft west of River Road, 250 ft north of north end of bridge over Goose Creek, in Louisville. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 4 in., depth 96 ft, screened 94-96 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 438.46 ft above NGVD of 1929. Measuring point: Top of plug, 2.29 ft above land-surface datum.

PERIOD OF RECORD.--August 1946 to current year. August 1946 to November 1976 published in hydrograph form and on file at the district office.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 1.84 ft above land-surface datum, Jan. 17, 1950: lowest measured, 20.97 ft below land-surface datum, Feb. 3, 1948.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 17.51 | Jun. 30, 2003 | 17.93 |
| Mar. 20, 2003 | 16.25 | | |

GROUND-WATER LEVELS

607

JEFFERSON COUNTY

381958085380201. (Thompson well), map number 13.

LOCATION.--Lat 38°19'58", long 85°37'52", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at 6600 Upper River Road, in well house next to drive, near horse barn. Owner: Thompson.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled used water-table well, diameter 6 in., depth 53 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 461.44 above NGVD of 1929. Measuring point: Top of well seal, 7.00 ft below land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 35.58 ft below land-surface datum, Mar. 28, 2002; lowest measured, 42.05 ft below land-surface datum, Sept. 28, 2001.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 39.37 | Jun. 30, 2003 | 38.99 |
| Mar. 20, 2003 | 37.55 | Aug. 12, 2003 | 40.91 |

382007085373801. (Bird Man), map number 14.

LOCATION.--Lat 38°20'07", long 85°37'38", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at 7105 Upper River Road, in well house next to drive, near main house. Owner: Bird Man.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in., depth 61.5 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 453.83 ft above NGVD of 1929. Measuring point: Top of casing, at land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 28.02 ft below land-surface datum, May 5, 2002; lowest measured, 33.99 ft below land-surface datum, Sept. 28, 2001.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 31.68 | Jun. 30, 2003 | 30.98 |
| Mar. 20, 2003 | 29.53 | Aug. 12, 2003 | 32.77 |

382026085374301. (Little Dean), map number 15.

LOCATION.--Lat 38°20'26", long 85°37'43", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at 6203 Mason Road, well is next to drive, 50 ft. northwest of house. Owner: Little Dean.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in., depth 90 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 460.26 ft above NGVD of 1929. Measuring point: Top of well seal, 1.30 ft above land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 31.68 ft below land-surface datum, Jun. 28, 2002; lowest measured, 34.84 ft below land-surface datum, Sept. 28, 2001.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 33.75 | Jun. 30, 2003 | 32.70 |
| Mar. 20, 2003 | 33.15 | Aug. 12, 2003 | 33.35 |

GROUND-WATER LEVELS

JEFFERSON COUNTY

382032085375601. (Staples), map number 16.

LOCATION.--Lat 38°20'32", long 85°37'56", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at 6301 Mayfair Road, in concrete well pit next to drive, 15ft. north of garage. Owner: Staples.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in., depth 73 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 459.07 ft above NGVD of 1929. Measuring point: Top of concrete slab above hole in well seal at land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 32.35 ft below land-surface datum, Mar. 25, 1999; lowest measured, 42.30 ft below land-surface datum, Jan. 04, 2002.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 38.77 | Jun. 30, 2003 | 38.23 |
| Mar. 20, 2003 | 36.18 | Aug. 12, 2003 | 39.89 |

[THIS PAGE INTENTIONALLY BLANK.]

GROUND-WATER LEVELS

JEFFERSON COUNTY

382039085375201. (WP-7), map number 17.

LOCATION.--Lat 38°20'39", long 85°37'52", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at Louisville

Water Company B.E. Payne treatment plant. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 2.0 in., depth 83.5 ft, screen: unknown.

INSTRUMENTATION.--Continuous recorder, 30 minute interval.

DATUM.--Elevation of land-surface datum is 462.66 ft above NGVD of 1929. Measuring point: Top of casing, 3.80 ft above land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--December 1997 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 34.44 ft below land-surface datum, May 12, 1998; lowest measured, 48.10 ft below land-surface datum, Jan. 15, 2002.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 42.98 | 44.09 | 45.93 | 45.22 | 46.11 | 41.40 | 42.52 | 43.99 | 42.75 | 43.33 | 44.06 | 45.06 |
| 2 | 43.04 | 44.16 | 45.95 | 45.07 | 46.14 | 41.27 | 42.61 | 44.13 | 42.93 | 43.52 | 44.01 | 45.13 |
| 3 | 43.11 | 44.25 | 46.05 | 45.03 | 46.19 | 41.28 | 42.71 | 44.22 | 43.08 | 43.68 | 43.93 | 44.98 |
| 4 | 43.12 | 44.36 | 46.10 | 44.92 | 46.28 | 41.29 | 42.78 | 44.30 | 43.24 | 43.81 | 43.88 | 44.73 |
| 5 | 43.22 | 44.42 | 46.17 | 44.74 | 46.31 | 41.40 | 42.97 | 44.33 | 43.33 | 43.94 | 43.99 | 44.46 |
| 6 | 43.22 | 44.57 | 46.23 | 44.58 | 46.30 | 41.53 | 43.07 | 44.31 | 43.36 | 44.07 | 44.10 | 44.17 |
| 7 | 43.24 | 44.65 | 46.28 | 44.35 | 46.33 | 41.53 | 43.17 | 44.16 | 43.29 | 44.20 | 44.19 | 43.89 |
| 8 | 43.25 | 44.73 | 46.35 | 44.25 | 46.29 | 41.49 | 43.30 | 43.98 | 43.19 | 44.34 | 44.28 | 43.71 |
| 9 | 43.27 | 44.82 | 46.40 | 44.30 | 46.31 | 41.52 | 43.36 | 43.80 | 43.03 | 44.46 | 44.40 | 43.81 |
| 10 | 43.28 | 44.89 | 46.45 | 44.43 | 46.35 | 41.42 | 43.30 | 43.73 | 42.80 | 44.55 | 44.47 | 42.58 |
| 11 | 43.27 | 45.03 | 46.51 | 44.52 | 46.40 | 41.37 | 43.01 | 43.50 | 42.64 | 44.55 | 44.54 | 42.76 |
| 12 | 43.23 | 45.06 | 46.55 | 44.58 | 46.45 | 41.41 | 42.73 | 43.08 | 42.62 | 44.42 | 44.59 | 42.73 |
| 13 | 43.30 | 45.11 | 46.52 | 44.64 | 46.47 | 41.51 | 42.48 | 42.60 | 42.73 | 44.32 | 44.64 | 42.55 |
| 14 | 43.30 | 45.13 | 46.63 | 44.74 | 46.49 | 41.65 | 42.22 | 42.17 | 42.86 | 44.20 | 44.70 | 42.55 |
| 15 | 43.34 | 45.17 | 46.54 | 44.85 | 46.57 | 41.74 | 41.99 | 41.83 | 42.96 | 44.16 | 44.76 | 42.55 |
| 16 | 42.98 | 45.21 | 46.37 | 44.89 | 46.54 | 41.85 | 41.88 | 41.72 | 42.94 | 44.22 | 44.81 | 42.59 |
| 17 | 42.55 | 45.25 | 46.09 | 45.03 | 46.44 | 41.91 | 41.99 | 41.79 | 42.67 | 44.29 | 44.85 | 42.38 |
| 18 | 42.67 | 45.31 | 45.86 | 45.09 | 46.18 | 41.99 | 42.23 | 41.84 | 42.43 | 44.37 | 44.89 | 42.37 |
| 19 | 42.76 | 45.37 | 45.70 | 45.21 | 45.80 | 42.05 | 42.39 | 41.80 | 42.17 | 44.43 | 44.94 | 42.52 |
| 20 | 42.94 | 45.38 | 45.56 | 45.29 | 45.36 | 42.09 | 42.53 | 41.69 | 41.88 | 44.47 | 44.97 | 42.51 |
| 21 | 43.09 | 45.40 | 45.34 | 45.39 | 44.93 | 42.14 | 42.68 | 41.58 | 41.62 | 44.50 | 45.03 | 42.57 |
| 22 | 43.24 | 45.47 | 45.24 | 45.48 | 44.55 | 42.04 | 42.81 | 41.42 | 41.47 | 44.60 | 45.07 | 42.62 |
| 23 | 43.36 | 45.52 | 45.17 | 45.57 | 44.43 | 41.92 | 42.97 | 41.31 | 41.47 | 44.69 | 45.10 | 42.60 |
| 24 | 43.47 | 45.57 | 45.05 | 45.64 | 44.03 | 41.95 | 43.06 | 41.26 | 41.64 | 44.74 | 45.13 | 42.72 |
| 25 | 43.57 | 45.62 | 45.12 | 45.68 | 43.50 | 42.05 | 43.19 | 41.40 | 41.89 | 44.78 | 45.16 | 42.67 |
| 26 | 43.67 | 45.65 | 45.14 | 45.76 | 42.91 | 42.16 | 43.37 | 41.62 | 42.12 | 44.72 | 45.14 | 42.52 |
| 27 | 43.75 | 45.72 | 45.16 | 45.83 | 42.29 | 42.20 | 43.50 | 41.80 | 42.38 | 44.50 | 45.13 | 42.08 |
| 28 | 43.83 | 45.75 | 45.07 | 45.87 | 41.77 | 42.28 | 43.61 | 41.95 | 42.64 | 44.34 | 45.09 | 41.98 |
| 29 | 43.86 | 45.78 | 45.14 | 45.96 | --- | 42.38 | 43.74 | 42.14 | 42.90 | 44.23 | 45.08 | 41.88 |
| 30 | 43.96 | 45.87 | 45.17 | 46.01 | --- | 42.43 | 43.89 | 42.33 | 43.14 | 44.18 | 45.03 | 41.82 |
| 31 | 44.02 | --- | 45.25 | 46.05 | --- | 42.49 | --- | 42.53 | --- | 44.12 | 45.01 | --- |
| MAX | 44.02 | 45.87 | 46.63 | 46.05 | 46.57 | 42.49 | 43.89 | 44.33 | 43.36 | 44.78 | 45.16 | 45.13 |
| MIN | 42.55 | 44.09 | 45.05 | 44.25 | 41.77 | 41.27 | 41.88 | 41.26 | 41.47 | 43.33 | 43.88 | 41.82 |

WTR 2003 HIGH 41.26 LOW 46.63

GROUND-WATER LEVELS

JEFFERSON COUNTY

382039085375201. (WP-7), map number 17.--Continued



GROUND-WATER LEVELS

JEFFERSON COUNTY

382051085380801. (LWC-1), map number 18.

LOCATION.--Lat 38°20'51", long 85°37'08", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at Louisville Water Company B.E. Payne treatment plant, 300 ft. west of lagoon #2, 100 ft. north of Mayfair road, along treeline.
 Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 112OTSH.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 2 in., depth 76.5 ft, screened: 66-76 ft.

INSTRUMENTATION.--Continuous recorder, 30 minute interval.

DATUM.--Elevation of land-surface datum is 434.26 ft above NGVD of 1929. Measuring point: Top of casing, 3.40 ft above land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 2000 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 11.44 ft below land-surface datum, Mar. 24, 2002; lowest measured, 25.19 ft below land-surface datum, Nov. 26, 2002.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|
| 1 | 21.05 | 23.16 | --- | --- | --- | --- | 20.11 | 21.41 | 19.89 | 20.39 | 18.36 | 21.18 |
| 2 | 21.31 | 23.40 | --- | --- | --- | --- | 20.42 | 21.49 | 20.22 | 20.62 | 18.42 | 21.30 |
| 3 | 21.32 | 23.70 | --- | --- | --- | --- | 20.63 | 21.47 | 20.21 | 20.43 | 18.06 | 19.72 |
| 4 | 21.25 | 23.93 | --- | --- | --- | --- | 20.68 | 21.56 | 19.98 | 20.53 | 18.37 | 18.47 |
| 5 | 21.23 | 24.12 | --- | --- | --- | --- | 21.01 | 21.10 | 19.78 | 20.83 | 19.41 | 17.64 |
| 6 | 20.99 | 24.25 | --- | --- | --- | --- | 20.93 | 20.63 | 19.14 | 20.96 | 19.74 | 17.07 |
| 7 | 20.95 | 24.32 | --- | --- | --- | --- | 21.22 | 19.51 | 18.41 | 21.23 | 19.76 | 16.70 |
| 8 | 21.01 | 24.56 | --- | --- | --- | --- | 21.14 | 18.88 | 18.00 | 21.58 | 20.07 | 17.36 |
| 9 | 20.93 | 24.70 | --- | --- | --- | --- | 20.60 | 18.78 | 16.92 | 21.68 | 20.18 | 18.98 |
| 10 | 21.01 | 24.89 | --- | --- | --- | --- | 19.48 | 19.10 | 16.45 | 21.60 | 20.23 | 19.73 |
| 11 | 20.84 | 25.00 | --- | --- | --- | --- | 17.81 | 16.68 | 16.73 | 20.20 | 20.21 | 20.13 |
| 12 | 20.79 | 24.94 | --- | --- | --- | --- | 16.90 | 15.15 | 17.72 | 19.47 | 20.25 | 20.37 |
| 13 | 21.30 | 24.78 | --- | --- | --- | --- | 16.45 | 14.43 | 18.35 | 18.97 | 20.28 | 20.47 |
| 14 | 21.34 | 24.64 | --- | --- | --- | --- | 16.12 | 14.07 | 18.55 | 18.85 | 20.43 | 20.56 |
| 15 | 20.93 | 24.64 | --- | --- | --- | --- | 16.19 | 14.45 | 18.39 | 19.19 | 20.58 | 20.44 |
| 16 | 16.45 | 24.56 | --- | --- | --- | --- | 16.97 | 15.94 | 17.40 | 19.63 | 20.56 | 20.58 |
| 17 | 17.02 | 24.74 | --- | --- | --- | --- | 18.32 | 16.92 | 16.24 | 19.95 | 20.49 | 20.67 |
| 18 | 20.29 | 24.86 | --- | --- | --- | --- | 19.11 | 16.86 | 15.55 | 20.12 | 20.63 | 20.58 |
| 19 | 20.92 | 24.97 | --- | --- | --- | --- | 19.49 | 16.50 | 14.75 | 20.31 | 20.67 | 20.80 |
| 20 | 21.54 | 24.87 | --- | --- | --- | --- | 19.50 | 16.07 | 14.26 | 20.21 | 20.80 | 20.92 |
| 21 | 21.85 | 24.73 | --- | --- | --- | --- | 19.89 | 15.72 | 14.34 | 20.50 | 20.85 | 21.14 |
| 22 | 21.93 | 25.00 | --- | --- | --- | --- | 19.81 | 15.43 | 14.99 | 20.65 | 20.77 | 21.32 |
| 23 | 22.12 | 25.10 | --- | --- | --- | --- | 20.02 | 15.51 | 15.95 | 20.83 | 20.63 | 20.69 |
| 24 | 22.22 | 25.09 | --- | --- | --- | --- | 20.23 | 15.92 | 17.21 | 20.89 | 20.87 | 21.05 |
| 25 | 22.44 | 25.11 | --- | --- | --- | --- | 20.46 | 17.10 | 18.28 | 20.69 | 20.54 | 21.09 |
| 26 | 22.30 | --- | --- | --- | --- | --- | 20.61 | 17.82 | 18.74 | 19.28 | 20.37 | 20.90 |
| 27 | 22.43 | --- | --- | --- | --- | --- | 20.81 | 18.24 | 19.40 | 18.40 | 20.25 | 20.85 |
| 28 | 22.52 | --- | --- | --- | --- | --- | 21.03 | 18.47 | 19.94 | 18.19 | 20.16 | 20.75 |
| 29 | 22.53 | --- | --- | --- | --- | 19.91 | 21.18 | 18.75 | 20.15 | 18.58 | 20.43 | 21.10 |
| 30 | 22.69 | --- | --- | --- | --- | 19.97 | 21.36 | 19.27 | 20.51 | 18.64 | 20.25 | 21.16 |
| 31 | 22.94 | --- | --- | --- | --- | 20.07 | --- | 19.61 | --- | 18.49 | 20.78 | --- |
| MAX | 22.94 | --- | --- | --- | --- | --- | 21.36 | 21.56 | 20.51 | 21.68 | 20.87 | 21.32 |
| MIN | 16.45 | --- | --- | --- | --- | --- | 16.12 | 14.07 | 14.26 | 18.19 | 18.06 | 16.70 |

WTR YR 2003 HIGH 14.07 LOW 25.11

GROUND-WATER LEVELS

JEFFERSON COUNTY

382051085380801. Local number (LWC-1), map number 18.--Continued



GROUND-WATER LEVELS

JEFFERSON COUNTY

382058085373501. (Shirley Avenue), map number 19.

LOCATION.--Lat 38°20'58", long 85°37'35", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at 6401 Shirley Avenue, 50 ft. to rear of house. Owner: Resident.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in., depth 45 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 463.40 ft above NGVD of 1929. Measuring point: Under hand pump thru hole in side of casing, at land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--July 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 39.40 ft below land-surface datum, Jul. 7, 1999; lowest measured, 44.03 ft below land-surface datum, Mar. 26, 2001.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 43.66 | Jun. 30, 2003 | 40.84 |
| Mar. 20, 2003 | 42.44 | Aug. 12, 2003 | 41.10 |

382102085380701. (WP-19), map number 20.

LOCATION.--Lat 38°21'02", long 85°38'07", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at Louisville Water Company B.E. Payne treatment plant, 200 ft. east of collector well. Owner: Louisville Water Company.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 2 in., depth 106 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 434.48 ft above NGVD of 1929. Measuring point: Top of casing, 2.28 ft above land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.25 ft below land-surface datum, Mar. 1, 1999; lowest measured, 49.70 ft below land-surface datum, Mar. 26, 2001.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 52.14 | Jun. 30, 2003 | 44.12 |
| Mar. 20, 2003 | 46.98 | Aug. 12, 2003 | 41.65 |

[THIS PAGE INTENTIONALLY BLANK.]

GROUND-WATER LEVELS

JEFFERSON COUNTY

382105085375101. (Hays-Kennedy), map number 21.

LOCATION.--Lat 38°21'05", long 85°37'51", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at Hays Kennedy Park, 20 ft. south of Bass Road, along west edge of parking lot for picnic shelter. Owner: County Parks Dept.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 2 in., depth 76.5 ft, screened: 66-76 ft.

INSTRUMENTATION.--Continuous recorder, 30 minute interval.

DATUM.--Elevation of land-surface datum is 439.68 ft above NGVD of 1929. Measuring point: Top of casing, 0.27 ft below land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 2000 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 20.16 ft below land-surface datum, May 21, 2002; lowest measured, 32.04 ft below land-surface datum, Feb. 14, 2003.

DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAILY OBSERVATION AT 1200 HOURS


| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 27.02 | 28.67 | 31.00 | 30.38 | 31.36 | 24.79 | 26.76 | 27.29 | 25.21 | 25.45 | 24.30 | 26.18 |
| 2 | 27.15 | 28.80 | 31.07 | 30.17 | 31.51 | 24.92 | 26.87 | 27.41 | 25.44 | 25.64 | 24.23 | 26.28 |
| 3 | 27.22 | 28.96 | 31.10 | 30.05 | 31.51 | 25.34 | 26.98 | 27.45 | 25.60 | 25.73 | 24.11 | 26.03 |
| 4 | 27.22 | 29.03 | 31.17 | 29.97 | 31.44 | 25.44 | 27.13 | 27.51 | 25.62 | 25.84 | 24.06 | 25.58 |
| 5 | 27.23 | 29.38 | 31.20 | 29.80 | 31.60 | 25.52 | 27.21 | 27.62 | 25.62 | 25.97 | 24.71 | 25.02 |
| 6 | 27.25 | 29.36 | 31.13 | 29.28 | 31.61 | 25.41 | 27.30 | 27.30 | 25.38 | 26.06 | 24.98 | 24.59 |
| 7 | 27.21 | 29.56 | 31.28 | 29.04 | 31.48 | 25.90 | 27.54 | 26.95 | 25.14 | 26.21 | 25.18 | 24.29 |
| 8 | 27.24 | 29.69 | 31.42 | 28.94 | 31.59 | 25.92 | 27.47 | 26.59 | 24.84 | 26.39 | 25.36 | 24.26 |
| 9 | 27.24 | 29.80 | 31.55 | 29.05 | 31.60 | 25.69 | 27.35 | 26.33 | 24.42 | 26.56 | 25.50 | 24.72 |
| 10 | 27.23 | 30.02 | 31.58 | 29.18 | 31.66 | 25.55 | 27.09 | 26.25 | 24.03 | 26.60 | 25.58 | 25.04 |
| 11 | 27.30 | 30.07 | 31.70 | 29.31 | 31.62 | 25.59 | 26.42 | 25.52 | 23.85 | 26.27 | 25.62 | 25.35 |
| 12 | 27.15 | 30.11 | 31.59 | 29.43 | 31.70 | 25.67 | 25.87 | 24.68 | 23.90 | 25.86 | 25.72 | 25.63 |
| 13 | 27.33 | 30.14 | 31.73 | 29.56 | 31.81 | 25.81 | 25.42 | 23.96 | 24.28 | 25.50 | 25.77 | 25.67 |
| 14 | 27.39 | 30.15 | 31.73 | 29.65 | 31.85 | 26.12 | 25.01 | 23.37 | 24.52 | 25.31 | 25.82 | 25.79 |
| 15 | 27.34 | 30.19 | 31.71 | 29.82 | 31.97 | 26.32 | 24.74 | 23.12 | 24.57 | 25.32 | 25.94 | 25.68 |
| 16 | 25.34 | 30.14 | 31.34 | 29.91 | 31.87 | 26.41 | 24.75 | 23.38 | 24.29 | 25.40 | 26.09 | 25.73 |
| 17 | 24.33 | 30.23 | 30.93 | 30.06 | 31.80 | 26.38 | 25.06 | 23.69 | 23.72 | 25.50 | 26.01 | 25.86 |
| 18 | 25.97 | 30.33 | 30.76 | 30.19 | 31.45 | 26.50 | 25.59 | 23.80 | 23.31 | 25.76 | 25.99 | 25.95 |
| 19 | 26.42 | 30.33 | 30.38 | 30.30 | 31.12 | 26.44 | 25.86 | 23.68 | 22.84 | 25.85 | 25.99 | 26.07 |
| 20 | 26.74 | 30.47 | 30.29 | 30.40 | 30.68 | 26.57 | 25.93 | 23.47 | 22.43 | 25.88 | 26.11 | 25.93 |
| 21 | 27.22 | 30.47 | 29.88 | 30.52 | 29.54 | 26.34 | 26.08 | 23.28 | 22.18 | 26.05 | 26.19 | 26.13 |
| 22 | 27.45 | 30.43 | 29.75 | 30.64 | 29.75 | 26.10 | 26.18 | 23.02 | 22.24 | 26.11 | 26.27 | 26.48 |
| 23 | 27.65 | 30.58 | 29.79 | 30.73 | 29.28 | 25.89 | 26.39 | 22.90 | 22.56 | 26.22 | 26.14 | 26.15 |
| 24 | 27.78 | 30.63 | 29.75 | 30.83 | 28.47 | 26.01 | 26.40 | 22.94 | 23.03 | 26.31 | 26.15 | 26.25 |
| 25 | 27.99 | 30.60 | 29.78 | 30.90 | 27.52 | 26.18 | 26.59 | 23.29 | 23.56 | 26.25 | 26.17 | 26.26 |
| 26 | 28.05 | 30.67 | 29.79 | 30.96 | 26.56 | 26.39 | 26.54 | 23.78 | 23.92 | 25.74 | 26.12 | 26.37 |
| 27 | 28.17 | 30.70 | 30.05 | 31.07 | 25.62 | 26.42 | 26.83 | 24.03 | 24.37 | 25.06 | 26.07 | 26.30 |
| 28 | 28.24 | 30.81 | 30.10 | 31.13 | 25.22 | 26.52 | 26.94 | 24.19 | 24.76 | 24.77 | 25.89 | 26.21 |
| 29 | 28.31 | 30.91 | 30.20 | 31.09 | --- | 26.54 | 27.05 | 24.36 | 25.08 | 24.60 | 25.94 | 26.16 |
| 30 | 28.33 | 30.85 | 30.25 | 31.25 | --- | 26.69 | 27.22 | 24.67 | 25.34 | 24.52 | 25.72 | 26.22 |
| 31 | 28.52 | --- | 30.34 | 31.40 | --- | 26.74 | --- | 24.95 | --- | 24.47 | 25.94 | --- |
| MAX | 28.52 | 30.91 | 31.73 | 31.40 | 31.97 | 26.74 | 27.54 | 27.62 | 25.62 | 26.60 | 26.27 | 26.48 |
| MIN | 24.33 | 28.67 | 29.75 | 28.94 | 25.22 | 24.79 | 24.74 | 22.90 | 22.18 | 24.47 | 24.06 | 24.26 |

WTR YR 2003 HIGH 22.18 LOW 31.97

GROUND-WATER LEVELS

JEFFERSON COUNTY

38105085375101. (Hays-Kennedy), map number 21,--Continued



GROUND-WATER LEVELS

JEFFERSON COUNTY

382120085374701. (River Fields), map number 22.

LOCATION.--Lat 38°21'20", long 85°37'47", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at Garvin-Brown Preserve, 1000 ft. north of Bass Road, along tree line separating Garvin-Brown Preserve from Hays-Kennedy Park. Owner: River Fields.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 2 in., depth 71.5 ft, screened: 61-71 ft.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 440.05 ft above NGVD of 1929. Measuring point: Top of casing, 0.19 ft below land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--May 2000 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 19.27 ft below land-surface datum, May 28, 2002; lowest measured, 23.76 ft below land-surface datum, Jan. 04, 2002.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 23.23 | Jun. 30, 2003 | 20.61 |
| Mar. 20, 2003 | 20.87 | Aug. 12, 2003 | 21.22 |

382124085375401. (Abell), map number 23.

LOCATION.--Lat 38°21'24", long 85°37'54", Hydrologic Unit 05140101, County Code 111, Jeffersonville quadrangle, at 7222 Beechland Road, in well pit 200 ft. east of road Owner: Abell.

AQUIFER.--Glacial sand and gravel of Quaternary age. Aquifer code: 1120TSH.

WELL CHARACTERISTICS.--Drilled used water-table well, diameter 4 in., depth 45 ft, screen: unknown.

INSTRUMENTATION.--Quarterly measurement with chalked tape by USGS personnel.

DATUM.--Elevation of land-surface datum is 438.58 ft above NGVD of 1929. Measuring point: Top of well seal 3.66 ft below land-surface datum.

REMARKS.--Water levels affected by pumping.

PERIOD OF RECORD.--March 1999 to current year.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.04 ft below land-surface datum, Mar. 28, 2002; lowest measured, 20.81 ft below land-surface datum, Jan. 04, 2002.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Water Level | Date | Water Level |
|---------------|-------------|---------------|-------------|
| Dec. 27, 2002 | 20.13 | Jun. 30, 2003 | 19.00 |
| Mar. 20, 2003 | 18.11 | Aug. 12, 2003 | 19.09 |

[THIS PAGE INTENTIONALLY BLANK.]

CHEMICAL QUALITY OF PRECIPITATION

380706083324900 - CLARK STATE FISH HATCHERY, ROWAN COUNTY, KY

(National Atmospheric Deposition Program network station)

LOCATION.--Lat 38°06'58", Long 83°33'18", Rowan County, Hydrologic Unit 05100101 at Clark State Fish Hatchery, 0.9 mi southwest of Clark State Fish Hatchery office, 1.2 mi west of Cave Run Reservoir Dam.

PERIOD OF RECORD.--September 1983 to current year.

INSTRUMENTATION.--Wet/dry precipitation collector, weighing bucket type recording rain gage.

REMARKS.--Samples collected on weekly basis by observer.

COOPERATION.--Chemical quality data were provided by the National Atmospheric Deposition Program.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Atm dep wet, liters (83177) | Precip- itation total for defined period, inches (00193) | pH, wet atm dep field, std units (83106) | Specif. conduc- tance, wet dep unfltrd field, uS/cm (83154) | Calcium wet atm dep fltrd, mg/L (82932) | Magnes- ium, wet atm dep fltrd, mg/L (83002) | Potas- sium, wet atm dep fltrd, mg/L (83120) | Sodium, wet atm dep fltrd, mg/L (83138) | Chlor- ide, wet atm dep fltrd, mg/L (82944) | Sulfate wet atm dep fltrd, mg/L (83160) | Ammonia wet atm dep fltrd, mg/L as NH4 (83047) | Nitrate wet atm dep fltrd, mg/L (83071) | Ortho- phos- phate, wet atm dep fltrd, mg/L (83111) |
|------------------|--------------------------------------|---|--|--|--|--|--|--|---|--|--|--|--|
| OCT 01-08 | 0.408 | 0.25 | 5.10 | 10.5 | 0.29 | 0.04 | 0.05 | 0.09 | 0.17 | 1.35 | 0.240 | 1.29 | <0.009 |
| OCT 08-15 | 5.617 | 3.17 | 4.98 | 9.5 | 0.03 | M | M | 0.01 | 0.02 | 0.94 | 0.110 | 0.56 | <0.009 |
| OCT 15-22 | 1.404 | 0.80 | 6.64 | 16.6 | 0.11 | 0.05 | 0.56 | 0.02 | 0.09 | 2.04 | 0.990 | 1.53 | 0.256 |
| OCT 22-29 | 0.763 | 0.45 | 8.14 | 16.6 | 0.29 | 0.08 | 1.02 | 0.15 | 0.20 | 2.42 | 0.970 | 1.45 | 0.541 |
| OCT 29-NOV 05 | 1.836 | 1.15 | 6.33 | 15.7 | 0.04 | M | M | 0.01 | 0.04 | 1.71 | 0.110 | 0.80 | <0.009 |
| NOV 05-12 | 4.944 | 2.75 | 7.48 | 7.5 | 0.06 | 0.01 | 0.01 | 0.05 | 0.09 | 0.77 | 0.120 | 0.55 | <0.009 |
| NOV 12-19 | 1.286 | 0.74 | 4.56 | 25.6 | 0.03 | 0.01 | 0.01 | 0.03 | 0.21 | 2.17 | 0.260 | 2.29 | <0.009 |
| NOV 19-26 | 0.380 | 0.20 | 7.89 | 33.6 | 0.68 | 0.10 | 1.27 | 0.15 | 0.24 | 2.50 | 4.38 | 3.82 | 0.459 |
| NOV 26-DEC 03 | 0.164 | 0.10 | 4.20 | 43.5 | 0.59 | 0.05 | 0.06 | 0.08 | 0.42 | 5.13 | 1.03 | 4.99 | 0.009 |
| DEC 03-10 | 1.072 | 0.59 | 6.58 | 9.6 | 0.09 | 0.01 | M | 0.01 | 0.06 | 0.55 | 0.050 | 1.07 | <0.009 |
| DEC 10-17 | 3.051 | 1.71 | 5.07 | 14.1 | 0.05 | 0.01 | M | 0.01 | 0.08 | 1.00 | 0.070 | 0.95 | <0.009 |
| DEC 17-24 | 1.290 | 0.77 | 5.00 | 13.6 | 0.25 | 0.03 | 0.01 | 0.15 | 0.25 | 1.68 | 0.190 | 2.14 | <0.009 |
| DEC 24-31 | 0.333 | 0.17 | 4.62 | 23.2 | 0.26 | 0.01 | 0.01 | 0.03 | 0.13 | 2.04 | 0.170 | 1.85 | <0.009 |
| JDEC 31 - JAN 07 | 2.152 | 1.25 | 4.37 | 23.4 | 0.21 | 0.03 | 0.02 | 0.18 | 0.44 | 3.45 | 0.520 | 4.06 | <0.009 |
| JAN 07-14 | 0.214 | 0.15 | 4.71 | 28.5 | 0.69 | 0.07 | 0.02 | 0.17 | 0.57 | 1.47 | 0.660 | 5.99 | <0.009 |
| JAN 14-21 | 0.209 | 0.15 | 4.96 | 26.8 | 0.18 | 0.03 | 0.01 | 0.11 | 0.76 | 0.44 | 0.150 | 3.43 | <0.009 |
| JAN 21-28 | 1.545 | 0.90 | 4.70 | 23.7 | 0.17 | 0.01 | 0.02 | 0.05 | 0.10 | 2.06 | 0.370 | 2.23 | <0.009 |
| FEB 04-11 | 0.687 | 0.47 | 5.25 | 26.7 | 0.09 | 0.01 | 0.01 | 0.04 | 0.16 | 1.54 | 0.420 | 3.78 | <0.009 |
| FEB 11-18 | 8.002 | 4.65 | 6.02 | 13.7 | <0.01 | <0.003 | <0.003 | <0.003 | 0.04 | 1.54 | 0.050 | 0.71 | <0.009 |
| FEB 18-25 | 2.270 | 1.30 | 5.21 | 15.0 | 0.07 | 0.07 | 0.21 | 0.21 | 0.16 | 1.75 | 0.160 | 1.17 | 0.540 |
| FEB 25-MAR 04 | 0.529 | 0.12 | 4.35 | 37.6 | 0.15 | 0.02 | 0.01 | 0.12 | 0.40 | 3.73 | 0.540 | 2.89 | <0.009 |
| MAR 04-11 | 0.125 | 0.07 | 4.78 | 30.6 | 1.18 | 0.10 | 0.07 | 0.22 | 0.22 | 5.19 | 0.870 | 4.52 | <0.009 |
| MAR 11-18 | 1.302 | 0.75 | 4.45 | 34.4 | 0.25 | 0.02 | 0.03 | 0.07 | 0.11 | 4.05 | 0.780 | 2.26 | <0.009 |
| MAR 18-25 | 2.275 | 1.35 | 4.58 | 11.6 | 0.67 | 0.10 | 0.52 | 0.07 | 0.14 | 2.04 | 0.310 | 1.27 | 0.044 |
| MAR 25-APR 01 | 0.817 | 0.47 | 4.80 | 20.7 | 0.11 | 0.02 | 0.03 | 0.09 | 0.14 | 2.33 | 0.420 | 1.76 | <0.009 |
| APR 01-08 | 2.507 | 1.40 | 5.22 | 12.3 | 0.12 | 0.02 | 0.05 | 0.07 | 0.13 | 1.18 | 0.150 | 0.72 | <0.009 |
| APR 08-15 | 1.729 | 1.02 | 4.53 | 34.0 | 0.15 | 0.02 | 0.01 | 0.02 | 0.12 | 2.97 | 0.250 | 2.41 | <0.009 |

380706083324900 - CLARK STATE FISH HATCHERY, ROWAN COUNTY, KY—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

| Date | Atm dep wet, liters (83177) | Precip- itation total for defined period, inches (00193) | pH, wet atm dep unfltrd field, std units (83106) | Specif. conduc- tance, wet dep unfltrd field, uS/cm (83154) | Calcium wet atm dep fltrd, mg/L (82932) | Magnes- ium, wet atm dep fltrd, mg/L (83002) | Potas- sium, wet atm dep fltrd, mg/L (83120) | Sodium, wet atm dep fltrd, mg/L (83138) | Chlor- ide, wet atm dep fltrd, mg/L (82944) | Sulfate wet atm dep fltrd, mg/L (83160) | Ammonia wet atm dep fltrd, mg/L as NH4 (83047) | Nitrate wet atm dep fltrd, mg/L (83071) | Ortho- phos- phate, wet atm dep fltrd, mg/L (83111) |
|-------------------|--------------------------------------|---|---|--|--|--|--|--|---|--|--|--|--|
| APR 15-22 | 1.322 | 0.72 | 5.54 | 10.1 | 0.27 | 0.03 | 0.10 | 0.06 | 0.08 | 1.23 | 0.250 | 0.92 | <0.009 |
| APR 22-29 | 0.754 | 0.37 | 6.06 | 72.7 | 5.13 | 0.30 | 2.21 | 0.42 | 0.56 | 6.24 | 12.3 | 2.31 | 3.85 |
| MAY 13-20 | 2.339 | 2.45 | 5.13 | 14.7 | 0.10 | 0.02 | 0.03 | 0.08 | 0.15 | 1.46 | 0.350 | 1.15 | <0.009 |
| MAY 20-27 | 1.935 | 1.00 | 4.88 | 18.3 | 0.12 | 0.01 | 0.02 | 0.04 | 0.11 | 1.87 | 0.280 | 1.12 | <0.009 |
| MAY 27- JUN 03 | 1.379 | 1.10 | 5.48 | 23.6 | 1.37 | 0.14 | 0.23 | 0.10 | 0.23 | 4.38 | 0.820 | 2.72 | 0.049 |
| JUN 10-17 | 2.695 | 1.52 | 5.30 | 11.5 | 0.05 | 0.01 | 0.04 | 0.04 | 0.07 | 1.20 | 0.310 | 1.11 | <0.009 |
| JUN 17-24 | 2.457 | 1.40 | 4.70 | 22.2 | 0.08 | 0.01 | 0.02 | 0.01 | 0.07 | 3.13 | 0.490 | 1.39 | <0.009 |
| JUN 24- JUL 01 | 0.182 | 0.10 | 4.54 | 49.2 | 0.67 | 0.09 | 0.07 | 0.05 | 0.19 | 6.59 | 1.09 | 3.90 | <0.009 |
| JUL 01-08 | 0.648 | 0.37 | 5.58 | 15.0 | 1.01 | 0.08 | 0.12 | 0.03 | 0.17 | 2.61 | 0.220 | 1.81 | <0.009 |
| JUL 08-15 | 1.879 | 1.02 | 5.56 | 10.1 | 0.16 | 0.02 | 0.02 | 0.03 | 0.06 | 0.97 | 0.190 | 0.96 | <0.009 |
| JUL 15-22 | 2.620 | 1.50 | 4.94 | 16.7 | 0.19 | 0.02 | 0.02 | 0.03 | 0.07 | 2.00 | 0.240 | 1.11 | <0.009 |
| JUL 22-29 | 1.173 | 0.65 | 4.62 | 24.7 | 0.28 | 0.03 | 0.03 | 0.04 | 0.14 | 3.73 | 0.590 | 2.13 | <0.009 |
| JUL 29- AUG 05 | 2.200 | 1.27 | 5.20 | 14.0 | 0.07 | 0.01 | 0.01 | 0.01 | 0.05 | 1.10 | 0.230 | 1.16 | <0.009 |
| AUG 05-12 | 3.260 | 1.84 | 4.95 | 42.7 | 0.12 | 0.02 | 0.18 | M | 0.14 | 4.70 | 0.280 | 1.96 | <0.009 |
| AUG 12-19 | 0.672 | 0.35 | 5.03 | 23.1 | 0.68 | 0.09 | 0.45 | 0.01 | 0.11 | 3.85 | 0.400 | 1.91 | 0.009 |
| AUG 19-26 | 1.046 | 0.60 | 5.14 | 21.6 | 0.34 | 0.03 | 0.03 | 0.03 | 0.08 | 2.44 | 0.560 | 2.09 | <0.009 |
| AUG 26- SEP 02 | 3.672 | 2.12 | 5.16 | 16.3 | 0.10 | 0.01 | 0.02 | 0.03 | 0.08 | 1.88 | 0.290 | 1.08 | <0.009 |
| SEP 02-09 | 0.826 | 0.50 | 5.44 | 11.9 | 0.02 | 0.01 | 0.01 | 0.03 | 0.08 | 1.26 | 0.150 | 0.40 | <0.009 |
| SEP 16-23 | 1.576 | 0.94 | 5.62 | 6.4 | 0.06 | 0.01 | <0.003 | 0.01 | 0.03 | 0.35 | <0.020 | 0.31 | <0.009 |
| SEP 23-30 | 1.595 | 0.92 | 5.21 | 17.3 | 0.09 | 0.01 | 0.01 | 0.01 | 0.05 | 1.90 | 0.310 | 0.89 | <0.009 |
| SEP 30- OCT 07 | 0.762 | 0.45 | 4.98 | 19.2 | 0.19 | 0.02 | 0.02 | 0.01 | 0.05 | 2.19 | 0.300 | 1.54 | <0.009 |

<--Numeric result is less than the value shown.

M--Presence of material verified but not quantified.

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE | | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|--|----------------|-------------------------|--|--------------------|---------------|------------------|-----------|----------|----------------|
| | | AREA (MI ²) | | | | | | | |
| CARD CR AT MOUTH CARD, KY | 03207845 | 4.18 | | 1973-75 | E | E | | | |
| FEDS CR AT FEDS CR, KY | 03207875 | 11.60 | | 1973-75 | E | E | | | |
| BIG CR AT DUNLAP, KY | 03207905 | 9.55 | | 1974-76 | E | E | | | |
| ELKFOOT BRANCH NR NIGH, KY | 03207915 | .70 | | 1980-84 | E | E | | | |
| ISLAND CR NR PHYLLIS, KY | 03207925 | 2.42 | | 1974 | E | E | | | |
| LICK CR AT LICK CR, KY | 03207935 | 6.70 | | 1973-76 | E | E | | | |
| MILLERS CR NR PHYLLIS, KY | 03207940 | 1.68 | | 1973-75 | E | E | | | |
| DICKS FK AT PHYLLIS, KY | 03207962 | .82 | | 1975-84 | E | E | | | |
| GRAPEVINE CR NR PHYLLIS, KY | 03207965 | 6.20 | | 1974-82 1989-92 | E | | E | E | |
| LEVISA FK BELOW FISHTRAP DAM, NR MILLARD, KY | 03208000 | 392 | | 1938-92* | E | | C | E | |
| RUSSELL FORK AT ELKHORN CITY, KY | 03209300 | 554.00 | | 1960-92 | E | E | | E | |
| ELKHORN CR NR ELKHORN CITY, KY | 03209400 | 48.80 | | 1967-72 | E | | E | E | |
| SHELBY CR AT DORTON, KY | 03209440 | 12.60 | | 1971-76* | E | E | E | E | |
| SHELBY CR AT SHELBIANA, KY | 03209460 | 112.00 | | 1965 1972-81 | | | | E | |
| MUD CR AT HAROLD, KY | 03209545 | 51.90 | | 1975-81 | | | | E | |
| BILL D BR NR KITE, KY | 03209575 | 3.17 | | 1976-86 | | | E | | |
| RIGHT FK BEAVER CR AT WAYLAND, KY | 03209600 | 73.90 | | 1959-75 | | | | E | |
| BEAVER CR AT MARTIN, KY | 03209700 | 228.00 | | 1953-72 | | | | E | |
| LEVISA FK AT PRESTONSBURG, KY | 03209800 | 1702.00 | | 1964-81 | | E | | | |
| MIDDLE CR NR PRESTONSBURG, KY | 03209890 | 62.10 | | 1975-81 | | | | E | |
| RACCOON CR NR ZEBULON, KY | 03210040 | 14.80 | | 1974-75* | E | E | | | |
| CANEY FK NR GULNARE, KY | 03210160 | 3.74 | | 1974-75* | E | E | E | | |
| BRUSHY FK AT HEENON, KY | 03210310 | 20.40 | | 1974-76 | E | E | | | |
| BUFFALO CR NR ENDICOTT, KY | 03210420 | 6.21 | | 1974-75* | E | E | | | |
| JOHNS CR NR PRESTONSBURG, KY | 03210500 | 197.00 | | 1938-40 | | E | | | |
| JOHNS CR NR VAN LEAR, KY | 03211500 | 206 | | 1939-92* | E | | C | E | |
| OPEN FK PAINT CR NR RELIEF, KY | 03211945 | 25.50 | | 1975-81 | | | | E | |
| PAINT CR NR STAFFORDSVILLE, KY | 03212000 | 103.00 | | 1950-75* | E | E | E | E | |
| KERSHAW BR NR HURLEY, VA | 03213577 | .60 | | 1981-82 | | E | | | |
| CAMP CR NR ARGO, KY | 03213594 | 1.60 | | 1981-82 | | E | | | |
| KNOX CR AT ARGO, KY | 03213600 | 95.90 | | 1958-72 | | | | E | |
| R FK HURRICANE CR NR STOPOVER, KY | 03213630 | .82 | | 1980-83 | | E | | | |
| BIG CR NR HATFIELD, KY | 03213790 | 59.10 | | 1975-81 | | | | E | |
| WOLF CR AT PILGRIM, KY | 03214400 | 62.80 | | 1975-81 | | | | E | |
| ROCKCASTLE CR AT CLIFFORD, KY | 03214730 | 121.00 | | 1965-65 1972-81 | | | | | E |
| BIG SANDY R AUXILIARY AT LOUISA, KY | 03214980 | 3885.00 | | 1938-76 | | E | | | |
| BIG SANDY R AT LOUISA, KY | 03215000 | 3897.00 | | 1939-77 | | E | | | E |
| BLAINE CR ABOVE CAINS CR NR BLAINE, KY | 03215362 | 64.70 | | 1975-81 | | | | E | |
| BLAINE CR NR BLAINE, KY | 03215410 | 119.00 | | 1972-76 | | | | E | |
| BLAINE CR AT YATESVILLE, KY | 03215500 | 217.00 | | 1915-75* | E | E | E | E | |
| OHIO R AT ASHLAND, KY | 03216000 | 60750.00 | | 1939-75 | | E | | | |
| LITTLE SANDY R AT SANDY HOOK, KY | 03216190 | 35.70 | | 1970-74 | | | | E | |
| LITTLE SANDY R NR SANDY HOOK, KY | 03216200 | 60.40 | | 1954-69 | | | | E | |
| LITTLE SANDY R BELOW GRAYSON DAM NR LEON, KY | 03216350 | 196 | | 1966-92 | E | | C | E | |
| LITTLE SANDY R AT LEON, KY | 03216400 | 255.00 | | 1962-80 | | C | | | |
| LITTLE FK LITTLE SANDY R NR WILLARD, KY | 03216438 | 58.10 | | 1975-81 | | | | E | |
| LITTLE FK LITTLE SANDY R NR GRAYSON, KY | 03216480 | 132.00 | | 1965-65 1972-81 | | | | | E |
| BECKWITH BR TRIBUTARY NR GRAYSON, KY | 03216505 | .51 | | 1977-86 | | | E | | |
| E FK LITTLE SANDY R NR FALLSBURG, KY | 03216540 | 12.20 | | 1972-91 | E | E | E | E | |
| E FK LITTLE SANDY R NR CANNONSBURG, KY | 03216550 | 38.20 | | 1980-81 | | E | | E | |
| MILE BRANCH NR RUSH, KY | 03216563 | .94 | | 1976-90 | | | E | | |
| MILE BR NR COALTON, KY | 03216564 | 1.61 | | 1977-86 | | | E | | |
| E FK LITTLE SANDY R NR ARGILLITE, KY | 03216570 | 138.00 | | 1968-76 | | | | E | |
| TYGARTS CREEK AT OLIVE HILL, KY | 03216800 | 59.6 | | 1957-94 | E | E | E | E | |
| TROUGH CAMP CR TRIB NR OLIVE HILL, KY | 03216901 | 1.11 | | 1976-86 | | | E | | |
| TYGARTS CR NR KEHOE, KY | 03216935 | 124.00 | | 1963-74 | | E | | | E |
| BUFFALO CR BELOW GRASSY CR AT KEHOE, KY | 03216965 | 54.60 | | 1975-81 | | | | E | |
| KINNICONICK CR NR KINNICONICK, KY | 03237225 | 60.10 | | 1975-81 | | | | E | |
| KINNICONICK CR NR RUGLESS, KY | 03237230 | 109.00 | | 1954-72 | | | | E | |
| LAUREL FK NR CAMP DIX, KY | 03237246 | 57.00 | | 1975-81 | | | | E | |
| INDIAN RUN TRIB NR TOLLESBORO, KY | 03237895 | .23 | | 1975-86 | | | | | |
| CABIN CR NR TOLLESBORO, KY | 03237900 | 22.40 | | 1972-91 | E | E | E | E | |
| CABIN CR NR PLUMVILLE, KY | 03237985 | 57.60 | | 1975-78 1980-81 | | | | E | |
| OHIO R AT MAYSVILLE, KY | 03238000 | 70130.00 | | 1939-80 | | E | E | | |
| LAWRENCE CR NR MAYSVILLE, KY | 03238030 | 1.90 | | 1975-86 | | | E | | |
| BRACKEN CR NR AUGUSTA, KY | 03238620 | 28.80 | | 1975-78 | | | | E | |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|---|----------------|----------------------------------|---------------------|---------------|------------------|-----------|----------|----------------|
| LOCUST CR NR AUGUSTA, KY | 03238660 | 41.70 | 1980-81 1975-78 | | | | E | |
| TWELVEMILE CR AT HWY 1997 NR ALEXANDRIA, KY | 03238745 | 39.0 | 1980-81 2001 | E | E | E | E | |
| TWELVEMILE CR NR CALIFORNIA, KY | 03238750 | 44.30 | 1975-81 | | | | E | |
| FOURMILE CR AT HWY 547 NR ALEXANDRIA, KY | 03238780 | 5.3 | 1999-2001 | E | E | E | E | |
| DUCK CR AT COLD SPRING, KY | 03238795 | .49 | 1975-78 | | | E | | |
| LICKING R AT FREDVILLE, KY | 03248170 | 40.30 | 1973-76 | | | | E | |
| LICKING R AT ROYALTON, KY | 03248250 | 76.70 | 1973-76 | | | | E | |
| LICKING R NR SALYERSVILLE, KY | 03248500 | 140 | 1939-92, 1994-97 | E | E | E | E | |
| ELK FK NR LENOX, KY | 03248685 | 59.40 | 1958-73 | | | | E | |
| CANEY CR NR W LIBERTY, KY | 03248730 | 41.40 | 1973-75 | | | | E | |
| GRASSY CR NR W LIBERTY, KY | 03248765 | 46.10 | 1974-79 | | | | E | |
| BLACKWATER CR NR EZEL, KY | 03248815 | 38.30 | 1974-81 | | | | E | |
| N FK LICKING R NR WRIGLEY, KY | 03248855 | 33.70 | 1974-81 | | | | E | |
| LICKING R AT YALE, KY | 03249000 | 714.00 | 1937-42 | | E | | | |
| LICKING R AT FARMERS, KY | 03249500 | 827 | 1915-20 | | E | | | |
| | | | 1928-31 | E | E | | | |
| | | | 1936-87 | E | E | | | |
| | | | 1938-94 | E | E | E | E | |
| TRIPLETT CR AT MOREHEAD, KY | 03250000 | 47.5 | 1941-82 | E | | E | E | |
| | | | 1989-92 | | | | | |
| JACKS BRANCH NR MOREHEAD, KY | 03250080 | .19 | 1976-86 | | | E | | |
| N FK TRIPLETT CR AT MOREHEAD, KY | 03250100 | 84.7 | 1967-94 | E | E | E | E | |
| INDIAN CR NR OWINGSVILLE, KY | 03250150 | 2.43 | 1975-90 | | | E | | |
| SLATE CR NR JEFFERSVILLE, KY | 03250185 | 56.70 | 1973-81 | | | | E | |
| SLATE CR NR OWINGSVILLE, KY | 03250240 | 185.00 | 1954-72 | | | | E | |
| ROSE RUN TRIB NR OLYMPIA, KY | 03250243 | .70 | 1975-86 | | | E | | |
| ROCK LICK CR NR SHARKEY, KY | 03250320 | 4.01 | 1973-82 | | E | | | |
| FOX CR NR HILLSBORO, KY | 03250330 | 110.00 | 1953-72 | | | | | E |
| FLEMING CR NR HILL TOP, KY | 03250470 | 77.20 | 1954-72 | | | | E | |
| LICKING R AT BLUE LICK SPRINGS, KY | 03250500 | 1785.00 | 1938-59* | E | E | E | | |
| JOHNSON CR TRIB NR FAIRVIEW, KY | 03250620 | .33 | 1976-86 | | | E | | |
| JOHNSON CR AT PIQUA, KY | 03250640 | 72.40 | 1973-74 | | | | E | |
| N FK LICKING R NR LEWISBURG, KY | 03251000 | 119.00 | 1946-91 | E | E | E | E | |
| WELLS CR TRIB NR WASHINGTON, KY | 03251008 | .96 | 1977-86 | | E | E | | |
| LEES CR TRIB AT MAYS LICK, KY | 03251015 | .45 | 1975-86 | | E | E | | |
| N FK LICKING R NR MILFORD, KY | 03251400 | 286.00 | 1954-72 | | | | E | |
| LICKING R AT MCKINNEYSBURG, KY | 03251500 | 2326.00 | 1924-26 | E | E | E | E | |
| | | | 1939-94 | | | | | |
| STONER CR NR N MIDDLETOWN, KY | 03251665 | 51.60 | 1974-81 | | | | E | |
| STRODES CR NR N MIDDLETOWN, KY | 03251790 | 53.60 | 1973-81 | | | | E | |
| STONER CR AT PARIS, KY | 03252000 | 239.00 | 1953-91 | E | E | E | E | |
| GRASSY LICK CR NR SHARPSBURG, KY | 03252188 | 40.60 | 1973-74 | | | E | | |
| HINKSTON CR NR SHARPSBURG, KY | 03252190 | 78.90 | 1973-77 | | | E | | |
| HINKSTON CR NR CARLISLE, KY | 03252300 | 154.00 | 1968-76 | | | E | | |
| S FK LICKING R AT CYNTHIANA, KY | 03252500 | 621.00 | 1938-94 | E | | E | E | |
| RAVEN CR NR BERRY, KY | 03252770 | 46.60 | 1973-81 | | | | E | |
| FK LICK CR AT MORGAN, KY | 03252940 | 50.20 | 1973-81 | | | | E | |
| SF LICKING R AT HAYES, KY | 03253000 | 920.00 | 1915-31 | | | E | | |
| LICKING R AT BUTLER, KY | 03254000 | 3385.00 | 1938-42 | | | E | | E |
| N FK GRASSY CR NR PINER, KY | 03254400 | 13.60 | 1967-83 | | E | | | |
| GRASSY CR AT DEMOSSVILLE, KY | 03254460 | 119.00 | 1950-72 | | | | E | |
| LICKING R AT MORNING VIEW, KY | 03254500 | 3539.00 | 1914-16 | | E | | | |
| BANKLICK CR NR S FT MITCHELL, KY | 03254680 | 54.60 | 1974-81 | | | E | | |
| OHIO R AT CINCINNATI, OH | 03255000 | 76580.00 | 1936-76 | | E | E | | |
| FOWLERS FORK AT UNION, KY | 03277070 | 1.54 | 1976-90 | | | E | | |
| PLEASANT RUN CR AT CRESENT SPRINGS, KY | 03260010 | .68 | 1973-86 | | | E | | |
| PLEASANT RUN CR TRIB AT FT MITCHELL, KY | 03260012 | 1.62 | 1973-90 | | | E | | |
| GUNPOWDER CR NR UNION, KY | 03277100 | 50.20 | 1975-81 | | | | E | |
| CRAIGS CR TRIB NR WARSAW, KY | 03277185 | .68 | 1976-86 | | | | | |
| OHIO R AT MARKLAND D NR WARSAW, KY | 03277210 | 83170.00 | 1915-65 | | | | | |
| BOTTOM FK NR MAYKING, KY | 03277290 | 3.03 | 1976-87 | | | E | | |
| N FK KENTUCKY R AT WHITESBURG, KY | 03277300 | 66.40 | 1953-75 | | E | E | | |
| N FK KENTUCKY R AT BLACKKEY, KY | 03277340 | 131.00 | 1965-65 | | | | E | |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|--|----------------|----------------------------------|---------------------------------------|---------------|------------------|-----------|----------|----------------|
| ROCKHOUSE CR NR FLETCHER, KY | 03277360 | 51.60 | 1972-81 1958-67 | | | | E | |
| LINE FK AT DEFEATED CR, KY | 03277370 | 40.80 | 1958-76 | | | | E | |
| LEATHERWOOD CR AT DAISY, KY | 03277400 | 40.9 | 1964-74, 1991-98 | E | E | E | E | |
| N FK KENTUCKY R AT CORNETTSVILLE, KY | 03277411 | 322.00 | 1958-72 | | | | E | |
| BREEDING CR NR ISOM, KY | 03277437 | .69 | 1977-85 | | | E | | |
| CARR FORK NR SASSAFRAS, KY | 03277450 | 60.6 | 1963-94 | E | E | E | E | |
| N FK KENTUCKY R AT HAZARD, KY | 03277500 | 466 | 1940-92 | E | | E | E | |
| BRIAR FK NR HAZARD, KY | 03277630 | 1.32 | 1976-85 | | | E | | |
| TROUBLESOME CR AT DRAWF, KY | 03277835 | 59.90 | 1958-67 | | | | E | |
| BALLS FK AT ARY, KY | 03277915 | 45.40 | 1959-75 | | | | E | |
| BEAR BR NR NOBLE, KY | 03278000 | 2.21 | 1955-73* | | E | E | | |
| TROUBLESOME CR AT NOBLE, KY | 03278500 | 177.00 | 1950-81 | | E | | | |
| TROUBLESOME CR NR CLAYHOLE, KY | 03279000 | 187.00 | 1928-31 | | E | | | |
| QUICKSAND CR AT LUNAH, KY | 03279400 | 101.00 | 1958-72 | | | | E | |
| QUICKSAND CR NR JACKSON, KY | 03279500 | 153.00 | 1928-31 | | E | | | |
| N FK KENTUCKY R NR AIRDALE, KY | 03280500 | 1294.00 | 1928-42 | | E | | | |
| MIDDLE FK KENTUCKY R AT ASHER, KY | 03280551 | 70.60 | 1958-76 | | | | E | |
| GREASY CR AT NAPIER, KY | 03280570 | 37.70 | 1975-81 | | | | E | |
| GREASY CR AT HOSKINSTON, KY | 03280590 | 95.00 | 1958-67 | | | | E | |
| MIDDLE FK KENTUCKY R NR HYDEN, KY | 03280600 | 202 | 1957-92 | E | | E | E | |
| BULL CR NR HYDEN, KY | 03280728 | 1.84 | 1976-86 | | | E | | |
| MIDDLE FK KENTUCKY R AT BUCKHORN, KY | 03280900 | 420.00 | 1957-75* | E | E | E | | |
| STAMPER FK AT CANOE, KY | 03280935 | 1.57 | 1975-87 | | | E | | |
| RED BIRD R NR SPRING CR, KY | 03281016 | 52.70 | 1976-81 | | | | E | |
| RED BIRD R AT BIG CR, KY | 03281030 | 125.00 | 1954-72 | | | | E | |
| RED BIRD RIVER NR BIG CREEK | 03281040 | 155 | 1973-00 | E | E | E | E | |
| GOOSE CR AT GOOSEROCK, KY | 03281065 | 49.60 | 1976-81 | | | | E | |
| COLLINS FK AT BLUEHOLE, KY | 03281080 | 67.40 | 1958-76 | | | | E | |
| PACES CR NR GARRARD, KY | 03281090 | .47 | 1976-85 | | | E | | |
| S FK KENTUCKY R AT ONEIDA, KY | 03281200 | 486.00 | 1958-82 | | | E | | |
| SEXTON CR AT TAFT, KY | 03281350 | 71.00 | 1959-64 1967 1975-77 1979-81 | | | | E | |
| STURGEON CR NR HEIDELBERG, KY | 03282045 | 96.40 | 1942-72 | | | | E | |
| BIG SINKING CR NR CRYSTAL, KY | 03282075 | 23.4 | 1988-89* | E | E | | | |
| FURNACE FK NR CRYSTAL, KY | 03282100 | 9.94 | 1988-89* | E | E | | | |
| S FK STATION CAMP CR NR DRIP ROCK, KY | 03282135 | 41.40 | 1959-76 | | | | E | |
| STATION CAMP CR AT WAGERSVILLE, KY | 03282170 | 115.00 | 1954-72 | | | | E | |
| REDLICK CR NR STATION CAMP, KY | 03282190 | 69.50 | 1959-76 | | | | E | |
| CLEAR CR TRIB NR WEST IRVINE, KY | 03282198 | .59 | 1975-86 | | | E | | |
| STILLWATER CR AT STILLWATER, KY | 03283000 | 24.00 | 1954-73* | E | E | E | | |
| RED R NR PINE RIDGE, KY | 03283100 | 142.00 | 1969-76 | | | | E | |
| M FK RED R AT ZACHARIAH, KY | 03283305 | .58 | 1975-86 | | | E | | |
| CAT CR NR STANTON, KY | 03283370 | 8.30 | 1987-89* | E | E | | | |
| LULBGRUD CR TRIB AT WESTBEND, KY | 03283610 | .33 | 1975-86 | | | | | |
| LULBGRUD CR AT LOG LICK, KY | 03283630 | 49.30 | 1973-81 | | | | E | |
| MUDDY CR AT DOYLESVILLE, KY | 03283830 | 63.80 | 1973-77 1979-81 | | | | E | |
| OTTER CR NR FORD, KY | 03283995 | 63.50 | 1973-77 | | | | E | |
| BOONE CR AT GRIMES MILL RD NR LOCUST GROVE, KY | 03284100 | 41.80 | 1967-74 | | | | E | |
| SILVER CR NR KINGSTON, KY | 03284300 | 28.60 | 1967-83 | | E | | | |
| SILVER CR NR BEREAL, KY | 03284310 | 53.40 | 1975-83 | | | E | E | |
| OLD TOWN BR TR NR RICHMOND, KY | 03284340 | 1.83 | 1976-85 | | | E | | |
| SILVER CR NR RICHMOND, KY | 03284350 | 98.50 | 1972-77 1979-81 | | | | E | |
| PAINT LICK CR AT PAINT LICK, KY | 03284415 | 54.40 | 1973-74 | | | | E | |
| PAINT LICK CR NR MCCREARY, KY | 03284450 | 97.60 | 1954-74 | | | | E | |
| SUGAR CR NR BUCKEYE, KY | 03284495 | 41.50 | 1975-77 | | | | E | |
| KENTUCKY R AT LOCK 8 NR CAMP NELSON, KY | 03284500 | 4414.00 | 1910-71* | E | E | E | | |
| W HICKMAN CR AT JONESTOWN, KY | 03284550 | 11.00 | 1975-84 | | E | | | |
| KENTUCKY R AT CAMP NELSON, KY | 03284600 | 4528.00 | 1940-71 | | E | E | | |
| DIX R AB COPPER CR NR CRAB ORCHARD, KY | 03284720 | 44.40 | 1973-76 | | | | E | |
| DIX R BL COPPER CR NR CRAB ORCHARD, KY | 03284750 | 70.60 | 1973-76 | | | | E | |
| DIX R NR STANFORD, KY | 03284800 | 160.00 | 1973-76 | | | | E | |
| HANGING FK CR NR STANFORD, KY | 03284935 | 46.90 | 1973-74 | | | | E | |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE | | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|--|----------------|-------------------------|--|---------------------------------|---------------|------------------|-----------|----------|----------------|
| | | AREA (MI ²) | | | | | | | |
| HANGING FK CR NR HUBBLE, KY | 03284995 | 91.10 | | 1973-74 | | | | E | |
| BALLS BR TRIB NR DANVILLE, KY | 03285100 | .13 | | 1976-86 | | | E | | |
| CLARKS RUN NR DANVILLE, KY | 03285200 | 26.4 | | 1992-97 | | E | E | E | |
| DIX R NR BURGIN, KY | 03285500 | 395.00 | | 1909-22 | | E | | | |
| KENTUCKY R AT L7 AT HIGHBRIDGE, KY | 03286500 | 5036.00 | | 1901-27 | | E | | | |
| TANNERS CREEK AT MORTONSVILLE, KY | 03287128 | 1.49 | | 1976-88, 90 | | | E | | |
| CLEAR CR NR MORTONSVILLE, KY | 03287130 | 61.60 | | 1973-77 | | | | E | |
| GILBERT CR TR NR SALVISA, KY | 03287160 | .81 | | 1975-78 | | | E | | |
| S BENSON CR NR FRANKFORT, KY | 03287534 | 4.47 | | 1976-86 | | | E | | |
| BENSON CR NR FRANKFORT, KY | 03287550 | 107.00 | | 1943-72 | | | | E | |
| N ELKHORN CR NR GEORGETOWN, KY | 03288000 | 119 | | 1950-84 1989-99 | E | E | E | E | |
| CANE RUN NR GEORGETOWN, KY | 03288260 | 45.40 | | 1973-74 | | | | E | |
| N ELKHORN CR AT SWITZER, KY | 03288450 | 265.00 | | 1972-77 | | | | E | |
| CAVE CR NR FORT SPRING, KY | 03288500 | 2.53 | | 1953-72* | E | E | E | E | |
| S ELKHORN CR AT FORT SPRING, KY | 03289000 | 24.0 | | 1950-92 | E | | E | E | |
| WOLF RUN AT CAMBRIDGE DR AT LEXINGTON, KY | 03289190 | 5.30 | | 1976-88 | | | E | | |
| S ELKHORN CR NR WOODLAKE, KY | 03289410 | 156.00 | | 1972-81 | | | | E | |
| FLAT CR NR FRANKFORT, KY | 03290000 | 5.63 | | 1952-71 | | E | E | | |
| SIX MILE NR DEFOE, KY | 03290420 | 42.60 | | 1973-74 | | | | E | |
| SIX MILE CR NR LOCKPORT, KY | 03290490 | 76.50 | | 1973-74 | | | | E | |
| TOWN CR AT NEW CASTLE, KY | 03290580 | 5.62 | | 1976-86 | | | E | | |
| DRENNON CR AT DRENNON SP, KY | 03290675 | 82.50 | | 1973-74 | | | | E | |
| EAGLE CR AT SADIEVILLE, KY | 03291000 | 42.90 | | 1941-75* | E | E | E | E | |
| S RAYS FK TRIB NR CORINTH, KY | 03291050 | 0.58 | | 1976-86 | | | E | | |
| EAGLE CR NR NEW COLUMBUS, KY | 03291110 | 124.00 | | 1972-74 | | | | E | |
| EAGLE CR NR HOLBROOK, KY | 03291270 | 258.00 | | 1954 1957 1962 1972-81 | | | | E | |
| TEN MILE CR NR FOLSOM, KY | 03291490 | 68.40 | | 1973-76 | | | | E | |
| LITTLE KY R NR BEDFORD, KY | 03291700 | 73.20 | | 1950-72 | | | | E | |
| CORN CR NR BEDFORD, KY | 03292100 | 27.50 | | 1975-81 | | | | E | |
| JEFF BR NR SLIGO, KY | 03292200 | .87 | | 1976-86 | | | E | | |
| HARRODS CR NR LAGRANGE, KY | 03292460 | 24.1 | | 1967-94 | E | E | E | E | |
| HARRODS CR NR SKYLIGHT, KY | 03292467 | 60.30 | | 1972-74 | | | | E | |
| S FK HARRODS CR NR CRESTWOOD, KY | 03292472 | .97 | | 1975-88 | | | E | | |
| MILL CREEK CUTOFF NR LOUISVILLE, KY | 03294550 | 24.4 | | 1988-94 | E | E | E | E | |
| SALT R NR HARRODSBURG, KY | 03295000 | 41.40 | | 1953-73* | E | E | E | | |
| SALT R AT FOX CR, KY | 03295290 | 131.00 | | 1972-76 | | | | E | |
| SALT R NR VAN BUREN, KY | 03295500 | 196.00 | | 1938-82 | | E | | | |
| BEECH CR NR TAYOLORSVILLE, KY | 03295580 | 53.20 | | 1974-76 | | | | E | |
| SALT R AT TAYLORSVILLE, KY | 03295610 | 359.00 | | 1937-75 1972-76 | | | | E | |
| BULLSKIN CR AT FINCHVILLE, KY | 03295705 | | | 1974-75 | | E | | E | |
| BRASHEARS CR NR FINCHVILLE, KY | 03295800 | 147.00 | | 1953-72 | | | | E | |
| BRADSHAW CR NR SHELBYVILLE, KY | 03295845 | 1.36 | | 1976-86 | | | E | | |
| SIMPSON CR NR TAYLORSVILLE, KY | 03295985 | 57.30 | | 1974-76 | | | E | | |
| PLUM CR SUBWATER SHED NO 4 NR SIMPSONVILLE, KY | 03296000 | 1.55 | | 1955-64* | | E | | | |
| PLUM CR NR WILSONVILLE, KY | 03296500 | 19.10 | | 1954-61* | E | E | E | E | |
| PLUM CR SWS N 15 NR WILSONVILLE, KY | 03296700 | 1.03 | | 1957-61* | | E | | | |
| PLUM CR SWS N 17 NR WATERFORD, KY | 03296800 | .52 | | 1957-61* | | E | | | |
| LITTLE PLUM CR NR WATERFORD, KY | 03297000 | 5.15 | | 1954-61* | E | E | E | | |
| PLUM CR AT WATERFORD, KY | 03297500 | 31.80 | | 1954-74* | E | E | E | | |
| COX CR NR HIGHGROVE, KY | 03297700 | 95.80 | | 1968-72 | | | | E | |
| FLOYDS FK NR CRESTWOOD, KY | 03297845 | 46.70 | | 1979-91 | E | E | E | E | |
| LONG RUN NR EASTWOOD, KY | 03297970 | 15.20 | | 1974-77* | E | E | E | | |
| FLOYDS FK NR GAP IN KNOB, KY | 03298390 | 259.00 | | 1972-76 | | | | E | |
| ELM LICK CR NR CLERMONT, KY | 03298535 | .68 | | 1976-86 | | | E | | |
| N ROLLING FK NR GRAVEL SWITCH, KY | 03298710 | 66.20 | | 1974-81 | | | | E | |
| N ROLLING FK AT BRADSFORDVILLE, KY | 03298760 | 95.70 | | 1972-77 | | | | E | |
| BIG S FK AT BRADSFORDVILLE, KY | 03298865 | 59.60 | | 1974-81 | | | | E | |
| ROLLING FK NR LEBANON, KY | 03299000 | 239 | | 1938-92 | E | | E | E | |
| POTTINGER CR NR NEW HOPE, KY | 03299445 | 43.50 | | 1974-78 1980-81 | | | | E | |
| BEECH FK NR SPRINGFIELD, KY | 03300000 | 85.90 | | 1953-72 | | E | E | | |
| N PRONG NR WILLISBURG, KY | 03300065 | 1.71 | | 1975-89 | | | E | | |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE | | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|---|----------------|-------------------------|--|--------------------|---------------|------------------|-----------|----------|----------------|
| | | AREA (MI ²) | | | | | | | |
| CHAPLIN R AT SHARPSVILLE, KY | 03300300 | 140.00 | | 1954-72 | | | | E | |
| CHAPLIN R NR CHAPLIN, KY | 03300390 | 262.00 | | 1972-77 | | | | E | |
| CARTWRIGHT CR AT FREDRICKTOWN, KY | 03300498 | 82.30 | | 1972-77 | | | | E | |
| BEECH FK AT FREDERICKTOWN, KY | 03300500 | 542.00 | | 1929-32 | | E | | | |
| HARDINS CR NR HOLY CROSS, KY | 03300780 | 57.80 | | 1975-78 1980-81 | | | | E | |
| TOWN CR TRIB AT BARDSTOWN, KY | 03300990 | .32 | | 1975-86 | | | | | |
| BEECH FK AT BARDSTOWN, KY | 03301000 | 669.00 | | 1939-74 | E | E | E | | |
| WILSON CR AT HARRISON FK RD NR DEATSVILLE, KY | 033015075 | 5.7 | | 1999-2001 | E | E | E | E | |
| WILSON CR NR DEATSVILLE, KY | 03301580 | 27.7 | | 1991-96 | E | E | E | E | |
| SLOP DITCH NR OKOLONA, KY | 03301885 | 1.4 | | 1994-96 | E | E | E | E | |
| NORTHERN DITCH AT OKOLONA, KY | 03301940 | 11.10 | | 1974-79 | | E | | | |
| OTTER CR TRIB NR VINE GROVE, KY | 03302085 | .90 | | 1975-86 | | | | | |
| OTTER CR AT GRAHAMTON, KY | 03302100 | 88.40 | | 1953-72 | | | | E | |
| DOE RUN NR BRANDENBURG STATION, KY | 03302150 | 52.70 | | 1953-72 | | | | E | |
| SINKING CR AT ROSETTA, KY | 03303195 | 36.00 | | 1970-76 | | | | E | |
| SINKING CR DENTS BR NR IRVINGTON, KY | 03303198 | 66.10 | | 1970-76 | | | | E | |
| SINKING CR NR IRVINGTON, KY | 03303200 | 86.70 | | 1953-72 | | | | E | |
| SINKING CR NR LODIBURG, KY | 03303205 | 125.00 | | 1971-77 | | | | E | |
| SINKING CR AT SAMPLE, KY | 03303210 | 222.00 | | 1953-70 | | | | E | |
| BLACKFORD CR NR MACEO, KY | 03303450 | 111.00 | | 1953-74 | | | | E | |
| OHIO R AT OWENSBORO, KY | 03303500 | 97200.00 | | 1940-54* | E | E | E | | |
| MCGILLS CR NR MCKINNEY, KY | 03304500 | 2.14 | | 1951-71* | E | | E | | |
| GREEN R NR MCKINNEY, KY | 03305000 | 22.40 | | 1951-73* | E | E | E | | |
| GREEN R NR MOUNT SALEM, KY | 03305500 | 36.30 | | 1954-61* | E | E | E | | |
| GREEN R AT MIDDLEBURG KY | 03305520 | 66.50 | | 1972-74 | | | | E | |
| CARPENTER CR TRIB NR HUSTONVILLE, KY | 03305559 | .88 | | 1976-86 | | | | | |
| GREEN R NR DUNNVILLE, KY | 03305660 | 221.00 | | 1972-77 | | | | E | |
| S FK NR DUNNVILLE, KY | 03305720 | 71.00 | | 1972-78 | | | | E | |
| IRVIN BRANCH NR SALEM, KY | 03305725 | 1.37 | | 1976-86 | | | E | | |
| GOOSE CR AT DUNNVILLE, KY | 03305760 | 51.60 | | 1972-77 | | | | E | |
| GREEN R AT NEATSVILLE, KY | 03305800 | 399.00 | | 1953-73 | | | | E | |
| GUM LICK TRIB NR CLEMENTSVILLE, KY | 03305835 | .71 | | 1976-90 | | | E | | |
| CASEY CR AT CASEY CR, KY | 03305865 | 74.70 | | 1972-77 | | | | E | |
| ROBINSON CR AT ACTON, KY | 03305945 | 48.40 | | 1974-81 | | | | E | |
| GREEN R AT CAMPBELLSVILLE, KY | 03306000 | 682 | | 1930-32 1963-94 | E | E | E | E | |
| GREEN R AT GREENSBURG, KY | 03306500 | 736.00 | | 1939-75* | E | E | E | | |
| WHITE OAK CR TR NR MONTPELIER, KY | 03306640 | .50 | | 1976-86 | E | | E | | |
| RUSSELL CR NR JOPPA, KY | 03306690 | 62.90 | | 1974-81 | | | | E | |
| RUSSELL CR AT COLUMBIA, KY | 03306850 | | | 1972-74 | | | | E | |
| RUSSELL CR NR GRESHAM, KY | 03307100 | 265.00 | | 1965-75* | E | E | E | E | |
| BIG PITMAN CR NR BENGAL, KY | 03307215 | 47.70 | | 1974-78 1980-81 | | | | E | |
| LITTLE PITTMAN CR NR CAMPBELLSVILLE, KY | 03307260 | 19.3 | | 1990-95 | E | E | E | E | |
| BIG PITMAN CR NR SUMMERSVILLE, KY | 03307295 | 126.00 | | 1953-72 | | | | E | |
| BIG BRUSH CR NR SUMMERSVILLE, KY | 03307400 | 45.70 | | 1974-78 1980-81 | | | | E | |
| S FK LITTLE BARREN R AT EDMONTON, KY | 03307500 | 18.30 | | 1941-72* | E | E | E | | |
| S FK LITTLE BARREN R AT SULPHUR WELL, KY | 03307600 | 79.60 | | 1975-81 | | | | E | |
| PRICES CR NR GRADYVILLE, KY | 03307670 | 2.53 | | 1976-86 | | | E | | |
| E FK LITTLE BARREN R NR SULPHUR WELL, KY | 03307730 | 87.40 | | 1975-81 | | | | E | |
| LITTLE BARREN R NR MONROE, KY | 03307800 | 244.00 | | 1960-76 | | | | E | |
| ECHO R OUTLET AT MAMMOTH CAVE, KY | 03308950 | | | 1953-74 | | | | E | |
| GREEN R AT MAMMOTH CAVE, KY | 03309000 | 1983.00 | | 1938-50 | E | E | E | | |
| WET PRONG BUFFALO CR NR MAMMOTH CAVE, KY | 03309100 | 2.26 | | 1962-74 | | | | E | |
| MCDUGAL CR NR HODGENVILLE, KY | 03309500 | 5.34 | | 1953-71* | E | E | E | E | |
| N FK NOLIN R AT HODGENVILLE, KY | 03310000 | 36.40 | | 1941-73* | E | E | E | | |
| S FK NOLIN R AT MATHERS MILL, KY | 03310078 | 49.60 | | 1974-78 | | | | E | |
| NOLIN R NR GLENDALE, KY | 03310160 | 185.00 | | 1972-73 | | | | E | |
| VALLEY CR NR GLENDALE, KY | 03310270 | 90.10 | | 1973-81 | | | | E | |
| BACON CR AT HIGHWAY 31W AT BONNIEVILLE, KY | 03310380 | 53.50 | | 1974-81 | | | | E | |
| BACON CR TRIB NR UPTON, KY | 03310385 | .56 | | 1975-90 | | | E | | |
| BACON CR NR PRICEVILLE, KY | 03310400 | 85.4 | | 1959-94 | E | E | E | E | |
| NOLIN R AT WAX, KY | 03310500 | 600.00 | | 1935-62* | E | E | E | | |
| DOG CR NR MAMMOTH CAVE, KY | 03310600 | 8.12 | | 1961-74 | | | | E | |
| BRIER CR TRIB NR OLLIE, KY | 03310880 | .31 | | 1976-86 | | | E | | |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|--|----------------|----------------------------------|--------------------|---------------|------------------|-----------|----------|----------------|
| BYLEW CR NR MAMMOTH CAVE, KY | 03311100 | 5.16 | 1961-74 | | | | E | |
| GREEN R AT LOCK 6 AT BROWNSVILLE, KY | 03311500 | 2762 | 1925-31 1936-92 | E | | E | E | |
| BEAVERDAM CR NR RHODA, KY | 03311600 | 10.9 | 1961-72 1972-94 | E | E | E | E | |
| BEAR CR NR LEITCHFIELD, KY | 03312000 | 30.80 | 1950-71* | E | E | E | | |
| BEAR CR NR ROUNDHILL, KY | 03312100 | 137.00 | 1953-72 | | | | E | |
| BARREN R NR PAGEVILLE, KY | 03312500 | 531.00 | 1939-63 | E | E | E | | |
| BEAVER CR AT HWY 31 NR GLASGOW, KY | 03312765 | 49.6 | 1992-2002 | E | E | E | E | E |
| LITTLE BEAVER CR NR GLASGOW, KY | 03312795 | .89 | 1976-86 | | | E | | |
| BARREN R NR FINNEY, KY | 03313000 | 942 | 1941-50 1960-94 | E | E | E | E | |
| SOLOMON CR TRIB NR SCOTTSVILLE, KY | 03313020 | .24 | 1976-90 | | | E | | |
| W BAYS FK AT SCOTTSVILLE, KY | 03313500 | 7.47 | 1951-72 | | E | E | | |
| LICK CR NR FRANKLIN, KY | 03313800 | 21.60 | 1959-83 | | | E | | |
| TRAMMEL CR NR SCOTTSVILLE, KY | 03313900 | 93.40 | 1953-72 | | | | E | |
| DRAKES CR NR ALVATON, KY | 03314000 | 478.00 | 1940-71 | E | C | E | E | |
| BARREN R AT BOWLING GREEN, KY | 03314500 | 1,849 | 1938-94 | E | E | E | E | |
| LOST R BLUE HOLE NR BOWLING GREEN, KY | 03314670 | | 1985-86 | E | E | E | E | |
| LOST R RISE AT LAMPKIN PK AT BOWLING GREEN, KY | 03314675 | | 1985-86 | E | E | E | E | |
| BARREN R TRIB NR BOWLING GREEN, KY | 03314750 | .50 | 1976-90 | | | E | | |
| BARREN R AT LOCK 1 AT GREENCASTLE, KY | 03315000 | 1968.00 | 1923-37 | E | E | E | | |
| GASPER R NR RICHELIEU, KY | 03315265 | | 1972-77 | | | | E | |
| GREEN R AT WOODBURY, LOCK #4, KY | 03315500 | 5404.00 | 1936-92 | E | | E | E | |
| GASPER R AT HADLEY, KY | 03315300 | 190.00 | 1953-72 | | | | E | |
| MUDDY CR AT DUNBAR, KY | 03315810 | 94.30 | 1953-74 | | | | E | |
| POINDEXTER BR TRIB NR RUSSELLVILLE, KY | 03315885 | .25 | 1976-86 | | | E | | |
| MUD R NR LEWISBURG, KY | 03316000 | 90.50 | 1940-72* | E | E | E | | |
| WOLFLICK CR NR LEWISBURG, KY | 03316200 | 116.00 | 1953-72 | | | | E | |
| MUD RIVER NR HUNTSVILLE, KY | 03316275 | 268.00 | 1991-94 | E | E | E | E | |
| GREEN R NR PARADISE, KY | 03316500 | 6182.00 | 1940-81 1961-81 | | E | | | |
| MUD R NR HUNTSVILLE, KY | 03316275 | 268 | 1974-80 1991-94 | E | E | E | E | |
| ROUGH R NR MADRID, KY | 03317000 | 225.00 | 1936-59 | E | E | E | | |
| N FK ROUGH T NR WESTVIEW, KY | 03317500 | 42.00 | 1954-73* | E | E | E | | |
| LONG LICK CR TRIB NR AXTEL, KY | 03317965 | .38 | 1975-86 | | | E | | |
| ROUGH R NR FALLS OF ROUGH, KY | 03318000 | 454.00 | 1940-51 | | E | | | |
| ROCK LICK CR NR GLEN DEAN, KY | 03318200 | 20.10 | 1957-71* | E | E | | E | |
| ROUGH R AT FALLS OF ROUGH, KY | 03318500 | 504 | 1939-94 | E | E | E | E | |
| PLEASANT RUN TRIB NR FALLS OF ROUGH, KY | 03318505 | .22 | 1975-90 | | | E | | |
| CANEY CR NR HORSE BRANCH, KY | 03318800 | 124 | 1956-92 | E | E | E | E | |
| ROUGH R NR DUNDEE, KY | 03319000 | 757 | 1939-92 | E | | E | E | |
| W FK ADAMS FK NR FORDSVILLE, KY | 03319520 | .26 | 1976-86 | | | E | | |
| ROUGH RIVER AT HARTFORD, KY | 03319600 | 880.00 | 1991-94 | E | E | E | E | |
| POND R NR WHITE PLAINS, KY | 03321000 | 343.00 | 1927-40 | E | E | E | | |
| CYPRESS CR NR CALHOUN, KY | 03321210 | 142 | 1979-81 1990-94 | E | E | E | E | |
| CYPRESS CR NR RUMSEY, KY | 03321215 | 149.00 | 1972-76 | | | | E | |
| E FK DEER CR TRIB NR ONTON, KY | 03321275 | .95 | 1976-86 | | | E | | |
| S FK PANTHER CR NR WHITESVILLE, KY | 03321350 | 58.20 | 1968-83 | | E | | | |
| S FK PANTHER CR NR MASONVILLE, KY | 03321370 | 109.00 | 1954-72 | | | | E | |
| N FK PANTHER CR NR MASONVILLE, KY | 03321410 | 88.30 | 1954-72 | | | | E | |
| RHODES CR TRIB NR OWENSBORO, KY | 03321465 | .29 | 1975-86 | | | E | | |
| GREEN R AT LOCK AND DAM 1 AT SPOTTSVILLE, KY | 03321500 | 9181.00 | 1928-31 1977-80 | | E | | | |
| OHIO R AT MOUNT VERNON, KY | 03322250 | | 1977-80 | | E | | | |
| HIGHLAND CR NR WAVERLY, KY | 03322350 | 62.30 | 1975-77 | | | | E | |
| BEAVERDAM CREEK NR CORYDON, KY | 03322360 | 14.3 | 1972-94 | E | E | E | E | |
| HIGHLAND CR NR UNIONTOWN, KY | 03322400 | 166.00 | 1953-77 | | | | E | |
| OHIO R UNIONTOWN DAM | 03322420 | 108000.00 | 1985-93 | E | E | E | E | |
| WARD CR AT LEWISTOWN, KY | 03382975 | .91 | 1975-86 | | | E | | |
| TRADEWATER R NR DALTON, KY | 03383500 | 283.00 | 1927-40 | | E | E | | |
| W FK DONALDSON CR NR FREDONIA, KY | 03383605 | 2.52 | 1975-86 | | | E | | |
| CLEAR CR NR RICHLAND, KY | 03383755 | 17.0 | 1966-80 1991-94 | | E | | E | |
| ROSE CR AT NEBO, KY | 03384000 | 2.10 | 1952-70* | E | E | E | | |
| TRADEWATER R | 03384180 | 861 | 1975-80 | | | | | E |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|--|----------------|----------------------------------|------------------|---------------|------------------|-----------|----------|----------------|
| OHIO R AT DAM 51 AT GOLCONDA, IL | 03384500 | 143900.00 | 1980-81 | E | E | | | |
| POOR FK AT HARLAN, KY | 03400000 | 51.70 | 1941-52 | | C | | | |
| POOR FK AT CUMBERLAND, KY | 03400500 | 82.3 | 1940-43 | | E | | | |
| POOR FK AT ROSSPOINT, KY | 03400585 | 142.00 | 1940-92 | E | | C | E | |
| CLOVER FK AT EVARTS, KY | 03400700 | 82.40 | 1972-77 | | | E | E | |
| MARTINS FK ABOVE SMITH, KY | 03400785 | 23.80 | 1959-87, 90 | | | E | E | |
| CRANE CR NR SMITH, KY | 03400796 | 1.63 | 1985-90* | E | E | E | E | |
| MARTINS FK AT HARLAN, KY | 03400985 | 116.00 | 1976-77 | | E | | | |
| CLOVER FK AT HARLAN, KY | 03400990 | 222 | 1960 | | | | | E |
| PEARL BR AT WALLINS CR, KY | 03401040 | 1.40 | 1977-92 | E | E | E | E | |
| LITTLE YELLOW CR AT MIDDLESBORO, KY | 03401400 | 10.80 | 1976-85 | | | E | | |
| BENNETTS FORK AT MIDDLESBORO, KY | 03401428 | 60.6 | 1959-66 | | | | | E |
| YELLOW CR BYPASS AT MIDDLESBORO, KY | 03401500 | 35.30 | 1985-94 | E | E | E | E | |
| SHILALAN CR NR PAGE, KY | 03402020 | 2.96 | 1941-83 | | | E | | |
| YELLOW CR NR FERNDALE, KY | 03402230 | 99.50 | 1976-86 | | | E | | |
| CLEAR CR AT CLEAR CR SPRINGS, KY | 03402480 | 38.50 | 1972-81 | | | | E | |
| CUMBERLAND R AT PINEVILLE, KY | 03402500 | 676.00 | 1975-81 | | E | | E | |
| LEFT FK STRAIGHT CR AT CARY, KY | 03402850 | 33.70 | 1928-31 | | | | | |
| STRAIGHT CR AT STRAIGHT CR, KY | 03402852 | 89.80 | 1958-76 | | | | E | |
| CUMBERLAND RIVER NR PINEVILLE, KY | 03403000 | 809.00 | 1953-67 | | | | E | |
| STINKING CR AT DEWITT, KY | 03403180 | 49.10 | 1938-92 | E | E | E | E | |
| ROAD E CR AT DEWITT, KY | 03403255 | 25.20 | 1961-75 | | | | E | |
| RICHLAND CR NR BARBOURVILLE, KY | 03403530 | 27.70 | 1961-75 | | | | E | |
| LITTLE RICHLAND CR NR HINKLE, KY | 03403538 | 11.60 | 1961-76 | | | | E | |
| CLEAR FK AT SAXTON, KY | 03403910 | 331.00 | 1974-83 | | | E | | |
| JELICO CR NR WILLIAMSBURG, KY | 03404200 | 103.00 | 1968-90* | E | E | E | E | |
| MARSH CR NR WHITELY CITY, KY | 03404390 | 72.00 | 1953-72 | | | | E | |
| CUMBERLAND R AT CUMBERLAND FALLS, KY | 03404500 | 1,977 | 1960-61 | | | | E | |
| LAUREL R NR LILY, KY | 03404688 | 52.30 | 1974-81 | | E | | | |
| LITTLE LAUREL R NR LILY, KY | 03404810 | 42.40 | 1907-11 | E | E | E | E | |
| LAUREL R AT MUNICIPAL DAM NR CORBIN, KY | 03404820 | 140 | 1914-94 | | | | | |
| GOZEY HOLLOW NR CORBIN, KY | 03404867 | .31 | 1974-81 | | | | E | |
| LAUREL R AT CORBIN, KY | 03405000 | 201.00 | 1975-81 | | | | E | |
| LAUREL R NR VOX, KY | 03405500 | 245.00 | 1973-92 | E | | C | E | |
| S FK ROCKCASTLE R NR PEOPLES, KY | 03405700 | 95.10 | 1976-85 | | | E | | |
| MIDDLE FK ROCKCASTLE R NR PARROT, KY | 03405818 | 79.00 | 1910-73 | E | E | E | | |
| HORSE LICK CR NR LAMERO, KY | 03405842 | 61.70 | 1929-31 | | E | | | |
| BIG HURRICANE BR AT CONWAY, KY | 03405854 | 1.91 | 1961-72 | | | | E | |
| ROUNDSTONE CR AT HOMMEL, KY | 03405868 | 52.90 | 1975-81 | | | | E | |
| ROUNDSTONE CR AT LIVINGSTON, KY | 03405900 | 144.00 | 1975-81 | | | | E | |
| WOOD CR NR LONDON, KY | 03406000 | 3.89 | 1953-76 | | | | E | |
| SKEGG CR NR BILLOWS, KY | 03406330 | 55.90 | 1954-71* | E | E | E | E | |
| ROCKCASTLE R AT ROCKCASTLE SPRINGS, KY | 03407000 | 745.00 | 1972-87, 90 | | | | | |
| CANE BR NR PARKERS LAKE, KY | 03407100 | .67 | 1975-81 | | E | E | E | |
| W FK CANE BR NR PARKERS LAKE, KY | 03407200 | .26 | 1921-31 | E | E | E | | |
| HELTON BR AT GREENWOOD, KY | 03407300 | .85 | 1956-87 | | E | E | | |
| BUCK CR NR WOODSTOCK, KY | 03407425 | 73.00 | 1956-86 | | | | | |
| BUCK CR NR SHOPVILLE, KY | 03407500 | 165.00 | 1956-74 | | E | E | | |
| BUCK CR AT DYKES, KY | 03407640 | 253.00 | 1975-81 | | | | E | |
| ROCK CR NR YAMACRAW, KY | 03410590 | 58.90 | 1952-91 | E | E | E | E | |
| LITTLE S FK CUMBERLAND R NR GRIFFIN, KY | 03410825 | 56.40 | 1965 | | | | | |
| LITTLE S FK CUMBERLAND R NR OIL VALLEY, KY | 03410900 | 98.20 | 1975-81 | | | | E | |
| S FK CUMBERLAND R AT NEVELSVILLE, KY | 03411000 | 1271.00 | 1953-72 | | | | E | |
| CUMBERLAND R AT BURNSIDE, KY | 03411500 | 4865.00 | 1915-50 | | E | E | | |
| LAKE CUMBERLAND AT BURNSIDE, KY | 03411700 | 4869.00 | 1925-50 | | E | E | | |
| PITMAN CR NR SOMERSET, KY | 03412000 | 26.30 | 1951-70 | | | | | |
| PITMAN CR AT SOMERSET, KY | 03412500 | 31.30 | 1949-53 | | E | | | |
| FISHING CR NR HOGUE, KY | 03412700 | 59.80 | 1953-72* | E | E | E | | |
| CUMBERLAND R NR JAMESTOWN, KY | 03413000 | 5331.00 | 1968-77 | | | | E | |
| BEAVER CR NR MONTICELLO, KY | 03413200 | 43.40 | 1937-40 | | E | | | |
| ELK SPRING CR NR SPANN, KY | 03413202 | 0.57 | 1968-83 | | E | | | |
| OTTER CR NR SUSIE, KY | 03413345 | 67.10 | 1976-87, 90 | | | E | | |
| | | | 1953-66 | | | | E | |

DISCONTINUED SURFACE-WATER DISCHARGE OR STAGE-ONLY STATIONS

| STATION NAME AND LOCATION | STATION NUMBER | DRAINAGE | PERIOD OF RECORD | COMPLETE FLOW | COM- PLETE STAGE | PEAK FLOW | LOW FLOW | MISC FLOW MEAS |
|---|----------------|-------------------------|------------------|---------------|------------------|-----------|----------|----------------|
| | | AREA (MI ²) | | | | | | |
| WILLIAMS CR TRIB NR CARTWRIGHT, KY | 03413425 | .76 | 1976-86 | | | E | | |
| CUMBERLAND R NR ROWENA, KY | 03414000 | 5790 | 1939-92 | E | E | E | E | |
| CROCUS CR NR BAKERTON, KY | 03414080 | 108.00 | 1972-76 | | | | E | |
| BEAR CR NR BURKESVILLE, KY | 03414102 | 3.52 | 1976-87, 90 | | | E | | |
| MARROWBONE CR AT GRIDER, KY | 03414175 | 80.70 | 1975-81 | | | | E | |
| RED R NR ADAIRVILLE, KY | 03435100 | 229.00 | 1957-72 | | | | E | |
| WHIPPOORILL CR NR CLAYMOUR, KY | 03435140 | 20.80 | 1973-91 | E | E | E | E | |
| ELBOW CR TRIB NR CANTON, KY | 03437380 | .83 | 1975-86 | | | E | | |
| LICK CR NR CANTON, KY | 03437390 | .39 | 1977-86 | | | E | | |
| S FK LITTLE R TRIB NR HOPKINSVILLE, KY | 03437490 | 2.62 | 1977-87, 90 | | | E | | |
| S FK LITTLE R AT HOPKINSVILLE, KY | 03437500 | 46.50 | 1950-73* | E | E | E | | |
| WHITE CR TR NR HOPKINSVILLE, KY | 03437610 | .19 | 1975-76 | | E | | | |
| MUDDY R NR DERULEAN, KY | 03438070 | 30.50 | 1968-83 | | E | | | |
| N FK DRYDEN CR TRIB NR CONFEDERATE, KY | 03438120 | .10 | 1975-90 | | | E | | |
| DRY CR NR LAMASCO, KY | 03438167 | 34.60 | 1968-72 | | | E | E | |
| EDDY CR NR LAMASCO, KY | 03438170 | 71.70 | 1968-74 | | | | E | |
| BARKLEY-KENTUCKY CANAL NR GRAND RIVERS, KY | 03438190 | | 1966-97 | E | E | E | E | |
| KENTUCKY-BARKLEY CANAL NR GRAND RS, KY | 03438191 | | 1971-74 | | E | | | |
| CUMBERLAND R AT EUREKA, KY | 03438200 | 17594.00 | 1939-64 | | E | | | |
| CUMBERLAND RIVER NR GRAND RIVERS | 03438220 | 17598.00 | 1939-97 | E | E | E | E | |
| LIVINGSTON CR NR DYCUSBURG, KY | 03438470 | 112.00 | 1954-74 | | | | E | |
| TENNESSEE R AT SHANNON DAM SITE NR MURRAY, KY | 03608000 | 39780.00 | 1931-37 | | E | | | |
| TENNESSEE R AT AURORA LANDING, KY | 03608500 | 40010.00 | 1930-32 | | E | | | |
| TENNESSEE R NR PADUCAH, KY | 03609500 | 40200.00 | 1941-89 | E | | E | | |
| CLARKS R AT MURRAY, KY | 03610000 | 89.70 | 1952-71* | E | E | E | | |
| YORK CR NR BENTON, KY | 03610470 | .96 | 1975-90 | | | E | | |
| CLARKS R NR BENTON, KY | 03610500 | 227.00 | 1938-73* | E | E | E | | |
| CHESTNUT CR NR BENTON, KY | 03610503 | .82 | 1975-86 | | | E | | |
| WEST FK CLARKS R NR BREWERS, KY | 03610545 | 68.7 | 1968-83 | E | E | E | E | |
| | | | 1988-94 | E | E | E | E | |
| CLARKS R TRIB NR REIDLAND, KY | 03610820 | .13 | 1975-86 | | | E | | |
| OHIO R AT PADUCAH, KY | 03611000 | 202800.00 | 1873-75 | | C | | | |
| LITTLE BAYOU CR NR GRAHAMVILLE, KY | 03611600 | 5.78 | 1990-91 | E | E | E | E | |
| BAYOU CR NR HEATH, KY | 03611800 | 6.55 | 1990-91 | E | E | E | E | |
| BAYOU CR NR GRAHAMVILLE, KY | 03611850 | 14.90 | 1990-91 | E | E | E | E | |
| HUMPHREY CR AT LACENTER, KY | 03613000 | 44.20 | 1953-72 | | | | E | |
| PERRY CR NR MAYFIELD, KY | 07022500 | 1.72 | 1953-65* | E | E | | E | |
| | | | 1968-72 | | | | | |
| | | | 1973-90 | | | E | | |
| LICK CR TRIB NR KERBYTON, KY | 07023040 | .53 | 1975-90 | | | E | | |
| MAYFIELD CR NR BLANDVILLE, KY | 07023100 | 295 | 1938-72 | | | | | |
| | | | 1991-94 | | E | | | |
| MAYFIELD CR AT MAYFIELD, KY | 07022600 | 95.10 | 1954-72 | | | | E | |
| MAYFIELD CR AT LOVELACEVILLE, KY | 07023000 | 204.00 | 1938-72* | E | E | E | | |
| MISSISSIPPI R AT COLUMBUS, KY | 07023200 | 921900.00 | 1843-58 | | | E | | |
| OBION CR AT PRYORSBURG, KY | 07023500 | 36.30 | 1951-73 | E | E | E | | |
| OBION CR NR ARLINGTON, KY | 07023700 | 203.00 | 1953-72 | | | | E | |
| S FK BAYOU de CHIEN TRIB AT WATER VALLEY, KY | 07023935 | .23 | 1975-90 | | | E | | |
| MISSISSIPPI R AT HICKMAN, KY | 07024070 | 922500.00 | 1926-58 | | | E | | |

* Period of complete flow only

C Currently operated

E Eliminated

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|--|-------------------|--|------------------------|----------------------------|----------------------------|----------------------------|------------------------------------|
| | | | | AC- TIVE STA- TUS | AC- TIVE STA- TUS | AC- TIVE STA- TUS | ICAL AC- TIVE STA- TUS |
| BRUSHY FK AT THOMAS, KY | 03201400 | | 1980-82 | | N | N | N |
| CARD CR AT MOUTHCARD, KY | 03207845 | 4.18 | 1974-80 | | N | N | N |
| FEDS CR AT FEDS CREEK, KY | 03207875 | 11.60 | 1972-75 | | N | N | N |
| BIG CR AT DUNLAP, KY | 03207905 | 9.55 | 1974-76 | | N | N | N |
| ELKFOOT BRANCH NR NIGH, KY | 03207915 | .70 | 1980-84 | | | N | |
| ISLAND CR NR PHYLLIS, KY | 03207925 | 2.42 | 1974-80 | | N | N | N |
| LICK CR AT LICK CREEK, KY | 03207935 | 6.70 | 1972-76 | | N | N | N |
| MILLERS CR NR PHYLLIS, KY | 03207940 | 1.68 | 1973-81 | | N | N | N |
| DICKS FK AT PHYLLIS, KY | 03207962 | .82 | 1975-79 1982-84 | | | N | |
| LEVISA FK BELOW FISHTRAP DAM, KY | 03208000 | 392.00 | 1965-79 | | N | N | N |
| RUSSELL FK AT ELKHORN CITY, KY | 03209300 | 554.00 | 1961-83 | | N | N | N |
| ELKHORN CR NR ELKHORN CITY, KY | 03209402 | | 1980-82 | | N | N | N |
| MARROWBONE CR AT WOLFPIT, KY | 03209420 | | 1980-82 | | N | N | N |
| GREASY CR NR SUTTON, KY | 03209430 | | 1980-82 | | N | N | N |
| DORTON CR NR DORTON, KY | 03209438 | | 1980-82 | | N | N | N |
| LONG FK NR VIRGIE, KY | 03209453 | | 1980-82 | | N | N | N |
| ROBINSON CR AT ROBINSON CREEK, KY | 03209457 | | 1980-82 | | N | N | N |
| SHELBY CR AT SHELBIANA, KY | 03209460 | 112.00 | 1965-79 | | N | N | N |
| MUD CR NR GRETHEL, KY | 03209530 | | 1980-82 | | N | N | N |
| TOLLAR CR NR HAROLD, KY | 03209540 | | 1980-82 | | N | N | N |
| MUD CR AT HAROLD, KY | 03209545 | 51.90 | 1978-80 | | N | N | N |
| RIGHT FK BEAVER CR AT TOPMOST, KY | 03209585 | | 1980-82 | | N | N | N |
| CANEY FK BEAVER CR NR RAVEN, KY | 03209590 | | 1980-82 | | N | N | N |
| RIGHT FK BEAVER CR AT WAYLAND, KY | 03209600 | 73.90 | 1978-80 | | N | N | N |
| JONES FK AT BETTY, KY | 03209603 | | 1980-82 | | N | N | N |
| SALTICK CR NR BOSCO, KY | 03209607 | | 1980-82 | | N | N | N |
| LEFT FK BEAVER CR AT DRIFT, KY | 03209650 | 58.50 | 1978-80 | | N | | N |
| LEFT FK BEAVER CR AT PRINTER, KY | 03209680 | | 1980-82 | | N | N | N |
| BEAVER CR AT MARTIN, KY | 03209700 | 228.00 | 1961-71 | | N | | N |
| LEVISA FK AT PRESTONSBURG, KY | 03209800 | 1702.00 | 1976-79 | | N | N | N |
| MIDDLE CR NR PRESTONSBURG, KY | 03209850 | | 1980-82 | | N | N | N |
| LEFT FK MIDDLE CR NR GOODLOE, KY | 03209870 | | 1980-82 | | N | N | N |
| MIDDLE CR NR PRESTONSBURG, KY | 03209890 | 62.10 | 1978-80 | | N | N | N |
| ABBOTT CR NR PRESTONSBURG, KY | 03209910 | | 1980-82 | | N | N | N |
| RACCOON CR NR ZEBULON, KY | 03210040 | 14.80 | 1973-80 | | N | N | N |
| RACKOON CR NR ZEBULLON, KY | 03210060 | | 1980-82 | | N | N | N |
| CANEY FK NR GULNARE, KY | 03210160 | 3.74 | 1973-80 | | N | N | N |
| BRUSHY FK AT HEENON, KY | 03210310 | 20.40 | 1973-76 | | N | N | N |
| BUFFALO CR NR ENDICOTT, KY | 03210420 | 6.21 | 1973-80 | | N | N | N |
| BUFFALO CR NR GERMAN, KY | 03210450 | | 1980-82 | | N | N | N |
| DANIELS CR NR ODDS, KY | 03211690 | | 1980-82 | | N | N | N |
| DANIELS CR AT MOUTH NR VAN LEAR, KY | 03211700 | 12.00 | 1978-80 | | N | | N |
| LEVISA FK ABOVE PAINT CR AT PAINTSVILLE, KY | 03211800 | 1975.00 | 1974-79 | | N | | N |
| PAINT CR NR ELNA, KY | 03211970 | 79.30 | 1967 | | N | | N |
| PAINT CR ABOVE BARNETTS CR NR STAFFORDSVILLE, KY | 03211997 | | 1971-72 | | N | | N |
| GREASY CR NR OFFUTT, KY | 03212510 | | 1980-82 | | N | N | N |
| TOMS CR NR TUTOR KEY, KY | 03212520 | | 1980-82 | | N | N | N |
| GEORGES CR NR ULYSSES, KY | 03212530 | | 1980-82 | | N | N | N |
| RIGHT FK CR NR CHARLEY, KY | 03212535 | | 1980-82 | | N | N | N |
| RIGHT FK HURRICANE CR NR STOPOVER, KY | 03213630 | .82 | 1980-84 | | | N | |
| LEFT FK PETER CR AT JAMBOREE, KY | 03213670 | | 1980-82 | | N | N | N |
| RIGHT FK PETER CR NR PHELPS, KY | 03213680 | | 1980-82 | | N | N | N |
| BLACKBERRY CR AT RANSOM, KY | 03213690 | | 1980-82 | | N | N | N |
| POND CR NR TOLER, KY | 03213698 | | 1980-82 | | N | N | N |
| BIG CR NR HATFIELD, KY | 03213750 | | 1980-82 | | N | N | N |
| WOLF CR NR MCCLURE, KY | 03214300 | | 1980-82 | | N | N | N |
| MIDDLE FK ROCKCASTLE CR AT INEZ, KY | 03214600 | 33.34 | 1980-82 | | N | N | N |
| COLDWATER FK NR INEZ, KY | 03214650 | 17.85 | 1980-82 | | N | N | N |
| ROCKCASTLE CR AT INEZ, KY | 03214700 | 63.10 | 1970-72 | N | N | N | N |
| ROCKHOUSE FK NR MILO, KY | 03214720 | | 1980-82 | | N | N | N |
| ROCKCASTLE CR AT CLIFFORD, KY | 03214730 | 121.00 | 1965-75 | | N | | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|--|----------------|----------------------------------|------------------------|-----------------|-----------------|-----------------|----------------------|
| | | | | AC-TIVE STA-TUS | AC-TIVE STA-TUS | AC-TIVE STA-TUS | ICAL AC-TIVE STA-TUS |
| BIG SANDY R AT LOUISA, KY | 03215000 | 3897 | 1950, 1966-72, 1974-92 | N | N | N | N |
| LEFT FK BLAINE CR NR MARTHA, KY | 03215250 | | 1980-82 | | N | N | N |
| LOWER LAUREL CR NR FLATGAP, KY | 03215320 | | 1967 | | N | | N |
| CAINES CR NR BLAINE, KY | 03215367 | | 1980-82 | | N | N | N |
| BLAINE CR AT HWY 32 BR AT BLAINE, KY | 03215370 | 73.80 | 1978-80 | | N | | N |
| HOOD CR AT BLAINE, KY | 03215380 | | 1980-82 | | N | N | N |
| BRUSHY CR NR CORDELL, KY | 03215420 | | 1980-82 | | N | N | N |
| BLAINE CR BELOW BRUSHY CR NR BLAINE, KY | 03215430 | 151.00 | 1971-80 | | N | | N |
| RICH CR NR ADAMS, KY | 03215440 | | 1971-72 | | N | | N |
| LITTLE BLAINE CR NR EVERGREEN, KY | 03215470 | | 1980-82 | | N | N | N |
| LITTLE BLAINE CR AT EVERGREEN, KY | 03215480 | 23.00 | 1971-80 | | N | | N |
| BLAINE CR NR YATESVILLE, KY | 03215490 | 206.00 | 1971-72 | | N | | N |
| BLAINE CR AT YATESVILLE, KY | 03215500 | 217.00 | 1965-79 | | Y | | N |
| CAT FK CR AT FALLSBURG, KY | 03215550 | | 1980-82 | | N | N | N |
| BIG SANDY R AT CATLETTSBURG, KY | 03215700 | 4281.00 | 1955-75 | | N | | N |
| LITTLE SANDY R AT SANDY HOOK, KY | 03216180 | | 1980-82 | | N | N | N |
| BIG CANEY CR NR STARK, KY | 03216230 | | 1980-82 | | N | N | N |
| LITTLE SANDY R BELOW GRAYSON DAM NR LEON, KY | 03216350 | 196.00 | 1966-79 | | N | | N |
| BIG SINKING CR NR ADEN, KY | 03216370 | | 1980-82 | | N | N | N |
| LITTLE SANDY R AT LEON, KY | 03216400 | 255.00 | 1978-80 | | N | | N |
| LITTLE SANDY R AT DOBBINS, KY | 03216430 | | 1980-82 | | N | N | N |
| DRY FK AT WILLARD, KY | 03216450 | | 1980-82 | | N | N | N |
| LITTLE FK LITTLE SANDY R NR GRAYSON, KY | 03216480 | 132.00 | 1973-75 | | N | | N |
| BERET CR NR GRAYSON, KY | 03216520 | | 1980-82 | | N | N | N |
| E FK LITTLE SANDY R NR FALLSBURG, KY | 03216540 | 12.20 | 1978-83 | | N | | N |
| E FK LITTLE SANDY R NR CANNONSBURG, KY | 03216558 | | 1980-82 | | N | N | N |
| WILLIAMS CR AT PRINCESS, KY | 03216567 | | 1980-82 | | N | N | N |
| E FK LITTLE SANDY R NR ARGILLITE, KY | 03216570 | 138.00 | 1970-72 | | N | | N |
| OHIO R AT GREENUP DAM, KY | 03216600 | 62000.00 | 1974-86 | N | N | N | N |
| SOLDIER FK AT LAWTON, KY | 03216770 | | 1971-72 | | N | | N |
| TYGARTS CR AT IRON HILL, KY | 03216930 | | 1971-72 | | N | | N |
| BUFFALO CR NR GESLING, KY | 03216960 | | 1980-82 | | N | N | N |
| KINNICONICK CR NR RUGLESS, KY | 03237230 | 109.00 | 1970-72 | | N | | N |
| OHIO R AT MELDAHL DAM NR CHILO, OH | 03238680 | 70800.00 | 1967-70 | | N | | N |
| TWELVEMILE CR AT HWY 1997 NR ALEXANDRIA, KY | 03238745 | 39.0 | 2001 | | N | | N |
| OHIO R AT RAW WATER INTAKE, CINCINNATI, OH | 03238800 | | 1970 | | | | N |
| LICKING R NR FREDVILLE, KY | 03248165 | | 1980-82 | | N | N | N |
| BURNING FK AT SAYLERSVILLE, KY | 03248380 | | 1980-82 | | N | N | N |
| LEFT FK NR HENDRICKS, KY | 03248520 | | 1980-82 | | N | N | N |
| RIGHT FK AT FRITZ, KY | 03248530 | | 1980-82 | | N | N | N |
| JOHNSON CR AT KERNIE, KY | 03248560 | | 1980-82 | | N | N | N |
| LICK CR NR BLOOMINGTON, KY | 03248580 | | 1980-82 | | N | N | N |
| WHITE OAK CR AT WHITE OAK, KY | 03248610 | | 1980-82 | | N | N | N |
| WILLIAMS CR NR ELAMTON, KY | 03248670 | | 1980-82 | | N | N | N |
| ELK FK NR LENOX, KY | 03248685 | 59.40 | 1980-82 | | N | N | N |
| CANEY CR NR CANEY, KY | 03248710 | | 1980-82 | | N | N | N |
| GRASSY CR AT GRASSY CREEK, KY | 03248750 | | 1980-82 | | N | N | N |
| LICKING R AT FARMERS, KY | 03249500 | 827.00 | 1948-79 | | N | N | N |
| TRIPLETT CR AT MOREHEAD, KY | 03250000 | 47.50 | 1978-80 | | N | | N |
| SLATE CR NR OWINGSVILLE, KY | 03250240 | 185.00 | 1970-71 | | N | | N |
| ROCK LICK CR NR SHARKEY, KY | 03250320 | 4.01 | 1978-83 | | N | | N |
| LICKING R AT SHERBURNE, KY | 03250400 | | 1981-83 | N | N | N | N |
| N FK LICKING R NR MILFORD, KY | 03251400 | 286.00 | 1970-72 | | N | | N |
| LICKING R AT MCKINNEYSBURG, KY | 03251500 | 2326.00 | 1951-79 | | N | N | N |
| STONER CR NR MIDDLETOWN, KY | 03251665 | 51.60 | 1974 | | N | | N |
| HINKSTON CR NR SHARPSBURG, KY | 03252190 | 78.90 | 1973 | | N | | N |
| HINKSTON CR NR CARLISLE, KY | 03252300 | 154.00 | 1970-74 | | N | | N |
| S FK LICKING R AT CYNTHIANA, KY | 03252500 | 621.00 | 1949-83 | N | N | N | N |
| LICKING R AT CATAWBA, KY | 03253500 | 3300.00 | 1962-79 | | N | | N |
| LICKING R AT BUTLER, KY | 03254000 | 3375.00 | 1950, 1975-94 | N | N | N | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|---|-------------------|--|-------------------------------|----------------------------|----------------------------|----------------------------|------------------------------------|
| | | | | AC- TIVE STA- TUS | AC- TIVE STA- TUS | AC- TIVE STA- TUS | ICAL AC- TIVE STA- TUS |
| OHIO R AT MARKLAND DAM, KY | 03277200 | 83170.00 | 1960-70 1974-86 | N N | N N | N N | N N |
| OHIO R AT LOCK AND DAM 39 NR FLORENCE, KY | 03277205 | 82910.00 | 1953-75 | | N | | |
| YONTS CR NR NEON, KY | 03277260 | | 1980-82 | | N | N | N |
| N FK KENTUCKY R AT WHITESBURG, KY | 03277300 | 66.40 | 1970-75 | | N | | N |
| KINGS CR NR ROXANA, KY | 03277320 | | 1980-82 | | N | N | N |
| N FK KENTUCKY R AT BLACKKEY, KY | 03277340 | 131.00 | 1971-75 | | N | | N |
| ROCKHOUSE CR NR FLETCHER, KY | 03277361 | | 1980-82 | | N | N | N |
| ROCKHOUSE CR AT LETCHER, KY | 03277362 | | 1971 | | N | | N |
| LINE FK AT DEFEATED CREEK, KY | 03277370 | 40.80 | 1980-82 | | N | N | N |
| LINE FK AT ULVAH, KY | 03277380 | | 1971 | | N | | N |
| N FK KENTUCKY R AT CORNETTSVILLE, KY | 03277411 | 322.00 | 1970-72 | | N | | N |
| RIGHT FK MACYS CR NR FARLAR, KY | 03277415 | | 1980-82 | | N | N | N |
| YELLOW CR AT SASSAFRAS, KY | 03277455 | | 1965-75 | | N | | N |
| CARR FK NR HAZARD, KY | 03277480 | | 1971 | | N | | N |
| LOTTS CR NR DARFORK, KY | 03277515 | | 1980-82 | | N | N | N |
| BIG CR NR AVAWAN, KY | 03277580 | | 1980-82 | | N | N | N |
| GRAPEVINE CR NR LAMONT, KY | 03277700 | | 1980-82 | | N | N | N |
| TROUBLESOME CR NR ARY, KY | 03277800 | | 1980-82 | | N | N | N |
| BALLS FK NR TALCUM, KY | 03277900 | | 1980-82 | | N | N | N |
| BUCKHORN CR NR NOBLE, KY | 03278100 | | 1980-82 | | N | N | N |
| LOST CR NR LOST CREEK, KY | 03279150 | | 1980-82 | | N | N | N |
| LAUREL FK NR ELMROCK, KY | 03279250 | | 1980-82 | | N | N | N |
| MIDDLE FK QUICKSAND CR NR DECOY, KY | 03279300 | | 1980-82 | | N | N | N |
| HAWLS FK NR TIPTOP, KY | 03279370 | | 1980-82 | | N | N | N |
| QUICKSAND CR AT LUNAH, KY | 03279400 | 101.00 | 1970-72 | | N | | N |
| CANEY CR NR CAMP LEWIS, KY | 03279430 | | 1980-82 | | N | N | N |
| HUNTING CR NR ROUSSEAU, KY | 03279460 | | 1980-82 | | N | N | N |
| S FK QUICKSAND CR AT PORTSMOUTH, KY | 03279650 | | 1980-82 | | N | N | N |
| QUICKSAND CR AT QUICKSAND, KY | 03279700 | 203.00 | 1965-75 | | N | | N |
| N FK KENTUCKY R AT JACKSON, KY | 03280000 | 1101.00 | 1948-75 1979-81 1987-91 | N | N | N | N |
| CANE CR NR JACKSON, KY | 03280100 | | 1980-82 | | N | N | N |
| ROCKHOUSE CR NR HYDEN, KY | 03280360 | | 1980-82 | | N | N | N |
| FROZEN CR NR TAULBEE, KY | 03280400 | | 1980-82 | | N | N | N |
| BOONE FK NR VANCELEAVE, KY | 03280450 | | 1980-82 | | N | N | N |
| MIDDLE FK KENTUCKY R NR WARBRANCH, KY | 03280520 | | 1980-82 | | N | N | N |
| MIDDLE FK KENTUCKY R AT ASHER, KY | 03280530 | | 1971 | | N | | N |
| BEECH FK NR HELTON, KY | 03280540 | | 1980-82 | | N | N | N |
| BEECH FK AT ASHER, KY | 03280550 | 33.90 | 1971 | | N | | N |
| GREASY CR NR NAPIER, KY | 03280560 | | 1980-82 | | N | N | N |
| LAUREL FK NR LEWIS CREEK, KY | 03280575 | | 1980-82 | | N | N | N |
| GREASY CR AT HOSKINSTON, KY | 03280590 | 95.00 | 1971 | | N | | N |
| MIDDLE FK KENTUCKY R NR HAYDEN, KY | 03280600 | 202.00 | 1975-82 1988 | N | N | N | N |
| CUTSHIN CR NR CINDA, KY | 03280670 | | 1980-82 | | N | N | N |
| HELL FOR CERTAIN CR NR KALIOPI, KY | 03280750 | | 1980-82 | | N | N | N |
| TURKEY CR NR TURKEY, KY | 03280950 | | 1980-82 | | N | N | N |
| MIDDLE FK KENTUCKY R AT TALLEGA, KY | 03281000 | 537.00 | 1950-75 1978-83 1987-90 | N | N | N | N |
| RED BIRD R AT BIG CREEK, KY | 03281030 | 125.00 | 1970-72 | | N | | N |
| BIG CR NR BIG CREEK, KY | 03281035 | | 1980-82 | | N | N | N |
| HECTOR BRANCH NR ERILINE, KY | 03281045 | | 1980-82 | | N | N | N |
| GOOSE CR NR GOOSEROCK, KY | 03281065 | 49.60 | 1979-82 | | N | N | N |
| COLLINS FK NR BLUEHOLE, KY | 03281075 | | 1980-82 | | N | N | N |
| HORSE CR NR HIMA, KY | 03281097 | | 1980-82 | | N | N | N |
| LITTLE GOOSE CR NR MANCHESTER, KY | 03281133 | | 1980-82 | | N | N | N |
| BULLSKIN CR NR BRUTUS, KY | 03281175 | | 1980-82 | | N | N | N |
| S FK KENTUCKY R AT ONEIDA, KY | 03281200 | 486.00 | 1970-72 | | N | | N |
| SEXTON CR NR CHESTNUTBURG, KY | 03281340 | | 1980-82 | | N | N | N |
| LOWER ALLEN CR NR CONKLING, KY | 03281360 | | 1980-82 | | N | N | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|---|----------------|----------------------------------|-------------------------------|-----------------|-----------------|-----------------|----------------------|
| | | | | AC-TIVE STA-TUS | AC-TIVE STA-TUS | AC-TIVE STA-TUS | ICAL AC-TIVE STA-TUS |
| S FK KENTUCKY R AT BOONEVILLE, KY | 03281500 | 722.00 | 1950-75 1979-83 1987-90 | N | N | N | N |
| BIG SINKING CR NR CRYSTAL, KY | 03282075 | 23.40 | 1987-89 | | N | N | N |
| FURNACE FK NR CRYSTAL, KY | 03282100 | 9.94 | 1987-89 | | N | N | N |
| STATION CAMP CR AT WAGERSVILLE, KY | 03282170 | 115.00 | 1970-72 | | N | | N |
| KENTUCKY R NR TRAPP, KY | 03282300 | | 1982-83 | | N | N | N |
| RED R AT DAYSBORO, KY | 03282400 | | 1980-82 | | N | N | N |
| RED R NR PINE RIDGE, KY | 03283100 | 142.00 | 1968-76 | | N | | N |
| CAT CR NR STANTON, KY | 03283370 | 8.30 | 1987-89 | | N | N | N |
| KENTUCKY R AT LOCK 10 NR WINCHESTER, KY | 03284000 | 3955.00 | 1987-91 | N | N | N | N |
| BAUGHMAN FK AT GENTRY ROAD NR ATHENS, KY | 03284090 | 7.18 | 1967-68 | | N | | N |
| BOONE CR AT GRIMES MILL RD NR LOCUST GROVE, KY | 03284100 | 41.80 | 1967-68 | | N | | N |
| KENTUCKY R NR LEXINGTON, KY | 03284105 | | 1970 | | | | N |
| SILVER CR NR KINGSTON, KY | 03284300 | 28.60 | 1978-83 | | N | | |
| SILVER CR NR RICHMOND, KY | 03284350 | | 1973-75 | | N | | N |
| PAINT LICK CR NR MCCREARY, KY | 03284450 | 97.60 | 1970-72 | | N | | N |
| KENTUCKY R AT LOCK 8 NR CAMP NELSON, KY | 03284500 | 4414.00 | 1948-75 | | N | | N |
| DIX R NR STANFORD, KY | 03284800 | 160.00 | 1973-75 | | N | | N |
| HANGING F CR NR STANFORD, KY | 03284935 | 46.90 | 1974 | | N | | N |
| DIX R NR DANVILLE, KY | 03285000 | 318.00 | 1988 | | N | | N |
| SPEARS CR AT STREAMLAMD DR NR DANVILLE, KY | 03285290 | | 1998-2001 | | N | | N |
| MOCKS BR AT HWY 1896 NR DANVILLE, KY | 03285335 | | 1998-99 2001 | | N | | N |
| DIX R AT DIX DAM NR BURGIN, KY | 03286200 | 439.00 | 1961-79 | | N | | N |
| KENTUCKY R AT LOCK 4 AT FRANKFORT, KY | 03287500 | 5411.00 | 1949-73 1987-90 | N | N | N | N |
| BENSON CR AT FRANKFORT, KY | 03287530 | 71.20 | 1973 | | N | | N |
| BENSON CR NR FRANKFORT, KY | 03287550 | 107.00 | 1970-72 | | N | | N |
| N ELKHORN CR AT BRYAN STATION RD AT MONTROSE, KY | 03287600 | 21.50 | 1967-68 | | N | | N |
| N ELKHORN CR UNNAMED TR AT MUIR STA RD NR MUI, KY | 03287620 | 15.80 | 1967-68 | | N | | N |
| N ELKHORN CR AT HUFFMAN MILL RD NR MATTOXTOWN, KY | 03287700 | 62.70 | 1967-68 | | N | | N |
| GOOSE CR AT MT HOREB RD NR NEWTOWN, KY | 03287800 | 14.20 | 1967-68 | | N | | N |
| GOOSE CR AT NEWTOWN RD, NR NEW ZION, KY | 03287810 | | 1967 | | N | | N |
| N ELKHORN CR NR GEORGETOWN, KY | 03288000 | 119.00 | 1988-89 | | N | | N |
| CANE RUN AT BERE A ROAD NR DONERAIL, KY | 03288200 | 19.90 | 1967-68 | | N | | N |
| CANE RUN NR GEORGETOWN, KY | 03288260 | 45.40 | 1973 | | N | | N |
| CAVE CR NR FORT SPRING, KY | 03288500 | 2.53 | 1968 | | N | | N |
| STEELES RUN AT OLD FRANKFORT RD AT FAYWOOD, KY | 03289100 | 6.67 | 1967-68 | | N | | N |
| TOWN BRANCH AT YARNALLTON RD AT YARNALLTON, KY | 03289200 | | 1967-68 | | N | | N |
| ELKHORN CR NR FRANKFORT, KY | 03289500 | 473.00 | 1987-91 | N | N | N | N |
| SIX MILE NR DEFOE, KY | 03290420 | 42.60 | 1973 | | N | | N |
| SIX MILE CR NR LOCKPORT, KY | 03290490 | 76.50 | 1973-74 | | N | | N |
| KENTUCKY R AT LOCK #2 AT LOCKPORT, KY | 03290500 | 6180.00 | 1974-95 | N | N | N | N |
| DRENNON CR AT DRENNON SP, KY | 03290675 | 82.50 | 1973-74 | | N | | N |
| EAGLE CR NR HOLBROOK, KY | 03291270 | 258.00 | 1973-75 | | N | | N |
| TEN MILE CR NR FOLSOM, KY | 03291490 | 68.40 | 1973 | | N | | N |
| EAGLE CR AT GLENCOE, KY | 03291500 | 437.00 | 1948-79 | | N | N | N |
| LITTLE KY R NR BEDFORD, KY | 03291700 | 73.20 | 1970-72 | | N | | N |
| HARRODS CR NR SKYLIGHT, KY | 03292467 | 60.30 | 1974-75 | | N | | N |
| HARRODS CR NR PROSPECT, KY | 03292473 | 92.1 | 1988-98 | | N | | N |
| GOOSE CR AT OLD WESTPORT RD AT ST. MATTHEWS, KY | 03292474 | | 1988-98 | | N | | N |
| GOOSE CR AT U.S. HWY 42 AT GLENVIEW ACRES, KY | 03292475 | 10.1 | 1988-98 | | N | | N |
| LITTLE GOOSE CR NR HARRODS CR, KY | 03292480 | 5.8 | 1988-98 | | N | | N |
| OHIO R AT WATER SUPPLY INTAKE AT LOUISVILLE, KY | 03292494 | | 1970 | | | | N |
| S FK BEARGRASS CR AT LOUISVILLE, KY | 03292500 | 17.2 | 1988-92, 95-98 | | N | | N |
| S. FK. BEARGRASS CR NR EASTERN PKY AT LOUISVILLE, KY | 03292530 | 21.6 | 1995-98 | | N | | N |
| S .FK BEARGRASS CR NR WINTER AVE., KY. | 03292550 | 22.6 | 1988-98 | | N | | N |
| MIDDLE FK BEARGRASS CR AT LOUISVILLE, KY | 03293000 | 18.9 | 1988-92, 96-98 | | N | | N |
| M. FK. BEARGRASS CR NR SCENIC LOOP AT LOUISVILLE, KY | 03293200 | 22.7 | 1988-98 | | N | | N |
| M. FK. BEARGRASS CR NR LEXINGTON RD AT LOUISVILLE, KY | 03293500 | 24.4 | 1996-98 | | N | | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|--|----------------|----------------------------------|------------------|-------------------|-------------------|-------------------|------------------------|
| | | | | AC-TATIVE STA-TUS | AC-TATIVE STA-TUS | AC-TATIVE STA-TUS | ICAL AC-TATIVE STA-TUS |
| MUDDY FK. MOCKINGBIRD VALLEY RD AT LOUISVILLE, KY | 03293550 | 6.2 | 1988-98 | | N | | N |
| OHIO R AT LOUISVILLE, KY | 03294500 | 91170.00 | 1968-83 | | N | N | N |
| MILL CR CUTOFF NR LOUISVILLE, KY | 03294550 | 24.4 | 1988-92, 98 | | N | | N |
| MILL CR AT ORELL RD NR LOUUVILLE, KY | 03294570 | 13.5 | 1988-98 | | N | | N |
| OHIO R AT KOSMOSDALE, KY | 03294600 | 91200.00 | 1970 | | | | N |
| SALT R NR HARRODSBURG, KY | 03295000 | 41.40 | 1970-72 | | N | | N |
| SALT R NR VAN BUREN, KY | 03295500 | 196.00 | 1970-79 | | N | | N |
| SALT R AT TAYLORSVILLE, KY | 03295610 | 359.00 | 1970-72 | | N | | N |
| BRASHEARS CR NR FINCHVILLE, KY | 03295800 | 147.00 | 1970-72 | | N | | N |
| BRASHEARS CR AT TAYLORSVILLE, KY | 03295900 | 262.00 | 1973-75 | | N | | N |
| PLUM CR SUBWATER SHED NO 4 NR SIMPSONVILLE, KY | 03296000 | 1.55 | 1953-64 | | | N | |
| PLUM CR AT WATERFORD, KY | 03297500 | 31.80 | 1953-61 | | N | N | N |
| COX CR NR HIGHGROVE, KY | 03297700 | 95.80 | 1970-72 | | N | | N |
| FLOYDS FK NR CRESTWOOD, KY | 03297845 | 46.70 | 1979-83 | N | N | N | N |
| LONG RUN NR FISHERVILLE, KY | 03297980 | 22.5 | 1988-98 | | N | | N |
| FLOYDS FK AT FISHERVILLE, KY | 03298000 | 138. | 1988-98 | | N | | N |
| POPE LICK AT POPE LICK RD AT MIDDLETOWN, KY | 03298100 | 2.9 | 1988-98 | | N | | N |
| CHENOWETH RUN NR RUCKRIEGEL PKY, AT LOUISVILLE, KY | 03298135 | 5.47 | 1996-98 | | N | | N |
| CHENOWETH RUN NR GELHAUS LANE, AT FERN CREEK, KY | 03298150 | 11.6 | 1988-98 | | N | | N |
| FLOYDS FK NR MOUNT WASHINGTON, KY | 03298200 | 21.3 | 1988-98 | | N | | N |
| CEDAR CR AT FAIRMOUNT RD NR MOUNT WASHINGTON, KY | 03298242 | 7.8 | 1992-98 | | N | | N |
| CEDAR CREEK AT THIXTON RD NR LOUISVILLE, KY | 03298250 | 11.1 | 1988-98 | | N | | N |
| PENNSYLVANIA R AT MT WASHINGTON RD AT LOUISVILLE, KY | 03298300 | 6.4 | 1988-98 | | N | | N |
| FLOYDS FK NR GAP IN KNOB, KY | 03298390 | 259.00 | 1973-75 | | N | | N |
| SALT R AT SHEPHERDSVILLE, KY | 03298500 | 1197 | 1948-75 1979-92 | N | N | N | N |
| N ROLLING FK AT BRADSFORDVILLE, KY | 03298760 | 95.70 | 1973-75 | | N | | N |
| ROLLING FK NR LEBANON, KY | 03299000 | 239.00 | 1970-80 | | N | | N |
| BEECH FK NR SPRINGFIELD, KY | 03300000 | 85.90 | 1970-72 | | N | | N |
| CHAPLIN R AT SHARPSVILLE, KY | 03300300 | 140.00 | 1970-72 | | N | | N |
| BEECH FK AT MAUD, KY | 03300400 | 436.00 | 1979-83 | N | N | N | N |
| CARTWRIGHT CR AT FREDRICKTOWN, KY | 03300498 | 82.30 | 1973-75 | | N | | N |
| BEECH FK AT BARDSTOWN, KY | 03301000 | 669.00 | 1962-72 | | N | | N |
| ROLLING FK NR BOSTON, KY | 03301500 | 1299.00 | 1948-79 | | N | | N |
| WILSON CR HARRISON FK RD AT DEATSVILLE, KY | 03301575 | 5.7 | 1990-98 | | N | | N |
| WILSON CR NR DEATSVILLE, KY | 03301580 | 27.7 | 1991-92 1992-96 | | N | | N |
| ROLLING FORK NR LEBANON JUNCTION, KY | 03301630 | 1375.00 | 1975-94 | N | N | N | N |
| SOUTHERN DITCH AT MINORS LN NR OKOLONA, KY | 03301880 | 12.8 | 1988-98 | | N | | N |
| FERN CR NR OLD BARDSTOWN RD AT LOUISVILLE, KY | 03301900 | 3.5 | 1988-98 | | N | | N |
| NORTHERN DITCH AT OKOLONA, KY | 03301940 | 11.1 | 1988-98 | | N | | N |
| SPRING DITCH AT PRIVATE DRIVE NR OKOLONA, KY | 03301950 | 1.6 | 1988-98 | | N | | N |
| POND CR NR LOUISVILLE, KY | 03302000 | 64.0 | 1988-98 | | N | | |
| POND CR AT PENDLETON RD NR LOUISVILLE, KY | 03302030 | 80.3 | 1988-98 | | N | | N |
| SALT R AT MOUTH NR LOUISVILLE, KY | 03302060 | | 1970 | | | | N |
| OTTER CR NR VINE GROVE, KY | 03302080 | | 1970-71 | | N | | N |
| OTTER CR AT GRAHAMTON, KY | 03302100 | 88.40 | 1970-72 | | N | | N |
| OTTER CR AT OTTER CR PARK NR ROCKHAVEN, KY | 03302110 | 99.2 | 1993-98 | | N | | N |
| DOE RUN NR BRANDENBURG STATION, KY | 03302150 | 52.70 | 1970-72 | | N | | N |
| SINKING CR NR LODIBURG, KY | 03303205 | 125.00 | 1971 | | N | | N |
| SINKING CR AT SAMPLE, KY | 03303210 | 222.00 | 1970 | | N | | N |
| BEECH FK NR CLOVERPORT, KY | 03303220 | | 1980-82 | | N | N | N |
| TAR FK NR CLOVERPORT, KY | 03303230 | | 1980-82 | | N | N | N |
| OHIO R AT CANNELTON DAM, KY | 03303280 | 97000.00 | 1975-86 | N | N | N | N |
| BLACKFORD CR NR MACEO, KY | 03303447 | | 1980-82 | | N | N | N |
| BLACKFORD CR NR MACEO, KY | 03303450 | 111.00 | 1973-75 | | N | | N |
| PUP CR NR MACEO, KY | 03303490 | | 1980-82 | | N | N | N |
| OHIO R AT OWENSBORO, KY | 03303500 | 97200.00 | 1970 | | | | N |
| GREEN R NR MCKINNEY, KY | 03305000 | 22.40 | 1970-72 | | N | | N |
| GREEN R NR DUNNVILLE, KY | 03305660 | 221.00 | 1973-75 | | N | | N |
| GREEN R AT NEATSVILLE, KY | 03305800 | 399.00 | 1959-72 | | N | N | N |
| CASEY CR AT CASEY CR, KY | 03305865 | 74.70 | 1973-75 | | N | | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|--|----------------|----------------------------------|------------------|-----------------|-----------------|-----------------|----------------------|
| | | | | AC-TIVE STA-TUS | AC-TIVE STA-TUS | AC-TIVE STA-TUS | ICAL AC-TIVE STA-TUS |
| GREEN R AT GREENSBURG, KY | 03306500 | 736.00 | 1948-59 | | N | | |
| BIG PITMAN CR NR GREENSBURG, KY | 03307300 | | 1966 | | N | | N |
| LITTLE BARREN R NR MONROE, KY | 03307800 | 244.00 | 1960-72 | | N | | N |
| GREEN RIVER AT MUFORDVILLE, KY | 03308500 | 1673.00 | 1950-94 | N | N | N | N |
| ECHO R OUTLET AT MAMMOTH CAVE, KY | 03308950 | | 1974 | | N | | N |
| GREEN R AT MAMMOTH CAVE, KY | 03309000 | 1983.00 | 1958-74 | | N | | N |
| WET PRONG BUFFALO CR NR MAMMOTH CAVE, KY | 03309100 | 2.26 | 1962-74 | | N | N | N |
| MCDUGAL CR AT HODGENVILLE, KY | 03309600 | | 1970 | | N | | N |
| N FK NOLIN R AT HODGENVILLE, KY | 03310000 | 36.40 | 1970-72 | | N | | N |
| N FK NOLIN R NR EAGLE MILLS, KY | 03310030 | | 1970-79 | | N | | N |
| NOLIN R AT EAGLE MILLS, KY | 03310100 | | 1970-72 | | N | | N |
| MIDDLE CR AT NEELY BRANCH, KY | 03310117 | | 1971 | | N | | N |
| MIDDLE CR NR TONIEVILLE, KY | 03310120 | | 1970-72 | | N | | N |
| MIDDLE CR AT EAGLE MILLS, KY | 03310130 | | 1971-72 | | N | | N |
| NOLIN R NR GLENDALE, KY | 03310160 | 185.00 | 1971-75 | | N | | N |
| VALLEY CR AT ELIZABETHTOWN, KY | 03310210 | | 1970-73 | | N | | N |
| VALLEY CR AT GAITHERS, KY | 03310225 | | 1971-73 | | N | | N |
| W RHUDES CR NR CECILIA, KY | 03310250 | | 1970-72 | | N | | N |
| VALLEY CR NR GLENDALE, KY | 03310270 | 90.10 | 1960-75 | | N | | N |
| NOLIN R NR STAR MILLS, KY | 03310273 | | 1971-72 | | N | | N |
| NOLIN R AT WAX, KY | 03310500 | 600.00 | 1949-61 | | N | N | N |
| ROCK CR NR CLARKSON, KY | 03310550 | | 1980-82 | | N | N | N |
| DOG CR NR MAMMOTH CAVE, KY | 03310600 | 8.12 | 1961-74 | | N | | N |
| BYLEW CR NR MAMMOTH CAVE, KY | 03311100 | 5.16 | 1965-74 | | N | | N |
| GREEN R AT LOCK 6 AT BROWNSVILLE, KY | 03311500 | 2762.00 | 1978-82 | | N | | N |
| BEAVERDAM CR AT RHODA, KY | 03311600 | 10.90 | 1965-79 | | N | | N |
| BEAR CR NR BEE SPRING, KY | 03312040 | | 1980-82 | | N | N | N |
| SUNFISH CR NR BEE SPRING, KY | 03312070 | | 1980-82 | | N | N | N |
| BEAR CR NR ROUNDHILL, KY | 03312100 | 137.00 | 1960-72 | | N | | N |
| BIG REEDY CR NR ROUNDHILL, KY | 03312120 | | 1980-82 | | N | N | N |
| LITTLE REEDY CR NR ROUNDHILL, KY | 03312130 | | 1980-82 | | N | N | N |
| BARREN R AT ACKERSVILLE, KY | 03312400 | 298.00 | 1970-72 | | N | | N |
| SKAGGS CR NR GLASGOW, KY | 03312680 | 141.00 | 1970-72 | | N | | N |
| BAYS FK AT CLAYPOOL, KY | 03313570 | 80.90 | 1960-68 | | N | | N |
| UNNAMED NON-CONTRIB STREAM AT GREENHILL, KY | 03313590 | | 1968 | | N | | N |
| TRAMMEL CR NR SCOTTSVILLE, KY | 03313900 | 93.40 | 1970-72 | | N | | N |
| DRAKES CR NR ALVATON, KY | 03314000 | 478.00 | 1968-72 | | N | N | N |
| UNNAMED NON-CONTRIB STREAM AT THREE SPRINGS, KY | 03314595 | | 1968 | | N | | N |
| JENNINGS CR NR LOST RIVER, KY | 03314610 | | 1968 | | N | | N |
| JENNINGS CR AT US 231 AT BOWLING GREEN, KY | 03314650 | | 1968 | | N | | N |
| JENNINGS CR BELOW LOST R OUTLET AT BOWLING GREEN, KY | 03314680 | | 1968 | | N | | N |
| JENNINGS CR AT BARREN R RD NR BOWLING GREEN, KY | 03314700 | | 1968 | | N | | N |
| GASPER R AT HADLEY, KY | 03315300 | 190.00 | 1960-72 | | N | | N |
| WELCH CR NR ABERDEEN, KY | 03315510 | | 1980-82 | | N | N | N |
| INDIAN CAMP CR NR MORGANTOWN, KY | 03315590 | | 1980-82 | | N | N | N |
| E PRONG INDIAN CAMP CR NR MORGANTOWN, KY | 03315600 | | 1980-82 | | N | N | N |
| MUDDY CR AT DUNBAR, KY | 03315810 | 94.30 | 1960-82 | | N | N | N |
| PANTHER CR NR ROCHESTER, KY | 03315830 | | 1980-82 | | N | N | N |
| MUD R NR LEWISBURG, KY | 03316000 | 90.50 | 1960-72 | | N | | N |
| WOLFLICK CR NR LEWISBURG, KY | 03316200 | 116.00 | 1970-72 | | N | | N |
| ROCKY CR NR PENROD, KY | 03316300 | | 1980-82 | | N | N | N |
| GREEN R AT PARADISE, KY | 03316500 | 6183.00 | 1978-82 | | N | | N |
| POND CR NR MARTWICK, KY | 03316640 | 125.00 | 1972-82 | | N | N | N |
| LEWIS CR AT ROCKPORT, KY | 03316660 | | 1980-82 | | N | N | N |
| MEETING CR NR BIG CLIFTY, KY | 03316885 | | 1980-82 | | N | N | N |
| N FK ROUGH R NR WESTVIEW, KY | 03317500 | 42.00 | 1970-72 | | N | | N |
| ROUGH R AT ROUGH R DAM NR FALLS OF ROUGH, KY | 03318010 | 454.00 | 1962-83 | | N | | N |
| ROCK LICK CR NR FALLS OF ROUGH, KY | 03318300 | | 1980-82 | | N | N | N |
| SHORT CR NR FALLS OF ROUGH, KY | 03318600 | | 1980-82 | | N | N | N |
| S FK CANEY CR AT CANEYVILLE, KY | 03318700 | | 1980-82 | | N | N | N |
| ADAMS FK NR FORDSVILLE, KY | 03319510 | | 1980-82 | | N | N | N |
| W FK ADAMS FK NR FORDSVILLE, KY | 03319530 | | 1980-82 | | N | N | N |
| HALLS CR NR DUNDEE, KY | 03319570 | | 1980-82 | | N | N | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|---|-------------------|--|------------------------|----------------------------|----------------------------|----------------------------|------------------------------------|
| | | | | AC- TIVE STA- TUS | AC- TIVE STA- TUS | AC- TIVE STA- TUS | ICAL AC- TIVE STA- TUS |
| ROUGH R AT HARTFORD, KY | 03319600 | | 1966-72 | | N | | N |
| MUDDY CR NR BEAVER DAM, KY | 03319615 | | 1980-82 | | N | N | N |
| THREELICK CR NR BEAVER DAM, KY | 03319620 | | 1980-82 | | N | N | N |
| BARNETT CR NR HARTFORD, KY | 03319700 | | 1980-82 | | N | N | N |
| N FK BARNETT CR NR HARTFORD, KY | 03319750 | | 1980-82 | | N | N | N |
| GREEN R AT LIVERMORE, KY | 03319885 | 7512.00 | 1948-75 | | N | | |
| BUCK CR NR LIVERMORE, KY | 03319925 | | 1980-82 | | N | N | N |
| LONG FALLS CR NR RUMSEY, KY | 03320075 | | 1980-82 | | N | N | N |
| LONG CR NR KIRKMANSVILLE, KY | 03320400 | | 1980-82 | | N | N | N |
| W FK POND R NR APEX, KY | 03320700 | | 1980-82 | | N | N | N |
| MCFARLAN CR NR WHITE PLAINS, KY | 03320740 | | 1980-82 | | N | N | N |
| DRAKES CR NR WHITE PLAINS, KY | 03321035 | 52.50 | 1979-82 | | N | N | N |
| FLAT CR NR MADISONVILLE, KY | 03321050 | | 1980-82 | | N | N | N |
| POND R NR SACRAMENTO, KY | 03321100 | 523.00 | 1959-73 | | N | | N |
| POND R NR VANDETTA, KY | 03321120 | | 1980-82 | | N | N | N |
| OTTER CR NR HANSON, KY | 03321150 | | 1980-82 | | N | N | N |
| CYPRESS CR NR MIDLAND, KY | 03321160 | | 1980-82 | | N | N | N |
| CYPRESS CR NR CENTRAL CITY, KY | 03321170 | | 1980-82 | | N | N | N |
| LITTLE CYPRESS CR AT CENTRAL CITY, KY | 03321180 | | 1980-82 | | N | N | N |
| CYPRESS CR NR RUMSEY, KY | 03321215 | 149.00 | 1973-75 | | N | | N |
| GREEN R NR BEECH GROVE, KY | 03321230 | 8545.00 | 1975-86 | N | N | N | N |
| DEER CR NR SEBREE, KY | 03321290 | 122.00 | 1974-75 | | N | | N |
| N FK PANTHER CR NR MASONVILLE, KY | 03321400 | | 1980-82 | | N | N | N |
| N FK PANTHER CR NR MASONVILLE, KY | 03321410 | 88.30 | 1970-71 | | N | | N |
| PANTHER CR NR CURDSVILLE, KY | 03321450 | 344.00 | 1973-80 | | N | | N |
| LICK CR NR BLUFF CITY, KY | 03321455 | | 1980-82 | | N | N | N |
| KNOBLICK CR NR CURDSVILLE, KY | 03321455 | | 1980-82 | | N | N | N |
| GREEN R AT LOCK AND DAM 1 AT SPOTTSVILLE, KY | 03321500 | 9181.00 | 1955-62 | | N | | N |
| CANOE CR NR HENDERSON, KY | 03322180 | 56.00 | 1979-82 | | N | N | N |
| CASEY CR NR WAVERLY, KY | 03322370 | | 1980-82 | | N | N | N |
| HIGHLAND CR NR UNIONTOWN, KY | 03322400 | 166.00 | 1970-72 | | N | | N |
| OHIO R NR UNIONTOWN DAM, KY | 03322420 | | 1975 | | N | | N |
| EAGLE CR NR MORGANFIELD, KY | 03382570 | | 1980-82 | | N | N | N |
| TRADEWATER R AT POOLS MILL BR NR DAWSON SPRINGS, KY | 03382600 | 60.40 | 1966-82 | | N | N | N |
| CASTLEBERRY CR NR DAWSON SPRINGS, KY | 03382650 | | 1980-82 | | N | N | N |
| TRADEWATER R AT COLLINS BRDG, NR DAWSON SPRINGS, KY | 03382680 | | 1965-67 | | N | | N |
| TRADEWATER R AT MURPHY FK NR DAWSON SPRINGS, KY | 03382685 | 94.10 | 1966-75 | | N | | N |
| BUFFALO CR AT ST HWY 1338 NR DAWSON SPRINGS, KY | 03382700 | | 1965-69 | | N | | |
| BUFFALO CR NR DAWSON SPRINGS, KY | 03382720 | 12.70 | 1965-67 | | N | | N |
| COPPERAS CR AT HWY BRIDGE NR ILSLEY, KY | 03382835 | | 1966-67 | | N | | N |
| CANY CR AT MOUTH NR DAWSON SPRINGS, KY | 03382855 | | 1965-67 | | N | | N |
| TRADEWATER R AT ST HWY 109 AT DAWSON SPRINGS, KY | 03382870 | 143.00 | 1966-67 | | N | | N |
| PINY CR BL LK BESHEAR D NR DAWSON SPRINGS, KY | 03382890 | | 1966-67 | | N | | N |
| TRADEWATER R AT OLNEY, KY | 03383000 | 255.00 | 1949-83 | N | N | N | N |
| TRADEWATER R NR DALTON, KY | 03383500 | 283.00 | 1965-66 | | N | | N |
| DONALDSON CR NR FRYER, KY | 03383650 | | 1980-82 | | N | N | N |
| DONALDSON CR AT BR ON HWY 293 NR DALTON, KY | 03383700 | | 1966 | | N | | N |
| TRADEWATER R AT ST HWY 293 NR DALTON, KY | 03383710 | | 1965-66 | | N | | N |
| CLEAR CR AT HWY 70 BR NR RICHLAND, KY | 03383755 | 17.00 | 1966-82 | | N | N | N |
| RICHLAND CR ABOVE TRIBUTARY NO 1 NR ILSLEY, KY | 03383770 | | 1966-67 | | N | | N |
| UNNAMED TRIB NO 1 TO RICHLAND CR NR ILSLEY, KY | 03383775 | | 1966-67 | | N | | N |
| UNNAMED TRIB NO 2 TO RICHLAND CR NR ILSLEY, KY | 03383780 | | 1966-67 | | N | | N |
| RICHLAND CR AT RICHLAND, KY | 03383800 | | 1966 | | N | | |
| UNNAMED TRIB TO CLEAR CR NR BEULAH, KY | 03383901 | | 1966 | | N | | N |
| LICK CR NR RABBIT RIDGE, KY | 03384035 | | 1980-82 | | N | N | N |
| CLEAR CR AT BRIDGE ON ST HWY 293 NR PROVIDENCE, KY | 03384050 | 197.00 | 1966-67 | | N | | N |
| TRADEWATER R AT DAM NR PROVIDENCE, KY | 03384060 | | 1965-66 | | N | | N |
| TRADEWATER R AT BRIDGE BELOW DAM NR PROVIDENCE, KY | 03384072 | | 1966-67 | | N | | N |
| TRADEWATER R NR PROVIDENCE, KY | 03384100 | 605.00 | 1965-72 | | N | | N |
| TRADEWATER R NR BLACKFORD, KY | 03384103 | | 1980 | | N | N | N |
| PINEY CR NR SHADY GROVE, KY | 03384106 | | 1980-82 | | N | N | N |
| UNNAMED TRIB TO SLOVER CR NR PROVIDENCE, KY | 03384133 | | 1968 | | | | N |
| SLOVER CR NR CLAY, KY | 03384136 | | 1969 | | N | | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|--|----------------|----------------------------------|------------------|-----------------|-----------------|-----------------|----------------------|
| | | | | AC-TIVE STA-TUS | AC-TIVE STA-TUS | AC-TIVE STA-TUS | ICAL AC-TIVE STA-TUS |
| UNNAMED TRIB TO SLOVER CR NR CLAY, KY | 03384138 | | 1969 | | N | | N |
| UNNAMED TRIB TO SLOVER CR NR CLAY, KY | 03384140 | | 1969-79 | | N | | N |
| FREDRICKS DITCH NR CLAY, KY | 03384145 | | 1969 | | N | | N |
| CRABORCHARD CR NR CLAY, KY | 03384150 | | 1965-82 | | N | N | N |
| CRABORCHARD CR NR CLAY, KY | 03384151 | | 1969 | | N | | N |
| CRABORCHARD CR AT CLAY, KY | 03384152 | | 1966 | | N | | N |
| CRABORCHARD CR AT CLAY, KY | 03384154 | 86.60 | 1969-72 | | N | N | N |
| CANEY FK NR CLAY, KY | 03384158 | | 1980-82 | | N | N | N |
| TRADEWATER R NR SULLIVAN, KY | 03384180 | 861.19 | 1975-77 | | N | N | N |
| SMITH DITCH NR STURGIS, KY | 03384200 | | 1980-82 | | N | N | N |
| LOONEY CR NR CLUTTS, KY | 03400480 | | 1980-82 | | N | N | N |
| CLOVER FK NR SHIELDS, KY | 03400650 | | 1980-82 | | N | N | N |
| CLOVER FK AT EVARTS, KY | 03400700 | 82.40 | 1960-72 | | N | | N |
| MARTINS FK ABOVE SMITH, KY | 03400785 | 23.80 | 1986-88 | | | N | |
| CRANE CR NR SMITH, KY | 03400796 | 1.63 | 1978-80 | | N | | |
| BROWNICR CR NR OAKS, KY | 03401290 | | 1980-82 | | N | N | N |
| CLEAR CR NR PINEVILLE, KY | 03402400 | | 1980-82 | | N | N | N |
| LITTLE CLEAR CR NR PINEVILLE, KY | 03402450 | | 1980-82 | | N | N | N |
| STRAIGHT CR NR KETTLE ISLAND, KY | 03402800 | | 1980-82 | | N | N | N |
| LEFT FK STRAIGHT CR NR CARY, KY | 03402830 | | 1980-82 | | N | N | N |
| MIDDLE FK STINKING CR NR WALKER, KY | 03403100 | | 1980-82 | | N | N | N |
| ROAD FK CR NR BARNYARD, KY | 03403150 | | 1980-82 | | N | N | N |
| LITTLE INDIAN CR NR PERMON, KY | 03403550 | | 1980-82 | | N | N | N |
| FOURMILE BRANCH NR BRYANTS STORE, KY | 03403590 | | 1980-82 | | N | N | N |
| WATTS CR NR WOFFORD, KY | 03404100 | | 1980-82 | | N | N | N |
| JELLICO CR NR WILLIAMSBURG, KY | 03404200 | 103.00 | 1979-82 | | N | N | N |
| MARSH CR NR DUCKRUN, KY | 03404350 | | 1980-82 | | N | N | N |
| TRIBUTARY TO LAUREL R NR LESBAS, KY | 03404650 | | 1980-82 | | N | N | N |
| TRIBUTARY TO LAUREL R NR PINE GROVE, KY | 03404800 | | 1980-82 | | N | N | N |
| LAUREL R AT MUNICIPAL DAM NR CORBIN, KY | 03404820 | 140.00 | 1977-83 | | N | | |
| LYNN CAMP CR AT CORBIN, KY | 03404900 | 53.80 | 1973-83 | | N | | |
| LAUREL R AT CORBIN, KY | 03405000 | 201.00 | 1949-73 | | N | | N |
| CRAIG CR NR HIGHTOP, KY | 03405550 | | 1980-82 | | N | N | N |
| S FK TO ROCKCASTLE R NR CRAWFORD, KY | 03405600 | | 1980-82 | | N | N | N |
| S FK ROCKCASTLE R NR PEOPLES, KY | 03405700 | 95.10 | 1961-72 | | N | | N |
| POND CR NR PEOPLES, KY | 03405730 | | 1980-82 | | N | N | N |
| LAUREL FK NR MCKEE, KY | 03405780 | | 1980-82 | | N | N | N |
| INDIAN CR NR HURLEY, KY | 03405800 | | 1980-82 | | N | N | N |
| ROUNDSTONE CR AT LIVINGSTON, KY | 03405900 | 144.00 | 1960-72 | | N | | N |
| WOOD CR NR LONDON, KY | 03406000 | 3.89 | 1976-80 | N | N | | |
| CANE BRANCH NR PARKERS LAKE, KY | 03407100 | .67 | 1955-74 | | N | N | N |
| W FK CANE BR NR PARKERS LAKE, KY | 03407200 | .26 | 1957-73 | | N | N | N |
| HELTON BRANCH AT GREENWOOD, KY | 03407300 | .85 | 1955-73 | | N | N | N |
| BUCK CR AT DYKES, KY | 03407640 | 253.00 | 1973-75 | | N | | N |
| S FK CUMBERLAND R NR STEARNS, KY | 03410500 | 954.00 | 1960-72 | | | | |
| | | | 1979-95 | N | N | N | N |
| ROARING PAUNCH CR NR BARTHELL, KY | 03410530 | | 1980-82 | | N | N | N |
| ROCK CR AT WHITE OAK JUNCTION, KY | 03410560 | | 1980-82 | | N | N | N |
| S FK CUMBERLAND R NR YAMACRAW, KY | 03410600 | 1083.00 | 1948-76 | | N | | |
| WOLF CR AT WOLF CREEK, KY | 03410700 | | 1980-82 | | N | N | N |
| LITTLE S FK CUMBERLAND R NR OIL VALLEY, KY | 03410900 | 98.20 | 1970-72 | | N | | N |
| S FK CUMBERLAND R AT NEVELSVILLE, KY | 03411000 | 1271.00 | 1960-75 | | N | | |
| SINKING CR NR GREGORY, KY | 03411100 | | 1980-82 | | N | N | N |
| PUCKETT CR NR PATHFORK, KY | 03411250 | | 1980-82 | | N | N | N |
| PITMAN CR AT SOMERSET, KY | 03412500 | 31.30 | 1970-72 | | N | | N |
| FISHING CR NR HOGUE, KY | 03412700 | 59.80 | 1970-72 | | N | | N |
| CUMBERLAND R NR ROWENA, KY | 03414000 | 5790.00 | 1965-79 | | N | | N |
| CROCUS CR NR BAKERTON, KY | 03414080 | 108.00 | 1973-75 | | N | | N |
| CUMBERLAND R NR BURKESVILLE, KY | 03414110 | 6050.00 | 1948-79 | | N | | N |
| RED R NR ADAIRVILLE, KY | 03435100 | 229.00 | 1970-72 | | N | | N |
| WHIPPOORWILL CR NR CLAYMOUR, KY | 03435140 | 20.80 | 1978-82 | | N | | |
| WHIPPOORWILL CR AT DOT, KY | 03435265 | 115.00 | 1973-75 | | N | | N |
| ELK FK NR HADENSVILLE, KY | 03435380 | 88.50 | 1973-75 | | N | | N |

DISCONTINUED SURFACE-WATER-QUALITY STATIONS

| STATION NAME AND NUMBER | STATION NUMBER | DRAINAGE AREA (MI ²) | PERIOD OF RECORD | BIO. | PHY. | SED. | CHEM- |
|--|-------------------|--|------------------------|----------------------------|----------------------------|----------------------------|------------------------------------|
| | | | | AC- TIVE STA- TUS | AC- TIVE STA- TUS | AC- TIVE STA- TUS | ICAL AC- TIVE STA- TUS |
| W FK RED R NR SAINT ELMO, KY | 03436190 | 162.00 | 1973-75 | | N | | N |
| S FK LITTLE R AT HOPKINSVILLE, KY | 03437500 | 46.50 | 1949-75 | | N | | |
| LITTLE R NR CADIZ, KY | 03438000 | 244.00 | 1958-73 | | N | N | N |
| MUDDY FK LITTLE R NR CERULEAN, KY | 03438070 | 30.50 | 1978-82 | | N | | |
| EDDY CR NR LAMASCO, KY | 03438170 | 71.70 | 1970-74 | | N | | N |
| BARKLEY-KENTUCKY CANAL NR GRAND RIVERS, KY | 03438190 | | 1978-82 | | N | | |
| CUMBERLAND R NR GRAND RIVERS, KY | 03438220 | 17598.00 | 1969-86 | N | N | N | N |
| LIVINGSTON CR NR DYCUSBURG, KY | 03438470 | 112.00 | 1970-72 | | N | | N |
| TENNESSEE R NR PADUCAH, KY | 03609500 | 40200.00 | 1951-73 | | N | | N |
| TENNESSEE R AT HWY 60 NR PADUCAH, KY | 03609750 | 40330.00 | 1950 | | N | | |
| | | | 1952 | | N | | |
| | | | 1967-72 | | N | | |
| | | | 1974-86 | N | N | N | N |
| CLARKS R AT MURRAY, KY | 03610000 | 89.10 | 1970-72 | | N | | N |
| CLARKS R AT ALMO, KY | 03610200 | 134.00 | 1982-83 | N | N | N | N |
| CLARKS R NR BENTON, KY | 03610500 | 227.00 | 1948-61 | | N | | N |
| W FK CLARKS R NR BREWERS, KY | 03610545 | 68.70 | 1970-81 | | N | N | N |
| W FK CLARKS R AT KALER, KY | 03610585 | 150.00 | 1973-75 | | N | | N |
| HUMPHREY CR AT LACENTER, KY | 03613000 | 44.20 | 1970-72 | | N | | N |
| MAYFIELD CR AT LOVELACEVILLE, KY | 07023000 | 212.00 | 1960-72 | | N | | N |
| BAYOU DE CHIEN NR CLINTON, KY | 07024000 | 68.70 | 1954-83 | N | N | N | N |
| OBION CR NR ARLINGTON, KY | 07023700 | 203.00 | 1970-72 | | N | | N |
| MISSISSIPPI R AT HICKMAN, KY | 07024070 | 922500.00 | 1969-70 | N | N | | N |

N Eliminated activity

DISCONTINUED GROUND-WATER STATIONS

| Station Number | County | Station Name | Period of Record |
|------------------|-----------|--------------------------|---------------------|
| 363634088191601 | Calloway | Joe Parks | 1948-83, 1988-97 |
| 365142087270401 | Christian | Western State Hospital | 1950-83, 1988-97 |
| 374638087054101 | Daviess | OMU | 1951-83, 1990-97 |
| 380425083091901 | Elliott | Roy Adkins | 1952-84, 1998-97 |
| 375928084362001 | Fayette | M.A. Kehrt | 1952-84, 1988-97 |
| 382031084553901 | Franklin | Harp Road | 1973-83, 1988-97 |
| 373925085540301 | Hardin | OW-6 | 1989-95 |
| 374020085530601 | Hardin | OW-5 | 1989-90, 1994,95 |
| 374035085525401 | Hardin | OW-1-82 | 1982-98 |
| 374046085523501 | Hardin | OW-1-81 | 1982-98 1994,95 |
| 375958085575401 | Hardin | Hart #1 | 1980-92 |
| 374441087421001 | Henderson | Town of Corydon | 1952-83, 1988-97 |
| 380122085545001 | Jefferson | 80-1 | 1980-97 |
| 380252085530601 | Jefferson | 79-3 | 1979-97 |
| 380308085533501 | Jefferson | 79-4 | 1979-92 |
| 380341085534501 | Jefferson | 83-1 | 1983-97 |
| 380423085541501 | Jefferson | Genewein | 1976-97 |
| 380434085525101 | Jefferson | E-1-d | 1980-92 |
| 380458085523201 | Jefferson | 86-4 | 1986-97 |
| 380517085535201 | Jefferson | 77-1 | 1977-97 |
| 380532085515301 | Jefferson | 76-1 | 1976-97 |
| 380616085532801 | Jefferson | Lou. Ext. Water District | 1962-92 |
| 380619085512301 | Jefferson | 86-3 | 1986-97 |
| 380637085521301 | Jefferson | D-1-d | 1980-92 |
| 380709085531101 | Jefferson | C-5-m | 1980-97 |
| 380716085521801 | Jefferson | RR-47 | 1945-97 |
| 380718085515802 | Jefferson | C-3-s | 1984-92 |
| 380718085524202 | Jefferson | C-4-m | 1983-92 |
| 380816085520701 | Jefferson | Dohn | 1943-97 |
| 380827085503001 | Jefferson | 86-5 | 1986-97 |
| 380843085530701 | Jefferson | B-3-d | 1980-97 |
| 380843085522801 | Jefferson | B-2-d | 1980-92 |
| 380846085520101 | Jefferson | B-1-d | 1980-92 |
| 380850085534701 | Jefferson | 78-2 | 1978-97 |
| 380852085515901 | Jefferson | Waller | 1943-92 |
| 380940085514001 | Jefferson | 81-1 | 1981-97 |
| 380955085531801 | Jefferson | 83-2 | 1983-97 |
| 381011085491601* | Jefferson | 86-1 | 1986-93 |
| 381034085502601 | Jefferson | RR-30 | 1945-97 |
| 381050085511001 | Jefferson | RR-29 | 1945-97 |
| 381102085485601 | Jefferson | 86-2 | 1986-97 |
| 381102085512102 | Jefferson | Kaufman | 1944-92 |
| 381108085511301 | Jefferson | Baugh | 1945-92 |
| 381123085491401 | Jefferson | RR-32 | 1945-87 |
| 381130085515001 | Jefferson | Thienemen | 1944-97 |
| 381139085502301 | Jefferson | 81-2 | 1991-97 |

DISCONTINUED GROUND-WATER STATIONS

| Station Number | County | Station Name | Period of Record |
|------------------|-----------|--------------------------|------------------|
| 381142085475702 | Jefferson | RR-42 | 1945-97 |
| 381143085465801 | Jefferson | RR-25 | 1945-97 |
| 381155085483401 | Jefferson | Mathis | 1944-92 |
| 381157085510201 | Jefferson | RR-39 | 1945-92 |
| 381204085455301 | Jefferson | CP-16 | 1979-97 |
| 381207085484601 | Jefferson | RR-41 | 1945-97 |
| 381209085472101 | Jefferson | C-7 | 1935-97 |
| 381212085473801 | Jefferson | C-6 | 1935-92 |
| 381213085521701 | Jefferson | RR-22 | 1945-97 |
| 381221085475001 | Jefferson | C-5 | 1935-92 |
| 381222085505201 | Jefferson | RR-27 | 1945-97 |
| 381224085474001 | Jefferson | Early Times | 1947-92 |
| 381229085510201 | Jefferson | Triangle Refinery | 1978-92 |
| 381246085470601 | Jefferson | Seagrams TW #2 | 1943-97 |
| 381246085463201 | Jefferson | CP-18A | 1984-97 |
| 381250085484901 | Jefferson | C-2 | 1935-92 |
| 381251085500501 | Jefferson | RR-35 | 1945-97 |
| 381256085471501 | Jefferson | National Distillery TW-2 | 1941-92 |
| 381257085471801 | Jefferson | TW-4 | 1942-97 |
| 381259085471502 | Jefferson | National Distillery TW-1 | 1941-92 |
| 381259085511002 | Jefferson | RR-21 | 1945-97 |
| 381305085501302 | Jefferson | Reynolds Metals | 1980-92 |
| 381309085505302 | Jefferson | RR-24 | 1945-92 |
| 381313085495501 | Jefferson | B.F. Goodrich TW-2 | 1947-92 |
| 381315085501401 | Jefferson | Airco TW-11 | 1956-92 |
| 381315085502602 | Jefferson | NC-TW-D | 1956-97 |
| 381316085502101 | Jefferson | Airco TW-12 | 1956-92 |
| 381320085464101 | Jefferson | CP-15 | 1978-97 |
| 381324085460401* | Jefferson | American Standard | 1978-93 |
| 381331085491601 | Jefferson | RR-26 | 1945-97 |
| 381338085481601 | Jefferson | CP-8 | 1977-92 |
| 381346085453801 | Jefferson | St. Patricks' s well | 1981-97 |
| 381346085454201 | Jefferson | CP-1 | 1977-97 |
| 381355085465901 | Jefferson | Louisville Cooperage | 1948-92 |
| 381400085445001 | Jefferson | CP-6 | 1977-97 |
| 381406085463001 | Jefferson | United Catalyst | 1978-92 |
| 381417085500301 | Jefferson | RR-23 | 1945-97 |
| 381424085454602 | Jefferson | CP12A | 1980-92 |
| 381428085485701 | Jefferson | 78-6 | 1978-97 |
| 381430085452602 | Jefferson | Conna | 1943-92 |
| 381430085472501 | Jefferson | CP-17 | 1982-97 |
| 381442085444801 | Jefferson | Metro United Way | 1991-2002 |
| 381445085460201 | Jefferson | QW Well 9th & Broadway | 1996-2002 |
| 381447085454001 | Jefferson | Courier Journal | 1953-2002 |
| 381500085445501 | Jefferson | 89-2 | 1989-92 |
| 381500085454701 | Jefferson | 78-5 | 1978-92 |
| 381501085445601 | Jefferson | U of L Medical School | 1996-2002 |
| 381501085464601 | Jefferson | CP-10 | 1977-97 |
| 381503085452601 | Jefferson | Stewarts | 1981-92 |
| 381503085453301 | Jefferson | Kentucky Towers | 1948-2002 |
| 381505085475701 | Jefferson | CP-5 | 1977-92 |
| 381508085455701 | Jefferson | CP-4 | 1977-97 |
| 381514085453502 | Jefferson | CP11A | 1984-92 |
| 381517085455501 | Jefferson | Roy Wilkins Blvd. | 1986-2002 |
| 381518085451801 | Jefferson | 87-1 | 1986-96 |

DISCONTINUED GROUND-WATER STATIONS

| Station Number | County | Station Name | Period of Record |
|------------------|-----------|----------------|----------------------|
| 381518085454401 | Jefferson | 86-10 | 1986-97 |
| 381524085452301 | Jefferson | 86-8 | 1986-92 |
| 381527085453001 | Jefferson | Belevedre Well | 1986-2002 |
| 381528085454201 | Jefferson | 86-9 | 1986-92 |
| 381536085492801 | Jefferson | CP-2 | 1977-92 |
| 381538085434401* | Jefferson | 78-7 | 1978-92 |
| 381539085465201 | Jefferson | CP-9 | 1977-97 |
| 361343085480101 | Jefferson | CP-14 | 1978-97 |
| 381553085431602 | Jefferson | M-2 | 1978-97 |
| 381604085430501 | Jefferson | WC-1 | 1946-97 |
| 381607085483601 | Jefferson | CP-3 | 1977-97 |
| 381613085421901 | Jefferson | WC-14 | 1946-92 |
| 381628085473101 | Jefferson | CP-13 | 1978-92 |
| 381722085405801 | Jefferson | WC-11 | 1946-92 |
| 374151085413201 | Larue | Wagner | 1971-83, 1988-97 |
| 370757084045001 | Laurel | Hale | 1951-62, 1965-84, |
| 371033082374301* | Letcher | C&ORR | 1962-92 1988-97 |
| 372739084402101 | Lincoln | Peck | 1953-84 1988-97 |
| 365046086444901 | Logan | Appling | 1988-97 |
| 370551088510401 | Mccracken | Heath | 1969-83, 1988-97 |
| 370211085354301 | Metcalfe | Froedge | 1979-83, 1988-97 |
| 370342086080101 | Warren | Estes | 1961-83, 1988-97 |

* destroyed

[THIS PAGE INTENTIONALLY BLANK.]

INDEX

| | Page | | Page |
|---|---------|---|---------|
| Access to USGS Data | 22 | Chenoweth Run, | |
| Alexandria | | at Gelhaus Lane near Fern Creek..... | 316,317 |
| Four Mile Creek at Poplar Ridge Road near..... | 88-103 | at Ruckriegal Pkwy near Jeffersontown..... | 314,315 |
| Twelvemile Creek at Hwy 1997 near..... | 76-87 | Clarks River at Almo | 508,509 |
| Almo, Clarks River at | 508,509 | Clay City, Red River at | 222,223 |
| Apex, Pond River near | 384,385 | Clear Fork at Saxton | 448,449 |
| Banklick Creek at Hwy 1829 near Erlanger | 136-147 | Clermont, Long Lick at..... | 324,325 |
| Barbourville, Cumberland River at..... | 446,447 | Clinton, Bayou de Chien near..... | 530,531 |
| Bardstown, Beech Fork at..... | 328,329 | College Hill, Kentucky River at Lock 11 near..... | 218,219 |
| Barren River at Bowling Green..... | 376,377 | Columbia, Russell Creek near | 360-363 |
| Bayou Creek Basin, | | Cooperation..... | 1,2 |
| gaging-station records in | 514-519 | Corbin, Lynn Camp Creek at | 454,455 |
| Bayou Creek, | | Cressmont, Sturgeon Creek at | 216,217 |
| near Grahamville | 516,517 | Cruises Creek at Hwy 17 near Piner..... | 124-135 |
| near Heath..... | 514,515 | Cumberland Falls, Cumberland River at..... | 452,453 |
| Bayou de Chien Basin, | | Cumberland River, | |
| gaging-station records in | 530,531 | at Barbourville | 446,447 |
| Bayou de Chien near Clinton..... | 530,531 | at Cumberland Falls | 452,453 |
| Beargrass Creek Basin, | | at Pine Street Bridge at Pineville..... | 444,445 |
| crest-stage partial-record stations in..... | 533 | at Smithland..... | 500-503 |
| gaging-station records in | 286-293 | at Williamsburg | 450,451 |
| Beargrass Creek, | | miscellaneous discharge measurements | 539-544 |
| Middle Fork, at Louisville..... | 290,291 | near Grand Rivers..... | 492-499 |
| South Fork, at Louisville | 286,287 | near Harlan | 440,441 |
| South Fork, at Winter Avenue at Louisville..... | 288,289 | South Fork, at Yamacraw | 468-476 |
| Beaver Creek near Monticello | 478,479 | South Fork, near Stearns | 458-466 |
| Beaverlick, Mud Lick Creek at Hwy 42 near | 188-199 | Cumberland River Basin, | |
| Beech Fork at Bardstown..... | 328,329 | crest-stage partial-record stations in..... | 536 |
| Beech Fork at Maud..... | 326,327 | gaging-station records in | 402-503 |
| Big Sandy River Basin, | | Cutshin Creek at Wooton | 206,207 |
| gaging-station records in | 52-59 | Danville, Dix River near | 236,237 |
| Billows, Rockcastle River at | 456,457 | Definition of terms | 23-41 |
| Blue Lick Springs, Licking River near | 114,115 | Discontinued records, gaging station..... | 622-641 |
| Bowling Green, Barren River at..... | 376,377 | ground water | 639-641 |
| Booneville, South Fork Kentucky River at | 212,213 | surface-water | 622-629 |
| Boston, Rolling Fork near..... | 330,331 | water-quality..... | 630-638 |
| Brashears Creek at Taylorsville | 304,305 | Dix River near Danville | 236,237 |
| Brier Creek at Pendleton Road near Louisville | 342,343 | Donerail, Cane Run at Berea Road near, | 262,263 |
| Brownsville, Green River at Lock 6 at..... | 372,373 | Downstream order and station number | 5 |
| Bullskin Creek near Simpsonville..... | 302,303 | Dundee, Rough River near..... | 380,381 |
| Burlington, Woolper Creek at Woolper Road near..... | 160-175 | Eagle Creek at Glencoe..... | 276,277 |
| Cadentown, | | East Hickman, West Hickman Creek at Ash Grove | |
| East Hickman Creek at Andover Village near | 228,229 | Pike near..... | 234,235 |
| North Elkhorn Creek at Bryant Road near | 252,253 | East Hickman Creek, | |
| Cadiz, Little River near..... | 480,491 | at Andover Village near Cadentown | 228,229 |
| Calhoun, Green River at Lock 2 at | 382,383 | at Delong Road near East Hickman | 232,233 |
| Campbellsville, Green River near | 356,357 | East Hickman Creek Tributary at Chilesburg Road near | |
| Cane Run at Berea Road near Donerail | 262,263 | Lexington | 230,231 |
| Cannelton Dam, Ohio River at..... | 346-355 | Elijahs Creek Basin, | |
| Carlisle, Hinkston Creek near | 120,121 | gaging-station records in | 148-159 |
| Catawba, Licking River at | 122,123 | Elijahs Creek at Elijahs Creek Road near Hebron | 148-159 |
| Cedar Creek at Highway 1442 near Shepherdsville | 306-309 | Elkhorn Creek near Frankfort | 272,273 |
| | | Erlanger, Banklick Creek at Hwy 1829 near | 136-147 |

INDEX

| | Page | Page |
|--|---------|------|
| Explanation, | | |
| of ground-water level records | 19-22 | |
| Data Collection and Computation..... | 19,20 | |
| Data Presentation | 20,21 | |
| Hydrographs..... | 21 | |
| Site Identification Numbers | 19 | |
| Water-level Tables..... | 21 | |
| of precipitation quality records..... | 13,14 | |
| On-site Measurements and Sample Collection..... | 13 | |
| Data Presentation | 13,14 | |
| of stage and water discharge records..... | 7-12 | |
| Accuracy of the Records..... | 12 | |
| Data Collection and Computation..... | 7,8 | |
| Data Presentation | 8 | |
| Data Table of Daily Mean Values | 10 | |
| Identifying Estimated Daily Discharge..... | 12 | |
| Other Records Available..... | 12 | |
| Peak Discharge Greater than Base Discharge..... | 10 | |
| Station Manuscript..... | 9,10 | |
| Statistics of Monthly Mean Data | 10 | |
| Summary Statistics | 10-12 | |
| of surface water-quality records..... | 14-19 | |
| Accuracy of the Records | 15 | |
| Arrangements of Records | 15 | |
| Blank Samples | 18,19 | |
| Classification of Records..... | 14,15 | |
| Data Presentation | 16,17 | |
| Laboratory Measurements | 16 | |
| On-site Measurements and Sample Collection..... | 15 | |
| Reference Samples..... | 19 | |
| Remarks Codes | 17 | |
| Replicate Samples..... | 19 | |
| Sediment | 16 | |
| Spike Samples..... | 19 | |
| Water Analysis..... | 14 | |
| Water Quality Control Data..... | 18 | |
| Water Temperature | 15 | |
| Explanation of the records | 7-22 | |
| Farmers, Licking River at | 106,107 | |
| Fern Creek, | | |
| at Old Bardstown Road at Louisville | 334,335 | |
| Chenoweth Run at Gelhaus Lane near | 316,317 | |
| Fisherville, | | |
| Floyds Fork at..... | 312,313 | |
| Floyds Fork, | | |
| at Bardstown Road near Mount Washington | 318,319 | |
| at Fisherville..... | 312,313 | |
| near Pewee Valley..... | 310,311 | |
| Fort Knox, Mill Creek near..... | 332,333 | |
| Fort Spring, South Elkhorn Creek at..... | 264,265 | |
| Frankfort, | | |
| Elkhorn Creek near..... | 272,273 | |
| Kentucky River at Lock 4 at..... | 242-251 | |
| Four Mile Creek at Poplar Ridge Road near Alexandria..... | 88-103 | |
| Four Mile Creek Basin, | | |
| gaging-stations records in..... | 88-103 | |
| Franklin, West Fork Drakes Creek near..... | 374,375 | |
| Gaging-station records, | | |
| crest-stage partial-records stations | 532-544 | |
| discontinued | 622-641 | |
| surface-water stations | 52-531 | |
| Georgetown, | | |
| North Elkhorn Creek at | 258,259 | |
| Royal Springs at | 260,261 | |
| Glencoe, Eagle Creek at..... | 276,277 | |
| Glenboro, Salt River at..... | 300,301 | |
| Glenview Acres, Goose Creek at Hwy 42 at | 282,283 | |
| Goose Creek at Hwy 42 at Glenview Acres | 282,283 | |
| Goose Creek Basin, (tributary to the Ohio River) | | |
| crest-stage partial-record stations in | 532,533 | |
| gaging-station records in | 280-285 | |
| Goose Creek (tributary to Ohio River) | | |
| at Old Westport Road near St. Matthews | 280,281 | |
| Goose Creek (tributary to South Fork | | |
| Kentucky River) at Manchester..... | 210,211 | |
| Goshen, Harrods Creek at Highway 329 near | 278,279 | |
| Grahamville, | | |
| Bayou Creek near | 516,517 | |
| Little Bayou Creek near | 518,519 | |
| Grand Chain, Ill., Ohio River at Lock and Dam 53 near..... | 520-528 | |
| Grand Rivers, Cumberland River near..... | 492-499 | |
| Grapevine Creek near Phyllis | 52,53 | |
| Graves County, ground-water levels | 592,593 | |
| Grayson, Little Sandy River at..... | 60,61 | |
| Green River, | | |
| at Lock 6 at Brownsville | 372,373 | |
| at Lock 2 at Calhoun | 382,383 | |
| at Greensburg | 358,359 | |
| at Munfordville..... | 364-367 | |
| at Paradise | 378,379 | |
| near Campbellsville..... | 356,357 | |
| Green River Basin, | | |
| gaging-station records in | 356-387 | |
| miscellaneous discharge measurements | 539 | |
| Greensburg, Green River at..... | 358,359 | |
| Greenup, | | |
| Ohio River at Greenup Dam near..... | 62-71 | |
| Tygarts Creek near | 72,73 | |
| Ground-water levels | | |
| by county | 592-618 | |
| explanation of..... | 19-22 | |
| Ground-water, Summary of Hydrologic Conditions..... | 5 | |
| Gunpowder Creek basin, | | |
| gaging stations records in..... | 176-187 | |
| Gunpowder Creek at Camp Ernst Road near Union..... | 176-187 | |
| Harlan, Cumberland River near | 440,441 | |

INDEX

| Page | Page | | |
|---|-----------|---|---------|
| Harrods Creek Basin, | 278,279 | at Mckinneysburg | 118,119 |
| gaging-station records in | 278,279 | below Mason Fork near Salyersville | 104,105 |
| miscellaneous discharge measurements | 537-539 | near Blue Lick Springs | 114,115 |
| Harrods Creek at Highway 329 near Goshen | 278,279 | North Fork, near Mount Olivet | 116,117 |
| Harrods Creek, Little Goose Creek near | 284,285 | Licking River Basin, | |
| Hazel Green, Red River near | 220,221 | gaging-station records in | 104-147 |
| Heath, Bayou Creek near | 514,515 | Little Bayou Creek near Grahamville | 518,519 |
| Hebron, Elijahs Creek at Elijahs Creek Road near | 148-159 | Little Goose Creek near Harrods Creek | 284,285 |
| Heidelberg, Kentucky River at Lock 14 at | 214,215 | Little River near Cadiz | 480,491 |
| High Bridge, Kentucky River at Lock 7 at | 238,239 | Little Sandy River, | |
| Hinkston Creek near Carlisle | 120,121 | at Grayson | 60,61 |
| Hydrologic Bench-Mark Network | 6 | Little Sandy River Basin, | |
| Hydrologic Conditions, Summary of | 2-5 | gaging-station records in | 60,61 |
| Introduction | 1 | Lockport, Kentucky River at Lock 2 at | 274,275 |
| Jackson, North Fork Kentucky River at | 204,205 | Long Lick at Clermont | 324,325 |
| Jefferson County, ground-water levels | 594-618 | Louisville, | |
| Jeffersontown, Chenoweth Run at Ruckriegal Pky near | 314,315 | Brier Creek at Pendleton Road at | 342,343 |
| Johns Creek near Meta | 56,57 | Fern Creek at Old Bardstown Road at | 334,335 |
| Kentucky River, | | Middle Fork Beargrass Creek at | 290,291 |
| at Lock 2 at Lockport | 274,275 | Mill Creek Cutoff near | 296,297 |
| at Lock 4 at Frankfort | 242-251 | Mill Creek at Orell Road near | 298,299 |
| at Lock 6 near Salvisa | 240,241 | Muddy Fork at Mockingbird Valley Road at | 292,293 |
| at Lock 7 at High Bridge | 238,239 | Ohio River at | 294,295 |
| at Lock 9 at Valley View | 226,227 | Pennsylvania Run at Mount Washington Road near | 320,321 |
| at Lock 10 near Winchester | 224,225 | Pond Creek at Pendleton Road near | 340,341 |
| at Lock 11 near College Hill | 218,219 | Pond Creek near | 338,339 |
| at Lock 14 at Heidelberg | 214,215 | South Fork Beargrass Creek at | 286,287 |
| Middle Fork, at Tallega | 208,209 | South Fork Beargrass Creek at Winter Avenue at | 288,289 |
| North Fork, at Jackson | 204,205 | Lynn Camp Creek at Corbin | 454,455 |
| North Fork , at Whitesburg | 202,203 | Madisonville, Pond River near | 386,387 |
| South Fork, at Booneville | 212,213 | Manchester, Goose Creek at | 210,211 |
| Kentucky River Basin, | | Maps: | |
| gaging-station records in | 202-277 | location of gaging stations in Kentucky | 45 |
| Kinniconick Creek Basin, | | location of gaging stations in Fayette County | 46 |
| Kinniconick Creek below Trace Creek at Tannery | 74,75 | location of gaging stations in Boone, Kenton, and | |
| gaging-station records in | 74,75 | Campbell Counties | 47 |
| Kyrock, Nolin River at | 370,371 | location of gaging stations in Jefferson County | 48 |
| Lakes: | | location of observation wells in downtown area in | |
| Martins Fork Lake at Martins Fork Dam near Smith | 402-429 | Louisville | 590 |
| Latitude-Longitude System | 5,6 | location of observation well in Graves County | 589 |
| Levels, ground-water | 5,592-618 | location of observation wells in Northeast Jefferson County | 591 |
| Levisa Fork, | | location of surface water-quality stations in Kentucky | 49 |
| at Paintsville | 58,59 | location of surface water-quality stations in Boone, | |
| at Pikeville | 54,55 | Kenton, and Campbell Counties | 50 |
| Lexington, | | Martins Fork, | |
| East Hickman Tributary at Chilesburg Road near | 230,231 | Lake at Martins Fork Dam near Smith | 402-429 |
| North Elkhorn Creek at Winchester Road near | 254,255 | near Smith | 430-438 |
| Wolf Run at Old Frankfort Pike at | 266,267 | Massac Creek Basin, | |
| Licking River, | | gaging-station records in | 510,511 |
| at Catawba | 122,123 | Massac Creek near Paducah | 510,511 |
| at Farmers | 106,107 | Maud, Beech Fork at | 326,327 |
| | | Mckinneysburg, Licking River at | 118,119 |
| | | Meta, Johns Creek near | 56,57 |
| | | Metropolis, Ill., Ohio River at | 512,513 |

INDEX

| Page | Page | | |
|--|---|--|---------------|
| Middlesboro, Yellow Creek near | 442,443 | Paducah, | |
| Midway, South Elkhorn Creek near | 270,271 | Massac Creek near | 510,511 |
| Mill Creek Basin, | | Tennessee River at Highway 60 near | 504-507 |
| crest-stage partial-record station in | 534 | Paintsville, Levisa Fork at | 58,59 |
| gaging-station records in | 296-299 | Paradise, Green River at | 378,379 |
| Mill Creek Cutoff near Louisville | 296,297 | Partial-record station, | |
| Mill Creek at Orell Road near Louisville | 298,299 | discharge at | 532-544 |
| Mill Creek near Fort Knox | 332,333 | Pewee Valley, Floyds Fork near | 310,311 |
| Miscellaneous discharge measurements | 537-544 | Pennsylvania Run at Mt Washington Road near Louisville | 320,321 |
| Miscellaneous water-quality samples | 546-588 | Phyllis, Grapevine Creek near | 52,53 |
| Monticello, Beaver Creek near | 478,479 | Pikeville, Levisa Fork at | 54,55 |
| Montrose, North Elkhorn Creek at Bryan Station Road at | 256,257 | Piner, Cruises Creek at Hwy 17 near | 124-135 |
| Mount Olivet, North Fork Licking River near | 116,117 | Pineville, Cumberland River at Pinestreet Bridge at | 444,445 |
| Mount Sterling, Slate Creek at Hwy 713 near | 108,109 | Pond Creek (tributary to Salt River), | |
| Mount Washington, Floyds Fork at Bardstown Road near | 318,319 | at Pendleton Road near Louisville | 340,341 |
| Mud Lick Creek Basin, | | near Louisville | 338,339 |
| gaging station records in | 188-199 | Pond River near Apex | 384,385 |
| Mud Lick Creek at Hwy 42 near Beaverlick | 188-199 | Pond River near Madisonville | 386,387 |
| Muddy Fork at Mockingbird Valley Road at Louisville | 292,293 | Precipitation quality, records of | 620,621 |
| Munfordville, Green River at | 364-367 | Techniques of water resources investigations | 42-44 |
| National Atmospheric Deposition Program | | Quality of Water, Summary of Hydrologic Conditions | 2-5 |
| National Trends Network | 6,7 | Records of | |
| National Streamflow Information Program (NSIP) | 7 | Ground-Water Levels | 5,6,592-618 |
| National Stream-Quality Accounting | | Precipitation Quality | 13,14,620,621 |
| Network, (NASQAN) | 6 | Stage and Water Discharge | 52-531 |
| National Water-Quality Assessment Network (NAWQA) | 7 | Surface-Water Quality | 14-19 |
| New Harmony, Ind., Wabash River at | 388-396 | Red River, | |
| Nolin River, | | at Clay City | 222,223 |
| at Kyrock | 370,371 | near Hazel Green | 220,221 |
| at White Mills | 368,369 | Rockcastle River at Billows | 456,457 |
| North Elkhorn Creek, | | Rock Haven, Otter Creek at Otter Creek Park near | 344,345 |
| at Bryan Station Road at Montrose | 256,257 | Rock Lick Creek, | |
| at Bryant Road near Cadentown | 252,253 | above Unnamed tributary near Sharkey | 110,111 |
| at Georgetown | 258,259 | at Highway 158 near Sharkey | 112,113 |
| at Winchester Road near Lexington | 254,255 | Rolling Fork near Boston | 330,331 |
| Northern Ditch at Okolona | 336,337 | Rough River near Dundee | 380,381 |
| Numbering system for wells and miscellaneous sites | 5,6 | Rowan County, | |
| Ohio River, | | chemical quality of precipitation, records in | 620,621 |
| at Cannelton Dam | 346-355 | Royal Springs at Georgetown | 260,261 |
| at Greenup Dam | 62-71 | Russell Creek near Columbia | 360-363 |
| at Lock and Dam 53 near Grand Chain, Ill. | 520-528 | Salt River, | |
| at Louisville | 294,295 | at Glensboro | 300,301 |
| at Metropolis, Ill. | 512,513 | at Shepherdsville | 322,323 |
| at Markland Dam near Warsaw | 200,201 | Salt River Basin, | |
| at Smithland Dam | 400,401 | crest-stage partial-record stations in | 534,535 |
| Ohio River Main Stem, | | gaging-station records in | 300-343 |
| gaging-station records in | 62-71,200,201,294,295, 346-355,400,401,512,513,520-528 | Salvisa, Kentucky River at Lock 6 near | 240,241 |
| Okolona, Northern Ditch at | 336,337 | Salyersville, Licking River below Mason Fork near | 104,105 |
| Olney, Tradewater River at | 398,399 | Saxton, Clear Fork at | 448,449 |
| Otter Creek Basin, | | | |
| gaging-station records in | 344,345 | | |
| Otter Creek at Otter Creek Park near Rock Haven | 344,345 | | |

INDEX

| | Page | | Page |
|---|---------|---|---------|
| Sharkey, Rock Lick Creek | | Tygart Creek Basin, | |
| above unnamed tributary near | 110,111 | gaging-station records in | 72,73 |
| at Highway 158 near | 112,113 | Union, Gunpowder Creek at Camp Ernst Road near | 176-187 |
| Shepherdsville, | | USGS data, access to | 22 |
| Cedar Creek at Hwy 1442 near | 306-309 | Valley View, Kentucky River at Lock 9 at | 226,227 |
| Salt River at | 322,323 | Wabash River Basin, | |
| Simpsonville, Bullskin Creek near | 302,303 | gaging-station records in | 388-396 |
| Slate Creek at Hwy 713 near Mount Sterling | 108,109 | Wabash River at New Harmony, Ind. | 388-396 |
| Smith, | | Warsaw, Ohio River at Markland Dam near | 200,201 |
| Martins Fork Lake at Martins Fork Dam near | 402-429 | Water-quality, Summary of Hydrologic Conditions | 2-5 |
| Martins Fork near | 430-438 | Water-quality records, | |
| Smithland, Cumberland River at | 500-503 | discontinued | 630-638 |
| Smithland Dam, Ohio River at | 400,401 | explanation of | 14-19 |
| South Elkhorn Creek at Fort Spring | 264,265 | miscellaneous water-quality Samples | 546-588 |
| near Midway | 270,271 | Water-resources investigations, | |
| Special networks and programs | 6,7 | Techniques of | 42-44 |
| St. Matthews, Goose Creek at Old Westport Road near | 280,281 | West Fork Drakes Creek near Franklin | 374,375 |
| Stearns, South Fork Cumberland River near | 458-466 | West Hickman Creek at Ash Grove Pike | |
| Sturgeon Creek at Cressmont | 216,217 | near East Hickman | 234,235 |
| Surface-water, Summary of Hydrologic Conditions | 2 | White Mills, Nolin River at | 368,369 |
| System, Downstream Order | 5,6 | Whitesburg, North Fork Kentucky River at | 202,203 |
| Tallega, Middle Fork Kentucky River at | 208,209 | Williamsburg, Cumberland River at | 450,451 |
| Tannery, Kinniconick Creek below Trace Creek at | 74,75 | Winchester, Kentucky River at Lock 10 near | 224,225 |
| Taylorsville, Brashears Creek at | 304,305 | Wolf Run at Old Frankfort Pike at Lexington | 266,267 |
| Tennessee River Basin, | | Woolper Creek Basin, | |
| gaging-station records in | 504-509 | gaging stations records in | 160-175 |
| Tennessee River at Highway 60 near Paducah | 504-507 | Woolper Creek at Woolper Road near Burlington | 160-175 |
| Town Branch at Yarnallton Road at Yarnallton | 268,269 | Wooton, Cutshin Creek at | 206,207 |
| Tradewater River at Olney | 398,399 | Yamacraw, South Fork Cumberland River near | 468-476 |
| Tradewater River Basin, | | Yarnallton, Town Branch at Yarnallton Road at | 268,269 |
| gaging-station records in | 398,399 | Yellow Creek near Middlesboro | 442,443 |
| Twelvemile Creek Basin, | | | |
| gaging-station records in | 76-87 | | |
| Twelvemile Creek at Hwy 1997 near Alexandria | 76-87 | | |
| Tygart Creek near Greenup | 72,73 | | |

Conversion Factors

| Multiply | By | To obtain |
|---|------------------------|---|
| Length | | |
| inch (in.) | 2.54×10^1 | millimeter (mm) |
| | 2.54×10^{-2} | meter |
| foot (ft) | 3.048×10^{-1} | meter (m) |
| mile (mi) | 1.609×10^0 | kilometer (km) |
| Area | | |
| acre | 4.047×10^3 | square meter (m ²) |
| | 4.047×10^{-1} | square hectometer (hm ²) |
| | 4.047×10^{-3} | square kilometer (km ²) |
| square mile (mi ²) | 2.590×10^0 | square kilometer (km ²) |
| Volume | | |
| gallon (gal) | 3.785×10^0 | liter (L) |
| | 3.785×10^{-3} | cubic meter (m ³) |
| | 3.785×10^0 | cubic decimeter (dm ³) |
| million gallons (Mgal) | 3.785×10^3 | cubic meter (m ³) |
| | 3.785×10^{-3} | cubic hectometer (hm ³) |
| cubic foot (ft ³) | 2.832×10^{-2} | cubic meter (m ³) |
| | 2.832×10^1 | cubic decimeter (dm ³) |
| cubic-foot-per-second-per-day [(ft ³ /s/d)] | 2.447×10^3 | cubic meter (m ³) |
| | 2.447×10^{-3} | cubic hectometer (hm ³) |
| acre-foot (acre-ft) | 1.223×10^3 | cubic meter (m ³) |
| | 1.223×10^{-3} | cubic hectometer (hm ³) |
| | 1.223×10^{-6} | cubic kilometer (km ³) |
| Flow rate | | |
| cubic foot per second (ft ³ /s) | 2.832×10^1 | liter (L/s) |
| | 2.832×10^{-2} | cubic meter per second (m ³ /s) |
| | 2.832×10^1 | cubic decimeter per second (dm ³ /s) |
| gallon per minute (gal/min) | 6.309×10^{-2} | liter per second (L/s) |
| | 6.309×10^{-5} | cubic meter per second (m ³ /s) |
| | 6.309×10^{-2} | cubic decimeter per second (dm ³ /s) |
| million gallons per day (Mgal/d) | 4.381×10^{-2} | cubic meter per second |
| | 4.381×10^1 | cubic decimeter per second (dm ³ /s) |
| Mass | | |
| ton, short (2,000 lb) | 9.072×10^{-1} | megagram (Mg) or metric ton |

Temperature in degrees Celsius (°C) may be converted to degrees Fahrenheit (°F) as follows:

$$^{\circ}\text{F} = (1.8 \times ^{\circ}\text{C}) + 32$$



1879–2004