

PIMI FORM 09
AUTONOMIC TESTING PROCEDURES
FORM09.SSD01

FORM/ITEM	VARIABLE NAME	CODES
	NEWID	Patient ID
	VISIT	Visit Type
6HR	NB HR	Hour Deep Breathing Procedures Began
6MIN	NB MIN	Minute Deep Breathing Procedures Began
7HR	DBONHR	Hour Deep Breathing Procedures Ended
7MIN	DBONMIN	Minute Deep Breathing Procedure Ended
8	DB_ADQ	Was this a valid procedure? 1 = Yes, 2 = No
9-13		Postural Testing
9HR	TT HR	Hour horizontal baseline period began
9MIN	TT MIN	Minute horizontal baseline period began
10HR	TTf30 HR	Hour tilted to 80 degrees
10MIN	TT80_MIN	Minute tilted to 80 degrees
11HR	TTOFHR	Hour returned to horizontal position
11MIN	TTOFMIN	Minute returned to horizontal position
12A		Horizontal Baseline
12.A.1	SBPTTBL	Systolic Blood Pressure
12.A.2	DBPTTBL	Diastolic Blood Pressure
12.A.3	HRTTBL	Heart Rate
12 B-D		80 degree Tilt (3 readings)
12.B.1.1	SBPTT801	Systolic Blood Pressure
12.B.1.2	DBPTT801	Diastolic Blood Pressure
12.B.1.3	HRTT801	Heart Rate
12.C.2.1	SBPTT802	Systolic Blood Pressure
12.C.2.2	DBPTT802	Diastolic Blood Pressure
12.C.2.3	HRTT802	Heart Rate
12.D.3.1	SBPTT803	Systolic Blood Pressure
12.D.3.2	DBPTT803	Diastolic Blood Pressure
12.D.3.3	HRTT803	Heart Rate
12 E-G		Return to horizontal (3 readings)
12.E.1.1	SBPTTOF1	Systolic Blood Pressure
12.E.1.2	DBPTTOF1	Diastolic Blood Pressure
12.E.1.3	HRTTOF1	Heart Rate

FORM/ITEM	VARIABLE NAME	CODES
		Return to horizontal (Continued)
12.F.2.1	SBPTTOF2	Systolic Blood Pressure
12.F.2.2	DBPTTOF2	Diastolic Blood Pressure
12.F.2.3	HRTTOF2	Heart Rate
12.G.3.1	SBPTTOF3	Systolic Blood Pressure
12.G.3.2	DBPTTOF3	Diastolic Blood Pressure
12.G.3.3	HRTTOF3	Heart Rate
13	TT_ADQ	Was this a valid procedure? 1 = Yes, 2 = No
14-17		Valsalva Procedure
14HR	VABLHR	Hour baseline period began
14MIN	VABLMIN	Minute baseline period began
15HR	VAEXHR	Hour forced expiration began
15MIN	VAEXMIN	Minute forced expiration began
16.A.1	SBPVABL	Baseline Systolic Blood Pressure
16.A.2	DBPVABL	Baseline Diastolic Blood Pressure
16.A.3	HRVABL	Baseline Heart Rate
16.B.1	SBPVAI	Immediate Systolic Blood Pressure
16.B.2	DBPVAI	Immediate Diastolic Blood Pressure
16.C.1	SBPVA30	30-sec (optional) Systolic Blood Pressure
16.C.2	DBPVA30	30-sec (optional) Diastolic Blood Pressure
16.D.1	SBPVA60	60-sec (optional) Systolic Blood Pressure
16.D.2	DBPVA60	60-sec (optional) Diastolic Blood Pressure
16.E.1	SBPVA90	90-sec (optional) Systolic Blood Pressure
16.E.2	DBPVA90	90-sec (optional) Diastolic Blood Pressure
16.F.1	SBPRE60	Recovery 60-sec Systolic Blood Pressure
16.F.2	DBPRE60	Recovery 60-sec Diastolic Blood Pressure
17	VA_ADQ	Was this a valid procedure? 1 = Yes, 2 = No