

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 28

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 28

Facility Name: San Onofre 3 Docket (050- 00362)

Details	Department	Work Type	Docket/Report
Human-System Interface & Environmnt / IR			
170 - HSI or information availability / quality LTA	Z - Other / Unknown	Z - Other / Unknown	050-00362/2005-004
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
<hr/>			
Procedures & Reference Document / IR			
111 - Procedure / reference document technical content	I - Instrumentation & Control	S - Surveillance	050-00362/2005-004
111 - Procedure / reference document technical content	P - Procedure Writers	M - Maintenance / Repair	050-00362/2004-005
111 - Procedure / reference document technical content	P - Procedure Writers	P - Procedure Dev	050-00362/2004-005
Number of Items for this Docket: 3			
Percent of Total for this Docket: 11			
<hr/>			
Problem Identification & Resolution / IR			
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00362/2005-003
144 - Audit / self-assessment / effectiveness review LTA	G - Engineering	G - Design	050-00362/2005-004
144 - Audit / self-assessment / effectiveness review LTA	M - Mechanical	M - Maintenance / Repair	050-00362/2004-005
144 - Audit / self-assessment / effectiveness review LTA	M - Mechanical	M - Maintenance / Repair	050-00362/2004-005
144 - Audit / self-assessment / effectiveness review LTA	M - Mechanical	M - Maintenance / Repair	050-00362/2005-004
144 - Audit / self-assessment / effectiveness review LTA	O - Operations	O - Control Room Ops	050-00362/2005-002
147 - Individual corrective action LTA	M - Mechanical	M - Maintenance / Repair	050-00362/2004-005
149 - No action planned	G - Engineering	G - Design	050-00362/2005-004
149 - No action planned	I - Instrumentation & Control	S - Surveillance	050-00362/2005-004
149 - No action planned	M - Mechanical	M - Maintenance / Repair	050-00362/2005-004
Number of Items for this Docket: 10			
Percent of Total for this Docket: 36			
<hr/>			
Work Planning & Practices / IR			
188 - Work practice or craft skill LTA	E - Electrical	M - Maintenance / Repair	050-00362/2004-005
188 - Work practice or craft skill LTA	I - Instrumentation & Control	S - Surveillance	050-00362/2005-004
188 - Work practice or craft skill LTA	I - Instrumentation & Control	S - Surveillance	050-00362/2005-004
188 - Work practice or craft skill LTA	I - Instrumentation & Control	S - Surveillance	050-00362/2005-004
188 - Work practice or craft skill LTA	O - Operations	O - Control Room Ops	050-00362/2005-003
188 - Work practice or craft skill LTA	Z - Other / Unknown	S - Surveillance	050-00362/2005-004
188 - Work practice or craft skill LTA	Z - Other / Unknown	V - Troubleshooting	050-00362/2005-004
188 - Work practice or craft skill LTA	Z - Other / Unknown	Z - Other / Unknown	050-00362/2005-004
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00362/2005-004

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 28

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 28

Facility Name: San Onofre 3 Docket (050- 00362)

Details**Work Planning & Practices / IR**

190 - Failure to stop work / non-conservative decision making

M - Mechanical

M - Maintenance / Repair

050-00362/2005-003

190 - Failure to stop work / non-conservative decision making

M - Mechanical

M - Maintenance / Repair

050-00362/2005-004

191 - Team interactions LTA

O - Operations

B - Bal of Plant Ops

050-00362/2005-003

191 - Team interactions LTA

O - Operations

O - Control Room Ops

050-00362/2005-003

198 - Worker distracted / interrupted

M - Mechanical

M - Maintenance / Repair

050-00362/2005-003

Number of Items for this Docket: 14**Percent of Total for this Docket: 50**

Total Items for this Docket: 28
