

**UPPER SALMON RIVER WATERSHED
2007 GRAZING RESULTS
CAMAS CREEK ALLOTMENT**

TERM GRAZING PERMIT				AUTHORIZED USE				ACTUAL USE			
No.	On Date	Off Date	H.M.	No.	On Date	Off Date	H.M.	No.	On Date	Off Date	H.M.
132	6/01	10/15	594	132	6/01	9/15	465	116	06/08	09/15	382

AGREED UPON ACTIONS:

ACTUAL GRAZING SCHEDULE			ALLOWABLE STDS		ACTUAL RESULTS	
Unit Name	On Date	Off Date	Riparian	Uplands	Riparian	Uplands
Lower Silver Creek	06/01	06/20	6"	50%	5"	50%
West Fork	06/21	07/05	4"	50%	4"	50%
Camas Creek	07/06	08/31	4-6"*	50%	**	44%
Upper Silver Creek	09/01	09/20	6"	50%	6"	50%

* 6" stubble height requirement on Camas Creek, all other areas are 4".

** Three areas surveyed in Camas Creek the results are as follows: Castle Cr. = 5, Above Exclosure = 7", Furnace Cr. = 8".

OTHER DATA COLLECTION RESULTS, COMMENTS, OR INFORMATION:

i.e. Trend studies, Greenline, Streambank stability, etc.

Site	Eco Status	Seedling	Young	Mature	Dead
Camas Cr CA-1	39(early)	0	21	46	0
Camas Cr. CA-2	43(Mid)	0	34	12	0
Lower Silver	63(Late)	7	17	40	2
Castle Creek					

Lower Silver
Castle Creek
Camas Creek above exclosure
Camas Creek within exclosure