

COSH**PURPOSE**

Compute the hyperbolic cosine for a variable or parameter.

DESCRIPTION

The hyperbolic cosine is defined as:

$$\cosh(x) = \frac{(e^x + e^{-x})}{2} \quad (\text{EQ 7-107})$$

This function is defined for all real x. The range is 1 to positive infinity.

SYNTAX

LET <y2> = COSH(<y1>) <SUBSET/EXCEPT/FOR qualification>

where <y1> is a number, parameter, or variable;

<y2> is a variable or a parameter (depending on what <y1> is) where the computed hyperbolic cosine value is stored; and where the <SUBSET/EXCEPT/FOR qualification> is optional.

EXAMPLES

LET A = COSH(-2)

LET A = COSH(A1)

LET X2 = COSH(PI/2)

DEFAULT

None

SYNONYMS

None

RELATED COMMANDS

SIN	=	Compute sine.
COS	=	Compute cosine.
SINH	=	Compute hyperbolic sine.
TANH	=	Compute hyperbolic tangent.
COTH	=	Compute hyperbolic cotangent.
SECH	=	Compute hyperbolic secant.
CSCH	=	Compute hyperbolic cosecant.
ARCCOSH	=	Compute hyperbolic arccosine.
ARCCOTH	=	Compute hyperbolic arccotangent.
ARCCSCH	=	Compute hyperbolic arccosecant.
ARCSECH	=	Compute hyperbolic arcsecant.
ARCSINH	=	Compute hyperbolic arcsine.
ARCTANH	=	Compute hyperbolic arctangent.

APPLICATIONS

Trigonometry

IMPLEMENTATION DATE

Pre-1987

PROGRAM

```
YILABEL COSH(X)
XILABEL X
TITLE COSH(X) FOR X = -3 TO 3
YLIMITS 0 10
YTIC OFFSET 0 0.2
PLOT COSH(X) FOR X = -3 0.01 3
```

