

**Bureau of Land Management
Bishop Field Office
Fire Prevention Restrictions Order
Order #CA-170-02**

Pursuant to 43 U.S.C. 1701 et seq., Code of Federal Regulations, 43 CFR 9212.2, the following restrictions shall apply to all Bureau of Land Management Public Lands below 9,000 feet in elevation within the boundaries of the Bishop Field Office, beginning July 3, 2008 at 12:01am. These restrictions shall apply until rescinded:

1. It is prohibited to build, maintain, attend, or use any open fire, campfire, charcoal barbecue, or stove outside of fire rings or stoves provided within a designated developed recreation site, or a specifically posted campsite or area. Portable stoves using gas, jelled petroleum or pressurized liquid fuel are exempt from this restriction when accompanied by a valid "Camp Fire Permit". 43 CFR 9212.1(h)
2. It is prohibited to smoke, except within an enclosed vehicle or building, or at a designated developed recreation site, or other designated areas. 43 CFR 9212.1(h)
3. It is prohibited to weld, or operate acetylene or other torches with an open flame. 43 CFR 9212.1(h)
4. It is prohibited to use any kind of explosive. 43 CFR 9212.1 (h).

Pursuant to 43 CFR 9212.2 (3), the following persons are exempt from this order:

1. Persons with a permit specifically authorizing the otherwise prohibited act.
2. Any Federal, State, or local Officer, or member of an organized rescue or fire fighting force in the performance of an official duty.

The area, roads, and trails affected by this order consist of all Bureau of Land Management Public Lands below 9,000 feet in elevation within the boundaries of the Bishop Field Office, located within Mono County and Inyo County, California; as depicted on Attachment A (map). 43 CFR 9212.2(1)

Done at Bishop, California on the 3rd day of July, 2008.


Bill Dunkelberger
Bishop Field Office Manager
Bureau of Land Management

Violation of these prohibitions is punishable by a fine of not more than \$ 1,000 or imprisonment for not more than 12 months, or both. (43 CFR 9212.4)