CMS Manual System	Department of Health & Human Services (DHHS)				
Pub 100-04 Medicare Claims Processing	Centers for Medicare & Medicaid Services (CMS)				
Transmittal 1045	Date: SEPTEMBER 1, 2006				
	Change Request 5244				

SUBJECT: October 2006 Outpatient Prospective Payment System (OPPS) Outpatient Code Editor (OCE) Specifications Version 7.3

**I. SUMMARY OF CHANGES:** This instruction is to inform the Fiscal Intermediaries that the October 2006 Outpatient Prospective Payment System (OPPS) Outpatient Code Editor (OCE) specifications have been updated with new additions, deletions, and changes.

**New/Revised Material** 

Effective Date: October 1, 2006

Implementation Date: October 2, 2006

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

## II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-Only One Per Row.

R/N/D	Chapter / Section / Subsection / Title	

### III. FUNDING:

No additional funding will be provided by CMS; Contractor activities are to be carried out within their FY 2006 operating budget.

### **IV. ATTACHMENTS:**

### **Recurring Update Notification**

\*Unless otherwise specified, the effective date is the date of service.

## **Attachment - Recurring Update Notification**

Pub. 100-04 | Transmittal: 1045 | Date: September 1, 2006 | Change Request 5244

SUBJECT: October 2006 Outpatient Prospective Payment System (OPPS) Outpatient Code Editor (OCE) Specifications Version 7.3

### I. GENERAL INFORMATION

- **A. Background:** This notification reflects specifications that were issued for the July revision of the OPPS OCE (Version 7.2). All shaded material in Attachment A reflects changes that were incorporated into the October version of the revised OPPS OCE (Version 7.3).
- **B.** Policy: This notification provides the revised OPPS OCE instructions and specifications that will be utilized under the OPPS for hospital outpatient departments, Community Mental Health Centers (CMHC's) and for limited services provided in a Home Health Agency (HHA) not under the Home Health Prospective Payment System or to a hospice patient for the treatment of a non-terminal illness.

### II. BUSINESS REQUIREMENTS

<sup>&</sup>quot;Should" denotes an optional requirement

Requirement Number	Requirements	Responsibility ("X" indicates the columns that apply)			es the			
		F I	R H H I	C a r r i e r	D M E R C	I (	C	Other
5244.1	Contractors shall install OPPS OCE Version 7.3 into their systems.	X	X			X		

### III. PROVIDER EDUCATION

Requirement Number	Requirements	Responsibility ("X" indicates the columns that apply)								
Number		CO.	IUIII	1115	шаі	app	<u>1y)</u>			
		F	R	C	D	Shar	ed S	yste	m	Other
		I	Н	a	M	Maiı				
		H r E				3.5		~		
			T	r	R	F	M	V	C	
			1	:	C	I	C	M	W	
				1	C	S	S	S	F	
				e		C	~	~	_	
				r		3				

<sup>&</sup>quot;Shall" denotes a mandatory requirement

Requirement	Requirements	Responsibility ("X" indicates the		es the						
Number		co	lum	ns 1	that	app	oly)			
		F	R	C	D			Syste	m	Other
		1	H	a r	M E		intaiı			
			I	r	R	F I	M C	V	C	
				i	C	S	S	M S	W F	
				e r		S		2	-	
5244.2	A provider education article related to this	X	X			X				
	instruction will be available at									
	www.cms.hhs.gov/MLNMattersArticles shortly									
	after the CR is released. You will receive									
	notification of the article release via the									
	established "medlearn matters" listserv.									
	Contractors shall post this article, or a direct									
	link to this article, on their Web site and include									
	information about it in a listsery message within									
	1 week of the availability of the provider									
	education article. In addition, the provider education article shall be included in your next									
	regularly scheduled bulletin and incorporated									
	into any educational events on this topic.									
	Contractors are free to supplement Medlearn									
	Matters articles with localized information that									
	would benefit their provider community in									
	billing and administering the Medicare program									
	correctly.									

### IV. SUPPORTING INFORMATION AND POSSIBLE DESIGN CONSIDERATIONS

A. Other Instructions: N/A

X-Ref Requirement #	Instructions

### B. Design Considerations: N/A

X-Ref Requirement #	Recommendation for Medicare System Requirements

C. Interfaces: OPPS OCE/ PRICER

D. Contractor Financial Reporting /Workload Impact: N/A

**E.** Dependencies: N/A

F. Testing Considerations: N/A

### V. SCHEDULE, CONTACTS, AND FUNDING

Effective Date*: October 1, 2006	No additional funding will be
Implementation Date: October 3, 2006	provided by CMS; Contractor activities are to be carried out within their FY 2006 operating
<b>Pre-Implementation Contact(s):</b>	budgets.
For OCE related questions contact Diana	
Motsiopoulos at dmotsiopoulos@cms.hhs.gov., or	
Antoinette Johnson at ajohnson2@cms.hhs.gov	
For Policy related questions contact Marjorie Baldo	
at marjorie.baldo@cms.hhs.gov	
Post-Implementation Contact(s): Regional Office	

<sup>\*</sup>Unless otherwise specified, the effective date is the date of service.

### **ATTACHMENTS:**

Attachment A 5244 – October 2006 Outpatient Code Editor (OCE) Specifications Version 7.3 Summary of Data Changes 5244 – Final Summary of Data Changes OCE/APC v7.3

### ATTACHMENT A

October 2006 Outpatient Code Editor (OCE) Specifications Version (V7.3)

This attachment contains specifications issued for the October 2006 OCE (Version 7.3). All shaded material reflects changes incorporated into the July 2006 version of the OPPS OCE (Version 7.2).

### Introduction

This attachment provides OCE instructions and specifications that will be utilized under the OPPS for hospital outpatient departments, community mental health centers (CMHCs), and limited services provided in a home health agency (HHA) not under Home Health PPS or to a hospice patient for the treatment of a non-terminal illness. Henceforth, this OCE will be referred to as the OPPS OCE. You are required, effective with unprocessed claims with dates of service on or after August 1, 2000, to send the following bills through the OPPS OCE:

- All outpatient hospital Part B bills (bill types 12X, 13X, or 14X) with the exception of critical access hospitals (CAHs), Indian Health Service Hospitals (IHS)/ Tribal hospitals including IHS/ Tribal CAHs, Maryland hospitals, and hospitals located in American Samoa, Guam, and The Northern Mariana Islands. In addition, claims from Virgin Island hospitals with dates of service January 1, 2002, and later, and claims from hospitals that furnish only inpatient Part B services with dates of service January 1, 2002, and later should not be sent through the OPPS OCE since they are also excluded from OPPS. (See below for more detail regarding these hospitals.);
- CMHC bills (bill type 76X);
- HHA bills containing certain Healthcare Common Procedure Coding System (HCPCS) codes as identified in the chart entitled "HCPCS Codes for Reporting Antigens, Vaccine Administration, Splints and Casts" below (bill types 34X); and
- Any bill containing a condition code 07, "treatment of non-terminal illness hospice", with certain HCPCS codes as identified in the chart entitled "HCPCS Codes for Reporting Antigens, Vaccine Administration, Splints and Casts" below.

Send all other outpatient bill types (22X, 23X, 24X, 32X, 33X, 43X, 71X, 72X, 73X, 74X, 75X, 81X or 82X) through the OPPS OCE. Send IHS/Tribal Hospitals including IHS Tribal CAH's, CAH's, Maryland hospitals, and hospitals located in American Samoa, Guam, and The Northern Mariana Islands through the non-OPPS OCE (original OCE). Also send claims from Virgin Island hospitals with dates of service on or after January 1, 2002, and claims from hospitals that furnish only inpatient Part B services with dates of service on or after January 1, 2002, through the non-OPPS OCE. Refer to the IOM Chapter 100-04, Chapter 4, Section 150, for information regarding hospitals that provide Part B only services to their inpatients.

**NOTE:** For bill type 34X vaccine administration, splints, casts, and antigens will be paid under OPPS. For bills containing condition code 07, only splints, casts and antigens will be paid under OPPS.

You are also required to notify your providers of the OPPS OCE claim outputs.

The following information provides you with the OPPS OCE edit specifications that will be utilized to make appropriate payments under the OPPS system, which was effective August 1, 2000.

### **General Functions of the OCEs**

The OPPS OCE performs the following two major functions:

- Edit claims data to identify errors and return a series of edit flags; and
- Assign an ambulatory payment classification (APC) number for each service covered under OPPS and return information to be used as input to the PRICER program.

A major change in processing was required to handle claims with service dates that span more than 1 calendar day. Each claim is represented by a collection of data, which consists of all necessary demographic (header) data, plus all services provided (line items). You are responsible for organizing all applicable services into a single claim record, and passing them as a unit to the OPPS OCE. OPPS OCE functions only on a single claim and does not have any cross-claim capabilities. OPPS OCE will accept up to 450 line items per claim. The OPPS OCE software is responsible for ordering line items by date of service.

The non-OPPS OCE focused solely on the presence or absence of specific edits and did not specify action that should be taken when an edit occurred (e.g., deny claim, suspend claim). Further, it did not compute any information that would be used for payment purposes. Therefore, it was structured to return a set of flags for each diagnosis and procedure that indicated the presence or absence of individual edits. The OPPS OCE not only identifies individual errors but also indicates actions to take and the reasons why these actions are necessary. In order to accommodate this expanded functionality, the OPPS OCE is structured to return lists of edit numbers instead of zero/one flags. This new structure facilitates the linkage between the action being taken, the reasons for the action, and the information on the claim (e.g., a specific diagnosis) that caused the action.

In general, the OPPS OCE performs all functions that require specific reference to HCPCS codes, HCPCS modifiers, and ICD-9-CM diagnosis codes. Since these coding systems are complex and annually updated, the centralization of the direct reference to these codes and modifiers in a single program will reduce effort for you and reduce the chance of inconsistent processing.

The span of time that a claim represents will be controlled by the from and through dates that will be part of the input header information. If the claim spans more than 1 calendar day, the OPPS OCE will subdivide the claim into separate days for the purpose of determining discounting and multiple visits on the same calendar day.

Some edits will be date driven. For example, bilateral procedures will be considered an error if a pair of procedures is coded with the same service date, but not if the service dates are different.

### **Information Sent to OPPS OCE**

Header and line item information is passed to the OPPS OCE by means of a control block of pointers. Table 1 contains the structure of the "OPPS OCE Control Block". The shaded area separates input from return information. Multiple items are assumed to be in contiguous locations.

The header information must relate to the entire claim and must include the following:

- From date;
- Through date;

- Condition code:
- List of ICD-9-CM diagnosis codes;
- Age;
- Sex;
- Type of bill; and
- Medicare provider number.

The from and through dates will be used to determine if the claim spans more than 1 day and therefore represents multiple visits. The condition code (e.g., 41) specifies special claim conditions such as a claim for partial hospitalization, which is paid on a per diem basis. The diagnosis codes apply to the entire claim and are not specific to a line item. Each line item contains the following information:

- HCPCS code with up to 2 modifiers;
- Revenue code;
- Service date:
- Service units; and
- Charge.

The HCPCS codes and modifiers are used as the basis of assigning the APCs. Not all line items will contain a HCPCS code. The line item service dates are used to subdivide a claim that spans more than 1 day into individual visits. The service units indicate the number of times a HCPCS code was provided (e.g., a lab test with a service unit of 2 means the lab test was performed twice).

### **Information Returned From OPPS OCE**

The following is an overview of the information that will be returned from OPPS OCE and used as input into the PRICER program.

	UB-92 Form		Size	
Field	Locator	Number	(bytes)	Comments
HCPCS procedure	44	1	5	May be blank
code				
HCPCS modifier	44	5 x 2	10	
Service date	45	1	8	Required for all lines
Revenue code	42	1	4	
Service units	46	1	7	A blank or zero value is
				defaulted to 1
Charge	47	1	10	Used by Pricer to determine
				outlier payments

Line item input information

There are currently (74) different edits in the OCE, ten of which are currently inactive. Each edit is assigned a number. A description of the edits is contained in the "Claim Return Buffer" Table 4. The edit return buffers consist of a list of the edit numbers that occurred for each diagnosis, procedure, modifier, date or revenue code. For example, if a 75-year-old male had a diagnosis related to pregnancy it would create a conflict between the diagnosis and age and sex. Therefore, the diagnosis edit return buffer for the pregnancy diagnosis would contain the edit numbers 2 and 3. There is more space allocated in the edit return buffers than is necessary for the

current edits in order to allow future expansion of the number of edits. Table 3 describes the Edit Return Buffers.

The "Claim Return Buffer" described in the Table 4 summarizes the edits that occurred on the claim. The occurrence of an edit can result in one of six different dispositions.

Claim Rejection	There are one or more edits present that cause the whole claim to be rejected.
Claim rejection	A claim rejection means that the provider can correct and resubmit the claim
	but cannot appeal the claim rejection.
GL: B : I	
Claim Denial	There are one or more edits present that cause the whole claim to be denied. A
	claim denial means that the provider cannot resubmit the claim but can appeal
	the claim denial.
Claim Return to	There are one or more edits present that cause the whole claim to be returned
Provider (RTP)	to the provider. A claim returned to the provider means that the provider can
	resubmit the claim once the problems are corrected.
Claim Suspension	There are one or more edits present that cause the whole claim to be
_	suspended. A claim suspension means that the claim is not returned to the
	provider, but is not processed for payment until the FI makes a determination
	or obtains further information.
Line Item Rejection	There are one or more edits present that cause one or more individual line
	items to be rejected. A line item rejection means that the claim can be
	processed for payment with some line items rejected for payment. The line
	item can be corrected and resubmitted but cannot be appealed.
Line Item Denials	There are one or more edits present that cause one or more individual line
	items to be denied. A line item denial means that the claim can be processed
	for payment with some line items denied for payment. The line item can not be
	resubmitted but can be appealed.

In the OPPS OCE, many of the edits had a disposition of RTP in order to give providers time to adapt to OPPS. In subsequent releases of OPPS OCE, the disposition of some edits was changed to other more automatic dispositions such as a line item denial. A single claim can have one or more edits in all six dispositions. Six 0/1 dispositions are contained in the claim return buffer that indicate the presence or absence of edits in each of the six dispositions. In addition, there are six lists of reasons in the claim return buffer that contain the edit numbers that are associated with each disposition. For example, if there were three edits that caused the claim to have a disposition of RTP, the edit numbers of the three edits would be contained in the claim RTP reason list. There is more space allocated in the edit return buffers than is necessary for the current edits in order to allow for future expansion of the number of edits.

In addition to the six individual dispositions, there is also an overall claim disposition, which summarizes the status of the claim.

Table 5 describes the "APC Return Buffer" that contains the APC for each line item along with the relevant information for computing OPPS payment. Two APC numbers are returned: HCPCS APC and payment APC.

Except for partial hospitalization and some inpatient-only procedure claims, the HCPCS APC and the payment APC are always the same. The APC return buffer contains the information that will be passed to the Pricer. The APC is only returned for HOPDs and the special conditions specified in Appendix F.

Partial hospitalizations are paid on a per diem basis. There is no HCPCS code that specifies a partial hospitalization related service. Partial hospitalizations are identified by means of condition codes; bill types and HCPCS codes specifying the individual services that constitute a partial hospitalization (See Appendix C).

Thus, there are no input line items that directly correspond to the partial hospitalization service. In order to assign the partial hospitalization APC to one of the line items, the payment APC for one of the line items that represent one of the services that comprise partial hospitalization is assigned the partial hospitalization APC.

Reimbursement for a day of outpatient mental health services in a non-PH program is capped at the amount of the partial hospital per diem. On a non-PHP claim, the OCE totals the payments for all MH services with the same date of service; if the sum of the payments for the individual MH services exceeds the partial hospital perdiem, the OCE assigns a special "Daily Mental Health Service" payment APC to one of the line items that represent MH services. The packaging flag is turned on for all other MH services for that day (See appendix C). The payment rate for the Daily Mental Health Services APC is the same as that for the partial hospitalization APC.

For outpatients who undergo inpatient-only procedures on an emergency basis and who expire before they can be admitted to the hospital, a specified APC payment is made to the provider as reimbursement for all services on that day. The presence of modifier –CA on the inpatient-only procedure line assigns the specified payment APC and associated status and payment indicator to the line. The packaging flag is turned on for all other lines on that day. Payment is only allowed for one procedure with modifier -CA. If multiple inpatient-only procedures are submitted with the modifier –CA, the claim is returned to the provider. If modifier CA is submitted with an inpatient-only procedure for a patient who did not expire (patient status code is not 20), the claim is returned to the provider.

Inpatient-only procedures that are on the separate-procedure list (do not generate edit 18) are bypassed when performed incidental to a surgical procedure with Status Indicator T. The line(s) with the inpatient-separate procedure is rejected and the claim is processed according to usual OPPS rules.

When multiple occurrences of any APC that represents drug administration are assigned in a single day, modifier-59 is required on the code(s) in order to permit payment for additional units of that APC, up to a specified maximum; additional units above the maximum are packaged. If modifier –59 is not used, only one occurrence of any drug administration APC is allowed and any additional units are packaged (see Appendix I).

The use of a device is necessary to the performance of certain outpatient procedures. If any of these procedures is submitted without a code for the required device, the claim is returned to the provider. Discontinued procedures are not returned for a device code.

Observations may be paid separately if they meet specific criteria (See Appendix H).

Not all edits are performed for all sites of service. See "OPPS OCE Edits Applied by Bill Type" below for OPPS OCE edits that apply for each bill type.

OPPS PRICER computes the standard OPPS payment for a line item as the product of the payment amount corresponding to the assigned payment APC, the discounting factor, and the number of units for all line items for which the following is true:

### **Criteria for Applying Standard OPPS Payment Calculations**

• APC value is not 00000

Payment indictor has a value of 1 or 5

- Packaging flag has a value of zero or 3
- Line item denial or rejection flag is zero or the line item action flag is 1
- Line item action flag is not 2, 3 or 4

- Payment adjustment flag is zero or 1
- Payment method flag is zero

If payment adjustments are applicable to a line item (payment adjustment flag is not 0 or 1), then nonstandard calculations are necessary to compute payment for a line item (see Appendix E). The line item action flag is passed as input to the OPPS OCE as a means of allowing you to override a line item denial or rejection (used by you to override OPPS OCE and have OPPS PRICER compute payment ignoring the line item rejection or denial) or allowing you to indicate that the line item should be denied or rejected even if there are no OPPS OCE edits present. The action flag is also used for handling external line item adjustments. For some sites of service (e.g., HHAs) only some services are paid under OPPS. The line item action flag also impacts the computation of the discounting factor as described in Appendix D "Computation of Discounting Fraction". OPPS payment for the claim is computed as the sum of the payments for each line item with the appropriate conversion factor, wage rate adjustment, outlier adjustment, etc., applied. The OPPS OCE overview below summarizes the process of filling in the APC return buffer.

If a claim spans more than 1 day, OPPS OCE subdivides the claim into separate days for the purpose of determining discounting and multiple visits on the same day. Multiple day claims are determined based on calendar day. The OPPS OCE deals with all multiple day claims issues by means of the return information. OPPS PRICER does not need to be aware of the issues associated with multiple day claims. It simply applies the payment computation as described above and the result is the total OPPS payment for the claim regardless of whether the claim was for a single day or multiple days. If a multiple day claim has a subset of the days with a claim denial, RTP, or suspend, the whole claim is denied, RTP, or suspended.

For the purpose of determining the version of the OPPS OCE to be applied, the from date on the header information is used.

<u>Tables</u>
Table 1: OPPS OCE Control Block

Pointer Name		UB-92 Form		Size	
		Locator	Number	(bytes)	Comment
Dxptr	ICD-9-CM diagnosis codes	76 (adx) 67-75 (pdx/sdx	Up to 16	6	Diagnosis codes apply to whole claim and are not specific to a line item (left justified, blank filled). First listed diagnosis is considered 'admit dx', second diagnosis is considered 'principal dx'
Ndxptr	Count of the number of diagnoses pointed to by <i>Dxptr</i>		1	4	Binary fullword count
Sgptr	Line item entries	44-46	Up to 450	Table 2	
Nsgptr	Count of the number of Line item entries pointed to by Sgptr		1	4	Binary fullword count
Flagptr	Line item action flag Flag set by FI and passed by OCE to Pricer		Up to 450	1	(See Table 7)
Ageptr	Numeric age in years		1	3	0-124
Sexptr	Numeric sex code	15	1	1	0, 1, 2 (unknown, male, female)
Dateptr	From and Through dates (yyyymmdd)	6	2	8	Used to determine multi-day claim
CCptr	Condition codes	24-30	Up to 7	2	Used to identify partial hospitalization and hospice claims

NCCptr	Count of the number of condition codes entered		1	4	Binary fullword count
Billptr	Type of bill	4	1	3	Used to identify CMHC and claims pending under OPPS. It is presumed that bill type has been edited for validity by the Standard System before the claim is sent to OCE
NPIProvptr	National provider identifier (NPI)	51	1	13	Pass on to Pricer
OSCARPro vptr	OSCAR Medicare provider number	51	1	6	Pass on to Pricer
PstatPtr	Patient status	22	1	2	UB-92 values
OppsPtr	Opps/Non-OPPS flag		1	1	1=OPPS, 2=Non-OPPS (For future use)
OccPtr	Occurrence codes	36	Up to 10	2	For FI use
NOccptr	Count of number of occurrence codes		1	4	Binary fullword count
Dxeditptr	Diagnosis edit return buffer		Up to 16	Table 3	Count specified in Ndxptr
Proceditptr	Procedure edit return buffer		Up to 450	Table 3	Count specified in Nsgptr
Mdeditptr	Modifier edit return buffer		Up to 450	Table 3	Count specified in Nsgptr
Dteditptr	Date edit return buffer		Up to 450	Table 3	Count specified in Nsgptr
Rceditptr	Revenue code edit return buffer		Up to 450	Table 3	Count specified in Nsgptr
APCptr	APC return buffer		Up to 450	Table 7	Count specified in Nsgptr
Claimptr	Claim return buffer		1	Table 5	
Wkptr	Work area pointer		1	256K	Working storage allocated in user interface
Wklenptr	Actual length of the work area pointed to by Wkptr		1	4	Binary fullword

For those using X12N 837 formats, the following is provided to assist in your implementation efforts:

The Medicare A 837 Health Care Claim version 4010 implementations 3A.01 and 1A.C1 (Appendix C of both documents have UB-92 mapping), along with the UB-92 version 6.0 are at <a href="www.hcfa.gov/medicare/edi/edi3.htm">www.hcfa.gov/medicare/edi/edi3.htm</a>. These formats are effective through October 16, 2003. The X12N 837 version 4010 to UB-92 version 6.0 mapping is at <a href="http://cms.hhs.gov/providers/edi/hipaadoc.asp">http://cms.hhs.gov/providers/edi/hipaadoc.asp</a> The HIPAA X12N 837 can be downloaded at <a href="www.wpc-edi.com">www.wpc-edi.com</a>.

**Table 2: Edit Return Buffers** 

Name	Bytes	Number	Values	Description	Comments
Diagnosis edit return buffer	3	8	0,1-5	Three-digit code specifying the edits that applied to the diagnosis.	There is one 8x3 buffer for each of up to 16 diagnoses.
Procedure edit return buffer	3	30	0,6,8-9,11- 21, 28,37- 40, 42-45, 47, 49-50, 52-64, 66- 69, 70-74	Three-digit code specifying the edits that applied to the procedure.	There is one 30x3 buffer for each of up to 450 line items.
Modifier edit	3	4	0,22	Three-digit code specifying the	There is one 4x3 buffer for

return buffer				edits that applied to the modifier.	each of the five modifiers for each of up to 450 line items.
Date edit return buffer	3	4	0,23	Three-digit code specifying the edits that applied to <u>line item</u> dates.	There is one 4x3 buffer for each of up to 450 line items.
Revenue center edit return buffer	3	5	0, 41,48, 65	Three-digit code specifying the edits that applied to revenue centers.	There is one 5x3 buffer for each of up to 450 line items

Each of the return buffers is positionally representative of the source that it contains information for, in the order in which that source was passed to OPPS OCE. For example, the seventh diagnosis return buffer contains information about the seventh diagnosis; the fourth modifier edit buffer contains information about the modifiers in the fourth line item.

**Table 3: Description of Edits/Claim Reasons** 

Edit	Description	Disposition
1	Invalid diagnosis code	RTP
2	Diagnosis and age conflict	RTP
3	Diagnosis and sex conflict	RTP
$4^4$	Medicare secondary payor alert (V1.0 and V1.1 only)	Suspend
5 <sup>4</sup>	E-diagnosis code can not be used as principal diagnosis	RTP
6	Invalid procedure code	RTP
7	Procedure and age conflict (Not activated)	RTP
8	Procedure and sex conflict	RTP
9	Non-covered for reasons other than statute	Line item denial
10	Service submitted for verification of denial (condition code 21)	Claim denial
11	Service submitted for FI review (condition code 20)	Suspend
12	Questionable covered service	Suspend
13	Separate payment for services is not provided by Medicare (Active V1.0 – V6.3 only)	Line item rejection
14	Code indicates a site of service not included in OPPS (Active V1.0 – V6.3 only)	Claim RTP
15	Service unit out of range for procedure <sup>1</sup>	RTP
16	Multiple bilateral procedures without modifier 50 (see Appendix A) (Active V1.0 – V6.2 only)	RTP
17	Inappropriate specification of bilateral procedure (see Appendix A)	RTP
18	Inpatient procedure <sup>2</sup>	Line item denial
19	Mutually exclusive procedure that is not allowed by NCCI even if appropriate modifier is present	Line item rejection
20	Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present	Line item rejection
21	Medical visit on same day as a type "T" or "S" procedure without modifier 25 (see Appendix B)	Line item rejection
22	Invalid modifier	RTP
23	Invalid date	RTP
24	Date out of OCE range	Suspend
25	Invalid age	RTP
26	Invalid sex	RTP
27	Only incidental services reported <sup>3</sup>	Claim Rejection
28	Code not recognized by Medicare; alternate code for same service may be available	Line item rejection
	(see Appendix C for logic of edits 29-36, and 63-64)	
29	Partial hospitalization service for non-mental health diagnosis	RTP
30	Insufficient services on day of partial hospitalization	Suspend
31	Partial hospitalization on same day as ECT or type T procedure (Active V1.0 – V6.3 only)	Suspend
	Partial hospitalization claim spans 3 or less days with insufficient services on at least one of the	_
32	days	Suspend
	Partial hospitalization claim spans more than 3 days with insufficient number of days having	
33	mental health services	Suspend
	Partial hospitalization claim spans more than 3 days with insufficient number of days meeting	
34	partial hospitalization criteria	Suspend
35	Only Mental Health education and training services provided	RTP

		1
36	Extensive mental health services provided on day of ECT or type T procedure (Active V1.0 – V6.3 only)	Suspend
37	Terminated bilateral procedure or terminated procedure with units greater than one	RTP
	Inconsistency between implanted device or administered substance and implantation or associated	
38	procedure	RTP
	Mutually exclusive procedure that would be allowed by NCCI if appropriate modifier were	
39	present	Line item rejection
40	Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present	Line item rejection
41	Invalid revenue code	RTP
11	Multiple medical visits on same day with same revenue code without condition code G0 (see	KII
42	Appendix B)	RTP
43	Transfusion or blood product exchange without specification of blood product	RTP
44	Observation revenue code on line item with non-observation HCPCS code	RTP
45	Inpatient separate procedures not paid	Line item rejection
46	Partial hospitalization condition code 41 not approved for type of bill	RTP
47	Service is not separately payable	Line item rejection
48	Revenue center requires HCPCS	RTP
49		Line item denial
50	Service on same day as inpatient procedure	
51	Non-covered based on statutory exclusion	Line item rejection
51	Multiple observations overlap in time (Not activated)	RTP
<b>50</b>	Observation does not meet minimum hours, qualifying diagnoses, and/or 'T' procedure conditions	DIED
52	(V3.0-V6.3)	RTP
53	Codes G0378 and G0379 only allowed with bill type 13x	Line item rejection
54	Multiple codes for the same service	RTP
55	Non-reportable for site of service	RTP
	E/M-condition not met and line item date for obs code G0244 is not 12/31 or 1/1	
56	(Active V4.0 – V6.3)	RTP
	E/M condition not met for separately payable observation and line item date for code G0378 is	
57	1/1	Suspend
58	G0379 only allowed with G0378	RTP
59	Clinical trial requires diagnosis code V707 as other than primary diagnosis	RTP
60	Use of modifier CA with more than one procedure not allowed	RTP
61	Service can only be billed to the DMERC	RTP
62	Code not recognized by <b>OPPS</b> ; alternate code for same service may be available	RTP
63	This OT code only billed on partial hospitalization claims (See appendix C)	RTP
64	AT service not payable outside the partial hospitalization program (See appendix C)	Line item rejection
65	Revenue code not recognized by Medicare	Line item rejection
66	Code requires manual pricing	Suspend
67	Service provided prior to FDA approval	Line item rejection
68	Service provided prior to date of National Coverage Determination (NCD) approval	Line item rejection
69	Service provided outside approval period	Line item rejection
70	CA modifier requires patient status code 20	RTP
71	Claim lacks required device code	RTP
72	Service not billable to the Fiscal Intermediary	RTP
73	Incorrect billing of blood and blood products	RTP
<mark>74</mark>	Units greater than one for bilateral procedure billed with modifier 50	RTP

<sup>&</sup>lt;sup>1</sup> For edit 15, units for *all line items with the same HCPCS on the same day* are added together for the purpose of applying the edit. If the total units exceeds the code's limits, the procedure edit return buffer is set for all line items that have the HCPCS code. If modifier 91 is present on a line item and the HCPCS is on a list of codes that are exempt, the unit edits are not applied.

<sup>&</sup>lt;sup>2</sup> Edit 18 causes all other line items on the same day to be line item denied with Edit 49 (see APC return buffer "Line item denial or reject flag"). No other edits are performed on any <u>lines</u> with Edit 18 or 49.

<sup>&</sup>lt;sup>3</sup> If Edit 27 is triggered, no other edits are performed on the <u>claim</u>.

<sup>&</sup>lt;sup>4</sup>Not applicable for admitting diagnosis

**Table 4: Claim Return Buffer** 

	Bytes	Number	Values	Description
Claim processed Flag	1	1	0-3, 9	<ul> <li>0 - Claim processed.</li> <li>1 - Claim could not be processed (edits 23, 24, or 46<sup>a</sup>).</li> <li>2 - Claim could not be processed (claim has no line items).</li> <li>3 - Claim could not be processed (edit 10 - condition code 21 is present).</li> <li>9 - Fatal error; OCE can not run - the environment can not be set up as needed; exit immediately.</li> </ul>
Num of line items	3	1	nnn	Input value from Nsgptr, or 450, whichever is less.
National provider identifier (NPI)	13	1	aaaaaaaaa aaaa	Transferred from input, for Pricer.
OSCAR Medicare provider number	6	1	aaaaaa	Transferred from input, for Pricer.
Overall claim disposition	1	1	0-5	<ul> <li>0 - No edits present on claim.</li> <li>1 - Only edits present are for line item denial or rejection.</li> <li>2 - Multiple-day claim with one or more days denied or rejected.</li> <li>3 - Claim denied, rejected, suspended or returned to provider, or single day claim w all line items denied or rejected, w only post payment edits.</li> <li>4 - Claim denied, rejected, suspended or returned to provider, or single day claim w all line items denied or rejected, w only prepayment edits.</li> <li>5 - Claim denied, rejected, suspended or returned to provider, or single day claim w all line items denied or rejected, w both post-payment and pre-payment edits.</li> </ul>
Claim rejection disposition	1	1	0-2	O - Claim not rejected.  1 - There are one or more edits present that cause the claim to be rejected.  2 - There are one or more edits present that cause one or more days of a multiple-day claim to be rejected.
Claim denial disposition	1	1	0-2	<ul> <li>0 - Claim not denied.</li> <li>1 - There are one or more edits present that cause the claim to be denied.</li> <li>2 - There are one or more edits present that cause one or more days of a multiple-day claim to be denied, or single day claim with all lines denied (edit 18 only).</li> </ul>
Claim returned to provider disposition	1	1	0-1	<ul><li>0 - Claim not returned to provider.</li><li>1 - There are one or more edits present that cause the claim to be returned to provider.</li></ul>
Claim suspension disposition	1	1	0-1	<ul><li>0 - Claim not suspended.</li><li>1 - There are one or more edits present that cause the claim to be suspended.</li></ul>
Line item rejection disposition	1	1	0-1	<ul><li>0 - There are no line item rejections.</li><li>1 - There are one or more edits present that cause one or more line items to be rejected.</li></ul>
Line item denial disposition	1	1	0-1	<ul><li>0 - There are no line item denials.</li><li>1 - There are one or more edits present that cause one or more line items to be denied.</li></ul>
Claim rejection Reasons	3	4	27	Three-digit code specifying edits (See Table 6) that caused the claim to be rejected.

				There is currently one edit that causes a claim to be rejected.
Claim denial	3	8	10,	Three-digit code specifying edits (see Table 6) that caused the claim
Reasons				to be denied.
				There is currently one active edit that causes a claim to be denied.
Claim returned	3	30	1-3, 5-6,	Three-digit code specifying edits (see Table 6) that caused the claim
to provider			8,	to be returned to provider.
Reasons			14-17, 22-	There are 39 edits that could cause a claim to be returned to
			23, 25-26,	provider.
			29, 35,	
			37-38, 41-	
			44, 46, 48,	
			52, 54,	
			55,56, 58-	
			63, 70- <mark>74</mark>	
Claim	3	16	4, 11, 12,	Three-digit code specifying the edits that caused the claim to be
suspension			24,	suspended (see Table 6).
reasons			30-34, 36,	There are 12 edits that could cause a claim to be suspended.
			57, 66	
Line item	3	12	13, 19, 20,	Three-digit code specifying the edits that caused the line item to be
rejection			21, 28, 39,	rejected (See Table 6).
reasons			40, 45, 47,	There are 16 edits that could cause a line item to be rejected.
			50, 53, 64,	
			65, 67-69	
Line item	3	6	9, 18, 49	Three-digit code specifying the edits that caused the line item to be
denied reasons				denied (see Table 6).
				There are currently 3 active edits that cause a line item denial.
APC return	1	1	0-1	0 - No services paid under OPPS. APC return buffer filled in with
buffer flag				default values (See Appx. F).
				1 - One or more services paid under OPPS. APC return buffer filled
				in.
Version Used	8	1	yy.vv.rr	Version ID of the version used for processing the claim (e.g., 2.1.0).
Patient Status	2	1		Patient status code - transferred from input.
Opps Flag	1	1	1-2	OPPS/Non-OPPS flag - transferred from input.

## Table 5: APC Return Buffer

	Size		
Name	(bytes)	Values	Description
HCPCS	5	Alpha	For potential future use by Pricer.
procedure code			Transfer from input
Payment APC	5	00001-	APC used to determine payment. If no APC assigned to line item, the value
		nnnnn	00000 is assigned. For partial hospitalization and some inpatient-only procedure
			claims the payment APC may be different than the APC assigned to the HCPCS
			code.
HCPCS APC	5	00001-	APC assigned to HCPCS code
		nnnnn	
Status indicator	2	Alpha	A - Services not paid under OPPS
			B - Non-allowed item or service for OPPS
			C - Inpatient procedure
			E - Non-allowed item or service
			F - Corneal tissue acquisition; certain CRNA services and hepatitis B vaccines
			G - Drug/Biological Pass-through
			H – Pass-through device categories, brachytherapy sources, and
			radiopharmaceutical agents
			J - New drug or new biological pass-through <sup>1</sup>
			K - Non pass-through drugs and biologicals
			L – Flu/PPV vaccines

			M – Service not billable to the FI
			N - Packaged incidental service
			P - Partial hospitalization service
			Q - Packaged services subject to separate payment based on criteria
			S - Significant procedure not subject to multiple procedure discounting
			T - Significant procedure subject to multiple procedure discounting
			V - Medical visit to clinic or emergency department
		[Right	W – Invalid HCPCS or Invalid revenue code with blank HCPCS
		justified,	X - Ancillary service
		blank	Y – Non-implantable DME, Therapeutic Shoes
		filled]	Z – Valid revenue with blank HCPCS and no other SI assigned
Payment	2	Numeric	1 - Paid standard hospital OPPS amount (status indicators K, S, T, V, X)
indicator		(1-00)	2 - Services not paid under OPPS (status indicator A)
			3 - Not paid (Q, M, W, Y, E), or not paid under OPPS (B, C, Z)
			4 - Paid at reasonable cost (status indicator F, L)
			5 - Paid standard amount for pass-through drug or biological (status indicator G)
			6 - Payment based on charge adjusted to cost 7 – Additional payment for new
			drug or new biological (status indicator J)
		[Right	8 - Paid partial hospitalization per diem (status indicator P)
		justified,	9 - No additional payment, payment included in line items with APCs (status
		blank	indicator N, or no HCPCS code and certain revenue codes, or HCPCS codes
		filled].	G0176 (activity therapy), G0129 (occupational therapy), or G0177 (patient
		_	education and training service))
Discounting	1	1-8	See Appendix D for values
formula number			
Line item denial	1	0-2	0 - Line item not denied or rejected
or rejection flag			1 - Line item denied or rejected (edit return buffer for line item contains a
			9, 13, 18, 19, 20, 21, 28, 39, 40, 45, 47, 49, 50, 53, 64, 65, 67, 68, 69)
			2- The line is not denied or rejected, but occurs on a day that has been denied or
			rejected (not used as of $4/1/02 - v3.0$ ).
Packaging flag	1	0-4	0 - Not packaged
			1 – Packaged service (status indicator N, or no HCPCS code and certain revenue
			codes)
			2 – Packaged as part of partial hospital per diem or daily mental health service
			per diem
			3 – Artificial charges for surgical procedure (submitted charges for surgical
			HCPCS < \$1.01)
			4 – Packaged as part of drug administration APC payment
Payment	2	0-6	0 - No payment adjustment
adjustment flag			1 – Paid standard amount for pass-through drug or biological (status indicator G)
			2 – Payment based on charge adjusted to cost (status indicator H)
			3 – Additional payment for new drug or new biological applies to APC (status
		[Right	indicator J) <sup>1</sup>
		justified	4 – Deductible not applicable (specific list of HCPCS codes)
		blank	5 – Blood/blood product used in blood deductible calculation
		filled]	6 – Blood processing/storage not subject to blood deductible
Payment Method	1	0-4	0 - OPPS pricer determines payment for service
Flag			1 - Based on OPPS coverage or billing rules, the service is not paid
			2 - Service is not subject to OPPS
			3 - Service is not subject to OPPS, and has an OCE line item denial or rejection
			4 - Line item is denied or rejected by FI; OCE not applied to line item
Service units	7	1-x	Transferred from input, for Pricer. For the line items assigned APCs 33 or 34, the
			service units are always assigned a value of one by the OCE even if the input
			service units were greater than one
			[Input service units also may be reduced for some Drug administration APCs,
			based on Appendix I]
		_	

Charge	10	nnnnnn	Transferred from input, for Pricer; CO
		nnn	
Line item action	1	0-4	Transferred from input to Pricer, and can impact selection of discounting formula
flag			(Appx. D).
			0 - OCE line item denial or rejection is not ignored
			1 - OCE line item denial or rejection is ignored
			2 - External line item denial. Line item is denied even if no OCE edits
			3 - External line item rejection. Line item is rejected even if no OCE edits
			4 - External line item adjustment. Technical charge rules apply.

<sup>&</sup>lt;sup>1</sup> Status indicator J was replaced by status indicator G starting in April 2002 (V3.0)

### Table 6: HCPCS Codes for Reporting Antigens, Vaccine Administration, Splints, and Casts

List of HCPCS codes in the following chart specify vaccine administration, antigens, splints, and casts, which were paid under OPPS for hospitals. In addition in certain situations these services when provided by HHA's, and to hospice patients for the treatment of a non-terminal illness are paid under OPPS.

Category	Code
Antigens	95144, 95145, 95146, 95147, 95148, 95149, 95165, 95170, 95180, 95199
Vaccine Administration	90471, 90472, G0008, G0009
Splints	29105, 29125, 29126, 29130, 29131, 29505, 29515
Casts	29000, 29010, 29015, 29020, 29025, 29035, 29040, 29044, 29046, 29049, 29055, 29058, 29065, 29075, 29085, 29086, 29305, 29325, 29345, 29355, 29358, 29365, 29405, 29425, 29435, 29440, 29445, 29450, 29700, 29705, 29710, 29715, 29720, 29730, 29740, 29750, 29799

### **Correct Coding Initiative (CCI) Edits**

The OPPS OCE will generate CCI edits. All CCI edits will be incorporated in the OPPS OCE with the exception of anesthesiology, E&M, mental health, and certain drug administration code pairs. Modifiers and coding pairs in the OCE may differ from those in the NCCI because of differences between facility and professional services.

Effective January 1, 2006 these CCI edits will apply to ALL services billed, under bill types 22X, 23X, 34X, 74X, and 75X, by the following providers: Skilled Nursing Facilities (SNF's), Outpatient Physical Therapy and Speech-Language Pathology Providers (OPT's), CORF's, and Home Health Agencies (HHA's).

The CCI edits are applicable to claims submitted on behalf of the same beneficiary, provided by the same provider, and on the same date of service. The edits address two major types of coding situations. One type, referred to as the comprehensive/component edits, are those edits to code combinations where one of the codes is a component of the more comprehensive code. In this instance only the comprehensive code is paid. The

other type, referred to as the mutually exclusive edits, are those edits applied to code combinations where one of the codes is considered to be either impossible or improbable to be performed with the other code. Other unacceptable code combinations are also included. One such code combination consists of one code that represents a service 'with' something and the other is 'without' the something. The edit is set to pay the lesser-priced service.

Version 12.2 of CCI edits is included in the October OPPS OCE.

**NOTE:** The CCI edits in the OPPS OCE are always one quarter behind the Carrier CCI edits.

See Appendix F "OPPS OCE Edits Applied by Bill Type" for bill types that the OPPS OCE will subject to these and other OPPS OCE edits.

### **Units of Service Edit**

The OPPS OCE edit 15 "Service Unit Out of Range for Procedure" was revised for the April 2003 version of the OPPS OCE. As part of the recurring quarterly update of the OPPS OCE, CMS lifted the moratorium on application of the OPPS OCE Edit 15. Therefore, you were instructed to reactivate OPPS OCE Edit 15 for claims with dates of service on or after April 1, 2003. This unit of service edit is not applied to all services at this time. Instead, there are limited edits applied to certain services beginning with the April 2003 release. However subsequent modifications to this edit will be made in upcoming OPPS OCE releases.

### Appendix A Bilateral Procedure Logic

There is a list of codes that are exclusively bilateral if a modifier of 50 is present\*. The following edits apply to these bilateral procedures\*.

Condition	Action	Edit
The same code which can be performed bilaterally occurs two or more times on the same date of service, all codes <i>without</i> a 50 modifier	Return claim to provider	1 6
The same code which can be performed bilaterally occurs two or more times (based on units and/or lines) on the same date of service, all or some codes <i>with</i> a 50 modifier	Return claim to provider	1 7

There is a list of codes that are considered inherently bilateral even if a modifier of 50 is not present. The following edits apply to these bilateral procedures\*\*.

Condition	Action	Edit
The same bilateral code occurs two or	Return claim to provider	17
more times (based on units and/or		
lines) on the same date of service		

There are two lists of codes, one is considered conditionally bilateral and the other independently bilateral if a modifier 50 is present. The following edit applies to these bilateral procedures (effective 10/1/06).

Condition	Action	Edit
The bilateral code occurs with modifier	Return claim to provider	<mark>74</mark>
50 and more than one unit of service on		
the same line		

Note: For ER and observation claims, all services on the claim are treated like any normal claim, including multiple day processing.

\*Note: The "exclusively bilateral" list was eliminated, effective 10/1/05 (v6.3); edits 16 and 17 will not be triggered by the presence/absence of modifier 50 on certain bilateral codes for dates of service on or after 10/1/05.

\*\* Exception: For codes with SI of V that are also on the Inherent Bilateral list, condition code 'G0' will take precedence over the bilateral edit; these claims will not receive edit 17 nor be returned to provider.

# Appendix B Rules for Medical and Procedure Visits on the Same Day and for Multiple Medical Visits on Same Day

Under some circumstances, medical visits on the same date as a procedure will result in additional payments. A modifier of **25** with an Evaluation and Management (E&M) code, status indicator V, is used to report a medical visit that takes place on the same date that a procedure with status indicator S or T is performed, but that is significant and separately identifiable from the procedure. However, if any E&M code that occurs on a day with a type "T" or "S" procedure does not have a modifier of 25, then edit 21 will apply and there will be a line item rejection.


If there are multiple E&M codes on the same day, on the same claim the rules associated with multiple medical visits are shown in the following table.

E&M	Revenue Center	Condition	Action	Edit
Code		Code		
2 or more	Revenue center is different for each E&M code, and all E&M codes have units equal to 1.	Not G0	Assign medical APC to each line item with E&M code	-
2 or more	Two or more E&M codes have the same revenue center  OR	Not G0	Assign medical APC to each line item with E&M code and Return Claim to Provider	42
	One or more E&M codes with units greater than one had same revenue center			
2 or more	Two or more E&M codes have the same revenue center  OR	G0*	Assign medical APC to each line item with E&M code	-
	one or more E&M codes with units greater than one had same revenue center			

The condition code G0 specifies that multiple medical visits occurred on the same day with the same revenue center, and that these visits were distinct and constituted independent visits (e.g., two visits to the ER for chest pain).

<sup>\*</sup> For codes with SI of V that are also on the Inherent Bilateral list, condition code 'G0' will take precedence over the bilateral edit to allow multiple medical visits on the same day.

## **Appendix C Partial Hospitalization Logic**




- + Multiple occurrences of APC 322, 323, 324, 325, and 373; AT and ET are treated as separate units in determining whether 3 or more MH services are present. However, multiple occurrences of OT are treated as a single service.
- \*To avoid confusion over this programming language, the OCE will continue to verify that the claim has, at a minimum, a total of 3 partial hospitalization HCPCS codes for each day of service, one of which must be a psychotherapy HCPCS that groups to APC 323, 324 or 325.

#### Assign Partial Hospitalization Payment APC

For any day that has an MH Service, the first listed line item with HCPCS APC from the hierarchical list of APCs (323, 324, 325, 322, 373, 374, AT, OT, ET) is assigned a payment APC of 33, a status indicator of P a payment indicator of 8, a discounting factor of 1, a line item denial or rejection indicator of 0, a packaging flag of 0, a payment adjustment flag of 0, and a service unit of 1

For all other line items with a mental health service (APC 322, 323, 324, 325, 373, 374, AT, OT, ET)the packaging flag is set to 2.

### Appendix C (cont'd) Mental Health Logic



### Assign Daily Mental Health Service Payment APC

The first listed line item with HCPCS APC from the list of MH APCs (322-5, 373, 374) is assigned a payment APC of 34, a status indicator of P, a payment indicator of P, a discounting factor of P, a line item denial or rejection indicator of P, a packaging flag of P, a payment adjustment flag of P0 and a service unit of P1.

For all other line items with a  $mental\ health\ service\ (APC\ 322-5,\ 373,\ 374,\ ET)$  the packaging flag is set to 2.

\*NOTE: The use of code G0177 (ET) is allowed on MH claims that are not billed as Partial Hospitalization

## Appendix D Computation of Discounting Fraction

#### Type "T" Multiple and Terminated Procedure Discounting:

Line items with a status indicator of "T" are subject to multiple-procedure discounting *unless modifiers* 76, 77, 78 and/or 79 are present. The "T" line item with the highest payment amount will not be multiple procedure discounted, and all other "T" line items will be multiple procedure discounted. All line items that do not have a status indicator of "T" will be ignored in determining the multiple procedure discount. A modifier of 52 or 73 indicates that a procedure was terminated prior to anesthesia. A terminated type "T" procedure will also be discounted although not necessarily at the same level as the discount for multiple type "T" procedures.

Terminated bilateral procedures or terminated procedures with units greater than one should not occur, and for type "T" procedures, have the discounting factor set so as to result in the equivalent of a single procedure. Claims submitted with terminated bilateral procedures or terminated procedure with units greater than one are returned to the provider (edit 37).

Bilateral procedures are identified from the "bilateral" field in the physician fee schedule. Bilateral procedures have the following values in the "bilateral" field:

- 1. Conditional bilateral (i.e. procedure is considered bilateral if the modifier 50 is present)
- 2. Inherent bilateral (i.e. procedure in and of itself is bilateral)
- 3. Independent bilateral (i.e., procedure is considered bilateral if the modifier 50 is present, but full payment should be made for each procedure (e.g., certain radiological procedures))

Inherent bilateral procedures will be treated as a non-bilateral procedure since the bilateralism of the procedure is encompassed in the code. For bilateral procedures the type "T" procedure discounting rules will take precedence over the discounting specified in the physician fee schedule. All line items for which the line item denial or reject indicator is 1 and the line item action flag is zero, or the line item action flag is 2, 3 or 4, will be ignored in determining the discount; packaged line items, (the packaging flag is not zero or 3), will also be ignored in determining the discount. The discounting process will utilize an APC payment amount file. The discounting factor for bilateral procedures is the same as the discounting factor for multiple type "T" procedures.

### Non-Type T Procedure Discounting:

For non-type "T" procedures there is no multiple procedure discounting and no bilateral procedure discounting with modifier 50 performed. Line items with SI other than "T" are subject to bilateral procedure discounting with modifier 50, if identified in the physician fee schedule as Conditional bilateral; and to terminated procedure discounting when modifier 52 or 73 is present. Modifier 52 or 73 on a non-type "T" procedure line will result in a 50% discount being applied to that line.

There are eight different discount formulas that can be applied to a line item.

- 1. 1.0
- 2. (1.0 + D(U-1))/U
- 3. T/U
- 4. (1 + D)/U
- 5. D
- 6. TD/U
- 7. D(1 + D)/U
- 8. 2.0

#### Where

- $\mathbf{D}$  = discounting fraction (currently 0.5)
- U = number of units
- T = terminated procedure discount (currently 0.5)


The discount formula that applies is summarized in the following table.

			Disco	unting Formula N	Number	
			Type "T" P	rocedure	Non Type "T"	'Procedure
Payment	Modifier	Modifier	Conditional or Independent	Inherent or	Conditional or Independent	Inherent or
Amount	52 or 73	50	Bilateral	Non Bilateral	Bilateral	Non Bilateral
Highest	No	No	2	2	1	1
Highest	Yes	No	3	3	3	3
Highest	No	Yes	4	2	4/8*	1
Highest	Yes	Yes	3	3	3	3
Not Highest	No	No	5	5	1	1
Not Highest	Yes	No	6	6	3	3
Not Highest	No	Yes	7	5	4/8*	1
Not Highest	Yes	Yes	6	6	3	3

For the purpose of determining which APC has the highest payment amount, the terminated procedure discount (**T**) will be applied prior to selecting the type T procedure with the highest payment amount.

<sup>\*</sup>If not terminated, non-type T Conditional bilateral procedures with modifier 50 will be assigned discount formula #4; non-type T Independent bilateral procedures with modifier 50 will be assigned to formula #8.

### Appendix E Logic for Assigning Payment Method Flag Values



**Appendix F - OCE Edits Applied by Bill Type** 1601, Manual Price 165, Tolisa and 1583; Spec Inpri And the Tisses of the State of Non Meste Raj Non Oths lead DARK GU NOVER CO Like Leas Date Co. Parial Hosp Ro Asi HCAC Registers MH 135.36 65 681 CCT 11030303030 Onns Ano. (SS) W. RARIAN Rev Code 1881 FLOW CHART CELL (\*) Provider/Bill Types 12X or 14X w cond code 41 No 2 12X or 14X w.o cond code 41 Yes No Yes Yes No Yes No No Yes 3 13X w condition code 41 Yes No No Yes Yes No Yes 4 13X w.o condition code 41 Yes No Yes Yes No Yes Yes No Yes Yes 5 76X (CMHC) Yes Yes Yes Yes Yes No No Yes Yes Yes Yes Yes No No Yes No No Yes No Yes No Yes 34X<sup>h</sup>(HHA) w Vaccine<sup>e</sup>, 6 Antigen, Splint or Cast Yes Yes Yes No Yes Yes No No Yes Yes No Yes Yes Yes No No No No Yes No Yes No 34Xh (HHA) w.o Vaccinee, 7 Antigen, Splint or Cast Yes Yes Yes No No No No Yes No No Yes Yes Yes No No No No No No No Yes No 75X(CORF) w Vac(PPS)[v1-6.3] Yes Yes Yes No Yes Yes Yes No Yes Yes No Yes Yes Yes No No No No Yes No Yes Yes 9 43X (RNHCI) No Yes Yes Yes No No No Yes Yes No No No 10 71X (RHC), 73X (FQHC) Yes No Yes No Yes No No No No No No No Yes Any bill type except 12x,13x, 14x, 34x, 43x, 71x, 73x, 76x, w CC 07, w 11 Antigen, Splint or Cast Yesf Yesf Yes No Yes Yes No No No No Yes Yes Yes Yes No No No Yes No Yes 75Xh (CORFs) Yes Yes Yes No No Yes No Yes Yes Yes Yes Yes Yes No No No No No Yes 12 No No Yes 22Xhj, 23Xhj (SNF), 24Xg 13 Yes Yes Yes  $Yes^{J}$ No No No Yes No Yes Yes Yes Yes No No No No No No No Yes Yes 14 32X, 33X (HHA) Yes Yes No No No No No No Yes Yes Yes No Yes No No No No No No No No No

(\*) FLOW CHART CELLS ARE IN HIERARCHICAL ORDER

No Yes = edits apply, No = edits do not apply

No

No

No

No

No

No

No

No

Yes

Yes

Yes

Yes

Yes

Yes

No

No

No

Edit 10, and Edits 23 and 24 for From/Through dates, are not dependent on AppxF

No

No

No

No

No

No

Yes

Yes

Yes

Yes

Yes

Yes

No

Yes

No

No

No

No

15

16

72X (ESRD)

74Xh (OPTs)

81x (Hospice), 82x

No

Yes

No

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

No

No

No

No

No

No

<sup>&</sup>lt;sup>a</sup> if edit 23 is not applied, the lowest service (or From) date is substituted for invalid dates, and processing continues.

<sup>&</sup>lt;sup>b</sup> Bypass edit 22 if Revenue code is 540 <sup>c</sup> Edits 53 not relevant for bill type 13x

<sup>&</sup>lt;sup>d</sup> Bypass edit 48 if Revenue code is 100x, 210x, 310x,0905, 0906, 0907; 0500, 0509, 0583, 0660-0663, 0669, 0931, 0932; 0521, 0522, 0524, 0525, 0527, 0528


<sup>&</sup>lt;sup>e</sup>In V1.0 to V3.2, "vaccines" included all vaccines paid by APCs; from V4.0 onward, "vaccines" includes Hepatitis B vaccines only, plus Flu and PPV administration

<sup>&</sup>lt;sup>f</sup>Bypass diagnosis edits (1-5) for bill types 32X and 33X (HHA) if from date is <10/1/xx and Through date is >=10/1/xx

g Delete TOB 24X effective 10/1/05

<sup>&</sup>lt;sup>h</sup>Apply CCI edits to TOB 22x, 23x, 34x, 74x and 75x, effective 1/1/06

<sup>&</sup>lt;sup>j</sup> Apply edit 28, effective 10/1/05



## Appendix G

The payment adjustment flag for a line item is set based on the criteria in the following chart:

Criteria	Payment Adjustment Flag Value
Status indicator G	1
Status indicator H	2
Status indicator J <sup>1</sup>	3
Code is flagged as 'deductible not applicable'	4
Blood product with modifier BL on RC 38X line <sup>2</sup>	5
Blood product with modifier BL on RC 39X line <sup>2</sup>	6
All others	0

 $<sup>^1</sup>$  Status indicator J was replaced by status indicator G starting in April 2002 (V3.0)  $^2$  See Appendix J for assignment logic (v6.2)

### Appendix H OCE Observation Criteria


#### Rules:

- 1. Code G0378 is used to identify all outpatient observations, regardless of the reason for observation (diagnosis) or the duration of the service.
- 2. Code G0379 is used to identify direct admission from a physician's office to observation care, regardless of the reason for observation.
- 3. Code G0378 has default Status Indicator "Q" and default APC 0
  - a. If the criteria are met for payable observation, the SI is changed to "S" and APC 339 is assigned.
  - b. If the criteria for payable observation are not met, the SI is changed to "N".
- 4. Code G0379 has default Status Indicator "Q" and default APC 0
  - a. If associated with a payable observation (payable G0378 present on the same day), the SI for G0379 is changed to "N".
  - b. If the observation on the same day is not payable, the SI is changed to "V" and APC 600 is assigned.
- 5. Observation logic is performed only for claims with bill type 13x, with or without condition code 41. Lines with G0378 and G0379 are rejected if the bill type is not 13x.
- 6. If any of the criteria for separately payable observation is not met, the observation is packaged, or the claim or line is suspended or rejected according to the disposition of the observation edits.
- 7. In order to qualify for separate payment, each observation must be paired with a unique E/M or critical care (C/C) visit, or with code G0379 (Direct admission from physician's office). E/M or C/C visit is required the day before or day of observation; Direct admission is required on the day of observation.
- 8. If an observation cannot be paired with an E/M or C/C visit or Direct admission, the observation is packaged.
- 9. E/M or C/C visit or Direct admission on the same day as observation takes precedence over E/M or C/C visit on the day before observation.
- 10. E/M, C/C visit or Direct admission that have been denied or rejected, either externally or by OCE edits, are ignored.
- 11. Both the associated E/M or C/C visit (APCs 600-602, 610-612, 620) and observation are paid separately if the criteria are met for separately payable observation.
- 12. If a "T" procedure occurs on the day of or the day before observation, the observation is packaged.
- 13. Multiple observations on a claim are paid separately if the required criteria are met for each one.
- 14. If there are multiple observations within the same time period and only one meets the criteria for separate APC payment, the observation with the most hours is considered to have met the criteria, and the other observations will be packaged.
- 15. Observation date is assumed to be the date admitted for observation.
- 16. The diagnoses (admitting or principal) required for the separately payable observation criteria are:


Chest Pain	Asthma	CHF
<u>411</u> 0, 1, 81, 89	<u>493</u> 01, 02, 11, 12, 21, 22, 91, 92	3918
<u>413</u> 0, 1, 9		39891
<u>786</u> 05, 50, 51, 52, 59		<u>402</u> 01, 11, 91
		<u>404</u> 01, 03, 11, 13, 91, 93
		<u>428</u> 0, 1, 9, 20-23, 30-33, 40-
		43

17. The APCs required for the observation criteria to identify E/M or C/C visits are 600- 602, 610-612, 620.

## **Appendix H OCE Observation Criteria (cont'd)**




### Appendix H (cont'd) Direct Admission Logic




## Appendix I Drug Administration

For each APC X subjected to Y maximum allowed units do the following (each day);



- 1) Assign up to Y total units payable of APC X; total units paid = (min (APCX 59 units + up to 1 unit of APCX non-59 lines),Y) 2) Assign packaging flag 4 to other lines of APC X, if present

## Appendix J Billing for blood/blood products



## Appendix K

### **OCE** overview

- 1. If claim from/through dates span more than one day, subdivide the line items on the claim into separate days based on the calendar day of the line item service date.
- 2. Assign the default values to each line item in the APC return buffer.

The default values for the APC return buffer for variables not transferred from input, or not pre-assigned, are as follows:

Payment APC	00000
HCPCS APC	00000
Status indicator	W
Payment indicator	3
Discounting formula number	1
Line item denial or rejection flag	0
Packaging flag	0
Payment adjustment flag	0

Payment method flag Assigned in steps 8, 20 and 21

3. If no HCPCS code is on a line item and the revenue code is from one of four specific lists, then assign the following values to the line item in the APC return buffer.

	N-list	E-list	B-list	F-list
HCPCS APC	00000	00000	00000	00000
Payment APC:	00000	00000	00000	00000
Status Indicator:	N	E	В	F
Payment Indicator	9	3	3	4
Packaging flag:	1	0	0	0

If there is no HCPCS code on a line, and the revenue center is not on any of the specified lists, assign default values as follows:

HCPCS APC	00000
Payment APC:	00000
Status Indicator:	${f Z}$
Payment Indicator	3
Packaging flag:	0

If the HCPCS code is invalid, or the revenue code is invalid and the HCPCS is blank, assign default values as follows:

HCPCS APC	00000
Payment APC:	00000
Status Indicator:	$\mathbf{W}$
Payment Indicator	3
Packaging flag:	0

- 4. If applicable based on Appendix F, assign HCPCS APC in the APC return buffer for each line item that contains an applicable HCPCS code.
- 5. If procedure with status indicator "C" and modifier CA is present on a claim and patient status = 20, assign payment APC 375 to "C" procedure line and set the discounting factor to 1. Change SI to "N" and set the packaging flag to 1 for all other line items occurring on the same day as the line item with status indicator "C" and modifier CA. If multiple lines, or one line with multiple units, have SI = C and modifier CA, generate edit 60 for all lines with SI = C and modifier CA.

## Appendix K

### **OCE Overview (cont'd)**

- 6. If edit 18 is present on a claim, generate edit 49 for all other line items occurring on the same day as the line item with edit 18, and set the line item denial or rejection flag to 1 for each of them. Go to step 14.
- 7. If all of the lines on the claim are incidental, and all of the line item action flags are zero, generate edit 27. Go to step 14.
- 8. If the line item action flag for a line item has a value of 2 or 3 then reset the values of the Payment APC and HCPCS APC to 00000, and set the payment method flag to 4. If the line item action flag for a line item has a value of 4, set the payment method flag to 0. Ignore line items with a line item action flag of 2, 3 or 4 in all subsequent steps.
- 9. If bill type is 13x and condition code = 41, or type of bill = 76x, apply partial hospitalization logic from Appendix C. Go to step 11.
- 10. If bill type is 12x, 13x or 14x without condition code 41 apply mental health logic from Appendix C.
- 11. If bill type is 13x apply observation logic from Appendix H. If bill type is not 13x, and observation G codes (G0378, G0379) present, generate edit 53.
- 12. If code is on the "sometimes therapy" list, reassign the status indicator to A, APC 0 when there is a therapy revenue code or a therapy modifier on the line.
- 13. If the payment APC for a line item has not been assigned a value in step 9 thru 12, set payment APC in the APC return buffer for the line item equal to the HCPCS APC for the line item.
- 14. If edits 9, 13, 19, 20, 21, 28 39, 40, 45, 47, 49, 50, 53, 64, 65, 67, 68, 69 are present in the edit return buffer for a line item, the line item denial or rejection flag for the line item is set to 1.
- 15. Compute the discounting formula number based on Appendix D for each line item that has a status indicator of "T", a modifier of 52, 73 or 50, or is a non type "T" bilateral procedure, or is a non-type "T" procedure with modifier 52 or 73. Note: If the SI or APC of a code is changed during claims processing, the newly assigned SI or APC is used in computing the discount formula. Line items that meet any of the following conditions are not included in the discounting logic.

Line item action flag is 2, 3, or 4

Line item rejection disposition or line item denial disposition in the APC return buffer is 1 and the line item action flag is not 1

Packaging flag is not 0 or 3

- 16. If the packaging flag has not been assigned a value of 1 or 2 in previous steps and the status indicator is "N", then set the packaging flag for the line item to 1.
- 17. If the submitted charges for HCPCS surgical procedures (SI = T, or SI = S in code range 10000-69999) is less than \$1.01 for any line with a packaging flag of 0, then reset the packaging flag for that line to 3 when there are other surgical procedures on the claim with charges greater than \$1.00.
- 18. For all bill types where APCs are assigned, apply drug administration APC consolidation logic from appendix I.
- 19. Set the payment adjustment flag for a line item based on the criteria in Appendix G and Appendix J.
- 20. Set the payment method flag for a line item based on the criteria in Appendix E. If any payment method flag is set to a value that is greater than zero, reset the HCPCS and Payment APC values for that line to '00000'
- 21. If the line item denial or rejection flag is 1 or 2 and the payment method flag has been set to 2 in the previous step, reset the payment method flag to 3.


### Appendix L Summary of Modifications

The modifications of the OCE/APC for the October 2006 release (V7.3) are summarized in the attached table. Readers should also read through the specifications and note the highlighted sections, which also indicate change from the prior release of the software.

Some OCE/APC modifications in the release may also be retroactively added to prior releases. If so, the retroactive date will appear in the 'Effective Date' column.

	Mod. Type	Effective Date	Edit	
				New edit 74 – Units greater than one for bilateral procedure billed with modifier 50RTP.
				For any code on the Conditional or Independent bilateral list that is submitted with
1.	Logic	10/1/06	74	modifier 50 and units of service greater than one on the same line (Appendix A).
				Modify appendix F to bypass edits 8, 9, 11, 12, 44, 50, 53, 54, 55, 59 & 69 for bill types 71x and
				73x.
2.	Logic	4/1/05		Modify appendix E to reflect the changes made in appendix F.
				Modify appendix D to apply bilateral procedure discounting to Non-type T procedures that are on
				the Conditional bilateral list, when submitted with modifier 50.
3.	Logic	10/1/06		[The bilateral indicator to supersede the SI, to determine discounting].

4	Content			Make HCPCS/APC/SI changes, as specified by CMS.
5	Content	7/1/06	19,20, 39,40	Implement version 12.2 of the NCCI file, removing all code pairs which include Anesthesia (00100-01999), E&M (92002-92014, 99201-99499), or MH (90804-90911); and the following Drug Admin code pairs: C8950-C8952, C8953-C8950, C8953-C8952, C8954-C8953.
6	Content	10/1/06	1	Update valid diagnosis code lists with ICD-9-CM changes
7	Content	10/1/06	2,3	Update diagnosis/age and diagnosis/sex conflict edits with MCE changes
8	Content	1/1/05	22	Add new CPT modifiers (genetic testing category) to global 'valid modifier' list.
9	Content	1/1/06	71	Update procedure/device edit list



### **Table of Contents**

CPT codes, descriptions, and material only are Copyright 2005 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in CPT. The AMA assumes no liability for the data contained herein. Applicable FARS/DFARS restrictions apply to government use.

DEFINITIONS	3
DIAGNOSIS CODE CHANGES	4
Added Diagnosis Codes	4
Deleted Diagnosis Codes	8
Diagnosis Edit Changes	9
APC CHANGES	11
Added APCs	11
APC Description Changes	11
HCPCS/CPT PROCEDURE CODE CHANGES	12
Added HCPCS/CPT Procedure Codes	12
Deleted HCPCS/CPT Procedure Codes	13
HCPCS Description Changes	14
HCPCS Changes- APC, Status Indicator and/or Edit Assignments	14
HCPCS Approval and/or Termination Date Changes	14
Edit Assignments	14
Procedure/ Device Pair Changes	15
MODIFIERS	15
Added Modifiers	15

#### **DEFINITIONS**

- A blank in a field indicates 'no change'
- The "old" column describes the attribute prior to the change being made in the current update, which is indicated in the "new" column. If the effective date of the change is the same as the effective date of the new update, 'old' describes the attribute up to the last day of the previous quarter. If the effective date is retroactive, then 'old' describes the attribute for the same date in the previous release of the software.
- "Unassigned", "Pre-defined" or "Placeholder" in APC or HCPCS descriptions indicates that the APC or HCPCS code is inactive. When the APC or HCPCS code is activated, it becomes valid for use in the OCE, and a new description appears in the "new description" column, with the appropriate effective date.
- Activation Date (ActivDate) indicates the mid-quarter date of FDA approval for a drug, or the mid-quarter date of a new or changed code resulting from a National Coverage Determination (NCD). The Activation Date is the date the code becomes valid for use in the OCE. If the Activation Date is blank, then the effective date takes precedence.
- Termination Date (TermDate) indicates the mid-quarter date when a code or change becomes inactive. A code is not valid for use in the OCE after its termination date.

# **DIAGNOSIS CODE CHANGES**

# **Added Diagnosis Codes**

The following new diagnosis codes were added to the OCE/APC, effective 10-01-06

0522Postvaricella myelitis05314Herpes zoster myelitis05474Herpes simplex myelitis23871Essntial thrombocythemia23872Low grde myelody syn les23873Hi grde myelodys syn les23874Myelodyspls syn w 5q del23875Myelodisysplastic synd NOS23876Myelofi w myelo metaplas23879Lymph/hematpoitc tis NEC27730Amyloidosis NOS27731Fam Mediterranean fever27739Amyloidosis NEC28401Constitution RBC aplasia28409Const aplastc anemia NEC2841Pancytopenia2842Myelophthisis28800Neutropenia NOS28801Congenital neutropenia28802Cyclic neutropenia28803Drug induced neutropenia28804Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomatc28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32342Myelitis d/t oth infect32351Enceph/myel folwg immune		ing new diagnosis codes were a
05314Herpes zoster myelitis05474Herpes simplex myelitis23871Essntial thrombocythemia23872Low grde myelody syn les23873Hi grde myelodys syn les23874Myelodyspls syn w 5q del23875Myelodis w myelo metaplas23876Myelofi w myelo metaplas23879Lymph/hematpoitc tis NEC27730Amyloidosis NOS27731Fam Mediterranean fever27739Amyloidosis NEC28401Constitution RBC aplasia28409Const aplastc anemia NEC2841Pancytopenia2842Myelophthisis28800Neutropenia NOS28801Congenital neutropenia28802Cyclic neutropenia28803Drug induced neutropenia28804Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomatc28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32342Myelitis-oth viral dis32351Enceph/myel folwg immune	Diagnosis	CodeDesc
D5474 Herpes simplex myelitis  23871 Essntial thrombocythemia  23872 Low grde myelody syn les  23873 Hi grde myelodys syn les  23874 Myelodyspls syn w 5q del  23875 Myelodysplastic synd NOS  23876 Myelofi w myelo metaplas  23879 Lymph/hematpoitc tis NEC  27730 Amyloidosis NOS  27731 Fam Mediterranean fever  27739 Amyloidosis NEC  28401 Constitution RBC aplasia  28409 Const aplastc anemia NEC  2841 Pancytopenia  2842 Myelophthisis  28800 Neutropenia NOS  28801 Congenital neutropenia  28802 Cyclic neutropenia  28803 Drug induced neutropenia  28804 Neutropenia d/t infectn  28809 Neutropenia NEC  2884 Hemophagocytic syndromes  28850 Leukocytopenia NOS  28851 Lymphocytopenia  28859 Decreased WBC count NEC  28861 Lymphocytosis-symptomatc  28862 Leukemoid reaction  28863 Monocytosis-symptomatic  28864 Plasmacytosis  28865 Basophilia  28869 Elevated WBC count NEC  28953 Neutropenic splenomegaly  28983 Myelofibrosis  32301 Enceph/myelitis-oth inf  32342 Myelitis d/t oth infect  32351 Enceph/myel folwg immune		·
23871 Essntial thrombocythemia 23872 Low grde myelody syn les 23873 Hi grde myelodys syn les 23874 Myelodyspls syn w 5q del 23875 Myelodysplastic synd NOS 23876 Myelofi w myelo metaplas 23879 Lymph/hematpoitc tis NEC 27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	05314	•
23872 Low grde myelody syn les 23873 Hi grde myelodys syn les 23874 Myelodyspls syn w 5q del 23875 Myelodysplastic synd NOS 23876 Myelofi w myelo metaplas 23879 Lymph/hematpoitc tis NEC 27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	05474	Herpes simplex myelitis
23873 Hi grde myelodys syn les 23874 Myelodyspls syn w 5q del 23875 Myelodysplastic synd NOS 23876 Myelofi w myelo metaplas 23879 Lymph/hematpoitc tis NEC 27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	23871	Essntial thrombocythemia
23874 Myelodyspls syn w 5q del 23875 Myelodysplastic synd NOS 23876 Myelofi w myelo metaplas 23879 Lymph/hematpoitc tis NEC 27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia MEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	23872	
23875 Myelodysplastic synd NOS 23876 Myelofi w myelo metaplas 23879 Lymph/hematpoitc tis NEC 27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	23873	
23876 Myelofi w myelo metaplas 23879 Lymph/hematpoitc tis NEC 27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32342 Myelitis- oth viral dis 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	23874	Myelodyspls syn w 5q del
23879Lymph/hematpoitc tis NEC27730Amyloidosis NOS27731Fam Mediterranean fever27739Amyloidosis NEC28401Constitution RBC aplasia28409Const aplastc anemia NEC2841Pancytopenia2842Myelophthisis28800Neutropenia NOS28801Congenital neutropenia28802Cyclic neutropenia28803Drug induced neutropenia28804Neutropenia d/t infectn28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomatc28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32342Myelitis- oth viral dis32341Enceph/myelitis-oth inf32351Enceph/myel folwg immune	23875	
27730 Amyloidosis NOS 27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	23876	
27731 Fam Mediterranean fever 27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune		Lymph/hematpoitc tis NEC
27739 Amyloidosis NEC 28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia NEC 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32342 Myelitis oft oth infect 32351 Enceph/myel folwg immune		
28401 Constitution RBC aplasia 28409 Const aplastc anemia NEC 2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28869 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	27731	Fam Mediterranean fever
28409Const aplastc anemia NEC2841Pancytopenia2842Myelophthisis28800Neutropenia NOS28801Congenital neutropenia28802Cyclic neutropenia28803Drug induced neutropenia28804Neutropenia d/t infectn28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomatc28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	27739	Amyloidosis NEC
2841 Pancytopenia 2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28401	Constitution RBC aplasia
2842 Myelophthisis 28800 Neutropenia NOS 28801 Congenital neutropenia 28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28409	Const aplastc anemia NEC
28800Neutropenia NOS28801Congenital neutropenia28802Cyclic neutropenia28803Drug induced neutropenia28804Neutropenia d/t infectn28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomatc28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	2841	
28801Congenital neutropenia28802Cyclic neutropenia28803Drug induced neutropenia28804Neutropenia d/t infectn28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomatc28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	2842	
28802 Cyclic neutropenia 28803 Drug induced neutropenia 28804 Neutropenia d/t infectn 28809 Neutropenia NEC 2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28800	Neutropenia NOS
28803Drug induced neutropenia28804Neutropenia d/t infectn28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomate28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28801	Congenital neutropenia
28804Neutropenia d/t infectn28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomate28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28802	
28809Neutropenia NEC2884Hemophagocytic syndromes28850Leukocytopenia NOS28851Lymphocytopenia28859Decreased WBC count NEC28860Leukocytosis NOS28861Lymphocytosis-symptomate28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28803	Drug induced neutropenia
2884 Hemophagocytic syndromes 28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28804	Neutropenia d/t infectn
28850 Leukocytopenia NOS 28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28809	Neutropenia NEC
28851 Lymphocytopenia 28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	2884	Hemophagocytic syndromes
28859 Decreased WBC count NEC 28860 Leukocytosis NOS 28861 Lymphocytosis-symptomatc 28862 Leukemoid reaction 28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28850	Leukocytopenia NOS
28860Leukocytosis NOS28861Lymphocytosis-symptomate28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28851	Lymphocytopenia
28861Lymphocytosis-symptomate28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28859	Decreased WBC count NEC
28862Leukemoid reaction28863Monocytosis-symptomatic28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28860	Leukocytosis NOS
28863 Monocytosis-symptomatic 28864 Plasmacytosis 28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28861	Lymphocytosis-symptomate
28864Plasmacytosis28865Basophilia28869Elevated WBC count NEC28953Neutropenic splenomegaly28983Myelofibrosis32301Enceph/encephmye oth dis32302Myelitis- oth viral dis32341Enceph/myelitis-oth inf32342Myelitis d/t oth infect32351Enceph/myel folwg immune	28862	Leukemoid reaction
28865 Basophilia 28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28863	Monocytosis-symptomatic
28869 Elevated WBC count NEC 28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28864	Plasmacytosis
28953 Neutropenic splenomegaly 28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28865	Basophilia
28983 Myelofibrosis 32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28869	Elevated WBC count NEC
32301 Enceph/encephmye oth dis 32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28953	Neutropenic splenomegaly
32302 Myelitis- oth viral dis 32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	28983	Myelofibrosis
32341 Enceph/myelitis-oth inf 32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	32301	Enceph/encephmye oth dis
32342 Myelitis d/t oth infect 32351 Enceph/myel folwg immune	32302	Myelitis- oth viral dis
32351 Enceph/myel folwg immune	32341	
1 1 5	32342	Myelitis d/t oth infect
32352 Myelitis follwg immune	32351	Enceph/myel folwg immune
32332 Wyontis follows minimum	32352	Myelitis follwg immune

Diagnasia	CadaDaga
Diagnosis _ 32361	CodeDesc
32362	Inf ac dis encephalomyel Postinf encephalitis NEC
32363 32371	Postinfectious myelitis Toxic encph & encephlomy
32371	* * *
	Toxic myelitis
32381	Enceph & encephlalo NEC
32382	Myelitis cause NEC
33183	Mild cognitive impairemt
33371	Athetoid cerebral palsy
33372	Acute dystonia d/t drugs
33379	Acq torsion dystonia NEC
33385	Subac dyskinesa d/t drug
33394	Restless Legs Syndrome
3380	Central pain syndrome
33811	Acute pain due to trauma
33812	Acute post-thoracot pain
33818	Acute postop pain NEC
33819	Acute pain NEC
33821	Chronc pain d/t trauma
33822	Chron post-thoracot pain
33828	Chronic postop pain NEC
33829	Chronic pain NEC
3383	Neoplasm related pain
3384	Chronic pain syndrome
34120	Acute myelitis NOS
34121	Acute myelitis oth cond
34122	Idiopathc trans myelitis
37743	Optic nerve hypoplasia
37960	Inflam postproc bleb NOS
37961	Inflam postproc bleb, 1
37962	Inflam postproc bleb, 2
37963	Inflam postproc bleb, 3
38915	Sensorneur hear loss uni
38916	Sensoneur hear loss asym
42983	Takotsubo syndrome
47811	Nasal mucositis (ulcer)
47819	Nasal & sinus dis NEC
5187	Transfsn rel ac lung inj
51911	Acute bronchospasm
51919	Trachea & bronch dis NEC
52181	Cracked tooth
52189	Dis hard tiss teeth NEC
52300	Acute gingititis, plaque
52301	Ac gingivitis,nonplaque
52310	Chronc gingititis,plaque
52311	Chr gingivitis-nonplaque
52330	Aggres periodontitis NOS
52331	Aggres periodontitis,loc
52332	Aggres periodontitis,gen
52333	Acute periodontitis
52340	Chronc periodontitis NOS
	1

Diagnosis         CodeDesc           52341         Chr periodontitis, local           52342         Chron periodontitis, gen           52560         Unsat restore tooth NOS           52561         Open restoration margins           52562         Overhang dental restore           52563         Fx dental mat w/o loss           52564         Fx dental material w loss           52565         Contour restore tooth           52566         Allergy dental res mat           52567         Poor aesthetics restore           52569         Unsat restore tooth NEC           52661         Perfor root canal space           52662         Endodontic overfill           52663         Endodontic underfill           52669         Periradicular path NEC           52800         Stomatitis/mucositis NOS           52801         Mucosits d/t antineo rx           52802         Mucositis d/t drugs NEC           538         GI mucositis (ulceratve)           60820         Torsion of testis NOS           60821         Extravag tors sperm cord           60822         Intravag tors sperm cord           60823         Torsion appendix testis           60824         Torsion appendix testis <th>Die en e sie</th> <th>CadaDaga</th>	Die en e sie	CadaDaga
52342 Chron periodontitis,gen 52560 Unsat restore tooth NOS 52561 Open restoration margins 52562 Overhang dental restore 52563 Fx dental mat w/o loss 52564 Fx dentl material w loss 52565 Contour restore tooth 52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucosits d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatitis & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64902 Tobacco use disord-unsp 64903 Tobacco use disord-unsp 64904 Tobacco use disord-delliv 64902 Tobacco use disord-delliv 64903 Tobacco use disord-delliv 64904 Tobacco use disord-delliv		
52560 Unsat restore tooth NOS 52561 Open restoration margins 52562 Overhang dental restore 52563 Fx dental mat w/o loss 52564 Fx dentl material w loss 52565 Contour restore tooth 52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucosits d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatitis & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 60829 Fem genital mutilate NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-delliv 64902 Tobacco use disord-delliv 64902 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-unspecified 64911 Obesity-unspecified 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatric surg stat-wp/p 64934 Coagulation def-deliv 64935 Coagulation def-deliv 64936 Coagulation def-deliv		
52561Open restoration margins52562Overhang dental restore52563Fx dental mat w/o loss52564Fx dental material w loss52565Contour restore tooth52566Allergy dental res mat52567Poor aesthetics restore52569Unsat restore tooth NEC52661Perfor root canal space52662Endodontic overfill52663Endodontic underfill52669Periradicular path NEC52800Stomatitis/mucositis NOS52801Mucosits d/t antineo rx52802Mucositis d/t drugs NEC52809Stomatitis & mucosits NEC538GI mucositis (ulceratve)60820Torsion of testis NOS60821Extravag tors sperm cord60822Intravag tors sperm cord60823Torsion appendix testis60824Torsion appendix testis60824Torsion appendix testis60824Torsion appendix testis61689Inflm cerv,vag,vulva NEC61884Cervical stump prolapse62929Fem genital mutilate NEC62981Hab abortr w/o curr preg62989Female genital disor NEC64900Tobacco use disord-unsp64901Tobacco use disord-delliv64902Tobacco use dis-postpart64903Tobacco use dis-postpart64910Obesity-delivered64911Obesity-delivered w p/p64913Obesity-delivered w p/p64920Bariatric surg stat-antep <t< td=""><td></td><td></td></t<>		
52562 Overhang dental restore 52563 Fx dental mat w/o loss 52564 Fx dental material w loss 52565 Contour restore tooth 52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucositis d/t drugs NEC 52802 Mucositis d/t drugs NEC 52809 Stomatitis & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use disord-delliv 64902 Tobacco use disord-delliv 64904 Tobacco use disord-delliv 64904 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use disord-delliv 64903 Tobacco use disord-delliv 64904 Tobacco use disord-delliv		
52563 Fx dental mat w/o loss 52564 Fx dentl material w loss 52565 Contour restore tooth 52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucositis d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use disord-delliv 64903 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64920 Bariatric surg stat-del 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-deliv 64933 Coagulation def-antepart		
52564 Fx dentl material w loss 52565 Contour restore tooth 52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucositis d/t drugs NEC 52802 Mucositis d/t drugs NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use dis-antepart 64904 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-deliv 64933 Coagulation def-antepart		· ·
52565 Contour restore tooth 52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucositis d/t drugs NEC 52802 Mucositis d/t drugs NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-deliv 64933 Coagulation def-deliv		
52566 Allergy dental res mat 52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucositis d/t drugs NEC 52802 Mucositis d/t drugs NEC 52809 Stomatitis & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 60826 Inflm cerv,vag,vulva 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use dis-del-p/p 64903 Tobacco use dis-del-p/p 64903 Tobacco use dis-del-p/p 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64911 Obesity-delivered 64912 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64924 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64932 Coagulation def-deliv 64932 Coagulation def-deliv 64933 Coagulation def-antepart		
52567 Poor aesthetics restore 52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucositis d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatitis & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appendix testis 60824 Torsion appendix testis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-netpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64923 Bariatric surg stat-unsp 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-del w p/p		
52569 Unsat restore tooth NEC 52661 Perfor root canal space 52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucosits d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatitis & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64901 Tobacco use dis-antepart 64904 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64921 Bariatric surg stat-antep 64924 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-deliv 64932 Coagulation def-deliv		
52661Perfor root canal space52662Endodontic overfill52663Endodontic underfill52669Periradicular path NEC52800Stomatitis/mucositis NOS52801Mucosits d/t antineo rx52802Mucositis d/t drugs NEC52809Stomatits & mucosits NEC538GI mucositis (ulceratve)60820Torsion of testis NOS60821Extravag tors sperm cord60822Intravag tors sperm cord60823Torsion appendix testis60824Torsion appendix testis60824Torsion appy epididymis61681Mucositis cerv,vag,vulva61689Inflm cerv,vag,vulva NEC61884Cervical stump prolapse62929Fem genital mutilate NEC62981Hab abortr w/o curr preg62989Female genital disor NEC64900Tobacco use disord-unsp64901Tobacco use dis-del-p/p64903Tobacco use dis-antepart64904Tobacco use dis-antepart64904Tobacco use dis-postpart64910Obesity-unspecified64911Obesity-delivered64912Obesity-delivered w p/p64913Obesity-antepartum64920Bariatric surg stat-unsp64921Bariatric surg stat-del64922Bariatric surg stat-antep64923Bariatric surg stat w p/p64930Coagulation def-del w p/p64931Coagulation def-del w p/p64933Coagulation def-del w p/p <td></td> <td></td>		
52662 Endodontic overfill 52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucosits d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64902 Tobacco use dis-antepart 64904 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64923 Bariatric surg stat-antep 64924 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64932 Coagulation def-deliv 64932 Coagulation def-deliv		
52663 Endodontic underfill 52669 Periradicular path NEC 52800 Stomatitis/mucositis NOS 52801 Mucosits d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64902 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64923 Bariatric surg stat-antep 64924 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64932 Coagulation def-deliv 64932 Coagulation def-deliv		
52669Periradicular path NEC52800Stomatitis/mucositis NOS52801Mucosits d/t antineo rx52802Mucositis d/t drugs NEC52809Stomatits & mucosits NEC538GI mucositis (ulceratve)60820Torsion of testis NOS60821Extravag tors sperm cord60822Intravag tors sperm cord60823Torsion appendix testis60824Torsion appy epididymis61681Mucositis cerv,vag,vulva61689Inflm cerv,vag,vulva NEC61884Cervical stump prolapse62929Fem genital mutilate NEC62981Hab abortr w/o curr preg62989Female genital disor NEC64900Tobacco use disord-unsp64901Tobacco use dis-del-p/p64902Tobacco use dis-antepart64904Tobacco use dis-postpart64904Tobacco use dis-postpart64910Obesity-unspecified64911Obesity-delivered64912Obesity-delivered w p/p64913Obesity-antepartum64920Bariatric surg stat-del64921Bariatric surg stat-del64922Bariatric surg stat-antep64923Bariatrc surg stat w p/p64930Coagulation def-deliv64931Coagulation def-deliv64932Coagulation def-deliv64933Coagulation def-antepart		
52800Stomatitis/mucositis NOS52801Mucosits d/t antineo rx52802Mucositis d/t drugs NEC52809Stomatits & mucosits NEC538GI mucositis (ulceratve)60820Torsion of testis NOS60821Extravag tors sperm cord60822Intravag tors sperm cord60823Torsion appendix testis60824Torsion appy epididymis61681Mucositis cerv,vag,vulva61689Inflm cerv,vag,vulva NEC61884Cervical stump prolapse62929Fem genital mutilate NEC62981Hab abortr w/o curr preg62989Female genital disor NEC64900Tobacco use disord-unsp64901Tobacco use disordelliv64902Tobacco use dis-antepart64903Tobacco use dis-postpart64910Obesity-unspecified64911Obesity-delivered64912Obesity-antepartum64913Obesity-antepartum64920Bariatric surg stat-unsp64921Bariatric surg stat-del64922Bariatric surg stat-antep64923Bariatrc surg stat w p/p64930Coagulation def-unspec64931Coagulation def-del w p/p64932Coagulation def-del w p/p64933Coagulation def-antepart		
52801 Mucositis d/t antineo rx 52802 Mucositis d/t drugs NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64921 Bariatric surg stat-antep 64922 Bariatric surg stat-antep 64923 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
52802 Stomatits & mucosits NEC 52809 Stomatits & mucosits NEC 538 GI mucositis (ulceratve) 60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-antepartum 64914 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-unsp 64922 Bariatric surg stat-antep 64923 Bariatrc surg stat w p/p 64930 Coagulation def-deliv 64932 Coagulation def-deliv		
52809 Stomatits & mucosits NEC  538 GI mucositis (ulceratve)  60820 Torsion of testis NOS  60821 Extravag tors sperm cord  60822 Intravag tors sperm cord  60823 Torsion appendix testis  60824 Torsion appy epididymis  61681 Mucositis cerv,vag,vulva  61689 Inflm cerv,vag,vulva NEC  61884 Cervical stump prolapse  62929 Fem genital mutilate NEC  62981 Hab abortr w/o curr preg  62989 Female genital disor NEC  64900 Tobacco use disord-unsp  64901 Tobacco use disordelliv  64902 Tobacco use dis-antepart  64904 Tobacco use dis-antepart  64904 Tobacco use dis-postpart  64910 Obesity-unspecified  64911 Obesity-delivered  64912 Obesity-delivered w p/p  64913 Obesity-antepartum  64914 Obesity-postpartum  64920 Bariatric surg stat-del  64921 Bariatric surg stat-del  64922 Bariatric surg stat-del  64923 Bariatrc surg stat w p/p  64930 Coagulation def-unspec  64931 Coagulation def-deliv  64932 Coagulation def-antepart		
GI mucositis (ulceratve)  60820 Torsion of testis NOS  60821 Extravag tors sperm cord  60822 Intravag tors sperm cord  60823 Torsion appendix testis  60824 Torsion appy epididymis  61681 Mucositis cerv,vag,vulva  61689 Inflm cerv,vag,vulva NEC  61884 Cervical stump prolapse  62929 Fem genital mutilate NEC  62981 Hab abortr w/o curr preg  62989 Female genital disor NEC  64900 Tobacco use disord-unsp  64901 Tobacco use disord-delliv  64902 Tobacco use dis-antepart  64904 Tobacco use dis-postpart  64904 Tobacco use dis-postpart  64910 Obesity-unspecified  64911 Obesity-delivered  64912 Obesity-delivered  64913 Obesity-antepartum  64920 Bariatric surg stat-unsp  64921 Bariatric surg stat-del  64922 Bariatric surg stat-del  64923 Bariatric surg stat w p/p  64930 Coagulation def-unspec  64931 Coagulation def-deliv  64932 Coagulation def-antepart		
60820 Torsion of testis NOS 60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatrc surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
60821 Extravag tors sperm cord 60822 Intravag tors sperm cord 60823 Torsion appendix testis 60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-unsp 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
60822Intravag tors sperm cord60823Torsion appendix testis60824Torsion appy epididymis61681Mucositis cerv,vag,vulva61689Inflm cerv,vag,vulva NEC61884Cervical stump prolapse62929Fem genital mutilate NEC62981Hab abortr w/o curr preg62989Female genital disor NEC64900Tobacco use disord-unsp64901Tobacco use dis-del-p/p64902Tobacco use dis-antepart64904Tobacco use dis-postpart64904Tobacco use dis-postpart64910Obesity-unspecified64911Obesity-delivered64912Obesity-delivered w p/p64913Obesity-antepartum64920Bariatric surg stat-unsp64921Bariatric surg stat-del64922Bariatric surg stat-del64923Bariatrc surg stat w p/p64930Coagulation def-unspec64931Coagulation def-deliv64932Coagulation def-del w p/p64933Coagulation def-antepart		
60823Torsion appendix testis60824Torsion appy epididymis61681Mucositis cerv,vag,vulva61689Inflm cerv,vag,vulva NEC61884Cervical stump prolapse62929Fem genital mutilate NEC62981Hab abortr w/o curr preg62989Female genital disor NEC64900Tobacco use disord-unsp64901Tobacco use dis-del-p/p64902Tobacco use dis-antepart64904Tobacco use dis-postpart64910Obesity-unspecified64911Obesity-delivered64912Obesity-delivered w p/p64913Obesity-antepartum64920Bariatric surg stat-unsp64921Bariatric surg stat-del64922Bariatric surg stat-del64923Bariatrc surg stat w p/p64930Coagulation def-unspec64931Coagulation def-deliv64932Coagulation def-del w p/p64933Coagulation def-antepart		
60824 Torsion appy epididymis 61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatric surg stat w p/p 64930 Coagulation def-deliv 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
61681 Mucositis cerv,vag,vulva 61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-antep 64923 Bariatrc surg stat w p/p 64930 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart		
61689 Inflm cerv,vag,vulva NEC 61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disordelliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-postpart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-antep 64923 Bariatrc surg stat w p/p 64930 Coagulation def-deliv 64932 Coagulation def-deliv 64933 Coagulation def-antepart		
61884 Cervical stump prolapse 62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disordelliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
62929 Fem genital mutilate NEC 62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disordelliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart	61689	
62981 Hab abortr w/o curr preg 62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-delliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg stat-del 64923 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
62989 Female genital disor NEC 64900 Tobacco use disord-unsp 64901 Tobacco use disord-elliv 64902 Tobacco use disord-elliv 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatric surg stat-antep 64924 Bariatric surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart	62929	
64900 Tobacco use disord-unsp 64901 Tobacco use disor-delliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
64901 Tobacco use disor-delliv 64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatric surg stat-antep 64924 Bariatric surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
64902 Tobacco use dis-del-p/p 64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart		Tobacco use disord-unsp
64903 Tobacco use dis-antepart 64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-antepart		
64904 Tobacco use dis-postpart 64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64902	
64910 Obesity-unspecified 64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64903	Tobacco use dis-antepart
64911 Obesity-delivered 64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64904	Tobacco use dis-postpart
64912 Obesity-delivered w p/p 64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64910	Obesity-unspecified
64913 Obesity-antepartum 64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64911	
64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64912	
64914 Obesity-postpartum 64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64913	
64920 Bariatric surg stat-unsp 64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64914	
64921 Bariatric surg stat-del 64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64920	
64922 Bariatric surg-del w p/p 64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64921	
64923 Bariatrc surg stat-antep 64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulation def-del w p/p 64933 Coagulation def-antepart	64922	
64924 Bariatrc surg stat w p/p 64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulatn def-del w p/p 64933 Coagulation def-antepart	64923	
64930 Coagulation def-unspec 64931 Coagulation def-deliv 64932 Coagulatn def-del w p/p 64933 Coagulation def-antepart		
64931 Coagulation def-deliv 64932 Coagulatn def-del w p/p 64933 Coagulation def-antepart		
64932 Coagulatn def-del w p/p 64933 Coagulation def-antepart		
64933 Coagulation def-antepart		
i i i i i i i i i i i i i i i i i i i		
04754 Coaguiation dei-postpart	64934	Coagulation def-postpart

D'	Calabara
_Diagnosis _	CodeDesc
64940	Epilepsy-unspecified
64941	Epilepsy-delivered
64942	Epilepsy-delivered w p/p
64943	Epilepsy-antepartum
64944	Epilepsy-postpartum
64950	Spotting-unspecified
64951	Spotting-delivered
64953	Spotting-antepartum
64960	Uterine size descrp-unsp
64961	Uterine size descrep-del
64962	Uterine size-del w p/p
64963	Uterine size des-antepar
64964	Uterine size descrep-p/p
72971	Nontraum comp syn-up ext
72972	Nontraum comp syn-low ex
72973	Nontrauma comp syn-abd
72979	Nontrauma comp syn NEC
7313	Major osseous defects
7687	Hypoxic-ischemic enceph
77087	NB respiratory arrest
77088	Hypoxemia of newborn
77581	NB acidosis NEC
77589	Neonat endo/met dis NEC
77985	NB cardiac arrest
78032	Complx febrile convulsns
78096	Generalized pain
78097	Altered mental status
78491	Postnasal drip
78499	Head & neck symptoms NEC
78864	Urinary hesitancy
78865	Straining on urination
79391	Image test incon d/t fat
79399	Abn find-body struct NEC
79506	Pap smr cytol evid malig
79581	Elev ca-embryoic antigen
79582	Elev ca antigen 125
79589	Abnorml tumor marker NEC
95890	Compartment syndrome NOS
95891	Trauma comp synd up ext
95892	Trauma comp synd low ext
95893	Trauma compart synd abd
95899	Trauma compart synd NEC
99520	Adv eff med/biol sub NOS
99521	Arthus phenomenon
99522	Adv eff anesthesia NOS
99523	Adverse eff insulin NOS
99527	Drug allergy NEC
99529	Adv eff med/biol NEC/NOS
V1851	Family hx colonic polyps
V1859	Fam hx digest disord NEC
V1639 V2634	Male genetic test dis car
¥ 203 <del>4</del>	maic genete test dis cai

Diagnosis	CodeDesc
V2635	Test male part hab abort
V2639	Male genetic test NEC
V4586	Bariatric surgery status
V5830	Attn rem nonsurg dressng
V5831	Attn rem surg dressing
V5832	Attn removal of sutures
V7211	Hearing exam-fail screen
V7219	Exam ears & hearing NEC
V8271	Screen-gentc dis carrier
V8279	Genetic screening NEC
V8551	BMI, pediatric <5%
V8552	BMI, pediatric 5% - <85%
V8553	BMI,pediatric 85% - <95%
V8554	BMI,pediatric >= 95%
V860	Estrogen recep pstv stat
V861	Estrogen recep neg stat

# **Deleted Diagnosis Codes**

The following deleted diagnosis codes were deleted from the OCE/APC, effective 10-01-06

	ing deleted diagnosis codes w
Diagnosis	CodeDesc
2387	Lymphoproliferat dis NOS
2773	Amyloidosis
2840	Congen aplastic anemia
2880	Agranulocytosis
3230	Encephalit in viral dis
3234	Oth encephalit d/t infec
3235	Postimmunizat encephalit
3236	Postinfect encephalitis
3237	Toxic encephalitis
3238	Encephalitis NEC
3337	Symptom torsion dystonia
4781	Nasal & sinus dis NEC
5191	Trachea/bronchus dis NEC
5218	Hard tiss dis teeth NEC
5230	Acute gingivitis
5231	Chronic gingivitis
5233	Acute periodontitis
5234	Chronic periodontitis
5280	Stomatitis
6082	Torsion of testis
6168	Female gen inflam NEC
6298	Female genital dis NEC
7758	Transient met dis NB NEC
7849	Symp invol head/neck NEC
7939	Abn find-body struct NEC
9952	Adv eff med/biol sub NOS
V185	Family hx-gi disorders
V583	Atten-surg dressng/sutur
V721	Ear & hearing exam

#### **Diagnosis Edit Changes**

The following code(s) were added to the list of newborn only diagnoses, age 0 years old, effective 10-01-06

Diagnosis
7687
77087
77088
77581
77589
77985
78092

The following code(s) were added to the list of pediatric diagnoses, age 0-17 years old, effective 10-01-06

Diagnosis
V8551
V8552
V8553
V8554

The following code(s) were removed from the list of pediatric diagnoses, age 0-17 years old, **effective 10-01-06** 

Diagnosis 78092

The following code(s) were added to the list of maternity diagnoses, age 12-55 years old, effective 10-01-06

Diagnosis
64900
64901
64902
64903
64904
64910
64911
64912
64913
64914
64920
64921
64922
64923
64924
64930
64931
64932
64933
64934

Diagnosis
64940
64941
64942
64943
64944
64950
64951
64953
64960
64961
64962
64963
64964

The following code(s) were added to the list of male diagnoses, effective 10-01-06

Diagnosis
60820
60821
60822
60823
60824
V2634
V2635
V2639

The following code(s) were added to the list of female diagnoses, effective 10-01-06

Diagnosis
61681
61689
61884
62929
62981
62989
64900
64901
64902
64903
64904
64910
64911
64912
64913
64914
64920
64921
64922
64923
64924
64930

Diagnosis
64931
64932
64933
64934
64940
64941
64942
64943
64944
64950
64951
64953
64960
64961
64962
64963
64964
79506
79582
V2631
V2632

## **APC CHANGES**

### **Added APCs**

The following Apc(s) were added to the OCE/APC, effective 04-01-06

APC	APCDesc	StatusIndicator
00745	Zoster vacc, sc	K

The following Apc(s) were added to the OCE/APC, effective 10-01-06

APC	APCDesc	<b>StatusIndicator</b>
09231	Injection, decitabine	G

#### **APC Description Changes**

The following Apc(s) had description changes, effective 01-01-06

APC	<b>Old Description</b>	<b>New Description</b>
01693	Lepiridin	Lepirudin

The following Apc(s) had description changes, effective 10-01-06

APC	Old Description	New Description
01713	Inj Fe-based MR contrast, ml	Inj Fe-based MR contrast,1ml
01737	HOCM >= 400 mg/ml iodine	HOCM>= 400mg/ml iodine
09126	Injection, Natalizumab, 1 MG	Natalizumab injection
09167	Valrubicin, 200 mg	Valrubicin

#### **HCPCS/CPT PROCEDURE CODE CHANGES**

### **Added HCPCS/CPT Procedure Codes**

The following new HCPCS/CPT code(s) were added to the OCE/APC, effective 01-01-06

HCPCS	CodeDesc	SI	APC	Edit	ActivDate	<b>TermDate</b>
G8085	ESRD pt inelig autogenous Fis	M	00000	72		

The following new HCPCS/CPT code(s) were added to the OCE/APC, effective 10-01-06

HCPCS	CodeDesc	SI	APC	Edit	ActivDate	<b>TermDate</b>
C9231	Injection, decitabine	G	09231	55		
C9727	Insert palate implants	S	01510	55		
H0049	Alcohol/drug screening	Е	00000	28		
H0050	Alcohol/drug service 15 min	Е	00000	28		
K0800	POV group 1 std up to 300 lbs	Y	00000	61		
K0801	POV group 1 hd 301-450 lbs	Y	00000	61		
K0802	POV group 1 vhd 451-600 lbs	Y	00000	61		
K0806	POV group 2 std up to 300lbs	Y	00000	61		
K0807	POV group 2 hd 301-450 lbs	Y	00000	61		
K0808	POV group 2 vhd 451-600 lbs	Y	00000	61		
K0812	Power operated vehicle NOC	Y	00000	61		
K0813	PWC gp 1 std port seat/back	Y	00000	61		
K0814	PWC gp 1 std port cap chair	Y	00000	61		
K0815	PWC gp 1 std seat/back	Y	00000	61		
K0816	PWC gp 1 std cap chair	Y	00000	61		
K0820	PWC gp 2 std port seat/back	Y	00000	61		
K0821	PWC gp 2 std port cap chair	Y	00000	61		
K0822	PWC gp 2 std seat/back	Y	00000	61		
K0823	PWC gp 2 std cap chair	Y	00000	61		
K0824	PWC gp 2 hd seat/back	Y	00000	61		
K0825	PWC gp 2 hd cap chair	Y	00000	61		
K0826	PWC gp2 vhd seat/back	Y	00000	61		
K0827	PWC gp 2 vhd cap chair	Y	00000	61		
K0828	PWC gp 2 xtra hd seat/back	Y	00000	61		
K0829	PWC gp 2 xtra hd cap chair	Y	00000	61		
K0830	PWC gp2 std seat elevate s/b	Y	00000	61		
K0831	PWC gp2 std seat elevate cap	Y	00000	61		
K0835	PWC gp2 std sing pow opt s/b	Y	00000	61		
K0836	PWC gp2 std sing pow opt cap	Y	00000	61		
K0837	PWC gp 2 hd sing pow opt s/b	Y	00000	61		

HCPCS	CodeDesc	SI	APC	Edit	ActivDate	TermDate
K0838	PWC gp 2 hd sing pow opt cap	Y	00000	61		
K0839	PWC gp2 vhd sing pow opt s/b	Y	00000	61		
K0840	PWC gp2 xhd sing pow opt s/b	Y	00000	61		
K0841	PWC gp2 std mult pow opt s/b	Y	00000	61		
K0842	PWC gp2 std mult pow opt cap	Y	00000	61		
K0843	PWC gp2 hd mult pow opt s/b	Y	00000	61		
K0848	PWC gp 3 std seat/back	Y	00000	61		
K0849	PWC gp 3 std cap chair	Y	00000	61		
K0850	PWC gp 3 hd seat/back	Y	00000	61		
K0851	PWC gp 3 hd cap chair	Y	00000	61		
K0852	PWC gp 3 vhd seat/back	Y	00000	61		
K0853	PWC gp 3 vhd cap chair	Y	00000	61		
K0854	PWC gp 3 xhd seat/back	Y	00000	61		
K0855	PWC gp 3 xhd cap chair	Y	00000	61		
K0856	PWC gp3 std sing pow opt s/b	Y	00000	61		
K0857	PWC gp3 std sing pow opt cap	Y	00000	61		
K0858	PWC gp3 hd sing pow opt s/b	Y	00000	61		
K0859	PWC gp3 hd sing pow opt cap	Y	00000	61		
K0860	PWC gp3 vhd sing pow opt s/b	Y	00000	61		
K0861	PWC gp3 std mult pow opt s/b	Y	00000	61		
K0862	PWC gp3 hd mult pow opt s/b	Y	00000	61		
K0863	PWC gp3 vhd mult pow opt s/b	Y	00000	61		
K0864	PWC gp3 xhd mult pow opt s/b	Y	00000	61		
K0868	PWC gp 4 std seat/back	Y	00000	61		
K0869	PWC gp 4 std cap chair	Y	00000	61		
K0870	PWC gp 4 hd seat/back	Y	00000	61		
K0871	PWC gp 4 vhd seat/back	Y	00000	61		
K0877	PWC gp4 std sing pow opt s/b	Y	00000	61		
K0878	PWC gp4 std sing pow opt cap	Y	00000	61		
K0879	PWC gp4 hd sing pow opt s/b	Y	00000	61		
K0880	PWC gp4 vhd sing pow opt s/b	Y	00000	61		
K0884	PWc gp4 std mult pow opt s/b	Y	00000	61		
K0885	PWC gp4 std mult pow opt cap	Y	00000	61		
K0886	PWC gp4 hd mult pow s/b	Y	00000	61		
K0890	PWC gp5 ped sing pow opt s/b	Y	00000	61		
K0891	PWC gp5 ped mult pow opt s/b	Y	00000	61		
K0898	Power wheelchair NOC	Y	00000	61		
K0899	Pow mobility dev no sadmerc	Y	00000	61		
S0147	Alglucosidase alfa 20 mg	Е	00000	28		
S2325	Hip core decompression	Е	00000	28		

# **Deleted HCPCS/CPT Procedure Codes**

The following HCPCS/CPT code(s) were deleted from the OCE/APC, effective 07-01-06

HCPCS	CodeDesc
K0738	Matt, hospital bed
K0739	Matt, hvy duty hospital bed
K0740	Side rails, hospital bed
S0116	Bevacizumab 100 mg

HCPCS	CodeDesc
S0198	Inj pegaptanib 0.3 mg
S8075	CAD of digital mammogr
S9022	Digital subtraction angiogra

#### **HCPCS Description Changes**

The following code descriptions were changed, effective 07-01-06

HCPCS	Old Description	New Description
J1945	Lepiridin	Lepirudin

The following code descriptions were changed, effective 10-01-06

HCPCS	Old Description	New Description
K0738	Matt, hospital bed	Portable gas oxygen system

#### HCPCS Changes- APC, Status Indicator and/or Edit Assignments

The following code(s) had an APC and/or SI and/or edit change, **effective 04-01-03** \*\*A blank in the field indicates no change.

HCPCS	CodeDesc	Old APC	New APC	Old SI	New SI	Old Edit	New Edit
A4232	Syringe w/needle insulin 3cc			Y	Е	61	28

The following code(s) had an APC and/or SI and/or edit change, **effective 04-01-06** \*\*A blank in the field indicates no change.

HCPCS	CodeDesc	Old APC	New APC	Old SI	New SI	Old Edit	New Edit
90736	Zoster vacc, sc	00000	00745	Е	K	28	N/A

### **HCPCS** Approval and/or Termination Date Changes

The following code(s) had approval and /or termination date changes

HCPCS	Old ApprovalDt	New ApprovalDt	Old TerminationDt	New TerminationDt
90736	0	20060525		

### **Edit Assignments**

The following code(s) were added to edit 67, 68, or 69 effective 04-01-06

HCPCS	Edit#	ActivDate	TermDate
90736	67	20060525	

The following code(s) were removed from Deductible n/a, effective 08-01-00

HCPCS
G0103
Q0091

The following code(s) were removed from Deductible n/a, effective 01-01-03

	1
HCPCS	
90657	
90658	
90732	

## **Procedure/ Device Pair Changes**

The following procedure/device code pair requirements were added, effective 01-01-06

Proc	Device1
64590	C1820

### **MODIFIERS**

### **Added Modifiers**

The following modifier(s) were added to the list of valid modifiers, effective 01-01-05

modif	ACTIVATIONDATE
0A	0
0B	0
0C	0
0D	0
0E	0
0F	0
0G	0
0H	0
0I	0
OJ	0
0K	0
0L	0
0M	0
0N	0
00	0
0P	0
0Z	0
1A	0
1B	0
1C	0
1D	0
1E	0

IROURT         ACTIVATION DATE           1F         0           1G         0           1H         0           1J         0           1Z         0           2A         0           2B         0           2C         0           2D         0           2E         0           2F         0           2G         0           2H         0           2J         0           2K         0           2L         0           2M         0           2N         0 </th <th>modif</th> <th>ACTIVATIONDATE</th>	modif	ACTIVATIONDATE
1G       0         1H       0         1I       0         1J       0         1Z       0         2A       0         2B       0         2C       0         2D       0         2E       0         2F       0         2G       0         2H       0         2J       0         2K       0         2L       0         2M       0         2N       0         2N <td< th=""><th></th><th></th></td<>		
1H       0         1I       0         1J       0         1Z       0         2A       0         2B       0         2C       0         2D       0         2E       0         2F       0         2G       0         2H       0         2I       0         2K       0         2L       0         2M       0         2N       0         2Q       0         2R       0         2B       0         3B       0         3B       0         3B       0         3B       0         3F       0         3G       0         3H       0         3G <td< td=""><td></td><td></td></td<>		
1I       0         1J       0         1Z       0         2A       0         2B       0         2C       0         2D       0         2E       0         2F       0         2G       0         2H       0         2J       0         2K       0         2L       0         2M       0         2N       0         2Q       0         2R       0         2R       0         2R       0         2R       0         2B       0         2C       0         2D       0         2Q       0         2R       0         2S       0         3A       0         3B       0         3C       0         3B       0         3F       0         3G       0         3H       0         3C       0         3B       0         3C       0         3A <td< td=""><td></td><td></td></td<>		
1J       0         1Z       0         2A       0         2B       0         2C       0         2D       0         2E       0         2F       0         2G       0         2H       0         2J       0         2K       0         2L       0         2M       0         2N       0         2Q       0         2R       0         2R       0         2R       0         3A       0         3B       0         3C       0         3B       0         3C <td< td=""><td></td><td></td></td<>		
1Z       0         2A       0         2B       0         2C       0         2D       0         2E       0         2F       0         2G       0         2H       0         2I       0         2K       0         2L       0         2M       0         2N       0         2Q       0         2R       0         2S       0         2T       0         3A       0         3B       0         3C       0         3A       0         3B       0         3C <td< td=""><td></td><td></td></td<>		
2A 0 2B 0 2C 0 2D 0 2E 0 2F 0 2G 0 2H 0 2I 0 2I 0 2K 0 2L 0 2M 0 2N 0 2O 0 2Q 0 2R 0 2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3B 0 3C 0 3B 0 3G 0 3H 0 3I		
2B 0 2C 0 2D 0 2D 0 2E 0 2F 0 2G 0 2H 0 2I 0 2J 0 2K 0 2L 0 2M 0 2N 0 2O 0 2Q 0 2R 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3B 0 3C 0 3B 0 3G 0 3H 0 3I		
2C       0         2D       0         2E       0         2F       0         2G       0         2H       0         2I       0         2J       0         2K       0         2L       0         2M       0         2N       0         2Q       0         2R       0         2B       0         3B       0         3C       0         3B       0         3F       0         3G       0         3H       0         3G       0         3H       0         3G       0         3H       0         4A       0         4B <td< td=""><td></td><td></td></td<>		
2D 0 2E 0 2F 0 2G 0 2H 0 2I 0 2J 0 2K 0 2L 0 2M 0 2N 0 2O 0 2Q 0 2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3B 0 3C 0 3B 0 3F 0 3G 0 3H 0 3I		
2E 0 2F 0 2G 0 2H 0 2I 0 2I 0 2J 0 2K 0 2L 0 2M 0 2N 0 2O 0 2Q 0 2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I		1
2F 0 2G 0 2H 0 2I 0 2J 0 2K 0 2L 0 2M 0 2N 0 2O 0 2Q 0 2R 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3G 0 3H 0 3I		
2G 0 2H 0 2I 0 2I 0 2J 0 2K 0 2L 0 2M 0 2N 0 2O 0 2Q 0 2R 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 4A 0 4B 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I		
2H       0         2I       0         2K       0         2L       0         2M       0         2N       0         2N       0         2Q       0         2R       0         2S       0         2T       0         2A       0         3A       0         3B       0         3C       0         3B       0         3G       0         3H       0         3Z       0         4A       0         4B       0         4C       0         4B       0         4F <td< td=""><td></td><td></td></td<>		
2I       0         2K       0         2L       0         2M       0         2N       0         2O       0         2Q       0         2R       0         2S       0         2T       0         2Z       0         3A       0         3B       0         3C       0         3B       0         3C       0         3B       0         3C       0         3B       0         3C       0         3B       0         3B       0         3C       0         3B       0         3B <td< td=""><td></td><td></td></td<>		
2J 0 2K 0 2L 0 2M 0 2N 0 2N 0 2O 0 2Q 0 2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 4A 0 4B 0 4C 0 4B 0 4F 0 4G 0 4H 0 4I		
2K       0         2M       0         2N       0         2O       0         2Q       0         2R       0         2S       0         2T       0         2Z       0         3A       0         3B       0         3C       0         3B       0         3C       0         3F       0         3G       0         3H       0         3I       0         3K       0         3Z       0         4A       0         4B       0         4C       0         4B       0         4C       0         4F       0         4F       0         4H       0         4H       0         4H       0         4M       0		1
2L       0         2M       0         2N       0         2O       0         2Q       0         2R       0         2R       0         2S       0         2T       0         2Z       0         3A       0         3B       0         3C       0         3B       0         3C       0         3F       0         3G       0         3H       0         3K       0         3K       0         3K       0         3K       0         3K       0         3K       0         4A       0         4B       0         4C       0         4B       0         4C       0         4B       0         4F       0         4G       0         4H       0         4H       0         4H       0         4H       0         4H       0         4H <td< td=""><td></td><td></td></td<>		
2M       0         2N       0         2O       0         2Q       0         2R       0         2S       0         2T       0         2Z       0         3A       0         3B       0         3C       0         3D       0         3E       0         3F       0         3G       0         3H       0         3I       0         3K       0         3Z       0         4A       0         4B       0         4C       0         4B       0         4C       0         4B       0         4F       0         4F       0         4H       0         4I       0         4M       0		
2N       0         2O       0         2Q       0         2R       0         2S       0         2T       0         3A       0         3B       0         3C       0         3D       0         3E       0         3F       0         3G       0         3H       0         3I       0         3K       0         3Z       0         4A       0         4B       0         4C       0         4B       0         4F       0         4F       0         4H       0         4H       0         4H       0         4H       0         4M       0		
20 0 2Q 0 2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3G 0 3H 0 3I 0 3I 0 3I 0 3X 0 3X 0 4A 0 4B 0 4C 0 4B 0 4F 0 4G 0 4H 0 4I		
2Q 0 2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3G 0 3H 0 3I 0 3I 0 3I 0 3X 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I		
2R 0 2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3G 0 3H 0 3I 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I		
2S 0 2T 0 2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4I 0 4I 0 4J 0 4K 0 4M 0		
2T       0         2Z       0         3A       0         3B       0         3C       0         3D       0         3E       0         3F       0         3G       0         3H       0         3I       0         3K       0         3Z       0         4A       0         4B       0         4C       0         4B       0         4C       0         4B       0         4F       0         4F       0         4H       0         4H       0         4H       0         4K       0         4M       0		
2Z 0 3A 0 3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I		
3A 0 3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4I 0 4J 0 4K 0 4M 0		
3B 0 3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4I 0 4J 0 4K 0 4M 0		
3C 0 3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4I 0 4J 0 4K 0 4M 0		
3D 0 3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4I 0 4J 0 4K 0 4M 0		
3E 0 3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4I 0 4I 0 4K 0 4M 0		
3F 0 3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4M 0		
3G 0 3H 0 3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4M 0		0
3I 0 3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0		0
3K 0 3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	3H	0
3Z 0 4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	3I	0
4A 0 4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	3K	0
4B 0 4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	3Z	0
4C 0 4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	4A	0
4D 0 4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	4B	0
4E 0 4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	4C	0
4F 0 4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	4D	0
4G 0 4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	4E	0
4H 0 4I 0 4J 0 4K 0 4L 0 4M 0	4F	0
4I 0 4J 0 4K 0 4L 0 4M 0	4G	0
4J 0 4K 0 4L 0 4M 0		
4K 0 4L 0 4M 0		
4L 0 4M 0		
4M 0		
4N 0		
	4N	0

1°C	
modif	ACTIVATIONDATE
40	0
4Z 5A	0
5B	0
5C	
	0
5D	0
5E 5F	0
5G	0
5H	0
5I	0
5J	0
5K	0
5L	0
5M	0
5N	0
5O	0
5Z	0
6A	0
6B	0
6C	0
6D	0
6E	0
6F	0
6Z	0
7A	0
7B	0
7C	0
7D	0
7E	0
7F	0
7Z	0
8A	0
8B	0
8Z	0
9A	0
9B	0
9C	0
9D	0
9L	0
9M	0
9N	0
90	0
9P	0
9Q	0
9Z	0