Documentation, Codebook, and Frequencies

SP Questionnaire Component: Balance Questionnaire Data

Survey Years: 2003 to 2004

SAS Export File: BAQ_C.XPT



NHANES 2003–2004 Data Documentation

Questionnaire Section: Sample Person Questionnaire

Years of Coverage: 2003–2004 First Published: November 2005 Last Revised: N/A

Component Description

The Balance Questionnaire (variable name prefix BAQ) provides sample person interview data on the self-reported prevalence of balance, dizziness, and falls. This is of importance because of the increasing morbidity and mortality associated with balance disorders among older persons in the U.S. Topics included in the section include:

Balance (BAQ_C)

- 1-month period prevalence of dizziness, balance problems, and falls:
- duration of the balance problems listed above;
- self-reported reason for balance or dizziness problem;
- history of medical treatment for balance/dizziness, type, and outcome;
- family history of balance, dizziness or falling problem.

Eligible Sample

All sample persons 40 years of age and older were asked these questions. There were no exclusions for this questionnaire segment.

Interview Setting and Mode of Administration

A trained household interviewer administrated these questions to the survey participant during the household interview. The information was recorded using a computer-assisted personal interview (CAPI) system. Some of the questions in the VIQ section required the use of printed hand cards. When necessary, the household interviewers read the hand card selections to the respondent.

Quality Assurance & Quality Control

Balance questionnaire data was systematically reviewed for logical, processing and data input errors on a periodic basis during the process of data collection.

The computer CAPI system had built-in consistency checks, online information screens that provided the interviewers with information about the terms used in the questionnaires, and hard and soft edit checks to reduce the number of keying entry errors. All of the interviews were reviewed by the NHANES field office staff for accuracy and completeness.

Balance (BAQ_C) Page 1 of 3

Additional details describing the quality assurance/quality control processes are provided in the survey procedures manuals.

Data Processing and Editing

The 2003–2004 Balance Questionnaire data were verified prior to public release.

Analytic Notes

Balance data analysis is complex and requires knowledge of the specialty content area for valid results to be obtained. If an analyst does not have professional experience in this area, it is recommended that specialty consultation be obtained to help formulate and review the results of the analysis.

Full sample interview weights should be employed if BAQ statistical analysis involves only NHANES questionnaire data. Although these data were collected as a part of the household questionnaire, if they are merged with NHANES MEC data, MEC examination sample weights should be used for the analysis.

All the questions in the current NHANES balance questionnaire were newly developed for this survey in consultation with expert consultants from the National Institute on Deafness and Other Communications Disorders (NIDCD).

Balance Physical Examination data are found in the Balance Section of the NHANES 2003–2004 Examination Files.

Please refer to the Analytic Guidelines for further details on the use of sample weights and other analytic issues at http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm.

The BAQ data are publicly available at www.cdc.gov/nchs/nhanes.htm.

References

1. Newman CW, Jacobson GP. Application of self-report scales in balance function handicap assessment. Seminars in Hearing. 1993; 14:363–376.

Balance (BAQ_C) Page 2 of 3

Locator Record

Title: Balance (BAQ_C)

Contact Number: 1-866-441-NCHS

Years of Content: 2003–2004 First Published: November 2005

Revised: N/A

Access Constraints: None
Use Constraints: None

Geographic Coverage: National

Subject: Balance

Record Source: NHANES 2003-2004

Survey Methodology: NHANES 2003–2004 is a stratified multistage probability sample of the civilian

non-institutionalized population of the U.S.

Medium: NHANES Web site; SAS transport files

Balance (BAQ_C) Page 3 of 3

National Health and Nutrition Examination Survey Codebook for Data Production (2003-2004)

Balance Section of the SP Questionnaire (BAQ_C) Person level data -- use Interview Weights for analysis

November 2005



SEQN	Target	
	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Respondent sequence number	
English Text: Respondent sequence number.		
English Instructions:		

BAQ010	Target	
	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Dizzy/balance/falling problems/past yr	

English Text: During the past 12 months, {have you/has SP} had dizziness, difficulty with balance or difficulty with falling?

Code or Value	Description	Count	Skip to Item
1	Yes	912	
2	No	2386	BAQ070
7	Refused	0	BAQ070
9	Don't know	1	BAQ070
	Missing	0	

BAQ020A	Target	
D11Q02011	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Dizziness problems in past year	

English Text: Which of these problems {have you/has SP} had . . .dizziness?

English Instructions: CAPI INSTRUCTION: TEXT OF QUESTION SHOULD BE OPTIONAL AFTER THE FIRST TIME.

Code or Value	Description	Count	Skip to Item
1	Yes	663	BAQ030a
2	No	249	
7	Refused	0	
9	Don't know	0	
	Missing	2387	

BAQ020B	Target
D11Q020D	B(40 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Balance problems in past year

English Text: Which of these problems {have you/has SP} had . . .difficulty with balance?

Code or Value	Description	Count	Skip to Item
1	Yes	613	BAQ030b
2	No	298	
7	Refused	0	
9	Don't know	1	
	Missing	2387	

BAQ020C	Target
DiiQ020C	B(40 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Falling problems in past year

English Text: Which of these problems {have you/has SP} had . . . difficulty with falling?

Code or Value	Description	Count	Skip to Item
1	Yes	271	
2	No	641	
7	Refused	0	
9	Don't know	0	
	Missing	2387	

BAQ030A	Target
	B(40 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	How long did dizziness last

English Text: How long did the... dizziness last? Would you say less than two weeks, 2 weeks to 3 months, or more than 3 months?

Code or Value	Description	Count	Skip to Item
1	Less than 2 weeks	459	BAQ020b
2	2 weeks to 3 months	44	BAQ020b
3	More than 3 months	156	BAQ020b
7	Refused	0	BAQ020b
9	Don't know	4	BAQ020b
	Missing	2636	

BAQ030B	Target	
DilQuouD	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	How long did balance problem last	

English Text: How long did the... difficulty with balance last? Would you say less than two weeks, 2 weeks to 3 months, or more than 3 months?

Code or Value	Description	Count	Skip to Item
1	Less than 2 weeks	307	BAQ020c
2	2 weeks to 3 months	51	BAQ020c
3	More than 3 months	254	BAQ020c
7	Refused	0	BAQ020c
9	Don't know	1	BAQ020c
	Missing	2686	

BAQ040	Target	
D/1Q040	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Get dizzy when turn over in bed	

English Text: {Do you/Does SP} get dizzy when {you/s/he} turn{s} over in bed?

Code or Value	Description	Count	Skip to Item
1	Yes	151	
2	No	752	
7	Refused	0	
9	Don't know	9	
	Missing	2387	

BAQ050	Target			
Dilgoes	B(40 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	CHECK ITEM			
English Text: CHECK ITEM				
English Instructions: BOX 1. CHECK ITEM BAQ.050: IF YES (CODE 1) IN BAQ.020 A OR B, CONTINUE. OTHERWISE, GO TO BAQ.070.				

BAQ060A	Target	
2/1000/1	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to cold or flu	

Code or Value	Description	Count	Skip to Item
1	A cold or the flu	52	
77	Refused	0	
99	Don't know	63	
	Missing	3184	

BAQ060B	Target	
DilQuoD	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to injury or accident	

Code or Value	Description	Count	Skip to Item
2	Injuries or accidents	79	
	Missing	3220	

BAQ060C	Target	
DiiQuuc	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to drugs or medicine	

Code or Value	Description	Count	Skip to Item
3	Use of drugs or medications	183	
	Missing	3116	

BAQ060D	Target	
DilQuub	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to aging	

Code or Value	Description	Count	Skip to Item
4	Age or getting older	291	
	Missing	3008	

BAQ060E	Target	
DilQuoL	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to surgery	

Code or Value	Description	Count	Skip to Item
5	Surgery	30	
	Missing	3269	

BAQ060F	Target	
2110001	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to hearing problem	

Code or Value	Description	Count	Skip to Item
6	Hearing problems - including ringing in the ears	134	
	Missing	3165	

BAQ060G	Target	
DiiQuuu	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Off balance due to vision problem	

Code or Value	Description	Count	Skip to Item
7	Vision or seeing problems	75	
	Missing	3224	

BAQ060H	Target	
2/100011	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Nothing related to balance problem	

Code or Value	Description	Count	Skip to Item
8	None	234	
	Missing	3065	

BAQ070	Target	
2114070	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Received treatment for dizziness/balance	

English Text: {Have you/Has SP} ever been treated by a doctor or other health professional for dizziness, a balance problem, or falling?

Code or Value	Description	Count	Skip to Item
1	Yes	418	
2	No	2880	BAQ100
7	Refused	0	BAQ100
9	Don't know	1	BAQ100
	Missing	0	

BAQ075	Target	
Dilgoro	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	How long ago were you treated	

English Text: How long ago {were you/was SP} treated? Would you say . . .

Code or Value	Description	Count	Skip to Item
1	Less than 1 year ago,	187	
2	1 to 5 years ago, or	123	
3	5 years or more ago?	107	
7	Refused	0	
9	Don't know	1	
	Missing	2881	

BAQ080A	Target	
Dilgooni	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Did treatment involve medication	

English Text: Did this treatment involve. . .medication?

English Instructions: CAPI INSTRUCTION: TEXT SHOULD BE OPTIONAL [] AFTER FIRST ITEM.

Code or Value	Description	Count	Skip to Item
1	Yes	300	
2	No	110	
7	Refused	0	
9	Don't know	8	
	Missing	2881	

BAQ080B	Target	
D/IQ000D	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Did treatment involve surgery to ear	

English Text: Did this treatment involve. . .surgery to the ear?

Code or Value	Description	Count	Skip to Item
1	Yes	6	
2	No	412	
7	Refused	0	
9	Don't know	0	
	Missing	2881	

BAQ080C	Target	
Diquoc	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Did treatment involve other type surgery	

English Text: Did this treatment involve. . .some other type of surgery?

Code or Value	Description	Count	Skip to Item
1	Yes	15	
2	No	403	
7	Refused	0	
9	Don't know	0	
	Missing	2881	

BAQ080D	Target
DiiQuoub	B(40 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Did treatment involve exercises

English Text: Did this treatment involve. . . exercises or physical therapy?

Code or Value	Description	Count	Skip to Item
1	Yes	47	
2	No	371	
7	Refused	0	
9	Don't know	0	
	Missing	2881	

BAQ090	Target	
2112000	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Treatment affect on dizziness/balance	

English Text: As a result of this treatment, did {your/SP's} condition. . .

Code or Value	Description	Count	Skip to Item
1	Get better,	304	
2	Get worse, or	9	
3	Stay the same?	101	
7	Refused	0	
9	Don't know	4	
	Missing	2881	

BAQ100	Target	
DilQio	B(40 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Blood relative dizziness/balance problem	

English Text: Have any of {your/SP's} biological, that is, blood relatives (grandparents, parents, brothers, or sisters) had a problem with dizziness, balance, or falling not related to aging?

Code or Value	Description	Count	Skip to Item
1	Yes	607	
2	No	2503	
7	Refused	0	
9	Don't know	189	
	Missing	0	