Documentation, Codebook, and Frequencies

SP Questionnaire Component: Osteoporosis Questionnaire Data

Survey Years: 2003 to 2004

SAS Export File: OSQ_C.XPT



First Published: April 2006 Last Revised: July 2006

NHANES 2003–2004 Data Documentation

Questionnaire Section: Sample Person Questionnaire

Years of Coverage: 2003–2004 First Published: April 2006 Last Revised: July 2006

Component Description

The Osteoporosis section (OSQ) provides personal interview data on the following:

Osteoporosis (OSQ_C)

- Doctor told participant s/he had fractured hip, wrist, or spine
- Number of times hip, wrist, or spine was fractured
- Age at each hip, wrist, or spine fracture
- Amount of trauma causing each hip, wrist or spine fracture
- Whether the participant has ever been diagnosed as having osteoporosis
- If diagnosed with osteoporosis, whether s/he has been treated for it.

Many of the questions in this section also were included in the NHANES III: 1988-94 questionnaire under Musculoskeletal Conditions.

Eligible Sample

The target sample for this section is participants 20 years and older.

Interview
Setting and
Mode of
Administration

Household in-person

Quality Assurance & Quality Control

The Osteoporosis questionnaire data was systematically reviewed for logical, processing, and data input errors on a periodic basis during the process of data collection.

The computer CAPI system had built-in consistency checks, online information screens that provided the interviewers with information about the terms used in the questionnaires, and hard and soft edit checks to reduce the number of keying entry errors. All of the interviews were reviewed by the NHANES field office staff for accuracy and completeness.

Data

The maximum number of hip fractures reported was 2; the maximum

Processing and Editing

number of wrist fractures was 6; the maximum number of spine fractures was 10.

Responses to OSD030a (How old were you when you fractured your hip?), OSD030b (How old were you when you fractured your wrist?), and OSD030c (How old were you when you fractured your spine?) were top coded at 85 years for consistency with the top-coded age of the sample person.

If all ages reported by sample persons for a fracture {1st time, 2nd time, ...} were less than 50 years in OSQ030a and OSQ040a, OSQ030b and OSQ040b, or OSQ030c or OSQ040c, then the associated variables OSQ050a, OSQ050b, or OSQ050c were not included in the OSQ_C data file or codebook.

Analytic Notes

Appropriate sample weights: interview weights.

Although these data were collected as part of the household questionnaire, if they are merged with the MEC exam data, exam sample weights should be used for the analyses.

Please refer to the **Analytic Guidelines** for further details on the use of sample weights and other analytic issues at http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm.

The OSQ data are publicly available at http://www.cdc.gov/nchs/nhanes.htm.

Locator Record

Title: Osteoporosis (OSQ)

Contact Number: 1-866-441-NCHS

Years of Content: 2003–2004 First Published: April 2006

Revised: July 2006

Access Constraints: None
Use Constraints: None

Geographic Coverage: National

Subject: The Osteoporosis section provides personal interview data on fractures at the hip, wrist, or

spine; diagnosis of osteoporosis; and treatment for osteoporosis.

Record Source: NHANES 2003–2004

Survey Methodology: NHANES 2003–2004 is a stratified multistage probability sample of the civilian

non-institutionalized population of the U.S.

Medium: NHANES Web site; SAS transport files

National Health and Nutrition Examination Survey Codebook for Data Production (2003-2004)

Osteoporosis Section of the SP Questionnaire (OSQ_C) Person Level Data

First Published: April 2006 Last Revised: July 2006



SEQN	Target		
	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Respondent sequence number		
English Text: Respondent sequence number.			
English Instructions:			

OSQ010a	Target		
ObQuiua	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Broken or fractured a hip		
English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her}hip?			
English Instructions:			

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	90	90	OSQ020a
2	No	4946	5036	
7	Refused	0	5036	
9	Don't know	4	5040	
	Missing	1	5041	

OSQ010b	Target
0520105	B(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Broken or fractured a wrist

English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .wrist?

English Instructions: DO NOT INCLUDE FOREARM OR HAND.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	445	445	OSQ020b
2	No	4592	5037	
7	Refused	1	5038	
9	Don't know	2	5040	
	Missing	1	5041	

OSQ010c	Target		
	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Broken or fractured spine		

English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . . spine?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	103	103	OSQ020c
2	No	4931	5034	OSQ025
7	Refused	1	5035	OSQ025
9	Don't know	5	5040	OSQ025
	Missing	1	5041	

OSQ020a	Target		
05Q0204	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
1 to 33	# Times broken/fractured hip		

English Text: How many times {have you/has SP} broken or fractured {your/his/her} hip?

English Instructions: ENTER NUMBER OF TIMES. SKIP TO OSQ010b.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 2	Range of Values	88	88	
7777	Refused	0	88	OSQ010b
9999	Don't know	2	90	OSQ010b
	Missing	4951	5041	

OSQ020b	Target	
O5Q020D	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 33	# Times broken/fractured wrist	
English Text: How many times {have you/has SP} broken or fractured {your/his/her} wrist?		

English Instructions: ENTER NUMBER OF TIMES. SKIP TO OSQ010c.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 6	Range of Values	445	445	
7777	Refused	0	445	OSQ010c
9999	Don't know	0	445	OSQ010c
	Missing	4596	5041	

OSQ020c	Target		
0520200	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
1 to 33	# Times broken/fractured spine		

English Text: How many times {have you/has SP} broken or fractured {your/his/her} spine?

English Instructions: ENTER NUMBER OF TIMES

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 10	Range of Values	101	101	
7777	Refused	0	101	
9999	Don't know	2	103	
	Missing	4938	5041	

OSQ025	Target		
050025	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	CHECK ITEM		

English Text: CHECK ITEM

English Instructions: CHECK ITEM OSQ.025: IF 'YES' (CODE 1) IN OSQ.010 a, b, OR c, CONTINUE WITH LOOP 1. OTHERWISE, GO TO OSQ.060. Loop 1: Ask OSQ030 - OSD050 for each type and each incidence of fracture. (Example: How old were you when you fractured your hip the first time?)

OSD030aa	Target	
05 2 000 u	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured hip 1st time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip the 1st time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 84	Range of Values	82	82	
85	85 or older	6	88	
77777	Refused	0	88	
99999	Don't know	0	88	
	Missing	4953	5041	

OSQ040aa	Target		
05001044	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Under/over 50 when fracd. hip 1st time		
English Text: {Were you/Was SP}			

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	37	37	OSQ025
2	50 years old or older?	51	88	
7	Refused	0	88	OSQ025
9	Don't know	0	88	OSQ025
	Missing	4953	5041	

OSQ045	Target		
	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	CHECK ITEM		

English Text: CHECK ITEM

English Instructions: CHECK ITEM OSQ.045: IF AGE IS >= 50 IN OSD.030 OR OSQ.040, CONTINUE

WITH OSD.050. OTHERWISE, GO TO OSQ025.

OSD050aa	Target	
052 00 044	B(50 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Reason hip fracture occurred 1st time	

English Text: Did that fracture occur as a result of . . .

English Instructions: CAPI INSTRUCTIONS: HELP SCREEN SHOULD READ: Additional examples for a "hard fall" include being forcibly knocked down by another person or bicycle. Additional examples for a "fall from standing height or less" include leg gave way, was dizzy, fell bending over, fell out of chair.

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	34	34	
2	A hard fall, such as falling off a ladder or step stool, down stairs	7	41	
3	A car accident or other severe trauma	8	49	
7	Refused	0	49	
9	Don't know	2	51	
	Missing	4990	5041	

OSD030ab	Target	
0.5200000	B(20 Yrs. to 150 Yrs.)	
Hard Edits SAS Label		
1 to 120	Age when fractured hip 2nd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip the 2nd time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
17 to 83	Range of Values	6	6	
85	85 or older	0	6	
77777	Refused	0	6	
99999	Don't know	0	6	
	Missing	5035	5041	

OSQ040ab	Target		
05201045	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
Under/over 50 when fracd. hip 2nd time			
English Text: {Were you/Was SP}			

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	2	2	OSQ025
2	50 years old or older?	4	6	
7	Refused	0	6	OSQ025
9	Don't know	0	6	OSQ025
	Missing	5035	5041	

OSD050ab	Target	
OSD COULD	B(50 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Reason hip fracture occurred 2nd time	

English Text: Did that fracture occur as a result of . . .

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	4	4	
2	A hard fall, such as falling off a ladder or step stool, down stairs	0	4	
3	A car accident or other severe trauma	0	4	
7	Refused	0	4	
9	Don't know	0	4	
	Missing	5037	5041	

OSD030ba	Target	
0020004	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured wrist 1st time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 1st time?

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 84	Range of Values	439	439	
85	85 or older	3	442	
77777	Refused	0	442	
99999	Don't know	3	445	
	Missing	4596	5041	

OSQ040ba	Target	
05 Q 0 1054	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Under/over 50 when fracd. wrist 1st time	

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	345	345	OSQ025
2	50 years old or older?	100	445	
7	Refused	0	445	OSQ025
9	Don't know	0	445	OSQ025
	Missing	4596	5041	

Target
B(50 Yrs. to 150 Yrs.)
SAS Label
Reason wrist fracture occurred 1st time

English Text: Did that fracture occur as a result of. . .

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	67	67	
2	A hard fall, such as falling off a ladder or step stool, down stairs	27	94	
3	A car accident or other severe trauma	4	98	
7	Refused	0	98	
9	Don't know	2	100	
	Missing	4941	5041	

OSD030bb	Target	
0.52000.5	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured wrist 2nd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist 2nd time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
4 to 82	Range of Values	67	67	
85	85 or older	0	67	
77777	Refused	0	67	
99999	Don't know	1	68	
	Missing	4973	5041	

OSQ040bb	Target		
35 20 1055	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
Under/over 50 when fracd. wrist 2nd time			
English Text: (Were you/Was SP)			

English Text: { Were you/Was SP} ...

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	54	54	OSQ025
2	50 years old or older?	14	68	
7	Refused	0	68	OSQ025
9	Don't know	0	68	OSQ025
	Missing	4973	5041	

OSD050bb	Target
B(50 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label
	Reason wrist fracture occurred 2nd time

English Text: Did that fracture occur as a result of . . .

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	7	7	
2	A hard fall, such as falling off a ladder or step stool, down stairs	6	13	
3	A car accident or other severe trauma	1	14	
7	Refused	0	14	
9	Don't know	0	14	
	Missing	5027	5041	

OSD030bc	Target	
35200050	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured wrist 3rd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 3rd time?

Code or Value	Description	Count	Cumulative	Skip to Item
11 to 42	Range of Values	16	16	
85	85 or older	0	16	
77777	Refused	0	16	
99999	Don't know	0	16	
	Missing	5025	5041	

OSQ040bc	Target
05 20 1020	B(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Under/over 50 when fracd. wrist 3rd time

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	16	16	OSQ025
2	50 years old or older?	0	16	
7	Refused	0	16	OSQ025
9	Don't know	0	16	OSQ025
	Missing	5025	5041	

OSD030bd	Target	
0.2000	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured wrist 4th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 4th time?

Code or Value	Description	Count	Cumulative	Skip to Item
13 to 54	Range of Values	8	8	
85	85 or older	0	8	
77777	Refused	0	8	
99999	Don't know	0	8	
	Missing	5033	5041	

OSQ040bd	Target
05001050	B(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Under/over 50 when fracd. wrist 4th time

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	7	7	OSQ025
2	50 years old or older?	1	8	
7	Refused	0	8	OSQ025
9	Don't know	0	8	OSQ025
	Missing	5033	5041	

OSD050bd	Target	
35200000	B(50 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Reason wrist fracture occurred 4th time	

English Text: Did that fracture occur as a result of . . .

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	1	
2	A hard fall, such as falling off a ladder or step stool, down stairs	0	1	
3	A car accident or other severe trauma	0	1	
7	Refused	0	1	
9	Don't know	0	1	
	Missing	5040	5041	

OSD030be	Target	
	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured wrist 5th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 5th time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
14 to 29	Range of Values	3	3	
85	85 or older	0	3	
77777	Refused	0	3	
99999	Don't know	1	4	
	Missing	5037	5041	

OSQ040be	Target	
Obgorous	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
Under/over 50 when fracd. wrist 5th time		

English Text: {Were you/Was SP} . . .

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	4	4	OSQ025
2	50 years old or older?	0	4	
7	Refused	0	4	OSQ025
9	Don't know	0	4	OSQ025
	Missing	5037	5041	

OSD030bf	Target	
0020001	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured wrist 6th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 6th time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
18	18	1	1	
85	85 or older	0	1	
77777	Refused	0	1	
99999	Don't know	0	1	
	Missing	5040	5041	

OSQ040bf	Target	
Objetion	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
Under/over 50 when fracd. wrist 6th time		

English Text: {Were you/Was SP} . . .

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	1	1	OSQ025
2	50 years old or older?	0	1	
7	Refused	0	1	OSQ025
9	Don't know	0	1	OSQ025
	Missing	5040	5041	

OSD030ca	Target	
3320000	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 1st time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 1st time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 83	Range of Values	98	98	
85	85 or older	0	98	
77777	Refused	0	98	
99999	Don't know	3	101	
	Missing	4940	5041	

OSQ040ca	Target		
ОБООТОСА	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Under/over 50 when fracd. spine 1st time		
English Text: {Were you/Was SP}			

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	81	81	OSQ025
2	50 years old or older?		101	
7	Refused	0	101	OSQ025
9	Don't know	0	101	OSQ025
	Missing	4940	5041	

OSD050ca	Target
OSD 00 00a	B(50 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
Reason spine fracture occurred 1st time	

English Text: Did that fracture occur as a result of . . .

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	7	7	
2	A hard fall, such as falling off a ladder or step stool, down stairs	7	14	
3	A car accident or other severe trauma	3	17	
7	Refused	0	17	
9	Don't know	3	20	
	Missing	5021	5041	

OSD030cb	Target	
Obblication	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 2nd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 2nd time?

Code or Value	Description	Count	Cumulative	Skip to Item
21 to 63	Range of Values	11	11	
85	85 or older	0	11	
77777	Refused	0	11	
99999	Don't know	0	11	
	Missing	5030	5041	

OSQ040cb	Target	
05 20 1005	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 2nd time	

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	8	8	OSQ025
2	50 years old or older?	3	11	
7	Refused	0	11	OSQ025
9	Don't know	0	11	OSQ025
	Missing	5030	5041	

OSD050cb	Target	
GDZGCGG	B(50 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Reason spine fracture occurred 2nd time	

English Text: Did that fracture occur as a result of . . .

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	3	3	
2	A hard fall, such as falling off a ladder or step stool, down stairs	0	3	
3	A car accident or other severe trauma	0	3	
7	Refused	0	3	
9	Don't know	0	3	
	Missing	5038	5041	

OSD030cc	Target	
GS2 00 000	B(20 Yrs. to 150 Yrs.)	
Hard Edits SAS Label		
1 to 120	Age when fractured spine 3rd time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 3rd time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
24 to 65	Range of Values	7	7	
85	85 or older	0	7	
77777	Refused	0	7	
99999	Don't know	0	7	
	Missing	5034	5041	

OSQ040cc	Target		
35201000	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
Under/over 50 when fracd. spine 3rd time			
English Text: (Were you/Was SP)			

Eligibii Text. (Wele you/We

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	5	5	OSQ025
2	50 years old or older?	2	7	
7	Refused	0	7	OSQ025
9	Don't know	0	7	OSQ025
	Missing	5034	5041	

OSD050cc	Target	
OSD 00 000	B(50 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Reason spine fracture occurred 3rd time	

English Text: Did that fracture occur as a result of . . .

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	1	
2	A hard fall, such as falling off a ladder or step stool, down stairs	1	2	
3	A car accident or other severe trauma	0	2	
7	Refused	0	2	
9	Don't know	0	2	
	Missing	5039	5041	

OSD030cd	Target	
3520000	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 4th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 4th time?

Code or Value	Description	Count	Cumulative	Skip to Item
24 to 66	Range of Values	3	3	
85	85 or older	0	3	
77777	Refused	0	3	
99999	Don't know	0	3	
	Missing	5038	5041	

OSQ040cd	Target		
05 Q0 1000	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Under/over 50 when fracd. spine 4th time		

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	1	1	OSQ025
2	50 years old or older?	2	3	
7	Refused	0	3	OSQ025
9	Don't know	0	3	OSQ025
•	Missing	5038	5041	

Target
B(50 Yrs. to 150 Yrs.)
SAS Label
Reason spine fracture occurred 4th time

English Text: Did that fracture occur as a result of . . .

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	2	2	
2	A hard fall, such as falling off a ladder or step stool, down stairs	0	2	
3	A car accident or other severe trauma	0	2	
7	Refused	0	2	
9	Don't know	0	2	
	Missing	5039	5041	

OSD030ce	Target	
GS2000CC	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 5th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 5th time?

English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Code or Value	Description	Count	Cumulative	Skip to Item
24 to 68	Range of Values	2	2	
85	85 or older	0	2	
77777	Refused	0	2	
99999	Don't know	1	3	
	Missing	5038	5041	

OSQ040ce	Target	
35201000	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
Under/over 50 when fracd. spine 5th time		
Inglish Text: (Were you/Was SP)		

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	2	2	OSQ025
2	50 years old or older?	1	3	
7	Refused	0	3	OSQ025
9	Don't know	0	3	OSQ025
	Missing	5038	5041	

OSD050ce	Target		
GS2 GC GCC	B(50 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Reason spine fracture occurred 5th time		

English Text: Did that fracture occur as a result of . . .

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	1	
2	A hard fall, such as falling off a ladder or step stool, down stairs	0	1	
3	A car accident or other severe trauma	0	1	
7	Refused	0	1	
9	Don't know	0	1	
	Missing	5040	5041	

OSD030cf	Target	
0520001	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 6th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 6th time?

Code or Value	Description	Count	Cumulative	Skip to Item
24	24	1	1	
85	85 or older	0	1	
77777	Refused	0	1	
99999	Don't know	1	2	
	Missing	5039	5041	

OSQ040cf	Target	
05004001	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 6th time	

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	2	2	OSQ025
2	50 years old or older?	0	2	
7	Refused	0	2	OSQ025
9	Don't know	0	2	OSQ025
	Missing	5039	5041	

OSD030cg	Target	
OBDUCUES	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 7th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 7th time?

Code or Value	Description	Count	Cumulative	Skip to Item
85	85 or older	0	0	
77777	Refused	0	0	
99999	Don't know	1	1	
	Missing	5040	5041	

OSQ040cg	Target	
Obgorous	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Under/over 50 when fracd. spine 7th time	

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	1	1	OSQ025
2	50 years old or older?	0	1	
7	Refused	0	1	OSQ025
9	Don't know	0	1	OSQ025
	Missing	5040	5041	

OSD030ch	Target	
0020000	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 8th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 8th time?

Code or Value	Description	Count	Cumulative	Skip to Item
85	85 or older	0	0	
77777	Refused	0	0	
99999	Don't know	1	1	
	Missing	5040	5041	

Target
B(20 Yrs. to 150 Yrs.)
SAS Label
Under/over 50 when fracd. spine 8th time

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	1	1	OSQ025
2	50 years old or older?	0	1	
7	Refused	0	1	OSQ025
9	Don't know	0	1	OSQ025
	Missing	5040	5041	

OSD030ci	Target
OSD030CI	B(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
1 to 120	Age when fractured spine 9th time

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 9th time?

Code or Value	Description	Count	Cumulative	Skip to Item
85	85 or older	0	0	
77777	Refused	0	0	
99999	Don't know	1	1	
	Missing	5040	5041	

Target	
B(20 Yrs. to 150 Yrs.)	
SAS Label	
Under/over 50 when fracd. spine 9th time	

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	1	1	OSQ025
2	50 years old or older?	0	1	
7	Refused	0	1	OSQ060
9	Don't know	0	1	OSQ060
	Missing	5040	5041	

OSD030cj	Target	
Obbook	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 120	Age when fractured spine 10th time	

English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 10th time?

Code or Value	Description	Count	Cumulative	Skip to Item
85	85 or older	1	1	
77777	Refused	0	1	
99999	Don't know	0	1	
	Missing	5040	5041	

OSQ040cj	Target		
	B(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Under/over 50 when fracd spine 10th time		

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Under 50 years old, or	0	0	OSQ025
2	50 years old or older?	1	1	
7	Refused	0	1	OSQ025
9	Don't know	0	1	OSQ025
	Missing	5040	5041	

OSD050cj	Target
052000	B(50 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Reason spine fracture occurred 10th time

English Text: Did that fracture occur as a result of.....

Code or Value	Description	Count	Cumulative	Skip to Item
1	A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	1	
2	A hard fall, such as falling off a ladder or step stool, down stairs	0	1	
3	A car accident or other severe trauma	0	1	
7	Refused	0	1	
9	Don't know	0	1	
	Missing	5040	5041	

OSQ060	Target	
35000	B(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Ever told had osteoporosis/brittle bones	

English Text: Has a doctor ever told {you/SP} that {you/s/he} had osteoporosis, sometimes called thin or brittle bones?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	375	375	
2	No	4652	5027	End of Section
7	Refused	1	5028	End of Section
9	Don't know	12	5040	End of Section
	Missing	1	5041	

B(20 Yrs. to 150 Yrs.)			
SAS Label			
Ever treated for osteoporosis			
English Text: {Were you/Was SP} treated for osteoporosis?			

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	265	265	
2	No	106	371	
7	Refused	0	371	
9	Don't know	4	375	
	Missing	4666	5041	