Documentation, Codebook, and Frequencies

SP Questionnaire Component: Reproductive Health Questionnaire Data

Survey Years: 2003 to 2004

SAS Export File: RHQ_C.XPT



NHANES 2003–2004 Data Documentation

Questionnaire Section: Household Interview Reproductive Health (RHQ_C)

Years of Coverage: 2003–2004 First Published: June 2006 Last Revised: N/A

Component Description

This section contains questions for women only on reproductive health including menstrual history, pregnancy history, lactation, oral contraceptive and hormone replacement therapy use, and other related conditions

Eligible Sample

Female mobile exam center (MEC) participants ages 12 years and older.

Interview Setting and Mode of Administration

The questions were asked in computer assisted personal interview (CAPI) in the MEC.

The Interviewer Procedure Manuals and Exam Manuals as well as the survey questionnaire can be found on the NHANES website.

Data Processing and Editing

The reproductive health questionnaire is a complex, detailed set of questions that includes the administration of questions according to age group or skip patterns based on responses to various reproductive health conditions. While data were reviewed and edited for completeness and illogical values, inconsistencies in the responses to these self-reported questions remain. Some of these inconsistencies are noted below. Data analysts are strongly encouraged to carefully review all variables of interest prior to data analysis.

Analytic Notes

Since the questions were asked in MEC, the MEC sample weights should be used in data analysis

Please refer to the Analytic Guidelines, located on the NHANES website, for further details on the use of sample weights and other analytic issues.

Notes about specific variables and changes from previous data releases include:

RHQ031: At least one menstrual period in past 12 months. Previous data releases had regular periods in the past 12 months (RHQ030).

RHQ051: When did respondent have last period. Previously called RHQ050.

RHD080: Days since last period. Women who reported having had a menstrual period in the past 2 months were asked to report the date of their

last menstrual period. The derived variable was created by subtracting the number of days between the reported month and day the period began and the date of the MEC interview. Please note that for this variable extreme values were retained and should be carefully examined prior to analysis. There are several instances of women who reported that they were currently menstruating (RHQ051) who provided a date which may indicate that they were reporting on their last menstrual period.

RHQ131: Ever been pregnant? Previously called RHQ130.

RHD143: Are you pregnant now? This question is similar to RHQ140 in the 1999-2000 data release and RHQ141 in the 2001-2002 release which asked "Do you think that you are pregnant now?" The age range was broadened from 15-49 in 1999-2000 to 12-59 for the following years. See also Laboratory file variable URXPREG, urine pregnancy test result, and combined pregnancy variable on the demographic file (DEMO_C).

RHD152: What month of pregnancy are you in? Called RHQ150 in the 1999-2000 data release and RHQ151 in the 2001-2002 release. The age range for this questioned was broadened from 15-49 in 1999-2000 to 12-59.

RHD170: Number of pregnancies resulting in live births. If the total number of pregnancies resulting in live births was greater than 11, the number was top coded to 11 for the purpose of confidentiality. There are a few instances where the number of pregnancies resulting in a live birth is greater than the number of pregnancies. This may have occurred as a result of women reporting number of lives births rather than "pregnancies" resulting in live births.

RHQ180: Age at first live birth. If a woman reported that she had only one live birth (RHD170=1), the age at the time of that live birth is reported in RHQ190 (age at last live birth).

RHQ291: Age when had hysterectomy. Called RHQ290 in previous data releases. Please note that there are instances in which women reported an age of hysterectomy that is earlier than the age of last menstrual period (RHQ060).

Locator Record

Title: RHQ_C

Contact Number: 1-866-441-NCHS

Years of Content: 2003–2004 First Published: June 2006

Revised: N/A

Access Constraints: None
Use Constraints: None

Geographic Coverage: National **Subject:** Reproductive Health

Record Source: NHANES 2003–2004

Survey Methodology: NHANES 2003–2004 is a stratified multistage probability sample of the civilian

non-institutionalized population of the U.S.

Medium: NHANES Web site; SAS transport files

National Health and Nutrition Examination Survey Codebook for Data Production (2003-2004)

Reproductive Health Section of the MEC Interview (RHQ_C) Person Level Data

June 2006



SEQN	Target			
	F(12 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Respondent sequence number			
English Text: Respondent sequence number.				
English Instructions:				

RHQ010	Target		
KIIQUIU	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
0 to 120	Age when first menstrual period occurred		

English Text: The next series of questions are about {your/SP's} reproductive history. I will begin by asking about {your/SP's} periods or menstrual cycles. How old {were you/was SP} when {you/SP} had {your/her} first menstrual period?

English Instructions: CODE "0" IF HAVEN'T STARTED YET. CAPI INSTRUCTION: SOFT EDIT VALUES: 8-25 YEARS. HARD EDIT VALUES: AGE OF 1ST PERIOD CANNOT BE GREATER THAN CURRENT AGE. ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
0 to 21	Range of Values	3227	3227	
777	Refused	0	3227	
999	Don't know	25	3252	
	Missing	312	3564	

RHQ015	Target		
	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	CHECK ITEM		

English Text: CHECK ITEM.

English Instructions: BOX 1. CHECK ITEM RHQ.015: IF PERIODS HAVEN'T STARTED (CODED '0') IN RHQ.010 AND SP 12-13 YEARS OLD OR 50 YEARS OR OLDER, GO TO END OF SECTION. IF PERIODS HAVEN'T STARTED (CODED '0') IN RHQ.010 AND SP 14-49 YEARS OLD, GO TO RHQ.700. IF PERIODS HAVE STARTED AND SP REPORTS AGE (CODED '1'- '76) IN RHQ.010, OR IF SP REFUSED AGE (CODED '77') IN RHQ.010, GO TO RHQ.031, OTHERWISE, CONTINUE WITH RHQ.020.

RHQ020	Target			
MiQU2U	F(12 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Age range at first menstrual period			
English Toyte (Ware you/Was CD)				

| English Text: {Were you/Was SP}...

Code or Value	Description	Count	Cumulative	Skip to Item
1	Younger than 10,	0	0	
2	10 to 12,	6	6	
3	13 to 15, or	13	19	
4	16 or older?	3	22	
7	Refused	0	22	
9	Don't know	3	25	
	Missing	3539	3564	

RHQ031	Target	
	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	At least 1 period in past 12 months	

English Text: {Have you/Has SP} had at least one menstrual period in the past 12 months? (Please do not include bleedings caused by medical conditions, hormone therapy, or surgeries.)

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	1981	1981	RHQ051
2	No	1205	3186	
7	Refused	0	3186	RHQ060
9	Don't know	1	3187	RHQ060
	Missing	377	3564	

RHD042	Target			
	F(12 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Reason didn't have period			

English Text: What is the reason that {you have/SP has} not had a period in the past 12 months?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Pregnancy	23	23	
2	Breast feeding	5	28	
7	Menopause/Hysterectomy	1140	1168	
8	Medical conditions/treatments	11	1179	
9	Other	25	1204	
77	Refused	0	1204	
99	Don't know	1	1205	
	Missing	2359	3564	

RHQ051	Target		
11124001	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	When did you have your last period?		

English Text: When did {you/SP} have {your/her} last period? PROBE: How many months ago was {your/her} last period?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Having it now	332	332	RHQ075A
2	Less than 2 months ago	1332	1664	RHQ075A
3	3 - 5 months ago	147	1811	RHQ075A
4	6 - 8 months ago	101	1912	RHQ075A
5	9 - 11 months ago	70	1982	RHQ075A
77	Refused	0	1982	RHQ075A
99	Don't know	0	1982	RHQ075A
	Missing	1582	3564	

RHQ060	Target
1111000	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
8 to 120	Age at last menstrual period

English Text: About how old {were you/was SP} when {you/SP} had {your/her} last menstrual period?

Code or Value	Description	Count	Cumulative	Skip to Item
13 to 67	Range of Values	1111	1111	
777	Refused	1	1112	
999	Don't know	65	1177	
	Missing	2387	3564	

RHQ065	Target
Milyou	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 2. CHECK ITEM RHQ.065: IF SP DOESN'T KNOW AGE AT LAST MENSTRUAL PERIOD (CODED '99' IN RHQ.060), CONTINUE WITH RHQ.070. OTHERWISE, GO TO BOX 3.

RHQ070	Target	
TuriQ070	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Age range at last menstrual period	
English Text: {Were you/	Was SP}	

Code or Value	Description	Count	Cumulative	Skip to Item
1	Younger than 30	1	1	
2	30 to 34	1	2	
3	35 to 39	8	10	
4	40 to 44	10	20	
5	45 to 49	17	37	
6	50 to 54, or	9	46	
7	55 or older?	11	57	
77	Refused	0	57	
99	Don't know	8	65	
	Missing	3499	3564	

RHQ075A	Target
11170/011	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 3. CHECK ITEM RHQ.075A: IF SP HAD LAST PERIOD BETWEEN 0-2 MONTHS AGO (CODED '1 - 2' IN RHQ.051) AND 12 - 59 YEARS OLD, CONTINUE WITH RHD.080. OTHERWISE, GO TO RHQ.131

RHD080	Target
THIS OUT	F(12 Yrs. to 60 Yrs.)
Hard Edits	SAS Label
0 to 365	Days since last period

English Text: Number of days since the last period started.

Code or Value	Description	Count	Cumulative	Skip to Item
0 to 364	Range of Values	1645	1645	
777	Refused	0	1645	
999	Don't know	3	1648	
	Missing	1916	3564	

RHQ131	Target
miQ101	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Ever been pregnant?

English Text: The next questions are about {your/SP's} pregnancy history. {Have you/Has SP ever been pregnant? Please include (current pregnancy,) live births, miscarriages, stillbirths, tubal pregnancies and abortions.

English Instructions: MARK IF KNOWN. OTHERWISE ASK.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	2033	2033	
2	No	1154	3187	RHQ275A
7	Refused	0	3187	RHQ275A
9	Don't know	0	3187	RHQ275A
	Missing	377	3564	

RHQ135C	Target
Migieu	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 6. CHECK ITEM RHQ.135C: IF SP HAD PERIOD IN PAST 12 MONTHS (CODED '1' IN RHQ.031) OR SP HAS NOT EXPERIENCED MENOPAUSE/HYSTERECTOMY (NOT CODED 7 IN RHD.042) CONTINUE WITH RHD.143. OTHERWISE, GO TO RHQ.160.

RHD143	Target	
KIID 140	F(12 Yrs. to 59 Yrs.)	
Hard Edits	SAS Label	
	Are you pregnant now?	
TO 11 1 7 1 ()	(T. (ID.)	

English Text: {Are you/Is SP} pregnant now?

English Instructions: MARK IF KNOWN. OTHERWISE ASK.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	236	236	
2	No	758	994	RHQ160
7	Refused	0	994	RHQ160
9	Don't know	2	996	RHQ160
	Missing	2568	3564	

RHD152	Target
NIID 102	F(12 Yrs. to 59 Yrs.)
Hard Edits	SAS Label
1 to 10	What month of pregnancy are you in?

English Text: Which month of pregnancy {are you/is she} in?

English Instructions: CAPI INSTRUCTION: IF CODED '1' IN RHD.042, DISPLAY BRACKETED TEXT. ENTER NUMBER OF MONTHS.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 9	Range of Values	235	235	
77	Refused	0	235	
99	Don't know	1	236	
	Missing	3328	3564	

RHQ160	Target	
1111/2100	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 59	How many times have been pregnant?	

English Text: How many times {have you/has SP} been pregnant? ({Again, be/Be} sure to count all {your/her} pregnancies including (current pregnancy,) live births, miscarriages, stillbirths, tubal pregnancies or abortions.)

English Instructions: ENTER NUMBER OF PREGNANCIES.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 32	Range of Values	2033	2033	
77	Refused	0	2033	
99	Don't know	0	2033	
	Missing	1531	3564	

RHQ165	Target
KiiQ103	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 7. CHECK ITEM RHQ.165: IF SP ONLY HAD ONE PREGNANCY (CODED '1' IN RHQ.160) AND CURRENTLY PREGNANT (CODED '1' IN RHD.143), SKIP TO RHQ.300. OTHERWISE, CONTINUE WITH RHD.170.

RHD170	Target
	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	# pregnancies resulting in live births

English Text: How many of {your/her} pregnancies resulted in a live birth?

English Instructions: COUNT THE NUMBER OF TOTAL PREGNANCIES, NOT NUMBER OF LIVE-BORN CHILDREN. FOR EXAMPLE, IF SP HAD TWINS OR OTHER MULTIPLE BIRTHS, COUNT AS SINGLE PREGNANCY. ENTER NUMBER OF PREGNANCIES.

Code or Value	Description	Count	Cumulative	Skip to Item
0 to 10	Range of Values	1943	1943	
11	11 or More	12	1955	
77	Refused	0	1955	
99	Don't know	0	1955	
	Missing	1609	3564	

RHQ175	Target
KIIQ175	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 8. CHECK ITEM RHQ.175: IF SP HAD NO PREGNANCIES THAT RESULTED IN A LIVE BIRTH (CODED '0' IN RHD.170), GO TO BOX 12. IF SP HAD ONE PREGNANCY THAT RESULTED IN A LIVE BIRTH (CODED '1' IN RHD.170), GO TO RHQ.190. OTHERWISE, CONTINUE WITH RHQ.180.

RHQ180	Target	
MIQ100	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
8 to 120	Age at first live birth	

English Text: How old {were you/was SP} at the time of {your/her} first live birth?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
12 to 54	Range of Values	1415	1415	
777	Refused	0	1415	
999	Don't know	3	1418	
	Missing	2146	3564	

RHQ190	Target
	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
8 to 120	Age at last live birth

English Text: How old {were you/was SP} at the time of {your/her} last live birth?

English Instructions: CAPI INSTRUCTION: IF SP HAD MORE THAN 1 LIVE BIRTH (CODED >= 2) IN RHD.170, DISPLAY {LAST}. ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
13 to 55	Range of Values	1830	1830	
777	Refused	0	1830	
999	Don't know	8	1838	
	Missing	1726	3564	

RHQ195	Target
KIIQ173	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 9. CHECK ITEM RHQ.195: IF DIFFERENCE BETWEEN AGE AT TIME OF LAST LIVE BIRTH IN RHQ.190 AND CURRENT AGE IS ZERO OR 1, CONTINUE WITH RHQ.200. OTHERWISE, GO TO RHQ210.

RHQ200	Target		
	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Now breastfeeding a child?		

English Text: {Are you/Is SP} now breast feeding a child?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	51	51	RHD230
2	No	123	174	
7	Refused	0	174	
9	Don't know	0	174	
	Missing	3390	3564	

RHQ210	Target		
1111/210	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Breastfed any of your children?		

English Text: Did {you/SP} breast feed {your/her} child/any of {your/her} children?

English Instructions: CAPI INSTRUCTION: IF SP HAD ONE LIVE BIRTH (CODED '1') IN RHD.170, DISPLAY {YOUR CHILD}. IF SP HAD MORE THAN ONE LIVE BIRTH (CODED >= 2) IN RHD.170, DISPLAY {ANY OF YOUR CHILDREN}.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	1036	1036	
2	No	750	1786	RHQ250
7	Refused	0	1786	RHQ245
9	Don't know	1	1787	RHQ245
	Missing	1777	3564	

RHD230	Target	
KIID 20 V	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 59	# of children breastfed at least 1 month	

English Text: How many of {your/SP's} children did {you/she} breast feed for at least 1 month?

English Instructions: ENTER NUMBER OF CHILDREN.

Code or Value	Description	Count	Cumulative	Skip to Item
0 to 13	Range of Values	1087	1087	
77	Refused	0	1087	
99	Don't know	0	1087	
	Missing	2477	3564	

Target	
F(12 Yrs. to 150 Yrs.)	
SAS Label	
CHECK ITEM	
	F(12 Yrs. to 150 Yrs.) SAS Label

English Text: CHECK ITEM.

English Instructions: BOX 11. CHECK ITEM RHQ.245: IF SP HAD AT LEAST ONE PREGNANCY THAT RESULTED IN A LIVE BIRTH (NOT CODED '0' IN RHD.170), CONTINUE WITH RHQ.250. OTHERWISE, GO TO RHD.280.

RHQ250	Target		
1117200	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Any child weight <5.5 lbs at birth?		

English Text: {Did {your child/SP's child/Did any of {your/SP's} children} weigh less than 5 1/2 pounds (2,500g) at birth?

English Instructions: CAPI INSTRUCTION: IF SP HAD ONE LIVE BIRTH (CODED '1') IN RHD.170, DISPLAY {YOUR CHILD}. IF SP HAD MORE THAN ONE LIVE BIRTH (CODED >= 2) IN RHD.170, DISPLAY {DID ANY OF YOUR CHILDREN}. CAPI INSTRUCTION: IF YES (CODED '1') IN RHQ.250 AND SP HAD ONLY ONE LIVE BIRTH (CODED '1') IN RHQ.170, ENTER '1' IN RHQ.260.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	241	241	
2	No	1590	1831	RHQ275A
7	Refused	0	1831	RHQ275A
9	Don't know	7	1838	RHQ275A
	Missing	1726	3564	

RHQ260	Target	
1111/200	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 59	# children weighing <5.5 lbs at birth?	

English Text: How many of {your/her} children weighed less than 5 1/2 pounds (2500g) at birth?

English Instructions: ENTER NUMBER OF CHILDREN.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 4	Range of Values	241	241	
77	Refused	0	241	
99	Don't know	0	241	
	Missing	3323	3564	

RHD270	Target	
MID27V	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 59	Number of children born preterm	

English Text: How many of these babies were born preterm? A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy.

English Instructions: ENTER NUMBER OF CHILDREN.

Code or Value	Description	Count	Cumulative	Skip to Item
0 to 3	Range of Values	240	240	
77	Refused	0	240	
99	Don't know	1	241	
	Missing	3323	3564	

RHQ275A	Target
	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
CHECK ITEM	

English Text: CHECK ITEM.

English Instructions: BOX 12. CHECK ITEM RHQ.275A: IF SP < 20 YEARS OLD, GO TO RHQ.420. IF SP CURRENTLY PREGNANT (CODED '1' IN RHD.143) GO TO RHQ.300. IF SP HAD PERIOD IN PAST 12 MONTHS (CODED '1' IN RHQ.031), GO TO RHQ. 300. OTHERWISE, CONTINUE WITH RHD.280.

RHD280	Target	
K11D200	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Had a hysterectomy?	

English Text: {Have you/Has SP} had a hysterectomy that is, surgery to remove {your/her} uterus or womb?

English Instructions: MARK IF KNOWN. OTHERWISE ASK.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	537	537	
2	No	986	1523	RHQ300
7	Refused	0	1523	RHQ300
9	Don't know	2	1525	RHQ300
	Missing	2039	3564	

RHQ291	Target	
111(2)1	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age when had hysterectomy	

English Text: How old {were you/was SP} when {you/she} had {your/her} (hysterectomy/uterus removed/womb removed)?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
16 to 85	Range of Values	528	528	
777	Refused	0	528	
999	Don't know	9	537	
	Missing	3027	3564	

RHQ300	Target		
Milysoo	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Had at least one ovary removed?		

English Text: {Have you/Has SP} had at least one of {your/her} ovaries removed (either when {you/she} had {your/her} uterus removed or at another time)?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	403	403	
2	No	1809	2212	RHQ355
7	Refused	0	2212	RHQ355
9	Don't know	12	2224	RHQ355
	Missing	1340	3564	

RHQ310	Target				
1117010	F(20 Yrs. to 150 Yrs.)				
Hard Edits	SAS Label				
	Were both ovaries removed or only one?				
English Text: Were both ovaries removed or only one?					

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Both	289	289	
2	One	112	401	RHQ330
7	Refused	0	401	RHQ355
9	Don't know	2	403	RHQ355
	Missing	3161	3564	

RHQ320	Target			
1117020	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Both ovaries removed at same time?			

English Text: Were both of {your/SP's} ovaries removed at the same time or at different times?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Same time	262	262	
2	Different times	26	288	RHQ340
7	Refused	0	288	RHQ355
9	Don't know	1	289	RHQ355
	Missing	3275	3564	

RHQ330	Target		
THI QUOU	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
0 to 120	Age when first/both ovaries removed		

English Text: How old {were you/was SP} when {you/she} had {your/her} {ovary/ovaries} removed?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
11 to 85	Range of Values	366	366	
777	Refused	0	366	
999	Don't know	8	374	
	Missing	3190	3564	

RHQ335	Target			
	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	CHECK ITEM			
English Text: CHECK ITEM.				

English Instructions: BOX 13. CHECK ITEM RHQ.335: GO TO BOX 15.

RHQ340	Target		
11110010	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
0 to 120	Age when second ovary removed		

English Text: How old {were you/was SP} when {you/she} had the second ovary removed?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
21 to 70	Range of Values	26	26	
777	Refused	0	26	
999	Don't know	0	26	
	Missing	3538	3564	

RHQ355	Target	
	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	CHECK ITEM	

English Text: CHECK ITEM.

English Instructions: BOX.15. CHECK ITEM RHQ.355: IF SP 20-54 YEARS OLD,

CONTINUE WITH RHQ.360. OTHERWISE, GO TO RHQ.420.

RHQ360	Target			
1117000	F(20 Yrs. to 54 Yrs.)			
Hard Edits	SAS Label			
	Told by doctor had endometriosis?			

English Text: Has a doctor or other health professional ever told {you/SP} that {you/she} had endometriosis? (Endometriosis is a disease in which the tissue that forms the lining of the uterus/womb attaches to other places, such as the ovaries, fallopian tubes, or

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	84	84	
2	No	1191	1275	RHQ380
7	Refused	0	1275	RHQ380
9	Don't know	4	1279	RHQ380
	Missing	2285	3564	

RHQ370	Target			
	F(20 Yrs. to 54 Yrs.)			
Hard Edits	SAS Label			
0 to 120	Age when first told had endometriosis			

English Text: How old {were you/was SP} when {you were/she was} first told {you/she} had endometriosis?

Code or Value	Description	Count	Cumulative	Skip to Item
15 to 49	Range of Values	84	84	
777	Refused	0	84	
999	Don't know	0	84	
	Missing	3480	3564	

RHQ380	Target		
	F(20 Yrs. to 54 Yrs.)		
Hard Edits	SAS Label		
	Told by doctor had uterine fibroids?		

English Text: Has a doctor or other health professional ever told {you/SP} that {you/she} had uterine fibroids? (Uterine fibroids are benign (not cancerous) tumors growing in various locations on or within the uterus/womb.)

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	177	177	
2	No	1098	1275	RHQ420
7	Refused	0	1275	RHQ420
9	Don't know	4	1279	RHQ420
	Missing	2285	3564	

RHQ390	Target	
	F(20 Yrs. to 54 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age when first told had uterine fibroids	

English Text: How old {were you/was SP} when {you were/she was} first told {you/she} had uterine fibroids?

Code or Value	Description	Count	Cumulative	Skip to Item
15 to 53	Range of Values	176	176	
777	Refused	0	176	
999	Don't know	1	177	
	Missing	3387	3564	

RHQ420	Target
	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Ever taken birth control pills?

English Text: Now I am going to ask you about {your/SP's} birth control history. {Have you/Has SP} ever taken birth control pills for any reason?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	1548	1548	
2	No	1636	3184	RHQ510
7	Refused	0	3184	RHQ510
9	Don't know	3	3187	RHQ510
	Missing	377	3564	

RHQ430	Target		
	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
0 to 59	Age started taking birth control pills		

English Text: How old {were you/was SP} when {you/she} began using birth control pills?

Code or Value	Description	Count	Cumulative	Skip to Item
10 to 55	Range of Values	1537	1537	
77	Refused	0	1537	
99	Don't know	9	1546	
	Missing	2018	3564	

RHQ435B	Target
	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 18. CHECK ITEM RHQ.435B: IF SP<20 YEARS OLD AND IF SP IS NOT PREGNANT (CODED 2, 7, 9 OR MISSING IN RHD.143), CONTINUE WITH RHD.442. IF SP>= 20 YEARS OLD AND IF SP IS NOT PREGNANT (CODED 2, 7, 9 OR MISSING IN RHD.143) AND IF SP HAS NOT HAD HYSTERECTOMY (CODED 2, 7, 9 OR MISSING IN RHD.280) AND SP HAS AT LEAST ONE OVARY (CODED 2, 7, 9 IN RHQ.300 OR CODED 2, 7, 9 IN RHQ.310) AND SP IS NOT MENOPAUSAL (CODED 1, 2, 8, 9, 77, 99 OR MISSING IN RHD.042) CONTINUE WITH RHD.442. OTHERWISE, GO TO RHD.451.

Target	
to 150 Yrs.)	RHD442
Label	Hard Edits
ontrol pills now?	

English Text: {Are you/Is SP} taking birth control pills now?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	181	181	RHQ460Q
2	No	652	833	
7	Refused	0	833	RHQ510
9	Don't know	0	833	RHQ510
	Missing	2731	3564	

RHD451	Target	
	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age stopped taking birth control pills	

English Text: How old {were you/was SP} when {you/she} stopped taking birth control pills?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
10 to 58	Range of Values	1355	1355	
777	Refused	0	1355	
999	Don't know	12	1367	
	Missing	2197	3564	

RHQ460Q	Target		
KIIQ400Q	F(12 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
0 to 59	How long taking birth control pills		

English Text: Not counting any time when {you/SP} stopped taking them, for how long altogether {have you taken/did you take/has she taken/did she take} birth control pills?

English Instructions: CODE "1" FOR LESS THAN ONE MONTH. ENTER NUMBER

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 43	Range of Values	1540	1540	
77	Refused	0	1540	
99	Don't know	8	1548	
	Missing	2016	3564	

F(12 Yrs. to 150 Yrs.)			
SAS Label			
Unit of measure: months, years			
English Text: UNIT OF MEASURE.			

English Instructions: ENTER UNIT.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Months	437	437	
2	Years	1103	1540	
7	Refused	0	1540	
9	Don't know	0	1540	
·	Missing	2024	3564	

Target		
F(12 Yrs. to 150 Yrs.)		
SAS Label		
Used DepoProvera or injectables?		

English Text: {Have you/Has SP} ever used Depo-Provera or injectables to prevent pregnancy?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	288	288	
2	No	2897	3185	RHQ535
7	Refused	0	3185	RHQ535
9	Don't know	2	3187	RHQ535
	Missing	377	3564	

RHQ520	Target	
1417020	F(12 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Now use DepoProvera or injectables?	

English Text: {Are you/Is SP} now using Depo-Provera or injectables to prevent pregnancy?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	49	49	
2	No	239	288	
7	Refused	0	288	
9	Don't know	0	288	
•	Missing	3276	3564	

RHQ535	Target
KIIQ555	F(12 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 20. CHECK ITEM RHQ.535: IF SP 20 YEARS OF AGE OR OLDER, CONTINUE WITH RHQ.540. ELSE IF SP 14 - 19 YEARS OLD, SKIP TO RHQ.700. OTHERWISE END OF SECTION.

RHQ540	Target
11114010	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Ever use female hormones?

English Text: {Have you/Has SP} ever used female hormones such as estrogen and progesterone? Please include any forms of female hormones, such as pills, cream, patch, and injectables, but do not include birth control methods or use for infertility.

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	579	579	
2	No	1640	2219	RHQ700
7	Refused	0	2219	RHQ700
9	Don't know	5	2224	RHQ700
	Missing	1340	3564	

Target		
F(20 Yrs. to 150 Yrs.)		
SAS Label		
Hormone pills used		

English Text: Which forms of female hormones {have you/has SP} used.

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
10	Pills	522	522	
77	Refused	0	522	
99	Don't know	0	522	
	Missing	3042	3564	

RHQ541B	Target		
	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Hormone patches used		
2 P 1 TD 4 XXI 1 C CC 1 1 (1 // CD) 1			

English Text: Which forms of female hormones {have you/has SP} used.

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
11	Patches	58	58	
	Missing	3506	3564	

RHQ541C	Target
MIQ34IC	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Hormone cream/suppository/injection used

English Text: Which forms of female hormones {have you/has SP} used.

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
12	Cream/suppository/injection	80	80	
	Missing	3484	3564	

RHQ550	Target
	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Having periods when start hormones

English Text: At the time {you/SP} started using female hormones or hormone replacement therapy, {were you/was she} still having {your/her} periods or had {you/she} completely stopped having {your/her} periods?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Still having periods	143	143	
2	Completely stopped having periods	434	577	
7	Refused	0	577	
9	Don't know	2	579	
	Missing	2985	3564	

RHQ551A	Target
111400111	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estr/progest for menopause

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
10	Menopause-related symptoms (hot flashes, sweating, vaginal dryness, bladder problems)	249	249	
77	Refused	0	249	
99	Don't know	8	257	
	Missing	3307	3564	

RHQ551B	Target
Milderin	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estr/progest for emotions

English Text: What are {your/SP's} reasons for having used estrogen or progesterone?

Code or Value	Description	Count	Cumulative	Skip to Item
11	Depression, anxiety, emotional distress	29	29	
	Missing	3535	3564	

RHQ551C	Target			
Milderia	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Used estr/progest for hysterct/oophorect			

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
12	Hysterectomy or oophorectomy (ovary removal)	196	196	
•	Missing	3368	3564	

RHQ551D	Target
Milderin	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estr/progest for osteoporosis

English Text: What are {your/SP's} reasons for having used estrogen or progesterone?

Code or Value	Description	Count	Cumulative	Skip to Item
13	Osteoporosis, bone loss/thinning fracture prevention	60	60	
	Missing	3504	3564	

RHQ551E	Target			
MIQUUE	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Used estr/progest for cardiovascular dis			

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
14	Cardiovascular disease prevention	18	18	
	Missing	3546	3564	

RHQ551F	Target
11140011	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estr/progest for irregular periods

English Text: What are {your/SP's} reasons for having used estrogen or progesterone?

Code or Value	Description	Count	Cumulative	Skip to Item
15	Irregular menstrual periods, to regulate periods	48	48	
	Missing	3516	3564	

RHQ551G	Target
Milyeero	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estr/progest for other reasons

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
16	Other reasons	54	54	
	Missing	3510	3564	

Target
F(20 Yrs. to 150 Yrs.)
SAS Label
CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 21. CHECK ITEM 552: IF SP USED FEMALE HORMONE PILLS (CODED '10' IN RHD.541A), CONTINUE WITH RHQ.554.

OTHERWISE, GO TO BOX 22.

RHQ554	Target	
	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Use hormone pills w/estrogen only	

English Text: {Have you/Has SP} ever taken female hormone pills containing estrogen only (like Premarin)? (Do not include birth control pills.)

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	389	389	
2	No	112	501	RHQ562
7	Refused	0	501	RHQ562
9	Don't know	21	522	RHQ562
	Missing	3042	3564	

RHQ556	Target	
KiiQ330	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age started estrogen-only pills	

English Text: How old {were you/was SP} when {you/she} first started taking pills containing estrogen only?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
17 to 82	Range of Values	380	380	
777	Refused	0	380	
999	Don't know	9	389	
	Missing	3175	3564	

RHQ558	Target	
KIIQ330	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Taking estrogen only pills now?	
English Toyte (Are you'le CD) taking pills containing actuages only nove?		

English Text: {Are you/Is SP} taking pills containing estrogen only now?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	140	140	
2	No	247	387	
7	Refused	0	387	
9	Don't know	2	389	
	Missing	3175	3564	

RHQ560Q	Target	
11110000	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 59	How long taking estrogen only pills	

English Text: Not counting any time when {you/SP} stopped taking them, for how long altogether {have you taken/did you take/has she taken/did she take} pills containing estrogen only?

English Instructions: CODE '1' FOR LESS THAN 1 MONTH. ENTER NUMBER.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 57	Range of Values	384	384	
77	Refused	0	384	
99	Don't know	5	389	
	Missing	3175	3564	

RHQ560U	Target		
Miqeocc	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Unit of measure: months, years		
English Text: UNIT OF MEASURE.			
English Text: UNIT OF MEASURE.			

English Instructions: ENTER UNIT.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Months	80	80	
2	Years	304	384	
7	Refused	0	384	
9	Don't know	0	384	
	Missing	3180	3564	

RHQ562	Target		
MIQ502	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Used hormone pills w/progestin only		

English Text: {Have you/Has SP} taken female hormone pills containing progestin only (like Provera)? (Do not include birth control pills.)

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	96	96	
2	No	402	498	RHQ570
7	Refused	0	498	RHQ570
9	Don't know	23	521	RHQ570
	Missing	3043	3564	

RHQ564	Target	
1112001	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age started progestin only pills	

English Text: How old {were you/was SP} when {you/she} first started taking pills containing progestin only?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
19 to 69	Range of Values	92	92	
777	Refused	0	92	
999	Don't know	4	96	
	Missing	3468	3564	

RHQ566	Target	
Mildoo	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Taking progestin only pills now?	
English Text: { Are you/Is SP} taking pills containing progestin only now?		

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	11	11	
2	No	85	96	
7	Refused	0	96	
9	Don't know	0	96	
	Missing	3468	3564	

RHQ568Q	Target	
IIIQEOOQ	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 59	How long taking progestin only pills	

English Text: Not counting any time when {you/SP} stopped taking them, for how long altogether {have you taken/did you take/has she taken/did she take} pills containing progestin only?

English Instructions: CODE '1' FOR LESS THAN 1 MONTH. ENTER NUMBER.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 20	Range of Values	94	94	
77	Refused	0	94	
99	Don't know	2	96	
	Missing	3468	3564	

RHQ568U	Target	
KIIQS00C	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
	Unit of measure: months, years	
English Text: UNIT OF MEASURE.		
English Instructions: ENTER UNIT		

Code or Value	Description	Count	Cumulative	Skip to Item
1	Months	37	37	
2	Years	57	94	
7	Refused	0	94	
9	Don't know	0	94	
	Missing	3470	3564	

RHQ570	Target
THIQU'	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estrogen/progestin combo pills

English Text: {Have you/Has SP} taken female hormone pills containing both estrogen and progestin (like Prempro, Premphase)? (Do not include birth control pills.)

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	128	128	
2	No	372	500	RHQ578
7	Refused	0	500	RHQ578
9	Don't know	21	521	RHQ578
	Missing	3043	3564	

RHQ572	Target	
KIIQ572	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age started estrogen/progestin pills	

English Text: How old {were you/was SP} when {you/she} first started taking pills containing both estrogen and progestin?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
26 to 77	Range of Values	125	125	
777	Refused	0	125	
999	Don't know	3	128	
	Missing	3436	3564	

RHQ574	Target
	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
Taking estrogen/progestin now?	

English Text: {Are you/Is SP} taking pills containing both estrogen and progestin now?

English Instructions:

Code or Volve

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	30	30	
2	No	98	128	
7	Refused	0	128	
9	Don't know	0	128	
	Missing	3436	3564	

RHQ576Q	Target	
iui qu' o q	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
1 to 59	How long taking estrogen/progestin	

English Text: Not counting any time when {you/SP} stopped taking them, for how long altogether {{have you/has SP} taken/did {you/SP} take} pills containing both estrogen and progestin?

English Instructions: CODE "1" FOR LESS THAN 1 MONTH. ENTER NUMBER.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 42	Range of Values	127	127	
77	Refused	0	127	
99	Don't know	1	128	
	Missing	3436	3564	

RHQ576U	Target			
11120700	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Unit of measure: months, years			
English Text: UNIT OF MEASURE.				

English Instructions: ENTER UNIT.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Months	33	33	
2	Years	94	127	
7	Refused	0	127	
9	Don't know	0	127	
•	Missing	3437	3564	

RHQ578	Target
	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

English Text: CHECK ITEM.

English Instructions: BOX 22. CHECK ITEM RHQ.578: IF SP USED PATCHES (CODED '11' IN RHD.541B), CONTINUE WITH RHQ.580. OTHERWISE, GO TO RHQ.700.

RHQ580	Target
Milyeov	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estrogen-only patches?

English Text: {Have you/Has SP} ever used female hormone patches containing estrogen only?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	43	43	
2	No	9	52	RHQ596
7	Refused	0	52	RHQ596
9	Don't know	7	59	RHQ596
	Missing	3505	3564	

RHQ582	Target	
1111002	F(20 Yrs. to 150 Yrs.)	
Hard Edits	SAS Label	
0 to 120	Age started estrogen-only patches	

English Text: How old {were you/was SP} when {you/she} first started using patches containing estrogen only?

English Instructions: ENTER AGE IN YEARS

Code or Value	Description	Count	Cumulative	Skip to Item
25 to 67	Range of Values	42	42	
777	Refused	0	42	
999	Don't know	1	43	
	Missing	3521	3564	

RHQ584	Target
MiQSO4	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Using estrogen-only patches now?

English Text: {Are you/Is SP} using patches containing estrogen only now?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	13	13	
2	No	30	43	
7	Refused	0	43	
9	Don't know	0	43	
	Missing	3521	3564	

RHQ586Q	Target
MIQSOOQ	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
1 to 59	How long using estrogen only patch

English Text: Not counting any time when {you/SP} stopped taking them, for how long altogether {have you used/did you use/has she used/did she use} patches containing estrogen only?

English Instructions: CODE "1" FOR LESS THAN 1 MONTH. ENTER NUMBER.

Code or Value	Description	Count	Cumulative	Skip to Item
1 to 55	Range of Values	43	43	
77	Refused	0	43	
99	Don't know	0	43	
	Missing	3521	3564	

RHQ586U	Target		
ini Qeooc	F(20 Yrs. to 150 Yrs.)		
Hard Edits	SAS Label		
	Unit of measure: months, years		
English Text: UNIT OF MEASURE.			

English Instructions: ENTER UNIT.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Months	17	17	
2	Years	26	43	
7	Refused	0	43	
9	Don't know	0	43	
	Missing	3521	3564	

RHQ596	Target
Hillyeso	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Used estrogen/progestin combo patch

English Text: {Have you/Has SP} used female hormone patches containing both estrogen and progestin?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	8	8	
2	No	41	49	RHQ700
7	Refused	0	49	RHQ700
9	Don't know	10	59	RHQ700
	Missing	3505	3564	

RHQ598	Target
Mileso	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
0 to 120	Age started estrogen/progestin patch

English Text: How old {were you/was SP} when {you/she} first started using patches containing both estrogen and progestin?

English Instructions: ENTER AGE IN YEARS.

Code or Value	Description	Count	Cumulative	Skip to Item
35 to 67	Range of Values	8	8	
777	Refused	0	8	
999	Don't know	0	8	
	Missing	3556	3564	

RHQ600	Target			
1111000	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Use estrogen/progestin patch now?			

English Text: {Are you/Is SP} using patches containing both estrogen and progestin now?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	2	2	
2	No	6	8	
7	Refused	0	8	
9	Don't know	0	8	
	Missing	3556	3564	

RHQ602Q	Target
1410020	F(20 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
1 to 59	How long use estrogen/progestin patch

English Text: Not counting any time when {you/SP} stopped taking them, for how long altogether {have you used/did you use/has she used/did she use} patches containing both estrogen and progestin?

English Instructions: CODE "1" FOR LESS THAN 1 MONTH. ENTER NUMBER.

Code or Value	Description	Count	Cumulative	Skip to Item
2 to 10	Range of Values	8	8	
77	Refused	0	8	
99	Don't know	0	8	
	Missing	3556	3564	

RHQ602U	Target			
11120020	F(20 Yrs. to 150 Yrs.)			
Hard Edits	SAS Label			
	Unit of measure: months, years			
English Text: UNIT OF MEASURE.				
English Instructions: ENTER UNIT.				

Code or Value	Description	Count	Cumulative	Skip to Item
1	Months	4	4	
2	Years	4	8	
7	Refused	0	8	
9	Don't know	0	8	
	Missing	3556	3564	

RHQ700	Target
11110700	F(14 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Used fem hygiene product in past month?

English Text: During the past month, {have you/has SP} used any of the following products for feminine hygiene?

English Instructions: HAND CARD RHQ1

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	1528	1528	
2	No	356	1884	
7	Refused	0	1884	
9	Don't know	1	1885	
	Missing	1679	3564	

RHQ710A	Target
	F(14 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Used tampons in past month?

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
1	Tampons	732	732	
77	Refused	0	732	
99	Don't know	0	732	
	Missing	2832	3564	

F(14 Yrs. to 49 Yrs.)			
SAS Label			
Used sanitary napkins in past month?			

English Text: Which of these products did {you/SP} use?

Code or Value	Description	Count	Cumulative	Skip to Item
2	Sanitary Napkins	1089	1089	
77	Refused	0	1089	
99	Don't know	0	1089	
	Missing	2475	3564	

Target
F(14 Yrs. to 49 Yrs.)
SAS Label
Used vaginal douches in past month?

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
3	Vaginal Douches	231	231	
77	Refused	0	231	
99	Don't know	0	231	
	Missing	3333	3564	

Target
F(14 Yrs. to 49 Yrs.)
SAS Label
Used feminine spray in past month?

English Text: Which of these products did {you/SP} use?

Code or Value	Description	Count	Cumulative	Skip to Item
4	Feminine Spray	122	122	
77	Refused	0	122	
99	Don't know	0	122	
	Missing	3442	3564	

Target
F(14 Yrs. to 49 Yrs.)
SAS Label
Used feminine powder in past month?

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
5	Feminine Powder	82	82	
77	Refused	0	82	
99	Don't know	0	82	
	Missing	3482	3564	

RHQ710F	Target
KIIQ/IUI	F(14 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Used feminine wipes/towlettes past month

English Text: Which of these products did {you/SP} use?

Code or Value	Description	Count	Cumulative	Skip to Item
6	Feminine Cleansing Wipes/Towlettes	179	179	
77	Refused	0	179	
99	Don't know	0	179	
	Missing	3385	3564	

RHQ710G	Target
IIIQ/IVO	F(14 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Used other fem hygiene products past mon

English Instructions: CODE ALL THAT APPLY.

Code or Value	Description	Count	Cumulative	Skip to Item
7	Other Feminine Hygiene	76	76	
	Products			
77	Refused	0	76	
99	Don't know	0	76	
•	Missing	3488	3564	

RHQ720	Target		
MIQ/20	F(14 Yrs. to 49 Yrs.)		
Hard Edits	SAS Label		
	Did SP douche in past 6 months?		

English Text: During the past 6 months, did {you/SP} douche? By douching, we mean putting a substance into {your/her} vagina either for routine cleansing or for vaginal irritation or signs of infection?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	350	350	
2	No	1534	1884	
7	Refused	0	1884	
9	Don't know	1	1885	
	Missing	1679	3564	

RHQ730	Target	
11110/00	F(14 Yrs. to 49 Yrs.)	
Hard Edits	SAS Label	
	Frequency SP douched in past 6 months	

English Text: During the past 6 months, how often did {you/SP} douche? Would you say ...

Code or Value	Description	Count	Cumulative	Skip to Item
1	5 or more times a month	8	8	
2	2 to 4 times a month	106	114	
3	once a month	125	239	
4	less than once a month	111	350	
7	Refused	0	350	
9	Don't know	0	350	
	Missing	3214	3564	

RHQ740	Target	
1112/10	F(14 Yrs. to 49 Yrs.)	
Hard Edits	SAS Label	
	Vaginal problems during past month	

English Text: During the past month, did {you/SP} have any of the following problems: vaginal itching, an unpleasant vaginal odor, or an unusual vaginal discharge?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
1	Yes	252	252	
2	No	1632	1884	
7	Refused	0	1884	
9	Don't know	1	1885	
	Missing	1679	3564	

RHQ750A	Target
THI Q / CU/I	F(14 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Problem with vaginal itching

English Text: Which of these problems did {you/SP} have?

Code or Value	Description	Count	Cumulative	Skip to Item
1	Vaginal Itching	134	134	
7	Refused	0	134	
9	Don't know	0	134	
	Missing	3430	3564	

RHQ750B	Target		
MIQICOD	F(14 Yrs. to 49 Yrs.)		
Hard Edits	SAS Label		
	Problem with vaginal odor		
Fnglish Text. Which of these problems did (vou/SP) have?			

English Text: Which of these problems did {you/SP} have?

English Instructions:

Code or Value	Description	Count	Cumulative	Skip to Item
2	Unpleasant Vaginal Odor	74	74	
7	Refused	0	74	
9	Don't know	0	74	
	Missing	3490	3564	

RHQ750C	Target
MIQ750C	F(14 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Problem with vaginal discharge

English Text: Which of these problems did {you/SP} have?

Code or Value	Description	Count	Cumulative	Skip to Item
3	Unusual Vaginal Discharge	131	131	
7	Refused	0	131	
9	Don't know	0	131	
	Missing	3433	3564	