

2008 Methyl Bromide Usage Newer Numerical Index - BUNNI **Ham**

January 24, 2006	Region	Gwaltney of Smithfield	National Country Ham Association	Nahunta Pork Center	American Assoc. of Meat Processors	Sector Total or Average	Notes	
Dichotomous Variables	Currently Use Alternatives? Pest-free Requirements?	Yes Yes	Yes Yes	Yes Yes	Yes Yes			
Other Issues	Frequency of Treatment of Product Quarantine & Pre-Shipment Removed?	1 Yes	1 Yes	2 Yes	1 Yes			
Most Likely Combined Impacts (%)	Regulatory Issues (%)	0%	0%	0%	0%			
	Key Pest Distribution (%)	100%	100%	100%	100%			
	Total Combined Impacts (%)	100%	100%	100%	100%			
Most Likely Baseline Transition	(%) Able to Transition	0%	0%	0%	0%			
	Minimum # of Years Required	0	0	0	0			
	(%) Able to Transition per Year	0%	0%	0%	0%			
EPA Adjusted Use Rate (kg/1000m3)		11	17	20	20			
2008 Applicant Requested Usage	<i>Amount - Pounds</i>	4,200	2,738	200	371,000	378,138		
	<i>Volume - 1000ft³</i>	6,240	600	161	247,333	254,334		
	<i>Rate (lb/1000ft³)</i>	0.67	4.56	1.24	1.50	1		
	Amount - Kilograms	1,905	1,242	91	168,283	171,520		
	<i>Volume - 1000m³</i>	177	17	5	7,004	7,202		
	<i>Rate (kg/1000m³)</i>	11	73	20	24	24		
EPA Preliminary Value kgs		726	1,242	91	168,283	170,341		
EPA Baseline Adjusted Value has been adjusted for:		MBOC Adjustments, QPS, Double Counting, Growth, Use Rate, Miscellaneous Adjustments, and Combined Impacts						
EPA Baseline Adjusted Value	kgs	726	709	91	18,144	19,669		
EPA Transition Amount	kgs	-	-	-	-	-		
Most Likely Impact Value (kgs)	kgs	726	709	91	18,144	19,669		
	1000m ³	67	43	5	907	1,022		
	Rate	11	17	20	20	19		
Sector Research Amount (kgs)		-	2008 Total US Sector Nomination		19,669			

1 Pound = 0.453592 kgs 1000 cubic feet= 0.028316847 1000 cubic meters
 1 lb/1000 ft³ = 0.0624 kg/1000 m³ (ounces/1000 ft³ ~ kg/1000 m³)