TABLE 1. A SUMMARY OF ATLANTIC MARINE MAMMAL STOCK ASSESSMENT REPORTS FOR STOCKS OF MARINE MAMMALS UNDER NMFS AUTHORITY THAT OCCUPY WATERS UNDER U.S. JURISDICTION. (A "Y" under the heading "SAR revised" indicates which 1998 stock assessment reports have been revised relative to the 1996 reports.)

Species	Stock Area	SRG Region	NMFS Center	Nmin	Rmax	Fr	PBR	Total Annual Mort.	Annual Fish. Mort.	Strategic Status	SAR Revised
Harbor seal	Western North Atlantic	ATL	NEC	30,990	0.12	1.0	1,859	898	898	N	Y
Gray seal	Northwest North Atlantic	ATL	NEC	2,010	0.12	1.0	121	41	41	N	Y
Harp seal	Northwest North Atlantic	ATL	NEC	N/A	N/A	N/A	N/A	329	329	N	Y
Hooded seal	Northwest North Atlantic	ATL	NEC	N/A	N/A	N/A	N/A	5.6	5.6	N	Y
Harbor porpoise	Gulf of Maine/Bay of Fundy	ATL	NEC	48,289	0.04	0.5	483	1,667	1,667	Y	Y
Risso's dolphin	Western North Atlantic	ATL	NEC	11,140	0.04	0.5	111	18	18	N	Y
Atlantic white- sided dolphin	Western North Atlantic	ATL	NEC	19,196	0.04	0.5	192	218	218	Y	Y
White-beaked dolphin	Western North Atlantic	ATL	NEC	N/A	0.04	N/A	N/A	0.00	0.00	N	N
Common dolphin	Western North Atlantic	ATL	NEC	15,470	0.04	0.5	155	2471	2471	Y	Y
Atlantic spotted dolphin	Western North Atlantic	ATL	NEC	1,617 ²	0.04	0.5	16	16 ³	16 ³	Y	Y
Pantropical spotted dolphin	Western North Atlantic	ATL	NEC	1,617 ²	0.04	0.5	16	16 ²	16 ³	Y	Y
Striped dolphin	Western North Atlantic	ATL	NEC	18,220	0.04	0.5	182	11	11	N	Y
Spinner dolphin	Western North Atlantic	ATL	NEC	N/A	N/A	N/A	N/A	0.31	0.31	N	Y

Species	Stock Area	SRG Region	NMFS Center	Nmin	Rmax	Fr	PBR	Total Annual Mort.	Annual Fish. Mort.	Strategic Status	SAR Revised
Bottlenose dolphin	Western North Atlantic, offshore	ATL	NEC	8,794 ⁴	0.04	0.5	88	58	58	N	Y
Bottlenose dolphin	Western ⁵ North Atlantic, coastal	ATL	SEC	2,482	0.04	0.5	25	29	29	Y	N
Dwarf sperm whale	Western North Atlantic	ATL	NEC	N/A	0.04	N/A	N/A	0.2	0.2	Y	Y
Pygmy sperm whale	Western North Atlantic	ATL	NEC	N/A	0.04	N/A	N/A	N/A	N/A	N	Y
Killer whale	Western North Atlantic	ATL	NEC	N/A	0.04	N/A	N/A	0.00	0.00	N	N
Pygmy killer whale	Western North Atlantic	ATL	SEC	6	0.04	0.5	0.1	0.00	0.00	N	N
Northern bottlenose whale	Western North Atlantic	ATL	NEC	N/A	0.04	N/A	N/A	0.00	0.00	N	Y
Cuvier's beaked whale	Western North Atlantic	ATL	NEC	895 ⁶	0.04	0.5	8.9	9.7	9.77	Y	Y
Mesoplodon beaked whale	Western North Atlantic	ATL	NEC	895 ⁶	0.04	0.5	8.9	9.7	9.77	Y	Y
Pilot whale, long- finned (<u>Globicephala</u> spp)	Western North Atlantic	ATL	NEC	4,9688	0.04	0.5	50	32	329	N	Y
Pilot whale, short- finned	Western North Atlantic	ATL	NEC	457	0.04	0.5	4.6	32	329	Y	Y
Sperm whale	Western North Atlantic	ATL	NEC	1,617	0.04	0.1	3.2	0.0	0.0	Y	Y
North Atlantic right whale	Western North Atlantic	ATL	NEC	295	0.025	0.1	0.4	2.3	1.010	Y	Y
Humpback whale	Western North Atlantic	ATL	NEC	10,019	0.065	0.1	32.6	5.7	4.411	Y	Y
Fin whale	Western North Atlantic	ATL	NEC	1,704	0.04	0.1	3.4	0.5	0.20	Y	Y
Sei whale	Western North Atlantic	ATL	NEC	N/A	0.04	0.1	N/A	0.00	0.00	Y	Y

Species	Stock Area	SRG Region	NMFS Center	Nmin	Rmax	Fr	PBR	Total Annual Mort.	Annual Fish. Mort.	Strategic Status	SAR Revised
Minke whale	Canadian east coast	ATL	NEC	2,145	0.04	0.5	21	0.8	0.8	N	Y
Blue whale	Western North Atlantic	ATL	NEC	N/A	0.04	0.1	N/A	0.00	0.00	Y	Y

- 1. Effort data for the 1996 Atlantic squid, mackerel, butterfish trawl fisheries are currently under review. The estimated mortalities attributed to these fisheries will be included in the 1999 SAR.
- 2. This value includes either or both of *Stenella frontalis* or *Stenella attenuata*.
- 3. Mortality data are not separated by species; therefore, species-specific estimates are not available. The mortality estimate represents both Atlantic and Pantropical spotted dolphins.
- 4. Estimates may include sightings of the coastal form.
- 5. This stock assessment has not been updated. However, a revised assessment, including bycatch data from the 1995-1997 Atlantic coastal sink gillnet fishery, will be prepared in 1999.
- 6. This estimate includes Cuvier's beaked whales and Mesoplodon spp. beaked whales.
- 7. This is the average mortality of beaked whales (*Mesoplodon* spp.) based on 5 years of observer data. This annual mortality rate includes an unknown number of Cuvier's beaked whales.
- 8. This estimate may include both long-finned and short-finned pilot whales.
- 9. Mortality data are not separated by species; therefore, species-specific estimates are not available. This mortality estimate represents both long-finned and short-finned pilot whales.
- 10. This is the average mortality of right whales based on 5 years of observer data (0.0) and additional fishery impact records (1.0).
- 11. This is the average mortality of humpback whales based on 5 years of observer data (0.6) and additional fishery impact records (3.8).