

1 not life-threatening. For more serious and life-
2 threatening diseases, we're usually willing to go
3 into the pediatric population a little bit
4 earlier.

5 Also, another reason for deferral is
6 if there's another appropriate reason for
7 deferral. I can't give you an example of that off
8 of the top of my head. We've really relied on the
9 top two bullets for our criteria, but there is a
10 possibility that there could be another reason
11 that would come up and we would consider that.

12 Once we've decided that a deferral
13 can be granted, the applicant must submit a
14 certification for the grounds of the deferral, a
15 description of the planned studies, which is the
16 pediatric plan, and also evidence that the studies
17 are being conducted or will be conducted with due
18 diligence and at the earliest possible time. They
19 also have to provide a date for which time they
20 anticipate those studies will be finished and when
21 this all gets incorporated into a postmarketing
22 commitment, we have a due date that gets posted as

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 well.

2 Under FDAAA, if studies are being
3 deferred for any of the criteria previously
4 stated, the sponsor does need to submit an annual
5 report about the status of those studies and that
6 information will be posted publicly.

7 We can also grant waivers for studies
8 under PREA. So, there are some circumstances
9 where we will tell a company that even though
10 their application triggered PREA, we don't want
11 them to study pediatric patients.

12 Those criteria are that studies,
13 necessary studies, are impossible or highly
14 impracticable. The example I would give you is if
15 the condition doesn't occur in pediatric patients
16 in a high enough number. Prostate cancer. We
17 clearly could not require studies of prostate
18 cancer in pediatric patients. So, we would waive
19 that product for that indication.

20 That brings up a good point. Under
21 PREA, unlike BPCA where we can ask for everything
22 on-label and off-label, under PREA, we can only

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 ask for studies on that indication that comes in
2 that application. So, it's a very narrow
3 viewpoint rather than BPCA where it's very broad
4 and we can ask for everything.

5 Another reason for a waiver would be
6 there's strong evidence that suggests a drug or
7 biologic would be ineffective or unsafe. It
8 should be noted that if this is a criteria used
9 for waiver, this information has to be conveyed in
10 the labeling.

11 And then the third criteria for
12 waiver is that the drug or biologic does not
13 represent a meaningful therapeutic benefit over
14 existing therapies and it's not likely to be used
15 in a substantial number of pediatric patients.

16 As you can see, this is a double-
17 pronged criteria that makes it very difficult for
18 sponsors to use this criteria because even though
19 you might say there are already five other
20 products out there, so it wouldn't represent a
21 meaningful therapeutic benefit over existing
22 therapies, it's often hard to predict if your

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 product is going to move up to the top of the
2 market and be used by a substantial number of
3 pediatric patients.

4 Partial waivers are actually waivers
5 that only cover a part of the pediatric population
6 by age. So, the criteria are the same, except for
7 one difference and one difference would be if you
8 can't develop a formulation that would be
9 appropriate for, say, the youngest portion of the
10 pediatric age range.

11 An example of this might be acne.
12 You probably wouldn't require acne studies in kids
13 less than 12 and another example may be if you
14 have a solid oral dosage form for the indication
15 of seizures and as hard as you try from a
16 chemistry standpoint, you couldn't get that tablet
17 into a liquid formulation, then you probably
18 wouldn't require studies under the age of 4 or 5.

19 If studies are deferred, the
20 applicant does have to submit the annual review.
21 As I said earlier, that's new. Also, if we do
22 waive a study based on the fact that they can't

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 make the pediatric-friendly formulation, that data
2 has to be submitted to the agency and that gets
3 posted as well.

4 I just wanted to flash up a chart
5 that describes the differences between the old
6 labeling and the new physician labeling rule
7 because previously, we made labeling
8 recommendations mostly for the Pediatric Use
9 Section of labeling which is under Precautions and
10 now the Pediatric Information comes under 8.4
11 which is Use in Specific Populations, Pediatrics.

12 So, I'm going to talk a little bit
13 more about labeling and I'll be referring to the
14 Pediatric Section rather than the Pediatric Use
15 Section. I know, very FDA of me.

16 So, labeling changes again under the
17 Pediatric Research Equity Act. Pediatric study
18 information must be included in the product label
19 and that's whether the study demonstrates safety
20 and efficacy, does not demonstrate safety and
21 efficacy or is inconclusive, and the reason for
22 that is the same reason that the law was changed

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 to require inclusion of information from BPCA
2 studies.

3 That is, that we usually only have
4 one shot at getting pediatric data and we want to
5 make sure that information is available to people
6 who have to use these medications to treat sick
7 children.

8 The Pediatric Advisory Committee
9 previously recommended a way for us to format our
10 labeling and I don't know. Some of the members
11 have been around long enough to remember that
12 discussion with Iris Masucci, but if the
13 indication is granted specific to the pediatric
14 population, that information is spread throughout
15 labeling and you've seen that in some of the
16 labels that you reviewed today.

17 If the indication is not granted,
18 then what we want to try and do is consolidate all
19 of that information under the Pediatric Section of
20 labeling and the important reason for doing that
21 is because you want to make sure that whoever's
22 reading the label reads information on the dose

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 that was studied and what the safety and efficacy
2 findings were in the context of the fact that we
3 don't think that the drug works in the pediatric
4 population and maybe why we don't think that the
5 studies were positive.

6 There are a couple labels out there
7 that say the pediatric studies failed but it may
8 have been because they were inadequately powered
9 or the design was somehow flawed, and, of course,
10 under PREA, we now have a dispute resolution
11 process that is comparable to that that happened
12 under BPCA.

13 So, if at the time we're ready to
14 make a labeling change, the sponsor does not agree
15 to that labeling change, we do have the authority
16 to bring that labeling dispute to you guys, so we
17 can discuss the facts and then try and figure out
18 whether or not information should be included in
19 the labeling.

20 It should be noted that the law
21 actually requires us to comment in a 180 days, but
22 that's not really consistent with the time frame

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 for a standard review of an NDA which would be 10
2 months. So, we'll come to you at the time that
3 the approval or not approval occurs.

4 Also, there's a greater transparency
5 under PREA in that the full medical, statistical
6 and clinical pharmacology reviews will be
7 available. Remember that previously only the
8 summaries of those studies submitted in response
9 to a written request under BPCA were available.
10 Now everything's going to be available.

11 And now the internal review committee
12 and this is a life labor of mine now. The
13 internal review committee is mandated by law.
14 We're called the Pediatric Review Committee or the
15 PeRC, and our role is to consult and review on all
16 mandated activities under both BPCA and PREA.

17 So, we provide quality and
18 consistency on helping divisions interface the
19 BPCA and PREA. We look at all pediatric plans,
20 assessments, waivers and deferrals and all written
21 requests prior to taking an action, prior to the
22 agency taking an action, and we really do try to

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 provide some guidance to the divisions based on
2 the overall experience of the pediatric population
3 in all of these studies, our experiences that we
4 have here and all the experience from the research
5 community.

6 So, we provide consultation to
7 product divisions on all pediatric plans and
8 assessments. We give advice on granting of
9 deferrals and waivers. We make recommendations on
10 when submissions should receive priority review
11 and also all membership activities have to be
12 documented.

13 So these, as Dianne pointed out, we
14 spend three hours every Wednesday going over many
15 products. We have reviewed over 70 waivers,
16 deferrals, plans and assessments since October of
17 2007. So, you can see with that kind of a number
18 the workload that's going to be coming to you guys
19 from these new PREA activities.

20 The PeRC membership is actually
21 stated in the law and must include all of these
22 different expertise and so we have people from the

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 Office of Pediatric Therapeutics as well as the
2 Review Divisions and we have lawyers and chemists
3 and statisticians. We've got everybody on the
4 board. It's a big group.

5 We do have a couple of deliverables.
6 Within 12 months, we have to conduct a review of
7 the studies that were submitted, deferrals and
8 waivers that were granted since PREA 2003, and
9 PREA 2003 was actually retroactive to April 1st of
10 1999. So, we have to go back and look at all the
11 waivers and deferrals that occurred since 1999 and
12 look at the quality and consistency and try and
13 make some recommendations to the Review Divisions
14 regarding waivers and deferrals.

15 It will actually give us a good
16 chance to go back and learn some lessons from what
17 we've done in the past.

18 We have a lot of tracking
19 responsibilities. I don't want to read all of
20 these for you because you will fall asleep, but
21 needless to say, we will be constantly updating
22 our web page with many details about the pediatric

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 studies, both under PREA and BPCA, including
2 numbers and centers and center locations. So that
3 way people who are interested in pediatric
4 research have easy access to data that they may
5 find helpful.

6 More tracking and posting and even
7 more tracking and posting. I'll let you guys read
8 that on the airplane home.

9 We also have longer-term progress
10 reports. We do have an Institute of Medicine
11 report that we have to start within three years.
12 I know that Skip Nelson in the Office of Pediatric
13 Therapeutics is working a lot on that because
14 there's a big ethical piece.

15 We also have GAO reports on both BPCA
16 and PREA that are due by January 1st of 2011, and
17 of note, both BPCA and PREA do sunset October 1st,
18 2012. I hope that nobody in the AAP plans to
19 retire before then. They'll have to help us with
20 reauthorization.

21 And one of the biggest issues for you
22 guys, of course, is the annual safety review that

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 has now been expanded to PREA. So, all adverse
2 event reports must be referred to FDA's Office of
3 Pediatric Therapeutics for the first year after
4 approved labeling changes and those reports will
5 be presented to the Pediatric Advisory Committee,
6 and, of course, additional reviews will occur
7 beyond the first year, as appropriate, and so now
8 you will be doing this on top of those reviews
9 from the Best Pharmaceuticals for Children Act
10 studies that are submitted in response to written
11 requests.

12 This is just a summary chart that
13 compares and contrasts our mandatory program with
14 our voluntary program and I think that the most
15 important change is that for both of these
16 programs, the studies do have to be labeled, the
17 information does get posted on the Web, and the
18 adverse events are presented to our Pediatric
19 Advisory Committee, and you'll be hearing more
20 about that from Dr. Cope who will be up here in
21 just a moment to cover that.

22 In conclusion, the new law's renewed

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 many important provisions of BPCA 2002 and PREA
2 2003, and the new provisions really do increase
3 transparency in the process. The laws were
4 intended to work together and a new internal
5 review committee helps to provide consistency and
6 this really provides an opportunity for the FDA
7 and industry to work together to advance the
8 public health for children.

9 Thank you very much for your time. I
10 don't know. Should we stop for questions or do
11 you want to move on to Judith's presentation?

12 Okay. Yes. Any questions?

13 (No response.)

14 DR. MATHIS: All right. With that,
15 I'll introduce Judith Cope who's with the Office
16 of Pediatric Therapeutics, and she's going to go
17 over the safety reporting a little bit in more
18 detail.

19 Safety Update, Biologics and Devices

20 DR. COPE: So, everybody's tired,
21 right?

22 My name's Judy Cope, and I'm a

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 pediatrician and epidemiologist with the Office of
2 Pediatric Therapeutics.

3 So, I'm going to be talking about
4 safety, so our focus is coming back to safety, and
5 as the subtitle, even though I'm going to be
6 talking mostly about drug products, reviewing a
7 lot of things for you, giving you some new things,
8 the biological and devices are going to be coming
9 your way. So, I know you've been hearing about
10 your growing workload, the challenges, but it
11 really is going to get more interesting as we get
12 into devices and the long-term effects of
13 biologics.

14 So briefly, I'm going to just very
15 briefly, I don't have a lot of regulatory slides,
16 I don't think, I'm going to give you an overview
17 of really the pediatric safety legislation, go
18 over the process for the pediatric focus reviews,
19 and I'm going to talk about our meetings, kind of
20 what you have done in the past, what we've
21 learned, what's coming ahead, and then how the new
22 legislation's going to be changing your work.

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 So basically, 10 years ago, the FDA
2 Modernization Act or FDAMA really didn't have a
3 lot of safety requirements. So those came about
4 in 2002 with BPCA, and as you know that was the
5 law that then required for the one-year safety
6 reviews that you hear here at these committee
7 meetings, one year after exclusivity, and then in
8 2003, it was amended and this committee was born
9 basically.

10 It was earlier a subcommittee of the
11 Anti-Infective Drugs AC but then Congress made it
12 a full Pediatric Advisory Committee, and with the
13 new legislation that was passed September 27th,
14 last year, it's going to be expanding the
15 pediatric safety reviews then to biologics, not
16 just therapeutic biologics but all the other
17 biologics, and only a subset of the devices.

18 So, the devices that will be coming
19 for your review are what will be humanitarian
20 device exemption devices, we'll talk about that a
21 little later, with pediatric indication.

22 So, let's talk a little bit about the

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 process. Actually, Dianne sort of introduced that
2 in the beginning, but I kind of think it's nice to
3 just, here you are in red and just wanted to point
4 out that you actually are tied right up to the
5 Office of the Commissioner.

6 So, the charter charges you to advise
7 and recommend on pediatric therapeutics, pediatric
8 research, and other issues that are pediatric, all
9 the way up, and on the right-hand side, the
10 reviews that you are presented, most of the
11 presenters come from the Pediatric and Maternal
12 Health staff.

13 All the Review Divisions, remember
14 people are sitting up at the end of the table,
15 those are from the divisions of the Drug
16 Evaluations, according to specialties, and they
17 are all under the Office of New Drugs, and then
18 on the postmarket side is the Office of
19 Surveillance and Epidemiology, and they're all
20 under CDER.

21 So, when we get into biologics and
22 devices now we're going to bring in two more

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealrgross.com

1 centers and reviews will come from different
2 databases and we'll talk about that.

3 So briefly, again I think Dianne
4 opened it in reminding you what the process is a
5 little bit and we'll just review. We have a team,
6 the OSE, the Office of Surveillance and
7 Epidemiology, the Review Divisions with the
8 medical officers, pharmacologists, and
9 statisticians, and they're the ones then that know
10 the full pre-market history and the clinical
11 trials, the medical officers with pediatric
12 expertise from the Pediatric Office and then our
13 office that helps coordinate things, and our
14 process really goes over several months where we
15 have a series of meetings.

16 So, we get everybody together as a
17 team initially and people brainstorm, come
18 together with what they know and we try and
19 identify early what the known concerns are and
20 then in a very focused way, we go to the safety
21 evaluators, sometimes the epidemiologists may be
22 needed if there's more analysis, and these are the

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 ones that are on the front lines, the receiving
2 lines, that analyze all these adverse event
3 reports all the time.

4 So, they will then come back with
5 their safety review. We meet a few more times.
6 Then we figure out what kind of questions we might
7 even think of asking you and let the data emerge.

8 So, if we have safety signals, you know, we need
9 to really ferret out, everybody really needs to
10 come as much as we can from our different areas to
11 decide what the issues are.

12 So, then your role, of course, I
13 counted, you had more than 600 pages that Carlos
14 sent out to you, but we send you all the
15 background materials which, of course, are
16 actually now on the Web and bring your expertise,
17 input, listen to all the presentations for -- this
18 wasn't too bad maybe today, but sometimes for a
19 couple days, and then your role is to advise and
20 make recommendations and based on that, then FDA
21 takes all your recommendations seriously into
22 consideration and may recommend to either go back

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 to routine monitoring, labeling changes, safety
2 studies, continued monitoring, or have certain
3 risk minimization strategies that we may think are
4 important to get the word out to public health
5 care professionals, patients, and revise
6 medication guides which are called med guides.

7 So, we've talked a little bit about
8 AERS, and I'm going to try and go through this
9 quickly, but I think some of these things are
10 important to highlight, even though it's a bit of
11 a review, because a lot of what you hear is based
12 on these adverse events.

13 It is the chief tool for the FDA
14 postmarket surveillance. It's maintained by FDA.
15 Today, you heard some about Japanese reports and
16 certainly that was the case with Tamiflu.

17 The reports that the manufacturer has
18 to turn in are U.S. and foreign reports, and the
19 majority do come from the manufacturer. They are
20 required by law to report all the reports to the
21 FDA. Less than 10 percent and we'd certainly like
22 to up that a bit, but really about less than one

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 out of 10 reports come from consumers, health care
2 professionals, and we try and make it easy on the
3 website. You go to MedWatch, you can fill it in
4 electronically, but, of course, there are a lot of
5 reasons that people may not report.

6 But I have a little personal bias,
7 but I think physicians give us a little more
8 detailed reports but anyway the system
9 accommodates electronic submission. Even though
10 it's close right now, the agency does not require
11 electronic submissions, but many or most companies
12 do.

13 There's more than four million
14 adverse events right now in the system and we use
15 MedDRA. I'm not sure if you're familiar with
16 MedDRA. It's a tool that basically uses
17 international codes that are accepted by all the
18 biopharmaceuticals and regulatory agencies around
19 the world, that basically you'll take an adverse
20 event report narrative and then based on that is
21 given certain codes.

22 So, blood pressure problem and then

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 all the way down to lower terms, like hypertension
2 or hypertension no further diagnosis or secondary
3 to something else.

4 So, the importance of MedDRA is that
5 it helps search hundreds of documents and sort of
6 try and put likes and likes together to really
7 help in detecting safety signals.

8 And my colleagues from FDA and I,
9 they actually let me use this table, but we looked
10 at 17 years of AERS reports. So, these aren't the
11 serious ones now. These are all reports that come
12 in that had information on age. So, the pink part
13 of each bar for each year represents adults 18
14 years and older and the pediatric ones are showing
15 up white here.

16 So, it sort of shows over the last 17
17 years the pediatric reports are pretty steady
18 whereas if you look at the adults, it looks like
19 the trend is a little more that they're on the
20 increase, but the last 17 years, those with age
21 information are about 1.5 million adverse events,
22 that's through December '07, and 5 percent or

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 about 75,000 are in the pediatric age group or
2 under age 18.

3 So, I just thought you might be
4 interested in -- I knew you'd need some pictures
5 here at the end.

6 The limitations, of course, with
7 these AERS, I think you had a lot of questions
8 about them today, is it is passive surveillance,
9 underreporting. I think several people have tried
10 to look at the FDA and, well, how many are we
11 missing, and I think the adverse events that are
12 coming in are about one out of 10.

13 There's, of course, lots of report
14 biases, including if there's something in the
15 press, last month about Tamiflu, people are going
16 to say we're getting a lot of Tamiflu adverse
17 events. So, sometimes publicity might change
18 things, for example.

19 The quality of the report is
20 variable. Many times complete. Missing age is
21 sometimes a problem and you can't necessarily even
22 figure out how old the individual might be by

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 reading it, and usually, as you've seen with a lot
2 of the presentation, there's going to be
3 confounders. People are using other medications,
4 they have underlying disease.

5 So, sometimes it's not easy to always
6 see is this a signal or not in your
7 interpretation, and, of course, the reporting
8 rates are not incident rates. I know everybody
9 over and over would like us to give you
10 denominators. We do have use data, but again it
11 isn't perfect. It doesn't give you the
12 denominators and we don't even have perfect
13 numerators for you.

14 However, the strengths are it does
15 cover all U.S.-marketed drugs. It's simple. It's
16 inexpensive. We do uncover previously unknown
17 adverse drug events. You can find signals that
18 you're not going to find in the clinical trials
19 and adverse events too rare will come up.

20 Oh, for example, if you took aplastic
21 anemia with something like chloramphenicol, I mean
22 that might be one out of 20,000 and you might find

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 that because doctors don't see it much and they'll
2 start reporting it and certainly we often see
3 greater seriousness than the adverse events in the
4 trials.

5 I think that was sort of evident in
6 some of the presentations today.

7 So, in general, clinical trials are
8 limited by their size. They're often too small,
9 too narrow, focusing on an indication. Study
10 population may be healthier or select, so you may
11 not really have a lot of generalizability. There
12 are a limited number of trials and in pediatrics,
13 things are even more limited and fewer in numbers.

14 So, I thank Lisa Mathis for this
15 slide. She suggested I might use it, and this
16 sometimes just highlights it visually, that if you
17 remember with the PK studies, you're going to get
18 more healthy volunteers maybe for those and
19 smaller groups, and then your Phase 2 trials are
20 sometimes based on what you learned with the Phase
21 1 and maybe you're much more controlled with not a
22 lot of patients and your pivotal and your

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 continuing safety data Phase 3 trials, they often
2 will be hundreds of patients, up to a thousand or
3 so, maybe, but is that really going to pick up a
4 significant safety signal?

5 I give you something to think about.

6 It would take 3,000 patients at risk if you would
7 follow to detect one adverse event with an
8 incident rate of 1 in a 1,000. So, many times
9 you're not really going to pick these up till
10 later and the clinical trials are not, you know,
11 powered to really pick up the important safety
12 endpoints.

13 Now, I've actually added two
14 pictures. This is a very young infant and a
15 teenager mid-puberty and I did that to this slide
16 because I honestly think these are the most
17 vulnerable groups to safety. There's fewer
18 studies in these age groups and, importantly, in
19 utero and very early, you know, the first couple
20 months when the babies are doubling their size,
21 et. cetera, but this, of course, is the most
22 growth.

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 It's the greatest amount of growth in
2 the lifetime is in utero and remember with these
3 teenagers, they're going to put six to 12 inches
4 on and totally transform in a period of a year,
5 and I think that the pharmacodynamics of drugs, we
6 really don't understand the effects of growth and
7 development on that, and I think that's one area
8 that needs to be much, much better studied,
9 especially long-term effects of all the different
10 exposures.

11 So, anyway, AERS does reveal adverse
12 events in the real world, for longer duration of
13 therapy, different use, and more vulnerable
14 subgroups are exposed.

15 I'm not going to spend a lot of time
16 on this, but actually I remember it came up this
17 afternoon. We did talk about causality and I list
18 for you nine elements that are important that, if
19 you had all of them or many of them, would suggest
20 that there was a cause of the adverse drug
21 reaction.

22 So, the time to onset, whether or not

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealrgross.com

1 you give the drug, take it away, the reaction
2 comes or goes, dose response, whether the
3 biological plausibility, whether or not it goes
4 along with what we know about the clinical
5 pharmacology of the drug, and then these others.

6 So, just a couple slides.
7 Specifically, I wanted to go back -- let's see.
8 So, this committee has been going on since June
9 '03 up to now. So, a couple years after it had
10 been going, at this advisory committee on
11 Valentine's Day back in 2005, the committee was
12 asked how is this process going and what can we
13 do?

14 So, we did listen. The committee,
15 maybe some of you were here, that you didn't want
16 to hear all the adverse events, you just wanted the
17 deaths and the serious adverse events, and you
18 wanted to know, okay, so there were all these
19 pediatric deaths, but maybe I should know what's
20 going on with the adult population.

21 So, someone specifically said they
22 wanted to know the adult deaths. They wanted

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 background information on the clinical trials.
2 They want the denominator which we have to keep
3 saying we just don't have with the system in place,
4 and then that even for the abbreviated
5 presentations, like you heard today, you wanted the
6 full package which we've given to you and if we
7 didn't think there was a signal, the committee back
8 then wanted to know a reasoning behind that.

9 So, the other -- I wanted to give you
10 one reg here because I know some of you are new to
11 the group and I think you need to understand what a
12 serious AE is and there's a specific regulation,
13 314.80, and it's defined as any adverse drug
14 experience occurring at any dose that results in
15 any of the outcomes, deaths, life-threatening,
16 hospitalization, prolonged hospitalization,
17 persistent or significant disability, congenital
18 anomaly or defect, and then any medical event that
19 could jeopardize the patient and possibly lead to
20 that. So, it is defined by the regulations and
21 that's what we bring to you.

22 So, in summary for the safety

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 reporting to the committee, from June '03 to the
2 last meeting November '07, there were 12 PAC
3 meetings and 73 different drug products were
4 reviewed. That doesn't include the ones that you
5 had us bring back to you.

6 By the end of this year, our goal is
7 to complete all the BPCA safety reviews that are
8 triggered by the exclusivity date and then with the
9 new FDAAA legislation, and I think that Lisa really
10 hit that home, that the safety reviews are now
11 going to be triggered by labeling and will include
12 both the drugs by BPCA and PREA as well as all
13 biologics.

14 Negative studies mandated for
15 labeling is going to mean more products that need
16 to be reviewed and the adverse event and update
17 reports to the PAC will begin for the pediatric
18 HDEs or what I really want to say is HDEs with
19 pediatric indication.

20 So, I made a table here just to point
21 out there were 73 drugs then through the end of
22 last year and the numbers, according to specialty,

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 I broke out. So, you'll see here there were 13
2 different drugs in hematology oncology products, 11
3 for cancer, one for anemia, one for
4 thrombocytopenia, and all the way down, and just
5 for your interest, we tallied them and all, but the
6 hematology oncology products that you reviewed, the
7 eye products which were drops for glaucoma
8 infections and the rheumatology products were all
9 returned to monitoring. So, none of those groups,
10 all of the ones in those groups, you returned to
11 routine monitoring. That was your recommendation.

12 When you broke it down to see what
13 you really did want, there were a total of 48,
14 which is about two-thirds of all the products that
15 were brought to you, you wanted to return to
16 routine monitoring, 14 led to changes of labeling
17 med guide or patient package insert, and 11 you
18 wanted continued reviews, and I just bring you a
19 couple of the revisions or med guide
20 recommendations that ended up making changes after
21 the PAC.

22 So, in 2006, for the selective

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 serotonin reuptake inhibitors, there was the
2 stronger box warning and a med guide for all ages,
3 suicidality or increased risk of suicidal thinking
4 and behavior, and also the text talked about the
5 non-teratogenic effects of neonatal withdrawal
6 syndrome and the possible risk, rare risk, for
7 increased persistent pulmonary hypertension in the
8 newborn.

9 I know you all remember the Tamiflu
10 and it was this year, earlier this year, just the
11 last few months, that Tamiflu and other antiviral
12 products, such as Relenza, got the labeling
13 revisions with stronger warnings against the risks
14 of neuropsych events.

15 And then for Avandia, the data was
16 insufficient to recommend pediatric use of Avandia
17 and that was placed in the Pediatric Use Section.

18 When this product came, I think it
19 was about a year and a half ago, before your
20 committee, the data really didn't support efficacy
21 well in the pediatric age group and your committee
22 recommended that it be better spelled out for

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 patients.

2 So, how are the new legislation going
3 to change things a little bit? So, I think we
4 talked quite a bit about how labeling is suddenly
5 going to dictate this now, and I just really don't
6 want to dwell on it too much, but I basically think
7 the key points are that labeling really is what's
8 going to be setting the time or triggering for our
9 safety reviews now, not the pediatric exclusivity
10 being granted, and this is an important point.

11 I don't think we brought this up
12 before, that when applicants come in for studies,
13 pediatric studies, even if it's been on the market
14 for a few years, the manufacturer's got to come in
15 and submit all AEs for pediatric submissions. So,
16 all of them are going to be required to do that.

17 The safety reviews now are going to
18 be biologics, too. So, they'll be coming
19 regularly, like the drug products are, and, of
20 course, now with devices, you're going to be seeing
21 a small set of HDEs with pediatric indication and
22 also brought to the committee, you'll be reviewing

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 to decide or weigh in or recommend whether or not
2 you think this profit-making waiver that they were
3 given, that they can now make profit on these type
4 of devices, remains appropriate.

5 So, I just want to remind you,
6 because people forget, oh, okay, so a device is
7 like a heart valve, but actually those crutches
8 even I saw at the side of the room are devices.
9 This is a tanning booth, a stethoscope, insulin
10 pumps. I mean, it really covers the gamut. Some
11 are implanted devices, some are not. Some are
12 reusable, some are not.

13 The full definition is here. I think
14 I want to remind you that lab tests, so a strep
15 throat test would be classified as a device, as
16 would also an HIV test. HIV test because of
17 whether or not you were diagnosed to HIV would have
18 to have a lot more clinical data and come in for
19 approval on that, but those are PMAs, pre-market
20 applications, that have to come in with big full
21 clinical trials and the ones that will be coming to
22 you are the more challenging.

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 They are humanitarian device-exempted
2 devices with pediatric indication. It's a little
3 different than orphan drugs, if you're familiar
4 with that, because it's a much more limited use,
5 less than 4,000 annually.

6 Also, devices are different. There's
7 pediatric guidance so that children are thought to
8 be all the way up to age 21. Manufacturers have to
9 think of it that way, and these HDEs are exempt
10 from effectiveness. So, they have to come in with
11 clinical data for assessment of and some benefit,
12 but they're required to meet the safety threshold.

13 So, here it is. Clinical data
14 relevant to the assessment of risk and probable
15 benefit and profit-making with the new legislation
16 is allowed if there's a pediatric indication.

17 Now, it's sort of like, well, what
18 kind of devices are these? So, if you go back,
19 there have actually only been nine or 10 devices in
20 the last 10 years that would fall into this
21 category. Most of them are like cardiovascular,
22 catheter or implanted devices. Few of them are

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 fetal devices, urinary devices, but I bring you
2 this one just to kind of give you something
3 interesting.

4 This device is a vertical expandable
5 prosthetic titanium rib. So, it's a rib. It's
6 slightly curved. It's made out of titanium, and it
7 is to treat very rare pediatric scoliosis patients
8 who are in respiratory failure and when they grow,
9 it's only going to get worse. So, the device is --
10 the ribs are usually missing in these cases. Maybe
11 you could think of like achondroplasia in its
12 severe form would fall into this category.

13 It's called thoracic insufficiency
14 syndrome and they basically surgically implant a
15 rib in there that then they can expand every so
16 many months and the only thing -- this was approved
17 because the only thing that they had to do for
18 these young children who were operated on in the
19 first year of life would be to do spinal fusions,
20 take out some of the vertebra, and that, of course,
21 wouldn't allow the children to grow well. So, this
22 was meant to address that unmet need.

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 So, then biologics. Here's the
2 regulatory definition, but again the products that
3 are going to be coming to you are not only vaccines
4 but things like monoclonal antibodies, proteins,
5 enzymes, human-derived tissues, like recombinant
6 bone morphogenic substances that may be used in
7 various surgical procedures, and both the devices
8 and the biologics have different databases, not
9 just the same AERS. So, I've covered these
10 different things.

11 In summary, I'd like you to visit our
12 home page and this is a brand-new home page that
13 just went live last week, so they changed the
14 colors and all that, but I wanted to point out to
15 you on the left here is the Pediatric Therapeutics
16 under Research and Science and there's the
17 MedWatch, if you want to send a report in, but if
18 you click on the Medical Therapeutics, it takes you
19 to our home and two things way on the right upper
20 corner is the New Legislation.

21 So, if you click on that, it'll take
22 you to your easy reading of a 156 pages for the New

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 Legislation, and the Safety Reporting, if you click
2 that, you'll see all the work that's been done by
3 this committee. On the left are the drugs and so
4 we're up to, after this meeting today, we're up to
5 79 drugs that have been brought before you. The
6 date of exclusivity, the date it came to the
7 advisory committee, and then give us a few days but
8 the outcomes from the committee are summarized for
9 you for each and every drug. So, we hope that
10 you'll visit that.

11 I just want to thank everybody,
12 importantly the committee members for all their
13 expertise, their workload, going through the 600
14 pages, and there's only more to come, but I do
15 think it'll be more interesting, and I wanted to
16 thank all the FDA staff that's supported this whole
17 process.

18 Adjourn

19 DR. RAPPLEY: Thank you very much. Carlos had to
20 remind me to come back to the meeting because I'm
21 just reflecting on all of this that we've done over
22 this period of time and it's pretty amazing, but I

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

WASHINGTON, D.C. 20005-3701

(202) 234-4433

www.nealgross.com

1 think great thanks is owed to the diligent and
2 wonderful people who work in the agency and provide
3 all this material for us and review it so
4 completely and package it for us so well, as you've
5 done this time. Looks really good and we
6 appreciate that greatly.

7 It's sort of unsung heroes, I think
8 you all are, and I love it that there's a website
9 now that has Pediatric Therapeutics on it and we
10 can get the story out there, so that's great.

11 DR. MURPHY: We want you to tell
12 people to go there and look at both the summaries.
13 You can look at the -- they're no longer summaries
14 but also the full reports and you can look at the
15 safety reporting for yourself just to see.

16 I think, Judith, we had one of our
17 older versions up there because for the Tamiflu the
18 last time this committee knows, we actually changed
19 the label to talk about the impact of influenza
20 possibly and the CNS effects, too. But we really
21 have tried to summarize for you in a very concise
22 way all the different activities that this

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

1 committee has recommended on that website,
2 particularly for the new people who haven't been
3 around, you can sort of flip through there, and
4 when you click on some of those links, it will
5 actually take you back to that meeting and you can
6 look at the minutes or look at some of the slides,
7 if you have any questions.

8 So again, thank you all very much.

9 Anybody have any questions about their future?

10 (No response.)

11 DR. MURPHY: Glad it's clear. We
12 hope not to frighten you away because we really do
13 need you. I hope we've made that clear, also. You
14 play a very important role.

15 DR. RAPPLEY: Well, thank you again
16 to the people who are rotating off. We will miss
17 you, and we hope to see you back at some other
18 point in time, and the meeting stands adjourned.

19 Thank you.

20 DR. MURPHY: Thank you all very much.

21 Safe trip home.

22 (Whereupon, the meeting adjourned at 4:07 p.m.)

NEAL R. GROSS

COURT REPORTERS AND TRANSCRIBERS

1323 RHODE ISLAND AVE., N.W.

(202) 234-4433

WASHINGTON, D.C. 20005-3701

www.nealgross.com

A	accept 63:8 101:19 117:19 150:2,6 156:6,10 234:11 234:18 235:15 237:21 238:3 296:17 acceptable 167:2 acceptance 33:22 37:12 78:22 accepted 24:20 129:2 139:18 154:3 375:8 accepting 101:12 accepts 28:12 129:10 access 103:10 162:16 195:1 347:22 348:1 353:8 364:22 accident 54:18 accidental 30:20 32:7 35:3 300:20 301:7 acclaim 283:1 accommodates 374:22 accomplish 226:5 account 93:19 143:22 accounted 103:19 accounting 171:10 accounts 74:4 171:14 accused 329:17 ACE 34:7 36:11 achieve 66:15 253:22 achieved 69:14 70:15 80:4 317:18 achondroplasia 391:3 acidosis 35:1 56:20 acknowledge 62:12 114:16 128:14 162:11 169:22 184:7 264:19 309:6	acknowledged 154:20 acknowledgment 133:18 acne 357:14,15 act 11:6,10,17 14:10 192:15 315:7 316:7 323:2,4 336:13,21 337:6 337:17 338:2 348:22 349:1,6,9 359:1 366:5 369:3 acting 12:22 13:4 319:20 action 347:20 362:12,12 active 118:20 120:6 145:19 151:22 155:13 166:19 206:6 213:1 254:14 269:12 270:19 276:8,10 283:3 318:12 338:18,19,20 339:9 349:18 actively 337:2,3 active-controlled 268:7 274:12 activities 20:5 24:4 24:22 219:10 259:13 269:17 317:5 362:6 363:3 363:11 394:21 activity 23:20 104:9 106:15 107:3,16 111:4 116:17 121:3 330:17 acts 302:3 306:13 actual 166:4 179:1 acute 41:14 46:3 65:15 103:16 250:1 294:10 add 63:14 64:11 76:15 86:13 95:12 99:22 130:10 142:16 146:4 188:16 189:6	209:9 228:7,11 added 29:2 43:11 78:8 123:11,14,17 123:21 124:10,14 130:20 211:21 231:3 255:6 317:3 351:3 380:11 adding 66:13 80:6 229:20 230:10,17 273:11 addition 22:1 24:3 44:21 52:19 60:6 62:6 110:9 121:14 128:5 173:18 action 347:20 362:12,12 active 118:20 120:6 145:19 151:22 155:13 166:19 206:6 213:1 254:14 269:12 270:19 276:8,10 283:3 318:12 338:18,19,20 339:9 349:18 actively 337:2,3 active-controlled 268:7 274:12 activities 20:5 24:4 24:22 219:10 259:13 269:17 317:5 362:6 363:3 363:11 394:21 activity 23:20 104:9 106:15 107:3,16 111:4 116:17 121:3 330:17 acts 302:3 306:13 actual 166:4 179:1 acute 41:14 46:3 65:15 103:16 250:1 294:10 add 63:14 64:11 76:15 86:13 95:12 99:22 130:10 142:16 146:4 188:16 189:6	addressing 169:10 190:10 adenomatous 250:3 250:4 279:9 adequacy 202:19 adequate 64:7 69:21 78:7,11,15 79:1 87:18 175:6 201:16 202:17 248:12 350:10 351:5 352:17 353:1 adequately 62:3 63:4 79:12,17 Adjourn 6:18 393:13 adjourned 395:18 395:22 adjunctive 102:19 250:2 adjust 175:5 adjusted 158:18 310:21 314:21 adjustment 317:19 administer 178:13 administered 106:20 107:7 174:8 administration 1:1 11:16 12:3 14:9 30:15 123:12 222:14 234:12,19 336:12 349:20 350:14 admission 56:1,4 admit 337:18 admittedly 136:3 admonition 258:9 adolescence 143:4 253:15 318:7 adolescent 180:22 261:7 adolescents 300:8 adrenergic 41:2 adult 49:2 72:8 86:18 88:18 90:21
----------	--	---	---	---

127:2,9,22 131:15	30:11,19 31:20,22	271:2,9 273:15,16	affectionately 14:8	327:15,20,22
135:21 136:18	33:1,7,9 34:2,4,15	273:18,19 300:15	afraid 196:14	328:15 331:13
208:13,20 287:4	34:21 35:7 36:20	301:6,6 333:9	afternoon 5:9 14:7	339:1 340:15
287:12 292:3,4	36:21 40:18,21	345:12 353:15	14:16 221:1 299:4	358:7 362:12
300:11 328:12	44:22 45:5,6 46:17	365:19 366:14	381:16	375:1 393:20
353:8,17 382:20	46:20,22 47:6,19	372:8 373:21	age 29:13 36:4	agency's 192:18
383:1	48:10 50:1,3 51:19	375:5,11 376:13	41:22 42:5 49:2	200:13 284:20
adulthood 143:5	51:20 52:3,8,9	377:4,10 378:11	52:18 58:12 87:2	329:17
145:1	53:2,5,8,14,16,19	378:13,21 380:5	103:4,17 104:16	agenda 3:8 11:21
adults 26:15 28:21	54:1,4,9 55:6 60:7	381:11,20 382:16	107:5 112:15	12:8 13:21 14:6
49:10 64:6 66:8	61:19 62:7 75:7	382:17 383:16	119:4,9 124:8	agenesis 35:21
73:8 80:4 82:15	76:10 102:4,8	384:19	171:5 172:6	agent 41:2 102:11
84:17 91:3,3,6	108:11,13,15	advertising 317:13	173:20 186:2	182:7 191:18
99:13 107:15	109:13 110:3,14	321:20	301:12 303:13	212:12
108:22 136:12	111:5,9,12,15,21	advice 269:21 288:9	305:18,21,22	agents 171:1 173:15
137:22 140:8	111:22 112:4,9,17	362:21	307:9,11,12,19,22	177:8 178:12
145:3 151:8,14	114:11,13 118:7	advise 223:3,13	308:2,4 310:16	182:17 191:8,15
156:9 159:19	118:10 121:22	370:11 373:5	318:1,20,20 319:2	214:18 251:2,14
166:12 170:16	122:1,6 123:19,21	advisement 212:15	319:5 326:7 350:8	284:11 296:20
171:9 181:15,16	124:19,21 125:4,7	advising 93:12	351:8,9 357:8,12	ages 172:9 175:22
183:18 213:5	125:9,12,15,19	advisory 1:3 7:6	357:22 376:4,12	178:20 259:17
216:21 217:6,16	126:1,2,5,15 127:3	9:12 11:7,14 14:13	376:15,15 377:13	268:16 275:4
218:19 249:21	127:13,20,22	24:21 27:8,13,22	380:16 387:6	307:12 386:8
250:9 251:1,5,16	128:5,10 129:15	33:11 34:16,18	389:19	agitation 304:12
252:21 253:2,13	131:9,11 132:1,4,4	35:6 37:1 38:4	agencies 323:10	ago 90:16 212:8
253:14 260:17	132:13 146:13	62:2,9 93:18	375:9	369:2 387:4
261:20 274:16	169:17 170:5	114:14 128:7,12	agency 11:3,8 23:1	agree 15:10 37:1
290:22 291:17	171:2 172:6,15	159:4 213:2	38:3 79:2 80:19	62:9 65:19 66:19
292:1,17,22 293:6	173:6,11,19 174:1	222:18 246:5	81:4,17 82:18 92:6	67:8 68:19 95:15
294:19,20 295:1	175:10,14,19	249:4,14 254:11	98:9 137:10	116:10 130:22
300:9 320:15	179:17,20 180:15	261:17 292:7	141:12 146:17	157:14 161:14,21
351:6 352:9 353:7	183:13,14,21	298:3 308:18,20	148:10 149:6	202:1 203:13,22
353:14 376:5,9	184:4,15 185:8	308:22 309:2,3	158:12 162:18	231:8 245:14,20
advance 336:16	186:15 189:7	311:15 334:14	163:8 164:7 167:4	265:18 275:1
367:5	191:20 208:5	337:1,9 359:15	168:4 185:19	361:2
advanced 102:22	209:3 214:2,4,7,13	366:1,15 369:13	188:5 192:14	agreeable 169:8
108:19	214:14 215:10,22	382:10 393:1	195:2 198:5	211:12 248:15
advantage 82:21	216:13 218:4	advocacy 320:11	200:14 201:20	agreed 130:7,21
90:3	219:11 225:21	advocate 198:13	206:13 211:8	219:3,5,7,9 228:7
advantages 188:2	227:17 231:18	AE 383:14	226:2 229:17	228:11 274:4
advent 112:18	236:21 237:4	AERS 281:14,17	232:14 236:10,16	275:20 285:2
adverse 3:12,16,20	248:20 249:11	282:20 373:17	237:22 238:8	286:2
4:3,9,14,20 5:11	255:19,22 256:3,7	376:1,21 381:10	240:9 241:8,9,14	agreeing 211:13
11:4,10 16:9 18:18	256:17 257:6,7	392:2	243:22 278:12	agreement 274:5
19:8 21:17,19 26:8	258:18 259:14,20	AEs 21:13 388:2	285:18 293:2	275:15,16 326:3
26:11 27:1,7,9,12	261:11,16,22	Affairs 222:3 224:1	296:12 315:12	347:5
27:19,20 28:15,17	262:1 264:3,5,7	affect 274:15	321:19 325:20	agreements 39:2

ahead 21:12,22 190:17 221:15,16 278:20 368:22	American 13:5 89:2 271:7 320:12 322:13	anesthesiologist 173:13,13 186:11 189:22 191:13 199:10 208:19	anticonvulsant 182:14	appendectomy 32:15
AHQ 330:22	aminosalicylate 118:13	anesthesiologists 197:10 199:11 208:13,14 210:21 211:2 243:5	anticonvulsants 57:1 312:2,8,9	Applause 234:15 235:4,12,18 236:7
air 175:6	amount 15:6,8 86:17 117:3 176:9 204:4,6 252:2	anesthesiology 170:2 225:6,8	antidepressants 300:9,12	apples 312:22,22
airplane 365:3	amounts 295:18 Amy 1:17 2:19 3:13 3:17,21 12:13 26:5	anesthetic 170:10 179:15	antiviral 386:17	applesauce 253:2 269:2
airway 172:12 182:2 199:14	amylase 32:14	anesthetics 174:4 177:13	anti-cancer 102:11	applicant 354:10 358:2
albeit 174:11	Analgesia 2:17 5:7 212:5	angina 28:21	anti-epileptic 297:10 299:9,16	applicants 345:11 387:20
alfentanil 182:21	analogous 97:9	animal 70:8 331:22 342:5,7,10,11	anti-hypertensive 299:19 300:3	application 339:1 349:17 355:9 356:3
Alfred 222:2 223:22	analyses 300:7,10 309:8 311:12	announcement 11:1 297:17,22	anti-hypertensives 302:9 305:18	applications 343:17 389:8
algorithm 301:22 352:6	analysis 29:14,19 39:7 44:10,19	announcements 10:21	Anti-Infective 369:12	applied 317:10
Alice 314:2	49:21 108:4 111:4 120:12 121:4,20	annual 355:3 358:2 365:17	anti-inflammatory 214:18 249:16	applies 338:3
allergic 113:3 257:12 339:12	253:21 297:13 299:6 300:1 301:9	annually 389:16	40:5	apply 94:2,2 338:4
allergy 257:13	304:2,15 309:9	anomalies 55:8	anti-hypertensives 31:19 38:22	appointed 165:3
Alliance 271:5	311:11 312:21	anomaly 383:20	Anti-Infective 369:12	appreciate 25:21
allot 210:12	313:5,11 314:7,15	answer 39:10 72:20 78:7 138:13	anti-inflamatory 214:18 249:16	234:9,13,17 236:2
allow 338:16 344:12 391:13	317:1,15 348:2 372:6	140:19 145:7	40:5	394:1
allowed 159:16 390:6	analyze 372:8	156:20 158:8	approach 93:16	
allows 83:9 116:7 137:21 138:19	analyzed 100:10 138:21 302:10,15	194:18,21 198:3,4	117:16 148:5	
alluded 254:12	analyzing 39:4	229:16 267:16	164:18 165:17	
all-day 153:21	and/or 26:17 54:11	280:6 290:19	167:6 169:13	
almost-last 314:18	183:4 288:3	352:15	anymore 341:19	288:12 300:7
altered 112:22 113:18	anemia 31:8,9 48:6 126:7 176:15	answering 246:22 247:1	anyway 156:5 227:3 374:21 381:10	327:18,18 330:18
alternative 191:14 197:11 201:10	258:21 378:16 385:7	answers 168:9	aortic 51:10	approached 162:21
alternatives 197:14 201:13	anesthesia 2:17 5:7 170:18,22 173:3	anti 37:17 212:11	aplastic 378:16	299:20
altogether 152:8	178:6 181:4,4	antibiotics 60:17	apologize 219:22	approaches 158:15
alveolitis 127:16	182:2 183:12	antibodies 391:19	320:1	160:3
Amand 2:18 129:4 129:5 134:2	186:5,6 187:5	anticipate 15:5	apparent 19:14	approaching
135:15 136:16	194:7 195:16	273:8 275:17	244:22	270:22
140:18	201:3 208:13	349:13 354:17	appear 259:2	appropriate 94:8
amazing 193:12 393:18		anticoagulant 179:10	293:13	153:4 184:21
ambulatory 275:11		anticoagulation	appearance 11:19	189:1 198:21
amended 172:7 369:9			12:4 121:2	243:16 350:7
Amendments 11:17			appeared 40:1	354:2 357:11
			84:16 224:11	366:3 388:14
			252:6 288:21	appropriately 313:2
			appears 50:6 66:7	approval 31:21
			116:12 155:19	32:20 34:20 35:9
			224:16 253:6	36:15 41:4 53:14
			appease 94:11	54:2 102:12
				111:21 112:10

118:15 125:10,20 141:4 175:21 183:18 210:13 212:17 213:10 218:4 259:15 260:7 268:5,13 269:5 272:11 275:20 277:11 285:3,14 292:8 343:21,22 348:3,4 353:7,13 361:12 361:12 389:7 approvals 272:5 approve 342:13 approved 26:19 29:5 34:12 132:7,8 132:16 165:1 170:10,14,16 171:20 173:2 183:11 189:13,15 190:5 196:16 197:5,9,17 198:2 212:7,19 238:14 249:17 251:7 252:5 275:5 279:4 281:3 285:3 304:17 328:2 332:3 365:21 391:9 approving 328:15 346:3 approximately 27:16 29:4 33:4 56:3,16 60:12 119:2 121:13 171:14 178:19 212:7 288:20 302:21 311:2 April 275:15 364:3 ARD5021 106:14 109:5 ARD5530 107:2 109:3 ARD5531 104:20 area 16:15 18:8 22:4 25:14 148:22 155:4 166:4 295:7	326:3 329:22 331:1 381:7 areas 137:6 144:2 165:20 279:19 325:10 326:15 372:17 arena 326:2 argue 151:21 191:13 290:9 arguing 138:18 argument 313:8 Arkansas 9:20 arm 172:15,18,19 256:1 301:9,11 306:7 arouse 177:2 arrangement 75:6 arrest 46:1 50:16 51:9 56:18 65:17 178:5 180:12,14 180:18,19 181:3,8 181:14,16 183:17 183:21 184:14 189:7 192:19 224:14,20 225:20 225:21 226:16,18 227:8,17 228:8,12 229:4,8,20 230:10 231:18 263:13 arrests 180:7 arrhythmia 45:18 46:12 52:12 181:3 arrhythmias 174:12 art 82:19 artery 48:16 57:9 294:21 295:22 arthralgia 256:12 arthritis 211:17 212:9 217:18 250:1 254:21 268:15 271:4 291:18 arthroscopy 182:17 article 95:21 articulate 231:14 artificial 179:7 Artist 74:14	ascibe 293:21 Asian 75:20 aside 91:16 asked 23:3,9 98:15 139:10 147:21 150:17 165:8 172:3 234:19 236:8 244:6 286:2 297:11,14 298:3 300:4 301:21 323:13 329:20 340:18 382:12 asking 15:18 99:4 142:5,20 144:6,7 153:18 154:1 158:20 167:21 199:18 231:16 232:9 241:22 242:7 245:12 265:18 322:1,2 329:18 340:7 351:16 372:13 asks 128:11 340:5 asleep 364:15 aspect 143:5 aspects 142:19 166:10 187:17 asphyxiation 301:2 aspirin 215:14 257:16 assess 17:22 187:6 191:10 291:10 292:20 303:11 350:10 assessed 53:13 111:20 125:9 assessing 218:10 assessment 15:17 20:20,21 22:5 85:11 108:16 120:22 209:3 219:7 276:2 294:10 302:1 307:10 349:16 350:4,6,9 390:1,4 assessments 82:4 264:10 351:18	362:10,21 363:7 assigned 14:14 assistance 62:12 128:14 assisted 114:17 Associate 6:13 10:16 associated 45:15,21 46:9 50:20 51:12 58:3 59:12 60:3 61:15 63:5 64:14 103:17 104:1 176:7 178:7 214:17 215:6,10 217:15 218:8 263:13 association 46:19 89:2 119:18 127:4 232:9 241:22 242:7 245:12 265:18 322:1,2 329:18 340:7 351:16 372:13 asks 128:11 340:5 asleep 364:15 aspect 143:5 aspects 142:19 166:10 187:17 asphyxiation 301:2 aspirin 215:14 257:16 assess 17:22 187:6 191:10 291:10 292:20 303:11 350:10 assessed 53:13 111:20 125:9 assessing 218:10 assessment 15:17 20:20,21 22:5 85:11 108:16 120:22 209:3 219:7 276:2 294:10 302:1 307:10 349:16 350:4,6,9 390:1,4 assessments 82:4 264:10 351:18	augmenting 298:5 August 26:21 102:13 118:17 249:18 author 40:10 324:13 authorities 274:1 authority 321:18 323:5 337:20 342:5 361:3 authorization 336:14 authors 31:8 autopsy 178:11 availability 335:17 available 31:4 100:8 209:16 211:18 218:3 224:21 269:6 278:22 281:19 319:12 345:12 359:12 361:17,20,21 Avandia 386:21 387:1 Avant 17:12 Avi 26:1 85:3 Avital 1:16 8:5 avoid 258:4 avoided 258:13 await 231:4 311:6 353:9 awarded 249:20 awards 233:20,21 234:2 aware 12:10 21:10 37:20 38:7 64:1 80:12 90:1 94:19 94:22 216:3,17 244:12 311:19 awful 25:10 awhile 293:17 353:16 awkwardly 277:21 awry 68:8 a.m 1:10 7:2 150:16 150:16 220:7
---	--	--	--	--

B	126:7,9,13,20 127:3,4,14 128:6 128:10 131:10 balsalazide's 127:5 127:11 128:2 bar 162:16 188:16 332:20,22 376:4 based 11:20 52:14 110:19 123:6 127:8 136:12,17 139:22 142:12 151:19 171:3,5 178:18 205:4 212:20 213:3,11 218:14,18 288:19 300:7 301:17 352:19 358:4 362:14 373:6,21 375:12 379:17 baseline 120:21 251:17 252:7 basically 82:9 115:14 130:6 202:5 243:7 277:13 310:22 317:17 327:12 369:2,10 375:7,10 387:14 391:6 basing 351:22 basis 136:1 139:9 268:5 273:22 battle 83:6 Baxter 26:14 170:8 222:4 224:2 225:5 225:10 Baylor 8:2 bear 210:17 beautifully 338:14 becoming 350:18 began 82:17 begged 144:21 beginning 18:6 82:18 85:8 86:3 130:4 168:12 190:11 223:2,13 223:18 268:1 296:2 326:11	370:5 begun 267:20,21 behalf 13:1,4 behave 288:9 behaving 290:14 behavior 299:10,13 302:4,5,22 307:8 308:15 309:17 310:18 386:9 Behavioral 9:10 behavior/ideation 311:3 believe 37:21,22 78:11 136:14 222:15 236:5 238:5 245:11 270:15 274:6 280:11 314:10 320:10 believes 222:19 benazepril 3:19 34:1,5,6 35:16,20 36:6,22 beneficial 98:8 benefit 97:16 156:16 188:18,22 230:19 332:15,17 340:7,9 341:11,12 348:19 356:14 357:1 390:1,5 benefits 237:18 245:5 277:11 Benjamin 40:9,9 best 11:5,9 15:21 85:15,20 86:5 90:13 93:21 97:13 243:10 296:21 313:6 315:6 323:1 325:16 336:20 337:16,22 338:2 338:15 349:5,8 366:5 beta 26:14 28:19 41:1 65:7 66:22 67:5,21 68:3 69:14 70:8,16 72:12,13 92:16	better 21:21 39:11 66:15 85:21 86:7 91:10,10 98:1,3 121:16 151:16 153:17 155:16 162:1 166:11 209:2 221:18 283:5 317:9 318:4 318:13,14 328:20 329:12 337:21 381:7 387:7 beyond 93:18 117:8 237:2 303:8,10 366:2 bias 374:19 biases 377:7 bicarbonate 60:17 BID 43:19,20 44:1,3 44:18 49:14 57:10 268:20,21 280:14 280:19 Bier 1:16 7:21 8:1,1 63:19,20 64:16 77:6,7,12 138:16 138:17 139:15 150:19 160:7 161:3 194:13 195:11 234:9 big 23:18 201:12 229:21 327:6 341:3 363:19 365:9 389:9 bigeminy 57:9 biggest 290:18 341:10 365:16 bimodal 252:8 binder 289:2 binge 304:10 bioavailability 252:19,22 253:6 Biochemistry 8:10 biologic 330:6 350:11,16 353:6 356:8,13 biological 368:7 382:2 biologics 6:15 328:9	330:5 334:7 338:4 338:6,8,11 367:18 368:13 369:17,17 369:18 371:3 384:16 388:5 391:16 392:1 biologist 10:4 Biometrics 309:7 biopharmaceutic... 375:9 Biostatistics 8:6 bipolar 304:7 307:4 bit 22:9 40:1 74:12 79:7 93:17 134:19 150:9,10,20 182:2 265:10 269:11 271:13 272:9 286:3 292:5 316:16 324:5 337:11,19 343:13 353:21 358:17 367:17 370:3 371:9 373:16,20 374:12 387:10,11 blah-blah-blah 327:5 blame 195:7 bleed 262:18 bleeding 121:1 216:3,12 256:22 257:10 263:10 bleeds 216:6,10,14 blinded 301:20 blindness 182:16 blockade 69:15 70:8 blockage 69:22 70:16 72:12 blocker 26:14 28:19 65:8 67:5 92:16 286:6 blockers 66:22 67:21 68:3 blocking 41:2 blocks 352:22 blood 29:17,21 30:3 30:5,7 56:1,3,20 57:15,20 58:16
----------	--	--	---	--

59:1,22 60:14 97:5 256:21 257:21 262:18 269:14 274:9,14,16,22 275:8,11 375:13 blurred 182:20 board 225:8 363:19 board's 165:3 Bob 9:13 92:21 165:8 Bob's 145:15 bolded 131:12 258:6 bolus 262:16 bone 46:6 214:11 391:21 books 159:21 booth 388:19 born 369:10 bothered 282:6 bottom 271:19 bound 341:4 bowel 123:2 box 36:10 257:9,19 386:7 BPCA 33:8 100:6 323:8,14 324:10 326:8 327:10,13 331:5 334:9 338:21 340:21 355:22 356:4 359:8 360:21 361:20 362:6,9 364:19 365:11,12 366:20 369:5 384:10,16 BPCAs 116:3 brachial 291:9 295:22 bracket 318:20 brackets 318:1 bradycardia 31:2 47:22 48:17 54:21 56:12 57:9 59:17 59:19,21 bradycardic 177:1 brain 57:2 177:6	brainstorm 371:22 brand-new 164:20 392:5 breadth 160:11 break 102:1 150:9 150:11 211:5,8,10 219:16 breakdown 318:4 breast 259:8 breast-feeding 259:9 262:17 breathing 31:3 Brevibloc 3:11 11:11 26:7,13,19 224:3 bridge 140:4 brief 6:8 95:18 321:8 351:12 briefly 196:3 368:14 368:15 371:7 bring 16:17 137:6 137:10 146:17 147:22 153:10,12 158:20 161:2 168:11 192:13 206:20 207:16 246:3 361:3 371:4 373:1 384:2,8 386:2 390:15 bringing 16:22 22:3 23:16 168:5 244:9 326:1 brings 23:19 261:13 355:21 broad 318:2 356:5 broader 68:13 279:20 broadly 61:1 broke 385:4,17 broken 173:19 287:5 bronchiolitis 47:22 bronchitis 58:22 bronchospasm 215:14 brought 17:7 19:22 153:16 385:20	387:19 388:9 392:22 bulk 251:1 bullets 354:5 bump 251:18,20 bumping 211:4 business 225:6 B-11 283:15	C calculated 308:5 call 14:8 22:16 205:7 233:5 238:1 264:18 289:11 called 64:18 74:14 271:4 342:17,22 362:3 373:14 391:5 cancer 102:19,22 261:5 263:1 355:17,18 385:6 cancers 261:2 capability 146:21 capacity 146:6 capsule 123:14 252:20 253:1,1,7 269:3,5 capsules 123:13 268:22 capture 201:5 278:13 283:4 captured 70:6 captures 201:12 carbamazepine 106:3 302:11 305:19 carcinoma 263:15 cardiac 35:21 45:11 45:21 46:1,9 50:9 50:16 51:9 54:14 65:17 174:11 175:11 180:7,12 180:14,19 181:3,7 181:14,16 183:17 183:21 184:14 187:3 189:6 224:14,20 225:20	225:21 226:16,18 227:8,16 228:7,12 229:3,7,7,20 230:10 231:18 263:13 cardiac-related 45:15 cardiologist 10:7 66:7 cardiology 9:1 26:1 42:8 97:21 cardiomegaly 50:17 51:10 cardiomyopathic 41:10 cardiomyopathy 46:11 50:18 51:22 52:13 60:3 72:7,18 181:2 cardiovascular 41:12 62:16 175:4 213:4 215:11 216:16,19 217:3,7 217:13,21 255:4 257:10 261:9 273:17 281:11 290:22 291:18,19 292:10,13,21 293:7,9,12 294:22 295:9,17 390:13 cardio-selective 28:19 care 9:1 10:5 12:14 76:21 103:16 143:7 308:14 373:13 374:13 careful 83:19 84:2,7 84:12 85:3 279:17 careless 95:6 caretakers 77:1 Carl 2:2 9:16 12:17 Carlos 2:6 3:6 7:8 9:11 168:17 231:9 232:4 246:11 247:4,15 249:9 322:4,5 334:21 335:12 372:21
---	---	---	--	--

46:1,9,16 50:14 51:1,6,16 53:18,20 54:1,2,4,7,9 55:4,6 55:7,13 59:6,10,11 60:7 61:21 65:20 65:22 112:3,5,7,9 112:10,12,13,13 112:16,18 113:21 114:2,5 125:19,20 126:2,5,10 176:9 176:10 179:2 181:14 183:2,16 191:6 202:5 206:22 237:8 260:11 262:6,7,13 270:11 299:12 313:3 391:2 catastrophic 192:1 209:4 catch 331:17 catecholamines 72:13 categories 44:8 301:18 303:18 category 283:11 390:12 391:4 catheter 390:13 causality 19:6 192:22 230:16 381:17 cause 36:11 54:22 109:11 180:19 296:9 381:20 caused 59:8 99:12 causes 54:18 109:7 196:9 caution 64:12 69:2 Cawkwell 5:17 267:11,12 279:1 280:5,8 283:13 288:5 290:1 291:12 294:17 CDER 2:8,12,15,18 2:20 3:14,18,22 4:6,11,17,22 5:8 5:14 6:6,11,14 336:8 371:2	Celebrex 5:4,11,17 11:12 211:22 212:18 248:19 249:2,15 267:15 268:5 269:20 270:14 271:11 273:3,10 274:13 274:22 275:5 280:2 283:20 294:19 celecoxib 5:4,11 211:6,22 212:7,10 212:16,22 213:10 213:14,20 214:9 214:15,21 215:2,7 215:17 216:8,15 217:1,9,11 218:5 218:11,13,21 220:4 221:13 233:19 248:19 249:21 250:15,16 250:20 251:2,12 253:5 254:15 257:11 258:9 260:18 261:8 262:10 263:2,7,18 268:8,13 281:7 287:17 celecoxib's 215:4 CELENTO 1:17 Celento's 12:13 cell 13:18 center 8:9 10:8 283:18 364:19 centers 75:18 364:19 371:5 centigraphy 57:17 Central 308:20 cerebral 54:17 113:4 certain 83:9 90:4 146:22 188:2,2 280:13 313:22 315:10 323:6 373:11 375:12 certainly 39:16 65:6 68:10 72:10 81:14	87:11 88:13 90:11 94:4 134:2 142:3 179:15 180:3 181:8 186:14,18 191:22 192:2 193:14,20 196:8 199:19 200:9 272:2 275:1 282:21 288:8 289:18 294:6 335:22 353:7 374:4,11 378:20 certainty 138:5 332:13 certification 354:11 cetera 39:8 82:4 88:19 258:2 289:22 314:1 380:19 chair 1:14,15 3:4 6:19 7:7 290:5 challenge 353:2 challenged 38:19 challenges 368:10 challenging 88:7 166:21 389:11 chance 101:4 346:12 364:11 change 30:4,6 116:11 127:10 129:18 190:7 199:18 200:14 202:10 208:6 224:19 225:19,22 226:4,6 227:2,3,7 227:16 228:17,18 228:19 229:2,8,9 231:17 232:17 236:14 242:4 243:13 244:15,20 245:5 246:6 270:14 275:8 318:9 337:19 343:16 344:4 361:1,2 366:11 377:11 387:10 changed 63:7 94:17	123:8 124:3 152:16 172:22 184:14 186:13 200:2 201:17 202:14 226:14 238:19 254:8 334:8,11 338:1 359:7 392:6 394:17 changes 6:12 30:9 51:12 100:2 128:8 129:1 130:14 170:13 171:16 175:11 186:17,18 224:19 229:18 cetera 39:8 82:4 88:19 258:2 289:22 314:1 380:19 chair 1:14,15 3:4 6:19 7:7 290:5 challenge 353:2 challenged 38:19 challenges 368:10 challenging 88:7 166:21 389:11 chance 101:4 346:12 364:11 change 30:4,6 116:11 127:10 129:18 190:7 199:18 200:14 202:10 208:6 224:19 225:19,22 226:4,6 227:2,3,7 227:16 228:17,18 228:19 229:2,8,9 231:17 232:17 236:14 242:4 243:13 244:15,20 245:5 246:6 270:14 275:8 318:9 337:19 343:16 344:4 361:1,2 366:11 377:11 387:10 changed 63:7 94:17	chest 48:17 60:1 262:18 CHF 44:5,13 54:17 chief 374:1 child 178:11 182:1 182:20 193:15 194:5 195:15 292:2 childhood 159:18 192:19 271:4 children 11:6,10 44:16 61:14,21 63:10 66:5,15 68:5 69:11,22 70:22 73:15 90:15 92:18 99:3 108:3 110:22 115:9 136:10 140:6 144:18 145:1 148:22 151:6,15,19 156:3 156:10 159:14 160:18 162:12 166:12 167:8 changes-being-eff... 129:8 changing 197:4,22 198:1 200:5 227:22 242:3 247:3,8 248:3 369:1 channels 250:22 Chapel 8:22 charge 238:5,8 charges 370:10 chart 345:16 352:2 358:8 366:8 charter 289:22 290:2,3 370:10 check 77:4 194:10 194:12,15 cheerful 336:3 chemistry 357:19 chemists 363:17 chemotherapy 262:11 263:15 Cheryl 2:14 4:20 5:12
---	---	--	--	---

292:11,11,21	264:22 265:5	273:14 274:16	312:18,19 314:16	47:12,15,17
293:10,11,20	276:18	282:7 338:12	314:17 319:3,4	Combining 48:13
300:8 320:10,15	clarifications 224:8	355:17	CNS 106:18 255:21	come 15:15 19:4
322:15 324:3	340:22	click 392:11,15,18	394:18	20:21 39:9 69:3
325:6,7 336:21	clarify 88:8 98:13	395:2	coagulation 179:8	79:6 85:22 96:9
337:17 338:2	129:1 131:2	clinic 103:11 271:16	179:14 255:10	135:9 136:22
349:6,9 352:9	152:10 204:13	clinical 5:5 9:14,20	coarctation 51:10	142:1 147:7
359:14 366:5	225:2,4 227:21	21:7,8,11 30:11	coded 300:19 301:7	148:20 149:2,11
367:6 389:18	229:14 230:3	33:2 54:6 62:17	codes 42:15 375:8	149:19 150:12
391:10,14	232:9 236:9	74:11 87:11 100:4	375:12	157:10 158:8
Childrens 8:5	238:17 265:1	114:20 120:17,18	coding 313:22	163:12 164:3
children's 8:17 10:7	284:5 285:16	124:12 128:18	cognition 304:12	168:7 185:22
90:22	287:19 288:15	132:19 172:22	cohort 105:5,13	187:2,16 190:12
chloramphenicol	309:13	188:20 199:12	172:6 292:16	196:12 200:3
378:17	clarifying 227:19	212:1 216:10	cohorts 105:5	205:3,5 207:3,4,13
choice 187:15 201:8	266:7 337:15	249:11 253:3	coincide 344:2	219:17 227:3
290:10	clarity 133:16 240:7	254:18 255:2	coincided 61:22	234:10,17 237:3,9
cholesterol 291:8	class 16:16,19 17:1	258:15 269:14	Colazal 4:14 11:12	237:11 246:1
choose 73:16 223:16	67:20 68:2 121:13	272:20 299:22	118:6,12	247:7 248:13
341:13	139:6 145:18	300:2 312:6 314:8	coldness 57:15,19	264:16 275:16
CHOP 312:16	153:2 181:17	332:16 342:4	colitis 118:21 120:6	277:18 290:6
Christy 2:4 10:9	209:16 215:7,11	347:18 361:16	120:20 122:10,14	296:14 312:5
12:18	216:4 218:9	371:15 378:13	123:5,16,20	317:12 318:3
chronic 41:9 60:11	308:17 314:12,13	379:3 380:8 382:4	126:10 132:3	321:16 327:9
143:6 159:8,14	classes 180:21	383:2 389:6,9,22	142:17 146:11	332:10,21 333:5
163:10 165:14,16	Classification	390:3	152:1 156:4	333:12,17 335:3
166:4,7,22 167:7	301:19,22	clinically 41:13 97:8	collaboration 164:9	336:6 343:2,17
252:10 272:11	classifications	clinicians 65:10	colleagues 77:4	345:7 351:17
304:12	302:2	69:8	173:14 267:16	354:7 361:11
chronotrope 70:11	classified 109:6	clinician's 64:11	375:21	370:15 371:5,22
Cincinnati 283:19	301:18 389:3	clinics 103:7	collect 294:2	372:10,16 374:8
circumscribed	clean 143:12	clock 345:17	collected 16:9	374:13 376:3
203:17	clear 46:19 88:20	close 230:19 289:10	107:10 313:19	378:14 387:20
circumstances	116:16,16 130:11	343:14 345:7	collecting 273:14	388:1 389:7,9,22
77:17 162:12	179:15 208:16	375:1	collection 285:5	393:9,15
186:10 188:9	232:9 235:1 239:3	closer 207:12	collectively 231:2	comes 15:13 116:1
192:2 193:13	239:14,17 245:18	closing 62:11	College 3:4 6:20 8:2	204:5 313:7
201:6 208:17	256:2 274:18	114:15 128:13	Collins 2:7 4:4,10	338:22 340:7
355:8	303:12 395:10,12	clostridial 122:15	4:15 40:13,19	350:5 356:3
claim 83:22	clearance 49:3,6,8	closure 258:5	102:5 118:8 131:6	358:14 382:1
claimed 350:12	69:11 107:13	clots 262:18	colon 102:19	comfortable 130:13
clarification 4:7,12	253:12,14	clotting 56:13	colorectal 102:22	comforted 94:5
4:18 5:3,15,19	clearly 25:15 77:2	Cnaan 1:16 8:4,5	colors 392:7	coming 40:6 153:8
62:19 115:1	108:17 116:19	76:6,7 115:4,5	Columbia 301:22	167:10 168:18
128:20 184:10	183:5 215:22	116:11 134:13,14	combination 102:18	234:7 324:1 343:6
185:19 227:6	217:4 260:17	155:2 203:2,3	187:2	349:17 363:10
232:11 246:15	271:11 272:10	241:20 311:22	combined 44:12	368:3,8,21 369:21

377:4 388:5	24:4,13 25:6,13	337:1,9 342:16,17	300:13 302:22	concern 78:1 92:17
389:10 391:18	27:2,9,13,22 28:5	342:19,22 343:3,6	303:21 305:15	151:4 163:8
comment 13:10,11	28:11 33:11,16	343:9,14 351:18	310:19 352:9	196:13 197:8
63:17 71:18 73:3	34:16,18 35:6 37:1	359:15 362:1,2,4	compares 366:9	199:22 217:14
74:11 75:5 88:3	37:6 38:4 62:2,9	366:1,15 367:2	comparing 212:22	224:7 244:18,19
89:12 91:21 93:5	62:20 63:2 78:9	369:8,10,13 382:8	254:14 268:7	281:5 290:18
97:19 145:15	80:12 87:13 88:5	382:11,12,14	312:22	299:20 333:16
148:17 150:20	89:1 98:11 114:14	383:9 384:4 387:5	compatible 284:20	concerned 82:13
154:22 156:1	115:2,8 117:19	387:7 388:9	compel 210:20,22	135:8 155:7,8
158:17 163:21	128:7,12,21	392:19 393:2,3,7	compelling 201:9	168:20
165:22 209:12	129:13 134:9	394:16,21	competitor 82:21	concerning 237:9
210:17 317:22	141:2,8 143:19	committees 14:12	competitors 94:12	286:15
318:16,17 320:4	144:16 145:5	14:13 23:13,15	100:18 223:6	concerns 113:6
361:8	147:1 153:13	committee's 24:22	compiling 230:14	135:16 137:3
comments 5:16 88:6	159:5,8 161:2,13	37:17 93:19 135:3	complete 102:20	158:12 159:9
92:1 95:18 117:18	162:7 163:7	161:20 200:12	107:17 128:8	162:6 165:19
152:20 153:11	165:18 167:20	244:12	219:2 377:13	174:2 186:14
199:2 201:14	169:7 184:11,20	common 47:2 65:19	384:10	213:3 276:4 281:7
267:10 311:5	185:1 195:3 200:4	67:12 109:18	completed 261:7	281:10 283:2
316:17	200:11 202:9	110:14 111:5	302:2 306:8	372:2
Commercial 89:10	205:4,10,12 206:3	175:10 180:19	311:12	concise 207:20
commercially 269:6	206:15,18 208:19	214:2,4 255:19	completely 393:21	394:20
Commissioner	210:8 211:12	256:7 258:22	completes 27:18	concisely 167:5
370:9	213:3 219:20	264:5	33:6 36:19 61:18	conclude 72:21
commitment 133:17	221:7 222:18	commonly 65:7	114:10 127:19	249:12
140:10 141:6	223:3,14 224:4,5,9	110:8 251:13	complex 45:11 50:7	concluded 44:15
148:2 265:20	224:12 225:8,13	283:16	50:18 68:6,7 72:4	46:18 50:5 108:1
270:8 274:4,10	225:17 226:10	commonly-used	complicated 54:10	108:15 113:5
277:1 279:8	227:1,15 230:1	268:9	74:20 330:14	120:12
284:19 285:14	231:14,15 232:17	community 362:18	complication	concludes 233:17
291:16 296:14	235:16 236:12,18	companies 93:13,20	209:15	296:19
315:11 354:20	236:22 237:3,14	330:16 347:6	complications 264:2	conclusion 86:1
commitments 141:4	237:17 238:1	348:10 375:3	compliment 91:18	122:2 130:6 161:4
219:4 256:19	240:8,16 241:8,14	company 130:7,21	component 21:9	161:6 270:13,15
264:16 267:20	244:9 245:8 246:5	219:3 313:14	components 92:8	275:19 366:19
269:10 276:7,12	248:2,11,14 249:4	328:13 342:7	327:3 331:2	conclusions 49:1
278:2,3 281:6	249:14 254:12	348:6,16 355:8	composite 44:5,14	96:10 107:11
286:1 315:16	261:17 276:19	comparable 140:7	comprehensive	137:18
316:4,8 318:12	277:10 281:16	305:5 313:4	278:16 282:3	concomitant 113:7
commits 315:9	285:19 292:8	360:21	comprised 53:5,16	113:17 122:16
committee 1:3,15	296:16 297:4,6,11	comparator 166:19	111:12 112:1	126:12 174:16
4:7,13,18 5:3,19	298:2,4,4,5,6,7	213:1	124:22 125:12	180:5
6:11 7:6,7,16 9:7	308:19,21,22	compared 42:10	concentrate 134:7	concur 28:1,6 33:12
9:12 10:1 11:7,14	309:2,3 311:15	76:14 119:16	concentration 70:9	33:17 37:7 114:14
11:22 14:11,19,20	320:7 321:12	121:11,16 250:16	concentrations	184:5 264:17
16:22 22:19 23:3,8	333:8,11,21 334:2	251:2 253:13	175:6	265:2
23:9,11,12,14,20	334:3,15 336:8	256:1 284:2 296:8	concept 164:22	concurs 128:12

condition 45:11 144:1 272:12 355:15	connection 223:10 connective 214:11 cons 149:10 consciousness 48:19 55:10 57:15,19 59:18	consistently 121:15 283:22 320:14 consists 269:22 consolidate 360:4 consortium 271:6 constantly 364:16 constraint 73:6 constraints 88:13 consult 18:9 362:5 Consultant 2:2,2,3 2:4,4	246:13 379:20 continuously 293:16 contraceptives 282:17 contract 290:5,8 contra-indicate 186:21 187:13 188:1 197:6 contra-indicated 174:3 185:11 190:5 197:16 198:3,6 199:8 203:16 204:14,19 contra-indication 185:21 186:2 188:17 189:1 203:8 208:9 238:13	convening 7:5 conversation 229:13 243:16 conversations 229:19 conveyed 346:15 356:11 convulsion 56:22 convulsions 56:18 109:21 coordinate 371:17 coordinated 331:12 Coordination 3:7 7:10
conduct 219:8 342:7 363:22	consensus 162:2 consequence 90:8 Consequently 127:1 127:8 254:5	CONSULTANTS 2:1	consultation 148:12 362:19	Cope 2:9 6:16 17:12 24:15 366:17 367:14,19,21
conducted 29:12 31:20 66:12 75:1 75:14 127:2 158:21 166:6 329:10 340:17,18 344:14 346:9 347:2 354:14,15	consider 65:13 68:3 68:14 83:11 92:21 100:14 134:3 141:11,12 142:19 144:5 145:6 158:13 163:3 207:13 210:4	contain 351:12	consumers 374:13 contact 232:15 contains 36:10 350:6	copy 347:11 Coreg 4:3 11:12 40:17 41:1 52:17 67:21
conducting 339:20	215:3 218:12,15 218:17 241:9,11 241:15 242:8 243:22 244:3,6 245:13 247:3,8	CONTENTS 3:1 4:1 5:1 6:1	content 210:9 244:2 context 157:20 158:15 162:9 222:20 283:14 321:21 360:11	corner 392:13 coronary 48:16 294:21
conducts 328:13	248:3 266:1 277:3 320:16 340:8 354:8	continue 21:2 169:12 189:12	contributed 50:6 179:16 195:18 contribution 24:18	corporate 93:10 Corporation 26:15 34:8
conferences 163:16	consideration 163:15 207:7 226:6 245:20 373:8	considerations 212:15 218:10 253:19	contributions 25:13 184:7 234:12 264:20	correct 101:6,10 129:20 142:5
confidence 303:4 307:14,21 308:1,3 308:11 309:15,18	considered 48:8 80:21 131:4,7,20 144:2 186:19 231:5	considering 50:4 113:7 145:8 215:9 225:22 320:9	control 52:21 61:2 93:10 94:15 254:14	152:17 224:22 265:16,21 296:19 297:18,19 316:11
confidential 80:22	consisted 29:9 119:22	continued 35:6 57:5 58:1 126:14 200:10,20 203:14 204:1 205:11	controlled 21:7,8 73:9 156:2 158:4 166:11 255:18 299:21 300:2 306:2 312:11	corrected 314:19,20 correctly 39:18 63:1 94:10 149:3 313:11
confirm 87:21	consistency 133:10 343:5 362:8 364:6 367:3	continues 338:16 continuing 202:9,19 206:2 236:2	313:16,17 322:16 332:20 351:6 379:19	correlation 64:13 corticosteroid 339:3
conflict 11:2 12:4			controls 155:13 controversial 15:1 controversies 15:5 controversy 85:5	cost 142:9 cough 256:11 coughing 55:21 counseling 195:13 196:1
confounded 45:10 180:6 183:3 261:1 262:20 263:14			conundrum 148:4 convene 219:21 convened 1:10	count 27:6 53:22 112:8,12 125:18 175:17 176:3 205:19,22 242:11
confounders 377:18				
confounding 65:20 66:20				
confused 189:12 247:16				
congenital 32:1 35:18 36:2 48:15 50:8,18 51:9 54:13 55:7,16 56:11 57:8 58:8 68:8 72:5 91:5 383:20				
congestive 42:22 46:10 60:2 66:6 257:22				
Congress 14:14 15:12 25:7 139:10 320:10,18 369:12				
conjunctivitis 175:13				

counted 372:20	create 338:10	Daiichi 75:7	dates 322:5	383:18
country 76:14 321:5	created 182:4	daily 250:8	Daum 1:17 91:20,22	debate 312:14
counts 176:7 178:18	creatinine 35:15	Dan 12:17 76:1	92:22 93:5,7 95:14	Debbie 17:12
258:22 259:13,22	credible 91:13	DANIEL 2:3	192:16,17 194:19	decade 81:18
303:16	credit 352:4,4	Danny 40:9,9	194:20 195:6	323:17
couple 19:3 38:10	criteria 314:9 353:5	data 25:20 39:4	208:10 209:8,9	decades 100:21
67:7 74:21 79:10	354:6 355:1,12	71:6,12,22 73:10	230:7,8 231:12	291:5 293:13,16
80:13 152:22	356:10,12,19,20	79:21 80:7,7 87:21	234:16 235:2	293:20,21 295:11
202:6 207:5	357:8	88:14,16,21 89:4,5	day 15:1 22:17	December 26:20
233:13 295:14	critical 9:1 10:4	89:8 91:5 101:9	31:18 55:18,22	104:3 170:14
325:9 345:5	65:21 86:21 87:4	103:10 107:9	56:5,8,15 57:21	212:20 249:17,20
360:15 363:20	195:17 306:19	123:18 129:15	58:12,21 59:19,20	270:9 376:14
373:4 380:18	crosses 338:21	137:1,10 138:2,11	60:2 120:10,11	decide 20:12 372:18
382:6,9 386:2	cross-reactivity	138:21 140:1	124:6 213:15,16	388:10
course 83:7 87:14	257:14	147:22 151:11,17	213:21 250:11,13	decided 130:19
135:16 137:14	crude 53:22 112:8	152:8 155:16	277:10 344:21	154:2 218:20
143:10,13,17	125:18 178:18	193:5 195:18	382:11	249:13 354:9
159:19 178:13	crutches 388:17	198:10 201:5	days 35:16 36:1	decides 185:19
180:17 211:1	cuff 275:9	204:8,16 216:18	51:3 60:12 108:7	deciding 341:16
232:15 256:17	cures 142:17	224:21 226:2	177:5,14 232:19	decision 192:7
258:5 259:4	curious 133:20	264:9 269:19	252:9,10 335:6	204:8 210:22
273:20,22 289:19	318:7	279:6,10 283:4,19	344:3,4 345:20	237:21 273:2
326:5 351:2	current 13:8 63:3	285:4 299:15	347:12,19 361:8	328:1 334:5 341:9
360:19 365:17	66:13 78:11,15	300:5 302:15	373:4 393:2	341:19 348:3
366:1 372:19,22	79:1 92:5 133:7,7	303:6 305:20	de 83:21 95:5	352:3
374:16 376:20	152:13,14 201:1	306:1 307:1,2	deal 115:15 136:21	decisions 90:9 97:13
377:6 378:1	259:10 282:20	313:18 322:15	195:12 199:15	167:6,7 195:4
380:20 388:7	350:22,22	324:22 328:6,22	229:21	decision-making
391:13	currently 103:9	329:10 335:17	deals 153:2	222:16
courses 107:19	129:9 186:3 208:4	342:12 343:21	dealt 323:22	decrease 29:21
court 70:21	269:6 271:22,22	344:6,9,11 345:2	Dean 3:4 6:20	69:20 72:15 251:6
courts 322:20	319:20	348:1,3 350:6,9	death 31:10 36:12	251:17
cousin 164:5	curve 90:17	351:13,22 353:11	50:14 51:6 53:9,21	decreased 59:20
covariate 49:3	curved 390:19	358:6 359:11	54:9,22 58:3 59:7	64:10,14
cover 357:7 366:18	customers 224:7	364:22 372:14	59:11 109:11	decreasing 97:5
378:9	cut 76:18 161:12	378:4 379:20	111:16 112:6,13	deep 344:9
covered 392:3	300:21	386:21 387:5	125:5,17 174:12	defect 194:11
covers 388:20	cyanosis 58:15	389:6,22 390:3	deaths 21:13,18	383:21
COX 216:22	cyanotic 63:21	database 214:22	27:7 44:21 45:4,7	defects 35:21 68:8
COX-2 212:11	cycle 272:6 276:11	299:22	45:12,14,19,20	195:21
216:4 217:5	cycles 106:2,4 107:8	databases 300:2	46:8 49:22 50:5,7	defer 199:11
CPK 174:20 177:15	cynical 195:6	371:6 392:2	50:13 54:8 108:5	deferral 350:2
177:19	cyst 32:16	data-driven 136:3	108:17 109:1,2,4,6	353:4 354:1,3,9,11
Craig 2:4 10:6	<hr/> D <hr/>	date 276:1 297:17	109:9 121:21	deferrals 362:10,22
12:17	D 1:13,15	348:9 354:17,20	208:5 255:17	363:7 364:1,5,9
cramp 48:18	DAARP 2:18 5:8	384:11 392:22	259:19 301:5	deferred 350:1
cream 339:5		393:1	382:17,19 383:1	355:1 358:1

defined 44:9 86:7 120:18 305:21 383:15 384:1 defining 161:17,18 161:18 definite 330:10 definitely 87:22 207:4 definition 389:1 391:17 definitive 168:9 deformities 31:14 degree 97:12 192:22 197:2 254:20 dehydration 47:5 47:16 delay 219:22 227:2 228:19 deleterious 256:13 deliberated 277:10 deliberately 198:5 delighted 17:13 89:18 delineate 319:1 deliverables 363:21 delivered 30:22 31:13 35:20 76:22 demanding 162:17 demonstrate 39:19 72:8 81:21 84:6 140:5 332:18 359:5 demonstrated 29:20 29:22 70:19 80:2 demonstrates 115:6 359:4 demonstrating 72:17 Dennis 1:16 8:1 denominator 25:17 25:18 271:15 318:9 319:5 383:3 denominators 378:4 378:6 deny 340:20 353:8 Department 211:16 dependent 250:9	depending 237:1,4 331:7 depends 138:10 250:6 280:8 depiction 251:19 depression 122:11 122:12 177:9 261:11 304:8 deprived 156:15 derivatives 145:19 dermatitis 339:5,11 describe 50:12 141:19 177:18 178:13 180:10 257:2 described 45:13 52:20 79:18 123:21 124:4 182:6,6 183:15 204:17 238:7 240:6 248:15 254:6 255:1,14 265:14 338:12 350:21 describes 50:14 51:6 53:2 79:18 110:2 111:2,9 124:11,14,19 132:6 178:4 337:21 358:9 describing 103:10 116:2 138:19 description 30:10 33:1 131:18 255:9 263:5 354:12 descriptor 289:13 descriptors 310:14 deserve 24:17 desflurane 4:19 169:16 170:5,8,16 170:20 171:7,10 171:20 172:11,14 172:15,19 173:2 174:3,8 176:18 177:12,18 178:16 181:5,7 182:6,18 183:7 184:4 186:9	186:9 191:7,17 104:12 155:9,11 157:11,18 166:5 212:22 274:6 293:2,5 294:1 360:18 designated 315:12 designation 75:20 243:14 designed 115:13 171:22 256:19 272:18 282:3 designing 281:6 designs 86:5 135:12 158:21 166:18 desirability 149:7 desirable 137:2 despite 155:5 172:13 236:3 detail 21:13 47:7 60:9 93:13 100:9 116:7 193:12 254:11 255:15 257:3 261:16 262:12 269:11 367:17 detailed 374:21 details 54:11 55:12 58:6 59:14 73:4 104:19 132:20 176:12 193:19,21 249:10 260:21 263:3 267:22 326:22 364:17 detect 258:15 295:12 296:6 380:5 detected 56:21 detecting 375:20 determination 343:21 344:3,15 344:19 345:21 346:1,4 347:11,13 347:16 determine 15:9 38:19 39:9,17	90:13 137:13 243:6,10 determined 12:1 44:5 105:9 106:8 191:5 225:13 353:11 develop 330:21 332:7 357:10 developed 31:8,17 55:20 56:18 89:6 179:8 181:2 182:3 182:9 216:5 348:17 developing 36:12 development 140:13 332:5 381:6 Developmental 9:9 device 332:8 369:22 388:16 389:4,12 390:17 391:1 devices 6:15 330:7 330:12 331:19,20 332:2,5 367:18 368:7,12 369:19 369:20,22 371:4 388:7,13,18,21 389:13,17 390:9 390:11,13,14,15 392:1 devote 204:6 211:6 devoted 94:4 DFI7434 105:15 diabetes 61:2,9 67:11 218:1 325:14 diabetic 61:14 diagnose 195:22 diagnosed 389:5 diagnosis 42:15 60:20 375:16 Dianne 2:13 3:9 6:9 10:12,20 86:20 89:21 131:2 246:18 248:15 320:5 321:6 336:10 338:12	363:4 370:4 371:7 diaphragm 196:5 diarrhea 55:21 256:11 diastolic 30:3,7 39:22 DIC 259:3 264:4 dictate 243:1 387:12 died 31:17 36:1 51:4,14 54:14,18 60:1 97:22 177:5 177:13 263:9,11 differ 256:4 difference 22:12 70:9 74:2 76:13 98:7 115:16 121:8 121:18 136:2 143:3 156:11,12 201:12 253:16 303:2 304:20 305:4,6,8,10 309:14,21 310:5,7 310:15 328:11 357:9,10 differences 44:11 76:16,20 86:18 166:2 186:8 358:9 different 23:13 32:10 68:14 69:1 71:4 72:6,10,14 74:16,16 86:4 87:2 87:2 91:3 116:4 117:13,15 130:3 135:12,12 138:4 139:3,6 143:9 154:7,7,17 156:9 166:16,17,18 168:22 190:18 241:5 247:1 253:7 268:18 286:7 307:1 309:18 310:13 311:1 324:15 326:7 330:18 331:21 332:20 363:14 371:5 372:17
--	--	--	---	---

381:9,12 384:6 385:5 389:14,17 392:2,3 394:20 differently 131:21 185:18 difficult 25:14 68:10 72:19 88:12 108:16 143:12 286:3 293:22 295:7 299:13 352:19 356:19 difficulties 87:9 293:4 difficulty 31:2 digested 238:12 Dilantin 313:15 dilated 46:11 50:17 60:3 68:9 72:7 diligence 354:15 diligent 192:8 393:19 diligently 238:11 direct 63:12 126:3 223:6 321:19 direction 88:1 directly 135:14 225:17 290:6 director 2:13 3:10 6:9,13 10:13,16 222:3 224:1 225:7 directors 167:21 169:1 disability 383:20 disagree 15:10 65:2 154:5,14,15 290:5 disappointed 136:8 discharged 56:7 discharges 103:15 104:1 171:11,15 discipline 7:13 210:10 discipline-based 320:13 discomfort 155:2,17 discontinuance 126:12 discontinuations	172:17 discontinued 36:13 56:2 58:17 59:19 126:8,9 258:11,12 discourage 248:8 discouraged 336:2 discuss 11:8 100:2 152:12 160:14,15 183:5 213:6 237:14,16 262:11 299:5 304:1 361:4 discussed 35:10 52:5 76:8 167:13 224:3 227:9 229:10 261:18 267:18 268:18 292:6 discussing 152:11 160:5 170:5 212:6 213:9 249:1 251:8 discussion 11:3 46:15 55:3 62:22 63:14 73:17 76:8 92:2 115:4 138:4 143:19 144:11 149:18,21 150:18 152:18 154:8 158:10 159:20 160:10,12 161:1,1 169:12 170:4 184:6,18 191:5 192:8 198:11 202:9,16,18 210:12 220:3 221:13 224:10 226:9,14,22 230:6 233:18 243:13 244:10,14,16 245:2,4 247:9 249:6 266:9 276:21 278:9 296:19 313:9 328:10 359:19 discussions 12:6 184:1 224:18 225:11 285:12 350:20	disease 20:2 36:2 50:19 51:9 54:13 55:17 56:11 57:8 58:9 63:22 66:12 72:6 78:3 87:16 91:1 101:5 106:22 108:18 109:3,5,10 113:16 117:14 121:2 135:18 137:15,21 142:18 143:1,4 151:5 152:1 156:4,19 157:3 158:21 159:8,17 217:16 217:21 256:15 291:19,19 292:22 293:7,9,13 294:12 294:21 295:9 351:2 352:8 377:20 diseases 21:14,15 113:8 143:6 160:4 165:14,16 166:2 353:20 disease-modifying 286:5 disease-specific 143:21 disorder 64:18 178:10 304:7,8,9 304:10 307:4 disorders 159:14 174:15 214:4,9,12 255:21 dispensed 41:22 119:4 dispute 347:4 360:20 361:3 disservice 209:19 distinction 186:4 distress 46:4 59:21 distribution 319:6 disturbed 55:10 57:15,19 divalproex 302:11 diverse 184:8 division 2:13 6:5	16:12 17:5 40:15 62:15 84:13 114:19 117:2 128:16 129:6 130:5 137:20 153:1 157:16 161:11 167:21 169:1 170:2 212:5 237:15 245:1 286:1 297:7 298:3 299:7,20 300:1 309:6 314:3 319:10,15 divisions 87:15 167:22 331:7 343:2 351:17 362:8,14,20 363:16 364:8 378:19 documentation 351:13 documented 363:3 documents 375:18 doing 16:5 22:19 68:6 71:15 85:13 85:21 98:6 134:10 135:17 137:3 143:20 144:21 156:1 157:12 161:5,7 202:12 209:19 271:8 322:14 325:15,18 327:1 333:3,18 340:10 342:10 348:18 353:5 360:7 366:4 DOI-30 254:18 domain 89:4,9 Don 10:2 dopamine 60:18 dosage 30:14	123:11 132:11 171:3 250:6 349:18 357:17 dose 29:10,16 30:2 38:15 39:17 44:6 49:14,17 51:5,15 60:13 71:20 76:5 85:1,14,16,21 86:7 86:22 91:6,9,9,14 99:9,15 104:20 105:6,11,13,14,21 106:7 dose-dependent 175:1 dose-finding 104:8 105:16 dose-limiting 105:8 106:7 dose-ranging 29:15 87:18 dosing 30:13 32:22 39:8,16,18 74:16 84:1 87:4 96:16 104:13 105:4 111:3 117:5 120:4 123:13 124:5
---	--	--	---	--

171:4 250:7	131:2,6,17,22	202:21 203:2,2,3,4	274:18 276:20	drops 385:11
268:17 324:11,13	132:18 133:1,3,4,9	203:12,12,13,21	277:5 278:9,10,11	Drs 12:17 246:15
324:14 349:19	133:13 134:12,13	203:21,22 204:10	278:11,18 279:1	drug 1:1 11:16 12:3
350:14	134:14,14,22	204:11,12,22	279:22,22 280:1,5	14:9 29:5 32:10
double 356:18	135:5,7 136:6,6,7	205:15,17,19,21	280:7,8 281:1,12	33:3 41:3 52:16
double-blind 43:10	137:5 138:16,16	206:1,5,7,16	281:13,21,21,22	57:2 65:9 67:9
71:10 120:2 268:6	138:17 139:4,15	207:18,22 208:2,2	283:7,13 284:4,5	74:3,14 77:10 78:2
274:12	139:21 140:2,3	208:3,10 209:8,8,9	284:10,13,14,15	78:3 94:13 96:11
doubling 380:19	141:1,17,20 142:7	209:11,12,20,21	285:1,6,9,10,11,21	96:11,13 97:16
doubt 195:10	142:7,8,15,22	210:1,2,3,16 211:3	286:13,13,14,14	99:1 101:3 102:12
DPP 309:8	143:16 144:9	211:14,16,18,18	286:20,21 287:1,8	103:2,10,12
Dr 7:4,8,21 8:1,4,7	145:9,9,10 146:3,3	211:19 212:3,4	287:12,14,16,18	110:21 114:19
8:11,16,20 9:2,8	146:5,19 148:10	219:13,13,17,18	287:19,22,22	118:14 123:8
9:11,13,16,19 10:2	148:14 149:5,9,11	221:3,15,19,22	288:1,5,15 289:1,3	125:21 126:3,17
10:6,9,12,15,18,22	149:13,15,16,22	222:5,8,10,12,13	289:4,6,7,8,9,16	126:21 133:17,20
12:20 13:2,22	150:5,17,19,19,21	223:21 225:1,3,16	289:17 290:1,16	134:1 145:11
17:12 24:14 26:5,9	151:1,3,21 152:9	226:11,19,21	290:16,17 291:12	146:1,7,12 147:8
28:5,8,11,16 33:16	152:14,21 154:18	227:13,20,21	292:18,18,19	186:12 188:3
33:19,21 34:3 37:6	155:2,17,21,21,22	228:3,6,9,10,13,21	294:8,17 295:5,5,6	193:3 209:16
37:9,11,14,15 38:2	157:8,22 158:2,11	228:22 229:3,5,6	296:11,21 297:1	222:14 230:21
40:9,12,12,15,19	158:19,22 159:2,3	229:11 230:7,7,8	297:19,20 298:18	234:11,18 239:7
62:21 63:11,19,20	159:4,6,15 160:1,7	231:6,12,12,21	298:21 299:1,4	239:12 240:3,21
64:9,16 65:6 66:1	160:8 161:3,9	232:1,3,6,8,12,14	309:11,12,13,20	243:2,7,9 250:14
66:17,17,18 67:6,6	162:8 163:17,20	232:18,20 233:3,4	309:22 310:2,4,8,9	251:6 266:13
67:7 68:17,17,18	164:15,20,22	233:8,9,14,16,22	310:12 311:5,8,20	272:11 282:4
70:7 71:1,2 72:1,1	165:6,8,21,21,22	234:9,16,16 235:2	311:21,22 312:1	283:1 287:21
72:2,4 73:1,1,2,17	167:3,14,16,16	235:3,5,5,13,13,17	312:10,13,18,18	288:18,20 299:19
73:20,21,22 74:5,7	168:2 169:7,18,22	235:19,19 236:1,8	312:19 313:12,12	303:2,16 309:1
75:11,12,16,21,22	184:12 185:4,15	236:8,19 237:20	313:13 314:2,16	313:3 318:21
75:22 76:1,6,6,7	185:15,16 186:3,7	238:15,16,17	314:16,17,22	336:12 347:6
76:16 77:6,6,7,11	187:8,8,9,15 188:5	239:18,21 240:5	315:2,14 316:3,9	348:16 350:5,11
77:12,14 78:4,14	188:7,8,10,11,13	240:12,14,18	316:11,12,14,19	350:15 353:6
78:17,19 79:6,9,20	188:14,15 189:4,9	241:4,18,20 242:2	317:14,21,21,22	356:8,13 360:12
80:5,8,10,11 84:13	189:10,10,11,17	242:5,11,13,15,18	318:16 319:3,3,4,7	368:5 370:19
86:13 88:2,4 89:14	189:19 190:9,21	242:19,19,20	319:9,16 321:9	378:11 381:20,22
89:20 90:20 91:20	191:1,3,12 192:4	243:19 244:3,5	323:20 324:12	382:4 383:16
91:20,22 92:11,21	192:16,17 193:8	245:11,17 246:9	326:10,10 336:9	384:6 388:6 393:4
93:4,4,5,6,7,7	194:13,16,18,19	246:12,17,20	337:9 346:11	drugs 2:8,12,15,20
94:16 95:14,16,20	194:20,22 195:6,9	247:4,11,13,14,17	366:16 367:13,19	3:14,18,22 4:6,11
95:20,21 96:2 98:9	195:11 196:2,2,3	247:19,21,22	393:14 394:8	4:17,21 5:13 6:13
98:12 99:8,19,22	196:12 197:1,21	248:1,14,18,21	395:10,14,20	10:16 40:5,15
100:11,11,13	198:9,18,18,19	249:2 255:14	drainage 178:7	65:18 72:3,21
101:6,18 102:5	199:1,3,4,5,6,16	261:15 265:1,4,13	193:17	100:16,19 121:13
115:3,4,5,19,20,21	199:17,19,20	265:16,17,21	dramatically 72:6	126:17,21 127:7
116:11,20 117:18	200:9,16,18,18,19	266:1,4,5,6,10,11	91:2	128:3 145:18
118:1,8 128:22	201:14,15,18,19	266:14 267:2,3,5,6	drip 60:18	166:13,17 187:2
129:12,21 131:1,1	201:21 202:13,15	267:7,8,11 268:4,4	driving 285:8	218:9 299:9,17

300:3 302:10 303:14 304:15 305:19 308:16,18 308:20,21 312:20 313:1,9 314:7,13 314:14 325:16 327:13 328:9 330:13 338:3,13 338:18 339:22 343:6 349:10 369:12 370:21 378:9 381:4 384:15 385:2,5 389:14 392:20,21 drug-treated 302:17,20 303:21 306:4,10,14 307:16 308:7 310:18 311:3 drummed 180:20 DSMB 288:14 Duchenne 174:15 181:1 ductus 258:5 due 36:1 43:1 45:5 50:2 60:2,4 108:13 108:18 109:3,5 110:13 112:11 122:1 125:21 171:1 179:17 323:15 352:5 354:15,20 365:11 Duke 39:2 Dunne 167:17 168:2 326:10 duplicate 35:11 54:3 112:11 duplicated 260:16 duplicates 260:4 duration 252:6 273:6 303:8,9 381:12 dwell 387:13 dying 98:5 dysfunction 43:2 51:11 83:18 179:13	dysmenorrhea 250:1 dysplastic 35:22 dyspnea 48:19 262:14 dystrophy 174:16 181:1 D'Angio 2:2 9:16,16 12:17 66:17,18 203:21,22 D.C. 1:12 E E 1:18 earlier 58:4 70:7,18 72:17 81:22 87:7 146:7 154:19 172:17 267:19 268:14,18 270:16 274:19 283:5 318:8 339:22 346:11 353:22 358:3 369:11 386:15 earliest 354:16 early 74:14 253:22 320:1 372:2 380:17 easily 166:3,3 268:22 easy 226:5 364:21 374:14 377:21 392:16 eat 57:21 150:13 eating 304:10 echo 115:21 209:12 283:7 314:5 edema 54:21 57:2 180:10 181:21 182:3,5 215:12 258:1 educational 319:18 effect 39:18 67:20 68:2,11,12,12,15 70:1 72:3,11,18 86:7 99:1 151:7 152:2 166:6	256:13,21 274:13 274:21 effective 70:16 94:13 105:20 116:12 282:22 350:16 351:2 effectively 86:10 100:17 effectiveness 30:1 38:15 52:17 70:22 94:6 110:22 115:8 115:12,17 346:20 350:11 351:5 353:11 389:21 effects 143:14 185:8 256:20 258:1 368:12 381:5,8 386:10 394:18 efficacious 44:16 79:15 97:5 138:22 139:1,6,13,17,22 153:14 154:2 161:4,7 efficacy 39:17,20 42:20 43:4,7,8 44:4,10,13 48:22 49:19 52:19 59:12 66:2,9 68:4 70:4 70:19 72:9 73:14 75:13 79:13 80:2 81:21 84:6 86:8 96:20 98:21 116:6 120:1 121:4,6 124:7,15 129:16 136:9,11,14 137:22 138:14 139:7,19 151:12 151:17,19 152:15 153:18 154:13 156:21 157:11 159:9,16 161:12 161:16 185:9 212:20 213:6,11 253:3 254:2,10,13 351:21 359:4,5 360:10 387:6 effort 15:6,8 24:16	89:8 142:10 330:11,21 efforts 90:12,18 effusion 112:21 113:10 127:16 263:13 egregious 83:16 eight 22:8 57:14 71:11 112:2,5,16 120:21 125:12,13 125:14,18 156:13 157:2,6 192:19 242:12,16,16 247:10 260:8 262:13 eighth 251:13 283:8 283:9 284:6 eight-month 43:10 eight-week 43:12 49:14 120:3 either 19:12 24:5 57:13 66:22 70:20 74:17 139:5,13 140:14 170:17 172:11 195:1 207:1 213:14 237:21 255:17 262:20 291:18 325:4,17 352:15 373:8 ejection 41:15 Elaine 1:21 9:6 12:15 elective 209:14 210:19 electronic 374:22 375:2 electronically 374:16 elements 284:17 381:17 elevated 32:14 113:1,21 114:5 elevation 215:13 elevations 174:20 175:17 177:19 215:20 258:19,20 295:3	eligible 339:18 340:19 Elizabeth 1:18 8:12 12:21 Eloxatin 4:8 11:12 102:3,10 embodied 278:13 embolism 50:21 262:15 embryonal 106:18 emerge 18:6 372:14 emerged 19:2 182:1 emergence 187:20 191:10 199:12 emerging 335:20 emphasis 77:19 emphasize 173:2 249:5 255:16 emphasized 64:20 emphasizing 77:22 employed 48:22 employee 267:13 employees 290:11 enantiomer 49:4 enantiomers 49:7,9 encephalitis 77:16 77:16 78:2 encompassed 278:16 303:17 encourage 86:4 90:5 encourages 222:22 223:12 encouraging 335:16 ended 386:3 endocardiac 50:16 endorsed 189:5 endoscopic 153:5 endoscopically 216:9 endpoint 29:16 39:22 44:4,13 82:3 107:16 120:16 121:6 151:9 153:3 153:4 155:3,4,7 156:9,19 275:7 295:3
--	---	--	--	--

endpoints 29:22 39:8 121:15 154:4 154:6,7,15 160:21 380:10	episode 58:6 59:15 episodes 56:6 57:21 59:8 60:19	301:8 evaluating 303:19 evaluation 145:11 187:20 317:17	50:1 51:19 52:3,8 53:14,19 54:9 55:6 62:8 65:15,17	333:9 353:15 366:14 373:22 375:5 376:13
end-stage 108:16	equal 41:16 43:19 44:2 106:16 107:4	Evaluations 370:20	76:11 102:4 108:11 109:13,13	377:4,10 378:11 378:13,21 381:11
energetic 170:4	evaluators 372:4	Evelyn 2:12 6:4	109:18 110:4,10 110:14 111:5,15	382:16,18 386:20 everybody 14:3
enforcing 322:21	equity 316:7 323:3	event 11:4,11 12:6 26:11 27:1,9,19	111:21 112:4,20 113:15 114:3,13	18:16 80:15 95:9 95:10 130:5,12
engage 244:1	equivalent 70:20	30:11 31:20 33:1,7 34:4,15 36:20	118:7 123:21 125:4,9,15 126:3	141:10 201:22 231:7 236:6 297:2
engineering 330:17	errors 32:9,9	40:21 45:6 46:20 46:22 47:10 48:10	126:16,19,20 127:13,22 128:10	363:18 371:21 372:16 378:3
English 168:3	eruptions 262:16	50:3 51:20 52:9 53:2,5,8,16 54:1,5	129:22 131:11 132:4,13 169:17	393:6 everybody's 21:10
enhanced 256:22 324:22 328:21	esmolol 3:11 26:7	60:7 61:19 75:7 102:8 108:13,15	170:5 171:2 172:6 172:15 173:11,19	326:3 367:19 everyone's 67:8
enjoined 322:21	26:12,13 27:21 146:8	110:14 111:9,12 112:1,9,17,18	175:10,14,20 176:1,5,13 179:18	148:17 everything's 345:22
enjoy 7:19	esophagus 32:5	114:11 118:10 122:1,6 124:19,21	179:20 180:1,2,3,7 183:13,14 184:4	361:20 evidence 44:15
enormous 82:20 328:10,11	especially 61:16	125:7,12,19,22 126:1,5 127:20	186:15 191:21 208:6,22 209:3,4	46:19 138:11 154:12 354:13
enroll 88:11 273:9 275:3	established 52:18	180:15,22 181:20 181:22 182:10	214:2,4,8,14,14,16 214:17 215:10,22	356:7 evidenced 256:15
enrolled 213:12,18 273:4	essential 41:17	183:21 184:15 189:7 193:1	216:20 217:3,8,8 218:4 219:7,11	evident 379:1 evolved 130:2,4
enrolling 147:21 160:18	essentially 129:10	216:13 225:21 227:17 231:18	237:4 248:20 249:11 255:19,22	162:10 Ewing's 262:9
ensure 222:17 335:19	established 52:18	236:21 259:8 263:17 293:21	256:3,7,17 257:6,7 258:18 259:14,20	263:8 280:12 exacerbation
enter 225:10	esteemed 224:5	302:2 303:15,17 306:15,19 307:17	260:9,15,17,20 261:12,16,20,20	123:16 256:14 exact 129:17 189:13
entered 269:9	estimates 307:8	318:21 345:12 365:19 372:8	261:22 262:1,19 263:6,14,17 264:3	231:13 232:4 exactly 144:5
entertain 153:11	estimation 64:8	375:11 380:6 383:21 384:19	264:5,7 271:2,9 272:14,15 273:15	176:20 209:10 245:17
entire 16:19 338:21	et 39:8 82:4 88:19	events 3:12,16,20	273:16,18,19 291:1,1 292:10,13	exam 177:2 examine 59:9
entirely 151:10 156:18 186:21 331:21	177:3 258:2 289:22 313:22	4:3,9,14,20 5:11 16:9 18:19 19:8	294:13 300:2,16 300:17,19 301:3,6	103:12 126:16 143:3 240:9
enzyme 215:13,20	380:19	21:17,19 26:8 27:7 27:12,21 28:15,17	301:7,15,17 303:2	examining 163:1
enzymes 391:20	ethical 155:10	30:19 31:22 33:9 34:2,21 35:7 36:22	303:19 305:13 306:7,8,9,10,12,13	example 117:1
Epi 20:6	156:22 157:13	40:18 44:20,22 45:5,15,22 46:2,18	306:18,20 307:15 308:6,8 310:17	140:13 187:21 223:7 279:7
epidemiologist 9:3 17:10 19:13 367:22	158:3 365:9	47:2,7,19 48:2	318:18,19,20 316:20 339:2	280:16 290:2,4
epidemiologists 372:5	ethically 160:17			
Epidemiology 17:18 18:20 19:15,16,17 62:15 114:19 128:16 371:1,11	166:20			
epigastric 32:13	ethics 156:1			
epilepsy 299:15 304:3,16,21 305:5 305:7,15 307:3	ethnicity 75:15			
	etiology 292:13			
	Europe 74:18			
	evaluate 42:13			
	196:9			
	evaluated 105:22			
	255:5 299:8 301:6			

354:3 355:14 357:14,16 377:11 378:15 exceed 176:4 254:2 excellent 278:17 excess 93:10 excessive 190:4 excision 32:16 exclude 12:10 251:20 318:10 excluded 54:3 112:11 125:20 260:15 301:11 305:20 excludes 310:6,11 exclusion 12:12 exclusivity 16:7 26:21 28:22 29:7,9 30:8 31:12 32:21 33:7 34:14 41:6,7 42:10 48:20 49:11 52:15,21,22 59:9 60:8 69:6 102:14 102:16 104:7 107:20 110:20 111:6,7 118:16,18 119:22 122:7,19 123:6,18 124:1,4 124:12,16,17 147:11,16,18 148:4 170:11 171:19 179:18 183:9 249:18 251:18 252:15 260:8,20 262:7 263:18 317:5,7 323:1 330:3 338:8 339:19,20 340:1,2 340:3,20,20 342:2 343:10 344:2,15 344:16,18,22 345:9,21 346:4 347:10 348:7,18 369:9 384:11 387:17 393:1 excreted 259:7 excuse 161:17	executive 2:6 3:6 7:8 9:11 165:2 exempt 389:21 exempted 389:13 exemption 332:8,22 333:13 369:22 exhortional 48:19 exist 105:19 existing 356:15 357:2 expand 391:7 expandable 390:18 expanded 19:18 22:16 25:7 330:4 365:18 expanding 369:16 Expansion 329:21 expansions 257:18 expect 67:4 90:16 256:4 285:19 286:5,8 expectancy 105:3 expectation 284:21 290:15 expected 108:18 137:16 215:4 217:9 286:9 expenses 223:9 expensive 71:10 experience 66:21 87:15 114:8 127:11 135:20 145:17,20 215:19 272:18 300:6 362:15,17 383:16 experienced 56:17 56:22 57:14,18 58:14,22 122:11 180:11,14 experiences 362:16 experiencing 122:6 expert 6:11 15:15 16:15 18:3 76:9 82:19 145:16 203:18 269:12,15 273:20 276:3,8 279:5,16 288:2	289:12 336:7 145:4 203:20 235:9 270:6 279:18 363:14 371:16 373:2 393:8 experts 208:11 210:9 238:10 244:2 270:1 expired 344:22 explain 117:10 160:11 198:12 230:13 explained 86:9 explains 257:6 explanation 83:12 explicitly 181:7 183:15 explore 149:6 256:20 exposed 143:8 381:13 exposure 30:22 31:13 35:19 36:5 49:9 55:8 66:4,10 66:16 69:10 70:20 79:22 80:3,7 83:12 84:16,21 95:22 99:2,8,13,21 101:10 120:14 125:22 126:3 138:7 140:5,7 253:20 353:17 exposures 381:9 express 209:17 244:18,19 expressed 158:13 272:1 expressing 86:1 155:18 extend 150:18 extending 141:18 extension 29:12 43:6 49:13 255:19 268:12 272:17 extensive 226:14	230:6 271:14 329:9 extensively 292:7 extent 24:17 162:6 295:19 external 15:14 extra 69:1 235:9 extractilation 326:2 extrapolate 73:7 137:12,12,22 138:12 139:7 154:13 160:14,15 160:19 166:3 313:8 351:4,8,21 extrapolated 138:13 152:3 154:20 161:12 extrapolating 90:21 326:12,15 extrapolation 136:12,17 137:8 138:6 139:9,11 140:1 154:16 159:16 161:15,21 163:9,19 165:10 166:1,14 167:6 168:1,20 169:2 313:7 350:18,20 350:21 351:11,14 351:22 extreme 203:11 extremely 68:6,7 282:2 eye 385:10 eyes 251:22 e-mail 18:14 128:8 129:17	360:11 facto 83:21 95:5 factor 317:16 factors 91:15,15,16 217:20 253:11 257:20 274:20 282:16 310:21 314:20 facts 80:13 361:4 factual 96:7,12 99:16 fail 82:6 failed 81:14 360:16 failure 28:21 31:17 41:10 42:18 43:1 44:17 45:17 46:4,6 46:11 47:4,9 48:1 48:10 51:13,21 52:9 54:13 55:9,17 55:19 56:15 57:11 58:10 60:2,11 66:6 68:5 72:22 81:2 91:2,6 97:21 100:17 127:17 175:16 181:9 257:22 263:11 390:22 failures 48:8 fair 79:5 83:11,12 289:11 310:8 fairly 14:22 38:11 71:9 83:16 177:15 258:21 266:21 285:19 318:2 340:13 fairness 13:8 fall 202:12,13 283:11 298:20 321:13 327:10 333:20 338:7 364:15 390:11 391:4 false 301:3 familial 250:3 279:9 familiar 16:16 147:1 165:6 344:13 349:1
---	---	---	---	--

375:6 389:15	42:16 62:6,13 83:3	40:13 102:1	328:14	176:6 247:11,12
family 195:14	103:9 104:3	fellow 97:21	findings 52:20	260:13 262:2
Fant 1:18 8:7,8	114:11 127:9	felt 99:10 117:2	124:11,15 129:16	270:1 273:13
235:19 236:1	128:4,6,9,15	130:6 137:20	173:4 254:6,10	307:15 318:20
242:19,20 244:3	136:14 146:5	153:3 219:1	255:1,15 360:10	356:21
FAP 250:4 258:6	163:22 183:19	238:18 239:10	fine 65:5 80:14	five-year 178:3
279:7 280:16	184:3 222:19,22	341:11	90:12 92:11	flare 122:10,14
far 47:10 68:4 75:3	223:12 225:7	female 59:17	221:19,19 230:22	123:5
75:6 76:18 77:1	234:13 270:16	fentanyl 182:21	244:19 245:6	flares 126:10
78:6 82:12 168:20	274:2,5 275:14	ferret 372:16	finish 79:8 281:13	256:16
177:4 180:6 190:2	288:11 290:6	fetal 390:14	finished 311:10	flash 358:8
193:5 221:17	300:7 301:14	fetus 36:12	354:18	flavorless 269:2
226:12 227:9	315:19 323:4	fever 256:10 258:16	firearm 301:3	flavors 142:2
236:21 326:18	334:3 336:18	fewer 379:10	firm 13:9	flawed 360:19
331:19	337:7 338:16	380:16	firms 12:2,7	flexible 86:2
Farrar 2:2 9:19,19	339:20 340:3	fibrillation 45:16,22	first 17:10 30:19	flip 395:2
13:2 146:3,5	349:17 358:20	51:8 52:12	32:13 35:13,18,19	flow 352:2
311:21 312:1	367:4 369:3 373:6	fibroelastosis 50:16	36:5 54:12 55:2,15	flu 55:20 77:9
fascinating 325:9	374:1,3,10 375:21	fibromyalgia	60:12 63:3 69:9	fluid 177:3 215:12
fashion 138:21	377:2 393:11	304:14	71:11,19 73:5 78:4	fluids 60:16
fast 266:16	FDAAA 6:7 14:8	field 15:15 100:14	87:5 88:5 91:1	fluticasone 339:10
fasting 61:16 64:14	25:12 321:7 322:7	137:11 140:11	92:1 97:20 115:22	flu-like 64:15
fatal 44:22 176:12	327:4 328:7	Fifty-five 43:15	116:11,13 117:9	focus 22:10 35:6
178:5 260:10,20	354:22 384:12	figure 20:1 135:18	130:9 138:8	178:20 252:18
261:6,10 263:17	FDAMA 323:8	144:22 148:15	152:22 155:1	259:21 267:18
302:6	336:19 369:3	249:7 330:19	180:13,16 184:18	269:21 273:15
fatalities 176:7,11	FDA's 365:20	345:2 361:5	193:10 205:1	275:9 279:3
260:2,7 262:4,8	features 174:18	372:12 377:15	210:14 211:8	297:14 368:3,19
263:3	February 27:2,5	figured 85:14	215:9 226:13	focused 329:21
fatality 179:3,5	34:17,22	147:19	227:11 229:13	372:3
fatigue 48:18 52:13	federal 103:8	figuring 336:15	230:5 242:15,16	focuses 24:21
favor 203:3 206:1,5	feedback 165:19	fill 292:17 374:15	242:17 243:14	focusing 219:10
206:6,9 230:9,16	167:11 297:12	final 60:20 66:9	248:5 252:7	264:10 279:6
231:16,19 232:6	feel 78:14 93:17	97:19 274:10	260:22 263:9	336:12 379:5
242:2 246:14,19	151:16 162:5	finalized 267:22	268:2 272:6 274:7	folks 184:8 194:3
247:2,12,12	169:11 184:20	Finally 182:9	276:11 278:21	264:20 324:1
favorable 36:8	185:1 188:8 208:3	financial 11:21 12:9	322:18,19 336:21	331:10
218:22	208:8,9 239:22	13:9 223:3,7,15,17	352:7 365:21	follow 34:17 145:14
favored 230:11	241:3 248:12	find 39:15 71:12,16	366:2 380:18	149:1 189:12
favorite 339:2	275:21 290:8,13	89:18 143:13	391:11	211:1 282:1,1
350:17	337:14	157:6 190:19	fits 158:14 164:1	289:9 291:4
FDA 2:5 3:7,10,14	feeling 292:14	211:2 300:15	293:10 380:5	
3:18,22 4:6,11,17	feelings 135:6	325:8 364:22	followed 55:21	
4:22 5:8,14 6:10	feels 192:11 200:14	378:11,12,18	268:11 273:4,12	
6:14,17 7:10 10:14	202:1	finding 85:21	275:6 282:9	
12:8 14:13 15:3	felbamate 302:11	104:21 157:5	291:20,22 292:3	
27:19 33:8 36:20	Felicia 2:7 4:4,10,15	194:1 255:11	293:20	

following 11:1 30:9 112:19 114:16 123:7 127:12 131:8 182:12 220:3 253:19 300:16 302:1	53:20 61:20 88:10 97:6 104:8,19 107:10,19 108:6 108:12 109:11,19 110:13 111:5 121:21,22 122:5	258:19 fundamentally 23:1 138:12 158:19 160:13 248:9 327:18 funding 164:21 165:1 fungal 46:3 funny 194:7 further 31:3 46:15 55:3 56:6 60:19 80:5 95:17 143:19	313:12,13 gas 300:21 gastroenterologist 142:11 270:4 gastroenterologists 140:21 Gastroenterology 119:13 128:17 129:7 gastrointestinal 175:12 213:4 214:2 255:20 273:17 gather 134:5 265:19 272:9,18 gathering 75:9 222:16 gears 102:6 gee 245:22 gemcitabine 113:14 general 9:3 63:22 67:17 89:16 135:10,19 170:9 181:4 193:15 241:22 245:4 249:13 256:20 266:2 284:16 316:6 319:1 375:15 fusions 391:12 futile 207:1 future 97:16 135:13 160:6 164:19 277:4 296:15 319:19 326:20 395:8	342:11 346:13 348:18 359:11 377:9 GI 214:9 215:12 216:2,6,9,10,12,14 219:7 256:11,21 257:10 262:18 263:10 give 10:20 71:17 82:20 83:21 94:8 95:5 96:21 98:17 98:19 101:2 134:17 136:1 151:15 165:18 167:11 185:12 205:19 207:20 212:14 232:4,22 233:20 234:21 238:12 271:18 283:12 286:9 288:9 293:3 314:22 318:13 321:14,21 330:9 331:20 352:4 354:3 355:14 362:21 364:10 368:16 374:20 378:3,5 380:3 381:22 383:11 390:16 393:2 given 61:14 66:22 97:1 114:5 115:12 generalize 286:4 generally 67:12 97:22 122:3 303:14 generate 265:11 generated 279:10 323:9 germane 180:18 gestation 31:1,14 gestational 36:4 getting 69:17 83:8 87:9,20 148:8 176:21 207:12 319:15 322:4,16 324:2 325:17
Food 1:1 11:16 12:2 14:9 222:14 234:11,18 336:12	frame 171:17 232:19 252:13 284:14 361:10	148:11 150:20 163:16 167:13 181:13 205:5	gather 134:5 265:19 272:9,18	151:15 165:18 167:11 185:12
foramen 32:2	FRANCIS 2:10	206:11 207:21	gathering 75:9	205:19 207:20
foreign 374:7	163:20 164:22	208:5,5 224:18	222:16	212:14 232:4,22
forget 388:16	free 290:8 337:14	226:1 240:7,15,19	gears 102:6	233:20 234:21
forgot 296:20	345:9	240:22 241:10,15	gee 245:22	238:12 271:18
forgotten 298:8	freestanding 340:3	241:22 245:4	gemcitabine 113:14	283:12 286:9
form 82:19 349:19 357:17 391:4	frequency 121:1 214:5 292:10	249:13 256:20	general 9:3 63:22	288:9 293:3
formal 131:5 142:14 146:1	frequency's 23:22	266:2 284:16	67:17 89:16	314:22 318:13
format 96:5 227:14 359:16	frequent 42:8 119:14 123:2	316:6 319:1	135:10,19 170:9	321:14,21 330:9
formulate 242:5 247:20	frequently 47:10	375:15	181:4 193:15	331:20 352:4
formulated 245:12	48:11 52:2,10 110:3 214:8 256:1	fusions 391:12	208:13 215:8	354:3 355:14
formulation 74:17 348:6,8,13,17,20 357:11,20 358:6	325:6	futile 207:1	257:15 258:8	362:21 364:10
formulations 350:8	frighten 395:11	future 97:16 135:13	270:1 286:18	368:16 374:20
forte 266:17	front 144:14 190:15	160:6 164:19	287:10,17 295:7	378:3,5 380:3
forth 191:11 224:11	372:7	277:4 296:15	307:10 339:4	381:22 383:11
forward 17:15 86:8 148:15 159:12 162:14 249:8 267:22 276:14 331:1	frothy 177:2	319:19 326:20	379:3	390:16 393:2
found 63:6 174:2 300:12 301:15 302:20 303:1	full 21:22 22:1,6 23:7,14 24:17	generalizability	given 61:14 66:22	97:1 114:5 115:12
foundation 164:4,5 164:8	88:21 89:3 100:3,5 101:1 166:21 244:9,14,16 298:19 311:7 329:8 344:8	379:8	generalize 286:4	134:20 208:12
four 23:13 24:2 32:8 35:10 51:2	347:17,21 361:15 369:13 371:14 383:7 389:1,9 394:11	gabapentin 302:12 Gail 5:17 267:12	generally 67:12	217:6 226:4
	full-fledged 349:3	gain 58:10	97:22 122:3	282:14,22 292:22
	function 93:19	gained 218:18	303:14	308:12 320:22
	164:2 187:6,21	gaining 348:7	generate 265:11	345:8 351:20
		Gaithersburg 1:12 1:13	generated 279:10 323:9	375:12 383:8
		game 243:12	germane 180:18	388:12
		gamut 388:21	gestation 31:1,14	gives 116:18 134:15
		GAO 365:10	gestational 36:4	134:19 319:5
		gap 292:17	getting 69:17 83:8	giving 90:3 327:4,6
		Garofalo 1:18 8:11 8:12 12:21 73:1,2 235:5 289:16,17	87:9,20 148:8 176:21 207:12 319:15 322:4,16 324:2 325:17	368:6
				glad 117:16 153:11 395:10
				glaucoma 385:11
				GlaxoSmithKline

41:3 74:10 88:8 89:11	81:9,15 82:14 87:5 94:11 96:20 97:2,8	10:22 25:7 26:9 40:19 65:4 68:22	20:11 43:10,17,21 44:13 45:13,20	200:22 201:21 203:3,6 239:1
Global 222:3 224:1 267:14	100:19 117:15 143:7,8,11 144:17	82:10 91:17 100:11,15 129:4	46:8 47:1,11,14,17 72:9 74:11 87:2	242:20 258:2 265:4,6 295:14
glucose 54:15 56:1,3 56:20 57:16,20,22 58:16 59:1,3,22 60:14,17	144:22 145:2,11 146:12 158:8 159:20 160:12 168:8 185:17,17	145:13 149:22 168:16 212:3 276:13 282:13 299:4 329:16	97:14 98:2,3 120:3 120:9,11 121:10 121:11,15,17 122:9,13,20,21,22	318:16 320:3 guidance 269:21 362:13 389:18 guide 82:12 385:22 386:3,7
Glycemic 61:2	197:18,20 200:21	337:20 355:21	123:2 136:13	guides 373:14,15
go 14:16 15:2 19:8 20:5 21:6,12,22 23:8 24:1,15 37:15 66:18 73:14,20 77:3 81:1 83:9 86:8 90:5 98:15 132:11 134:10 155:15 160:8 161:10 163:8 177:4 190:10,17 193:5 221:15,16 228:16,18 230:2 232:21 235:7,22 237:2 244:8 249:9 266:14 269:10 276:11 278:20 302:8 305:17 315:15 316:3 319:13 321:17 322:8 329:7,8 337:11 340:15 344:5 348:21 352:6 353:21 364:4,11 367:16 368:18 372:3 373:8,17 374:15 382:7 390:9 394:9	203:11 204:3 209:13 211:9 221:8,12 224:10 224:16 226:11 233:12 234:22 236:20 237:16 240:19,22 241:1 245:22 249:1,7 252:18 264:9,13 265:22 266:17 272:6 281:22 282:14 290:21 291:1 296:6 298:12 311:17,19 315:19 321:12,17 322:4,8 325:19,20 326:12,14,19,20 326:21 328:1,2 330:1,5,8,9 331:11 331:14,20 333:4 333:11,20 334:18 335:1 336:11,15 337:8,11,13 345:13 348:21 353:15 357:3 358:17 361:21 363:5,10 367:16 368:2,4,8,11,14,16	gotten 25:15 Governale 288:17 government 168:4 321:2 government-speak 233:12 grams 120:10,11 124:6 Grand 1:11 grandmother 336:3 grant 355:6 granted 16:7 26:21 29:7 34:13 41:6 102:14 118:16 170:12 249:18 251:18 262:7 330:3 344:17 346:3 354:10 359:20 360:3 364:2 387:18 granting 260:19 graphic 251:19 great 14:10 15:5 100:9,19 116:10 320:21 393:18 394:7 greater 30:14 43:19 44:1 49:8 108:7 112:14 151:7 185:9 252:10 349:4 361:14 378:21 greatest 380:21 greatly 394:2 grounds 354:11 group 15:14 18:12	184:8 186:2,22 199:2 270:17 278:12 283:5 284:11 303:21,22 305:18 307:9,12 307:19,22 308:2,4 313:2,22 315:8 318:21,21 319:2 331:6 350:8 351:8 351:9 363:19 376:15 383:13 387:6 groups 42:1,5 45:2 47:2,3,12,15,18,21 48:4,12,13 103:5 103:17 119:5,9 121:19 122:8 175:3 303:13,16 307:11 310:17 320:11 326:7 379:16 380:15,16 385:14,14 grow 292:3 390:22 391:14 growing 368:9 growth 56:13 256:14 380:20,21 381:5 guess 68:18 69:4 71:7 81:12 85:6 93:16 98:12 130:15 133:15 136:7,13 161:22 185:4 189:19 193:9 197:7,12,18 198:15 199:17	242:20 264:17 267:7 288:16 298:11 347:22 361:4 363:10 365:2,17 H half 38:20 57:13 76:4 81:13 91:9 96:1,4 387:4 half-day 192:10 halogenated 174:4 hand 231:8 238:11 241:20 handled 327:16 handout 211:20 hands 28:7 33:18 37:8 78:16 117:22 150:4 205:14,16 205:20,22 206:4 210:22 231:20 232:2 241:17,18 242:10 341:8 hands-on 260:9,14 hand-on 179:1 hang 300:21 Hank 9:19 happen 228:2 246:8 326:19 327:22 334:18 353:15 happened 81:3 230:15 293:21 322:6 324:20 326:18 329:6 335:14 360:21 happening 20:15
goal 298:10 384:9 goes 16:8 82:22 92:1 159:15 265:10 328:13 371:18 382:1,3 going 7:11 14:7,15 14:21 17:14 20:7 20:12,13 21:6,21 23:4,8,12,22,22 24:15 26:3 39:19 40:4 71:9,11 80:16	good 8:4,20 9:5			

144:13 264:10 321:22 328:18 334:7	222:9 277:15,17 278:5 281:16 294:7 369:7	208:1 209:22 291:13 294:3 347:10 364:22	355:13 high-dose 43:11,21 46:8 49:19 120:9 121:10,15 122:9 122:20,22	103:16 host 282:17 hour 211:5 hours 44:6 178:5 192:20 331:16,16 363:5
happens 94:22 312:7,9 325:2 347:20 353:12	373:21 382:16 heard 37:17 38:2 81:22 98:13 139:17 164:3 165:3 179:3 198:3	helping 362:8 helps 65:5 344:10 367:2 371:17 375:18	high-risk 208:22 210:6,11 296:4	Houston 8:9 Hudson 1:19 8:16 8:16
happy 92:4 116:4 294:6 335:12	202:15 203:7 244:22 245:3	hematologic 258:17 hematologist 270:5 hematology 279:17 385:5,9	Hill 8:22 Hilton 1:11 hinted 324:4	huge 166:6 333:19 Hughes 314:2,3 Human 3:4 6:20 humanitarian 332:8 369:22 389:12
hard 21:20 22:4 64:3 73:11 160:16 184:8 293:1 321:3 357:2,18	268:3 324:7 328:10 374:3 383:6	hemorrhage 36:1 46:5 113:4 261:10 262:17	historical 156:7 336:10	human-derived 391:20
harder 330:19		hemorrhaging 123:4	historically 162:22	hundreds 375:18 379:21
hardest 290:19		Henry 2:2,10 13:2	histories 50:8	hung 300:21
Hari 2:14 4:20 5:12 169:20	hearing 5:10 18:8 141:2,8,21 220:1,3	hepatic 175:16 179:13 191:11 215:13 258:17	history 20:18 54:17 54:20 58:8 59:17	hurdle 199:7
harm 301:1	221:5,8,21 222:18	hepatically 186:12	113:20 122:12	hydration 54:15 59:3
HCI 3:11 26:7	223:1 233:17	hepatitis 174:5 175:8	140:12 142:13	hydrochloride 26:13 34:7
HDE 332:10,22 333:6,13,18	294:8 366:16 368:9	heroes 394:3	143:1 176:15	hyperchloremic 35:1
HDEs 332:8 333:10 334:17 384:21,22 388:8 389:21	heart 28:21 31:1 36:2 41:9 42:18,22 44:17 45:17 46:10	hesitate 179:10 187:22	336:18 371:14	hyperkalemia 174:7 174:11,21
head 354:4	47:4,9 48:10 50:18	Hi 26:9 314:2	hit 384:13	hyperlipidemia 217:22
headache 109:19 175:11 256:10	51:9,21 52:9 54:13 54:13 55:16,17,18	high 21:16 29:19 121:8,19 122:8	HIV 389:4,4,6	hypersensitivity 109:20 110:17
health 2:2,8,11,15 2:19 3:7,13,17,21 4:5,11,16,21 5:13 6:14 7:9 8:9 10:17 12:14 13:3 26:6 40:14 76:21 169:21 297:22 308:14 340:6,9 341:11,12 367:5 370:16 373:13 374:13	56:11,15 57:8,11 58:9,9,9 60:2,11 63:22 66:6,11 68:5 69:15,21 70:12,15 72:5,15,22 91:2,6 97:21 100:16 133:6 257:22 388:17	higher 69:12 81:15 99:15 172:14 216:1 241:19	honest 167:17 honestly 139:20 380:14	hypertension 26:17 28:20 31:15 34:10 38:1,8 39:5 40:8
Healthcare 26:15 222:4 224:2 225:5	heartily 95:15	253:21 268:12	hope 14:21 22:10 25:9,22 216:5	41:18 175:12
healthier 379:6	hello 267:11	280:3,20 282:19	272:6 290:7,12	42:22 257:21
healthy 202:6 379:15	help 15:20 17:11	305:14	313:7 322:3 336:2	hypertension -rela... 273:18
hear 11:8,15 19:9 20:8,17 23:22 25:8 80:17 82:9 141:10 142:11 144:16 199:21 202:12	22:10 28:3 33:14 37:3 82:12 84:14	highlight 173:22	hoping 239:16 318:3 329:11	hypertensive 37:18 91:4
	99:9,15 132:16	257:5 263:16	horses 323:7,9	hypertrophic 68:9
	140:22 240:19	373:19	hospital 8:5,17 56:22	hypertrophy 50:15
	267:16 279:18	highlighted 46:14	hospitalization 41:12 383:18,19	hypoaldosteronism
	292:4,17 329:11	55:2 173:7	hospitalized 35:14 58:16 65:15	
	345:14 365:15	highlights 193:4		
	375:20	379:13		
	helpful 69:7 162:1	highly 180:5 261:1		
	165:10 200:21	262:20 282:22		

35:2	identify 254:1 330:21 372:2	199:13,13 210:17 215:5 218:12	include 71:20,22 80:7 101:8 120:22	183:14 264:3 354:19
hypoglycemia 46:13 46:16 52:4 55:1,4 55:7,13 56:7,10,19 57:3,7 58:4,6,15 58:18 59:1,6,8,10 59:13,22 60:8,14 60:20 61:1,8,9,15 61:21 62:4 63:5,21 64:15,18 65:10,18 66:19 67:1,10,14 68:20 76:3 78:12 79:2 92:2,17 101:9 175:18	ill 65:1 196:6 illness 163:10 166:4 166:7 261:3 262:21 illnesses 64:15 167:1 180:4 282:18 299:16 imagine 68:1 189:22 191:14,16 immediate 227:16 232:17 immediately 211:11 225:20 228:12 233:11,11 imminent 224:19 302:4 immobilized 282:15 immune 250:17 Imodium 122:17 impact 49:6 145:1 253:9 274:17 394:17 impacted 253:11,19 impair 258:14 impaired 304:12 implant 391:6 implanted 388:21 390:13 implement 275:20 327:2 implementation 6:11 336:7 337:12 343:1 implication 63:6 implied 230:16 imply 89:15 importance 86:15 142:12 375:17 important 16:20 18:2 25:6 36:9 96:6 101:5 114:6 117:3 154:21 162:13,14 163:2 169:12 187:6 192:5 195:22	222:19 230:1 275:1 295:13 303:20 305:12 306:17 327:3 338:4 342:12 344:20 346:6,14 351:16 360:6 366:11,20 373:12 373:19 380:10 381:18 387:18 395:13 importantly 17:17 380:17 393:7 impossible 355:13 impracticable 355:14 impressive 38:12 improved 44:8 58:18 98:3 improvement 120:18,18 121:6,9 121:11 134:17,20 152:5 341:3 improvements 254:17 improves 294:20 IMT 295:22 296:2 inadequate 209:1 inadequately 360:18 inappropriately 260:4 incentive 147:3 322:18 323:1 330:15 338:11,13 incentivize 332:4 incentivizes 349:10 inches 381:2 incidence 171:1 172:5 173:14,17 185:7 216:10 295:9 incident 378:2 380:6 incision 178:6	129:14 147:2 174:6 175:10 177:8 181:5 183:21 184:14 215:11 219:7 223:8 226:16,18 227:16 231:17 256:8 257:20 258:8 264:3 302:10,16 306:18 314:6 330:5 339:11 341:1,5,19 346:7 363:13 384:7,15 included 29:14 42:20 45:22 47:3 47:22 48:4,15,21 49:12 55:6 59:7 69:8 71:6,21 75:17 81:7 104:8 105:4 112:19 122:17 123:17 126:20 127:5,6 129:18 131:19 214:9 245:15 255:20 301:9 304:2,7,11 314:14,14 334:8 359:2 361:6 includes 17:5,5 330:4 including 31:19 50:8 51:20 79:4 88:18 113:13 215:18 216:22 225:6,21 255:2 271:11 276:2 292:11 300:19 334:17 346:1 364:19 377:7 inclusion 131:20 359:8 inconclusive 346:10 359:6 inconsistency 57:12 incorporated	42:7 119:8,11 251:9 295:16 308:15 330:10 337:8 347:8 366:22 376:11 increased 35:14 56:3,12 140:16 175:13 216:19 257:9 293:8 299:17 300:13 303:5 386:8,12 increases 320:20 increasing 217:19 237:7 328:22 independent 269:11 276:3,8 288:2,7 289:12,18 290:10 290:11,14 index 120:20 151:22 indicate 69:21 84:15 148:1 216:19 231:15 239:6 240:2 248:4 indicated 26:16 34:9 41:8 79:16,21 102:17 118:19 170:20 190:22 197:8 200:15 201:2,7,11 204:20 238:6 249:21 268:17 304:3,4,16 indicating 152:15 indication 26:18 74:15 90:21,22 123:10 129:15 147:8 203:17 207:9 236:15 239:22 244:8 249:19 250:5,7 252:5 255:5 263:22,22 267:1 279:4 280:9,18 281:4 292:9 304:2 304:21 327:11

341:5 346:2	216:21	272:10 277:2	inpatient 103:14 171:8	intermediate 295:3 internal 87:13 334:3 342:17,21 343:14 351:17
349:18 353:18	infection 46:3,6 47:4,13 48:5,17,18	278:13 279:15 283:17 286:15	input 15:16 16:4 237:17 281:19 309:8 331:2,8 373:2	361:22 362:2 367:2
355:20 356:2	60:5 109:21	293:3 294:3		
357:18 359:20	122:15 258:16	298:19 302:6,7		
360:3 370:2 379:5	infections 214:3	303:10 308:13		
384:22 388:9	255:20 256:9	311:9 316:18,21	insert 385:22	internally 191:5 210:4 289:20
389:13 390:7	385:12	316:22 319:12	insomnia 304:13	international 375:8
indications 123:9	inferiority 212:22	323:17 328:16	inspired 175:5	interpatient 107:12
132:12 173:5	infestations 214:3	346:7,15 351:7	instances 85:17	interpret 299:14
188:6 190:12,14	255:21	355:4 356:10	Institute 365:5	interpretation 378:1
201:1 202:22	infinite 308:5	358:14 359:2,8,12	insufficiency 191:11 391:5	interstitial 127:17
204:15 228:1	inflammatory	359:21 360:5,9	insufficient 54:11 386:22	interval 303:4 307:14,21 308:1,3 308:11
229:9 237:18	212:12 217:16	361:5 366:13	insulin 388:20	
238:20 239:6,13	influenza 394:18	376:3,12 383:2	intact 252:22	
240:2 255:6 304:4	information 15:9	informed 297:12	intake 58:22 59:20 64:11,14,22	
304:5,6,11,18	16:18 17:3 18:10	298:11,15 325:3	integral 193:13	
305:2,16 306:22	19:7,11 26:11,12	infusional 102:18	integrate 17:3	
341:2,10,20	28:17 29:1 31:3	infusions 57:22	intend 221:10	
350:12	32:22 33:1 34:4	104:13	intended 116:3	
indicative 237:7	39:16 40:6 41:20	ingestion 30:20 35:3	210:20 351:3	
indirect 125:21	61:5 69:7 70:5	ingredient 349:18	367:1	
individual 104:19	75:9 80:15,21,22	ingredients 338:20	intends 221:6	
234:7 306:20	81:7,11,19 82:5,11	inhalation 170:9	intent 221:4 288:9	
377:16	82:11 84:11 90:1	inhalational 191:8	300:21 302:5	
individualized	96:7 97:2,10 98:14	inhaled 339:7	intentional 32:7	
171:3	98:20,22 99:5,6,16	inhibition 72:12	interaction 20:4	
individuals 246:13	99:17 100:7 101:2	inhibitor 34:7	interactions 76:22	
individual's 222:20	101:3 103:2 117:4	250:17	interest 11:2 12:4,9 13:7 38:18 95:16	
INDs 279:14	119:1 132:14	inhibitors 36:11	137:9 143:17,20	
induced 170:22	133:11,21 134:6	386:6	219:11 258:2	
176:16	153:22 162:15	initial 35:5 147:22	272:1 275:10	
induction 170:17	167:10 168:18	214:19 218:3	300:16 385:8	
183:8 186:5 190:3	169:5 192:9	275:13,14 280:17	interested 12:2	
190:15	196:11 200:12	330:11 336:19	147:16 272:4	
industry 1:18 8:13	203:18 205:5	initially 371:22	364:21 376:18	
8:15 12:22 13:1	207:5,10,16 208:4	initiated 113:12	interesting 39:15,21	
164:10 235:10	208:21 209:2,5	114:1 300:1	40:6 194:3 326:9	
340:5,7 367:4	218:14 219:2	initiating 65:9	368:11 390:16	
ineffective 108:2	222:16 223:8	initiation 65:14	393:10	
356:8	226:7,8 228:20	initiative 38:6	interests 11:22	
inexpensive 378:10	231:4 236:13	334:10	230:14	
infant 30:22 36:4	238:10 239:5	initiatives 38:6	interface 362:8	
67:1 380:12	240:1,11,13 242:3	336:14		
infants 61:14 63:21	244:17 247:7	injury 36:11 177:6		
201:4	249:3 255:7,13	301:7		
infarct 50:22	265:19 271:15,19	inotrope 70:10,13		
infarction 41:15				

invite 311:14	308:13 339:18	Journal 89:1	kids 85:19 91:3,5	117:5 130:16
invited 271:21	342:20	JRA 5:5 212:2,17	181:16 185:14	132:9,21 134:3,7
involve 12:7 19:14	issues 17:2 18:1	212:19 213:11	197:5 202:5,6	135:3,16 136:17
involved 19:13 23:7	22:11 24:1,6 38:16	217:14 218:13,22	207:2 288:22	136:20 137:13,16
30:19,21 31:12	66:2 117:12	219:6 249:19	324:15,21 328:4,6	138:20,21 139:1,2
32:1,10,17 35:13	148:21 150:19	250:4,9 254:18	333:1 357:16	139:15,18,19,20
46:2 54:7,16,19	159:13 163:18,22	255:5,11 256:16	kilogram 30:4,5	140:20,20 142:2
55:15 56:10 57:7	164:6,11 165:9	259:2 263:22	43:18 44:1 56:14	144:12 146:11
58:7 59:16 60:8,10	168:14 199:13	264:5 267:1 268:5	58:11,20 76:4	147:15,17 148:1,3
83:18 89:11 96:3	227:9 289:15	268:10 269:22	99:12 213:15,16	151:5,6,13,13
104:21 105:5,16	292:6 320:9	270:15 271:12,16	213:20 214:1	152:6 156:16,20
106:15 107:3	338:10 365:16	271:17 272:12	kilograms 43:18,20	157:5 159:8 161:6
112:14 113:22	370:13 372:18	273:1 275:20	43:22 44:2	161:14,21 165:15
126:2 144:12	issuing 85:9	276:5 279:4 280:4	kilos 250:10,12	167:18 168:1
262:13 302:1	ITEM 3:2 4:2 5:2	282:4 284:9 292:2	268:20	176:21 179:12
315:6 337:2,3	6:2	292:9,11	kind 70:18 93:16	181:12 187:22
involvement 12:11	items 120:22	Jude 8:17	94:5 116:18 136:8	190:2,11,18
13:9 254:22 276:3	it'll 392:15 393:10	judge 70:14 236:13	163:14 182:22	191:20 193:12,14
349:2,3,5	IV 54:15 59:2 60:16	Judith 2:9 6:16	186:1 210:12	194:3,11 195:9,15
involves 16:11	104:13 337:5	17:12 24:14	252:8 257:6	195:17,19 203:10
35:18 36:3 270:22	J	367:14 394:14	261:14 262:5	204:16 208:10,16
involving 34:22	J 1:17	Judith's 367:9	263:4 286:7 291:3	212:10,18 221:14
35:17	JAMA 95:21	Judy 367:21	294:10 319:18	225:9 229:18
IRB 272:5	January 29:6	Julia 167:16	320:22 332:22	233:1,10 236:5
irbesartan 31:9	365:11	July 29:7 34:14	363:9 368:20	238:8,20 239:11
irinotecan 114:2,4	Japan 55:14,16	118:15	370:5 372:12	240:20,21 242:21
Iris 359:19	56:11 57:8 58:8	jump 300:22	390:9,15	243:6,9,12 244:11
irrelevant 44:11	74:1,12,13,21 75:4	June 34:13 270:9,18	kindly 283:19	246:1 248:7 257:5
97:9	75:10 76:10,13	382:9 384:4	kinds 146:15 286:4	257:8 261:9
irrespective 334:4	77:4,17	juvenile 212:8	286:16 289:15	264:11 277:9
irritability 199:14	Japanese 75:15	268:15	kinked 182:2	278:1 282:1
ischemic 41:10 91:4	374:3	K	knew 90:16 99:11	284:12 287:6,21
isoflurane 172:11	jaundice 36:7	Karkowsky 2:11	230:20 324:20	289:21,22 292:22
176:17 185:6,14	Jeff 254:12	40:16 84:14 90:20	376:18	295:18,21 296:6
186:8,10	Jeffrey 2:16 5:6	keep 63:18 98:21	know 15:4,7,12 19:5	311:9 313:18,19
issue 11:2 22:3 39:5	212:4	199:6 383:4	22:8 24:17 25:3	315:17,20 316:20
40:7 63:4,20 64:17	jeopardize 383:22	keeping 285:18	38:21 39:5 40:2	318:17 319:22
66:3 95:4 115:6	job 25:7,10 91:13	Keith 1:20 2:18	64:4,5,22 65:4,5	321:18 324:17
140:9 151:12	195:12 319:11	8:20 129:5	67:10,13 69:12	325:12 328:6
153:1 157:12	320:19 325:1	Keith's 196:13	73:4,7,13,16 75:4	329:5,19 334:20
158:20 161:11,22	335:18	ketotic 64:18	75:12 76:21 79:19	335:8 346:16
166:1 168:6	Johnson 215:18	key 120:14 148:8	80:16,22 82:1,1,7	347:1 348:16
195:17 207:14	join 298:3	387:14	83:13 85:2,18 86:4	352:18 358:20
213:2 223:17	joined 17:8,13	kid 90:22 193:18	86:14 89:16 91:7,9	359:17 365:7
295:20 338:17	267:15	kidney 31:16 35:22	92:19 96:2,10,12	367:8 368:8 369:5
340:4,10 342:8	joint 254:22 308:18	258:1	96:13 97:2 99:10	371:14 372:1,15
issued 42:16 104:4			99:14 116:21	378:2 380:9,18

382:3,18,20 383:1 383:9,12 386:14 knowing 73:15 167:9 311:17 345:6 knowledge 218:18 292:12 329:12 known 18:1 67:12 80:1 91:7 164:16 214:17 215:6,9 218:8,15 223:5 261:9 274:15 372:2 knows 394:16 Kocis 1:20 8:20,21 67:6,7 72:4 95:20 96:2 189:9,10,11 189:19 191:1,12 196:2,3 197:1 198:9 208:2,3 281:21,22 317:21 317:22 Kocis's 209:12	248:6 265:13 277:3 278:15 282:12 338:18 341:6,20 346:3 359:3 360:8 394:17 labeled 144:19 180:2,3 182:19 183:5 189:15 262:19 274:17 366:13 labeling 19:7 29:3 30:10 32:22 36:10 52:16 60:22 61:7 62:3 63:4 64:7 65:13 67:10 68:1 68:20 69:13 79:4 80:18 96:5 100:8 110:21 111:2 123:8 124:3 127:6 127:12 128:2,6,7 129:14 130:20 170:13 171:5 172:22 173:8 174:2 177:7,17,21 178:12 181:6,18 182:6,7,22 183:6 183:10,16,20 184:2,13 186:17 186:17 190:7 200:1,4,6 201:1,17 204:17 205:13 208:7 209:18 210:20 228:7,11 229:17 237:16 238:19 242:22 243:7,13 244:15 244:20 247:3,8 252:15 253:10 254:7,8 255:2 256:6 257:5 259:10 263:20 264:2 288:10 308:17 314:12,13 321:18 326:6 327:7 328:2,8,17 328:19 334:4,5	335:18 341:7 346:5,8,15 347:6 356:11 358:10,10 358:11,13,18,22 359:17,22 360:6 361:1,2,3,6 365:21 373:9 384:15,18 385:22 386:18 387:11,15 labelings 126:17,21 127:6 labels 93:3 133:8 229:22 323:13,15 324:9 326:8 335:19 346:19 360:1,15 labor 362:1 laboratory 254:19 lack 151:4 193:12 292:12 lamotrigine 302:12 language 61:9,12 63:3 78:6,8,11,15 79:1,3 89:22 92:5 92:7,10,13,16 93:2 93:10,20 94:18,19 316:21 317:7 323:19 368:21 379:17 learning 86:19 90:16 162:14 292:14 324:8 332:2 leave 92:9 94:10 97:17 117:4 197:12 207:15,16 234:22 320:1,2 leaving 67:17 led 99:12 174:11 280:17 385:21 lefluonamide 250:16 left 41:15 50:15 182:22 344:17 392:8,20 left-hand 234:5 leg 176:16 legal 327:5	legally 341:4 legislation 6:8 14:13 81:6 82:8 86:15 100:3 320:6 321:8 322:10,18 323:15 323:20,22 324:3 329:3 333:3 335:15 337:2,4 350:22 351:1,4 368:18 369:14 384:12 387:9 390:6 392:14,17 legislation's 368:22 legislative 38:6 legislatures 321:1 legitimacy 139:16 lessons 317:12 364:11 lethargy 60:13 letter 233:1 328:14 letters 167:20 letting 348:16 let's 7:19 73:20 100:20 101:21 171:18 175:19 221:15,16 227:14 252:14 269:15 370:3 382:7 Levaquin 122:17 level 29:20 70:16 94:1 138:5 156:15 203:6 237:1,4 levels 105:6,21 122:3 leverage 147:10 161:5,7 levetiracetam 302:12 Lex 2:16 170:1 life 70:7 96:1 105:2 143:10 145:13 353:18,19 362:1 391:11 lifelong 157:3 lifetime 142:18 143:13 282:5 380:22
--	--	--	---

life-threatening	listen 373:2 382:14	longer-term 141:12	280:11 300:17	34:1,6,12 36:10
216:6 383:18	lists 47:7 131:11	141:13 147:20	303:7 313:15	lots 324:8 377:6
likes 375:19,19	302:9 304:17	272:14,19 365:4	332:3 376:1	love 394:4
likewise 96:16	306:6	longstanding 64:17	looking 18:4,17	low 42:13 43:11
223:12 318:8	literature 31:5	long-term 50:10	20:8 53:22 72:15	120:10 121:8
limb 31:14	64:20 81:12,16	133:19,22 140:12	87:13,17 97:21	280:15 283:22
limit 76:5	89:15,19 255:13	142:4,20 143:14	112:8 142:1,3	284:2 292:9
limitation 96:17	294:12 329:15	144:4,17 145:11	158:7 163:22	lower 66:16 69:16
limitations 202:2	little 57:20 74:12,20	146:6 147:14	168:6 203:4 210:5	79:22 84:16,21
207:11 254:21	79:7 93:17 150:9	148:13,22 163:9	267:22 275:11	99:2,13 120:13
264:1 294:4	173:12 178:22	163:18 164:1	289:5 291:7,16	126:6 156:11
299:14 376:20	206:22 246:22	165:12 217:10	292:16 294:9	172:13 209:16,17
limited 27:8,16 29:3	255:22 257:2	218:17 255:3	296:3 297:8 312:5	253:12 283:22
33:4 35:4 36:17	271:18 277:6	264:1 272:10	315:2 316:18	375:14
87:8 171:13	282:6 283:14	281:8 290:21	326:4,14 348:2	low-dose 43:16
203:17 218:14	286:3 303:9	294:3,22 368:12	351:21	45:20 121:11,17
239:13 314:13	316:16 317:13	381:8	looks 14:19 66:3	121:19 122:8,13
318:18 330:2	331:17 337:11,19	look 15:9 20:6 82:3	69:10 71:17	122:21 123:1
379:4,8,10 389:16	343:13 353:21	82:3 98:2,15,17	101:15 131:4	256:1
limiting 67:11	358:17 367:17	100:19 116:8	155:6 271:2	low-risk 209:14
limits 318:22	370:1,3 371:9	132:9,11 135:13	376:10 394:1	210:19
line 90:12 201:8	373:16 374:19,20	139:10 141:13	Losartan 31:19	Ist 364:3
239:7 240:3 243:2	376:10 387:10	148:20 149:13,17	losing 14:18 234:4	Lucas 74:7,9 75:16
243:14,15,15	389:14	159:13 164:11,13	loss 48:18 59:18	88:4
248:5 338:21	live 392:6	171:18 172:1	lost 322:20	lunch 7:19 57:21
339:4	liver 113:11 215:20	175:19 176:1	lot 16:2,21 17:1	150:13 169:13
lines 372:7,7	258:19	179:1 181:13	23:6 38:21 40:4	211:4,10,11
links 395:3	living 191:20	202:21 215:5	66:20 70:5 77:18	219:16 246:22
lipase 113:1,21	197:14	246:3 252:14	90:17 135:16	324:16
114:6	loading 187:4	266:18 274:12	137:3,9 143:17,20	lupus 217:17 296:4
liquid 357:20	lobe 126:6	276:14 288:16	153:16 162:3	296:7
Lisa 2:11 6:12	locations 364:20	312:2,17 315:1	184:8 185:5	luxury 73:10
10:15 85:4,6 86:11	locked 249:8	317:9 325:18	195:20 230:20	<hr/> M <hr/>
90:19 137:6	lodging 223:9	326:11 329:7	249:5 277:8 281:8	
325:20 336:5	logic 203:7	331:10 333:8,11	321:13 322:1,2	
379:11 384:13	long 38:3 73:12	336:4 343:20	323:19,19 325:19	
Lisa's 326:21	140:13 144:22	345:1 362:9 364:4	326:11 331:11,14	
331:14	147:17 159:22	364:6 376:9 377:2	334:10 336:11	
list 63:17 149:2	161:1,3 165:15	394:9,10,12 395:4	341:12 344:13	
162:5 174:22	216:21 235:7	395:5	347:8 350:19	
230:15 283:21	273:12 282:8,10	looked 39:7 81:10	351:19 364:13	
327:12 348:10	293:1,11 322:17	95:10 130:1	365:8 368:6,15	
381:17	359:18	140:17 146:8	369:4 373:20	
listed 28:3 33:14	longer 105:20 141:5	152:3 176:8	374:17 376:21	
37:3 52:3 67:22	145:3 155:10	179:20 181:13	377:9,17 379:7,19	
110:10 128:1,2	206:22 272:15	193:8 214:20	381:14 389:6	
256:8 261:11	381:11 394:11	252:20 264:12	Lotensin 3:19 11:11	
				198:2 201:2

major 213:2	Mariann 74:9	maximum 91:8	medical 2:7,9,12,14	11:20,21 12:5
majority 45:14	market 31:21 32:20	106:21 107:8	2:16,19 3:13,17,21	16:13 17:21,22
108:6 171:9 180:2	34:20 35:9 41:4	MD 1:13,15,16,17	4:4,10,15,20 5:6	18:3,18,22 22:14
206:18 248:11	74:14 83:10	1:18,18,19,20,20	5:12,17 6:5,16	23:21 24:13 25:4
250:22 281:17	102:12 118:15	1:21 2:2,2,3,4,4,7	10:8 40:13 44:14	27:4 34:18 150:15
287:3 307:2 374:8	175:20 259:15	2:9,10,11,12,13,14	46:18 50:5,8 54:10	153:21 167:5,9
making 89:7 95:1	333:15 348:12,20	2:16,19 3:4,9,13	54:20 89:2 108:1	168:8,19 220:6
142:13 146:1	357:4 387:22	3:17,21 4:4,10,15	108:14 129:6	222:19 223:11
208:19 229:7	marketed 26:14	4:20 5:6,12,17 6:4	192:18 225:7	237:11 270:17
244:3,14 245:18	28:19 34:7 170:8	6:9,12,16,19	267:14 347:17	292:8 297:15,21
288:11 311:18	249:15 253:8	mean 22:2 69:22	361:16 371:12,15	298:2 308:19
319:11 333:5	269:4,7 348:8	73:3 83:14 89:15	383:21 392:11	311:13,16,18
344:15 346:1,3	378:9	92:20 97:3 146:7	medication 44:7	315:16 319:17,21
386:3 388:12	marketing 26:20	146:10 153:5	63:5 64:6 79:15	331:15 345:7
male 35:14 55:16	29:6 36:15 53:14	160:9 161:5 171:6	101:12 117:20	384:5 392:21
56:10 57:7 58:8	54:2 74:2,12 82:19	174:1 183:4	118:5 139:22	393:15 395:4,17
60:11 182:15	83:5,14,16 111:21	193:14,17 195:16	144:18 149:8	395:22
261:7	112:10 125:10,19	197:9 200:22	150:18 151:14	meetings 96:3 335:2
malformation 48:16	183:18 339:20	202:6 209:11	152:16 156:21	368:20 369:8
malfunction 83:17	marrow 46:6	228:4 229:4,21	184:16 185:5,13	371:20 384:6
malignant 105:1	Marsha 1:13,15 3:4	234:21 243:3	185:13 205:3	Melissa 1:19 8:16
174:7	6:19 7:6 9:8 37:15	253:13 265:8	210:10 238:6	member 1:16,16,17
manage 17:11	141:10 162:1	281:13 288:3	240:10 284:22	1:18,19,20,20,21
management 41:17	199:3 200:7	290:11 312:5	285:13 352:12	9:22 225:7
309:1	221:16 288:15	313:16 326:13	353:9 373:14	members 1:15 7:15
mandate 319:19,19	335:12	332:19 378:17	medications 31:7	12:19 14:20 23:9
mandated 11:4,9	Maryland 1:13	384:18 388:20	54:14 64:3 90:6	23:11,14 89:10
33:8 327:7 362:3,5	mask 172:12,12	meaning 81:20	113:16,17 122:16	162:3,3 205:10
384:17	massive 20:7 23:2	meaningful 356:14	126:13 142:16	224:6 234:7 247:5
mandates 165:7	Masucci 359:19	357:1	143:9,22 158:16	298:2 309:2,3
315:8	material 20:19	meaningless 156:8	162:12,21 163:2	311:14 322:9
mandatory 76:10	234:8 393:21	means 22:3 68:12	169:9 180:5 183:4	337:1 359:18
76:18 77:20 334:6	materials 144:20	69:16 85:13	210:5 261:3	393:7
343:7 366:9	372:22	156:13 199:8	262:22 284:8,8	membership 363:3
manner 274:1	maternal 2:8,11,15	338:20	296:20 324:21	363:12
290:14 340:17	2:19 3:13,17,21	meant 230:4 328:3	359:13 377:19	Memphis 8:18
manufacturer	4:5,10,16,21 5:13	391:14	medicine 3:4 6:20	meningomyelocele
374:6,9	6:13 10:17 26:5	measure 72:3	8:2 70:2 157:4	177:12
Manufacturers	40:14 55:8 125:22	measured 135:14	290:20 365:5	mental 112:22
389:20	169:21 370:16	measurements	medicines 179:9	113:19
manufacturer's	Mathis 2:11 6:12	153:5	meds 210:11	Mentari 2:12 6:4
388:1	10:15,15 86:13	measures 166:9	MedWatch 374:15	296:22 297:19
mapping 313:20	99:22 142:15	254:18	392:10	299:4 309:22
March 1:8 39:5	188:15 199:7	med 373:15 385:22	meet 29:16 318:1	310:8,12 314:22
40:7 300:4	316:3,11 336:9	386:2,7	334:22 372:11	317:14 318:16
margin 254:2,3	367:13 379:11	MedDRA 375:6,7	390:2	mention 95:22,22
MARIA 1:19	matter 327:20	375:17	meeting 1:5,10 7:18	119:17 181:7

259:6	mild 32:18 41:9 156:3 258:18	Missy 75:4 misunderstood 241:5	206:2,6,12 224:13 224:17 226:1,15 226:22 227:4	78:9 101:19 129:19 150:21 163:1 169:9,10
mentioned 67:22	mildly 118:20 120:6	mitochondrial 178:10 194:11,15	230:12,20,22 237:12,13 238:22	189:7 192:12 198:5 203:15
87:7 97:3 177:18	milk 259:8	mix 68:7	239:10 240:15,19	248:16 249:8
183:3 261:15	milligram 30:3,5 56:5,14 76:3 123:13,14 214:1	mixed 72:11	240:22 241:11,16	266:8,8 267:8
263:7 310:13	269:3,5 280:14,19 44:1,3,18 55:18	mode 13:19	242:1 246:13	319:17 330:22
314:19 325:9	56:8 57:10 58:11	moderate 31:1 156:3	248:13 259:4 265:7,8,10 275:12	357:3 367:9
346:11	58:20 99:12	moderately 118:20 120:6	277:7 373:9,10 385:13,15,21	moved 63:9 101:13 117:20 150:2,9 173:11 184:17
mercury 97:6	104:14 105:7,10	Modernization 369:3	monoclonal 391:19	185:2
message 25:15	105:11 106:1,3,5	modes 147:1	monotherapy 106:8	movements 123:3
92:14 116:19	106:10,12,19	modest 251:17	month 119:15 271:8 347:19 377:8	moving 52:22 87:12 87:19 88:1 109:12
139:3 245:8,9	107:6 109:16	modified 120:19 140:15	months 42:22 51:17 55:19 56:16 57:14	111:7 124:17 159:12 266:16
247:18	213:15,16,20	modulator 250:18	58:12,13,21 71:11	MPH 1:20 2:9 6:16
met 84:9 270:7,9	250:8,8,11,13	moiety 338:18,19 339:10	104:16,22 106:21	MTD 115:13
272:12 314:8	268:19,21	molecular 10:4	107:8 213:17,21	MUCAI 120:22
344:6 345:3,10	millimeters 97:6	moment 14:17 15:2 166:5 222:6	291:21 339:19 341:17 344:1,7,8 344:17 345:1,4,9	mucosal 121:1 multicenter 43:9 49:13 120:2
meta 39:7 317:1	million 41:21 375:4	262:12 366:17	345:18,19,20	multiorgan 51:13
metabolic 35:1	376:13	moments 14:4	346:1 347:21	multiple 31:7 32:4
metabolism 87:1	mind 199:6 210:18	money 142:10 146:20	361:11 363:21 371:19 380:18	35:20 54:14 127:3 131:11 143:9,22 180:4 182:16
187:4	290:19	monitor 65:11 181:10 200:3	386:16 391:8	183:3 196:9 261:2 262:21 263:10 306:20
metabolites 120:15	mindful 94:3	minority 207:7 230:11 238:18	month-old 32:3	murmur 31:2
metabolized 186:9	mine 362:1	239:2 241:2	morning 8:4,20 9:5	Murphy 2:13 3:9
metastases 113:12	minimization 373:11	minute 66:19 314:22 330:9	11:1 14:5 26:9,10 37:19 38:11 40:19	6:9 10:12,12 13:22 37:15 76:16 77:11
metastatic 105:18	minimum 273:6	monitored 174:9 178:14	81:22 129:5 211:21 212:3	77:14 79:6 80:8,11 89:14 92:11 93:8
108:20	291:20	monitoring 21:2	224:3 297:2 324:8 328:11	94:16 98:12 99:19
meta-analysis 20:9	minority 207:7	27:20 33:9 36:21	morphogenic 391:21	116:20 129:21
meter 104:15 105:7	230:11 238:18	62:7,10 63:9 64:12	mortality 41:13	131:22 133:1,4,13
105:10,12 106:1,3	239:2 241:2	64:22 101:14,20	mother 31:18 67:1	137:5 139:4 140:2
106:5,10,12,20	minute 66:19	114:12 117:21	motion 206:10,11	141:1,20 146:19
107:7 109:16	314:22 330:9	128:10 129:20	207:20 243:20	148:14 149:9,13
method 282:20	350:2	150:3 152:4 184:3	254:21	149:16 152:21
317:15	minutes 152:12,19	184:17 185:2	motions 189:5	157:8 158:2,19
methohexital	211:5 395:4	189:8 199:2	motivate 332:7	159:2,4 160:8
176:17 182:19	miscoded 54:4	200:11,20 202:17	move 17:15 26:3	
metoprolol 3:15	112:11,13	202:19 203:14		
28:14,18 72:18	miscoding 125:21	204:1 205:2,6,11		
mic 222:11	misleading 289:13			
Michael 1:18 8:7	misread 152:7			
Michigan 3:5 6:20	284:4			
9:9	missing 377:3,13			
microphones 13:13	391:2			
mid 29:19	misstated 141:16			
midst 23:2				
midyear 275:18				
mid-puberty 380:13				
migraine 307:6				
migraines 304:13				
325:13				

161:9 164:20	337:20	170:6 174:8 175:5	9:18 66:7 140:11	335:18 336:2
165:8 167:14	named 14:12 320:7	178:13 181:9	neonatology 8:10	337:4,6 343:6
190:9 196:12	name's 129:5 212:4	192:12,13,14	312:14	347:9,13 349:17
197:21 199:17,20	337:22 367:21	195:16 204:3	nephritis 127:17	349:18,18,19,19
200:16 201:21	naproxen 213:1,15	205:20 208:11,12	nephrologist 270:4	351:14 358:3,10
202:21 203:4	214:6 216:1 218:6	210:11 221:11	nervous 214:3	363:10 366:19,21
206:16 207:22	251:21 253:5	222:5 227:10,19	308:20	367:1 368:7,22
209:21 210:2	254:15 256:2	231:11 244:11,13	neurologic 187:6	369:14 370:21
221:15 226:11,21	268:8,9 274:13	246:2,14 247:19	neurological 57:4	383:13 384:12
229:11 231:6	275:6 295:16	248:3 257:21	187:20	387:9 390:5
232:14,20 233:4,9	narrative 375:11	258:7 266:2	neurologist 8:13	392:13,17 394:22
233:22 234:16	narratives 301:16	316:15 320:2,15	neurology 2:13 6:5	newborn 35:19
235:3,5,13,19	301:17	321:16 325:18	23:8,14 235:9	386:13
236:19 238:17	narrow 356:4 379:5	326:4 332:15	297:7 298:3,5	newer 312:9
240:12 242:15	narrowed 204:15	335:9 355:2	299:7 314:3	Newman 1:20 9:2,2
244:5 245:17	nasal 339:6	372:15 376:18	neuromuscular	68:17,18 71:2
247:4,13,17,21	nasopharyngitis	383:13 384:19	174:14	115:20,21 136:6,7
248:1 277:5	256:11	391:15 395:12	neuropathy 105:9	150:19 151:1,3
278:11,18 281:13	national 10:8 283:1	needed 39:12 62:5	106:9 109:22	152:14 155:18,21
285:1 289:4,7	natural 140:12	130:10 193:17	110:8 113:2	155:22 185:4
297:1,20 298:21	142:13 143:1	200:15 253:22	304:13	200:18,19 201:15
311:8 312:10	nature 90:8 140:3	267:17 338:18	neuropsych 386:19	201:18 204:11,12
315:14 316:9,12	191:22 192:13	372:5	neurosurgery 175:4	227:20,21 228:6
316:19 319:9	nausea 52:13	needless 364:16	neurovas 174:14	228:10,21 229:3,6
321:9 337:9	NCI 279:14	needs 80:1 152:16	neutral 197:3,19	235:13,17 236:8
346:11 394:8	nd 26:20 34:13	157:15 158:18	209:1	238:15,16 239:21
395:10,20	NDA 361:10	162:9 167:12	never 93:14 147:15	240:18 242:2
muscle 48:18	necessarily 96:9	207:9 231:9 238:9	188:17 189:2	287:22 288:1
muscular 174:15	230:16 258:7	282:9 324:2	203:6,8,11 224:14	309:20 310:4,9
181:1	377:15	372:16 381:7	232:20 236:5	Newman's 202:13
musculoskeletal	necessary 353:12	negate 229:13	332:11	289:9
214:11	355:13	negative 63:7 80:19	new 2:8,12,15,20	news 100:15,15
mutilate 300:22	necrotizing 77:16	81:20 195:19	3:14,18,22 4:5,11	nice 7:19 169:18
myocardial 41:14	178:11 194:2	197:3,19 328:14	4:16,21 5:13 6:13	312:21 370:6
216:21	196:4	346:10 384:17	10:16 14:21 18:17	NIH 164:5,6 330:22
myocarditis 60:4	need 12:10 17:14	negatively 78:21	27:11,14 40:15	nine 27:6 35:16
127:14	19:14 20:22 63:12	negotiated 83:1	63:15 79:3 82:8	45:8 57:18 106:6
myoglobin 174:20	64:12 68:15 84:4	95:4	92:7 96:4 100:2,2	246:14 247:10,11
177:19	85:21 92:19 96:14	negotiating 95:2	113:6 167:15	247:12 344:17
myopathy 178:12	97:13,17 115:15	negotiations 230:2	200:12 205:12	381:17 390:10
194:2	132:9 138:1	Nelson 352:5 365:7	215:1 229:22	nitrous 175:6
myositis 196:4	142:12 144:1,5	neonatal 60:4	255:5 263:21	non 14:22 44:21
	154:6 157:17,21	386:10	264:6 276:4 312:4	66:6 103:7 172:1
N	158:4 160:2,13,14	neonate 31:13	320:6 321:17	211:1 212:21
name 8:7,11 74:9	160:19 161:2,16	neonates 66:21	322:8 323:20	214:17 266:21
221:11 223:22	162:4 165:15	172:3	324:3,22 325:5	272:21 296:8
267:12 315:18	167:1 169:8,10	neonatologist 9:14	327:11 332:3	non-approval

185:20	274:1	November 41:6	observational 219:8	2:19 3:7,10,14,18
non-aspirin 258:13	normally 22:7	297:5 384:5	269:13 272:8	3:22 4:5,11,16,21
non-cardiac 46:2	164:6	NPO 57:16	observations 285:4	5:13 6:9,13,17 7:9
non-comparative	North 1:12 8:21	NSAID 215:11	observe 76:2	10:13,13,16 17:8
104:12	271:7	218:9 268:9 273:3	observed 65:8	17:17 18:11,19
non-effective	notable 54:10	293:15,16	107:21 213:5	19:16 40:14 62:14
115:18	notably 177:7	NSAIDs 216:4,7,22	217:10 218:13	62:17 114:18,20
non-efficacy 96:13	254:16 268:22	217:4,5 218:16	256:3,14 303:5	128:15,17 259:11
non-epilepsy	notch 159:7	271:11,12 273:10	obtain 86:16 138:1	288:18 343:5
304:17	note 7:15 12:13,20	274:15,17,21	267:21 271:14	363:15 365:7,20
non-fatal 45:4 50:1	36:9 45:9 46:13	284:3 292:14	obtained 303:7	367:15 368:1
54:8 55:5,13 56:9	52:4 55:1 61:4	295:15	obtaining 73:9	370:8,21,22
57:6 59:6 108:10	100:3 109:8	number 14:14	87:17	371:10,16,17
109:12 110:3	112:12 114:6	19:19 20:4 21:3,18	obviously 229:19	Officer 2:7,9,12,14
112:17 126:2,4	124:3,5,6 127:12	21:19 27:8 37:17	230:9 254:1 312:4	2:16,19 3:13,17,21
180:12 262:13	132:8 174:10	39:2 44:21 46:14	318:6 342:11	4:5,10,16,21 5:6
302:7	177:17 181:6	50:20 51:4,12,14	OC 2:14 3:7,10	5:13 6:5,16 40:13
non-federal 103:14	211:19 221:9	76:2 88:10,15,20	occasionally 259:1	129:6
103:16	241:19 253:6	94:21 131:8	occasions 345:5	officers 371:12,15
non-inferiority	268:2 271:20	135:22 136:4	occlusion 32:18	offices 114:16
253:4 254:16	290:1 294:17	152:22 163:21	occur 21:7 65:10	office-based 42:14
non-intubated	303:20 305:12	167:21 179:17	178:1,2 180:4	119:19
173:3,20 183:12	306:17 365:12	232:5 250:2	224:20 291:6	off-label 214:21
186:16 187:11,18	noted 12:12 86:21	267:15 270:11	298:20 335:20	215:2 252:3
189:14 190:8	127:5 129:22	278:2,3 283:10,21	355:15 366:2	263:18 266:12
191:9 198:2	172:15,17 174:17	284:1,6 288:18	occurred 31:11 41:4	286:18 333:19
non-profit 271:6	174:21 175:16	291:4 293:20	45:8,9 54:5 93:14	341:1,6,20 356:1
non-randomized	177:2 255:22	318:19 326:6	102:13 108:7	oftentimes 346:12
104:12 272:21	256:15 272:15	355:16 356:16	113:10,19 118:15	oh 10:21 63:14
non-selective 216:7	323:21 356:9	357:5 363:9 379:8	180:8 210:14	69:10 233:19
217:3	361:7	numbers 217:19	260:16 262:8	245:20 333:18
non-serious 270:11	notes 52:16 110:21	266:17 303:19	364:5	335:15 378:15
non-steroidal	notice 22:13 260:22	330:9 335:21	occurrences 288:18	388:16
212:11 215:7	327:4 347:10	352:20 364:19	288:20	okay 7:21 10:21
249:16 257:16	noticed 133:16	379:10 385:3	occurring 208:6	73:20 78:19 80:18
258:14 284:11	Noterman 2:3 10:2	numerators 378:7	318:5,8 325:6	82:21 93:7 94:22
286:8	10:2 12:17 73:21	numerical 121:16	383:16	99:19,21 101:11
non-steroidals	73:22 75:12,21	numerous 62:13	occurs 64:2 263:19	101:18,21 102:2,5
216:13 250:19	145:9,10 185:15	259:11	291:11 361:13	118:1,8 129:12
256:5 257:8	185:16 187:8,9	Nutrition 8:3	October 103:18	131:1,22 133:3
non-teratogenic	198:18,19 203:12	—————	363:8 365:13	140:11 149:4,5,15
386:10	203:13 209:11	O	odds 307:7,13,20,22	149:22 152:17
non-U.S 53:9	246:15,17 266:10	obesity 217:21	308:2,4,10 309:21	157:8 158:9
non-voting 8:13	266:11 267:2	304:14	310:10,20 314:18	160:17 169:8
9:22 12:22 13:3	278:10,11 286:13	objective 107:17	317:15	171:18 175:19
normal 80:17	286:14 287:19	269:18	offer 278:21	189:4 193:10
121:12 207:2	Novartis 34:8	observation 66:2	office 2:8,9,12,13,15	197:21 200:1,18

205:18 206:13,16 207:3 208:2 209:20 211:3,9,14 221:8,10 222:5,12 225:3,16 227:13 229:6 232:3 233:3 233:8,14 234:4 235:19 237:20 240:13 241:4 247:4,13 248:16 248:21 265:5 266:5 267:5 287:18 289:7 296:18 297:20 299:1 317:14 319:7,16 325:1 334:17 367:11 382:18 388:16 old 35:14 55:16 104:22 105:17 106:17 120:5,13 123:11 136:10 144:19 182:15 313:3 329:2 345:17 358:9 377:15 older 29:2 34:11 251:22 268:16 312:2,20 313:1,9 314:7 376:5 394:15 olds 172:16 omit 79:21 once 7:5 84:9 116:6 161:15 221:5 251:18 264:16 335:21 339:17 354:9 oncologic 104:2 oncology 8:19 114:19 279:18 280:2 385:6,10 OND/ODEII/Divi... 2:17 OND/ONDEII/Di... 5:7 ones 131:12,13,14	131:15 208:15 252:18 312:4 371:13 372:6 376:2,6 384:7 385:14 389:10 one's 146:12 309:18 309:20,21 310:4 one-liner 346:19 one-year 30:17 31:11 33:6 61:18 102:7 114:10 127:19 178:3,3,17 260:12 261:13 264:8 369:7 ongoing 272:5 273:21 277:8 296:3 onset 255:11 264:4 381:21 on-label 341:1 356:1 open 5:10 13:11 58:9 62:22 97:17 104:11 115:4 197:12 213:19 221:7,21 222:17 223:1 233:17 268:22 276:21 298:12 opened 279:14 371:8 opening 320:3 open-label 29:11 49:13 255:18 268:12 operated 391:11 operational 165:5 opinion 92:6 191:21 207:8 209:10 226:18 246:1,3 248:2 opinions 234:9 opportunities 164:16 opportunity 39:14 299:5 367:4 opposed 28:9 33:19	37:9 76:11 101:16 118:1 150:5 184:22 185:3 189:8 191:7 205:15,18 231:21 238:21 241:21 296:18 opposite 83:7 option 277:19 341:16 options 149:20 oral 49:3,6,8 58:22 59:20 223:2 282:16 357:17 order 119:3 173:16 293:8 300:15 organ 263:10 organization 2:3 13:4 146:18 271:3 219:15 origin 41:10 Original 41:4 102:12 118:14 originally 26:19 29:5 34:12 170:10 172:2 216:4 249:17 orphan 389:14 orthopedics 288:21 orthopedists 286:19 OSE 18:4 130:5 309:8 371:10 osteoarthritis 291:17 osteochondropathy 266:21 ought 82:2,10 148:19 outcome 36:8 44:5,7 97:20 303:17 outcomes 141:13 292:5 383:17 393:3 outline 168:12 170:7 outlined 149:4	175:7 276:7 290:4 outpatient 41:21 119:2 170:18 250:21 outside 100:8 140:10 289:21 outweigh 188:19 ovale 32:2 ovarian 32:16 overall 76:13 122:2 130:2 144:8 214:4 214:13 215:21 218:4,6,11 251:5 302:8 305:3 307:2 307:9 308:10 362:14 overdose 300:19,20 300:22 overdoses 32:7 oversight 343:5 overview 3:8 5:5 6:8 13:21 212:1 262:5 297:8 321:8 327:6 336:10,18 368:17 owed 393:19 oxaliplatin 4:8 102:3,9,10,17 103:3,4,17 104:5 105:6,13,22 106:2 106:5,8,19 107:6 107:12 108:1,8,21 109:16 110:5,22 113:13 114:1,4,9 114:12 115:9 116:12 oxaliplatin's 103:13 oxcarbazepine 6:3 299:3 302:13 oxygenization 175:7 o'clock 219:22	P PAC 6:3 299:2 384:6,20 386:4 package 22:1 383:7 385:22 393:22 packet 18:14	page 3:2 4:2 5:2 6:2 80:15 84:18 98:15 131:3 133:1 134:14 189:17 190:9 196:14,15 196:18 203:5 288:17 289:1,4 315:19 316:6 319:4,6 364:17 392:5,5 pages 372:20 392:16 393:9 paid 288:3,7 pain 32:14 48:17 123:1 214:10 250:1 256:10 262:18 304:12 palpitations 262:14 PALS 180:21 pancreatitis 114:7 126:8,19 127:18 pancytopenia 263:12 panel 269:12,15,18 273:20 276:3,8 279:5,16 288:2 289:12 panels 291:9 panel's 270:7 panic 304:9 paper 24:19 324:12 paragraphs 116:1 parallel 43:10 120:3 259:21 301:9 paralytic 196:7 parameters 107:14 Parkway 1:12 parse 166:16 part 11:18 15:8 23:18 65:3 86:7 105:8 147:3 153:8 158:5 164:17 182:21 225:14 259:7,12 262:10 263:7 277:11 291:13 320:19 321:1 331:17
--	--	---	--	---	---

357:7 376:4	45:5,7,10,12,19	124:8,21 125:11	4:10,16,21 5:13	183:19 189:2
partial 107:18,21	46:7 48:7,9,11,15	143:8 170:19,21	6:7,9,11,13,17 7:6	190:16 195:13
116:15,17 357:6	49:22 50:4,7,9,13	171:21 172:2,10	8:3,12,19,22 9:1	204:17 208:14,18
participant 12:9	51:4,14,16 52:10	172:18 173:4,20	9:12 10:4,7,10,13	215:19 216:14
participants 2:5	52:11 54:12,16,19	174:3,13,17 175:3	10:17 11:7,14	235:9 249:18,19
12:1,10 13:7	56:17 57:14 58:14	175:22 180:4,11	12:14 13:3 15:13	250:5 251:11
participate 23:10	58:21 76:2 87:9	180:13 181:10	17:6,7,9 18:7	252:15 255:8
168:1 271:21	99:10 108:5	182:9 183:12,19	24:21 26:6,18,21	260:10 261:21
309:4	109:19,20,22	186:16,20,22	27:12,16 29:1,3,7	263:21 264:7
participated 104:16	110:11,15,16,17	187:11,14 189:14	29:12 30:12,13	266:13 267:12
120:7	111:3 112:21	189:21 190:4,8,16	32:21 33:3 34:9,13	269:11,19 270:1,2
participating 12:14	113:1,10,19	210:19 212:8	36:16,17 40:14	270:3 271:1,7,10
12:16,18,21 13:2	114:13 121:22	215:14 224:6	41:5,7 42:3,7,12	271:20 274:19
272:2,4	122:10,11,14,15	250:3,10,12	42:18,19,21 43:2,5	283:8,18 286:19
participation	122:18,22 123:2,3	251:11 255:10	48:20 49:2,5,8,11	287:2,7 288:2
108:13 235:16	123:4,22 156:14	257:13,15 258:20	52:15,15,21 53:4	289:12 295:8
particular 64:21	175:3,9 180:9,16	259:1,17 261:21	53:11,13,15 54:1,5	298:6 300:10
65:22 75:8 100:14	180:17 187:19	262:9,22 263:6	59:9 60:7 61:8	305:19,21 306:3,6
101:5 135:18	188:3 191:8,11,15	264:4 269:22	62:4 64:19 65:4	307:1,12 309:2
142:21 143:14,15	191:17,19 195:1	275:12 278:14	66:5,10 72:17,22	311:15 316:7
164:7 175:3	209:7 214:16	282:3,10 283:6,9	74:15 75:1 82:13	317:6,12 321:7
187:13 205:8	218:16 254:19	291:5,21 295:10	84:18 86:5,16,18	323:3 325:4
206:10 210:9,10	306:19 383:22	299:15 300:11	87:1 96:5,8 97:11	327:17 328:8
216:20 237:8	385:22	302:17,18,19,21	98:22 102:13,16	329:21 331:2,5,8
257:11 263:2	patients 29:2,13	303:3,3 305:7,9,11	103:19,22 104:6,7	331:12 334:1,2,6
281:5 286:11	30:13 34:10 41:13	305:13 306:3,3,4	104:15,22 105:17	334:14 335:16,17
295:1 315:4 322:9	42:13,19,21 43:3,5	306:21 338:19	106:16 107:4,10	335:18 336:7,14
339:9	43:15,16,17,21,22	342:14 352:21	107:14,20 108:5	336:18 337:1,5,9
particularly 61:13	45:4 46:21 47:9,20	353:8 355:11,16	108:21 110:20,20	338:19 339:19,21
80:20 92:18 97:14	48:3 49:5,8,22	355:18 356:17	111:3,6,11,18,20	340:2 342:3,13,16
164:1 167:22	50:2,15 51:1,7,18	357:5 373:13	111:22 112:9,12	342:22 343:8
172:16 174:13	52:7,17 53:4,15	379:19,22 380:4	112:17 118:16,18	344:16 345:13
178:15 252:3	65:14,16 68:7	387:8 390:21	119:7,12,18,21	346:8,13,17,21
255:3 256:20	75:17,19 86:19	patient's 31:18	120:5,8,13 122:7	347:3 348:5,11,19
273:16 274:22	87:1,10 88:11 94:6	113:7 145:13	122:19 123:6,10	348:22 349:11,14
321:16 394:22	97:14,15 98:5,8	171:4 262:21	123:12,18,20,22	349:16 350:4,7,13
partnering 271:3	101:4 102:20	Patient-Family 1:17	124:2,4,5,8,10,11	350:15 351:9,10
partway 176:18	104:15,22 105:2,5	pattern 303:12	124:13,15,20	352:18,21 353:5,9
passage 336:20	105:12,17 106:16	307:11	125:6,9,11,18	353:21 354:13
passed 64:19 323:4	107:4,14,18 108:9	patterns 103:13	127:9,22 130:1	355:10,15,18
337:18 369:14	108:11 109:14	pause 222:6 283:12	131:13,18 132:2,3	356:16 357:5,8,12
passive 141:20	110:12 111:11,22	payment 223:8	132:5,8,20 133:19	358:12,14,19,20
281:14 376:22	112:14 113:22	PDA 31:15	134:1 135:10,22	359:1,1,11,15,21
patent 32:2 338:8	116:14,18,21	pectoris 28:21	140:21 141:14	360:5,12,16 362:3
340:1 344:18,22	117:10 120:5,8,10	pediatric 1:3 2:2,7	142:11 169:20	362:9,15,20
patient 31:17 35:22	120:13,17 121:21	2:10,11,14,15,19	170:11,19 171:12	363:15 364:18,21
36:6 44:21,22 45:3	122:5 123:10	3:10,13,17,21 4:5	173:1,10 178:20	365:8,20 366:1,15

367:15 368:1,17 368:19 369:13,16 370:1,11,12,13,16 371:16,16 376:6,8 376:15 382:19 384:21,22 386:22 387:1,6,17,21 388:2,8 389:13,18 390:6,21 392:8 394:5	people 7:17 15:14 17:19 18:4,7 28:2 33:13 37:3 39:3 63:15,18 69:19 77:21 78:10 83:5 83:15 84:4 90:5 91:8 92:3 144:16 163:1,21 166:10 168:22 169:11 198:11 202:12 227:15 230:9,11 239:4,9 241:2,13 243:9 246:10 248:2 293:14 312:15,16 315:11 321:10,17 329:5 329:11 333:17 346:16 350:3 359:13 363:15 364:20 370:18 371:22 374:17 377:2,8,19 388:16 393:19 394:9 395:1,15	261:22 266:19,20 266:22 278:14 281:2 282:11 283:10 286:17 287:10 288:20 293:8 303:4 307:3 307:4,5,14,20 374:11 376:14 percentage 140:7 173:10 353:14 perfect 378:5,7 perfectly 67:3 perform 68:11 performed 252:18 300:6 301:13 309:7 313:6	personally 142:14 319:14 personnel 174:9 perspective 6:7 17:7 19:10 142:8 168:5 173:12 195:13 250:15 321:7 pertinent 351:12 perusing 39:14 Peter 179:19 Pfizer 5:16,18 267:10,13 270:20 272:3 275:2,20 278:3,19,21 285:22 286:2 288:4,7 289:20 290:12 291:14 294:2	pharmacy-dispen... 32:8 phase 14:6,21 41:14 43:13,14 65:14 87:6,18,19,22 104:8,9,20 105:15 106:14 107:2 108:10 109:2,14 110:4,7,8 133:17 135:2 140:10 141:3,3,5 148:12 149:7 152:4 159:10 166:19 213:19 284:16,21 285:3,11,14,20 315:19,20 379:16 379:18,20 phasing 321:10 PhD 1:16,18 2:6 3:6 phenobarb 312:12 phenobarbital 312:3,15 Philadelphia 8:5 phobia 304:9 phones 13:18 phrase 185:18 phrased 277:21 physician 16:14,15 42:14 92:17 119:19 188:21 254:20 358:10 physicians 288:19 374:20 physician's 121:2 pick 13:14 325:2 380:1,7,9 picture 23:18 134:19 pictures 335:14 376:19 380:12 piece 365:9 pilot 262:9 pink 177:2 376:4 Pittsburgh 312:15 pivotal 268:6 280:17 379:20 PK 29:14 43:2
pediatrician 9:3 16:13 193:15 258:3 270:2 367:22	312:15,16 315:11 321:10,17 329:5 329:11 333:17 346:16 350:3 359:13 363:15 364:20 370:18 371:22 374:17 377:2,8,19 388:16 393:19 394:9 395:1,15	period 30:18 31:12 35:5 42:2,6,10 49:15,16,18 53:3 53:12 103:6,21,22 111:10,19 119:6 119:15 124:20 125:8 174:13 178:4,18 179:18 196:7 203:11 251:7,17 252:8,11 260:8 261:14 275:7 303:10 381:2 393:17	pharmaceutical 8:15 34:8 338:15 Pharmaceuticals 11:5,10 118:14 315:7 323:2 336:20 337:17 338:2 349:5,9 366:5	pharmacodynamic... 381:4 pharmacokinetic 107:9,13 120:1 254:5
pediatrics 9:10 13:5 23:7,17 24:20 38:8 40:2 42:11 65:8 67:18 81:3 84:16 119:16 176:10 181:14 189:3 259:20 296:1 297:14 317:11 320:12 322:13 323:22 333:6 358:16 379:9	363:12	178:4,18 179:18 196:7 203:11 251:7,17 252:8,11 260:8 261:14 275:7 303:10 381:2 393:17	pharmacodynamics 85:19 96:17 124:9 pharmacologist 9:14,21	pharmacokinetics 85:19 96:17 124:9 pharmacologist 9:14,21
pediatric-controll... 317:1	Periodic 259:4	130:6	pharmacologists 371:12	physicians 288:19 374:20
pediatric-friendly 358:5	periods 119:11	174:10	pharmacology 38:4	physician's 121:2
pediatric-specific 61:5,12	121:10,13 124:22	308:19	62:17 100:4	pick 13:14 325:2
peer 81:11	125:13 134:16,16	permission 333:14	114:21 128:18	380:1,7,9
peer-reviewed 81:16 329:14	134:18,21 135:9	Perry 1:12	132:19 347:18	picture 23:18
Pena 2:6 3:6 7:8 9:11,11 10:22 40:12 63:11 205:19,21 206:5 211:18 232:6 242:11,18 246:12 247:11	139:18 152:2,5	persisted 57:4	361:16 382:4	134:19
pending 264:11	156:6,12,12,13,18	persistent 383:19	pharmacovigilance 219:10 257:1	pictures 335:14
penetration 74:3	171:10,13 173:16	386:12	269:9 270:12,22	376:19 380:12
Pennsylvania 8:6	173:17 176:3	person 18:2 116:8	pharmacovigilance 276:1	piece 365:9
	178:21 251:9,12	289:14		pilot 262:9
	251:16 252:4,12	personal 374:19		pink 177:2 376:4
	258:20,21 260:1			Pittsburgh 312:15
				pivotal 268:6
				280:17 379:20
				PK 29:14 43:2

48:21 49:1 52:19	354:13	237:21 241:12	352:18,22 353:17	53:3,12 61:19
71:6,12,15,19,22	planned 15:1	266:7 270:12	353:21 357:8	102:8 103:5,22
73:5,10,11 79:21	308:22 354:12	272:2 274:5	359:21 360:13	111:10,19 114:11
80:7 82:3 85:11,11	planning 213:6	275:17 277:4	362:15 379:6	118:10 119:5,10
87:10,20 88:14	plans 169:14 249:12	285:14 295:13	382:21	119:15 124:20
89:5 98:14,17,17	291:4 297:8 334:1	296:15 325:11	populations 27:21	125:8 127:20
98:19 101:9 111:3	351:19 362:10,20	329:20 344:11	33:10 36:22 49:2	178:4,18 251:10
120:12 124:11	363:7 365:14	355:21 370:7	62:8 87:9 114:13	252:11 260:13
129:15 138:9	plant 167:17	385:2 387:18	128:1,11 133:19	261:14 264:8
254:6 379:14	plaque 234:11,18	392:7 395:17	184:5 188:3 254:7	postexperience
PKs 85:12	234:21 235:15,20	pointed 142:22	332:6 358:15	131:16
place 71:5 81:6 87:5	236:3	328:18 337:10	portion 213:13	posting 329:1 348:9
210:14 383:5	plate 324:5	363:4	221:8 255:18	365:1,2
placebo 29:20 30:4	platelet 258:22	pointing 85:7	319:17 357:12	postmarket 129:22
30:6 43:16 44:12	plausibility 382:2	points 69:4,16	pose 63:16 198:16	370:22 374:2
45:1,13 46:22	plausible 156:19	120:21 133:10	posed 205:2	postmarketing 53:1
47:11,14,17 48:12	play 395:13	143:9 295:14	posing 298:13	55:13 56:9 57:6
52:20 121:12	please 46:13 55:1	387:14	position 201:15	58:3 59:6,7 61:20
134:18,20 135:9	151:2 231:15	poison 301:2	111:8 114:8	
135:13 136:13	234:10 235:14	police 83:15	124:18 127:2,10	
139:18 151:4,7	266:11 278:8	polyneuropathy	positive 101:15	127:21 134:6
152:2 156:1,7,17	320:1 337:14	196:5	346:9 360:14	141:7,18 214:20
156:18 157:5	pleased 40:20 102:6	polyposis 250:4	positives 301:4	214:22 219:3,5
166:7,19 255:17	118:9	279:9	possibilities 246:8	256:19 259:12
300:14 302:18	pleasure 169:6	polyps 250:3	possibility 166:15	264:16 265:19
303:16 305:13	plenty 294:11	pool 138:11	354:6	277:1,12 281:6
306:1 308:8 313:2	pleural 112:21	poor 58:10,22	possible 36:13 62:4	284:19 285:4,22
318:21	113:9 127:15	pop 29:14 85:10,12	101:3 149:20	286:4,7 296:14
placebos 166:11	plus 107:18	popular 350:18	152:8 187:12	299:12,15 315:10
placebo-controlled	PMDs 389:8	population 32:21	193:3 300:15	316:4,7 354:19
29:10 43:9 135:17	PMCs 265:6	34:9 36:16 42:3,7	postmortem 194:10	
137:1 155:11	pneumonia 46:3	48:21 62:5 66:5,11	postoperative 26:17	
157:13,19 160:20	48:6 51:22 126:6	86:6 87:20 88:18	postponed 169:10	
166:21 299:10	126:18 127:16	88:19 89:5 108:17	posttraumatic	304:8
300:5 301:10	pneumonitis 263:12	108:19,22 111:3	post-op 174:12	
302:16 306:7	point 16:3,9 24:12	117:11 119:7,12	potassium 35:15	
312:17	39:22 69:20 70:12	124:10 131:14	60:18	
placebo-treated	102:5 116:22	134:1 135:11	potencies 171:6	
303:1,22 306:5,11	130:18 141:3	136:21 137:4	potential 12:3	
306:15 307:17	144:3 152:10,13	141:15 143:15	149:17 174:22	
310:19	154:21 155:10	189:2 214:16	188:2 213:3	
placed 162:9 387:1	156:15 161:10	218:16 266:13	217:13 218:17	
plan 62:10 264:13	163:5 176:8,19	274:19 286:22	292:21 297:9	
264:17 265:2,18	185:17 191:4	327:17 346:13,17	299:8	
276:22 277:3	195:5 198:4 200:6	346:21 347:3	potentially 89:7	
285:17 296:13	202:20 204:2,2,9	348:12,19 349:11	30:17 40:21 42:1,6	
311:14 330:22	221:4 231:11,17	349:14 351:9,10	145:12 248:3	

Potter's 31:16 powered 360:18 380:9	103:20 prefer 186:11 201:22	presentation 19:19 22:1,6 24:15 27:13 27:15 46:16 52:6 preferable 168:10 168:11 187:19 191:6	prevent 208:4 348:15 prevents 348:14 previous 6:3 13:9 204:7 285:12 299:2 300:7 previously 23:5 113:22 162:15 pre-market 371:14 389:8 primarily 170:13 171:8 186:15 213:9 214:9 217:6 250:21 primary 29:16 44:4 44:13 102:21 120:16 121:6 224:7 275:7 303:17 Princeton 10:3 print 131:14 prior 31:11 41:7 57:16 87:5,19 102:16 118:18 122:12 260:19 273:21 324:19 342:19 362:11,12 priority 162:4 343:18,19 345:18 363:2 priors 137:17 private 164:10 privilege 320:21 pro 149:18 proactive 320:17 probable 332:13,15 332:16 390:4 probably 24:1 65:7 85:1,19 86:6 114:3 131:4 156:8 194:2 201:12 249:12 352:5 376:8 393:18	291:22 295:16 357:15,21 problem 77:13 247:22 293:14 312:20 375:13 377:14 problems 90:21 207:3 296:9 327:14 procedure 192:20 procedures 391:22 proceed 233:18 248:17 296:12 proceeded 95:11 process 15:3 16:6 16:10 80:17 86:3 86:19 91:1 158:18 159:17 160:9 164:21 186:1 210:4 222:15 225:10,14 244:1 245:13 247:2 277:9,11 315:4,9 330:14 332:9 342:15 343:2 344:12 347:4 360:20 366:22 368:18 370:4 371:8,18 382:12 393:12 processes 87:16 294:12 produce 140:6 229:22 product 13:10 16:7 16:18,21 17:1 18:17,21 20:3 21:2 23:5 37:16 38:7 83:10 84:4 141:14 142:21 143:12,15 144:5 153:13 171:12 188:22 189:3 199:22 207:11 225:11,18 248:4,9 286:6,11 297:10 315:5 316:10,13 331:4
---	-----------------------------------	---	---	---

332:14 335:21	338:11,13 349:7	prove 161:16	261:18 355:5	344:10 362:7
338:21,22 339:4	349:12 366:9,10	provide 15:16 16:4	published 88:22	364:6 377:12
342:13 343:11	programs 276:14	20:19 22:2 41:19	194:4	quandary 147:15
346:16,20 348:11	279:2,3 327:2	55:12 81:18 82:4	pull 316:5	quarter 91:10
349:13 350:11,16	366:12	96:7 99:16 103:1	pulmonary 31:15	querying 271:1,9
353:13 355:19	progress 276:13	104:18 117:3	36:1,7 50:21 54:21	question 4:7,12,18
357:3 359:3	308:18 365:4	118:22 208:15	57:9 180:9 181:21	5:3,19 62:2,9,19
362:20 387:3	progression 106:22	237:17 278:4	182:3,5 262:15	63:17 67:19 72:19
products 2:13,17	108:18 109:3,5,10	281:19 300:5	386:12	78:5,10 79:16
5:8 6:5 12:7 16:16	113:16	343:4 354:17	pumps 388:20	91:21 95:19
16:19 21:4,14 22:8	progressive 263:9	362:7,13,19 367:2	purpose 212:13	101:11 115:1,7
24:14 25:1 37:18	progressively 81:6	393:20	220:2 348:17	128:20 129:13
37:21 38:10,14,17	81:17	provided 20:11	purposes 90:2 348:7	130:3,9,13 131:21
38:20 39:6 62:16	prohibition 333:4	176:13 235:10	purview 242:22	132:16 133:16
82:2 85:9 103:11	project 17:11	263:4 283:19	333:20	134:22 135:8
114:20 117:12	projected 103:3	297:7,12 298:1	push 99:14 117:6	140:19 144:8,21
128:17 135:20	projecting 334:16	provides 348:15	put 16:10 18:9,12	149:3 150:1 157:9
153:2,3 212:6	prolonged 179:8	367:3	18:20 19:6 24:19	158:5 162:20
223:5 224:2	383:19	providing 14:7	39:6 83:20 85:10	178:9 184:10
257:17 258:14	prompted 126:16	97:10 101:1	93:11 95:8 131:7	191:1 192:12,15
299:7 330:3,6	259:14	133:10 234:8	136:5 139:8 149:1	194:19,21 197:22
333:12,22 334:14	pronged 356:19	269:21	155:15 159:3,7	198:16 199:18,21
335:6,19 340:19	pronounce 179:10	proving 161:17	162:4 163:14	200:2,7,10,17
356:22 363:6	propanolol 61:7,13	provision 338:7	173:11 203:7	202:11 205:1,9
368:5 384:6,18	65:6 68:1,21 70:10	provisions 366:20	219:19 233:1	225:18 226:13
385:6,10,11,12,19	92:15	366:21	234:7 239:18	227:1,11,11,14,20
386:17 388:6	prophylaxis 55:19	pruritis 127:15	241:18 248:5	228:5,15,22
391:17	propofal 177:22	psychiatric 304:4,6	250:14 269:1	229:12,15 231:5
professionals	proportion 120:17	305:1,6,8,14	273:2,3 278:6	231:13 236:12
208:11 225:5	266:12	Psychiatry 298:8	283:13,15 324:4	241:6,7,10,12,15
308:14 373:13	propose 226:5	Psychopharmacol...	341:7,13,14	242:6,8,9,21
374:14	proposed 132:21	308:21	375:19 381:1	247:20 276:18,21
profile 30:12 108:21	184:2 272:17	public 5:10 13:11	putting 82:10 84:10	277:20 278:6
187:17 190:2	pros 149:9	80:21 89:4,9 100:8	170:3	280:6 281:2
210:6 218:7,13,21	prospective 219:8	169:3 220:1,3	puzzled 136:8 185:4	284:16 285:7,8
240:3 270:14	269:13 272:8	221:5,7,21 222:15	pyl 182:12	288:1 289:9 291:3
286:12 291:11	274:11	222:17 223:1	pyloric 182:12	292:20 296:11
profit 333:4,6,14	prospectively 273:5	233:17 297:17,22	pyrexia 47:22	298:13 314:17
388:11,13	prostate 355:16,18	311:10 315:21	pyrimidine 250:17	315:3 316:15
profit-making	prosthetic 390:18	319:14 328:16	P-R-O-C-E-E-D-I...	questions 4:7,12,18
390:5	protected 345:4	340:6,9 341:10,12	7:1	5:3,15,19 15:19
profoundly 196:6	protection 344:18	347:14,15 348:1	p.m 13:12 220:7	62:19,22 63:2,13
program 38:1 88:6	protective 320:17	367:5 373:13	221:2 395:22	79:8,11 115:1
147:4 269:12,14	proteins 391:20	publication 81:10	<hr/>	128:20 154:17
270:19 275:22	protocol 263:8	89:7	Q	184:10 192:5
276:9,10 278:17	274:2,6 275:13,17	publicity 377:10	<hr/>	213:7 219:19
322:18 333:15	protocols 280:10	publicly 100:6	quality 335:17	225:17 246:21

264:22 266:6,7 267:3,16 276:18 298:12 309:12 311:6,21 316:17 337:14,15,15 352:16 367:8,11 372:13 376:21 395:6,8 quick 73:3 quickly 37:18 268:3 269:4 322:8 324:7 326:20 373:18 quite 7:17 88:7 159:21 167:14,19 170:4 182:1 235:1 264:20 265:9 286:6 292:7 311:13 324:4 387:11	Rappley 1:13,15 3:4 6:19 7:4,7 9:8,8 10:18 28:5,8,11 33:16,19,21 37:6,9 37:11 62:21 66:17 67:6 68:17 71:1 72:1 73:1,17,20 74:5 75:11,22 76:6 77:6 78:4,14,17,19 79:9 80:5,10 88:2 89:20 91:20 93:4,6 95:16 98:9 100:11 101:6,18 115:3,19 117:18 118:1 128:22 129:12 131:1 133:9 134:12,22 136:6 138:16 139:21 141:17 142:7 145:9 146:3 148:10 149:5,11 149:15,22 150:5 150:17 152:9 154:18 155:21 157:22 158:11,22 159:3,6 160:1 162:8 164:15 165:6,21 167:3 169:7 184:12 185:15 186:3 187:8 188:5,8,11 188:14 189:4,10 189:17 190:21 192:4 194:18,22 195:9 196:2 198:18 199:1,4,16 199:19 200:9,18 201:14,19 202:15 203:2,12,21 204:10,22 205:15 205:17 206:1,7 207:18 208:2 209:8,20 210:1,3 211:3,19 219:13 221:3,19 222:5,10 222:13 225:1,16 226:19 227:13	228:3,9,13,22 229:5 230:7 231:12,21 232:1,3 232:8 233:16 236:8 237:20 239:18 240:5,14 241:4,18 242:5,13 242:19 243:19 245:11 246:9 247:14,19,22 248:14 265:1,13 265:17 266:1,5 267:3,5,8 276:20 278:9 279:22 281:12,21 283:7 284:4,13,15 285:9 285:11 286:13,20 287:8,14,18,22 289:1,8 290:16 292:18 295:5 296:11 298:18 299:1 309:11 311:5,20 312:18 313:12 314:16 315:2 316:14 317:21 319:3,7,16 323:20 393:14 395:14 rare 174:11 175:16 187:13 386:11 390:20 rarely 210:7 rate 21:16 69:21 70:12,15 72:15 107:22 121:12 134:18,20 135:9 135:14 139:18 156:7,17,18 166:7 187:4,17 215:22 237:7 305:13 380:6 raters 301:19 rates 69:15 134:16 136:20 378:2,2 rating 121:2 ratio 240:10 307:8 307:13,20,22	308:2,5,10 309:21 310:10,21 314:18 317:15 318:15 raw 27:6 112:12 176:2,6 259:13,22 261:19 rd 118:16 reach 98:21 347:5 react 194:7 reaction 110:17 113:3 123:19 146:13 381:20 382:1 reactions 121:22 127:3 128:5 129:15 131:9 132:1,4 173:6 215:17 257:13 258:2 reactivity 291:9 294:11,15,18,20 296:1 read 69:9 71:5 117:8 144:17 222:7 364:14 365:3 reader 84:15,22 reading 20:16 169:5 234:8 310:2 360:8 377:16 392:16 reads 61:13 360:8 ready 78:9 135:4 204:10 248:16 274:7 311:14 319:8,13 353:6,13 360:22 Reagan-Udall 164:4 real 147:10 381:11 reality 100:22 109:9 134:19 realize 195:11 really 15:19,20 16:20 17:14 18:16 21:20 22:13 23:17 25:21 69:12 70:14 72:9 77:21 86:14 87:17 90:1 91:7	100:16 109:9 116:4,15 117:2 133:5 135:8 142:3 144:5 148:6 151:11,16 156:20 157:10 159:18 162:13 167:1 171:15 173:6 183:3 185:7 193:2 194:21 195:3 197:22 201:5 202:5 229:12 230:19 234:6,13 235:7 236:5 247:15 252:12 253:16 260:14,16 262:19 263:2 264:6,11 267:19 269:19 270:21 276:4,13 277:22 279:6 283:22 294:9 295:10,15 295:21 298:13 311:11 313:10 319:10,13 320:21 321:2 322:3 323:9 323:16 329:5,16 329:22 332:2 334:11 336:11 341:3,16 342:12 344:9,12 346:12 346:18 348:14 351:15 354:4 361:9 362:13 366:21 367:3 368:10,17 369:3 371:18 372:15,16 374:12 375:20 379:7 380:1,7,9 381:4 384:13,21 385:18 387:5,13 387:15 388:20 394:1,19 395:11 realm 243:5 reason 15:11 68:22 81:21 138:13 183:19 185:12
---	---	---	--	--

reluctant 203:15 rely 195:3 relying 330:1 remaining 35:10 54:7 79:11 95:19 109:6 112:16 126:1 150:1 183:2 remains 79:17 284:2 388:14 remarkable 177:16 Remarks 3:3 7:3 remember 188:16 332:11 334:22 338:5,20 359:19 361:17 370:17 379:14 380:22 381:15 386:14 remind 13:12 281:15 297:3 388:15 389:2 393:15 reminded 143:16 160:2 reminder 170:6 reminding 89:21 90:10 371:8 remote 193:1 renal 31:6 46:4 55:9 62:16 127:16 215:13 renewed 334:9 366:20 rental 35:21 reorg 331:7 repair 182:12 repeat 221:6 246:11 285:6 297:1 replace 323:2 report 11:3 31:6 47:16 111:17 112:21 113:1,4 139:11 146:13 158:14 198:21 261:6,6 264:15 355:3 365:6 374:10,18 375:11 377:6,12 392:11	reported 11:22 31:10,22 35:8 36:8 47:3,8,10,21 48:3 48:11,15 52:2,8,10 52:11 64:5 76:4 109:13,18 110:3 113:14 114:3 127:4 179:4 183:17 193:11 195:4 270:12 288:18 333:9 reporting 11:4 33:7 35:5 53:1 61:19 75:7 76:10,13 77:1 77:19 78:1 111:8 114:11 124:18 127:20 166:8 237:8 281:15 367:16 378:1,20 384:4 392:18 394:12 reports 11:8,11 18:5 27:8,11,15 30:18 32:6,8,12 34:21 35:4 47:11,14 48:11 51:20,20,21 52:11 53:2,5,6,7,8 53:10,12,16,17,18 53:19,21 57:13 57:13 74:21 109:19,20 109:22 110:16,18 111:9,12,13,14,14 111:19 112:1,2,2,3 112:6,18 113:2,3,3 124:19,22 125:1,2 125:3,3,5,5,7,12 125:13,14,14,15 125:16,17 146:9 175:22 178:19,21 194:17 200:21 214:20 236:21 254:20 259:16 260:13 262:14,15 279:13 340:14,16 345:12 365:5,10 365:19,22 372:8 374:4,6,7,10,13,21	376:1,3,8 384:20 394:11 represent 7:14 8:6 8:22 356:14 357:1 representation 75:14 representative 1:17 1:19,21 2:3 8:14 9:7,21 12:15,16,22 13:4 26:2 40:15 235:11 representatives 17:20 represented 214:15 261:21 representing 8:3,10 8:18 74:10 represents 58:5 59:13 251:12 274:9 376:5 reproducible 155:5 request 6:3 42:17 104:4 141:7 142:9 144:4 147:3,5 172:3,7 232:10 298:19 299:2 329:2,16 339:13 339:14,16,17,22 340:4,8,11,14 341:2,14,21 342:1 342:8,11 343:12 344:7 345:3,10 347:12 361:19 requested 27:4,9,19 34:19 35:6 36:20 127:10 128:4 226:8 298:16 339:21 340:17 requests 85:9 87:14 134:8 323:10 338:17 341:15 342:19 343:3 345:8 347:14 362:11 366:7	349:12,15 355:17 357:15,21 359:8 375:2 required 57:22 77:3 77:22 172:19 315:21 329:3 342:18 346:7 349:7 350:5,9 369:6 374:9 388:3 390:2 requirements 349:22 369:4 requires 331:1 361:8 requiring 56:19 329:1 reread 96:1 research 8:17 271:5 280:9 316:7 323:3 330:22 337:6 348:22 359:1 362:17 364:21 370:12 392:9 resection 102:21 resolution 347:4 360:20 resolved 57:3 60:19 126:7,9,11 resources 145:15 146:15 respect 13:6 140:4 140:12 212:14 respectively 51:3 respiratory 31:17 46:3 48:5,16 56:18 59:21 171:2 172:5 173:6,19 175:14 177:9 178:5,15 180:7,15,18 181:9 183:14 185:7 186:15 192:19 390:22 respond 177:4 281:2 316:15 340:13 responded 320:18 responding 320:11	response 22:19 28:10 29:17 30:2 33:20 37:10 38:15 44:5,7,14 70:9 73:19 78:13,18 91:6 101:17 107:17,17,18,21 116:15,17 121:12 134:16 136:19 137:15 138:8 154:12 156:7,17 156:18 171:4 191:2 198:22 201:19 231:22 232:10 253:20,22 256:3 267:4 299:22 317:7 321:3 343:11 352:11 361:19 366:6 367:12 382:1 395:9 responses 39:11 115:14 280:4 responsibilities 14:15 25:8 337:7 364:14 responsibility 320:20 responsible 320:8 responsive 54:15 59:2 responsiveness 321:1 rest 145:12 restarted 56:4 58:19 restate 236:16 266:12 result 28:22 30:8 172:21 173:21 334:4 resulted 32:22 121:5 268:13 resulting 42:19 104:7 107:21 335:18
--	--	---	---	---

150:22 169:18,20 193:8 194:16 211:16 219:17 248:18,21 265:4 265:16,21 266:4,6 266:14 267:6,7 268:4 284:5,10,14 286:21 287:1,12 287:16 288:15 289:3,6 Sachs's 219:18 sad 235:7 safe 122:3 204:18 239:12 240:22 332:18 335:19 350:16 395:21 safer 201:9 204:21 safety 5:5 6:15 15:13 17:19 18:5 18:11,13 19:16 20:11 21:9 24:1,5 32:19 36:14 42:21 43:4,4,7,8 44:19 44:20 48:22 49:12 49:19,21 50:13 52:20 53:13 59:12 60:8 61:20 75:3 104:9,10,21 105:16 106:15 107:3 108:4,21 111:20 113:5,6 120:1 121:20 124:6 125:8 126:16 127:1,2,9 127:21 131:16 134:7 138:2 141:13 153:8 161:18 170:14 172:1 173:21 174:2 179:19 181:12 193:9 201:13 212:1 213:3,4,9,12,22 215:1,3 218:2,7,13 219:2,6 224:6 240:3 254:3 255:3 255:15 259:11	264:10 269:14,17 269:19 272:19 275:21 276:4 277:12 278:1,4 279:10,12,15 281:7 289:18,19 294:22 309:1 313:18 314:1,4 320:16 324:22 325:5,5 330:2 333:9 335:20 346:20 350:10 353:10 359:4,5 360:10 365:17 367:16,18 368:3,3 368:17 369:4,7,16 372:4,11,15 373:10 375:20 379:20 380:2,10 380:15 384:3,10 384:13 387:16 388:4 390:2 392:17 394:12 sales 250:22 salvation 175:13 Salix 118:13 Sam 235:6 sampling 48:21 Sandborg 2:4 10:9 10:10 12:18 135:5 135:7 165:21,22 295:5,6 Sanofi-Aventis 102:11 sarcoma 262:9 263:8 satisfactory 329:5 satisfied 98:10 Save 296:21 saw 14:6 38:10,13 71:3 154:2 193:7 237:6 257:7 259:15 263:5 268:14 273:21 279:12 282:7 304:22 388:18 saying 7:12 15:19	84:3 85:2 89:16 92:22 94:4 99:20 130:17 137:7 139:1,5,8,16 148:18 157:12,14 157:21 160:13 161:13,20 190:13 196:17,20 202:2 204:13,14 228:1 243:1 244:19 310:1 326:14 328:15 333:3 383:4 says 69:14 70:3 84:20 134:15 137:14 190:14,21 195:7 201:2 208:10 284:6 288:19 327:18 328:7 331:10 346:19 351:1 schedule 221:14,17 101:22 270:18 schizophrenia 304:9 scholars 203:19 Schultheis 2:16 170:1,1 186:7 187:15 188:7,10 188:13 191:3 210:16 Schweikert 221:22 222:2,8,12 223:21 223:22 225:3 232:12,18 233:3,8 233:14 science 3:7 7:9 8:9 325:11,16 392:9 scientific 24:5 320:13 326:1 335:2 351:13	scientists 83:3,5 scoliosis 390:21 scope 279:20 Score 120:20 scores 121:16 screened 301:3 search 300:17 301:12,13,16 316:6 317:8 375:18 searching 316:4 Searle 249:15 seasonal 339:6,6 second 18:14 30:21 32:17 36:3 54:16 56:9 63:8 67:19 80:9 101:11 105:15 107:2 116:14 129:18 154:15 180:16 184:15 201:7 206:17 225:1,4 229:15 232:10 scales 152:5 scenario 191:16 scenes 184:9 schedule 13:12 101:22 270:18 schizophrenia 304:9 scholars 203:19 Schultheis 2:16 170:1,1 186:7 187:15 188:7,10 188:13 191:3 210:16 Schweikert 221:22 222:2,8,12 223:21 223:22 225:3 232:12,18 233:3,8 233:14 science 3:7 7:9 8:9 325:11,16 392:9 scientific 24:5 320:13 326:1 335:2 351:13	sections 123:7 124:3 132:10 173:7 190:18,20 see 19:1 20:15 21:3 67:22 69:20 70:11 101:21 116:8 134:5 145:5 146:10 154:19 169:3,18 172:4 173:9,16 175:21 179:13 180:12 189:20 190:9,17 198:12 201:16,22 203:9 205:17,20 205:21 207:21 235:7 237:5 241:1 250:19 252:1,10 253:10 256:8 259:12 260:3,21 261:19 265:9,22 277:22 282:4,21 283:20 288:12 291:5 293:11 295:11 303:18 315:15 318:4 320:22 329:8 335:12 340:16 344:6 347:7 353:17 356:18 363:8 377:22 378:19,20 382:8 385:4,17 392:18 394:13 395:16 seeing 39:10 85:16 117:12 132:7 136:2,19 155:20 317:10 388:8 seek 148:11 seeking 19:11 seemingly 197:13 seen 22:22 47:19 48:2 74:21 93:13 107:15 110:4,8 123:22 131:13 151:8 155:3 175:15,20 196:4 208:22 214:6,8,14
---	--	---	--	---

275:7 339:18 341:17 344:1,8 345:19 346:1 347:20 381:1 Sixty 232:19 Sixty-eight 120:4 six-month 43:13 49:15 size 282:7 379:4 380:19 skeletal 32:3 skilled 174:9 skin 215:16 258:1 skip 158:7 261:14 323:12 352:5 365:7 slash 301:1 sleep 170:3 slide 44:9 45:13 47:7 50:14 51:6 52:3 58:5 59:13 60:9 71:4 110:2,10 114:9 126:22 131:8,8 179:22 219:4 250:19 251:20 259:7 260:21 263:4 266:15,18 271:19 273:21 283:15 284:6 286:20 287:8 302:9 304:17 307:7 309:14,16,22,22 310:15,20 314:18 379:12 380:14 slides 22:22 41:19 50:12 55:11 103:1 104:18 118:22 176:14 249:8 336:16 337:13 368:16 382:6 395:5 slight 251:6,8 slightly 176:4 253:7 390:19 slippery 84:7 slope 84:8	small 44:11 63:21 136:20 163:20 179:17 261:21 287:3 295:10 296:8 320:15 330:16 332:5 353:14 379:5 388:8 smaller 23:17 87:22 268:19 379:16 social 304:9 societies 320:14 society 162:10 sodium 60:17 302:11 sold 103:4,6,7 solely 348:17 solid 104:6 105:1,18 107:5 108:3,20 113:11 138:6 357:17 somebody 16:11 19:15 76:15 83:21 197:13 somebody's 143:13 332:14 somewhat 67:11 97:4 117:15 204:15 252:7 263:5 289:13 325:13 soon 36:13 268:1 272:7 sooner 228:2 237:10 283:5 sore 55:20 sorry 23:12 78:20 93:6 189:9 222:8 228:9 233:19,20 238:16 266:16 sort 21:20 63:16 66:3 93:17,17 97:2 139:16 142:1 148:4 164:4 200:20 271:14 277:21 279:17 284:1 313:20,20	321:20 331:6 370:4 375:19 376:7 379:1 390:8 394:3 395:1 sorting 77:8 sound 204:2 326:13 sounds 204:1 source 269:20 sources 279:6 sparse 318:19 spasm 59:1 180:16 spasticity 304:13 speak 13:14 74:6 135:4 150:14 221:4,7,10 speaker 40:12 221:11 223:1 speaker's 221:11 speaking 13:16 178:17 223:19 346:5 special 77:17 159:13 162:11 163:14 175:2 188:9 201:6 254:7 specialist 144:10 289:21 specialists 270:3 287:7 specialties 370:20 specialty 42:9 119:14 286:16 287:11 385:4 specific 16:18 61:8 62:1 67:9,16 68:13 87:16 89:15 92:20 96:13 98:17,19 134:8 135:22 144:4 184:1 196:10 219:19 243:10 245:15 266:22 270:5 290:3,3 324:11 326:15 358:15 359:20 383:15 specifically 187:11 279:3 297:13	320:8 336:13 382:7,22 specifics 327:1 specified 301:14 specify 99:20 177:22 specimens 195:2 spelled 387:8 spend 204:3 363:5 381:14 spending 22:17 157:5 spent 8:14 78:5 spinal 391:12 sponsor 41:3 63:13 74:5 79:4 80:20 82:20 83:4 88:2 89:21 91:12,19 102:12 118:14 129:2,7 147:6 211:11,13 219:17 229:19 231:16 232:15 257:1 264:14,18 266:8 267:8 277:2 285:18 299:19 315:9 327:19 339:18 341:15 344:6 355:2 361:1 sponsors 148:7 223:5 281:18 300:4 301:13,21 344:21 345:6 356:20 sponsor's 63:12 223:8 spoon 14:1 sporadic 146:8 sprains 252:3 266:20 281:9 spread 132:15 359:22 sprinkled 253:1 square 106:1 squared 104:15 105:7,10,12 106:3 106:5,10,12,20	107:7 109:17 SSRIs 316:22 st 2:18 8:17 26:19 51:11 129:4,5 134:2 135:15 136:16 140:18 365:10,12 stable 41:13 staff 2:8,12,15,19 3:14,18,22 4:5,11 4:16,21 5:13 6:14 17:6 19:15 20:6 26:6 40:14 62:13 128:15 169:21 289:19 370:16 393:11 Stage 102:19 stance 290:6 standard 4:3,9,14 4:20 5:11 21:5 22:12,15 24:9 40:18 43:12 85:11 102:4 105:19 248:20 272:10 345:17 361:10 standardized 300:6 standards 84:10 94:3 154:9 standpoint 357:19 standpoints 283:3 stands 395:18 Stanford 10:11 start 7:11,22 26:10 84:10 96:10 151:1 165:4 184:6 221:9 221:12 269:15 274:7 293:15 321:10 322:16 365:6 378:19 started 55:17 73:7,8 171:20 322:11 starting 56:17 58:13 159:18 261:8 275:18 276:14 starts 322:12
---	---	--	--	---

state 3:5 6:20 9:9 55:22 183:7	322:14 337:14 367:8	66:12 68:6,11,14 69:5 70:6,8 72:8	351:6 352:14 353:5 354:12,14	279:8 280:11,12 280:16,17 291:15
stated 232:13 238:1 342:3 355:2 363:13	story 394:6 straightforward 166:14	72:10,17,21 75:13 75:13 81:4 82:13 82:14 86:6,16 87:6	354:18,22 355:4,7 355:12,13,17 356:2 357:15,21	292:15 293:2,5 294:2 296:3 327:20 328:12
statement 11:18 94:5 99:8 155:19 207:20 222:7,13 223:2,13,18	strains 252:4 266:20	87:10,18 100:6 102:17 104:4,7,9	358:1 359:9 360:14,16 361:18	331:4 340:14,16 341:5,16 345:13
statements 93:11,21	strategies 373:11 300:17 301:16	104:10,11,17,19 104:21 106:12,15	362:16 363:22 364:18 366:5,12	349:10 353:1 355:10 358:4
States 74:18 75:2,19 111:17 269:7	stratification 317:16,18	107:10,20 108:6 108:10,12 109:2	373:10 379:14 380:16 384:17	359:2,3 379:6
stating 36:11 67:16 79:14	stratified 42:15 317:15	109:15 110:4,7,9 110:13,20 111:6,8	387:21,21 study 29:11,12,15	studying 338:11 stuff 97:22 203:1 230:20 321:20
statistic 311:4	strengths 378:8	116:2,9 123:7	30:11 33:2 41:8	subarachnoid 46:5
statistical 309:7 347:18 361:16	strep 389:3	124:5,12,13,13,16	42:21 43:2,4,5,6,7	subcommittee 369:11
statistically 97:8 121:7,18	stress 304:8	131:18 132:20	43:8,10 48:8,22	subcommittees 334:15
statisticians 363:18 371:13	striking 202:4	135:3,10,11,21	49:12,13,20 50:2	subgroup 305:21 317:17,19
status 82:6 112:22 113:19 203:16 355:3	strive 133:12	136:15 138:8,9	50:13 52:8,21	subgroups 381:13
stay 68:15 150:13 333:15	strong 152:15	141:7 142:20	59:12 60:8 71:10	subject 167:7,8 305:18,20 334:1
stayed 98:1	155:19 190:7	146:6,15,21,22	71:13,15,16,19	343:17,19
staying 95:17	192:11 197:19	147:9,20 148:8,13	80:19 81:15,20	subjective 151:10 166:9
steady 44:6 376:9	356:7	148:13 155:4	85:13 88:21 89:3,4	subjects 84:17 301:11,12 303:1
steal 22:21	stronger 191:2	159:10,10 163:9	91:18 94:9 97:20	303:20 305:20,22
steep 90:17	196:18 207:15	163:18 164:1,9	99:17,18 104:20	306:10,12,14,16
steering 89:1	209:5 386:7,18	165:12,16 166:17	105:4,8,15,16,21	307:2,4,5,16,18
stenosis 57:10 182:12	strongly 79:14	171:19,19,22	106:14 107:2,3	308:7,9 310:18,19
step 324:18 342:12	192:11	172:3,21 183:9	108:12 109:2,5	311:3
steps 162:13	struck 64:13 73:22	218:18 252:15,17	111:3 113:12,15	submission 345:13
steroid 339:6	320:4	252:19 264:9,13	118:19 119:22	349:16 374:22
steroidal 214:18 296:9	structure 31:16	277:8,12 282:2	120:1,3,7 122:7,20	submissions 363:1 375:2 388:2
steroids 196:7 258:10,10 339:8	structured 301:16	284:17,18,21	123:18 124:1,17	submit 327:19,19 327:22 344:21
stethoscope 388:19	struggle 25:19,20	285:2,15,20,21	135:17 136:4	345:11 354:10
Stevens 215:18	struggling 165:11	286:1,8,10 291:7	137:4 140:4	355:2 358:2 388:1
Stockbridge 38:2	studied 37:22 38:8	293:6 294:9,19	141:13 142:1,4	submitted 11:20 129:8 273:22
stomach 32:5	38:10,20 90:6	295:22 317:12	143:2,12 144:4,7	274:2 275:14
stool 121:1	283:12 294:6	323:5,11,12	147:14,21 148:22	328:8 340:13,15
stop 293:17 322:14	327:16 328:3,5	325:18 328:9	149:8 151:9,20	343:11 348:10
	331:5 339:10	329:1,6 330:20	161:5,8 166:5,5,18	349:22 358:6
	341:7 346:17	331:12 332:16	172:8,9 173:21	
	348:6,11 360:9	335:16 338:17	213:12,12,14,22	
	381:8	339:12,15,21	214:7 215:19	
	studies 29:1,9,13	340:10,12,16	216:14 218:7	
	30:9 32:21 42:17	342:1,5,7,10	219:6 249:13	
	42:19 48:20 49:12	343:11 344:14,21	253:3,4 262:9	
	52:15 53:1 59:9	346:8,9,13 347:2	264:1 268:7	
		348:9,18 349:12	272:13,16 274:7,9	
		349:21 350:7	274:12 275:3,18	

361:19 364:1 366:6 subpopulation 350:15 subpopulations 350:13 subsection 52:16 61:3,6,10 110:21 114:8 123:17,20 124:2,10,14 127:11 subsequent 105:11 106:11 213:19 229:12 subsequently 32:15 subset 275:12 369:18 substances 391:21 substantial 356:16 357:5 substantially 280:19 substitute 258:10 substudy 43:3 subtitle 368:4 succinate 28:18 succinocholine 174:16 sudden 46:1 suddenly 54:18 387:12 suffocation 301:2 suggest 79:3,20 91:15 93:22 157:22 158:11 167:4 211:7 293:6 294:19 381:19 suggested 93:16 190:1 253:21 379:12 suggesting 79:13 99:6 192:6 suggestion 155:14 181:18 185:8 202:14 203:4,14 205:9 suggestions 205:1	294:5 suggestive 174:19 suggests 136:9 138:22 152:14 356:7 suicidal 299:9,12 302:4,4,22 306:13 306:15 307:8 308:15 309:17 310:17 311:2 318:12 386:8 suicidality 297:9 299:21 300:1,8,13 302:2 307:15,17 308:6,8 386:8 suicide 261:7,10 299:18 300:18 301:2,22 302:3,3 306:9,9,11 sulfonimides 257:14 summaries 361:18 394:10,11 summarize 324:6 394:19 summarized 179:21 324:14 393:3 summarizes 307:7 summarizing 101:7 summary 27:14 32:19 36:14 100:5 183:6 218:2 263:20 329:3 366:8 384:3 392:4 sunset 323:18 365:13 sunsetting 322:22 superb 319:11 supplement 129:8 supplemented 351:6 supplements 343:19 support 90:11 139:1 141:10 193:20 205:8,11 227:15 242:7 275:19 296:13 350:14	387:5 supported 139:12 393:12 supporting 351:14 supportive 207:19 352:13 supposed 289:5 suppression 178:15 Suprane 4:19 11:13 169:16 170:9 201:2 224:3,10,17 236:10,15 sure 13:17,22 15:20 17:7 18:15 21:10 22:5 25:16 66:9 69:4 80:12,14 81:7 88:20 89:8 93:8 94:11,14,17 95:10 98:16 132:11 140:18 153:7 196:17,20 198:7 198:11 199:4 200:19 216:3,17 230:4 234:2 243:15 244:12 266:14 295:1 298:11,14 311:18 319:11 333:17 336:1 344:10 359:12 360:8 375:6 surfaced 79:11 surfactant 36:7 surgery 58:9 61:17 170:19 173:1 175:5 176:16 177:14 179:7 209:14 258:7 surgical 391:22 surgically 391:6 surprised 88:15 337:19 surprising 162:19 surprisingly 171:7 250:20 surrogate 295:2 surrounding 77:18	surveillance 17:18 18:19 19:17 62:14 74:3 75:3 114:18 128:15 141:18,21 198:20 269:12 270:19 276:9,10 371:1,10 374:2 377:1 survey 119:20 271:8 272:6 survival 41:11 survived 41:14 suspect 125:21 suspected 314:6 suspension 252:20 253:8 268:8 Sutherland 120:19 SVT 26:16 swallow 269:1 sweating 57:19 58:14 swelling 258:16 switch 118:4 switched 176:17,21 177:1 symbolic 14:2 symptomatic 143:7 286:9 symptoms 55:20 57:4 60:18 152:1 256:8 268:15 sync 345:22 syncope 52:1 syndrome 46:4 56:12 215:18 386:11 391:6 synthesis 250:17 system 76:19 214:3 255:21 281:15,18 281:20 308:20 374:21 375:5 383:4 systematic 164:14 systemic 43:1 120:14 255:11	256:16 259:2 264:4 systems 25:20 76:17 systolic 29:17 30:4,6 43:1 274:14 275:8
T				
T 50:17 51:11 table 3:1 4:1 5:1 6:1 16:17 17:8 53:1 83:2,4 92:3 95:9 111:8 124:18 157:9 170:2 211:20 234:5 256:16 303:15,18 304:19 306:6,18 370:18 375:22 385:1 tablet 357:20 tachycardia 26:17 51:7 56:12 175:1 177:10 tachypnea 58:15 take 14:4,17 15:2 21:6 73:12 88:10 92:20 93:19 94:12 95:3 143:21 150:8 150:10 158:12 167:4 180:21 192:18,18 204:10 207:7 238:2 240:6 242:8 245:6,19 247:3 266:7 272:15 273:8 293:17 295:10 320:16 327:21 333:4 342:12 347:20 375:10 380:4 381:22 391:12 392:16 395:3 taken 96:7 135:19 163:6 227:6 takes 22:8 83:16 237:22 373:7 392:12 talk 79:3,7 80:8				

99:1,2 157:10 170:7 228:4 232:16 274:10 282:11 325:20 327:5 334:21 336:6 343:13 351:18 352:10 358:17 368:19 370:1,3 371:6 381:16 394:17 talkative 234:1 talked 90:4 169:1 197:2 294:14 315:5 373:16 386:9 387:11 talking 137:7 146:8 171:17 193:1 198:8 204:4 287:9 290:12 324:15 368:2,5 talks 336:19 tallied 385:9 Tamiflu 19:22 76:8 77:18 374:5 377:8 377:9 386:15,16 394:15 tanning 388:19 tapered 258:12 target 49:17 task 320:22 Taylor 2:19 3:13,17 3:21 26:5,5,9 28:16 34:3 37:14 team 5:17 16:10,11 17:4,13 89:10 267:14 314:4 343:1 371:10,22 teaspoon 269:2 technical 16:11 18:3 141:3 teenager 380:13 teenagers 381:1 tell 25:11 82:17 84:22 130:17 173:14 194:16 224:4 236:6 241:1 244:5 277:16,20	278:7,19,22 312:13 324:9 326:20,22 328:17 329:4 331:15,21 355:8 394:8 telling 16:1 137:20 154:1,9 157:16 332:21 tells 63:11 194:20 243:7 temporally 180:14 temporary 12:19 13:3 tend 243:3 Tennessee 8:18 tensions 87:8 tentatively 24:20 term 140:14 144:22 165:16 177:20 216:22 224:13 252:9 281:9 282:8 282:19 342:2,10 terms 74:12 164:18 192:21 251:3 272:12 284:6 290:2,22 294:14 300:18,20 301:13 313:20 317:8,19 344:6 345:3,7,10 375:14 test 389:3,4,4 tested 108:2 testing 294:14 tests 255:10 389:2 Texas 8:8 text 131:19 386:9 texturing 300:18 texturings 300:21 th 27:1 29:5,6 34:12 34:16 41:4,5 42:15 102:12,13 104:2 118:14 170:12 369:14 thank 10:22 13:20 28:2,4,13 33:13,15 37:2,5,13,14 40:11 62:18,21 63:19	75:11,21 88:4,5 89:14,20,21 90:10 91:20 99:21 102:2 114:22 115:3 118:4 128:19,22 149:4 169:15 179:19 184:12 187:9 200:16 208:1 210:1,2 211:3,13,15 219:12 220:5 221:20,22 223:20 223:21 225:15 227:5 232:3,8 233:14 234:13 235:2,3,8,11,15,17 236:6 248:16,21 236:7,5,7 276:16 267:2,5,7 276:16 276:20 284:13,15 296:18 298:9,17 299:1,5 309:10,11 311:20 315:1 319:7,9,14 321:9 334:5 367:7 379:11 393:6,11 393:14 395:7,14 395:19,20 thankful 25:3 thanks 393:18 theoretical 72:11 therapeutic 356:14 357:1 369:17 therapeutics 2:10 2:14 10:14 363:16 365:8,20 367:15 368:1 370:12 392:9,12 394:5 therapies 3:10 6:10 6:17 15:13 356:15 357:2 therapy 61:13,22 66:13 179:12 263:16 381:12 thickness 291:10 294:16 thing 15:21 23:16 24:11 25:15 84:19	85:6,20 96:6 100:1 100:14 148:16 154:15 198:8 202:4 225:2,4 226:5 248:7 268:2 274:7 282:13 312:21 313:21 353:12 391:8,9 things 18:5 19:3,5 219:12,13 220:5 221:20,22 223:20 223:21 225:15 227:5 232:3,8 233:14 234:13 235:2,3,8,11,15,17 236:6 248:16,21 236:7,5,7 276:16 267:2,5,7 276:16 276:20 284:13,15 296:18 298:9,17 299:1,5 309:10,11 311:20 315:1 319:7,9,14 321:9 334:10 338:1 349:15 368:6,7 371:18 373:19 377:11 379:9 387:10 391:19 392:3,13 think 15:17 16:4 19:8,9,21 20:14,22 21:21 22:4,10,11 23:12 24:16 25:10 25:12 26:2 38:9,18 39:13 40:5 64:3,7 64:11 65:3,4,12 67:3,7,9,11,13,15 67:19 68:21,22 70:13,17,18,19,21 71:3 72:2,16,20 73:4,13 76:7,20 77:2,14 79:9,21,22 82:1,6 83:6,7,15 84:13 85:14,15,22 86:14 90:11,18 91:12,16,17 92:2 92:11,14 93:21,22 93:22 94:8 96:2,6	96:16,18,22 97:10 97:17 100:13,21 101:1 102:1 115:5 115:11 116:2,10 116:20 117:1,8 130:10,19 131:6 131:17 132:18 133:9 134:4,22 135:4 136:16,20 137:2,5 138:10,17 139:12,13,15 140:22 141:1,21 142:4 143:16 144:3,18 145:7,10 145:14 146:12 148:16,17,18,19 151:18,22 152:6 152:22 153:6,13 154:6,18 156:7,20 157:4,14,17 158:2 158:4,17 159:12 160:13,15,22 161:9 162:8,19 163:5 165:8,9 166:3 167:12 168:9,10 169:8 182:4 183:22 188:21 190:13 192:4,10,12 193:6 194:1 196:17,21 199:6,9,10 201:12 202:3,8,10 206:8 207:1,1,8 208:10 208:22 209:4,18 210:3,5 219:15 221:16,18 228:6 228:10 229:11 230:13,18,21 231:1,5 238:8 239:3,8,14 240:19 240:20 241:8 243:3,19 244:16 245:1,1,22 246:21 247:1,14,15,17 257:2 264:12 265:22 277:5 278:20 280:8,21
---	---	--	---	--

282:22 284:2	376:17 389:19	270:5 279:18	timeline 315:10	122:4
287:5 288:12	thoughtful 210:21	thrombus 50:21	timely 167:15	Tom 9:2 71:1 79:21
290:9 292:19	238:12	throw 313:3,10	times 15:18 19:12	229:11
295:20 297:16,21	thoughts 115:19	thrown 158:10	19:22 23:21 24:2	tonic-clonic 182:15
298:15 309:20	134:12 148:21	thunder 22:22	76:5 82:1 179:4	tool 374:1 375:7
310:4 313:5,10,21	168:13 201:15	tiagabine 302:13	186:19 193:11	top 354:4,5 357:4
315:18 318:6,9	237:15	TID 120:4 123:13	224:7 311:2	366:4
320:21 321:3	thousand 379:22	123:14	325:10 334:22	topic 297:21
322:12 323:11	thousands 259:16	tie 210:22	372:12 377:13	topical 339:3,5
325:10,11,12,15	threatening 353:19	tied 341:8 370:8	380:7	topiramate 302:14
326:3 332:12,18	353:20	tightrope 82:16	tiny 251:22	Toprol 3:15 11:11
346:10,14 351:15	three 19:22 23:21	till 206:22 247:7	tired 367:19	28:14,17,18 30:10
351:19 360:11,13	27:7 30:18 31:22	265:5 380:8	tissue 194:13	30:15 33:9 97:3
366:10 368:16	32:6 35:12 42:20	time 7:17 17:10	214:11	torture 20:16
370:6 371:7	44:7 46:7 47:21	18:5 21:6 38:3	tissues 391:20	total 45:3 51:19
372:13 373:12,18	51:21 53:20 54:8,9	56:13 59:4 73:6,12	titanium 390:18,20	53:6,17 103:20
374:20 376:21	55:6,11,12,18,19	78:5 83:13 90:13	Title 337:5	111:13 112:2
377:1,3 379:1	56:7 57:13 58:21	95:17 106:9	titled 309:16	120:20 124:22
380:3,14 381:3,6	59:5 97:6 106:1,4	117:12,13,13	titles 320:6,8 323:21	125:13 260:1
383:8,13 384:12	106:13,20 107:7	130:11 133:6	titrate 91:8	288:17 306:2
387:3,11,14,19	109:17,20 110:16	134:4 140:20	titrated 58:11,20	318:19 385:18
388:11 389:2,20	113:2 120:21	141:4 142:10	titration 43:13	totally 72:10 209:13
391:3 393:10,18	122:21 123:13	143:9 150:10	49:15	210:18 236:1
394:4,14	124:21 125:2,20	159:22 164:14	TNF 286:6	381:2
thinking 97:7	168:3 176:11	167:4 171:16	today 7:18 14:21	toxicities 140:14
168:12,16 299:10	179:4 180:11	179:8 194:9 195:5	15:4 16:1,2 19:3	toxicity 105:8 106:7
299:13 325:22	193:11 205:17	202:20 204:4,5,7	20:8 21:3 24:8	107:1 215:12,12
335:9 386:9	206:6,8,9,17	208:14 209:12	38:17 80:17 137:8	215:13 255:4
thinks 230:1	207:19 213:16,21	210:12 212:16	to-30 307:22	track 63:18 150:13
third 31:5 54:19	230:11 238:21	214:19 218:3	163:1 315:12	tracking 315:20,20
68:4 96:21 97:22	242:12,18 246:10	221:4 226:1,7,16	364:13 365:1,2	364:13 365:1,2
97:22 98:1,5	246:12 247:5	231:17 232:19	tract 48:5,17	tract 48:5,17
243:15 251:3	260:10,20 273:9	233:15 237:18	train 331:22	trained 199:15
283:17 356:12	291:22 306:13	241:12 251:10	training 321:12,16	322:4
Thirteen 232:6	308:6 320:7 323:8	260:19 277:4	336:1 346:11	336:1 346:11
Thirty-three 120:8	323:21 326:21	284:14 285:2	transcriber 13:14	transferred 56:21
266:19	344:7 345:1,4,8,19	296:15 297:6,11	today's 11:3	transform 381:2
THOMAS 1:20	363:5 365:6	298:1,21 303:6,10	toddlers 64:21	transient 175:17
thoracic 391:5	three-month 213:19	309:5 316:16	told 20:17 83:1	182:16
thought 15:2 39:10	threshold 390:2	318:1,4 322:17	92:12 236:4	transition 14:5
69:9 109:9 115:22	thrive 48:1	344:14,18 347:15	tolerability 172:1	translate 74:20
154:11 155:16	throat 55:20 389:3	353:13 354:16,17	tolerable 188:12	transparency
159:18 229:6	thrombocytopenia	360:22 361:9,12	tolerance 91:8	222:17 328:21
231:1,6 237:8	46:5 110:15	367:7 372:9	tolerate 50:10	
277:9,13 282:2	126:11 385:7	381:15,21 387:16	tolerated 51:2,16	
286:10 293:1	thromboembolic	393:17 394:1,16		
324:20 351:20	216:20 217:8	395:17		

347:9 361:15 366:22	trial 24:6 86:4,8 88:6,12,16 148:2 151:11 153:19 156:2 157:1,11,13 157:18 158:4,21 160:17,20 166:21 173:1 212:21 217:9 218:15 239:11 240:21 249:11 252:21 253:20 254:4,10 254:13,14 255:15 299:22 300:2,6 303:9 304:2,6,11 304:21 306:22 317:16 trials 5:5 20:9 21:7 21:8,11 23:3 39:11 42:20 54:6 68:5 73:9,11,14 75:1,16 75:18 87:11,19,21 87:22 104:8 136:18 153:7,9 157:19 166:11 212:1 255:12 299:11 301:10 302:16 303:7 304:3,3,5,21 305:1 305:6,8,9,14,15,15 306:2,8 307:3,5,6 312:6,11,17 313:16,18 314:8 317:2,4,6,6 322:16 325:1,2,3 329:10 332:20 342:4 352:17 353:2,9 371:15 378:13,22 379:3,9,17,21 380:8 383:2 389:9 tried 81:18 84:15	triggers 350:5 trileptal 6:3 11:15 296:21 297:6 299:3 trimester 35:19 36:5 trip 395:21 trouble 77:8 336:15 troubles 36:8 true 97:8 166:12 244:1 truly 351:20 try 17:22 38:19 39:8 63:18 82:4 87:21 94:2 146:17 147:6 147:8 150:12 168:17 169:4 227:14 232:20 283:4 293:2,5,17 311:9 327:1 330:12 357:18 360:4 361:5 362:13 364:7 372:1 373:17 374:14 375:19 trying 72:2 77:22 84:21 86:2,3 88:14 94:17,21 95:12 98:20 117:10 134:5 148:15 153:7 160:11 162:5 190:19 192:21 193:4 229:14 230:3 237:10 246:7 328:20 331:17 332:14 346:18 tube 177:3 TUESDAY 1:7 tumor 102:21 113:11 tumors 104:6 105:2 105:18 106:18 107:5 108:3,20 140:13 turn 13:13,15 26:4 74:7 140:9 145:4	146:12 222:11 374:7 turned 13:18 Turning 216:2,16 Twenty 108:9 Twenty-one 109:4 twice 250:8,11,13 34:21 35:9,17 41:19 47:8,14,20 48:2 50:12 51:3,4 53:5,6,7 55:7 56:8 59:8 63:2 69:4 76:4 91:22 103:1 104:8,9 105:4 106:6 107:19 109:8,22 110:17 112:6,12 113:2,3 113:22 114:5 118:22 120:3,14 122:3,8 125:2,4 126:10 142:18 147:1 148:1 154:14,16 163:18 165:4,20 179:2 180:13,13 182:9 184:12 204:22 212:22 224:2,8 225:16 237:1,2 252:19 253:5 254:14 260:15,22 262:3,7,14 263:3 268:7,18 273:7,8 273:11 276:6,12 283:21 306:9 310:13 311:21 323:7 327:15 335:6 341:14 353:1 354:5 371:4 380:11 392:12 two-day 163:16 two-hour 104:13 two-part 291:3 two-thirds 385:19 type 61:2 67:10	92:15 133:11 137:3 214:5 217:22 271:15 287:5,6 291:6 296:4 330:18 388:13 types 86:4 158:16 166:16,17 249:22 284:18 typical 232:19 233:10 typically 196:5
U				
			UC 140:14 142:13 144:11 159:18	
			UCSF 9:4	
			ulcerative 118:21 120:6,20 122:10 122:14 123:5,16	
			123:20 126:10 132:2 142:17 146:11 152:1 156:3	
			ulcers 32:4 216:9	
			ultimate 19:21	
			ultimately 172:8	
			umbrella 269:16	
			unable 303:11 347:5	
			unacceptable 106:22	
			unanimous 33:21 37:11 78:17,20,22 78:22 118:2 184:22 226:17 228:14 247:21	
			unanimously 28:12 92:4 101:19 150:6 226:20 230:9 231:2	
			unanticipated 90:7	
			unapproved 281:8	
			unarousable 55:22	
			uncertainty 295:4	
			unchanged 44:9	
			unclear 59:3 176:19	

190:6 263:2 uncommon 73:14 216:13 293:10 uncover 378:10 undergo 195:16 undergoing 57:16 65:16 175:4 176:15 179:6 undergone 102:20 underlined 112:20 underlying 54:10 66:11 113:8 144:1 174:14 178:10 194:5 261:1,3 262:21 263:15 377:20 underreporting 377:1 underrepresents 80:1 underscore 88:8 underscores 86:14 understand 63:1 69:5 71:7 97:1 117:9 145:21 153:17 155:9 162:2 196:21 198:14 202:1 206:13 208:12 222:20 236:11 243:18 285:7,12 322:2 325:10,11 325:13 329:12 381:5 383:14 understanding 274:21 294:4 318:14 understood 18:16 236:17,19 296:2 undertaken 144:10 undertaking 88:7 270:20 285:22 291:14 underway 276:9 underwent 32:15 unduplicated 176:9 179:2 262:3,6	unexpected 44:20 167:19 264:7 unfair 83:6 90:3 unfortunate 70:18 unfortunately 100:21 177:5 194:8 312:22 318:22 unfunded 165:7 unhappy 92:9 unilateral 35:21 unintended 351:3 unintubated 190:4 191:19 209:6 unique 32:20 36:16 67:21 320:9 325:4 United 74:18 75:2 75:19 111:17 269:7 University 3:5 6:20 8:8,21 9:9,15,17 9:20 10:3,11 39:2 unknown 36:5 54:18,20,22 109:7 109:11 217:12 302:6 378:11 unlabeled 112:19 126:15,19 181:20 182:10 unmet 391:15 unpredictable 87:3 unprojected 103:15 171:14 unreasonable 65:12 unrecognized 195:20 unrelated 260:17 unresectable 105:18 unresolved 79:17 unsafe 356:9 unspecified 57:2 126:12 unsung 394:3 unusual 178:11 upcoming 336:4 update 6:7,15 11:15	14:8 20:8 22:18 128:7 271:18 321:7 367:18 384:20 updated 183:10 263:21 updates 6:3 278:4 299:2 updating 364:17 upper 48:4 76:5 214:10 392:13 upregulation 72:13 upset 175:12 256:11 urgent 231:3 urinary 390:14 urine 174:20 177:19 urticaria 123:1 Usage 123:9 190:12 190:14 207:9 use 16:21 17:1 18:13,20 27:16 29:1,3 30:12 33:3 36:17 41:20 42:12 50:10 52:16 64:6 71:13 84:5,18 89:6 89:22 93:20 94:14 96:11,19 97:9,18 98:22 100:20 102:17 103:2,10 103:12,19,20 110:21 119:1 124:2 125:22 127:14 131:10 132:5,8 133:19,22 137:17 138:15 141:14 144:18 171:9,11,12,16 173:5,10 176:4 183:8 186:11,19 187:13,14 189:3 190:22 191:7,15 191:17,18 197:7 197:10 199:8 201:9 204:21 207:11 212:19 214:21 215:4 238:7 243:9 248:9	vaccines 330:5 391:19 vacuum 182:4 Valentine's 382:11 value 24:3 116:9 valve 179:7 388:17 variability 107:12 166:8 variable 377:13 variables 65:20 66:20 variations 187:3 variety 67:15 97:15 110:9 250:18 various 39:7 249:22 391:22 vascular 54:17 291:7,11 294:11 294:15,18,20 vasculitis 127:15 vast 45:14 108:6 307:2 vehicle 164:12 vein 32:18 ventricular 41:15 43:1 45:16,17,22 50:15 51:7,8,11 52:12 181:3 verbatim 300:20 verify 77:5 231:9,10 versions 394:15 versus 30:4,6 74:22 143:4 156:13 188:3 189:13,15 190:5 197:19 200:4 253:5 vertebra 391:13 vertical 390:17 vials 103:3 view 217:14 272:3 289:18 325:11 viewpoint 356:4 views 130:12 vigorously 234:1 Vining 1:21 9:5,6 12:15 133:15 135:1 141:22
		V	vaccination 178:8 195:8

144:15	wanes 151:6 156:4	wanted 14:2,17	way 15:21 63:18	303:8
viral 46:6 47:4,13 48:18 60:5	want 7:15,21 10:20 14:4 15:14,20 17:6	18:15 24:11 25:11 37:16,20 39:4 88:5	70:3 76:21,22 83:7 89:22 90:13 93:21	weigh 244:13 250:12 388:10
vision 182:20	20:16,17 21:9 22:5	88:20 89:13 98:14	97:10 140:10	weight 49:5 58:10 250:10 253:17
visit 42:15 392:4 393:5	22:20,21 25:5 63:16 66:1 68:2	99:11,14 196:16 221:14 225:4	147:17 148:15 154:1 164:14	welcome 3:3 7:3,4 10:18 14:3 272:4
visits 42:14 119:19	69:3,18 75:4 76:1	227:8 234:1	167:13 194:10,12	well-controlled 352:17 353:1
visually 379:13	80:11,14 83:21	238:16 254:1	199:20 200:8	well-done 91:18 94:9
vital 177:4	86:11 90:7 92:8	281:1 298:14	202:11 210:19	went 21:11 179:19 196:15 313:15
volume 251:4,15 283:8,9 284:7 349:6	94:12 95:5,6,8,10 99:4 115:22 116:22 132:10	314:5 319:9 341:13 358:8 370:7 382:7,17,18	229:13 234:20 241:3 243:3 246:2 271:2 272:9	323:19 328:3,5 331:5 392:6
voluntary 76:12 343:1 349:10 366:10	140:5 146:4 151:1 151:3 152:21 153:12 154:19	383:1,1,7,9,11 385:20 386:1 392:7 393:11	277:22 278:7,12 283:4 312:1,6 315:22 326:16,17	weren't 81:20 84:5 254:13 311:13
volunteers 379:15	155:22 162:22	wants 245:8 333:8	330:19 336:4	we'll 14:1 79:6
vomiting 48:6 54:20 256:12	163:11,16 166:15 169:22 176:8	Ward 1:21 9:13,13 64:9 66:1 70:7	342:9 344:13 346:16 348:15	92:20 100:1 118:4
vote 78:21,22 118:2 204:11 205:7 226:19 229:14 230:5 231:7 238:2 238:20,21 239:2 239:15,19,21 242:16 246:10,11 246:19	184:6 185:12 189:11 196:12,20 198:7,14 199:10 201:16 202:14 204:12 206:17 207:15,16 210:16 224:4 225:2 227:2 227:7 233:5 234:3	75:22 76:1 79:20 93:4 95:20,21 99:8 131:1,2,17 132:18 133:3 134:15 140:3 142:7,8,22 144:9 151:21 159:15 163:17 199:3,5 279:22	359:16 364:20 368:8 370:13 372:3 375:14 385:8 389:19,20 392:13 394:20	149:1,13 150:10 150:12 169:3,4 204:8 207:3 209:2 219:16 229:15 230:2 273:14
voted 92:4 228:13 231:10 239:9 243:20,21	235:8 242:4 245:9 245:21 249:5 255:16 257:4	280:1,7 309:12,13 310:2 312:13	ways 38:14 39:17 87:2 117:14 138:4 147:20 149:17 159:11 193:4,6 335:9	231:5 345:22 350:19 361:11 369:22 371:6,9
voting 12:19 239:4 239:5 246:13	259:6 264:19 277:14,17,19	warn 92:16	web 315:15 316:1,6 364:17 366:14	we're 7:20 14:7,15 15:19,19 16:21
vulnerable 380:15 381:13	278:5 285:16 295:15 297:1 311:16 316:19 319:14 321:10	warning 36:10 64:10 257:9 258:6 386:7	373:1	17:13,14 19:11
W	324:6 325:21,22 328:6,19 329:5	warnings 61:3,10 123:15 173:7 174:5 181:8	website 315:17 316:5 374:15 394:5,22	20:12 22:2,17 23:15 25:3 26:3 83:14 84:21 85:16
wait 247:6,7 248:12 265:5 353:16	333:17 335:3,4,7,8 339:10 353:8	257:19,20 386:19	Wednesday 331:16 363:5	87:12,20 89:17 90:1 92:9,11 93:11
waive 355:19 358:4	355:10 359:11	warrant 143:18	week 51:15 56:4	94:19 98:3,6,20
waived 350:1	360:4,7 364:14	warranted 286:11	272:13 303:8	101:22 129:21
waiver 350:2 356:6 356:10,13 388:12	367:9 382:16	Washington 1:11 10:8	331:15 392:6 weeks 31:1,14 35:20	130:16 138:17 139:4 141:2,8
waivers 355:6 357:6 357:7 362:10,22 363:7 364:1,5,8	383:3 384:21 385:18 387:13	194:12,14 196:14 198:10 239:1,3,5 245:3 256:2 297:4	51:4 56:7 57:18 105:3 106:2,4,6,13 106:21 107:8 109:17 113:22	153:11 154:8 160:4 193:1 197:20 198:7 199:17 204:3
walk 82:16 90:12 161:10 210:13 260:6	388:15 389:2 392:10 393:6 394:8	373:3	120:22 156:14 157:2,6 171:5 233:13 275:7	209:18 221:8,12 221:17 228:14 229:14 230:3

234:4,22 247:1,2	willing 353:16,20	336:4 367:1,4	342:11,18 343:3	237:1,3 273:7,9,11
249:1 251:7	wise 278:20	369:1 392:19	343:12 344:7	273:13 275:4
265:22 271:3	wisely 145:16	393:20	345:3,8,10 347:11	284:1 291:22
289:5 296:6	wish 13:10 25:16	workable 211:9	347:14 361:19	305:22 365:7
298:12,13 311:10	33:13 88:3 227:1	worked 7:16 313:14	362:11 366:6	369:2 376:1,5,8,12
314:12 318:18	247:6	338:13	wrong 142:6 240:17	382:9 387:22
321:17 322:1,2	withdrawal 48:14	working 39:1,3 93:2	310:3 325:17	390:11
323:11 324:8	110:15 386:11	101:4 165:2		year's 336:4
325:15,17,18	withdrawals 45:1,5	167:15 168:2	X	year-old 32:18 72:7
326:14 328:15,19	48:7,9 110:12	314:12 325:16	X 91:10,10,10	yielded 31:21
329:11 331:11	122:1,19 123:22	365:8	XL 3:15 28:14,17	young 61:21 253:13
332:1 333:3	withdrawing 50:2	workload 330:10	28:18 30:10,15	300:11 380:12
334:16,19 344:14	52:7	334:19 337:8	33:9	391:10
346:18 347:5	withdrew 108:12	363:9 368:10	x-ray 60:1	younger 52:17 94:7
351:16,22 353:20	110:13	393:8		youngest 172:6
360:22 362:3	wonder 65:21 69:6	works 69:13 151:14	Y	357:12
371:4 377:9	193:17 200:22	157:7 319:1	year 16:8 17:9	
392:20,21	286:14	360:12	23:21 24:2 40:21	Z
we've 7:16 16:7	wondered 74:2 92:5	world 324:1 375:10	89:2 96:4 107:19	zero 310:6
23:9 25:15 38:9,19	194:4	381:11	118:10 148:1	zonisamide 302:14
66:4,4 83:2,4	wonderful 393:19	worse 240:4 391:1	168:7 170:15	
85:17 86:20 89:17	wondering 185:10	worsened 44:8	171:15 172:16	
90:4 93:2 98:2	187:12	worsening 45:17	203:10 206:21	
115:6 129:11	word 66:9 77:20	47:4,9 48:9 51:21	212:8 228:17	0
147:19 148:3	82:20,22 83:11	52:9	249:20 270:9,10	0.1 42:2 53:5 103:21
150:10,17 153:8	84:12 197:4	worth 39:13 145:7	271:13 274:8	0.15 58:20
189:5 191:4 196:4	290:10 337:21	157:5	297:21 298:22	0.2 43:18
196:15 197:2	350:19 373:12	wouldn't 73:13	334:22 348:9	0.25 107:22
202:15 203:7	worded 210:20	186:21 189:1	365:21 366:3	0.3 112:1 259:22
208:22 226:8	wording 62:5 131:3	191:16,18 197:10	369:8,15 376:5	0.31 308:1
238:11 240:8	131:6 189:13	197:15 198:14	381:3 384:9 385:3	0.4 43:22 58:11
243:20 247:17	245:21 248:8	277:14 281:10	386:15,16 387:4	103:19 111:12
268:3 275:15	words 83:9 90:4	327:10 356:22	391:11	0.5 53:16
277:8 315:5 318:2	202:1	357:15,21 391:13	years 8:14 29:2,13	0.58 307:14
323:13 325:9	work 15:20 22:9	wrap 150:22	30:14 34:10 51:3,3	0.7 303:4
326:5,15 327:21	24:12,18 38:21	writing 93:12	52:18 57:13 81:5	0.82 307:22
331:15 334:21	40:4 82:2 84:4	written 42:17 71:3	88:11 90:14,15,16	0.9 307:21
353:14 354:4,9	92:13 117:5,7	85:9 87:14 104:4	94:7 98:7 104:16	03 382:9 384:4
363:18 364:12	137:9 146:18	147:2,5 161:19	104:22 105:17	06 297:5,5
368:21 373:16	148:3,11 158:6	172:2,7 223:2	106:17 107:5	07 376:14 384:5
383:7 393:17	164:8 184:8	226:12,17 283:10	112:15 120:5,13	
395:12	203:19 232:21	320:5,6 323:10	123:11 124:8	
whatnot 196:8	233:6 234:6,12,20	329:1,16 338:17	136:10 144:19	
white 175:17 376:6	235:8 236:2 309:6	339:13,14,16,17	146:11,13 157:4	
whoever's 360:8	321:3 323:7,9	339:21 340:4,8,11	165:4 168:3	
wide 280:21 307:13	324:17 325:19	340:14 341:2,14	170:12 207:5	
widely 100:7	331:14 335:10,22	341:15,21 342:1,8	216:18 224:20	

105:5,16 108:15	11:56 220:7	266:20 335:5	43:2 46:1 49:4	34:18,22 35:9
109:2 110:4,8	110 105:7,10	16,029 302:18	51:1 61:2 67:11	300:4 382:11
152:22 219:21	111 4:14	16-month-old 58:7	76:2 87:18,22	2006 29:8 41:6
220:5 251:12	119 289:3,4	16-to-30-day 252:12	88:15 91:15 98:18	102:15 118:17
258:21 291:4	12 31:21 37:21	16-wheeler 335:5	102:21 104:9	170:13 212:20
365:11,13 379:18	38:10,20 44:6 52:8	16-year 182:14	106:15 107:3	249:19 386:5
380:6	106:21 107:8	16-year-old 32:13	108:10,17 109:15	2007 6:7 11:17
1,000 303:3 305:7,9	119:14 156:15	160 104:14 106:1,2	110:7 171:5 172:9	103:18 274:3
305:10,13 380:6	213:14,20 272:12	106:10	172:16 217:22	275:15 321:7
1,119 306:4 307:17	309:14,22 310:15	161 42:21 75:17	251:9 268:16	323:18 334:13
1,292 306:3 307:16	357:16 363:21	88:11	275:4 379:16	336:22 337:17
1-day-old 32:4	381:2 384:5	17 11:5,9 107:8,19	2,056 308:8	338:3,15 340:21
1-year 35:13	12-month 42:1,5,9	112:14 120:5,13	2,411 306:2	363:8
1.1 305:10	103:5,21 119:5,10	123:11 136:10	2,900 171:14	2008 1:8
1.26 308:3	12-point 151:10	144:19 156:12	2-year-old 30:20	2009 275:18 276:15
1.33 308:11	12-week 255:17	305:22 307:13	35:3 179:6	334:16
1.5 376:13	268:6,11 272:16	318:2,20 331:7	2.0 30:5	2011 365:12
1.6 305:2	272:17	376:1,8,11	2.02 308:2	2012 365:13
1.95 308:10 311:2	12-year-old 31:6	17-years-old 42:22	2.1 303:2 310:17	202 213:18
1:03 220:7 221:2	12.4 41:21	172 5:3	2.25 120:11 124:6	207 5:10
10 29:6 32:2 47:10	12.5 43:20	18 52:18 58:16 94:7	2.27 308:1	21 53:16,17,18,22
54:7 81:5 90:14,16	120 289:1	109:14 118:15	2.3 305:3	56:2 104:22
173:16 206:5	121 4:18	177:14 275:4	2.5 305:7	105:17 106:16
250:10 262:6	13 3:8 27:5 51:20	279:9 291:20	2.6 119:16	107:4 389:19
279:8 283:21	72:6 110:12	376:5,16	2.65 307:20	210 347:19
345:18 361:11	170:13 260:2,6	18,000 259:18	2.7 119:6	213 84:18 98:16
369:2 374:11,13	339:15 385:5	18-to-24 307:19	2.92 308:11	22 26:21 45:5 48:9
377:5 390:10,11	130 105:22 106:12	180 344:3 361:8	20 42:4 57:22 59:22	104:16
10-minute 150:11	106:19 107:6	19 36:1 47:1 51:17	103:7 109:14	22,380 259:19
10:32 150:12	109:16	53:19 262:1	121:13 131:8	225 60:12
10:34 150:16	14 27:2 34:17 41:5	195 213:12 214:7	134:17,20 135:9	23 118:17
10:35 102:1	45:3,7 47:11	215:20 216:14	139:17 146:11,13	232 5:11
10:42 150:12	170:12 178:21	218:7	152:2 156:6,13	237 190:9 203:5
10:46 150:16	385:21	1977 322:12	301:10	24 46:22 57:20
100 105:22 250:7,13	144 323:13 324:9	198 5:4	20,000 291:16	303:8
268:21 293:8	149 271:20	1986 26:20	378:18	24-month 103:20
102 43:5	15 8:14 32:17	199 23:2 302:15	20-25 98:6	242 196:18 213:12
102.1 307:15	105:12 111:22	1990s 74:15	200 273:9,10 323:14	243 189:19 196:15
105 271:22	112:2,8 211:5	1991 34:13	2000 118:15 277:17	246 5:15
106 59:20	213:15 252:9	1992 29:6 170:11	2002 102:13 322:21	249 5:16
108 4:12	258:19 331:7	1995 41:5	366:20 369:5	25 1:8 3:11 34:13
109 47:6 108:5	15-16 75:18	1997 322:19	2003 26:22 34:14	44:2,17 250:10,12
109:1	156 392:16	1998 249:17	42:16 334:13	268:20 307:21
11 50:1 52:7 54:2	158 4:19	1999 364:3,5	364:2,2 366:21	309:16 310:1,20
56:20 314:14	159 104:15 116:14	2	369:9	257 5:19
320:6 323:21	116:18	2 34:14 41:12 42:21	2004 103:18 104:3	26 105:17 324:10,14
385:6 386:1	16 29:13 172:9	2005 27:3,3,5 34:17	2005 27:3,3,5 34:17	27 3:15 29:7 102:14

369:15	38 4:3	5-FU/LV 102:18	7-year-old 57:7
?7,863 302:17	39 271:21	5-month-old 178:4	70 24:14 119:15
27-month-old 60:10	<hr/> 4	5-year-old 177:11	334:13 363:6
278 6:3	4 31:18 45:21 51:4	5-year-olds 318:10	73 384:6 385:2
28 42:16 105:5	91:16 99:12 119:8	50 173:17 250:11	75,000 376:14
108:7 251:16	133:17 135:2	268:19 269:3,5	750 123:13,14
28,000 259:16	140:10 141:3,3,5	280:13	78 109:4
28-month-old 59:16	148:12 149:7	52 132:2	79 392:21
29 60:14	159:10 252:4	52-week 29:11	<hr/> 8
298 6:7,8	266:22 284:16,21	53 43:16,20	841 :6 108:11
<hr/> 3	285:11,14,20	55 98:3	110:12 252:9
3 41:17 43:4 45:21	315:19,20 327:5	56 59:2 304:3	284:6 286:20
49:7 51:1 87:6,19	357:22	57 131:3,19 133:1	287:8
91:15 102:19	4,000 389:16	59 4:7 51:19 131:3	8-year-old 181:21
108:20 156:15	4-year 55:15	131:19 134:14	8.4 358:15
171:13 288:17	4-year-old 35:2	<hr/> 6	8:00 1:10
379:21	56:10	6 29:13 30:14 34:10	8:01 7:2
3,000 380:4	4.2 303:4 309:15	51:16 58:12	80 43:2
3,653 308:6	4.26 307:13	104:22 120:13	800 323:12
3-day-old 32:2	4:07 395:22	172:16 213:14,22	81 304:4
3-year-old 72:5	40 41:16 51:3	309:7	83 307:3
3.1 305:9	104:14 105:6	6,000 261:22	85 106:5
3.36 308:3	156:17 171:10	6-week-old 182:11	<hr/> 9
3.6 304:22	334:17	183:1	9 42:6 102:13 104:3
3:1 172:10	400 172:9 250:8	6.75 120:9 124:5	119:11 124:22
30 49:22 51:18 66:4	280:18	60 25:1 98:4 323:14	307:5
66:10 80:3 99:13	41 107:13	60s 64:1	9-year-old 176:14
287:10 293:8	42 178:19 324:22	600 372:20 393:9	9.45 307:21
347:12	325:3	61 272:1	90 56:3 105:11
300 323:10	43 104:21 106:15	62 45:4 46:21 304:2	344:4 345:20
31 26:20	43,892 302:16	62.5 43:17,19,22	91 252:10
31-to-64 308:2	45 121:9 134:16	44:2	94 159:15 259:22
312 6:11	47 107:3 176:2	620 1:12	95 303:3 307:13,20
314.80 383:15	48 385:18	630 175:22	96 4:8 278:14 281:2
32 3:19	<hr/> 5	64 326:8	282:11 283:10
33 176:10	5 46:1 51:12,14	65 306:1 308:4	286:17
34 31:1	118:12 120:5	66 288:20	970,100 103:3
341 6:15	123:11 124:8	67 252:11	98 322:19
35 42:10 120:10	125:12 136:10	68 57:16	
287:10	144:19 301:12	69 152:5	
350 319:4,6	305:21,22 307:12	<hr/> 7	
36 31:14 35:20	318:2,20 357:22	73:3 51:16 104:15	
360,000 119:2	376:14	176:3 307:3	
365 6:18	5-ASA 126:17,21	309:15	
37 121:10 134:16	127:7 128:3	7,064 103:15	
156:12			

CERTIFICATE

This is to certify that the foregoing transcript
in the matter of: Pediatric Advisory Committee

Before: Marsha Rappley, MD

Date: March 25, 2008

Place: Gaithersburg, Maryland

represents the full and complete proceedings of the
aforementioned matter, as reported and reduced to
typewriting.


Eric Mollen