DRUG	SPONSOR	EFFECTIVE DATE
Cytomegalovirus Immune Globulin Indication - To prevent cytomecertain renal transplant patients		10-19-87
Ifosfamide & Mesna	National Cancer Institute	12-24-87
Indication - Refractory germ ce protects the bladder from toxici ifosfamide treatment).		
Trimetrexate Indication - Pneumocystis carir patients who cannot tolerate st		02-18-88
Anafranil (Clomipramine HCI)	Ciba-Geigy	06-03-88
<u>Indication</u> - Treatment of sever disorder.	e obsessive compulsive	
Eldepryl (Selegiline HCI)	Somerset Pharmaceuticals	06-16-88
Indication - Treatment of severe Parkinson-s disease unresponsive to standard therapy. [Charges]		
Pentostatin	National Cancer Institute	07-28-88
Indication - Treatment of hairy alpha interferon.	cell leukemia refractory to	

DRUG	<u>SPONSOR</u>	EFFECTIVE DATE
Teniposide	National Cancer Institute	10-07-88
Indication - Treatment of relap	osed or refractory acute	
Ganciclovir Indication - Treatment of cytor patients.	National Institute of Allergy & Infectious Diseases megalovirus retinitis in AIDS	11-28-88
Pentamidine Isethionate Aerosolize	d LyphoMed Inc.	02-03-89
Indication - Prevention of Pneumocystis carinii pneumonia in AIDS patients. [Charges]		
Levamisole hydrochloride	National Cancer Institute	05-04-89
Indication - For use (with 5-fluorouracil) as an adjuvant treatment for Dukes C adenocarcinoma of the colon.		
Erythropoietin (EPO)	Ortho	06-27-89
Indication - Treatment of zidovudine (AZT) related anemia in HIV positive patients.		
Exosurf (synthetic pulmonary surfactant) Burroughs Wellcome		07-26-89
<u>Indication</u> - Prevention and treatment of Respiratory Distress Syndrome (RDS) in premature infants.		

<u>DRUG</u>	SPONSOR	EFFECTIVE DATE
Dideoxyinosine (ddl)	Bristol-Myers	09-28-89
Indication - Treatment of patients with AIDS or AIDS Related Complex who are intolerant to zidovudine (AZT).		
Survanta (bovine pulmonary surfactant)	Ross Laboratories	09-29-89
Indication - Prevention and treatment of Respiratory Distress Syndrome (RDS) in premature infants.		
Retrovir (zidovudine)	Burroughs Wellcome	10-26-89
<u>Indication</u> - Treatment of pediatric patients with HIV disease.		
Ceredase (beta-glucocerebrosidase)	Genzyme Corporation	11-07-89
Indication - Chronic enzyme replacement therapy in the management of patients with Gaucher-s disease (Type 1). [Charges]		
Fludarabine phosphate	National Cancer Institute	11-24-89
Indication - Chronic lymphocytic leukemia.		
Baclofen Intrathecal Indication - Spasticity in patents with m spinal cord injury who are intolerant to oral baclofen (03/90) and spasticity of	or unresponsive to	03-07-90 and 12-12-94

3 of 8

DRUG	SPONSOR	EFFECTIVE DATE
Granulocyte Macrophage Colony Stimulating Factor (GMC	SF) Immunex Corp	09-24-90
Indication - Bone-marrow transplantation graft delay of failure.		
Dideoxycytidine (ddC)	Hoffmann-LaRoche	05-30-91
<u>Indication</u> - Treatment of patients with AIDS or advance ARC who cannot be maintained on zidovudine (AZT).	ed	
4-Hydroperoxycyclophosphamide (4HC)	Nova Pharmaceutical	06-14-91
Indication - Bone marrow purging. [Charges]		
Oxandrolone	Gynex, Inc.	10-17-91 and
Indication - Clinical management of boys with constituted delay of growth and puberty (10/91) and in girls with Turners Synodrome (10/92). [Charges]	ional	10-21-91
Mepron (Atovaquone)	Burroughs Wellcome	11-08-91
<u>Indication</u> - Treatment of AIDS patients with Pneumocycarinii pneumonia who are intolerant to or unresponsiv trimethoprim/sulfamethoxazole.		
Cognex (Tacrine) (THA)	Parke-Davis	12-02-91
Indication - Treatment of patients with Alzheimer-s dementia. [Charges]		

DRUG	<u>SPONSOR</u>	EFFECTIVE DATE
Mycobutin (Rifabutin)	Adria Laboratories	03-06-92
Indication - Prophylaxis against Mycobacterium Complex bacteremia in HIV-infected patients.	n Avium	
2-Chlorodeoxyadenosine (2-CdA)	National Cancer Institute	03-06-92
Indication - Treatment of active Hairy Cell Leul	kemia.	
Taxol	National Cancer Institute	07-15-92
<u>Indication</u> - Treatment of advanced refractory ovarian cancer.	epithelial	
Copolymer-1 (COP-1)	Teva/Lemmon	01-05-93
<u>Indication</u> - Treatment of exacerbating-remittin Sclerosis. [Charges]	g Multiple	
Glucophage (Metformin HCI)	Lipha	09-10-93
<u>Indication</u> - Non-insulin dependent Diabetes Mellitus. [Charges]		
Navelbine (Vinorelbine tartrate)	Burroughs Wellcome	04-14-94
Indication - Non-small cell lung cancer.		
Somatropin	Serono	12-20-94
<u>Indication</u> - Treatment of AIDS-associated catabolism/weight loss. [Charges]		

DRUG	SPONSOR	EFFECTIVE DATE
Gemcitabine Hydrochloride	Lilly	01-27-95
<u>Indication</u> - Locally advanced or metastatic pan cancer.	creatic	
Atorvastatin	Parke-Davis	02-09-95
<u>Indication</u> - Homozygous familial hypercholeste severe refractory hypercholesterolemia.	rolemia or	
Riluzole	Rhone-Poulenc Rorer	06-20-95
Indication - Amyotrophic Lateral Sclerosis (ALS).	
Vistide (Cidofovir)	Gilead Sciences, Inc.	09-01-95
Indication - Treatment of CMV Retinitis		
Autologous Peripheral Blood Lymphocytes Activated Ex Vivo with OKT3 Monoclonal Antibo	Cellcor ody	09-15-95
Indication - Treatment of Metastatic (Stage IV) Renal Cell Carcinoma. [Charges]		
Carmustine Wafer	Guilford Pharmaceuticals	10-27-95
Indication - Recurrent malignant glioma. [Charg	es]	
Myotrophin <u>Indication</u> - Amyotrophic Lateral Sclerosis (ALS	Cephalon, Inc.).	06-19-96

DRUG	<u>SPONSOR</u>	EFFECTIVE DATE
Progesterone Gel Indication - Invitro Fertilization (IVF).	Columbia Research, Inc.	02-07-97
Xyrem (sodium oxybate) Indication - Treatment of narcolepsy. [Char	Orphan Medical, Inc. ges]	11-16-98
Visudyne (verteporfin) Indication - For the treatment of subfoveal of secondary to age-related macular degenerations.		07-08-99
Synthetic Porcine Secretin Indication - 1) Evaluation of exocrine pance other diagnostic tests are not suitable and /or 2) Diagnosis of gastrinoma [C		11-01-00
Activated Protein C (human,recombinant, human kidney cells) Indication - Treatment of severe sepsis	Eli Lilly	01-08-01

DRUG SPONSOR EFFECTIVE DATE

Ziconotide Elan Pharmaceuticals 01-18-02

<u>Indication</u> – Management of severe, chronic pain in patients who are not adequately controlled and/or are tolerant to systemic opioids and for whom intrathecal therapy is warranted.