

REFERENCES

- Abdel-Moati, A.R. and M.M. Atta. 1991. *Patella vulgata*, *Mytilus minimus* and *Hyal prevosti* as bioindicators for lead and selenium enrichment in Alexandria coastal waters. Mar. Pollut. Bull. 22(3):148-150.
- Adams, W.J. 1976. The toxicity and residue dynamics of selenium in fish and aquatic invertebrates. Ph.D. thesis. Michigan State University, East Lansing, MI. Available from University Microfilms, Ann Arbor, MI. Order No. 76-27056.
- Adams, W.J. and B.B. Heidolph. 1985. Short-cut chronic toxicity estimates using *Daphnia magna*. In: Aquatic toxicology and hazard assessment: Seventh symposium. Cardwell, R.D., R. Purdy and R.C. Bahner (Eds.). ASTM STP 854. American Society for Testing and Materials. Philadelphia, PA. pp. 87-103.
- Adams, W.J. and H.E. Johnson. 1981. Selenium: A hazard assessment and a water quality criterion calculation. In: Aquatic toxicology and hazard assessment: Fourth symposium. Branson, D.R. and K.L. Dickson (Eds.). ASTM STP 737. American Society for Testing and Materials, Philadelphia, PA. pp. 124-137.
- Adams, W.J., K.V. Brix, K.A. Cothern, L.M. Tear, R.D. Cardwell, A. Fairbrother and J.F. Toll. 1998. Assessment of selenium food chain transfer and critical exposure factors for avian wildlife species: Need for site-specific data. In: Environmental Toxicology and Risk Assessment: Seventh vol., E.E. Little, A.J. DeLanny and B.M. Greenberg (Eds.). ASTM STP 1333. American Society for Testing and Materials, Philadelphia, PA.
- Adelaju, S.B. and T.M. Young. 1994. Cathodic stripping potentiometric determination of selenium in biological and environmental materials. Anal. Chim. Acta 296(1):69-76.
- Aguirre, A.A., G.H. Balazs, B. Zimmerman and F.D. Galey. 1994. Organic contaminants and trace metals in the tissues of green turtles (*Chelonia mydas*) afflicted with fibropapillomas in the Hawaiian islands. Mar. Pollut. Bull. 28(2):109-114.
- Ahsanullah, M. and G.W. Brand. 1985. Effect of selenite and seleniferous fly-ash leachate on growth and viability of the marine amphipod *Allorchestes compressa*. Mar. Biol. 89:245-248.
- Ahsanullah, M. and D.H. Palmer. 1980. Acute toxicity of selenium to three species of marine invertebrates, with notes on a continuous-flow test system. Aust. J. Mar. Freshwater Res. 31:795-802.
- Akaike, H. 1973. Information theory as an extension of the maximum likelihood principle. In B. N. Petrov and F. Csaki, (Eds). Second international symposium on information theory. Akademiai Kiado, Budapest. pp. 267-281.
- Akesson, B. and T.S. Srikumar. 1994. Occurrence of low-molecular-weight and high-molecular-weight selenium compounds in fish. Food Chem. 51(1):45-49.

Aksnes, A., K.E. Gulbrandsen and K. Julshamn. 1983. Contents and biological availability of selenium in oxidized and protected fish meals from mackerel. *Fiskeridir. Skr., Ser. Ernaer.* 2(4):117-24.

Al-Sabti, K. 1994. Micronuclei induced by selenium, mercury, methylmercury and their mixtures in binucleated blocked fish erythrocyte cells. *Mutat. Res.* 320(1-2):157-163.

Al-Sabti, K. 1995. An in vitro binucleated blocked hepatic cell technique for genotoxicity testing in fish. *Mutat. Res.* 335(2):109-120.

Alaimo, J., R.S. Ogle and A.W. Knight. 1994. Selenium uptake by larval *Chironomus decorus* from a *Ruppia maritima*-based benthic/detrital substrate. *Arch. Environ. Contam. & Toxicol.* 27(4):441-448.

Albers, P.H., A.A. Belisle, D.M. Swineford, and R.J. Hall. 1985. Environmental contamination in the oil fields of western Pennsylvania. *Oil Petrochem. Pollut.* 2(4):265-80.

Albers, P.H., D.E. Green, and C.J. Sanderson. 1996. Diagnostic criteria for selenium toxicosis in aquatic birds: Dietary exposure, tissue concentrations, and macroscopic effects. *J. Wild. Dis.* 32(3):468-485.

Albertano, P. And G. Pinto. 1986. The action of heavy metals on the growth of three acidophilic algae. *Bull. Soc. Nat. Napoli*, 95:319-28.

Allaway, W.H., E.E. Cary and C.F. Ehlig. 1967. The cycling of low levels of selenium in soils, plants, and animals. In: *Selenium in biomedicine*. Muth, O.H. (Ed.). Avi Publishing Company, Westport, CT. pp. 273-296.

Allen, G.T. and R.M. Wilson. 1990. Selenium in the Aquatic Environment of Quivira National Wildlife Refuge Kansas USA. *Prairie Naturalist* 22(2):129-135.

Allen, K.N. 1991. Seasonal Variation of Selenium in Outdoor Experimental Stream-wetland Systems. *J. Environ. Qual.* 20(4):865-868.

Amaratunga, W. and J.B Milne. 1994. Studies on the interaction of selenite and selenium with sulphur donors: Part 2. A Kinetic Study of the Reaction with 2-Mercaptoethanol. *Canadian Journal of Chemistry*. 72: 2506- .

Ambulkar, M. N., V.V.S. Ramakrishna and A.N. Garg. 1995. An environmental pollution study of toxic elements in marine fish from east coast by neutron activation analysis. *NUCAR 95: Proc. Nucl. Radiochem. Symp.*, 417-418.

Amiard J.C., D. Pain and H.T. Delves. 1991. Exposure to Trace Elements of Flamingos Living in a Biosphere Reserve the Camargue France. *Environ. Pollut.* 69(2-3):193-202.

Amiard, J.C., B. Berthet and S. Boutaghou. 1993. Seasonal selenium variations in mussels and oysters from a French marine farm. *J. Food Comp. Anal.* 6(4):370-380.

Andersen, J. L. and M.H. Depledge. 1997. A survey of total mercury and methylmercury in edible fish and invertebrates from Azorean waters. *Mar. Environ. Res.*, 44(3):331-350.

Andreev, G. And V. Simeonov. 1992. Interphase distribution and accumulation of elements in the marine environment of the Black Sea. *Toxicol. Environ. Chem.* 36(1-2):99-104.

Angulo, E. 1996. The Tomlinson Pollution Load Index applied to heavy metal, 'Mussel-Watch' data: a useful index to assess coastal pollution. *Sci. Total Environ.* 187(1):19-56.

Apte, S.C., A.G. Howard, R.J. Morris and M.J. McCartney. 1987. Arsenic, antimony and selenium speciation during a spring phytoplankton bloom in a closed experimental ecosystem. *Mar. Chem.* 20(2):119-130.

Arruda, M.A.Z., M. Gallego and M. Valcarcel. 1996. Semi-on-line microwave-assisted digestion of shellfish tissue for the determination of selenium by electrothermal atomic absorption spectrometry. *J. Anal. Atomic Spectrom.* 11(2):169-173.

Arvy, M.P., M. Thiersault and P. Doireau. 1995. Relationships between selenium, micronutrients, carbohydrates, and alkaloid accumulation in *Catharanthus roseus* cells. *J. Plant Nutr.* 18(8):1535-1546.

Arway, J.A. 1988. The environmental significance of toxic metals found in fish collected throughout the coalfields of Pennsylvania. *Inf. Circ. - U. S., Bur. Mines, IC 9184, Mine Drain. Surf. Mine Reclam.*, Vol. 2, 154-60.

Ashton, A. 1991. 'Oyster-water' for monitoring coal ash lagoons in an environmentally sensitive area of Hong Kong. *Mar. Pollut. Bull.* 22(7):334-339.

Audas, A., G.R. Hogan and H. Razniak. 1995. Incubation temperature as a modifying factor on survival of *Tenebrio molitor* reared in selenium-containing media. *J. of Toxicol. & Environ. Health* 44(1):115-122.

Augier, H., C. Ronneau, P. Roucoux, R. Lion and O. Charlent. 1991. Neutron-activation Analysis of the Elementary Composition of the Marine *Phanerogam posidonia-oceania* from a Reference Area in Port Cros National Park French Mediterranean. *Mar. Biol. (Berlin)* 109(2):345-353.

Augier, H., L. Benkoel, J. Brisse, A. Chamlian and W.K. Park. 1993a. Microscopic localization of mercury - selenium interaction products in liver, kidney, lung and brain of mediterranean striped dolphins (*Stenella coeruleoalba*) by silver enhancement kit. *Cell. Mol. Biol. (Paris)*, 39(7):765-772.

Augier, H., L. Benkoel, A. Chamlian, W.K. Park and C. Ronneau. 1993b. Mercury, Zinc And Selenium Bioaccumulation In Tissues And Organs Of Mediterranean Striped Dolphins *Stenella coeruleoalba* Meyen, Toxicological Result Of Their Interaction. *Cell. Mol. Biol. (Noisy-Le-Grand)* 39(6):621-634.

Augier, H., W.K. Park and C. Ronneau. 1995a. Neutron activation study of the elementary composition of edible sea urchins (*Paracentrotus lividus* Lamarck) in marine creek area polluted by city sewages of Marseille (France). *Cell. Mol. Biol. (Paris)* 41(4):533-544.

Augier, H., J.M Harmand, and C. Ronneau. 1995b. Neutron activation study of the natural elementary composition of edible sea urchins (*Paracentrotus lividus* Lamarck) in the National Park of Port-Cros (Mediterranean, France). *Cell. Mol. Biol. (Noisy-Le-Grand)* 41(4):525-531.

Augspurger, T., J.C. Franson, K.A. Converse, P.R. Spitzer, and E.A. Miller. 1998. An epizootic of common loons in coastal waters of North Carolina: Concentrations of elemental contaminants and results of necropsies. Environ. Toxicol. Chem. 17(2):205-209.

Avery, E.L., R.H. Dunstan and J.A. Nell. 1996. The detection of pollutant impact in marine environments: condition index, oxidative DNA damage, and their associations with metal bioaccumulation in the Sydney rock oyster *Saccostrea commercialis*. Arch. Environ. Contam. Toxicol. 31(2):192-198.

Azaizeh, H.A., S. Gowthaman, and N. Terry. 1997. Microbial selenium volatilization in rhizosphere and bulk soils from a constructed wetland. J. Environ. Quality 26(3):666-672.

Baatrup, E. 1989. Selenium-induced autometallographic demonstration of endogenous zinc in organs of the rainbow trout, *Salmo gairdneri*. Histochem. 90(6):417-426.

Baatrup, E. and G. Danscher. 1987. Cytochemical demonstration of mercury deposits in trout liver and kidney following methylmercury intoxication: differentiation of two mercury pools by selenium. Ecotoxicol. Environ. Safety 14(2):129-41.

Baatrup, E., M. G. Nielsen and G. Danscher. 1986. Histochemical demonstration of two mercury pools in trout tissues: Mercury in kidney and liver after mercuric chloride exposure. Ecotoxicol. Environ. Safety 12(3):267-282.

Babich, H., J.A. Puerner and E. Borenfreund. 1986. In vitro cytotoxicity of metals to bluegill (BF-2) cells. Arch. Environ. Contam. Toxicol. 15(1):31-7.

Babich, H., N. Martin-Alguacil, and E. Borenfreund. 1989. Arsenic-selenium interactions determined with cultured fish cells. Toxicol. Letters (Amsterdam) 45(2-3):157-164.

Bacon, M. and W.J. Ingledew. 1989. The Reductive Reactions of *Thiobacillus Ferrooxidans* on Sulfur and Selenium. *FEMS Microbiology Letters*. 58: 189- .

Badsha, K. S. and C.R. Goldspink. 1988. Heavy metal levels in three species of fish in Tjeukemeer, a Dutch polder lake. Chemosphere 17(2):459-63.

Baer, K.N., D.G. Hutton, R.L. Boeri, T.J. Ward and R.G. Stahl Jr. 1995. Toxicity evaluation of trap and skeet shooting targets to aquatic test species. Ecotoxicol. 4(6):385-392.

Bailey, F.C., A.W. Knight, R.S. Ogle and S.J. Klaine. 1995. Effect of sulfate level on selenium uptake by *Ruppia maritima*. Chemosphere 30(3):579-591.

Baines, S.B. and N.S. Fisher. 2001. Interspecific Differences in the Bioconcentration of Selenite by Phytoplankton and Their Ecological Implications. *Marine Ecology: Progress Series*. 213, 1- .

Baker, R.T.M. and S.J. Davies. 1997. The quantitative requirement for alpha.-tocopherol by juvenile African catfish, *Clarias gariepinus* Burchell. Anim. Sci. 65(1):135-142.

Baker, W.B., Jr., S.M. Ray and A.M. Landry, Jr. 1991. Investigation of coal combustion byproduct

utilization for oyster reef development in Texas Bay waters. Proc. - Int. Ash Use Symp., 9th, Volume GS-7162, Vol. 2, 48/1-48/14. Electric Power Research Institute, Palo Alto, CA

Baldwin, S. and W. Maher. 1997. Spatial and temporal variation of selenium concentration in five species of intertidal molluscs from Jervis Bay, Australia. Mar. Environ. Res. 44(3):243-262.

Baldwin, S., W. Maher, E. Kleber, and F. Krikowa. 1996. Selenium in marine organisms of seagrass habitats (*Posidonia australis*) of Jervis Bay, Australia. Mar. Pollut. Bull. 32(3):310-316.

Bargigiani, G., D. Pellegrini, A. Dulivo and S. DeRanieri. 1991. Mercury Assessment and its Relation to Selenium Levels in Edible Species of the Northern Tyrrhenian Sea. Mar. Pollut. Bull. 22(8):406-409.

Bargigiani, G., A. Dulivo, R. Zamboni and L. Lampugnani. 1993. Interaction Between Selenium and Cadmium in *Eledone cirrhosa* of the Northern Tyrrhenian Sea. Mar. Pollut. Bull. 26(4):212-216.

Bariaud, A. and J.C. Mestre. 1984. Heavy metal tolerance in a cadmium-resistant population of *Euglena gracilis*. Bull. Environ. Contam. Toxicol. 32:597-601.

Baron, L.A., T.L. Ashwood, B.E. Sample and C. Welsh. 1997. Monitoring bioaccumulation of contaminants in the belted kingfisher (*Ceryle alcyon*). Environ. Monitor. Assess. 47:153-165.

Barrington, J. W., A. Jones, D. James, S. Smith and T.P. Stephenson. 1997. Antioxidant deficiency following clam enterocystoplasty. Br. J. Urol. 80(2): 238-242.

Barrows, M.E., S.R. Petrocelli, K.J. Macek and J.J. Carroll. 1980. Bioconcentration and elimination of selected water pollutants by bluegill sunfish (*Lepomis macrochirus*). In: Dynamics, exposure and hazard assessment of toxic chemicals. Hague, R. (Ed.). Ann Arbor Science Publishers, Ann Arbor, MI. pp. 379-392.

Batley, G.E. 1987. Heavy metal speciation in waters, sediments and biota from Lake Macquarie, New South Wales. Aust. J. Mar. Freshwater Res. 38(5):591-606.

Baumann, P.C. and R.B. Gillespie. 1986. Selenium bioaccumulation in gonads of largemouth bass (*Micropterus salmoides*) and bluegill (*Lepomis macrochirus*) from three power plant cooling reservoirs. Environ. Toxicol. Chem. 5(7):695-702.

Baumann, P.C. and T.W. May. 1984. Selenium residues in fish from inland waters of the United States. In: Workshop proceedings: The effects of trace elements on aquatic ecosystems. Electric Power Research Institute, Palo Alto, CA. pp. 7-1 to 7-16.

Beauchamp, J. J., and J. S. Olson. 1973. Corrections for bias in regression estimates after logarithmic transformation. Ecology. 54:1403-1407.

Beal, A.R. 1974. A study of selenium levels in freshwater fishes of Canada's central region. Technical Report Series No. CEN/T-74-6. Environment Canada.

Beck, K.M., P. Fair, W. Mcfee, and D. Wolf. 1997. Heavy metals in livers of bottlenose dolphins stranded

along the South Carolina Coast. Mar. Pollut. Bull. 34(9):734-739.

Becker, K.B., M.J. Schneider, J.C. Davey, V.A. Galton. 1995a. The type III 5-deiodinase in *Rana catesbeiana* tadpoles is encoded by a thyroid hormone-responsive gene. Endocrinol. 136(10):4424-4431.

Becker, P.R., E.A. Mackey, R. Demiralp, R. Suydam, G. Early, B.J. Koster and S.A. Wise. 1995b. Relationship of silver with selenium and mercury in the liver of two species of toothed whales (Odontocetes). Mar. Pollut. Bull. 30(4):262-271.

Beijer, K. and A. Jernelov. 1978. Ecological aspects of mercury-selenium interactions in the marine environment. Environ. Health Perspect. 25:43-45.

Beland, P., S. DeGuise, C. Girard, A. Lagace, D. Martineau, R. Michaud, D.C.G. Muir, R.J. Norstrom, E. Pelletier, et al. 1993. Toxic compounds and health and reproductive effects in St. Lawrence beluga whales. J. Great Lakes Res. 19(4):766-775.

Beliaeff, B., T.P. O'Connor, D.K. Daskalakis and P.J. Smith. 1997. U.S. mussel watch data from 1986 to 1994: temporal trend detection at large spatial scales. Environ. Sci. Technol. 31(5):1411-1415.

Bell, J.G., C.B. Cowey and A. Youngson. 1984. Rainbow trout (*Salmo gairdneri*) liver microsomal lipid peroxidation: The effect of purified glutathione peroxidase (EC 1.11.1.9), glutathione S-transferase (EC 2.5.1.18) and other factors. Biochim. Biophys. Acta 795(1):91-99.

Bell, J.G., C.B. Cowey, J.W. Adron and A.M. Shanks. 1985. Some effects of vitamin E and selenium deprivation on tissue enzyme levels and indices of tissue peroxidation in rainbow trout (*Salmo gairdneri*). Br. J. Nutr. 53:149-157.

Bell, J.G., B.J.S. Pirie, J.W. Adron and C.B. Cowey. 1986a. Some effects of selenium deficiency on glutathione peroxidase (EC 1.11.1.9) activity and tissue pathology in rainbow trout (*Salmo gairdneri*). Br. J. Nutr. 55:305-311.

Bell, J.G., J.W. Adron and C.B. Cowey. 1986b. Effect of selenium deficiency on hydroperoxide-stimulated release of glutathione from isolated perfused liver of rainbow trout (*Salmo gairdneri*). Br. J. Nutr. 56(2):421-428.

Bell, J.G., C.B. Cowey, J.W. Adron and B.J.S. Pirie. 1987a. Some effects of selenium deficiency on enzyme activities and indices of tissue peroxidation in Atlantic salmon parr (*Salmo salar*). Aquaculture 65(1):43-54.

Bell, J.G., A.H. McVicar and C.B. Cowey. 1987b. Pyruvate kinase isozymes in farmed Atlantic salmon (*Salmo salar*): Pyruvate kinase and antioxidant parameters in pancreas disease. Aquaculture 66(1):33-42.

Benemariya, H., H. Robberecht and H. Deelstra. 1991. Atomic absorption spectrometric determination of zinc, copper, and selenium in fish from Lake Tanganyika, Burundi, Africa. Sci. Total Environ. 105:73-85.

Bennett, W.N. 1988. Assessment of selenium toxicity in algae using turbidostat culture. Water Res. 22(7):939-942.

Bennett, W.N., A.S. Brooks and M.E. Boraas. 1986. Selenium uptake and transfer in an aquatic food chain and its effects on fathead minnow (*Pimephales promelas*) larvae. *Arch. Environ. Contam. Toxicol.* 15(5):513-517.

Berg, H., M. Kibus, and N. Kautsky. 1995. Heavy metals in tropical Lake Kariba, Zimbabwe. *Water Air Soil Pollut.* 83(3-4):237-252.

Berges, J.A. and P.J. Harrison. 1995. Relationships between nitrate reductase activity and rates of growth and nitrate incorporation under steady-state light or nitrate limitation in the marine diatom *Thalassiosira pseudonana* (Bacillariophyceae). *J. Phycol.* 31(1):85-95.

Berry, M.R., L.S. Johnson, J.W. Jones, J.I. Rader, D.C. Kendall and L.S. Sheldon. 1997. Dietary characterizations in a study of human exposures in the Lower Rio Grande Valley: Part I. Foods and beverages. *Environ. Int.* 23(5): 675-692.

Bertram, P.E. and A.S. Brooks. 1986. Kinetics of accumulation of selenium from food and water by fathead minnows (*Pimephales promelas*). *Water Res.* 20(7):877-884.

Besser, J.M., J.N. Huckins, E.E. Little and T.W. La Point. 1989. Distribution and bioaccumulation of selenium in aquatic microcosms. *Environ. Pollut.* 62(1):1-12.

Besser, J.M., T.J. Canfield and T.W. La Point. 1993. Bioaccumulation of organic and inorganic selenium in a laboratory food chain. *Environ. Toxicol. Chem.* 12(1):57-72.

Besser, J.M., J.N. Huckins and R.C. Clark. 1994. Separation of selenium species released from Se-exposed algae. *Chemosphere* 29(4):771-780.

Besser, J.M., J.P. Giesy, R.W. Brown, J.M. Buell and G.A. Dawson. 1996. Selenium bioaccumulation and hazards in a fish community affected by coal fly ash effluent. *Ecotoxicol. Environ. Saf.* 35(1):7-15.

Beyers, D.W. and C. Sodergren. 2001a. Evaluation of interspecific sensitivity to selenium exposure: larval razorback sucker versus flannelmouth sucker. Final Report to Recovery Implementation Program Project CAP-6 SE-NF. Dept. Fishery and Wildlife Biology, Colorado State Univ., Fort Collins, CO 80523.

Beyers, D.W. and C. Sodergren. 2001b. Assessment of exposure of larval razorback sucker to selenium in natural waters and evaluation of laboratory-based predictions. Final Report to Recovery Implementation Program Project CAP-6 SE. Dept. Fishery and Wildlife Biology, Colorado State Univ., Fort Collins, CO 80523.

Biddinger, G.R. and S.P. Gloss. 1984. The importance of trophic transfer in the bioaccumulation of chemical contaminants in aquatic ecosystems. *Residue Rev.* 91:103-145.

Biedlingmaier, S. and A. Schmidt. 1989. Sulfate transport in normal and sulfur-deprived *Chlorella fusca*. *Zeitschrift Fuer Naturforschung Section C Biosciences* 44(5-6):495-503.

Birge, W.J. 1978. Aquatic toxicology of trace elements of coal and fly ash. In: Energy and environmental

stress in aquatic systems. Thorp, J.H. and J.W. Gibbons (Eds.). CONF-771114. National Technical Information Service, Springfield, VA. pp. 291-240.

Birge, W.J. and J.A. Black. 1977. A continuous-flow system using fish and amphibian eggs for bioassay determinations on embryonic mortality and teratogenesis. EPA-560/5-77-002 or PB-285191. National Technical Information Service, Springfield, VA.

Birge, W.J., J.E. Hudson, J.A. Black and A.G. Westerman. 1978. Embryo-larval bioassays on inorganic coal elements and in situ biomonitoring of coal-waste effluents. In: Surface mining and fish/wildlife needs in the eastern United States. Samuel, D.E., J.R. Stauffer, C.H. Hocutt and W.T. Mason (Eds.). PB-298353. National Technical Information Service, Springfield, VA. pp. 97-104.

Birge, W.J., J.A. Black and A.G. Westerman. 1979a. Evaluation of aquatic pollutants using fish and amphibian eggs as bioassay organisms. In: Animals as monitors of environmental pollutants. Nielson, S.W., G. Migaki and D.G. Scarrelli (Eds.). National Academy of Sciences, Washington, DC. pp. 108-118.

Birge, W.J., J.A. Black, A.G. Westerman and J.E. Hudson. 1979b. The effects of mercury on reproduction of fish and amphibians. In: the biogeochemistry of mercury in the environment. Nriagu, J.O. (Ed.). Elsevier, New York, NY. pp. 629-655.

Birge, W.J., J.A. Black, A.G. Westerman and J.E. Hudson. 1980. Aquatic toxicity tests on inorganic elements occurring in oil shale. In: Oil shale symposium: Sampling, analysis and quality assurance. Gale, C. (Ed.). EPA-600/9-80-022. National Technical Information Service, Springfield, VA. pp. 519-534.

Birge, W.J., J.A. Black and B.A. Ramey. 1981. The reproductive toxicology of aquatic contaminants. In: Hazard assessment of chemicals: Current developments. Vol. 1. Saxena, J. and F. Fisher (Eds.). Academic Press, New York, NY. pp. 59-115.

Birkes, D., and Y. Dodge. 1993. Alternative methods of regression. John Wiley & Sons, New York, NY.

Birkner, J.H. 1978. Selenium in aquatic organisms from seleniferous habitats. Ph.D. thesis. Colorado State University, Fort Collins, CO. Available from: University Microfilms, Ann Arbor, MI. Order No. 78-20841.

Bjerregaard, P. 1982. Accumulation of cadmium and selenium and their mutual interaction in the shore crab *Carcinus maenas* (L.). *Aquat. Toxicol.* 2:113-125.

Bjerregaard, P. 1985. Effect of selenium on cadmium uptake in the shore crab *Carcinus maenas* (L.). *Aquat. Toxicol.* 7:177-189.

Bjerregaard, P. 1988a. Interaction between selenium and cadmium in the hemolymph of the shore crab *Carcinus maenas* (L.). *Aquat. Toxicol. (Amsterdam)* 13(1):1-12.

Bjerregaard, P. 1988b. Effect of selenium on cadmium uptake in selected benthic invertebrates. *Mar. Ecol. Prog. Ser.* 48(1):17-28.

Bjerregaard, P. and L. Christensen. 1993. Accumulation of organic and inorganic mercury from food in the tissues of *Carcinus maenas*: Effect of waterborne selenium. Mar. Ecol. Prog. Ser. 99(3):271-281.

Bjoernberg, A.A. 1989. Decontamination of mercury from Swedish "black-listed" lakes by addition of selenium. Proc. Int. Symp. Uses Selenium Tellurium, 4th. Carapella, S. C., Jr. (Ed). Selenium-Tellurium Dev. Assoc.: Darien, Conn. pp.357-360.

Bjornberg, A., L. Hakanson, and K. Lundbergh. 1988. A theory on the mechanisms regulating the bioavailability of mercury in natural waters. Environ. Pollut. 49(1):53-62.

Bleckmann, C.A., B. Rabe, S.J. Edgmon and D. Fillingame. 1995. Aquatic toxicity variability for fresh- and saltwater species in refinery wastewater effluent. Environ. Toxicol. Chem. 14(7):1219-1223.

Blondin, G.A., L.M. Knobeloch, H.W. Read, and J.M. Harkin. 1988. An in vitro submitochondrial bioassay for predicting acute toxicity in fish. ASTM Spec. Tech. Publ., 1007. Aquat. Toxicol. Environ. Fate: 11th Vol., 551-63.

Boisson, F. and M. Romeo. 1996. Selenium in plankton from the northwestern Mediterranean sea. Water Res. 30(11):2593-2600.

Boisson, F., M. Gnassia-Barelli, J. Chiaverini and M. Romeo. 1989. Effect of selenium on the uptake of cadmium by the marine microalga *Hymenomonas* (*Cricosphaera*) *elongata*. Mar. Environ. Res. 28(1-4):465-469.

Boisson, F., M. Gnassia-Barelli and M. Romero. 1995. Toxicity and accumulation of selenite and selenate in the unicellular marine alga *Cricosphaera elongata*. Arch. Environ. Contam. Toxic. 28(4):487-493.

Boisson, F., C.S. Karez, M. Henry, M. Romeo and M. Gnassia-Barelli. 1996. Ultrastructural observations on the marine coccolithophorid *Cricosphaera elongata* cultured in the presence of selenium or cadmium. Bull. Inst. Oceanogr. (Monaco) 0(SPEC. ISSUE 14 PART 4):239-247.

Bondavalli, C., E. Croce, S. Meloni, M. Oddone and C. Triulzi. 1996. Chemical characterization of a lagoon ecosystem. The Sacca di Goro (Po River delta, Italy). Chem. Ecol. 12(4):279-286.

Botsford, J.L. 1997. A simple, rapid, inexpensive assay for toxic chemicals using a bacterial indicator. Stud. Environ. Sci. 66:429-443.

Botsford, J.L. J. Rivera, J. Navarez, R. Riley, T. Wright, and R. Baker. 1997. Assay for toxic chemicals using bacteria. Bull. Environ. Contam. Toxicol., 59(6):1000-1009.

Bottino, N.R., C.H. Banks, K.J. Irgolick, P. Micks, A.E. Wheeler ad R.A. Zingaro. 1984. Selenium-containing amino acids and proteins in marine algae. Phytochem. 23:2445-2452.

Bovee, E.C. 1978. Effects of heavy metals especially selenium, vanadium and zirconium on movement, growth and survival of certain aquatic life. PB-292563/4SL. National Technical Information Service, Springfield, VA.

Bowerman, W. W. IV, E.D. Evans, J.P Giesy, and S. Postupalsky. 1994. Using feathers to assess risk of mercury and selenium to bald eagle reproduction in the Great Lakes region. Arch. Environ. Contam. Toxicol. 27(3):294-298.

Bowie, G.L., J.G. Sanders, G.F. Riedel, C.C. Gilmour, D.L. Breitburg, G.A. Cutter and D.B. Porcella. 1996. Assessing selenium cycling and accumulation in aquatic ecosystems. Water Air Soil Pollut. 90(1/2, Clean Water: Factors that Influence Its Availability, Quality and Its Use):93-104.

Bowmer, T., H.A. Jenner, E. Foekema and M. van der Meer. 1994. The detection of chronic biological effects in the marine intertidal bivalve *Cerastoderma edule*, in model ecosystem studies with pulverized fuel ash: reproduction and histopathology. Environ. Pollut. 85(2):191-204.

Boyum, K.W. 1984. The toxic effect of selenium on the zooplankton, *Daphnia magna* and *Daphnia pulicaria*, in water and the food source (*Chamydomonas reinhardii*). Ph.D. thesis. University of Wisconsin-Milwaukee, Milwaukee, WI. Available from: University Microfilms, Ann Arbor, MI. Order No. 85-09248.

Boyum, K.W. and A.S. Brooks. 1983. Differential toxicity of selenium on lab cultures of *Daphnia magna* and field isolates of *Daphnia pulicaria*. In: Proc. 26th Conf. Int. Assoc. Great Lakes Res., May 23-27, 1983, State Univ. N.Y. Oswego, Ann Arbor, MI:8.

Boyum, K.W. and A.S. Brooks. 1988. The effect of selenium in water and food on *Daphnia* populations. Arch. Environ. Contam. Toxicol. 17(5):555-560.

Braddon, S.A. 1982. Investigations into the mechanism of action of Se on Hg toxicity using a sea bass model. Abstract No. 5585. Fed. Proc. 41:1227.

Braddon-Galloway, S. and J. E. Balthrop. 1985. Selenium-dependent glutathione-peroxidase isolated from black sea bass (*Centropristes striata*). Comp. Biochem. Physiol. C Comp. Pharmacol. Toxicol. 82(2):297-300.

Braddon-Galloway, S. and C.R. Sumpter. 1986. A unique selenoprotein isolated from yellowfin tuna (*Thunnus albacares*) liver. Comp. Biochem. Physiol. 83C:13-17.

Bradford, C.S., L. Sun and D.W. Barnes. 1994a. Basic fibroblast growth factor stimulates proliferation and suppresses melanogenesis in cell cultures derived from early zebrafish embryos. Molec. Marine Biol. Biotechnol. 3(2):78-86.

Bradford, C.S., L. Sun, P. Collodi and D.W. Barnes. 1994b. Cell cultures from zebrafish embryos and adult tissues. J. Tissue Culture Methods 16(2):99-107.

Brandao, J.C., H.H.L. Bohets, I.E. Van de Vyver and P.J. Dierickx. 1992. Correlation between the in vitro cytotoxicity to cultured fathead minnow fish cells and fish lethality data for 50 chemicals. Chemosphere 25(4):553-562.

Brandt, A., C. Wolstrup and T.K. Nielsen. 1990. The effect of dietary dl-alpha tocopheryl acetate sodium selenite and polyunsaturated fatty acids in mink *Mustela vison* L. clinical chemistry and hematology. J.

Animal Physiol. Animal Nutr. 64(5):280-288.

Brasher, A.M. and R.S. Ogle. 1993. Comparative toxicity of selenite and selenate to the amphipod *Hyalella azteca*. Arch. Environ. Contam. Toxicol. 24(2):182-186.

Braune, B. M., R.J. Norstrom, M.P. Wong, B.T. Collins and J. Lee. 1991. Geographical Distribution of Metals in Livers of Polar Bears from the Northwest Territories Canada. Sci. Total Environ. 100:283-300.

Brezina, E.R. and M.V. Arnold. 1977. Levels of heavy metals in fishes from selected Pennsylvania waters. Publication 50. Bureau of Water Quality Management, Department of Environmental Resources, Harrisburg, PA.

Brieger, G., J.R. Wells and R.D. Hunter. 1992. Plant and Animal Species Composition and Heavy Metal Content in Fly Ash Ecosystems. Water Air Soil Pollut. 63(1-2):87-103.

Bringmann, G. 1978. Determination of the biological toxicity of waterbound substances towards protozoa. I. Bacteriovorous flagellates (model organism: *Entosiphon sulcatum* Stein). Z. Wasser Abwasser Forsch. 11:210-215.

Bringmann, G. and R. Kuhn. 1959a. The toxic effects of waste water on aquatic bacteria, algae, and small crustaceans. Gesundh.-Ing. 80:115-120.

Bringmann, G. and R. Kuhn. 1959b. Water toxicology studies with protozoans as test organisms. Gesundh.-Ing. 80:239-242.

Bringmann, G. and R. Kuhn. 1976. Comparative results of the harmful effects of water pollutants on bacteria (*Pseudomonas putida*) and blue algae (*Microcystis aeruginosa*). Gas-Wasserfach, Wasser-Abwasser 117:410-413.

Bringmann, G. and R. Kuhn. 1977a. Limiting values for the damaging action of water pollutants to bacteria (*Pseudomonas putida*) and green algae (*Scenedesmus quadricauda*) in the cell multiplication inhibition tests. Z. Wasser Abwasser Forsch. 10:87-98.

Bringmann, G. and R. Kuhn. 1977b. Results of the damaging effect of water pollutants on *Daphnia magna*. Z. Wasser Abwasser Forsch. 10:161-166.

Bringmann, G. and R. Kuhn. 1978a. Limiting values for the noxious effects of water pollutant material to blue algae (*Microcystis aeruginosa*) and green algae (*Scenedesmus quadricauda*) in cell propagation inhibition tests. Vom Wasser 50:45-60.

Bringmann, G. and R. Kuhn. 1978b. Testing of substances for their toxicity threshold: Model organisms *Microcystis (Diplocystis) aeruginosa* and *Scenedesmus quadricauda*. Mitt. Int. Ver. Theor. Angew. Limnol. 21:275-284.

Bringmann, G. and R. Kuhn. 1979. Comparison of toxic limiting concentrations of water contamination toward bacteria, algae and protozoa in the cell-growth inhibition test. Haustech. Bauphys. Umwelttech. 100:249-252.

Bringmann, G. and R. Kuhn. 1980a. Determination of the harmful biological effect of water pollutants on protozoa. II. Bacteriovorous ciliates. *Z. Wasser Abwasser Forsch.* 13:26-31.

Bringmann, G. and R. Kuhn. 1980b. Comparison of the toxicity thresholds of water pollutants to bacteria, algae, and protozoa in the cell multiplication inhibition test. *Water Res.* 14:231-241.

Bringmann, G. and R. Kuhn. 1981. Comparison of the effects of harmful substances on flagellates as well as ciliates and on halozoic bacteriophagous and saprozoic protozoa. *Gas-Wasserfach, Wasser-Abwasser* 122:308-313.

Bringmann, G., R. Kuhn and A. Winter. 1980. Determination of biological damage from water pollutants to protozoa. III. Saprozoic flagellates. *Z. Wasser Abwasser Forsch.* 13:170-173.

Brix, K.V., J.S. Volosin, W.J. Adams, R.J. Reash, R.C. Carlton and D.O. McIntyre. 2001a. Effects of sulfate on the acute toxicity of selenate to freshwater organisms. *Environ. Toxicol. Chem.* 5: 1037-1045.

Brix, K.V., W.J. Adams, R.J. Reash, R.C. Carlton and D.O. McIntyre. 2001b. Acute toxicity of selenate on two daphnidids and three gammarid amphipods. *Environ. Toxicol. Chem.* 16: 142-150.

Brooke, L. 1987. University of Wisconsin-Superior, Superior, WI. (Memorandum to C. Stephan, U.S. EPA, Duluth, MN. July 20.)

Brooke, L.T., D.J. Call, S.L. Harting, C.A. Lindberg, T.P. Markee, D.J. McCauley and S.H. Poirier. 1985. Acute toxicity of selenium(IV) and selenium(VI) to freshwater organisms. Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI.

Brooks, A.S. 1984. Selenium in the environment: An old problem with new concerns. In: Workshop proceedings: The effects of trace elements on aquatic ecosystems. EA-3329. Electric Power Research Institute, Palo Alto, CA. pp. 2-1 to 2-17.

Brooks, A.S., P.E. Bertram, D.C. Szmania, D.B. Seale and M.E. Boraas. 1984. The effect of selenium on the reproductive potential of the fathead minnow. Final report on research project 1631-1. Center for Great Lakes Studies, University of Wisconsin-Milwaukee, Milwaukee, WI.

Brown, T.A. and A. Shrift. 1982. Selenium: Toxicity and tolerance in higher plants. *Biol. Rev.* 57:59-84.

Browne, C.L. and J.N. Dumont. 1979. Toxicity of selenium to developing *Xenopus laevis* embryos. *J. Toxicol. Environ. Health* 5:699-709.

Browne, C. and J.N. Dumont. 1980. Cytotoxic effects of sodium selenite on tadpoles (*Xenopus laevis*). *Arch. Environ. Contam. Toxicol.* 9:181-191.

Brugmann, L. and U. Hennings. 1994. Metals in zooplankton from the Baltic Sea, 1980-84. *Chem. Ecol.* 9(2):87-103.

Brugmann, L. and D. Lange. 1988. Trace metal studies on the starfish *Asterias rubens* L. from the western Baltic Sea. *Chem. Ecol.* 3(4):295-311.

Brumbaugh, W. G. and M.J. Walther. 1991. Improved Selenium Recovery from Tissue with Modified Sample Decomposition. J. Assoc. Official Anal Chemists 74(3):570-571.

Bryson, W.T., W.R.Garrett, M.A. Mallin, K.A. MacPherson, W.E. Partin, and S.E. Woock. 1984. Roxboro Steam Electric Plant 1982 Environmental Monitoring Studies, Volume II, Hyco Reservoir Bioassay Studies. Environmental Technology Section. Carolina Power & Light Company.

Bryson, W.T., W.R.Garrett, M.A. Mallin, K.A. MacPherson, W.E. Partin, and S.E. Woock. 1985a. Roxboro Steam Electric Plant Hyco Reservoir 1983 Bioassay Report. Environmental Services Section. Carolina Power & Light Company. September 1985.

Bryson, W.T., K.A. MacPherson, M.A. Mallin, W.E. Partin, and S.E. Woock. 1985b. Roxboro Steam Electric Plant Hyco Reservoir 1984 Bioassay Report. Environmental Services Section. Carolina Power & Light Company

Buhl, K.J. and S. J. Hamilton. 1991. Relative sensitivity of early life stages of arctic grayling coho salmon and rainbow trout to nine inorganics. Ecotoxicol. Environ. Safety 22(2):184-197.

Buhl, K.J. and S.J. Hamilton. 1996. Toxicity of inorganic contaminants, individually and in environmental mixtures, to three endangered fishes (Colorado squawfish, bonytail, and razorback sucker). Arch. Environ. Contam. Toxicol. 30(1):84-92.

Burger, J. 1992. Trace Element Levels In Pine Snake Hatchlings Tissue And Temporal Differences. Arch. Environ. Contam. Toxicol. 22(2):209-213.

Burger, J. 1994. Heavy metals in avian eggshells: Another excretion method. J. Toxicol. Environ. Health 41(2):207-220.

Burger, J. 1995. Heavy metal and selenium levels in feathers of herring gulls (*Larus argentatus*): Differences due to year, gender, and age at Captree, Long Island. Environ. Monit. Assess. 38(1):37-50.

Burger, J. 1996. Heavy metal and selenium levels in feathers of Franklin's gulls in interior North America. Auk 113(2):399-407.

Burger, J. 1997a. Heavy metals and selenium in herring gulls (*Larus argentatus*) nesting in colonies from eastern Long Island to Virginia. Environ. Monit. Assess. 48(3):285-296.

Burger, J. 1997b. Heavy metals in the eggs and muscle of horseshoe crabs (*Limulus polyphemus*) from Delaware Bay. Environ. Monit. Assess. 46(3): 279-287.

Burger, J. and M. Gochfeld. 1992a. Heavy Metal And Selenium Concentrations In Black Skimmers *Rynchops niger* Gender Differences. Arch. Environ. Contam. Toxicol. 23(4):431-434.

Burger, J. and M. Gochfeld. 1992b. Trace Element Distribution In Growing Feathers Additional Excretion In Feather Sheaths. Arch. of Environ. Contamin. & Toxicol. 23(1):105-108.

Burger, J. and M. Gochfeld. 1993. Heavy Metal And Selenium Levels In Feathers Of Young Egrets And

Herons From Hong Kong And Szechuan China. Arch. Environ. Contam. Toxicol. 25(3):322-327.

Burger, J. and M. Gochfeld. 1995a. Biomonitoring of heavy metals in the Pacific basin using avian feathers. Environ. Toxicol. Chem. 14(7):1233-1239.

Burger, J. and M. Gochfeld. 1995b. Heavy metal and selenium concentrations in eggs of herring gulls (*Larus argentatus*): Temporal differences from 1989 to 1994. Arch. Environ. Contam. Toxicol. 29(2):192-197.

Burger, J. and M. Gochfeld. 1996. Heavy metal and selenium levels in Franklin's gull (*Larus pipixcan*) parents and their eggs. Arch. Environ. Contam. Toxicol. 30(4):487-491.

Burger, J. and M. Gochfeld. 1997. Age differences in metals in the blood of herring (*Larus argentatus*) and Franklin's (*Larus pipixcan*) gulls. Arch. Environ. Contam. Toxicol. 33(4):436-440.

Burger, J., E.A.E. Schreiber and M. Gochfeld. 1992a. Lead Cadmium Selenium And Mercury In Seabird Feathers From The Tropical Mid-Pacific. Environmental Toxicology & Chemistry 11(6):815-822.

Burger, J., I.C.T. Nisbet and M. Gochfeld. 1992b. Metal Levels In Regrown Feathers Assessment Of Contamination On The Wintering And Breeding Grounds In The Same Individuals. J. Toxicol. Environ. Health 37(3):363-374.

Burger, J., K. Parsons, T. Benson, T. Shukla, D. Rothstein and M. Gochfeld. 1992c. Heavy Metal And Selenium Levels In Young Cattle Egrets From Nesting Colonies In The Northeastern United States Puerto Rico And Egypt. Arch. Environ. Contam. Toxicol. 23(4):435-439.

Burger, J., J.A. Rodgers, Jr. and M. Gochfeld. 1993. Heavy Metal And Selenium Levels In Endangered Wood Storks *Mycteria americana* From Nesting Colonies In Florida And Costa Rica. Arch. Environ. Contam. Toxicol. 24(4):417-420.

Burger, J., I.C.T. Nisbet and M. Gochfeld. 1994a. Heavy metal and selenium levels in feathers of known-aged common terns (*Sterna hirundo*). Arch. Environ. Contam. Toxicol. 26(3):351-355.

Burger, J., M. Pokras, R. Chafel and M. Gochfeld. 1994b. Heavy metal concentrations in feathers of common loons (*Gavia immer*) in the Northeastern United States and age differences in mercury levels. Environ. Monitor. Assess. 30(1):1-7.

Burnham, K. P., and D. R. Anderson. 2002. Model selection and inference: a practical information-theoretic approach. Springer, New York, NY.

Burton, D.T., L.W. Hall, Jr., R.J. Klauda and S.L. Margrey. 1983. Effects of treated bleached kraft mill effluent on eggs and prolarvae of striped bass (*Morone saxatilis*). Water Resour. Bull. 19:869-879.

Burton, G.A., Jr. and B.L. Stemmer. 1988. Evaluation of surrogate tests in toxicant impact assessments. Toxic. Assess. 3(3):255-69.

Burton, G.A., Jr., A. Drotar, J.M. Lazorchak, L.L. Bahls. 1987a. Relationship of microbial activity and

Ceriodaphnia responses to mining impacts on the Clark Fork River, Montana. Arch. Environ. Contam. Toxicol. 16(5):523-30.

Burton, G.A. Jr., T.H. Giddings, P. Debrine and R. Fall. 1987b. High incidence of selenite-resistant bacteria from a site polluted with selenium. Appl. Environ. Microbiol. 53(1):185-188.

Burton, G.A., Jr., D. Nimmo, D. Murphey and F. Payne. 1987c. Stream profile determinations using microbial activity assays and *Ceriodaphnia*. Environ. Toxicol. Chem. 6(7):505-13.

Burton, J.D., W.A. Maher, C.I. Measures and P.J. Statham. 1980. Aspects of the distribution and chemical form of selenium and arsenic in ocean waters and marine organisms. Thalassia Jugosl. 16:155-164.

Burton, W.H. and A.E. Pinkney. 1994. Yellow perch larval survival in the Zekiah Swamp watershed (Wicomico River, Maryland) relative to the potential effects of a coal ash storage facility. Water Air Soil Pollut. 72(1-4):235-249.

Butler, G.W. and P.J. Peterson. 1967. Uptake and metabolism of inorganic Se-75 by *Spirodela olingorrhiza*. Aust. J. Biol. Sci. 20:77-86.

Byl, T.D., H.D. Sutton and S. J. Klaine. 1994. Evaluation of peroxidase as a biochemical indicator of toxic chemical exposure in the aquatic plant *Hydrilla verticillata*, Royle. Environ. Toxicol. Chem. 13(3):509-515.

Byrne, C.J. and L.R. DeLeon. 1986. Trace metal residues in biota and sediments from Lake Pontchartrain, Louisiana. Bull. Environ. Contam. Toxicol. 37(1):151-8

Byrne, C., R. Balasubramanian, E.B. Overton and T.F. Albert. 1985. Concentrations of trace metals in the bowhead whale. Mar. Pollut. Bull. 16(12):497-8.

Cade, B., and J. D. Richards. 1996. Permutation tests for least absolute deviation regression. Biometrics. 52:886-902.

Cade, B. S., J. W. Terrel, and R. L. Schroeder. 1999. Estimating effects of limiting factors with regression quantiles. Ecology. 80:311-323.

Cade BS, Noon BR. 2003. A gentle introduction to quantile regression for ecologists. Front Ecol Env 1:412-420.

Caffrey, P.B. 1989. The effects of zinc deprivation on selenium requirements in daphnids (Crustacea). 169 pp. Available from Univ. Microfilms Int., Order No. DA9008884 From: Diss. Abstr. Int. B 1990, 50(11):4959.

Call, D.J., L.T. Brooke, N. Ahmad and J.E. Richter. 1983. Toxicity and metabolism studies with EPA (Environmental Protection Agency) priority pollutants and related chemicals in freshwater organisms. PB83-263665 or EPA-600/3-83-095. National Technical Information Service, Springfield, VA.

Callahan, M.A., M.W. Slimak, N.W. Gabel, I.P. May, C.F. Fowler, J.R. Freed, P. Jennings, R.L. Durfee,

F.C. Whitmore, B. Maestri, W.R. Mabey, B.R. Holt and C. Gould. 1979. Water-related environmental fate of 129 priority pollutants. Vol. I. EPA-440/4-79-029a. National Technical Information Service, Springfield, VA. pp. 16-1 to 16-13.

Cantillo, A.Y., G.C. Lauenstein, and T.P. O'connor. 1997. Mollusc and sediment contaminant levels and trends in south Florida coastal waters. Mar. Pollut. Bull. 34(7):511-521.

Canton, S.P. 1999. Acute aquatic life criteria for selenium. Environ. Toxicol. Chem. 18:1425-1432.

Canton, S.P. and W.D. VanDerveer. 1997. Selenium toxicity to aquatic life: an argument for sediment-based water quality criteria. Environ. Toxicol. Chem. 16(6):1255-1259.

Capar, S.G. and N.J. Yess. 1996. U.S. food and drug administration survey of cadmium, lead and other elements in clams and oysters. Food Addit. Contam. 13(5):553-560.

Capelli, R., V. Minganti and M. Bernhard. 1987. Total mercury, organic mercury, copper, manganese, selenium, and zinc in *Sarda sarda* from the Gulf of Genoa. Sci. Total Environ. 63(0):83-100.

Capelli, R., V. Minganti, F. Fiorentino and R. DePellegrini. 1991. Mercury and Selenium in *Adamussium colbecki* and *Pagothenia bernacchii* from the Ross Sea Antarctica Collected During Italian Expedition 1988-89. Ann. Chim. 81(7-8):357-370.

Cappon, C.J. 1984. Content and chemical form of mercury and selenium in Lake Ontario USA salmon and trout. J. Great Lakes Res. 10:429-434.

Cappon, C.J. and J.C. Smith. 1981. Mercury and selenium content and chemical form in fish muscle. Arch. Environ. Contam. Toxicol. 10:305-319.

Cappon, C.J. and J.C. Smith. 1982a. Chemical form and distribution of mercury and selenium in edible seafood. J. Anal. Toxicol. 6:10-21.

Cappon, C.J. and J.C. Smith. 1982b. Chemical form and distribution of mercury and selenium in canned tuna. J. Appl. Toxicol. 2:181-189.

Cardellicchio, N. 1995. Persistent contaminants in dolphins: An indication of chemical pollution in the Mediterranean Sea. Water Sci. Technol. 32(9-10):331-340.

Cardin, J.A. 1986. U.S. EPA, Narragansett, RI. (Memorandum to D.J. Hansen, U.S. EPA, Narrangansett, RI.)

Cardwell, R.D., D.G. Foreman, T.R. Payne and D.J. Wilbur. 1976a. Acute toxicity of selenium dioxide to freshwater fishes. Arch. Environ. Contam. Toxicol. 4:129-144.

Cardwell, R.D., D.G. Foreman, T.R. Payne and D.J. Wilbur. 1976b. Acute toxicity of selected toxicants to six species of fish. PB-252488 or EPA-600/3-76-008. National Technical Information Service, Springfield, VA.

Carell, B., S. Forberg, E. Grundelius, L. Henrikson, A. Johnels, U. Lindh, H. Mutvei, M. Olsson, K. Svaerdstroem and T. Westermark. 1987. Can mussel shells reveal environmental history?. *Ambio* 16(1):2-10.

Carter, L.F. and S.D. Porter. 1997. Trace-element accumulation by *Hygrohypnum ochraceum* in the upper Rio Grande Basin, Colorado and New Mexico, USA. *Environ. Toxicol. Chem.* 16(12):2521-2528.

Caurant, F., J.C. Amiard, C. Amiard-Triquet and P.G. Sauriau. 1994. Ecological and biological factors controlling the concentrations of trace elements (As, Cd, Cu, Hg, Se, Zn) in delphinids *Globicephala melas* from the North Atlantic Ocean. *Mar. Ecol.: Prog. Ser.* 103(3):207-219.

Caurant, F., M. Navarro, and J.C. Amiard. 1996. Mercury in pilot whales: Possible limits to the detoxification process. *Sci. Total Environ.* 186(1-2):95-104.

Chandy, J. P. and B. Patel. 1985. Do selenium and glutathione detoxify mercury in marine invertebrates? Effects on lysosomal response in the tropical blood clam *Anadara granosa*. *Dis. Aquat. Organisms* 1(1):39-48.

Chapman, D.C. 1992. Failure of gas bladder inflation in striped bass: effect on selenium toxicity. *Arch. Environ. Contam. Toxicol.* 22(3):296-299.

Chapman, W.H., H.L. Fisher and M.W. Pratt. 1986. Concentration factors of chemical elements in edible aquatic organisms. UCRL-50564. National Technical Information Service, Springfield, VA.

Chau, Y.K. and J.P. Riley. 1965. The determination of selenium in sea water, silicates, and marine organisms. *Anal. Chim. Acta* 33:36-49.

Chau, Y.K., P.T.S. Wong, B.A. Silverberg, P.L. Luxon and G.A. Bengert. 1976. Methylation of selenium in the aquatic environment. *Science* 192:1130-1131.

Chen, C., Y. Liu, J. Zhou, H. Xu and S. Qu. 1997. Microcalorimetric study of the toxic effect of selenium on the mitochondrial metabolism of *Cyprinus carpio* liver. *Biol. Trace Element Rev.* 60:115-122.

Cheng, L. L., P.R. Bowser and J.M. Spitsbergen. 1993. Development Of cell cultures derived from lake trout liver and kidney in a hormone-supplemented serum-reduced medium. *J. Aquat. Animal Health* 5(2):119-126.

Cherry, D.S. and R.K. Guthrie. 1978. Mode of elemental dissipation from ash basin effluent. *Water Air Soil Pollut.* 9:403-412.

Cherry, D.S., R.K. Guthrie, J.H. Rodgers, Jr., J. Cairns, Jr. and K.L. Dickson. 1976. Responses of mosquitofish (*Gambusia affinis*) to ash effluent and thermal stress. *Trans. Am. Fish. Soc.* 105:686-694.

Cherry, D.S., R.K. Guthrie, F.F. Sherberger and S.R. Lerrick. 1979a. The influence of coal ash and thermal discharges upon the distribution and bioaccumulation of aquatic invertebrates. *Hydrobiol.* 62:257-267.

Cherry, D.S., S.R. Lerrick, R.K. Guthrie, E.M. Davis and F.F. Sherberger. 1979b. Recovery of invertebrate and vertebrate populations in a coal ash stressed drainage system. J. Fish. Res. Board Can. 36:1089-1096.

Cherry, D.S., R.K. Guthrie, E.M. Davis and R.S. Harvey. 1984. Coal ash basin effects (particulates, metals, acidic pH) upon aquatic biota: An eight year evaluation. Water Resour. Bull. 20:535-544.

Cherry, D.S., J.H. Van Hassel, P.H. Ribbe and J. Cairns, Jr. 1987. Factors influencing acute toxicity of coal ash to rainbow trout (*Salmo gairdneri*) and bluegill sunfish (*Lepomis macrochirus*). Water Resour. Bull. 23(2):293-306.

Chiang, L., B.D. James, R.J. Magee. 1994. Determination of selenium in biological and environmental samples by adsorptive stripping voltammetry. Malays. J. Sci. Ser. B, 15(1 & 2):31-34.

Chidambaram, N. and C.A. Sastry. 1991a. Toxicity and bioaccumulation of selenate in the teleost fish, *Oreochromis mossambicus* (Peters). Indian J. Environ. Prot. 11(7):496-501.

Chidambaram, N. and C.A. Sastry. 1991b. Some aspects of selenium accumulation in a freshwater teleost fish, *Oreochromis mossambicus* (Peters). Indian J. Environ. Prot. 11(10):761-770.

Chou, C.L. and J.F. Uthe. 1991. Effect of starvation on trace metal levels in blue mussels (*Mytilus edulis*). Bull. Environ. Contam. Toxicol. 46(3):473-478.

Christensen, G.M. and J.H. Tucker. 1976. Effects of selected water toxicants on the in vitro activity of fish carbonic anhydrase. Chem.-Biol. Interact. 13:181-192.

Chvojka, R. 1988. Mercury and selenium in axial white muscle of yellowtail kingfish from Sydney, Australia. Mar. Pollut. Bull. 19(5):210-213.

Chvojka, R., R.J. Williams and S. Frederickson. 1990. Methyl Mercury Total Mercury and Selenium in Snapper from Two Areas of the New South Wales Coast Australia. Mar. Pollut. Bull. 21(12):570-573.

Cieminski, K. L. and L.D. Flake. 1995. Invertebrate fauna of wastewater ponds in southeastern Idaho. Great Basin Naturalist 55(2):105-116.

Clark, D.R. Jr., P.A. Ogasawara, G.J. Smith and H.M. Ohlendorf. 1989. Selenium accumulation by raccoons exposed to irrigation drainwater at Kesterson National Wildlife Refuge California USA 1986. Arch. Environ. Contam. Toxicol. 18(6):787-794.

Cleveland, L., E.E. Little, D.R. Buckler and R.H. Wiedmeyer. 1993. Toxicity and bioaccumulation of waterborne and dietary selenium in juvenile bluegill (*Lepomis macrochirus*). Aquat. Toxicol. (Amsterdam) 27(3-4):265-279.

Clifford, P.J. and P.J. Harrison. 1988. Use of carbon-14 uptake rates to evaluate the selenium nutrition of a marine phytoplankton, *Thalassiosira pseudonana* (Hustedt) Hasle et Heimdal. J. Exp. Mar. Biol. Ecol. 124(2):87-96.

Clifford, D., S. Subrammian and T.J. Sorg. 1986. Removing dissolved inorganic contaminants from water. *Environmental Science of Technology*. 20:1072- .

Collins, C. T. 1992. Metals in eggs of the California least tern in Southern California. Bull. South. Calif. Acad. Sci. 91(2):49-54.

Combs, G.F. Jr., C. Garbisu, B.C. Yee, A. Yee, D.E. Carlson, N.R. Smith, A.C. Magyarosy, T. Leighton and B.B. Buchanan. 1996. Bioavailability of selenium accumulated by selenite-reducing bacteria. Biol. Trace Element Res. 52(3):209-225.

Congiu, A.M., S. Casu and G. Ugazio. 1989. Toxicity of selenium and mercury on the planarian *Dugesia gonocephala*. Res. Comm. Chem. Pathol. Pharmacol. 66(1):87-96.

Cooke, T.D., and K.W. Bruland. 1987. Aquatic Chemistry of Selenium: Evidence of Biomethylation. *Environmental Science of Technology*. 21:1214- .

Cooke, T.D. and C.-C. Lee. 1993. Toxicity Identification Evaluations (TIE) in San Francisco Bay area urban storm water runoff. Proc. - Water Environ. Fed. Annu. Conf. Expo., 66th, Volume 7. Water Environ. Fed.: Alexandria, Va. pp. 369-378.

Cooney, J. D., G.M. DeGraeve, E.L. Moore, W.D. Palmer and T.L. Pollock. 1992. Effects of Food and Water Quality on Culturing of *CerioDaphnia dubia*. Environ. Toxicol. & Chem. 11(6):823-837.

Cooper, W.C., K.G. Bennett and F.C. Croxton. 1974. The history, occurrence, and properties of selenium. In: Selenium. Zingaro, R.A. and W.C. Cooper (Eds.). Van Nostrand Reinhold Company, New York, NY. pp. 1-30.

Cosson, R.P., J.C. Amiard, and C. Triquet-Amiard. 1988. Trace elements in little egrets and flamingos of Camargue, France. Ecotoxicol. Environ. Safety 15(1):107-116

Cossu, C., A. Doyette, M.C. Jacquin, M. Babut, A. Exinger and P. Vasseur. 1997. Glutathione reductase, selenium-dependent glutathione peroxidase, glutathione levels, and lipid peroxidation in freshwater bivalves, *Unio tumidus*, as biomarkers of aquatic contamination in field studies. Ecotox. Environ. Saf. 38:122-131.

Cotton, F.A., and G. Wilkinson. *Advanced Inorganic Chemistry*, 5th Ed. Wiley, New York, 1988.

Coughlan, D.J. and J.S. Velte. 1989. Dietary toxicity of selenium-contaminated red shiners to striped bass. Trans. Am. Fish. Soc. 118(4):400-408.

Courtney, A.J., D. J. Die and M.J. Holmes. 1994. Discriminating populations of the eastern king prawn, *Penaeus plebejus*, from different estuaries using ICP-MS trace element analysis. At. Spectrosc. 15(1):1-6.

Cowgill, U.M. 1987. Critical analysis of factors affecting the sensitivity of zooplankton and the reproducibility of toxicity test results. Water Res. 21(12):1453-1462.

Cowgill, U.M. and D.P. Milazzo. 1989. The culturing and testing of two species of duckweed. ASTM Spec. Tech. Publ. 1027 (Aquat. Toxicol. Hazard Assess.: 12th Vol.):379-391.

Cowgill, U.M., H.W. Emmel and I.T. Takahashi. 1985. Inorganic chemical composition of trout food pellets and alfalfa used to sustain *Daphnia magna* Straus. Bull. Environ. Contam. Toxicol. 34:890-896.

Cowgill, U.M., H.W. Emmel, D.L. Hopkin, S.L. Applegath and I.T. Takahashi. 1986. The influence of water on reproductive success and chemical composition of laboratory reared populations of *Daphnia magna*. Water Res. 20:317-323.

Coyle, J.J., D.R. Buckler, C.G. Ingesoll, J.F. Fairchild and T.W. May. 1993. Effect of dietary selenium on the reproductive success of bluegills *Lepomis macrochirus*. Environ. Toxicol. Chem. 12(3):551-565.

Crane, M., T. Flower, D. Holmes and S. Watson. 1992. The toxicity of selenium in experimental freshwater ponds. Arch. Environ. Contam. Toxicol. 23(4):440-452.

Crock, J. G., R.C. Severson and L.P. Gough. 1992. Determining Baselines and Variability of Elements in Plants and Soils near the Kenai National Wildlife Refuge Alaska. Water Air Soil Pollut. 63(3-4):253-271.

Cruwys, E., K. Robinson and N.R. Davis. 1994. Microprobe analysis of trace metals in seal teeth from Svalbard, Greenland, and South Georgia. Polar Rec. 30(172):49-52.

Cumbie, P.M. and S.L. Van Horn. 1978. Selenium accumulation associated with fish mortality and reproductive failure. Proc. Annu. Conf. Southeast. Assoc. Fish Wildl. Agencies 32:612-624.

Currey, N.A., W.I. Benko, B.T. Yaru and R. Kabi. 1992. Determination of heavy metals, arsenic and selenium in barramundi (*Lates calcarifer*) from Lake Murray, Papua New Guinea. Sci. Total Environ. 125:305-320.

Cushman, R.M., S.G. Hildebrand, R.H. Strand and R.M. Anderson. 1977. The toxicity of 35 trace elements in coal to freshwater biota: A data base with automated retrieval capabilities. ORNL/TM-5793. National Technical Information Service, Springfield, VA.

Custer, T.W. and W.L. Hohman. 1994. Trace elements in canvasbacks (*Aythya valisineria*) wintering in Louisiana, USA, 1987-1988. Environ. Pollut. 84(3):253-259.

Custer, T.W. and C.A. Mitchell. 1991. Contaminant Exposure of Willets Feeding in Agricultural Drainages Of the Lower Rio Grande Valley of South Texas USA. Environ. Monitor. Assess. 16(2):189-200.

Custer, T.W. and C.A. Mitchell. 1993. Trace Elements and Organochlorines in the shoalgrass community of the lower Laguna Madre Texas. Environ. Monitor. Assess. 25(3):235-246.

Custer, T.W., R.K. Hines, M.J. Melancon, D.J. Hoffman, J.K. Wickliffe, J.W. Bickham, J.W. Martin and D.S. Henshel. 1997. Contaminant concentrations and biomarker response in great blue heron eggs from 10 colonies on the Upper Mississippi River, USA. Environ. Toxicol. Chem. 16(2):260-271.

Cutter, G.A. 1985. Determination of selenium speciation in biogenic particles and sediments. Anal. Chem. 57(14):2951-2955.

Cutter, G.A. 1989. The Estuarine Behavior of Selenium in San Francisco Bay. *Estuarine, Coastal and Shelf Science*. 28:13- .

Cutter, G.A. 1986. *Speciation of Selenium and Arsenic in Natural Waters and Sediments, Volume 1*. Report Ea-4641. Electric Power Research Institute, Palo Alto, CA

Cutter, G.A. and K.W. Bruland. 1984. The marine biogeochemistry of selenium: A re-evaluation. *Limnol. Oceanogr.* 29:1179-1192.

Cutter, G.A., and L.S. Cutter. 1995. Behavior of Dissolved Antimony, Arsenic, and Selenium in the Atlantic Ocean. *Marine Chemistry*. 49:295- .

Cuvin, M.L.A. and R.W. Furness. 1988. Uptake and elimination of inorganic mercury and selenium by minnows *Phoxinus phoxinus*. *Aquat. Toxicol.* (Amsterdam) 13(3):205-216.

Dabbert, C.B. and K.C. Powell. 1993. Serum enzymes as indicators of capture myopathy in mallards *Anas platryrhynchos*. *J. Wildl. Dis.* 29(2):304-309.

Dabeka, R.W. and A.D. McKenzie. 1991. Graphite-furnace atomic absorption spectrometric determination of selenium in foods after sequential wet digestion with nitric acid, dry ashing and coprecipitation with palladium. *Can. J. Appl. Spectrosc.* 36(5):123-126.

Davies, A.G. 1978. Pollution studies with marine plankton. Part II. Heavy metals. *Adv. Mar. Biol.* 15:381-508.

Davies, I.M. and R. Russell. 1988. The influence of dissolved selenium compounds on the accumulation of inorganic and methylated mercury compounds from solution by the mussel *Mytilus edulis* and the plaice *Pleuronectes platessa*. *Sci. Total Environ.* 168(0):197-206.

Davoren, W.T. 1986. Selenium and San Francisco Bay. In: *Selenium and agricultural drainage: Implications for San Francisco Bay and the California environment*. The Bay Institute of San Francisco, Tiburon, CA. pp. 150-162.

Deaker, M. and W. Maher. 1997. Low-volume microwave digestion for the determination of selenium in marine biological tissues by graphite furnace atomic absorption spectroscopy. *Anal. Chim. Acta*, 350(3):287-294.

De Jong, L.E.D.D. 1965. Tolerance of *Chlorella vulgaris* for metallic and non-metallic ions. *Antonie Leeuwenhoek J. Microbiol. Serol.* 31:301-313.

de Peyster, A., R. Donohoe, D.J. Slymen, J.R. Froines, A.W. Olivieri and D.M. Eisenberg. 1993. Aquatic biomonitoring of reclaimed water for potable use: the San Diego health effects study. *J. Toxicol. Environ. Health*, 39(1):121-142.

Deelstra, H., P. Van Dael, R. Van Cauwenbergh and H. Robberecht. 1989. Interaction of heavy metals on the availability of selenium compounds to *Artemia salina*. *Spec. Publ. - R. Soc. Chem.* 72(Nutr. Availability: Chem. Biol. Aspects):284-286.

Demon, A., M. DeBruin and H.T. Wolterbeek. 1988. The influence of pH on trace element uptake by an alga (*Scenedesmus pannonicus* ssp. Berlin) and fungus (*Aureobasidium pullulans*). Environ. Monitor. Assess. 10(2):165-174.

DeQuiroga, G.B., M. Lopez-Torres, and P. Gil. 1989. Hyperoxia decreases lung size of amphibian tadpoles without changing GSH-peroxidases or tissue peroxidation. Comp. Biochem. Physiol. A Comp. Physiol. 92(4):581-588.

Devillers, J., A. Elmouaffek, D. Zakarya, and M. Chastrette. 1988. Comparison of ecotoxicological data by means of an approach combining cluster and correspondence factor analyses. Chemosphere 17(4):633-46.

Dickman, M. and G. Rygiel. 1996. Chironomid larval deformity frequencies, mortality, and diversity in heavy-metal contaminated sediments of a Canadian riverine wetland. Environ. Int. 22(6):693-703.

Dierenfeld, E.S., C.D. Sheppard, J. Langenberg, C. Mirande, J. Spratt and F.J. Dein. 1993. Vitamin E In Cranes Reference Ranges And Nutrient Interactions. J. Wildl. Dis. 29(1):98-102.

Dierickx, P.J. 1993. Correlation between the reduction of protein content in cultured FHM fish cells and fish lethality data. Toxicol. in Vitro 7(4):527-530.

Dietrich, C.P., H.B. Nader, L. Toma, P. DeAzambuya and E.S. Garcia. 1987. A relationship between the inhibition of heparan sulfate and chondroitin sulfate synthesis and the inhibition of molting by selenate in the hemipteran *Rhodnius prolixus*. Biochem. Biophys. Res. Comm. 146(2):652-658.

Dietz, R., E.W. Born, C.T. Agger and C.O. Nielsen. 1995. Zinc, cadmium, mercury and selenium in polar bears (*Ursus maritimus*) from Central East Greenland. Polar Biol. 15(3):175-185.

Dietz, R., F. Riget and P. Johansen. 1996. Lead, cadmium, mercury and selenium in Greenland marine animals. Sci. Total Environ. 186(1-2):67-93.

Dillio, C., G. DelBoccio, M. Miranda, A. Manilla, O. Zarivi and G. Federici. 1986. Glutathione peroxidases and glutathione reductase activities during *Bufo bufo* development. Comp. Biochem. Physiol. C Comp. Pharmacol. Toxicol. 83(1):9-12.

Ding, L., et al. 1988. Study of inhibitive effect of sodium selenite on hepatocarcinogenesis in ducks. Acta Academiae Medicinae Sinicae 10(2):100-103.

Dobbs, M.G., D.S. Cherry, J. Cairns Jr. 1996. Toxicity and bioaccumulation of selenium to a three-trophic level food chain. Environ. Toxicol. Chem. 15(3):340-347.

Doherty, F.G., D.W. Evans, E.F. Neuhauser. 1993. An assessment of total and leachable contaminants in zebra mussels (*Dreissena polymorpha*) from Lake Erie. Ecotoxicol. Environ. Saf. 25(3):328-340.

Doran, J.W. 1982. Microorganisms and the biological cycling of selenium. Adv. Microb. Ecol. 6:1-32.

Doucette, G.J., N.M. Price and P.J. Harrison. 1987. Effects of selenium deficiency on the morphology and

ultrastructure of the coastal marine diatom *Thalassiosira pseudonana* (Bacillariophyceae). J. Phycol. 23(1):9-17.

Doyotte, A., C. Cossu, M.C. Jacquin, M. Babut, and P. Vasseur. 1997. Antioxidant enzymes, glutathione and lipid peroxidation as relevant biomarkers of experimental or field exposure in the gills and the digestive gland of the freshwater bivalve *Unio tumidus*. Aquat. Toxicol. 39(2):93-110.

Draper, N.R. and H. Smith. 1981. Applied Regression Analysis. Second Edition. Wiley, New York. 709.

Drndarski, N., D. Stojic, M. Zupancic and S. Cupic. 1990. Determination of partition coefficients of metals in the Sava River environment. J. Radioanal. Nucl. Chem. 140(2):341-348.

Drotar, A., L.R. Fall, E.A. Mischalanie, J.E. Tavernier, and R. Fall. 1987. Enzymatic methylation of sulfide, selenide, and organic thiols by *Tetrahymena thermophila*. Appl. Environ. Microbiol. 53(9):2111-2118.

Dubois, W. and G.V. Callard. 1993. Culture of intact sertoli-germ cell units and isolated sertoli cells from squalus testis II: Stimulatory effects of insulin and IGF-I on DNA synthesis in premeiotic stages. J. Exp. Zool. 267(2):233-244.

Dubowy, P.J. 1989. Effects of diet on selenium bioaccumulation in marsh birds. J. Wildl. Manag. 53(3):776-781.

Dunbar, A.M., J.M. Lazorchak and W.T. Waller. 1983. Acute and chronic toxicity of sodium selenate to *Daphnia magna* Straus. Environ. Toxicol. Chem. 2:239-244.

Duncan, D.A. and J.F. Klaverkamp. 1983. Tolerance and resistance to cadmium in white suckers (*Catostomus commersoni*) previously exposed to cadmium, mercury, zinc, or selenium. Can. J. Fish. Aquat. Sci. 40:128-138.

Ebringer, L., J. Dobias, J. Krajcovic, J. Polonyi, L. Krizkova and N. Lahitova. 1996. Antimutagens reduce ofloxacin-induced bleaching in *Euglena gracilis*. Mutat. Res. 359(2):85-93.

Eisler, R. 1985. Selenium hazards to fish, wildlife, and invertebrates: A synoptic review. Contaminant Hazard Reviews. Report No. 5. Biological Report 85(1.5). U.S. Fish and Wildlife Service, Laurel, MD.

Elendt, B. P. 1990. Selenium Deficiency in Crustacea, an Ultrastructural Approach to Antennal Damage in *Daphnia magna* Straus. Protoplasma 154(1):25-33.

Elendt, B. P. and W.R. Bias. 1990. Trace Nutrient Deficiency in *Daphnia magna* Cultured in Standard Medium for Toxicity Testing Effects of the Optimization of Culture Conditions on Life History Parameters of *Daphnia magna*. Water Res. 24(9):1157-1168.

Elliott, J.E. and A.M. Scheuhammer. 1997. Heavy metal and metallothionein concentrations in seabirds from the Pacific Coast of Canada. Mar. Pollut. Bull. 34(10):794-801.

Ellis, M.M. 1937. Detection and measurement of stream pollution. Bulletin No. 22. Bureau of Fisheries,

U.S. Department of Commerce, Washington, DC.

Ellis, M.M., H.L. Motley, M.D. Ellis and R.O. Jones. 1937. Selenium poisoning in fishes. Proc. Soc. Exp. Biol. Med. 36:519-522.

Enberg, A. and L. Wu. 1995. Selenium assimilation and differential response to elevated sulfate and chloride salt concentrations in two saltgrass ecotypes. Ecotoxicol. Environ. Saf. 32(2):171-178.

Engberg, R. M. and C.F. Borsting. 1994. Inclusion of oxidized fish oil in mink diets. 2. The influence on performance and health considering histopathological, clinical-chemical, and haematological indices. J. Animal Physiol. Animal Nutr. 72(2-3):146-157.

Engberg, R. M., K. Jakobsen, C.F. Borsting and H. Gjern. 1993. On The Utilization Retention And Status Of Vitamin E In Mink *Mustela vison* Under Dietary Oxidative Stress. J. Animal Physiol. Animal Nutr. 69(2-3):66-78.

Eriksson, C. and C. Forsberg. 1992. Nutrient interactions and phytoplankton growth during the spring bloom period in Lake Erken, Sweden. Int. Rev. Gesamten Hydrobiol. 77(4):517-551.

Eriksson, C. and C. Pedros-Alio. 1990. Selenium as a nutrient for freshwater bacterioplankton and its interactions with phosphorus. Can. J. Microbiol. 36(7):475-483.

Eriksson, M.O.G., L. Henrikson and H.G. Oscarson. 1989. Metal contents in liver tissues of non-fledged goldeneye, *Bucephala clangula*, ducklings: a comparison between samples from acidic, circumneutral, and limed lakes in South Sweden. Arch. Environ. Contam. Toxicol. 18(1-2):255-60.

Eun, J.B., J.O. Hearnsberger and J.M. Kim. 1993. Antioxidants, activators, and inhibitors affect the enzymic lipid peroxidation system of catfish muscle microsomes. J. Food Sci. 58(1):71-74.

Evans, D.W., D.K. Dodoo and P.J. Hanson. 1993. Trace element concentrations in fish livers: implications of variations with fish size in pollution monitoring. Mar. Pollut. Bull. 26(6):329-334.

Ewan, R.C. 1979. Toxicology and adverse effects of mineral imbalance with emphasis on selenium and other minerals. In: Toxicity of heavy metals in the environment. Part 1. Oehme, F.W. (Ed.). Marcel Dekker, New York, NY. pp. 445-489.

Fairbrother, A., M. Fix, T. O'Hara and C.A. Ribic. 1994. Impairment of growth and immune function of avocet chicks from sites with elevated selenium arsenic and boron. J. of Wildl. Dis. 30(2):222-233.

Fan, T.W.M., A.N. Lane, and R.M. Higashi. 1997. Selenium biotransformations by a euryhaline microalga isolated from a saline evaporation pond. Environ. Sci. Tech. 31(2):569-576.

Fan, T.W.M., S.J. Teh, D.E. Hinton, and R.M. Higashi. 2002. Selenium Biotransformations into Proteinaceous Forms by Foodweb Organisms of Selenium-Laden Drainage Waters in California. *Aquatic Toxicology*. 57:65- .

Fava, J.A., J.J. Gift, A.F. Maciorowski, W.L. McCulloch and H.J. Reisinger II. 1985a. Comparative

toxicity of whole and liquid phase sewage sludges to marine organisms. In: Aquatic toxicology and hazard assessment: Seventh symposium. Cardwell, R.D., R. Purdy and R.C. Bahner (Eds.). ASTM STP 854. American Society for Testing and Materials, Philadelphia, PA. pp. 229-252.

Fava, J.A., W.L. McCulloch, J.J. Gift, H.J. Reisinger, S.E. Storms, A.F. Maciorowski, J.E. Edinger, and E. Buchak. 1985b. A multidisciplinary approach to the assessment of ocean sewage sludge disposal. Environ. Toxicol. Chem. 4(6):831-840.

Faust, S.D., and O.M. Aly. 1981. *Chemistry of Natural Waters*. Ann Arbor Science, Ann Arbor, MI. pp. 359-371.

Felton, S.P., W. Ji and S.B Mathews. 1990. Selenium Concentrations in Coho Salmon Outmigrant Smolts and Returning Adults a Comparison of Wild Versus Hatchery-reared Fish. Dis. Aquat. Organ. 9(2):157-161.

Felton, S.P., R. Grace and M. Landolt. 1994. Significantly higher levels of zinc and copper found in wild compared to hatchery-reared coho salmon smolts *Oncorhynchus kisutch*. Dis. Aquat. Organ. 18(3):233-236.

Felton S.P., M.L. Landolt, R. Grace, and A. Palmisano. 1996. Effects of selenium dietary enhancement on hatchery-reared coho salmon, *Oncorhynchus kisutch* (Walbaum), when compared with wild coho: Hepatic enzymes and seawater adaptation evaluated. Aquac. Res. 27(2):135-142.

Feroci, G., A. Fini, R. Badiello, and A. Breccia. 1997. Interaction between selenium derivatives and heavy metal ions: Cu-2+ and Pb-2+. Microchem. J. 57(3):379-388.

Finger, S.E. and J.S. Bulak. 1988. Toxicity of water from three South Carolina rivers to larval striped bass. Trans. Am. Fish. Soc. 117(6):521-8.

Finley, K.A. 1985. Observations of bluegills fed selenium-contaminated *Hexagenia* nymphs collected from Belews Lake, North Carolina. Bull. Environ. Contam. Toxicol. 35:816-825.

Fishbein, L. 1984. Overview of analysis of carcinogenic and/or mutagenic metals in biological and environmental samples. I. Arsenic, beryllium, cadmium, chromium and selenium. Int. J. Environ. Anal. Chem. 17:113-170.

Fisher, N.S. and J.R. Reinfelder. 1991. Assimilation of selenium in the marine copepod *Acartia tonsa* studied with a radiotracer ratio method. Mar. Ecol. Prog. Ser. 70(2):157-164.

Fisher, N.S. and M. Wente. 1993. The release of trace elements by dying marine phytoplankton. Deep-Sea Res., Part I, 40(4):671-694.

Fitzsimons, J.D., S. Huestis and B. Williston. 1995. Occurrence of a swim-up syndrome in Lake Ontario lake trout in relation to contaminants and cultural practices. J. Great Lakes Res. 21(Suppl. 1, International Conference on Restoration of Lake Trout in the Laurentian Great Lakes, 1994):277-285.

Fjeld, E. and S. Rognerud. 1993. Use of path analysis to investigate mercury accumulation in brown trout

(*Salmo trutta*) in Norway and the influence of environmental factors. Can. J. Fish. Aquat. Sci. 50(6):1158-1167.

Fjolstad, M. and A. L. Heyeraas. 1985. Muscular and myocardial degeneration in cultured Atlantic salmon, *Salmo salar*, suffering from "Hitra disease". J. Fish Dis. 8(4):367-372.

Fletcher, C.A., J.M. Bubb and J.N. Lester. 1994. Magnitude and distribution of anthropogenic contaminants in salt marsh sediments of the Essex coast, UK. II. Selected metals and metalloids. Sci. Total Environ. 155(1):47-59.

Flury, M., W.T. Frankenberger and W.A. Jury. 1997. Long-term depletion of selenium from Kesterson dewatered sediments. Sci. Total Environ. 198:259-270.

Focardi, S., C. Fossi, M. Lambertini, C. Leonzio and A. Massi. 1988. Long term monitoring of pollutants in eggs of yellow-legged herring gull from Capraia Island (Tuscan Archipelago). Environ. Monitor. Assess. 10(1):43-50.

Foe, C. and A.W. Knight. Manuscript. Selenium bioaccumulation, regulation, and toxicity in the green alga, *Selenastrum capricornutum*, and dietary toxicity of the contaminated alga to *Daphnia magna*. Department of Land, Air and Water Resources, University of California, Davis, CA.

Follett, R.H. 1991. Extension's Response to Reports of Toxic Levels of Selenium in Colorado Soil Plant and Water Samples. J. Agron. Ed.20(2):151-152.

Foltinova, P. and J. Gajdosova. 1993. Effect of ascorbic acid and selenium on bleaching activity of furadantin and furazolidone in *Euglena gracilis*. Biologia (Bratislava) 48(3):291-293.

Foltinova, P., N. Lahitova and L. Ebringer. 1994. Antimutagenicity in *Euglena gracilis*. Mutat. Res. 323(4):167-171.

Forsythe, B.L. II and S.J. Klaine. 1994. The interaction of sulfate and selenate (Se+6) effects on brine shrimp, *Artemia spp*. Chemosphere 29(4):789-800.

Fowler, B.A., R.C. Fay, R.L. Walter, R.D. Willis and W.F. Gutknecht. 1975. Levels of toxic metals in marine organisms collected from southern California coastal waters. Environ. Health Perspect. 12:71-76.

Fowler, B.A., N.G. Carmichael, K.S. Squibb and D.W. Engel. 1981. Factors affecting trace metal uptake and toxicity to estuarine organisms. II. Cellular mechanisms. In: Biological monitoring of marine pollutants. Vernberg, J., A. Calabrese, F.P. Thurberg and W.B. Vernburg (Eds.). Academic Press, New York, NY. pp. 145-163.

Fowler, S.W. 1986. Trace metal monitoring of pelagic organisms from the open Mediterranean Sea. Environ. Monit. Assess. 7(1):59-78.

Fowler, S.W. and G. Benayoun. 1976a. Influence of environmental factors on selenium flux in two marine invertebrates. Mar. Biol. (Berl.) 37:59-68.

Fowler, S.W. and G. Benayoun. 1976b. Accumulation and distribution of selenium in mussels and shrimp tissue. Bull. Environ. Contam. Toxicol. 16:339-346.

Fowler, S.W. and G. Benayoun. 1976c. Selenium kinetics in marine zooplankton. Mar. Sci. Commun. 2:43-67.

Fowler, S.W., C. Papadopoulou and D. Zafiropoulos. 1985. Trace elements in selected species of zooplankton and nekton from the open Mediterranean Sea. Heavy Met. Environ., Int. Conf., 5th, Volume 1, 670-2. Editor(s): Lekkas, Themistokles D. CEP Consult.: Edinburgh, UK.

France, R.L. 1987. Calcium and trace metal composition of crayfish (*Orconectes virilis*) in relation to experimental lake acidification. Can. J. Fish. Aquat. Sci. 44(Suppl. 1):107-113.

Franson, J. C., N.J. Thomas, M.R. Smith, A.H. Robbins, S. Newman, and P.C. McCartin. 1996. A retrospective study of postmortem findings in red-tailed hawks. J. Raptor Res. 30(1):7-14.

Frausto da Silva, J.J.R., and R.J. P. Williams. 1991. *The Biological Chemistry of the Elements*. Clarendon Press, Oxford, England.

Freeman, H.C. and G.B. Sangalang. 1977. A study of the effects of methyl mercury, cadmium, arsenic, selenium, and a PCB (Aroclor 1254) on adrenal and testicular steroidogeneses in vitro, by the gray seal *Halichoerus grypus*. Arch. Environ. Contam. Toxicol. 5:369-383.

Friberg, L. 1988. The GESAMP evaluation of potentially harmful substances in fish and other seafood with special reference to carcinogenic substances. Aquat. Toxicol., 11(3-4):379-93.

Fries, L. 1982. Selenium stimulates growth of marine macroalgae in axenic culture. J. Phycol. 18:328-331.

Frolsli, A., G. Norheim and O.T. Sandlund. 1985. Levels of selenium in relation to levels of mercury in fish from Mjosa, a freshwater lake in southeastern Norway. Bull. Environ. Contam. Toxicol. 34:572-577.

Frolsli, A., G. Holt, R. Hoie and A Haugen. 1987. Levels of copper, selenium and zinc in liver of Norwegian moose (*Alces alces*), reindeer (*Rangifer tarandus*), roe deer (*Capreolus capreolus*) and hare (*Lepus timidus*). Norsk Landbruksforskning 1(4): 243-250.

Frost, D.V. and D. Ingvaldstad. 1975. Ecological aspects of selenium and tellurium in human and animal health. Chem. Scr. 8A:96-107.

Fujita, M., M. Ike, S. Nishimoto, K. Takahashi and M. Kashiwa. 1997. Isolation and characterization of a novel selenate-reducing bacterium, *Bacillus* sp. SF-1. J. Fermentation Bioeng. 83(6):517-522.

Furr, A.K., T.F. Parkinson, W.D. Youngs, C.O. Berg, W.H. Gutenmann, I.S. Pakkala and D.J. Lisk. 1979. Elemental content of aquatic organisms inhabiting a pond contaminated with coal fly ash. N. Y. Fish Game J. 26:154-161.

Gabashanske, M. P. and A. P. Daskalova. 1985. On the microelement composition of tissues of young geese experimentally invaded with *Ascaridia galli*. Helminthologia (Bratislava) 22(4):267-275.

- Gabrashanske, M. and I. Nedeva. 1994. Microelement concentration of the host-parasite system *Cyprinus carpio*-cestode. Biotechnol. Equip.(4):54-57.
- Gaikwad, S.A. 1989. Acute toxicity of mercury, copper and selenium to the fish *Etroplus maculatus*. Environ. Ecol. 7(3):694-696.
- Galgan, V. and A. Frank. 1995. Survey of bioavailable selenium in Sweden with the moose (*Alces alces* L.) as monitoring animal. Sci. Total Environ. 172(1):37-45.
- Ganther, H.E. 1980. Interactions of vitamin E and selenium with mercury and silver. Ann. N. Y. Acad. Sci. 355:212-226.
- Gao, S. and K.K. Tanji. 1995. Model for biomethylation and volatilization of selenium from agricultural evaporation ponds. J. Environ. Qual. 24(1):191-197.
- Garcia-Hernandez, J., E.P. Glenn, J. Artiola, and D.J. Baumgartner. 2000. Bioaccumulation of selenium (Se) in the Cienega de Santa Clara Wetland, Sonora, Mexico. Ecotoxicol. Environ. Safety. 46:298-304.
- Garrett, G.P. and C.R. Inman. 1984. Selenium-induced changes in fish populations in a heated reservoir. Proc. Annu. Conf. Southeast. Assoc. Fish. Wildl. Agencies 38:291-301.
- Gatlin, D.M. 1983. Dietary magnesium, zinc, selenium and manganese requirements of fingerling channel catfish. Ph.D. thesis. Mississippi State University, Mississippi State, MS. Available from: University Microfilms, Ann Arbor, MI. Order No. 84-13943.
- Gatlin, D.M. and R.P. Wilson. 1984. Dietary selenium requirement of fingerling channel catfish. J. Nutr. 114:627-633.
- Gatlin, D.M. III, W.E. Poe and R.P. Wilson. 1986. Effects of singular and combined dietary deficiencies of selenium and vitamin E on fingerling channel catfish (*Ictalurus punctatus*). J. Nutr. 116(6):1061-1067.
- Gennity, J.M., N.R. Bottino, R.A. Zingaro, A.E. Wheeler and K.J. Irgolic. 1984. The binding of selenium to the lipids of two unicellular marine algae. Biochem. Biophys. Res. Commun. 118:176-182.
- Gennity, J.M., N.R. Bottino, R.A. Zingaro, A.E. Wheeler and K.J. Irgolic. 1985a. A selenium-induced peroxidation of glutathione in algae. Phytochem. 24:2817-2821.
- Gennity, J.M., N.R. Bottino, R.A. Zingaro, A.E. Wheeler and K.J. Irgolic. 1985b. A selenite-induced decrease in the lipid content of a red alga. Phytochem. 24:2823-2830.
- Gerhardt, M.B. 1990. Chemical transformations in an algal-bacterial selenium removal system. 337 pp. Avail. Univ. Microfilms Int., Order No. DA9103694 From: Diss. Abstr. Int. B 1991, 51(9):4494.
- Gerhardt, M.B., F.B. Green, R.D. Newman, T.J. Lundquist, R.B. Tresan and W.J. Oswald. 1991. Removal of selenium using a novel algal-bacterial process. Res. J. Water Pollut. Control Fed. 63(5):799-805.

Gharieb, M.M., S.C. Wilkinson, and G.M. Gadd. 1995. Reduction of Selenium Oxyanions by Unicellular Polymorphic and Filamentous Fungi: Cellular Location of Reduced Selenium and Implications for Tolerance. *Journal of Industrial Microbiology*. 14:300- .

Giardina, B., M.L. Gozzo, B. Zappacosta, L. Colacicco, C. Calla, A. Mordente, and S. Lippa. 1997. Coenzyme Q homologs and trace elements content of Antarctic fishes *Chionodraco hamatus* and *Pagothenia bernacchii* compared with the Mediterranean fish *Mugil cephalus*. *Comp. Biochem. Physiol.* 118A(4): 977-980.

Gibbs, P.J. and A.G. Miskiewicz. 1995. Heavy metals in fish near a major primary treatment sewage plant outfall. *Mar. Pollut. Bull.* 30(10):667-674.

Gillespie, R.B. and P. C. Baumann. 1986. Effects of high tissue concentrations of selenium on reproduction by bluegills (*Lepomis macrochirus*). *Trans. Am. Fish. Soc.* 115(2):208-213.

Gillespie, R.B., P.C. Baumann, and C.T. Singley. 1988. Dietary exposure of bluegills (*Lepomis macrochirus*) to (75) Se: uptake and distribution in organs and tissues. *Bull. Environ. Contam. Toxicol.* 40:771-778.

Gissel-Nielsen, G. and M. Gissel-Nielsen. 1973. Ecological effects of selenium application to field crops. *Ambio* 2:114-117.

Gissel-Nielsen, G. and M. Gissel-Nielsen. 1978. Sensitivity of trout to chronic and acute exposure to selenium. *Agric. Environ.* 4:85-91.

GLEC. 1998. Effect of sulfate concentratin on acute toxicity of selenite and selenate to invertebrates and fish. Final Report TR-111878 to the Electric Power Research Institute.

GLEC. 1999. Toxicity testing and chemical analysis of selenium from acute toxicity tests. Final Report to the U.S. Environmental Protection Agency. 40pp.

Glickstein, N. 1978. Acute toxicity of mercury and selenium to *Crassostrea gigas* embryos and *Cancer magister* larvae. *Mar. Biol. (Berl.)* 49:113-117.

Gochfeld, M. 1997. Spatial patterns in a bioindicator: Heavy metal and selenium concentration in eggs of herring gulls (*Larus argentatus*) in the New York Bight. *Arch. Environ. Contam. Toxicol.* 33(1):63-70.

Goede, A.A. 1985. Mercury, selenium, arsenic and zinc in waders from the Dutch Wadden Sea. *Environ. Pollut. Ser. A Ecol. Biol.* 37(4):287-310.

Goede, A.A. 1991. The Variability and Significance of Selenium Concentrations in Shorebird Feathers. *Environ. Monitor. Assess.* 18(3):203-210.

Goede, A.A. 1993a. Selenium In Eggs And Parental Blood Of a Dutch Marine Wader. *Arch. Environ. Contam. Toxicol.* 25(1):79-84.

Goede, A.A. 1993b. Selenium status in Charadriiformes: Tissue distribution and seasonal, geographical,

- and species variation. Biol. Trace Element Res. 39(2-3):177-190.
- Goede, A.A. and M. DeBruin. 1984. The use of bird feather parts as a monitor for metal pollution. Environ. Pollut. Ser. B Chem. Phys. 8(4):281-298.
- Goede, A.A. and M. DeBruin. 1985. Selenium in a shore bird, the dunlin (*Calidris alpina*), from the Dutch Wadden zee. Mar. Pollut. Bull. 16(3):115-117.
- Goede, A.A. and H.T. Wolterbeek. 1993. The bioavailability of various selenium compounds to a marine wading bird. Biol. Trace Element Res. 39(2-3):191-201.
- Goede, A.A. and H.T. Wolterbeek. 1994a. Have high selenium concentrations in wading birds their origin in mercury? Sci. Total Environ. 144:247-253.
- Goede, A.A. and H.T. Wolterbeek. 1994b. The possible role of selenium in antioxidation in marine waders: A preliminary study. Sci. Total Environ. 144:241-246.
- Goede, A.A., T. Nygard, M. DeBruin, and E. Steinnes. 1989. Selenium, mercury, arsenic and cadmium in the life cycle of the dunlin, *Calidris alpina*, a migrant wader. Sci. Total Environ. 78(0):205-218.
- Goede, A.A., H.T. Wolterbeek and M.J. Koes. 1993. Selenium Concentrations in the Marine Invertebrates *Macoma balthica*, *Mytilus edulis* and *Nereis diversicolor*. Arch. Environ. Contam. Toxicol. 25(1):85-89.
- Goettl, J.P., Jr., and P.H. Davies. 1976. Water pollution studies. Job Progress Report, Federal Aid Project F-33-R-11. Colorado Division of Wildlife, Fort Collins, CO. pp. 31-34.
- Goettl, J.P., Jr. and P.H. Davies. 1977. Water pollution studies. Job Progress Report, Federal Aid Project F-33-R-12. Colorado Division of Wildlife, Fort Collins, CO. pp. 39-42.
- Goettl, J.P., Jr. and P.H. Davies. 1978. Water pollution studies. Job Progress Report, Federal Aid Project F-33-R-13. Colorado Division of Wildlife, Fort Collins, CO. pp. 12-13.
- Gotsis, O. 1982. Combined effects of selenium/mercury and selenium/copper on the cell population of the alga *Dunaliella minuta*. Mar. Biol. (Berl.) 71:217-222.
- Graham, R.V., B.G. Blaylock, F.O. Hoffman and M.L. Frank. 1992. Comparison of selenomethionine and selenite cycling in freshwater experimental ponds. Water Air Soil Pollut. 62:25-42.
- Gras, N., M. Thieck, L. Munoz, S. Hurtado. 1992. Seasonal and geographical variability in some trace elements of Pacific oysters (*Crassostrea gigas*) cultured in two different bays of Northern Chile. J. Radioanal. Nucl. Chem. 161(1):135-146.
- Great Lakes Environmental Center. 1997. *Development of Site-Specific Criteria at the Albright Power Station Ash Disposal Site*. Final Report. GLEC, Columbus, OH.
- Green, D.E. and P.H. Albers. 1997. Diagnostic criteria for selenium toxicosis in aquatic birds: Histologic lesions. J. Wild. Diseases 33(3):385-404.

Greenberg, A.J. and D. Kopec. 1986. Decline of Bay-Delta fisheries and increased selenium loading: Possible correlation? In: Selenium and agricultural drainage: Implications for San Francisco Bay and the California environment. The Bay Institute of San Francisco, Tiburon, CA. pp. 69-81.

Greig, R.A. and J. Jones. 1976. Nondestructive neutron activation analysis of marine organisms collected from ocean dump sites of the middle eastern United States. Arch. Environ. Contam. Toxicol. 4:420-434.

Grubor-Lajsic, G., A. Jovanovic, S. Maletin, M. Matavulj and A. Matic. 1995. Effects of dietary selenium on levels of plasma thyroid hormones (T3 and T4) in carp (*Cyprinus carpio* L.). Naucni Skupovi - Srp. Akad. Nauka Umet. Od. Prir.-Mat. Nauka, 6(Conference on Selenium, 1993):115-118.

Gunderson, C.A., J.M. Kostuk, M.H. Gibbs, G.E. Napolitano, L.F. Wicker, J.E. Richmond, and A.J. Stewart. 1997. Multispecies toxicity assessment of compost produced in bioremediation of an explosives-contaminated sediment. Environ. Toxicol. Chem. 16(12): 2529-2537.

Gutenmann, W.H., W.D. Youngs and D.J. Lisk. 1976. Selenium in fly ash. Science 191:966-967.

Gutenmann, W.H., C.A. Bache, J.B. McCahan and D.J. Lisk. 1988. Heavy metals and chlorinated hydrocarbons in marine fish products. Nutr. Rep. Int. 38(6):1157-61.

Guthrie, R.K. and D.S. Cherry. 1976. Pollutant removal from coal-ash basin effluent. Water Resour. Bull. 12:889-902.

Guthrie, R.K. and D.S. Cherry. 1979. Trophic level accumulation of heavy metals in a coal ash basin drainage system. Water Resour. Bull. 15:244-248.

Gutierrez-Galindo, E.A., G. Flores Munoz, J.A. Villaescusa and A. Arreola Chimal. 1994. Spatial and Temporal Variations of Arsenic and Selenium in a Biomonitor (*Modiolus capax*) from the Gulf of California, Mexico. Mar. Pollut. Bull. 28(5):330-333.

Guven, K.C., S. Topcuoglu, D. Kut, N. Esen, N. Erenturk, N. Saygi, E. Cevher, B. Guvener and B. Ozturk. 1992. Metal Uptake by Black Sea Algae. Bot. Mar. 35(4):337-340.

Hait, G.N. and A.K. Sinha. 1987. Biochemical changes associated with induction of resistance in rice seedlings to *Helminthosporium oryzae* by seed treatment with chemicals. Zeitschrift fuer Pflanzenkrankheiten und Pflanzenschutz 94(4):360-368.

Halbrook, R.S., A. Woolf, G.F. Hubert Jr., S. Ross and W.E. Braselton. 1996. Contaminant concentrations in Illinois mink and otter. Ecotoxicol. 5(2):103-114.

Hall, L.W, Jr. 1988. Studies of striped bass in three Chesapeake Bay spawning habitats. Mar. Pollut. Bull. 19(9):478-87.

Hall, L.W., Jr., and D.T. Burton. 1982. Effects of power plant coal pile and coal waste runoff and leachate on aquatic biota: An overview with research recommendations. Crit. Rev. Toxicol. 10:287-301.

Hall, L.W., Jr., L.O. Horseman and S. Zeger. 1984. Effects of organic and inorganic chemical

contaminants on fertilization, hatching success, and prolarval survival of striped bass. Arch. Environ. Contam. Toxicol. 13:723-729.

Hall, L.W., Jr., A.E. Pinkney, R.L. Herman and S.E. Finger. 1987. Survival of striped bass larvae and yearlings in relation to contaminants and water quality in the upper Chesapeake Bay. Arch. Environ. Contam. Toxicol. 16(4):391-400.

Hall, L.W., Jr., S.J. Bushong, M.C. Ziegenfuss, W.S. Hall and R.L. Herman. 1988. Concurrent mobile on-site and in situ striped bass contaminant and water quality studies in the Choptank River and Upper Chesapeake Bay. Environ. Toxicol. Chem. 7(10):815-30.

Hall, L.W., Jr., M.C. Ziegenfuss and S.A. Fischer. 1992. Ambient toxicity testing in the Chesapeake Bay watershed using freshwater and estuarine water column tests. Environ. Toxicol. Chem. 11(10):1409-1425.

Hall, S.L. and F.M. Fisher, Jr. 1985. Heavy metal concentrations of duck tissues in relation to ingestion of spent shot. Bull. Environ. Contam. Toxicol. 35(2):163-72

Halter, M.T., W.J. Adams and H.E. Johnson. 1980. Selenium toxicity to *Daphnia magna*, *Hyallela azteca*, and the fathead minnow in hard water. Bull. Environ. Contam. Toxicol. 24:102-107.

Halverson, A.W. and K.J. Monty. 1960. An effect of dietary sulfate on selenium poisoning in the rat. J. Nutr. 70:100-102.

Hamilton, S.J. 1995. Hazard assessment of inorganics to three endangered fish in the Green River, Utah. Ecotoxicol. Environ. Safety 30(2):134-142.

Hamilton, S.J. (In preparation). Rationale for a tissue-based selenium criterion for aquatic life. Aquatic Toxicol.

Hamilton, S.J. and K.J. Buhl. 1990a. Safety assessment of selected inorganic elements to fry of chinook salmon *Oncorhynchus tshawytscha*. Ecotoxicol. Environ. Safety 20(3):307-324.

Hamilton, S.J. and K.J. Buhl. 1990b. Acute toxicity of boron, molybdenum and selenium to fry of chinook salmon and coho salmon. Arch. Environ. Contam. Toxicol. 19(3):366-373.

Hamilton, S.J. and K.J. Buhl. 1997a. Hazard assessment of inorganics, individually and in mixtures, to two endangered fish in the San Juan, New Mexico. Environ. Toxicol. Water Qual. 12:195-209.

Hamilton, S.J. and K.J. Buhl. 1997b. Hazard evaluation of inorganics, singly and in mixtures to flannelmouth sucker *Catostomus latipinnis* in the San Juan, New Mexico. Ecotox. Environ. Safety 38:296-308.

Hamilton, S.J. and A.D. Lemly. 1999. Water-sediment controversy in setting environmental standards for selenium. Ecotoxicol. Environ. Safety. 44:227-235.

Hamilton, S.J. and B. Waddell. 1994. Selenium in eggs and milt of razorback sucker (*Xyrauchen texanus*) in the middle Green River, Utah. Arch. Environ. Contam. Toxicol. 27(2):195-201.

Hamilton, S.J. and R.H. Wiedmeyer. 1990. Concentrations of boron, molybdenum and selenium in chinook salmon. *Trans. Am. Fisheries Soc.* 119(3):500-510.

Hamilton, S.J., A.N. Palmisano, G.A. Wedemeyer and W.T. Yasutake. 1986. Impacts of selenium on early life stages and smoltification of fall chinook salmon. In: *Transactions of the fifty-first North American wildlife and natural resources conference*. McCabe, R.E. (Ed.). Wildlife Management Institute, Washington DC. pp. 343-356.

Hamilton, S.J., K.J. Buhl, N.L. Faerber, R.H. Wiedmeyer and F.A. Bullard. 1990. Toxicity of Organic Selenium in the Diet to Chinook Salmon. *Environ. Toxicol. Chem.* 9(3):347-358.

Hamilton, S.J. K.J. Buhl, F.A. Bullard and E.E. Little. 2000. Chronic toxicity and hazard assessment of an inorganic mixture simulating irrigation drainwater to razorback sucker and bonytail. *Environ. Toxicol. Chem.* 15:48-64.

Hamilton, S.J., K.M. Holley, K.J. Buhl, F.A. Bullard, L.K. Weston, and S.F. McDonald 2001a. The evaluation of contaminant impacts on razorback sucker held in flooded bottomland sites near Grand Junction, Colorado - 1996. Final Report. U.S. Geological Survey, Yankton, South Dakota. 302 pages.

Hamilton, S.J., K.M. Holley, K.J. Buhl, F.A. Bullard, L.K. Weston, and S.F. McDonald 2001b. The evaluation of contaminant impacts on razorback sucker held in flooded bottomland sites near Grand Junction, Colorado - 1997. Final Report. U.S. Geological Survey, Yankton, South Dakota. 229 pages.

Hansen, C.T., C.O. Nielsen, R. Dietz, and M.M. Hansen. 1990. Zinc, cadmium, mercury and selenium in Minke Whales, Belugas and Narwhals from West Greenland Arctic Ocean. *Polar Biol.* 10(7):529-540.

Hansen, L.D., K.J. Maier and A.W. Knight. 1993. The effect of sulfate on the bioconcentration of selenate by *Chironomus decorus* and *Daphnia magna*. *Arch. Environ. Contam. Toxicol.* 25(1):72-78.

Hanson, P.J. 1997. Response of hepatic trace element concentrations in fish exposed to elemental and organic contaminants. *Estuaries* 20(4):659-676.

Hanson, P.J. and D.W. Evans. 1991. Metal contaminant assessment for the Southeast Atlantic and Gulf of Mexico coasts: results of the National Benthic Surveillance Project over the first four years 1984-87. Report, NOAA-TM-NMFS-SEFSC-284; Order No. PB92-137835, 218 pp. Avail. NTIS From: Gov. Rep. Announce. Index (U. S.) 1992, 92(8), Abstr. No. 220,226.

Hardiman, S. and B. Pearson. 1995. Heavy Metals, TBT and DDT in the Sydney rock oyster (*Saccostrea commercialis*) sampled from the Hawkesbury River Estuary, NSW, Australia. *Mar. Pollut. Bull.* 30(8):563-567.

Hardy, R.W. 2002. Effects of dietary selenium on cutthroat trout (*Oncorhynchus clarkii*) growth and reproductive performance. Report to Montgomery Watson Harza, 2375 130th Ave. NE, Bellevue, WA 98005.

Hargrave, B.T., P. Germain, J.C. Philippot, G. Hemon and J.N. Smith. 1992. Stable elements and polonium-210 in the deep-sea amphipod *Eurythenes gryllus*. *Deep-Sea Res. Part A*, 39(1A):37-44.

- Harrison, P.J., P.W. Yu, P.A. Thompson, N.M. Price and D.J. Phillips. 1988. Survey of selenium requirements in marine phytoplankton. *Mar. Ecol. Prog. Ser.* 47(1):89-96.
- Harrison, S.E. and J.F. Klaverkamp. 1990. Metal contamination in liver and muscle of northern pike (*Esox lucius*) and white sucker (*Catostomus commersoni*) and in sediments from lakes near the smelter at Flin Flon, Manitoba. *Environ. Toxicol. Chem.* 9(7):941-956.
- Harrison, S.E., J.F. Klaverkamp, and R.H. Hesslein. 1990. Fates of Metal Radiotracers Added to a Whole Lake Accumulation In Fathead Minnow *Pimephales promelas* and Lake Trout *Salvelinus namaycush*. *Water Air Soil Pollut.* 52(3-4):277-294.
- Hartwell, S.I., D.S. Cherry and J. Cairns Jr. 1987a. Avoidance responses of schooling fathead minnows (*Pimephales promelas*) to a blend of metals during a 9-month exposure. *Environ. Toxicol. Chem.* 6(3):177-188.
- Hartwell, S.I., D.S. Cherry and J. Cairns Jr. 1987b. Field validation of avoidance of elevated metals by fathead minnows (*Pimephales promelas*) following in situ acclimation. *Environ. Toxicol. Chem.* 6(3):189-200.
- Hartwell, S.I., D. Cherry and J. Cairns Jr. 1988. Fish behavioral assessment of pollutants. *ASTM Spec. Tech. Publ.*, 988. *Funct. Test. Aquat. Biota Estim. Hazards Chem.* 138-65.
- Hartwell, S.I., J.H. Jin, D.S. Cherry and J. Cairns, Jr. 1989. Toxicity versus avoidance response of golden shiner, *Notemigonus crysoleucas*, to five metals. *J. Fish Biol.* 35(3):447-456.
- Hartwell, S.I., C.E. Dawson, E.Q. Durell, R.W. Alden, P.C. Adolphson, D.A. Wright, G.M. Coelho, J.A. Magee, S. Ailstock, and M. Novman. 1997. Correlation of measures of ambient toxicity and fish community diversity in Chesapeake Bay, USA, tributaries - urbanizing watersheds. *Environ. Toxicol. Chem.* 16(12):2556-2567.
- Hasunuma, R., T. Ogawa, Y. Fujise and Y. Kawanishi. 1993. Analysis of selenium metabolites in urine samples of Minke Whale *Balaenoptera acutorostrata* using ion exchange chromatography. *Comp. Biochem. Physiol. - C:Comparative Pharmacol. & Toxicol.* 104(1):87-89.
- Hatcher, C.O., R.E. Ogawa, T.P. Poe and J.R.P. French III. 1992. Trace elements in lake sediment macrozoobenthos and fish near a coal ash disposal basin. *J. Freshwater Ecol.* 7(3):257-269.
- Haynes, D., J. Leeder and P. Rayment. 1995. Temporal and spatial variation in heavy metal concentrations in the bivalve *Donax deltoides* from the Ninety Mile Beach, Victoria, Australia. *Mar. Pollut. Bull.* 30(6):419-424.
- Hayward, D.G., M.X. Petreas, J.J. Winkler, P. Visita, M. McKinney, R.D. Stephens. 1996. Investigation of a wood treatment facility: impact on an aquatic ecosystem in the San Joaquin River, Stockton, California. *Arch. Environ. Contam. Toxicol.* 30(1):30-39.
- Heider, J., and A. Boeck. 1993. Selenium Metabolism in Micro-Organisms. *Advances in Microbial Physiology*. 35:71- .

Hein, R.G., P.A. Talcott, J.L. Smith and W.L. Myers. 1994. Blood selenium values of selected wildlife populations in Washington. Northwest Science 68(3):185-188.

Heiny, J.S. and C.M. Tate. 1997. Concentration, distribution, and comparison of selected trace elements in bed sediment and fish tissue in the South Platte River Basin, USA, 1992-1993. Arch. Environ. Contam. Toxicol. 32(3):246-259.

Heinz, G.H. 1993a. Selenium accumulation and loss in mallard eggs. Environ. Toxicol. Chem. 12(4):775-778.

Heinz, G.H. 1993b. Re-exposure of mallards to selenium after chronic exposure. Environ. Toxicol. Chem. 12(9):1691-1694.

Heinz, G.H. and M.A. Fitzgerald. 1993a. Reproduction of mallards following overwinter exposure to selenium. Environ. Pollut. 81(2):117-122.

Heinz, G.H. and M.A. Fitzgerald. 1993b. Overwinter survival of mallards fed selenium. Arch. Environ. Contam. Toxicol. 25(1):90-94.

Heinz, G.H. and L.G. Gold. 1987. Behavior of mallard ducklings from adults exposed to selenium. Environ. Toxicol. Chem. 6(11):863-866.

Heinz, G.H. and D.J. Hoffman. 1996. Comparison of the effects of seleno-L-methionine, seleno-DL-methionine, and selenized yeast on reproduction of mallards. Environ. Pollut. 91(2):169-175.

Hienz, G.H. and D.J. Hoffman. 1998. Methylmercury chloride and selenomethionine interaction on health and reproduction in mallards. Environ. Toxicol. Chem. 17(2): 139-145.

Heinz, G.H. and C.J. Sanderson. 1990. Avoidance of selenium-treated food by mallards. Environ. Toxicol. Chem. 9(9):1155-1158.

Heinz, G.H., D.J. Hoffman, A.J. Krynnitsky and D.M.G. Weller. 1987. Reproduction in mallards fed selenium. Environ. Toxicol. Chem. 6:423-433.

Heinz, G.H., D.J. Hoffman, and L.G Gold. 1988. Toxicity of organic and inorganic selenium to mallard ducklings. Arch. Environ. Contam. Toxicol. 17(5):561-8.

Heinz, G.H., D.J. Hoffman, and L.G. Gold. 1989. Impaired reproduction of mallards fed an organic form of selenium. J. Wildlife Manag. 53(2):418-428.

Heinz, G.H., G.W. Pendleton, A.J. Krynnitsky and L.G. Gold. 1990. Selenium accumulation and elimination in mallards. Arch. Environ. Contam. Toxicol. 19(3):374-379.

Heinz, G. H., D.J. Hoffman, and L.J. Lecaptain. 1996. Toxicity of seleno-L-methionine, seleno-DL-methionine, high selenium wheat, and selenized yeast to mallard ducklings. Arch. Environ. Contam. Toxicol. 30(1):93-99.

Heisinger, J.F. 1981. Antagonism of selenium and cadmium pretreatments to subsequent embryotoxic doses of mercury and cadmium in fish embryos. PB82-256645. National Technical Information Service, Springfield, VA.

Heisinger, J.F. and S.M. Dawson. 1983. Effect of selenium deficiency on liver and blood glutathione peroxidase activity in the black bullhead. *J. Exp. Zool.* 225:325-327.

Heisinger, J.F. and L. Scott. 1985. Selenium prevents mercuric chloride-induced acute osmoregulatory failure without glutathione peroxidase involvement in the black bullhead (*Ictalurus melas*). *Comp. Biochem. Physiol. C Comparative Toxicol.* 80(2):295-297.

Heisinger, J.F. and E. Wait. 1989. The effects of mercuric chloride and sodium selenite on glutathione and total nonprotein sulfhydryls in the kidney of the black bullhead *Ictalurus melas*. *Comp. Biochem. Physiol. C: Comparative Pharmacol. Toxicol.* 94(1):139-142.

Heisinger, J.F., C.D. Hansen and J.H. Kim. 1979. Effect of selenium dioxide on the accumulation and acute toxicity of mercuric chloride in goldfish. *Arch. Environ. Contam. Toxicol.* 8:279-283.

Heit, M. 1985. Concentrations of potentially toxic trace elements in the muscle tissue of fish from acidic and circumneutral Adirondack lakes. *Heavy Met. Environ., Int. Conf.*, 5th, Volume 1, 655-7. Editor(s): Lekkas, Themistokles D. CEP Consult.: Edinburgh, UK.

Heit, M. and C.S. Klusek. 1985. Trace element concentrations in the dorsal muscle of white suckers and brown bullheads from two acidic Adirondack lakes. *Water Air Soil Pollut.* 25:87-96.

Heit, M., C.S. Klusek and K.M. Miller. 1980. Trace element, radionuclide, and polynuclear aromatic hydrocarbon concentrations in Unionidae mussels from northern Lake George. *Environ. Sci. Technol.* 14:465-468.

Heit, M., C. Schofield, C.T. Driscoll, and S.S. Hodgkiss. 1989. Trace element concentrations in fish from three Adirondack Lakes (New York, USA) with different pH values. *Water Air Soil Pollut.* 44(1-2):9-30.

Heitmuller, P.T., T.A. Hollister and P.R. Parrish. 1981. Acute toxicity of 54 industrial chemicals to sheepshead minnows (*Cyprinodon variegatus*). *Bull. Environ. Contam. Toxicol.* 27:596-604.

Hellou, J., W.G. Warren, J.F. Payne, S. Belkhode and P. Lobel. 1992a. Heavy Metals and Other Elements in Three Tissues of Cod *Gadus morhua* from the Northwest Atlantic. *Mar. Pollut. Bullet.* 24(9):452-458.

Hellou, J., L.L. Fancey and J.F. Payne. 1992b. Concentrations of twenty-four elements in bluefin tuna, *Thunnus thynnus* from the Northwest Atlantic. *Chemosphere* 24(2):211-218.

Hellou, J., V. Zitko, J. Friel and T. Alkanani. 1996a. Distribution of elements in tissues of yellowtail flounder *Pleuronectes ferruginea*. *Sci. Total Environ.* 181(2):137-146.

Hellou, J., J. Banoub, C. Andrews, D. Gentil, V. O'Malley, T. Biger, C. Barno, and D. House. 1996b. Crankcase oil, hydrocarbons, the environment and rainbow trout. *Can. Tech. Rep. Fish. Aquat. Sci.*, 2093, Proceedings of the 22nd Annual Aquatic Toxicity Workshop, 1995, 47-52.

Henderson, G.B., A.H. Fairlamb and A. Cerami. 1987. Trypanothione dependent peroxide metabolism in *Crithidia fasciculata* and *Trypanosoma brucei*. Molec. Biochem. Parasitol. 24(1):39-46.

Henebry, M.S. and P.E. Ross. 1989. Use of protozoan communities to assess the ecotoxicological hazard of contaminated sediments. Toxic. Assess. 4(2):209-27.

Henny, C.J. and J.K. Bennett. 1990. comparison of breaking strength and shell thickness as evaluators of white-faced ibis eggshell quality. Environ. Toxicol. Chem. 9(6):797-806.

Henny, C.J. and G.B. Herron. 1989. DDE, selenium, mercury and White-faced Ibis Reproduction at Carson Lake Nevada USA. J. Wildlife Manag. 53(4):1032-1045.

Henny, C.J., L.J. Blus, S.P. Thompson and U.W. Wilson. 1989. Environmental Contaminants Human Disturbance and Nesting of Double-crested Cormorants in Northwestern Washington USA. Colonial Waterbirds 12(2):198-206.

Henny, C.J., L.J. Blus and R.A. Grove. 1990. Western Grebe *Aechmophorus occidentalis* Wintering Biology and Contaminant Accumulation in Commencement Bay Puget Sound Washington USA. Can. Field-Naturalist 104(3):460-472.

Henny, C.J., D.D. Rudis, T.J. Roffe, and E. Robinson Wilson. 1995. Contaminants and Sea Ducks in Alaska and the Circumpolar Region. Environ. Health Perspectives 103(SUPPL. 4):41-49.

Hermanutz, R.O. 1992. Malformation of the fathead minnow (*Pimephales promelas*) in an ecosystem with elevated selenium concentrations. Bull. Environ. Contam. Toxicol. 49(2):290-294.

Hermanutz, R.O., K.N. Allen, T.H. Roush and S.F. Hettke. 1992. Effects of elevated selenium concentrations on bluegills *Lepomis macrochirus* in outdoor experimental streams. Environ. Toxicol. Chem. 11(2):217-224.

Hermanutz, R.O., K.N. Allen, N.E. Detenbeck, and C.E. Stephan. 1996. Exposure to bluegill (*Lepomis macrochirus*) to selenium in outdoor experimental streams. U.S. EPA Report. Mid-Continent Ecology Division. Duluth, MN.

Hicks, B.D., J.W. Hilton and H.E. Ferguson. 1984. Influence of dietary selenium on the occurrence of nephrocalcinosis in the rainbow trout, *Salmo gairdneri* Richardson. J. Fish Dis. 7:379-389.

Hildebrand, S.G., R.M. Cushman and J.A. Carter. 1976. The potential toxicity and bioaccumulation in aquatic systems of trace elements present in aqueous coal conversion effluents. In: Trace substances in environmental health - X. Hemphill, D.D. (Ed.). University of Missouri, Columbia, MO. pp. 305-312.

Hilton, J.W. and P.V. Hodson. 1983. Effect of increased dietary carbohydrate on selenium metabolism and toxicity in rainbow trout (*Salmo gairdneri*). J. Nutr. 113:1241-1248.

Hilton, J.W., P.V. Hodson and S.J. Slinger. 1980. The requirement and toxicity of selenium in rainbow trout (*Salmo gairdneri*). J. Nutr. 110:2527-2535.

Hilton, J.W., P.V. Hodson and S.J. Slinger. 1982. Absorption, distribution, half-life and possible routes of elimination of dietary selenium in juvenile rainbow trout (*Salmo gairdneri*). Comp. Biochem. Physiol. 71C:49-55.

Hiraika, Y., S. Ishizawa and T. Kamada. 1985. Acute toxicity of 14 different kinds of metals affecting medaka (*Oryzias latipes*) fry. Hiroshima J. Med. Sci. 34(3):327-330.

Hjeltnes, B. and K. Julshman. 1992. Concentrations of iron, copper, zinc and selenium in liver of atlantic salmon *Salmo salar* infected with *Vibrio salmonicida*. Dis. of Aquat. Organ. 12(2):147-149.

Hockett, J.R. and D.R. Mount. 1996. Use of metal chelating agents to differentiate among sources of acute aquatic toxicity. Environ. Toxicol. Chem. 15(10):1687-1693.

Hodge, V., K. Stetzenbach and K. Johannesson. 1996. Initial results for the inductively coupled plasma-mass spectrometric determination of trace elements in organs of striped bass from Lake Mead, U.S.A.. ACS Symp. Ser., 643:180-190.

Hodson, P.V. 1990. Indicators of ecosystem health at the species level and the example of selenium effects on fish. Environ. Monit. Assess. 15(3):241-254.

Hodson, P.V. and J.W. Hilton. 1983. The nutritional requirements and toxicity to fish of dietary and waterborne selenium. Ecol. Bull. 35:335-340.

Hodson, P.V., D.J. Spry and B.R. Blunt. 1980. Effects on rainbow trout (*Salmo gairdneri*) of a chronic exposure to waterborne selenium. Can. J. Fish. Aquat. Sci. 37:233-240.

Hodson, P.V., D.M. Whittle and D.J. Hallett. 1984. Selenium contamination of the Great Lakes and its potential effects on aquatic biota. In: Toxic contaminants in the Great Lakes. Nriagu, J.O. and M.S. Simmons (Eds.). Wiley, New York, NY. pp. 371-391.

Hodson, P.V., J.W. Hilton and S.J. Slinger. 1986. Accumulation of waterborne selenium by rainbow trout (*Salmo gairdneri*), eggs, fry and juveniles. Fish Physiol. Biochem. 1(4):187-96.

Hoffman, D. and G.H. Heinz. 1987. Developmental toxicity of excess selenium in mallard (*Anas platyrhynchos*) ducks. Fed. Proc. 46:1154.

Hoffman, D.J. and G.H. Heinz. 1988. Embryotoxic and teratogenic effects of selenium in the diet of mallards. J. Toxicol. Environ. Health 24(4):477-490.

Hoffman, D. and G.H. Heinz. 1998. Effects of mercury and selenium on glutathione metabolisms and oxidative stress in mallard ducks. Environ. Toxicol. Chem. 17(2):161-166.

Hoffman, D.J., Ohlendorf, H.M. and T.W. Aldrich. 1988. Selenium teratogenesis in natural populations of aquatic birds in central California (USA). Arch. Environ. Contam. Toxicol. 17(4):519-526.

Hoffman, D.J., G.H. Heinz, and A.J. Kryniotsky. 1989. Hepatic glutathione metabolism and lipid peroxidation in response to excess dietary selenomethionine and selenite in mallard ducklings. J. Toxicol.

Environ. Health 27(2):263-272.

Hoffman, D.J., C.J. Sanderson, L.J. LeCaptain, E. Cromartie and G.W. Pendleton. 1991a. Interactive Effects of Boron, Selenium and Dietary Protein on Survival Growth and Physiology in Mallard Ducklings. Arch. Environ. Contam. Toxicol. 20(2):288-294.

Hoffman, D.J., G.H. Heinz, L.J. LeCaptain, C.M. Bunck and D.E. Green. 1991b. Subchronic hepatotoxicity of selenomethionine ingestion in mallard ducks. J. Toxicol. Environ. Health 32(4):449-464.

Hoffman, D.J., C.J. Sanderson, L.J. LeCaptain, E. Cromartie and G.W. Pendleton. 1992a. Interactive Effects Of Selenium Methionine And Dietary Protein On Survival Growth And Physiology In Mallard Ducklings. Arch. Environ. Contam. Toxicol. 23(2):162-171.

Hoffman, D. J., C.J. Sanderson, L.J. LeCaptain, E. Cromartie and G.W. Pendleton. 1992b. Interactive Effects Of Arsenate Selenium And Dietary Protein On Survival Growth And Physiology In Mallard Ducklings. Arch. Environ. Contam. Toxicol. 22(1):55-62.

Hoffman, D.J., G.H. Heinz, L.J. LeCaptain, J.D. Eisemann and G.W. Pendleton. 1996. Toxicity and oxidative stress of different forms of organic selenium and dietary protein in mallard ducklings. Arch. Environ. Contam. Toxicol. 31(1):120-127.

Hoffman, D.J., H.M. Ohlendorf, C.M. Marn and G.W. Pendleton. 1998. Association of mercury and selenium with altered glutathione metabolism and oxidative stress in diving ducks from San Francisco Bay region, USA. Environ. Toxicol. Chem. 17(2):167-172.

Hoglund, J. 1991. Ultrastructural observations and radiometric assay on cercarial penetration and migration of the digenetic *Diplostomum spathaceum* in the rainbow trout *Oncorhynchus mykiss*. Parasitol. Res. 77(4):283-289.

Hollibaugh, J.T., D.L.R. Seibert and W.H. Thomas. 1980. A comparison of the acute toxicities of ten heavy metals to phytoplankton from Saanich Inlet, B.C., Canada. Estuarine Coastal Mar. Sci. 10(1):93-105.

Holm, J. 2002. Sublethal effects of selenium on rainbow trout (*Oncorhynchus mykiss*) and brook trout (*Salvelinus fontinalis*). Masters Thesis. Department of Zoology, University of Manitoba, Winnipeg, MB.

Holm, J., V.P. Palace, K. Wautier, R.E. Evans, C.L. Baron, C. Podemski, P. Siwik and G. Sterling. 2003. An assessment of the development and survival of rainbow trout (*Oncorhynchus mykiss*) and brook trout (*Salvelinus fontinalis*) exposed to elevated selenium in an area of active coal mining. Proceedings of the 26th Annual Larval Fish Conference 2003, Bergen, Norway. ISBN 82-7461-059-B.

Homziak, J., L. Bennett, P. Simm and R. Herring. 1993. Metal leaching from experimental coal fly-ash oyster cultch. Bull. Environ. Contam. Toxicol. 51(2):317-324.

Honda, K., Y. Fujise, R. Tatsukawa, K. Itano and N. Miyazaki. 1986. Age-related accumulation of heavy metals in bone of the striped dolphin, *Stenella coeruleoalba*. Mar. Environ. Res. 20(3):143-60.

Hontela, A., P. Dumont, D. Duclos and R. Fortin. 1995. Endocrine and metabolic dysfunction in yellow

perch, *Perca flavescens*, exposed to organic contaminants and heavy metals in the St. Lawrence river. Environ. Toxicol. Chem. 14(4):725-731.

Horne, A.J. 1991. Selenium detoxification in wetlands by permanent flooding: I. Effects on a macroalga, an epiphytic herbivore, and an invertebrate predator in the long-term mesocosm experiment at Kesterson Reservoir, California. Water Air Soil Pollut. 57-58:43-52.

Hothem, R.L. and H.M. Ohlendorf. 1989. Contaminants in Foods of Aquatic Birds at Kesterson Reservoir California USA 1985. Arch. Environ. Contam. Toxicol. 18(6):773-786.

Hothem, R.L. and D. Welsh. 1994a. Duck and shorebird reproduction in the grasslands of central California. Calif. Fish Game 80(2):68-79.

Hothem, R.L. and D. Welsh. 1994b. Contaminants in eggs of aquatic birds from the grasslands of Central California. Arch. Environ. Contam. Toxicol. 27(2):180-185.

Hothem, R.L. and S.G. Zador. 1995. Environmental contaminants in eggs of California least terns (*Sterna antillarum*). Bull. Environ. Contam. Toxicol. 55(5):658-665.

Hothem, R.L., D.L. Roster, K.A. King, T.K. Keldsen, K.C. Marois, and S.E. Wainwright. 1995. Spatial and Temporal Trends Of Contaminants In Eggs Of Wading Birds From San Francisco Bay, California. Environ. Toxicol. Chem. 14(8):1319-1331.

Houpt, K.A., L.A. Essick, E.B. Shaw, D.K. Alo, J.E. Gilmartin, W.H. Gutenmann, C.B. Littman, and D.J. Lisk. 1988. A tuna fish diet influences cat behavior. J. Toxicol. Environ. Health 24(2):161-172.

Hsu, H.H. 1986. The uptake and distribution of radioselenium in the larvae of *Fasciola hepatica* and its snail host *Lymnaea columella*. Vet. Parasitol. 21(4):233-45.

Hsu, S.Y. and F.W. Goetz. 1992. Oxoanions stimulate in vitro ovulation and signal transduction pathways in goldfish (*Carassius auratus*) follicles. Am. J. Physiol. 263(5, Pt. 1):E943-E949.

Hsu, Y. L., Y.H. Yang, Y.C. Chen, M.C. Tung, J.L. Wu, M.H. Engleking and J.C. Leong. 1995. Development of an in vitro subculture system for the oka organ (lymphoid tissue) of *Penaeus monodon*. Aquaculture 136(1-2):43-55.

Hu, M. Y. Yang, J.M. Martin, Ko Yin, and P.J. Harrison. 1996. Preferential uptake of Se (IV) over Se (VI) and the production of dissolved organic Se by marine phytoplankton. Mar. Environ. Res. 42(2): 225-231.

Huckabee, J.W. and N.A. Griffith. 1974. Toxicity of mercury and selenium to the eggs of carp (*Cyprinus carpio*). Trans. Am. Fish. Soc. 103:822-825.

Huerkamp, M.J., D.H. Ringler, and C.E. Chrisp. 1988. Vitamin E deficiency in goldfish fed a shellfish derived diet. Lab. Animal Sci. 38(2):178-182.

Hunn, J.B., S.J. Hamilton and D.R. Buckler. 1987. Toxicity of sodium selenite to rainbow trout fry. Water

Res. 21:233-238.

Hunter, C.L., M.D. Stephenson, R.S. Tjeerdema, D.G. Crosby, G.S. Ichikawa, J.D. Goetzl, K.S. Paulson, D.B. Crane, M. Martin and J.W. Newman. 1995. Contaminants in oysters in Kaneohe Bay, Hawaii. Mar. Pollut. Bull. 30(10):646-654.

Hunter, D. B., P.M. Bertsch, K.M. Kemner, and S.B. Clark. 1997. Distribution and chemical speciation of metals and metalloids in biota collected from contaminated environments by spatially resolved XRF, XANES, and EXAFS. J. Phys. IV, 7(2):767-771.

Hurvich, C. M., and C. Tsai. 1989. Regression and time series model selection in small samples. Biometrika . 76:297-307.

Hurvich, C.M. and C. Tsai. 1990. Model selection for least absolute deviations regression in small samples. Stat. Prob. Lett. 9:259-265.

Hutchinson, T.C. 1973. Comparative studies of the toxicity of heavy metals to phytoplankton and their synergistic interactions. Water Pollut. Res. Can. 8:68-90.

Hutchinson, T.C. and P.M. Stokes. 1975. Heavy metal toxicity and algal bioassays. In: Water quality parameters. Barabas, S. (Ed.). ASTM STP 573. American Society for Testing and Materials, Philadelphia, PA. pp. 320-343.

Hyne, R.V., A. Padovan, D.L. Parry and S.M. Renaud. 1993. Increased fecundity of the cladoceran *MoinoDaphnia macleayi* on a diet supplemented with a green alga, and its use in uranium toxicity tests. Aust. J. Mar. Freshwater Res. 44(3):389-399.

Ibrahim, A.M. and A. Spacie. 1990. Toxicity of inorganic selenium to the green alga *Selenastrum capricornutum* Printz. Environ. Exp. Bot. 30(3):265-269.

Ibrahim, H. and E. Farrag. 1992. Determination of Selenium in *Biomphalaria alexandrina* Snails by Direct Current Plasma-atomic Emission Spectrometry. Microchem. J. 45(3):356-360

Ibrahim, N. and I. Mat. 1995. Trace element content in relation to the body weight of the marine bivalve, *Anadara granosa* with special reference to the application of INAA and ICP-AES as analytical techniques. J. Radioanal. Nucl. Chem. 195(1):203-208.

Ihaka, R., and R. Gentleman. 1996. R: A Language for Data Analysis and Graphics. J. Comput. Graph. Stat 5:299-314.

Ingersoll, C.G., F.J. Dwyer and T.W. May. 1990. Toxicity of inorganic and organic selenium to *Daphnia magna* cladocera and *Chironomus riparius* diptera. Environ. Toxicol. Chem. 9(9):1171-1182.

Insightful Corporation. 2001. S-Plus Professional. Release 2. Seattle, Washington.

Ishikawa, M., T. Ishii, S. Uchida and K. Kitao. 1987. A proton microprobe scanning across the vertebra of a flatfish, *Paralichthys olivaceus*. Biol. Trace Elem. Res. 13:143-57.

Ishikawa, M., K. Nakamura, T. Ishii, A. Bassari, K. Okoshi and K. Kitao. 1993. Elements in tissues and organs of an Antarctic fish, *Champscephalus gunnari*. Nucl. Instrum. Methods Phys. Res. Sect. B, B75(1-4):204-208.

Itano, K., S. Kawai, N. Miyazaki, R. Tatsukawa and T. Fujiyama. 1984. Mercury and selenium levels at the fetal and suckling stages of striped dolphin, *Stenella coeruleoalba*. Agric. Biol. Chem. 48(7):1691-1698.

Itano, K., S. Kawai and R. Tatsukawa. 1985a. Distribution of mercury and selenium in muscle of striped dolphins. Agric. Biol. Chem. 49(2):515-17.

Itano, K., S. Kawai and R. Tatsukawa. 1985b. Properties of mercury and selenium in salt-insoluble fraction of muscles in striped dolphin (*Stenella coeruleoalba*). Bull. Jap. Soc. Sci. Fish. 51(7):1129-1132.

Jackson, M.B. 1988. The dominant attached filamentous algae of Georgian Bay, the North Channel and Eastern Lake Huron: field ecology and biomonitoring potential during 1980. Hydrobiologia 163:149-71.

Jackson, M.B., E.M. Vandermeer, and L.S. Heintsch. 1990. Attached filamentous algae of northern Lake Superior: field ecology and biomonitoring potential during 1983. J. Great Lakes Res. 16(1):158-168.

Jacquez, R.B., P.R. Turner, H. El-Reyes, and C.M. Lou. 1987. Characterization and treatment of wastewater generated from saline aquaculture of channel catfish. Proc. Ind. Waste Conf., Volume Date 1986, 41st, 530-8.

Jakubczak, E., C. Delmaere and H. Leclerc. 1981. Sensitivity of bacteria in an aquatic environment to some toxic substances. INSERM (Inst. Nat. Santa Rech. Med.) Colloq. 106:93-104.

James, G.D., S.D. Mills and G. Pattenden. 1993. Total synthesis of pukeleimide A, a 5-ylidenepyrrol-2(5H)-one from blue green algae. J. Chem. Soc., Perkin Trans. 1(21):2581-2584.

Jarman, W.M., K.A. Hobson, W.J. Sydeman, C.E. Bacon and E.B. McLaren. 1996. Influence of trophic position and feeding location on contaminant levels in the Gulf of the Farallones food web revealed by stable isotope analysis. Environ. Sci. Technol. 30(2):654-660.

Jay, F.B. and R.J. Muncy. 1979. Toxicity to channel catfish of wastewater from an Iowa coal beneficiation plant. Iowa State J. Res. 54:45-50.

Jayasekera, R. 1994. Pattern of distribution of selected trace elements in the marine brown alga, *Sargassum filipendula* Ag. from Sri Lanka. Environ. Geochem. Health 16(2):70-75.

Jayasekera, R. and M. Rossbach. 1996. Use of seaweeds for monitoring trace elements in coastal waters. Environ. Geochem. Health 18(2):63-68.

Jenkins, D.W. 1980. Biological monitoring of toxic trace metals. Vol. 2. Toxic trace metals in plants and animals of the world. Part III. EPA-600/3-80-092 or PB81-103509. National Technical Information Service, Springfield, VA.

Jenner, H. A. and T. Bowmer. 1990. The accumulation of metals and their toxicity in the marine intertidal invertebrates *Cerastoderma edule*, *Macoma balthica* and *Arenicola marina* exposed to pulverized fuel ash in mesocosms. Environ. Pollut. 66(2):139-156.

Jenner, H.A. and T. Bowmer. 1992. The accumulation of metals and toxic effects in *Nereis virens* exposed to pulverized fuel ash. Environ. Monit. Assess. 21(2):85-98.

Jenner, H.A. and J.P.M. Janssen-Mommen. 1989. Phytomonitoring of pulverized fuel ash leachates by the duckweed *Lemna minor*. Hydrobiologia 188-189:361-366.

Jenner, H.A. and J.P.M. Janssen-Mommen. 1993. Duckweed *Lemna minor* as a tool for testing toxicity of coal residues and polluted sediments. Arch. Environ. Contam. Toxicol. 25(1):3-11.

Jin, L.J., P. Guo, and X.Q. Xu. 1997. Effect of selenium on mercury methylation in anaerobic lake sediments. Bull. Environ. Contam. Toxicol. 59(6):994-999.

Johns, C., S.N. Luoma, and V. Elrod. 1988. Selenium accumulation in benthic bivalves and fine sediments of San Francisco Bay, the Sacramento-San Joaquin Delta (USA), and selected tributaries. Estuarine Coastal Shelf Sci. 27(4):381-396.

Johnson, M.G. 1987. Trace element loadings to sediments of fourteen Ontario lakes and correlations with concentrations in fish. Can. J. Fish. Aquat. Sci. 44:3-13.

Johnston, P.A. 1987. Acute toxicity of inorganic selenium to *Daphnia magna* (Straus) and the effect of sub-acute exposure upon growth and reproduction. Aquat. Toxicol. (Amsterdam) 17(3):335-352.

Johnston, P.A. 1989. Morphological changes in *Daphnia magna* (Straus) exposed to inorganic selenium as sodium selenate. Aquat. Toxicol. (Amsterdam) 14(2):95-108.

Jones, J.B. and T.C. Stadtman. 1977. *Methanococcus vanielii*: Culture and effects of selenium and tungsten on growth. J. Bacteriol. 1977:1404-1406.

Jonnalagadda, S.B. and P.V.V.P. Rao. 1993. Toxicity, bioavailability and metal speciation. Comp. Biochem. Physiol. 106C(3):585-595.

Jop, K. M., R.C. Biever, J.R. Hoberg and S.P. Shepherd. 1997. Analysis of metals in blue crabs, *Callinectes sapidus*, from two Connecticut estuaries. Bull. Environ. Contam. Toxicol. 58(2):311-317.

Jorgensen, D. and J. F. Heisinger. 1987. The effects of selenium on the distribution of mercury in the organs of the black bullhead (*Ictalurus melas*). Comp. Biochem. Physiol. C Comp. Pharmacol. Toxicol. 87(1):181-186.

Jorhem, L., J. Engman, B. Sundstrom and A.M. Thim. 1994. Trace elements in crayfish: Regional differences and changes induced by cooking. Arch. Environ. Contam. Toxicol. 26(2):137-142.

Jovanovic, A., G. Grubor-Lajsic, N. Djukic, M. Telesmanic, G. Gardinovacki and M.B. Spasic. 1995. Effect of selenium supplementation on GSH-Px activity in tissues of carp (*Cyprinus carpio* L.). Naucni

Skupovi - Srp. Akad. Nauka Umet., Od. Prir.-Mat. Nauka, 6(Conference on Selenium, 1993):99-103.

Jovanovic, A., G. Grubor-Lajsic, N. Djukic, G. Gardinovacki, A. Matic and M. Spasic. 1997. The effect of selenium on antioxidant system in erythrocytes and liver of the carp (*Cyprinus carpio* L.). Critical Rev. Food Sci. Nutr. 37(5):443-448.

Juhnke, I. and D. Ludemann. 1978. Results of the investigation of 200 chemical compounds for acute toxicity with the golden orfe test. Z. Wasser Abwasser Forsch. 11:161-164.

Julshamn, K., A. Andersen, O. Ringdal and J. Morkore. 1987. Trace elements intake in the Faroe Islands (Denmark): I. Element levels in edible parts of pilot whales (*Globicephalus melaneus*). Sci. Total Environ. 65(0):53-62.

Julshamn, K., K. Sandnes, O. Lie and R. Waagboe. 1990. Effects of dietary selenium supplementation on growth, blood chemistry and trace element levels in serum and liver of adult Atlantic salmon (*Salmo salar*). Fiskeridir. Skr., Ser. Ernaer. 3(2):47-58.

Kai, N., T. Ueda, M. Takeda and A. Kataoka. 1986a. The levels of mercury and selenium in gonad of marlins from the Pacific Ocean. Bull. Jap. Soc. Scient. Fish. 52(3):553-556.

Kai, N., T. Ueda, M. Takeda, Y. Takeda and A. Kataoka. 1986b. The levels of mercury and selenium in gonad of yellow fin (*Thunnus albacares*) and albacore (*Thunnus alalunga*). Bull. Jap. Soc. Scient. Fish. 52(6):1049-1054.

Kai, N., T. Ueda, Y. Takeda and A. Kataoka. 1988. The levels of mercury and selenium in blood of tunas. Nippon Suisan Gakkaishi 54(11):1981-5.

Kai, N., T. Ueda, Y. Takeda and A. Kataoka. 1992a. The levels of mercury and selenium in gonad of Big-Eyed Tuna. J. of Shimonoseki Univer. Fish. 40(4):177-181.

Kai, N., T. Ueda and Y. Takeda. 1992b. The state of oxidation and its distribution of selenium in the blood of tuna and marlins. Nippon Suisan Gakkaishi 58(10):1883-1886.

Kai, N., T. Tsuda, T. Sakai, H. Murata, M. Hamada, Y. Tanoue, and T. Nagai. 1995. Glutathione peroxidase activity in the blood of tunas and marlins. Fish. Sci. 61(5):867-870.

Kai, N., T. Tsuda, T. Sakai, H. Murata, M. Hamada, Y. Tanoue and T. Nagai. 1996. The oxidation state and its distribution of selenium in the blood of cultured yellow tail *Seriola quinqueradiata*. Fish. Sci. 62(3):444-446.

Kaiser, I.I., P.A. Young and J.D. Johnson. 1979. Chronic exposure of trout to waters with naturally high selenium levels: Effects on transfer RNA methylation. J. Fish. Res. Board. Can. 36:689-694.

Kaiser, K.L.E. 1980. Correlation and prediction of metal toxicity to aquatic biota. Can. J. Fish. Aquat. Sci. 37:211-218.

Kaiser, K.L.E., S.P. Niculescu and G. Schuurmann. 1997. Feed forward backpropagation neural networks

and their use in predicting the acute toxicity of chemicals to the fathead minnow. *Water Qual. Res. J. Can.* 32(3):637-657.

Kalas, J.A., T.H. Ringsby, and S. Lierhagen. 1995. Metals and selenium in wild animals from Norwegian areas close to Russian nickel smelters. *Environ. Monitor. Assess.* 36(3):251-270.

Kapu, M.M. and D.J. Schaeffer. 1991. Planarians in toxicology. Responses of asexual *Dugesia dorotocephala* to selected metals. *Bull. Environ. Contam. Toxicol.* 47(2):302-307.

Karlson, U. and W.T. Frankenberger Jr. 1990. Volatilization of selenium from agricultural evaporation pond sediments. *Sci. Total Environ.* 92:41-54.

Kay, S.H. 1984. Potential for biomagnification of contaminants within marine and freshwater food webs. ADA150747. National Technical Information Service, Springfield, VA.

Keating, K.I. and P.B. Caffrey. 1989. Selenium deficiency induced by zinc deprivation in a crustacean. *Proceedings Of The National Academy Of Sciences Of The United States Of America* 86(16):6436-6440.

Keating, K.I. and B.C. Dagbusan. 1984. Effect of selenium deficiency on cuticle integrity in the Cladocera (Crustacea). *Proc. Natl. Acad. Sci. U. S. A.* 81:3433-3437.

Kedziroski, A., M. Nakonieczny, E. Swierczek and E. Szulinska. 1996. Cadmium-selenium antagonism and detoxifying enzymes in insects. *Fresenius J. Anal. Chem.* 354(5-6):571-575.

Keller, M.D., R.C. Selvin, W. Claus, and R.R.L. Guillard. 1987. Media for the culture of oceanic ultraphytoplankton. *J. Phycol.* 23(4):633-638.

Kelly, R.K., J.F. Klaverkamp, R.V. Hunt, and O. Nielsen. 1987. Chemical analysis of muscle from walleye (*Stizostedion vitreum*) with myofibrogranuloma, a chronic myopathy. *Can. J. Fish. Aquat. Sci.* 44(8):1425-1431.

Kemble, N.E., W.G. Brumbaugh, E.L. Brunson, F.J. Dwyer, C.G. Ingersoll, D.P. Monda and D.F. Woodward. 1994. Toxicity of metal-contaminated sediments from the Upper Clark Fork River, Montana, to aquatic invertebrates and fish in laboratory exposures. *Environ. Toxicol. Chem.* 13(12):1985-1997.

Kennedy, P.C. 1986. The use of mollusks for monitoring trace elements in the marine environment in New Zealand 1. The contribution of ingested sediment to the trace element concentrations in New Zealand mollusks. *N. Z. J. Mar. Freshwater Res.* 20(4):627-40.

Kennedy, C.J., L.E. McDonald, R. Loveridge, M.M. Strosher. 2000. The effect of bioaccumulated selenium on mortalities and deformities in the eggs, larvae, and fry of a wild population of cutthroat trout (*Oncorhynchus clarki lewisi*). *Arch. Environ. Contam. Toxicol.* 39:46-52.

Kersten, M., M. Kriews and U. Foerstner. 1991. Partitioning of trace metals released from polluted marine aerosols in coastal seawater. *Mar. Chem.* 36(1-4):165-182.

Khan, A.H., M. Ali, S.K. Biaswas and D.A. Hadi. 1987. Trace elements in marine fish from the Bay of

Bengal (Bangladesh). Sci. Total Environ. 61(0):121-130.

Khangarot, B.S. 1991. Toxicity of metals to a freshwater tubificid worm, *Tubifex tubifex* (Muller). Bull. Environ. Contam. Toxicol. 46(6):906-912.

Kidwell, J.M., L.J. Phillips and G.F. Birchard. 1995. Comparative analyses of contaminant levels in bottom feeding and predatory fish using the national contaminant biomonitoring program data. Bull. Environ. Contam. Toxicol. 54(6):919-923.

Kiffney, P. and A. Knight. 1990. The toxicity and bioaccumulation of selenate, selenite and seleno-l-methionine in the cyanobacterium *Anabaena flos-aquae*. Arch. Environ. Contam. Toxicol. 19(4):488-494.

Kim, J.H., E. Birks and J.F. Heisinger. 1977. Protective action of selenium against mercury in northern creek chubs. Bull. Environ. Contam. Toxicol. 17:132-136.

Kimball, G. Manuscript. The effects of lesser known metals and one organic to fathead minnows (*Pimephales promelas*) and *Daphnia magna*. (Available from C.E. Stephan, U.S. EPA, Duluth, MN.)

King, K.A. and E. Cromartie. 1986. Mercury, cadmium, lead, and selenium in three waterbird species nesting in Galveston Bay, Texas, USA. Colonial Waterbirds 9(1):90-94.

King, K.A., T.W. Custer and J.S. Quinn. 1991. Effects of Mercury, Selenium and Organochlorine Contaminants on Reproduction of Forster's Terns and Black Skimmers Nesting in a Contaminated Texas USA Bay. Arch. Environ. Contam. Toxicol. 20(1):32-40.

King, K.A., T.W. Custer and D.A. Weaver. 1994. Reproductive success of barn swallows nesting near a selenium-contaminated lake in east Texas, USA. Environ. Pollut. 84(1):53-58.

Kitamura, H. 1990. Relation between the toxicity of some toxicants to the aquatic animals (*Tanichthys albonubes* and *Neocaridina denticulata*) and the hardness of the test. Bull. Fac. Fish. Nagasaki Univ. Chodai Sui Kempō 67:13-19.

Klauda, R.J. 1985a. Influence of delayed initial feeding on mortality of striped bass larvae exposed to arsenic and selenium. Am. Fish. Soc. Annu. Meeting No. 115:92-93.

Klauda, R.J. 1985b. Acute and chronic effects of arsenic and selenium on the early life stages of striped bass. Report to Maryland Power Plant Siting Program, Maryland Department of Natural Resources. Publication JHU/APL PRPR-98. The Johns Hopkins University, Applied Physics Laboratory, Laurel, MD.

Klaverkamp, J.F., D.A. Hodgins and A. Lutz. 1983a. Selenite toxicity and mercury-selenium interactions in juvenile fish. Arch. Environ. Contam. Toxicol. 12:405-413.

Klaverkamp, J.F., W.A. Macdonald, W.R. Lillie and A. Lutz. 1983b. Joint toxicity of mercury and selenium in salmonid eggs. Arch. Environ. Contam. Toxicol. 12:415-419.

Kleinow, K.M. 1984. The uptake, disposition, and elimination of selenate, selenite and selenomethionine in

the fathead minnow (*Pimephales promelas*). Ph.D. thesis. University of Wisconsin-Milwaukee, Milwaukee, WI. Available from: University Microfilms, Ann Arbor, MI. Order NO. 85-09260.

Kleinow, K.M. and A.S. Brooks. 1986a. Selenium compounds in the fathead minnow (*Pimephales promelas*) - I. Uptake, distribution, and elimination of orally administered selenate, selenite, and 1-selenomethionine. *Comp. Biochem. Physiol.* 83C:61-69.

Kleinow, K.M. and A.S. Brooks. 1986b. Selenium compounds in the fathead minnow (*Pimephales promelas*) - II. Quantitative approach to gastrointestinal absorption, routes of elimination and influence of dietary pretreatment. *Comp. Biochem. Physiol.* 83C:71-76.

Klusek, C.S., M. Heit and S. Hodgkiss. 1993. Trace element concentrations in the soft tissue of transplanted freshwater mussels near a coal-fired power plant. In: *Trace Elem. Coal Coal Combust. Residues*. Keefer, R.F. and K.S. Sajwan (Eds). Lewis: Boca Raton, Fla. pp. 59-95.

Koeman, J.H., W.H.M. Peeters, C.H.M. Koudstaal-Hol, P.S. Tijoe and J.J.M. de Goeij. 1973. Mercury-selenium correlations in marine mammals. *Nature* 245:385-386.

Koenker R. 1994. Confidence intervals for regression quantiles. In Mandl P, Hušková M, eds, *Asymptotic statistics: Proceedings of the Fifth Prague Symposium*. Physica-Verlag, Heidelberg, Germany, pp 349-359.

Koenker, R., and K. F. Hallock. 2001. Quantile regression: An introduction. *J. Econom. Perspect.* 15:143-156.

Koenker, R., and J. Gilbert Bassett. 1978. Regression Quantiles. *Econometrica*. 46:33-50.

Koenker, R., and J. A. F. Machado. 1999. Goodness of fit and related inference processes for quantile regression. *J. Am. Stat. Assoc.* 94:1296-1310.

Koenker R, Portnoy S. 1996. Quantile regression. Working Paper 97-0100. University of Illinois at Urbana-Champaign, College of Commerce and Business Administration, Office of Research, Urbana-Champaign.

Koh, T.S. and M.J. Harper. 1988. Lead-poisoning in black swans, *Cygnus atratus*, exposed to spent lead shot at Bool Lagoon Game Reserve, South Australia. *Aust. Wild. Res.* 15(4):395-404.

Koike, Y., Y. Nakaguchi, K. Hiraki, T. Takeuchi, T. Kokubo, and T. Ishimaru. 1993. Species and concentrations of selenium and nutrients in Tanabe Bay during red tide due to *Gymnodinium nagasakiense*. *J. Oceanog.* 49(6):641-656.

Kovacs, M., I. Nyary, L. Toth. 1984. The microelement content of some submerged and floating aquatic plants. *Acta Botanica Hungarica* 30(1-2):173-186.

Kralj, N. and A. Stunja. 1994. Effects of selenium, lead and magnesium on the activity of hydrolytic enzymes in kidneys of the carp (*Cyprinus carpio* L.). *Period. Biol.* 96(4):496-498.

Kramer, K.J.M., H.A. Jenner and D. DeZwart. 1989. The valve movement response of mussels: a tool in

biological monitoring. *Hydrobiol.* 188-189:433-443.

Krishnaja, A.P., M.S. Rege and A.G. Joshi. 1987. Toxic effects of certain heavy metals (mercury, cadmium, lead, arsenic and selenium) on the intertidal crab *Scylla serrata*. *Mar. Environ. Res.* 21(2):109-120.

Krizkova, L., L. Horniak, S. Slavikova and L. Ebringer. 1996. Protective effect of sodium selenite on ofloxacin-induced loss of chloroplast DNA in *Euglena gracilis*. *Fol. Microbiol.* 41(4):329-332.

Krogh, M. and P. Scanes. 1997. Organochlorine compound and trace metal contaminants in fish near Sydney's ocean outfalls. *Mar. Pollut. Bull.* 33(7-12):213-225.

Krushevska, A., A. Lasztity, M. Kotrebai and R.M. Barnes. 1996. Addition of tertiary amines in the semiquantitative, multi-element inductively coupled plasma mass spectrometric analysis of biological materials. *J. Anal. At. Spectrom.* 11(5):343-352.

Kruuk, H. and J.W.H. Conroy. 1991. Mortality of Otters *Lutra lutra* in Shetland Scotland UK. *J. Appl. Ecol.* 28(1):83-94.

Kuehl, D.W. and R. Haebler. 1995. Organochlorine, organobromine, metal, and selenium residues in bottlenose dolphins (*Tursiops truncatus*) collected during an unusual mortality event in the Gulf of Mexico, 1990. *Arch. Environ. Contam. Toxicol.* 28(4):494-499.

Kuehl, D.W., R. Haebler and C. Potter. 1994. Coplanar PCB and metal residues in dolphins from the U.S. Atlantic Coast including Atlantic bottlenose obtained during the 1987-88 mass mortality. *Chemosphere* 28(6):1245-1253.

Kuliev, G.K. 1984. Effect of selenium on nutria growth and reproductive capacity. *Sel'Skokhozyaistvennaya Biologiya* 0(10):121-122.

Kumar, H.D. 1964. Adaption of a blue-green alga to sodium selenate and chloramphenicol. *Cell Physiol.* 5:465.

Kumar, H.D., and G. Prakash. 1971. Toxicity of selenium to the blue-green algae, *Anacystis nidulans* and *Anabaena variabilis*. *Ann. Bot. (Lond.)* 35:697-705.

Kuss, S., S. Thakral and J. Behjan. 1995. Arroyo Simi characterization: A multi-purpose stream study to facilitate site specific permit requirements. *Proc. Water Environ. Fed. Annu. Conf. Expo.*, 68th, Volume 4. Water Environment Federation: Alexandria, Va. pp. 307-317.

Lahermo, G., Alftthan, and Wang. 1998. Selenium and Arsenic in the Environment in Finland. *Journal of Environmental Pathology, Toxicology and Oncology*. 17:205- .

Lakshmanan, P.T. and J. Stephen. 1994. Trace metals in cephalopod mollusks - a unique phenomenon in metal accumulation. *Nutr. Bioact. Subst. Aquat. Org., Pap. Symp.*, Meeting Date 1993. Devadasan, K. (Ed). Soc. Fish. Technol. (India): Cochin, India. pp. 254-265.

- Lalitha, K. and P. Rani. 1995. Mitochondrial selenium-75 uptake and regulation revealed by kinetic analysis. *Biol. Trace Element Res.* 49(1):21-42.
- Lalitha, K., P. Rani and V. Narayanaswami. 1994. Metabolic relevance of selenium in the insect *Corcyra cephalonica*: Uptake of ^{75}Se and subcellular distribution. *Biol. Trace Element Res.* 41(3):217-233.
- LamLeung, S.Y., V.K.W. Cheng and Y.W. Lam. 1991. Application of a microwave oven for drying and nitric acid extraction of mercury and selenium from fish tissue. *Analyst (London)* 116(9):957-959.
- Lan, W.G., M.K. Wong and Y.M. Sin. 1994a. Microwave digestion of fish tissue for selenium determination by differential pulsed polarography. *Talanta* 41(1):53-58.
- Lan, W.G., M.K. Wong, Y.M. Sin. 1994b. Comparison of four microwave digestion methods for the determination of selenium in fish tissue by using hydride generation atomic absorption spectrometry. *Talanta* 41(2):195-200.
- Lan, W.G., M.K. Wong, N. Chen, and Y.M. Sin. 1995. Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*. *Aquaculture* 131(3-4):219-230.
- Landau, M., R.H. Pierce, L.D. Williams and D.R. Norris. 1985. Contamination and growth of the shrimp, *Penaeus stylirostris* Stimpson, cultured in a seawater/wastewater aquaculture system. *Bull. Environ. Contam. Toxicol.* 35(4):537-45.
- Langlois, C. and R. Langis. 1995. Presence of airborne contaminants in the wildlife of northern Quebec. *Sci. Total Environ.* 160-161(0):391-402.
- Larsen, E.H. and S. Stuerup. 1994. Carbon-enhanced inductively coupled plasma mass spectrometric detection of arsenic and selenium and its application to arsenic speciation. *J. Anal. At. Spectrom.* 9(10):1099-1105.
- Larsen, E.H., G.A. Pedersen, and J.W. McLaren. 1997. Characterization of National Food Agency shrimp and plaice reference materials for trace elements and arsenic species by atomic and mass spectrometric techniques. *J. Anal. At. Spectrom.* 12(9):963-968.
- Larsen, L.F. and P. Bjerregaard. 1995. The effect of selenium on the handling of mercury in the shore crab *Carcinus maenas*. *Mar. Pollut. Bull.* 31(1-3):78-83.
- Lauchli, A. 1993. Selenium in plants: Uptake, functions, and environmental toxicity. *Botanica Acta* 106(6):455-468.
- Law, R.J., R.L. Stringer, C.R. Allchin and B.R. Jones. 1996. Metals and organochlorines in sperm whales (*Physeter macrocephalus*) stranded around the North Sea during the 1994/1995 winter. *Mar. Pollut. Bull.* 32(1):72-77.
- LeBlanc, G.A. 1980. Acute toxicity of priority pollutants to water flea (*Daphnia magna*). *Bull. Environ. Contam. Toxicol.* 24:684-691.

- LeBlanc, G.A. 1984. Interspecies relationships in acute toxicity of chemicals to aquatic organisms. Environ. Toxicol. Chem. 3:47-60.
- Lee, B.G. and N.S. Fisher. 1992a. Decomposition and release of elements from zooplankton debris. Mar. Ecol. Prog. Ser. 88(2-3):117-128.
- Lee, B.G. and N.S. Fisher. 1992b. Degradation and elemental release rates from phytoplankton debris and their geochemical implications. Limnol. Oceanogr. 37(7):1345-1360.
- Lee, B.G. and N.S. Fisher. 1993. Release rates of trace elements and protein from decomposing planktonic debris. 1. Phytoplankton debris. J. Mar. Res. 51(2):391-421.
- Leighton, F.A. and G. Wobeser. 1994. Salinity and selenium content in western Canadian wetlands. Wildl. Soc. Bull. 22(1):111-116.
- Leland, H.V. and B.C. Scudder. 1990. Trace elements in *Corbicula fluminea* from the San Joaquin River, California. Sci. Total Environ. 97-98:641-672.
- Lemaire, P., A. Viarengo, L. Canesi, and D.R. Livingstone. 1993. Pro-oxidant and antioxidant processes in gas gland and other tissues of cod (*Gadus morhua*). J. Comp. Physiol. -B, Biochem., System., Environ. Physiol. 163(6):477-486.
- Lemly, A.D. 1982. Response of juvenile centrarchids to sublethal concentrations of waterbourne selenium. I. Uptake, tissue distribution, and retention. Aquat. Toxicol. 2:235-252.
- Lemly, A.D. 1983. A simple activity quotient for detecting pollution-induced stress in fishes. Environ. Technol. Lett. 4(4):173-178.
- Lemly, A.D. 1985a. Toxicology of selenium in a freshwater reservoir: Implications for environmental hazard evalutaion and safety. Ecotoxicol. Environ. Safety. 10:314-338.
- Lemly, A.D. 1985b. Ecological basis for regulating aquatic emissions from the power industry: The case with selenium. Regul. Toxicol. Pharmacol. 5:465-486.
- Lemly, A.D. 1993a. Metabolic stress during winter increases the toxicity of selenium to fish. Aquat. Toxicol. (Amsterdam) 27(1-2):133-158.
- Lemly, A.D. 1993b. Teratogenic effects of selenium in natural populations of freshwater fish. Ecotoxicol. Environ. Safety 26(2):181-204.
- Lemly, A.D. 1993c. Guidelines for evaluating selenium data from aquatic monitoring and assessment studies. Environ. Monitor. Assess. 28(1):83-100.
- Lemly, A.D. 1994. Agriculture and wildlife: Ecological implications of subsurface irrigation drainage. J. Arid Environ. 28(2):85-94.
- Lemly, A.D. 1995. A protocol for aquatic hazard assessment of selenium. Ecotoxicol. Environ. Safety

32(3):280-288.

Lemly, A.D. 1996a. Assessing the toxic threat of selenium to fish and aquatic birds. Environ. Monitor. Assess. 43(1):19-35.

Lemly, A.D. 1996b. Winter stress syndrome: an important consideration for hazard assessment of aquatic pollutants. Ecotoxicol. Environ. Safety. 34(3):223-227.

Lemly, A.D. 1997a. Ecosystem recovery following selenium contamination in a freshwater reservoir. Ecotoxicol. Environ. Safety. 36(3):275-281.

Lemly, A.D. 1997b. A teratogenic deformity index for evaluating impacts of selenium on fish populations. Ecotoxicol. Environ. Safety. 37:259-266.

Lemly, A.D. 1997c. Environmental hazard of selenium in the Animas La Plata water development project. Ecotoxicol. Environ. Safety. 37:92-96.

Lemly, A.D. 1997d. Environmental implications of excessive selenium: A review. Biomed. Environ. Sci. 10(4):415-435.

Lemly, A.D. 1998. A position paper on selenium in ecotoxicology: a procedure for deriving site-specific water quality criteria. Ecotoxicol. Environ. Safety. 39:1-9.

Lemly, A.D. and G.J. Smith. 1987. Aquatic cycling of selenium: Implications for fish and wildlife. U.S. Dept. of the Interior, U.S. Fish and Wildlife Service, Fish and Wildlife Leaflet 12. 10 pp.

Leonzio, C., C. Fossi and S. Focardi. 1986. Lead, mercury, cadmium and selenium in two species of gull feeding on inland dumps, and in marine areas. Sci. Total Environ. 57(0):121-128.

Leonzio, C., M. Lambertini, A. Massi, S. Focardi, and C. Fossi. 1989. An assessment of pollutants in eggs of Audouin's gull (*Larus audouinii*), a rare species of the Mediterranean Sea. Sci. Total Environ. 78(0):13-22.

Leonzio, C., S. Focardi and C. Fossi. 1992. Heavy Metals and Selenium in Stranded Dolphins of the Northern Tyrrhenian Northwest Mediterranean. Sci. Total Environ. 119:77-84.

Leskinen, J., O.V. Lindqvist, J. Lehto, Jari and P. Koivistoinen. 1986. Selenium and mercury contents in Northern pike (*Esox lucius*, L.) of Finnish man-made and natural lakes. Vesientutkimuslaitoksen Julk. 65:72-9.

Levander, O.A. 1977. Metabolic interrelationships between arsenic and selenium. Environ. Health Perspect. 19:159-164.

Li, H., H. Nagasawa and K. Matsumoto. 1996. Graphite-furnace atomic absorption spectrometry of organomercury and organoselenium in extracts of biological samples with an organopalladium matrix modifier. Anal. Sci. 12(2):215-218.

Lie, O., E. Lied, A. Maage, L.R. Njaa and K. Sandnes. 1994. Nutrient content of fish and shellfish. Fiskeridir. Skr., Ser. Ernaer. 6(2):83-105.

Lim, C. and D.M. Akiyama. 1995. Nutrient requirements of penaeid shrimp. In: Nutr. Util. Technol. Aquacult. 60-73. Lim, C.E. and D.J. Sessa (Eds). AOCS Press: Champaign, Ill. pp. 60-73.

Lindstrom, K. 1984. Selenium and algal growth. In: Proceedings of the third international symposium on industrial uses of selenium and tellurium. Selenium-Tellurium Development Association, Darien, CT. pp. 441-469.

Lindstrom, K. 1985. Selenium requirement of the dinoflagellate *Peridinopsis borgei* (Lemm). Int. Rev. Gesamten Hydrobiol. 70:77-85.

Lindstrom, K. 1991. Nutrient Requirements of the Dinoflagellate *Peridinium gatunense*. J. Phycol. 27(2):207-219.

Lipinski, N.G., P.M. Huang, W.K. Liaw and U.T. Hammer. 1986. The effects of chemical treatments on the retention and redox reactions of selenium by selected freshwater sediments. In: Proceedings of the twelfth annual aquatic toxicity workshop. Ozburn, G.W. (Ed.). Canadian Technical Report of Fisheries and Aquatic Sciences No. 1462. Department of Fisheries and Oceans, Ottawa, Ontario, Canada. pp. 166-184.

Liu, D.L., Y. P. Yang, M. H. Hu, P. J. Harrison and N. M. Price. 1987. Selenium content of marine food chain organisms from the coast of China. Mar. Environ. Res. 22(2): 151-165.

Liu, Y.F., R.H. Tang, Q.X. Zhang, J.Y. Shi, X.M. Li, Z.Q. Liu and W. Zhao. 1986. Stimulation of cell growth of *Tetrahymena pyriformis* and *Chlamydomonas reinhardtii* by trace elements. Biol. Trace Elem. Res. 9(2):89-99.

Livingston, R.J., G.F. Brendel and D.A. Bruzek. 1991. Coal ash artificial reef demonstration. Proc. - Int. Ash Use Symp., 9th, Volume GS-7162, Vol. 2, 50/1-50/9. Electr. Power Res. Inst.: Palo Alto, Calif.

Livingstone, D.R., F. Lips, P. Garcia Martinez and R.K. Pipe. 1992. Antioxidant Enzymes in the Digestive Gland of the Common Mussel *Mytilus edulis*. Mar. Biol. (Berlin) 112(2):265-276.

Lizama, L.C., L.R. McDowell, and J.E. Marion. 1989. Utilization of aquatic plants *Elodea canadensis* and *Hydrilla verticillata* in laying hen diets: II. Macrominerals and microminerals. Nutr. Rep. Int. 39(3):521-536.

Lobel, P.B., S.P. Belkhode, S.E. Jackson and H.P. Longerich. 1989. A universal method for quantifying and comparing the residual variability of element concentrations in biological tissues using elements in the mussel *Mytilus edulis* as a model. Mar. Biol. (Berlin) 102(4):513-518.

Lobel, P.B., S.P. Belkhode, S.E. Jackson and H.P. Longerich. 1990. Recent taxonomic discoveries concerning the mussel *Mytilus*: implications for biomonitoring. Arch. Environ. Contam. Toxicol. 19(4):508-512.

Lobel, P.B., H.P. Longerich, S.E. Jackson, S.P. Belkhode. 1991. A major factor contributing to the high

degree of unexplained variability of some elements concentrations in biological tissue: 27 elements in 5 organs of the mussel *Mytilus* as a model. Arch. Environ. Contam. Toxicol. 21(1):118-125.

Lobel, P.B., C.D. Bajdik, S.P. Belkhode, S.E. Jackson and H.P. Longerich. 1992a. Improved protocol for collecting mussel watch specimens taking into account sex size condition shell shape and chronological age. Arch. Environ. Contam. Toxicol. 21(3):409-414.

Lobel, P.B., S.P. Belkhode, C. Bajdik, W.E. Jackson and H.P. Longerich. 1992b. General characteristics of the frequency distributions of element concentrations and of interelemental correlations in aquatic organisms. Mar. Environ. Res. 33(2):111-126.

Lohner, T.W., R.J. Reash, V.E. Willet and L.A. Rose. 2001. Assessment of tolerant sunfish populations (*Lepomis* sp.) Inhabiting selenium-laden coal ash effluents, 1. hematological and population level assessment. Ecotoxicol. Environ. Safety 50:203-216.

Lohner, T.W., R.J. Reash, V.E. Willet and L.A. Rose. 2001. Assessment of tolerant sunfish populations (*Lepomis* sp.) Inhabiting selenium-laden coal ash effluents, tissue biochemistry evaluation. Ecotoxicol. Environ. Safety 50:217-224.

Lohner, T.W., R.J. Reash, V.E. Willet and L.A. Rose. 2001. Assessment of tolerant sunfish populations (*Lepomis* sp.) Inhabiting selenium-laden coal ash effluents, 3.serum chemistry and fish health indicators. Ecotoxicol. Environ. Safety 50:225-232.

Lonzarich, D. G., T.E. Harvey and J.E. Takekawa. 1992. Trace element and organochlorine concentrations in California Clapper Rail *Rallus longirostris obsoletus* Eggs. Arch. Environ. Contam. Toxicol. 23(2):147-153.

Lorentzen, M., A. Maage and K. Julshamn. 1994. Effects of dietary selenite or selenomethionine on tissue selenium levels of Atlantic salmon (*Salmo salar*). Aquaculture 121(4):359-367.

Losi, M.E. and W.T. Frankenberger, Jr. 1997. Reduction of selenium oxyanions by *Enterobacter cloacae* strain SLD1a-1: Reduction of selenate to selenite. Environ. Toxicol. Chem. 16(9):1851-1858.

Lourdes, M., A. Cuvin-Aralar and R.W. Furness. 1990. Tissue distribution of mercury and selenium in minnows, *Phoxinus phoxinus*. Bull. Environ. Contam. Toxicol. 45(5):775-782.

Low, K.W. and Y.M. Sin. 1995. In vitro effect of mercuric chloride and sodium selenite on chemiluminescent response of pronephros cells isolated from tilapia, *Oreochromis aureus*. Bull. Environ. Contam. Toxicol. 55(6):909-915.

Low, K.W. and Y.M. Sin. 1996. In vivo and in vitro effects of mercuric chloride and sodium selenite on some non-specific immune responses of blue gourami, *Trichogaster trichopterus* (Pallas). Fish Shellfish Immunol. 6(5):351-362.

Lowe, T.P., T.W. May, W.G. Brumbaugh and D.A. Kane. 1985. National contaminant biomonitoring program: Concentrations of seven elements in freshwater fish, 1978-1981. Arch. Environ. Contam. Toxicol. 14:363-388.

Lucas, H.F., Jr., D.N. Edgington and P.J. Colby. 1970. Concentrations of trace elements in Great Lakes fishes. *J. Fish. Res. Board Can.* 27:677-684.

Lunde, G. 1973. The presence of lipid-soluble selenium compounds in marine oils. *Biochem. Biophys. Acta* 304:76-80.

Lundquist, T.J., F.B. Green, R.B. Tresan, R.D. Newman, W. J. Oswald and M.B. Gerhardt. 1994. The algal-bacterial selenium removal system: mechanisms and field study. In: *Selenium Environ.* Frankenberger, W.T., Jr. and S. Benson (Eds). Dekker: New York, N. J. pp. 251-278.

Luoma, S.N. and D.J.H. Phillips. 1988. Distribution, variability, and impacts of trace elements in San Francisco Bay. *Mar. Pollut. Bull.* 19(9):413-25.

Luoma, S.N., C. Johns, N.S. Fisher, N.A. Steinberg, R.S. Oremland and J.R. Reinfelder. 1992. Determination of selenium bioavailability to a benthic bivalve from particulate and solute pathways. *Environ. Sci. Technol.* 26(3):485-491.

Lussier, S.M. 1986. U.S. EPA, Narragansett, RI. (Memorandum to D.J. Hansen, U.S. EPA, Narragansett, RI.)

Luten, J.B., et al. 1980. Mercury and selenium in marine and freshwater fish. *J. Food Sci.* 45:416.

Lyle, J.M. 1986. Mercury and selenium concentrations in sharks from Northern Australian waters. *Aust. J. Mar. Freshwater Res.* 37(3):309-322.

Lytle, T.F. and J.S. Lytle. 1982. Heavy metals in oysters and clams of St. Louis Bay, Mississippi. *Bull. Environ. Contam. Toxicol.* 29:50-57.

Maage, A. and R. Waagboe. 1990. Zinc and selenium in tissues of young Atlantic salmon *Salmo salar* fed diets containing different lipid sources at two levels of vitamin E. *Fiskeridir. Skr., Ser. Ernaer.* 3(2):21-29.

Maage, A., H. Sveier and K. Julshamn. 1989. A comparison of growth rate and trace element accumulation in Atlantic salmon (*Salmo salar*) fry fed four different commercial diets. *Aquaculture* 79(1-4):267-273.

MacFarlane, R.D., G.L. Bullock and J.J.A. McLaughlin. 1986. Effects of five metals on susceptibility of striped bass to *Flexibacter columnaris*. *Trans. Am. Fish Soc.* 115:227-231.

MacKay, N.J., M.N. Kazacos, R.J. Williams and M.I. Leedor. 1975. Selenium and heavy metals in black marlin. *Mar. Pollut. Bull.* 6:57-61.

Mackey, E.A., P.R. Becker, R. Demiralp, R.R. Greenberg, B.J Koster, and S.A. Wise. 1996. Bioaccumulation of vanadium and other trace metals in livers of Alaskan cetaceans and pinnipeds. *Arch. Environ. Contam. Toxicol.* 30(4):503-512.

MacPhee, C. and R. Ruelle. 1969. Lethal effects of 1888 chemicals upon four species of fish from Western North America. *Univ. of Idaho Forest, Wildl. Range Exp. Station Bull.* No. 3, Moscow, ID, 112 p.

Magos, L. and M. Webb. 1980. The interactions of selenium with cadmium and mercury. Crit. Rev. Toxicol. 8:1-42.

Mahan, C.A., V. Majidi and J.A. Holcombe. 1989. Evaluation of the metal uptake of several algae strains in a multicomponent matrix utilizing inductively coupled plasma emission spectrometry. Anal. Chem. 61(6):624-7.

Maher, W.A. 1985a. Characteristics of selenium in marine animals. Mar. Pollut. Bull. 16:33-34.

Maher, W.A. 1985b. Selenium in macroalgae. Bot. Mar. 28(7):269-73.

Maher, W.A. 1987. Distribution of selenium in marine animals: relationship to diet. Comp. Biochem. Physiol. C: Comp. Pharmacol. Toxicol. 86C(1):131-3.

Maher, W., S. Baldwin, M. Deaker and M. Irving. 1992. Characteristics of selenium in Australian marine biota. Appl. Organomet. Chem. 6(2):103-112.

Maher, W., M. Deaker, D. Jolley, F. Krikowa and B. Roberts. 1997. Selenium occurrence, distribution and speciation in the cockle *Anadara trapezia* and the mullet *Mugil cephalus*. Appl. Organomet. Chem. 11(4):313-326.

Maier, K.J. 1990. The toxicity and bioaccumulation of selenium and boron to *Daphnia magna* and *Chironomus decorus*. 191 pp. Avail. Univ. Microfilms Int., Order No. DA9102095 From: Diss. Abstr. Int. B 1991, 51(8):3656.

Maier, K.J. and A.W. Knight. 1993. Comparative acute toxicity and bioconcentration of selenium by the midge *Chironomus decorus* exposed to selenate, selenite and seleno-dl-methionine. Arch. Environ. Contam. Toxicol. 25(3):365-370.

Maier, K.J., C.G. Foe and A.W. Knight. 1993. Comparative toxicity of selenate, selenite, seleno-dl-methionine and seleno-dl-cystine to *Daphnia magna*. Environ. Toxicol. Chem. 12(4):755-763.

Malarvizhi, K. and M.V. Usharani. 1994. Effect of sodium selenite on the cytological effects of methyl parathion in the root meristems of *Allium cepa*. J. Environ. Biol. 15(3):193-198.

Malchow, D.E., A.W. Knight and K.J. Maier. 1995. Bioaccumulation and toxicity of selenium in *Chironomus decorus* larvae fed a diet of seleniferous *Selenastrum capricornutum*. Arch. Environ. Contam. Toxicol. 29(1):104-109.

Mancini, J.L. 1983. A method for calculating effects, on aquatic organisms, of time varying concentrations. Water Res. 17:1355-1362.

Mann, H. and W.S. Fyfe. 1988. Biogeochemical cycling of the elements in some fresh water algae from gold and uranium mining districts. Biorecovery, 1(1):3-26.

Mann, H., W.S. Fyfe and R. Kerrich. 1988. The chemical content of algae and waters: bioconcentration.

Toxic. Assess. 3(1):1-16.

Manoharan, A. and V. Prabakaran. 1994. Acute toxicity and genotoxic effect of chromium and selenium on the common loach, *Lepidocephalichthyes thermalis* (Bleeker). Geobios (Jodhpur) 21(1):44-46.

Marcogliese, D.J., G.W. Esch and R.V. Dimock Jr. 1989. Long-term comparison of zooplankton communities between thermally-altered and ambient areas of a North Carolina Cooling Reservoir USA. J. Elisha Mitchell Sci. Soc. 105(1):1-13.

Marcogliese, D.J., G.W. Esch and R.V. Dimock, Jr. 1992. Alterations in zooplankton community structure after selenium-induced replacement of a fish community a natural whole-lake experiment. Hydrobiol. 242(1):19-32.

Martin, J.L. 1973. Selenium assimilation in animals. In: Organic selenium compounds: Their chemistry and biology. Klayman, D.L. and W.H.H. Gunther (Eds.). Wiley-Interscience, New York, NY. pp. 663-691.

Martin, M., K.E. Osborn, P. Billig and N. Glickstein. 1981. Toxicities of ten metals to *Crassostrea gigas* and *Mytilus edulis* embryos and *Cancer magister* larvae. Mar. Pollut. Bull. 12:305-308.

Marvin, C.H. and E.T. Howell. 1997. Contaminant burdens in sediments colonized by *Dreissena* at two nearshore sites in the lower Great Lakes. Zebra Mussels Aquat. Nuisance Species, [Proc. Int. Zebra Mussel Other Aquat. Nuisance Species Conf.], 6th, Meeting Date 1996, 209-224. Editor(s): D'Itri, Frank M.

Mason, R.P., J.-M. Laporte, and S. Andres. 2000. Factors controlling the bioaccumulation of mercury, arsenic, selenium, and cadmium by freshwater invertebrates and fish. Archives Environ. Contamin. Toxicol. 38:283-297.

Masuzawa, T., M. Koyama and M. Terazaki. 1988. A regularity in trace element contents of marine zooplankton species. Mar. Biol. (Berlin) 97(4):587-91

Matsumoto, K. 1991. Speciation and determination of selenium and mercury accumulated in a dolphin liver. ACS Symp. Ser., 445:278-289.

Mattice, J.S., D.B. Povella and R.W. Brocksen. 1997. Sediment-water interactions affect assessments of metals discharges at electric utilities. Water Air Soil Pollut. 99:187-199.

Mauk, R.J. and M.L. Brown. 1999. Acute toxicity of sodium selenite to juvenile walleye. Bull. Environ. Contam. Toxicol. 63: 188-194.

Maven, H., K.S. Rao, W. Benko, K. Alam, M.E. Huber, T. Rali and I. Burrows. 1995. Fatty acid and mineral composition of Papua New Guinea echinoderms. Fish. Technol. 32(1):50-52.

May, T.W. and D.A. Kane. 1984. Matrix-dependent instability of selenium(IV) stored in teflon containers. Anal. Chim. Acta 161:387-391.

May, T.W. and G.L. McKinney. 1981. Cadmium, lead, mercury, arsenic, and selenium concentrations in

freshwater fish, 1976-77 - National Pesticide Monitoring Program. *Pestic. Monit. J.* 15:14-38.

May, T.W., M.J. Walthier, J.D. Petty, J.F. Fairchild, J. Lucero, M. Delvaux, J. Manring, M. Arbruster and D. Hartman. 2001. An evaluation of selenium concentration in water, sediment, invertebrates, and fish from the Republican River Basin: 1997-1999. *Environ. Monit. Assess.* 72: 179-206.

Mayer, F.L., Jr. and M.R. Ellersieck. 1986. Manual of acute toxicity: Interpretation and data base for 410 chemicals and 66 species of freshwater animals. Resource Publication No. 160. U.S. Fish and Wildlife Service, Washington, DC. p. 438.

Mayer, F.L., Jr., K.S. Mayer and M.R. Ellersieck. 1986. Relation of survival to other endpoints in chronic toxicity tests with fish. *Environ. Toxicol. Chem.* 5(8):737-48.

McCloskey, J.T. and M.C. Newman. 1995. Sediment preference in the asiatic clam (*Corbicula fluminea*) and viviparid snail (*Campeloma decisum*) as a response to low-level metal and metalloid contamination. *Arch. Environ. Contam. Toxicol.* 28(2):195-202.

McCloskey, J.T., M.C. Newman and P.M. Dixon. 1995. Effect of metal and metalloid contaminated sediment on the spatial distribution of asiatic clams (*Corbicula fluminea*). *Arch. Environ. Contam. Toxicol.* 28(2):203-208.

McCrea, R.C. and J.D. Fischer. 1986. Heavy metal and organochlorine contaminants in the five major Ontario rivers of the Hudson Bay Lowland. *Water Pollut. Res. J. Can.* 21(2):225-34.

Mcdowell, L. R., D.J. Forrester, S.B. Linda, S.D. Wright, and N.S. Wilkinson. 1995. Selenium status of white-tailed deer in southern Florida. *J. Wild. Dis.* 31(2):205-211.

McKee, J.E. and H.W. Wolf. 1963. Water quality criteria. 2nd ed. Publication No. 3-A. State Water Quality Control Board, Sacramento, CA. pp. 253-254.

McKenzie-Parnell, J.M., T.E. Kjellstrom, R.P. Sharma and M.F. Robinson. 1988. Unusually high intake and fecal output of cadmium, and fecal output of other trace elements in New Zealand adults consuming dredge oysters. *Environ. Res.* 46(1):1-14.

Mclean, C., A.G. Miskiewicz and E.A. Roberts. 1991. Effect of three primary treatment sewage outfalls on metal concentrations in the fish *Cheilodactylus fuscus* collected along the Coast of Sydney Australia. *Mar. Pollut. Bull.* 22(3):134-140.

Meador, J.P., U. Varanasi, P.A. Robisch and S.-L. Chan. 1993. Toxic metals in pilot whales (*Globicephala melaena*) from strandings in 1986 and 1990 on Cape Cod, Massachusetts. *Can. J. Fish. Aquat. Sci.* 50(12):2698-2706.

Measures, C.I. and J.D. Burton. 1978. Behavior and speciation of dissolved selenium in estuarine waters. *Nature* 273:293-295.

Mehrle, P.M., T.A. Haines, S. Hamilton, J.L. Ludke, F.L. Mayer and M.A. Ribick. 1982. Relationship between body contaminants and bone development in east-coast striped bass. *Trans. Am. Fish. Soc.*

111:231-241.

Mehrle, P.M., L. Cleveland and D.R. Buckler. 1987. Chronic toxicity of an environmental contaminant mixture to young (or larval) striped bass. *Water, Air, Soil Pollut.* 35(1-2):107-18.

Meltzer, H.M., K. Bibow, I.T. Paulsen, H.H. Mundal, G. Norheim and H. Holm. 1993. Different Bioavailability in Humans of Wheat and Fish Selenium as Measured by Blood Platelet Response to Increased Dietary Selenium. *Biol. Trace Element Res.* 36(3):229-241.

Metcalfe-Smith, J.L. 1994. Influence of species and sex on metal residues in freshwater mussels (family Unionidae) from the St. Lawrence River, with implications for biomonitoring programs. *Environ. Toxicol. Chem.* 13(9):1433-1443.

Metcalfe-Smith, J.L., J.C. Merriman and S.P. Batchelor. 1992. Relationships Between Concentrations of Metals in Sediment and Two Species of Freshwater Mussels in the Ottawa River. *Water Pollut. Res. J. Can.* 27(4):845-869.

Metcalfe-Smith, J.L., R.H. Green and L.C. Grapentine. 1996. Influence of biological factors on concentrations of metals in the tissues of freshwater mussels (*Elliptio complanata* and *Lampsilis radiata*) from the St. Lawrence River. *Can. J. Fish. Aquat. Sci.* 53(1):205-219.

Micallef, S. and P.A. Tyler. 1987. Preliminary observations of the interactions of mercury and selenium in *Mytilus edulis*. *Mar. Pollut. Bull.* 18(4):180-185.

Micallef, S. and P.A. Tyler. 1989. Levels and interactions of selenium with group IIB metals in mussels from Swansea Bay, South Wales, U.K. *Bull. Environ. Contam. Toxicol.* 42(3):344-51.

Micallef, S. and P.A. Tyler. 1990. Effect of Mercury and Selenium on the Gill Function of *Mytilus edulis*. *Mar. Pollut. Bull.* 21(6):288-292.

Michot, T.C., T.W. Custer, A.J. Nault, and C.A. Mitchell. 1994. Environmental contaminants in redheads wintering in coastal Louisiana and Texas. *Arch. Environ. Contam. Toxicol.* 26(4):425-434.

Mikac, N., M. Picer, P. Stegnar, M. Tusek-Znidaric. 1985. Mercury distribution in a polluted marine area, ratio of total mercury, methylmercury and selenium in sediments, mussels and fish. *Water Res.* 19(11):1387-1392.

Miles, A.K. and M.W. Tome. 1997. Spatial and temporal heterogeneity in metallic elements in industrialized aquatic bird habitats. *Environ. Pollut.* 95(1):75-84.

Miller, J.J., B.J. Read, D.J. Wentz, and D.J. Heaney. 1996. Major and trace element content of shallow groundwater associated with dryland saline soils in southern Alberta. *Water Qual. Res. J. Can.* 31(1):101-117.

Mills, E.L., E.F. Roseman, M. Rutzke, W.H. Gutenmann and D.J. Lisk. 1993. Contaminant and nutrient element levels in soft tissues of zebra and quagga mussels from waters of southern Lake Ontario. *Chemosphere* 27(8):1465-1473.

Milne, J.B. 1998. The Uptake and Metabolism of Inorganic Selenium Species. In: W.T. Frankenberger, Jr. and R.A. Engberg (eds.), Environmental Chemistry of Selenium. Marcel Dekker, New York. pp. 459-478.

Minganti, V., F. Fiorentino, R. De Pellegrini and R. Capelli. 1994. Bioaccumulation of mercury in the Antarctic bony fish *Pagothenia bernacchii*. Int. J. Environ. Anal. Chem. 55(1-4):197-202.

Minganti, V., R. Capelli, F. Fiorentino, R. De Pellegrini and M. Vacchi. 1995. Variations of mercury and selenium concentrations in *Adamussium colbecki* and *Pagothenia bernacchii* from Terra Nova Bay (Antarctica) during a five year period. Int. J. Environ. Anal. Chem. 61(3):239-248.

Misitano, D.A. and M.H. Schiwe. 1990. Effect of chemically contaminated marine sediment on naupliar production of the marine harpacticoid copepod, *Tigriopus californicus*. Bull. Environ. Contam. Toxicol. 44(4):636-642.

Moede, A., R.W. Greene and D.F. Spencer. 1980. Effects of selenium on the growth and phosphorus uptake of *Scenedesmus dimorphus* and *Anabaena cylindrica*. Environ. Exp. Bot. 20:207-212.

Moharram, Y.G., S.A. El-Sharnouby, E.K. Moustaffa and A. El-Soukkary. 1987. Mercury and selenium content in bouri (*Mugil cephalus*). Water Air Soil Pollut. 32:455-459.

Moller, G. 1996. Biogeochemical interactions affecting hepatic trace element levels in aquatic birds. Environ. Toxicol. Chem. 15(7):1025-1033.

Montagnese, C.M., F.A. Geneser and J.R. Krebs. 1993. Histochemical distribution of zinc in the brain of the Zebra Finch *Taenopygia guttata*. Anat. Embryol. 188(2):173-187.

Moore, J.F. 1988. Selenium toxicosis in wild aquatic birds. J. Toxicol. Environ. Health 24(1):67-92.

Mora, M.A. and D.W. Anderson. 1995. Selenium, boron, and heavy metals in birds from the Mexicali Valley, Baja California, Mexico. Bull. Environ. Contam. Toxicol. 54(2):198-206.

Morera, M., C. Sanpera, S. Crespo, L. Jover, and X. Ruiz. 1997. Inter- and intraclutch variability in heavy metals and selenium levels in Audouin's gull eggs from the Ebro Delta, Spain. Arch. Environ. Contam. Toxicol. 33(1):71-75.

Muir, D.C.G., R. Wagemann, N.P. Grift, R.J. Norstrom, M. Simon and J. Lien. 1988. Organochlorine chemical and heavy metal contaminants in white-beaked dolphins (*Lagenorhynchus albirostris*) and pilot whales (*Globicephala melaena*) from the coast of Newfoundland, Canada. Arch. Environ. Contam. Toxicol. 17(5):613-630.

Munawar, M. and M. Legner. 1993. Detection of metal toxicity using natural phytoplankton as test organisms in the Great Lakes. Water Pollut. Res. J. Can. 28(1):155-176.

Munawar, M., I.F. Munawar, P.E. Ross and C.I. Mayfield. 1987. Differential sensitivity of natural phytoplankton size assemblages to metal mixture toxicity. Ergeb. Limnol. 25:123-39.

Murata, H., T. Sakai, K. Yamauchi, T. Ito, T. Tsuda, T. Yoshida and M. Fukudome. 1996. In vivo lipid

peroxidation levels and antioxidant activities of cultured and wild yellowtail. Fish. Sci. 62(1):64-68.

Muskett, C.J., R. Chan, J. Towner and R. Singleton. 1985. Assessment of the impact of heavy metals released from a fly ash lagoon on a commercial oyster bed. Heavy Met. Environ. Int. Conf. 5th, Volume 1, 661-3. Editor(s): Lekkas, Themistokles D. CEP Consult.: Edinburgh, UK.

Mutanen, M., P. Koivistoinen, V.C. Morris and O.A. Levander. 1986. Nutritional availability to rats of selenium in four seafoods: Crab (*Callinectes sapidus*), oyster (*Crassostrea virginica*), shrimp (*Penaeus duorarum*) and Baltic herring (*Clupea harengus*). Br. J. Nutr. 55(2):219-226.

Naddy, R.B., T.W. LaPoint, and S.J. Klaine. 1995. Toxicity of arsenic, molybdenum and selenium combinations to *CerioDaphnia dubia*. Environ. Toxicol. Chem. 14(2):329-336.

Nadkarni, N.M. and R.B. Primack. 1989. The use of gamma spectrometry to measure within-plant nutrient allocation of a tank bromeliad *Guzmania lingulata*. Selbyana 11:22-25.

Naftz, D.L., R.B. See and P. Ramirez. 1993. Selenium source identification and biogeochemical processes controlling selenium in surface water and biota, Kendrick Reclamation Project, Wyoming, U.S.A. Appl. Geochem. 8(2):115-126.

Nakamoto, R.J. and T.J. Hassler. 1992. Selenium and other trace elements in bluegills from agricultural return flows in the San Joaquin Valley California. Arch. Environ. Contam. Toxicol. 22(1):88-98.

Nakonieczny, M. 1993. Functional aspects of cadmium and selenium interactions in insect digestive tract: Enzyme studies. Sci. Total Environ. (Suppl. Part 1):573-583.

Narasaki, H. 1985. Determination of arsenic and selenium in fat materials and petroleum products by oxygen bomb combustion and automated atomic absorption spectrometry with hydride generation. Anal. Chem. 57(13):2481-6.

Narasaki, H. and J.Y. Cao. 1996. Determination of arsenic and selenium by hydride generation atomic absorption spectrometry using a gas-liquid separator and a dehydration trap. Microchem. J. 53(1):18-25.

Nassos, P.A., J.R. Coats, R.L. Metcalf, D.D. Brown and L.G. Hansen. 1980. Model ecosystem, toxicity, and uptake evaluation of ⁷⁵Se-selenium. Bull. Environ. Contam. Toxicol. 24:752-758.

National Academy of Sciences. 1976. Selenium. In: *Medical and Biological Effects of Environmental Pollutants*. Washington, DC. p.23.

National Research Council. 1976. Selenium. PB-251318 or EPA-600/1-76-014. National Technical Information Service, Springfield, VA.

Navarrete, M., L. Cabrera, N. Deschamps, N. Boscher, G. Revel, J.P. Meyer and A. Stampfler. 1990. Activation analysis of selenium in biological samples through selenium-75 and selenium-77m. J. Radioanal. Nuclear Chem. 145(6):445-452.

Nelson, D.A., J.E. Miller and A. Calabrese. 1988. Effect of heavy metals on bay scallops, surf clams, and

blue mussels in acute and long-term exposures. Arch. Environ. Contam. Toxicol. 17(5):595-600.

Neter, J., W. Wasserman, and M. H. Kutner. 1985. Applied linear statistical models. Irwin, Homewood, Illinois.

Nettleton, J.A., W.H. Allen, Jr., L.V. Klatt, W.M.N. Ratnayake and R.G. Ackman. 1990. Nutrients and chemical residues in one- to two-pound Mississippi farm-raised channel catfish (*Ictalurus punctatus*). J. Food Sci. 55(4):954-958.

Neuhierl, B. and A. Boeck. 1996. On the mechanism of selenium tolerance in selenium-accumulating plants: Purification and characterization of a specific selenocysteine methyltransferase from cultured cells of *Astragalus bisulcatus*. European J. Biochem. 239(1):235-238.

Neuhold, J.M. 1987. The relationship of life history attributes to toxicant tolerance in fishes. Environ. Toxicol. Chem. 6(9):709-16.

Nicola, R.M., R. Branchflower and D. Pierce. 1987. Chemical contaminants in bottomfish. J. Environ. Health 49(6):342-7.

Nielsen, C.O. and R. Dietz. 1990. Distributional pattern of zinc, cadmium, mercury and selenium in livers of hooded seal *Cystophora cristata*. Biol. Trace Element Res. 24(1):61-72.

Nielsen, G. and P. Bjerregaard. 1991. Interaction between accumulation of cadmium and selenium in the tissues of turbot *Scophthalmus maximus*. Aquat. Toxicol. (Amsterdam) 20(4):253-266.

Nigro, M. 1994. Mercury and selenium localization in macrophages of the striped dolphin, *Stenella coeruleoalba*. J. Marine Biol. Assoc. U.K. 74(4):975-978.

Nigro, M., E. Orlando and F. Regoli. 1992. Ultrastructural localization of metal binding sites in the kidney of the Antarctic Scallop *Adamussium colbecki*. Mar. Biol. (Berlin) 113(4):637-643.

Niimi, A.J. and Q.N. LaHam. 1975. Selenium toxicity on the early life stages of zebrafish (*Brachydanio rerio*). J. Fish. Res. Board Can. 32:803-806.

Niimi, A.J. and Q.N. LaHam. 1976. Relative toxicity of organic and inorganic compounds of selenium to newly hatched zebrafish (*Brachydanio rerio*). Can. J. Zool. 54:501-509.

Norberg-King, T.J. 1989. An evaluation of the fathead minnow seven-day subchronic test for estimating chronic toxicity. Environ. Toxicol. Chem. 8(11):1075-1089.

Norheim, G. 1987. Levels and interactions of heavy metals in sea birds from Svalbard and the Antarctic. Environ. Pollut. 47(2):83-94.

Norheim, G. and B. Borch. Iohnsen. 1990. Chemical and Morphological Studies of Liver from Eider *Somateria mollissima* in Svalbard Arctic Ocean with Special Reference to the Distribution of Copper. J. Comp. Pathol. 102(4):457-466.

Norheim, G., F. Mehlum, C. Bech and M.T. Moksnes. 1991. Distribution of Selenium Binding Proteins in Liver from Two Species of Penguins from Bouvetoya South Atlantic Ocean. *Polar Research* 9(1):109-111.

Norheim, G., J.U. Skaare and O. Wiig. 1992. Some Heavy Metals Essential Elements And Chlorinated Hydrocarbons In Polar Bear *Ursus maritimus* At Svalbard. *Environ. Pollut.* 77(1):51-57.

Norman, B., G. Nader, M. Oliver, R. Delmas, D. Drake and H. George. 1992. Effects of selenium supplementation in cattle on aquatic ecosystems in Northern California. *J. Am. Vet. Med. Assoc.* 201(6):869-872.

Norrgren, L., T. Andersson, P.A. Bergqvist and I. Bjoerklund. 1993. Chemical, physiological and morphological studies of feral Baltic salmon (*Salmo salar*) suffering from abnormal fry mortality. *Environ. Toxicol. Chem.* 12(11):2065-2075.

Norstrom, R.J., R.E. Schweinsberg and B.T. Collins. 1986. Heavy metals and essential elements in livers of the polar bear (*Ursus maritimus*) in the Canadian Arctic. *Sci. Total Environ.* 48(3):195-212.

North Carolina Department of Natural Resources and Community Development. 1986. North Carolina water quality standards documentation: The freshwater chemistry and toxicity of selenium with an emphasis on its effects in North Carolina. Report No. 86-02. Raleigh, NC.

O'Brien, D.J., R.H. Poppenga and C.W. Ramm. 1995. An exploratory analysis of liver element relationships in a case series of common loons (*Gavia immer*). *Prev. Vet. Med.* 25(1):37-49.

O'Connor, T.P. 1996. Trends in chemical concentrations in mussels and oysters collected along the US coast from 1986 to 1993. *Mar. Environ. Res.* 41(2):183-200.

O'Shea, T.J., J.F. Moore and H.I. Kochman. 1984. Contaminant concentrations in manatees (*Trichechus manatus*) in Florida (USA). *J. Wildl. Manage.* 48(3):741-748.

Ober, A.G., M. Gonzalez and I. Santa Maria. 1987. Heavy metals in molluscan, crustacean, and other commercially important Chilean marine coastal water species. *Bull. Environ. Contam. Toxicol.* 38(3):534-9.

Oberbach, H. and W. Hartfiel. 1987. Effects of different alpha-tocopherol and selenium additions in ratios with high contents of polyene acids on rainbow trouts (*Salmo gairdneri*, R.). *Fett Wissenschaft Technologie* 89(5):195-199.

Oberbach, H. and W. Hartfiel. 1988. Investigations of the alpha-tocopherol and selenium requirement of rainbow trout (*Salmo gairdneri*, R.) and pathological deficiency symptoms in case of rations which are rich in polyene acids. *Fett Wissenschaft Technologie* 90(3):97-101.

Oberbach, H., V. Totovic, and W. Hartfiel. 1989. Effects of differently high oxidized fats in feed of rainbow trouts (*Salmo gairdneri*, R.) on the need for vitamin E and selenium. *Fett Wissenschaft Technologie* 91(4):148-153.

Oehlenschlager, J. 1997. Marine fish - a source for essential elements?!. *Dev. Food Sci.* 38:641-652.

Ogle, R.S. and A.W. Knight. 1989. Effects of elevated foodborne selenium on growth and reproduction of the fathead minnow *Pimephales promelas*. Arch. of Environ. Contam. Toxicol. 18(6):795-803.

Ogle, R.S. and A.W. Knight. 1996. Selenium bioaccumulation in aquatic ecosystems: 1. Effects of sulfate on the uptake and toxicity of selenate in *Daphnia magna*. Arch. Environ. Contam. Toxicol. 30(2):274-279.

Ohlendorf, H.M. 1986. Aquatic birds and selenium in the San Joaquin Valley. In: Selenium and agricultural drainage: Implications for San Francisco Bay and the California environment. The Bay Institute of San Francisco, Tiburon, CA. pp. 15-24.

Ohlendorf, H.M. and C.S. Harrison. 1986. Mercury, selenium, cadmium and organochlorines in eggs of three Hawaiian (USA) seabird species. Environ. Pollut. Series B Chemical and Physical 11(3):169-192.

Ohlendorf, H.M. and K.C. Marois. 1990. Organochlorines and Selenium in California USA Night heron and Egret Eggs. Environ. Monitor. Assess. 15(1):91-104.

Ohlendorf, H.M., D.J. Hoffman, M.K. Saiki and T.W. Aldrich. 1986a. Embryonic mortality and abnormalities of aquatic birds: Apparent impacts of selenium from irrigation drainwater. Sci. Total Environ. 52:49-63.

Ohlendorf, H.M., R.W. Lowe, P.R. Kelly and T.E. Harvey. 1986b. Selenium and heavy metals in San Francisco Bay diving ducks. J. Wildl. Manage. 50:64-71.

Ohlendorf, H.M., R.L. Hothem, T.W. Aldrich, and A.J. Kryniotsky. 1987. Selenium contamination of the Grasslands, a major California (USA) waterfowl area. Sci. Total Environ. 66(0):169-184

Ohlendorf, H.M., R.L. Hothem and T.W. Aldrich. 1988a. Bioaccumulation of selenium by snakes and frogs in the San Joaquin Valley, California (USA). Copeia 1988(3):704-710.

Ohlendorf, H.M., A.W. Kilness, J.L. Simmons, R.K. Stroud, D.J. Hoffman, and J.F. Moore. 1988b. Selenium toxicosis in wild aquatic birds. J. Toxicol. Environ. Health 24(1):67-92.

Ohlendorf, H.M., R.L. Hothem and D. Welsh. 1989. Nest Success Cause-specific Nest Failure and Hatchability of Aquatic Birds at Selenium-contaminated Kesterson Reservoir and a Reference Site. Condor 91(4):787-796.

Ohlendorf, H.M., R.L. Hothem, C.M. Bunck and K.C. Marois. 1990. Bioaccumulation of Selenium in Birds at Kesterson Reservoir California USA. Arch. Environ. Contam. Toxicol. 19(4):495-507.

Ohlendorf, H.M., K.C. Marois, R.W. Lowe, T.E. Harvey and P.R. Kelly. 1991. Trace Elements and Organochlorines in Surf Scoters from San Francisco Bay 1985 California USA. Environ. Monitor. Assess. 18(2):105-122.

Okasako, J. and S. Siegel. 1980. Mercury antagonists: Effects of sodium chloride and sulfur group (VIa) compounds on encystment of the brine shrimp *Artemia*. Water Air Soil Pollut. 14:235-240.

Okazaki, R.K. and M.H. Panietz. 1981. Depuration of twelve trace metals in tissues of the oysters

- Crassostrea gigas* and *C. virginica*. Mar. Biol. (Berl.) 63:113-120.
- Oliver, M.N., G. Ros-McGauran, D.A. Jessup, B.B. Norman, and C.E. Franti. 1990. Selenium concentrations in blood of free-ranging mule deer in California. Trans. West Sec. Wildl. Soc. 26:80-90.
- Olson, D.L. and G.M. Christensen. 1980. Effects of water pollutants and other chemicals on fish acetylcholinesterase (in vitro). Environ. Res. 21:327-335.
- Olson, M.M. and D. Welsh. 1993. Selenium In Eared Grebe Embryos From Stewart Lake National Wildlife Refuge North Dakota. Prairie Naturalist 25(2):119-126.
- Olson, O.E., E.J. Novacek, E.I. Whitehead and I.S. Palmer. 1970. Investigations on selenium in wheat. Phytochem. 9:1181-1188.
- Oppenheimer, J.A., A.D. Eaton and P.H. Kreft. 1984. Speciation of selenium in groundwater. EPA-600/2-84-190 or PB85-125979. National Technical Information Service, Springfield, VA.
- Opresko, D.M., B.E. Sample, and G.W. Suter. 1995. Toxicological Benchmarks for Wildlife: 1995 Revision. U.S. Dept. Energy Oak Ridge National Laboratory. ES/ER/TM-86/R2.
- Oremland, R.S., J.T. Hollibaugh, A.S. Maest, T.S. Presser, L.G. Miller, and C.W. Cullbertson. 1989. Selenate Reduction to Elemental Selenium by Anaerobic Bacteria in Sediments and Culture: Biogeochemical Significance of a Novel Sulfate-Independent Respiration," *Applied and Environmental Microbiology*. 55:2333- .
- Ornes, W.H., K.S. Sajwan, M.G. Dosskey and D.C. Adriano. 1991. Bioaccumulation of selenium by floating aquatic plants. Water, Air, Soil Pollut., 57-58:53-57.
- Ostapczuk, P., M. Burow, K. May, C. Mohl, M. Froning, B. Suessenbach, E. Waidmann and H. Emons. 1997. Mussels and algae as bioindicators for long-term tendencies of element pollution in marine ecosystems. Chemosphere 34(9/10):2049-2058.
- Ostroymora, I.N., ZH.I. Abramora and V.M. Amelyutin. 1985. Effect of phosphatides and selenium on the effectiveness of replacement of fish meal with protein products of microbiosynthesis in the food of carp, *Cyprinus carpio*, in warm waters. Voprosy Ikhtiolozii 25(6):1017-1023.
- Ostroymora, I.N., Z.I. Abramora and V.M. Amelyutin. 1986. The influence of phosphatides and selenium on the efficacy of the substitution of protein products from microbiosynthesis for fish meal in feed for carp, *Cyprinus carpio* in warm waters. J. Ichthol. (Engl. Transl. Vopr. Ikhtiol.) 26(1):98-105.
- Overbaugh, J.M. and R. Fall. 1985. Characterization of a selenium-independent glutathione peroxidase from *Euglena gracilis* var. bacillaris. Plant Physiol. (Bethesda) 77(2):437-442.
- Owsley, J.A. 1984. Acute and chronic effects of selenium-selenium on *CerioDaphnia affinis*. M.S. thesis. Vanderbilt University, Nashville, TN.
- Owsley, J.A. and D.E. McCauley. 1986. Effects of extended sublethal exposure to sodium selenite on

CerioDaphnia affinis. Bull. Environ. Contam. Toxicol. 36:876-880.

Oyamada, N., G. Takahashi and M. Ishizaki. 1991. Methylation of inorganic selenium compounds by freshwater green algae *Ankistrodesmus sp.*, *Chlorella vulgaris* and *Selenastrum sp.* Eisei Kagaku 37(2):83-88.

Pagano, G, M. Cipollaro, G. Corsale, A. Esposito, E. Ragucci, G.G. Giordano and N.M. Trieff. 1986. The sea urchin: bioassay for the assessment of damage from environmental contaminants. ASTM Spec. Tech. Publ., 920(Community Toxic. Test.):66-92.

Pakkala, I.S., W.H. Gutenmann, D.J. Lisk, G.E. Burdick and E.J. Harris. 1972. A survey of the selenium content of fish from 49 New York state waters. Pestic. Monit. J. 6:107-114.

Pal, B.K., M.J.U. Ahmed, A.K. Chakrabarti and D. Chakraborty. 1997. Spectrofluorometric determinations of chromium, selenium and manganese in their mixtures and their application to environmental and biological samples. Indian J. Chem. Technol. 4(4):191-195.

Palawski, D., J.B. Hunn and F.J. Dwyer. 1985. Sensitivity of young striped bass to organic and inorganic contaminants in fresh and saline waters. Trans. Am. Fish. Soc. 114:748-753.

Palawski, D.U., W.E. Jones, K. DuBois and J.C. Malloy. 1991. Contaminant biomonitoring at the Benton Lake National Wildlife Refuge in 1988. Report, Order No. PB92-105923, 43 pp. Avail. NTIS From: Gov. Rep. Announce. Index (U.S.) 1992, 92(4), Abstr. No. 208,515.

Palmer Locarnini, S.J. and B.J. Presley. 1995. Trace element concentrations in Antarctic krill, *Euphausia superba*. Polar Biol. 15(4):283-288.

Palmisano, F., N. Cardelluccio and P.G. Zambonin. 1995. Speciation of mercury in dolphin liver: A two-stage mechanism for the demethylation accumulation process and role of selenium. Mar. Environ. Res. 40(2):109-121.

Paludan Miller, P., C.T. Agger, R. Dietz and C.C. Kinze. 1993. Mercury, Cadmium, Zinc, Copper And Selenium In Harbour Porpoise *Phocoena phocoena* From West Greenland. Polar Biol. 13(5):311-320.

Papadopoulou, C. and J. Andreotis. 1985. Mercury and selenium concentration in edible fish and plankton from the Aegean Sea. Heavy Met. Environ., Int. Conf., 5th, Volume 1, 733-5. Editor(s): Lekkas, Themistokles D. CEP Consult.: Edinburgh, UK.

Paripatananont, T. and R.T. Lovell. 1997. Comparative net absorption of chelated and inorganic trace minerals in channel catfish *Ictalurus punctatus* diets. J. World Aquacul. Soc. 28(1):62-67.

Park, J. and B.J. Presley. 1997. Trace metal contamination of sediments and organisms from the Swan Lake area of Galveston Bay. Environ. Pollut. 98(2):209-221.

Park, K.S., N.B. Kim, Y.S. Kim, K.Y. Lee, S.K. Chun and Y.Y. Yoon. 1994. A Survey of Trace Elements in Fresh-Water Fish and Rice Along the Han River by Neutron Activation Analysis. Biol. Trace Element Res. 43-45(0):229-237.

Patel, B. and J.P. Chandy. 1987. Do selenium and glutathione (GSH) detoxify mercury in marine invertebrates?: II. Effects on gill ATPase and related blood factors in an arcid clam *Anadara granosa*. Dis. Aquat. Organ. 3(2):127-136.

Patel, B., J.P. Chandy, and S. Patel. 1988. Do selenium and glutathione inhibit the toxic effects of mercury in marine lamellibranchs? Sci. Total Environ. 76(2-3):147-166.

Patel, B., J.P. Chandy and S. Patel. 1990. Effect of mercury, selenium, and glutathione on sulphydryl levels and glutathione reductase in blood clam *Anadara granosa* (L.). Indian J. Mar. Sci. 19(3):187-190.

Patrick, R., T. Bott and R. Larson. 1975. The role of trace elements in management of nuisance growths. PB-241985. National Technical Information Service, Springfield, VA.

Paulsson, K. and K. Lundbergh. 1991. Treatment of Mercury Contaminated Fish by Selenium Addition. Water Air Soil Pollut. 56:833-841.

Paveglio, F.L., C.M. Bunck and G.H. Heinz. 1994. Selenium and boron in aquatic birds from central California. J. Wildl. Manage. 56(1):31-42.

Paveglio, F.L., K.M. Kilbride and C.M. Bunck. 1997. Selenium in aquatic birds from central California. J. Wildl. Manage. 61(3):832-839.

Payer, H.D. and K.H. Runkel. 1978. Environmental pollutants in freshwater alga from open-air mass cultures. Arch. Hydrobiol. Beih. Ergeb. Limnol. 11:184-198.

Payer, H.D., K.H. Rundel, P. Schramel, E. Stengel, A. Bhumiratana and C.J. Soeder. 1976. Environmental influences on the accumulation of lead, cadmium, mercury, antimony, arsenic, selenium, bromine and tin in unicellular algae cultivated in Thailand and in Germany. Chemosphere 6:413-418.

Peck, R.K. 1986. The trace element selenium induces trichocyst formation in the ciliated protozoan *Pseudomicrothorax dubius*. European J. Cell Biol. 41(2):174-181.

Pelletier, E. 1986a. Modification of the bioaccumulation of selenium by *Mytilus edulis* in the presence of organic and inorganic mercury. Can. J. Fish. Aquat. Sci. 43:203-210.

Pelletier, E. 1986b. Mercury-selenium interactions in aquatic organisms: A review. Mar. Environ. Res. 18:111-132.

Pelletier, E. 1988. Acute toxicity of some methylmercury complexes to *Mytilus edulis* and lack of selenium protection. Mar. Pollut. Bull. 19(5):213-219.

Pennington, C.H., J.A. Baker and M.E. Potter. 1982. Contaminant levels in fishes from Browns Lake, Mississippi. J. Miss. Acad. Sci. 27:139-147.

Perez Campo, R., M. Lopez Torres and G. Barja De Quiroga. 1990. Thermal acclimation hydroperoxide detoxifying enzymes and oxidative stress in the lung and liver of *Rana perezi*. J. Thermal Biol. 15(3-4):193-200.

- Perez-Trigo, E., P. Garcia-Martinez, J.L. Catoira and G. Mosquera. 1995. Subcellular distribution of antioxidant enzymes in the gonads of the sea urchin, *Paracentrotus lividus* Lmk, from the Ria Ares-Betanzos, NW Spain. In: Echinoderm Res.: Proc. Eur. Echinoderms Colloq., 4th. 51-55. Emson, R., A. Smith and A. Campbell (Eds). Balkema: Rotterdam, Neth. pp.51-55.
- Peterson, J.A. and A.V. Nebeker. 1992. Estimation of waterborne selenium concentrations that are toxicity thresholds for wildlife. Arch. Environ. Contam. Toxicol. 23(2):154-162.
- Petrucci, F., S. Caimi, G. Mura and S. Caroli. 1995. *Artemia* as a bioindicator of environmental contamination by trace elements. Microchem. J. 51(1-2):181-186.
- Phadnis, A.P., B. Nanda, S.A. Patwardhan, P. Powar, and R.N. Sharma. 1988. Products active on mosquitoes: Part III. Synthesis of biologically active 3,7-dimethyl-6-octene-1,8-diol diethers. Indian J. Chem. Section B: Organic Chemistry Including Medicinal Chemistry 27(9):867-870.
- Phillips, G.R. and R.W. Gregory. 1980. Accumulation of selected elements (As, Cu, Hg, Pb, Se, Zn) by northern pike (*Esox lucius*) reared in surface coal mine decant water. Proc. Mont. Acad. Sci. 39:44-50.
- Phillips, G.R. and R.C. Russo. 1978. Metal bioaccumulation in fishes and aquatic invertebrates: A literature review. EPA-600/3-78-103. National Technical Information Service, Springfield, VA.
- Phillips, G.R., P.A. Medvick, D.R. Skaar and D.E. Knight. 1987. Factors affecting the mobilization, transport, and bioavailability of mercury in reservoirs of the Upper Missouri River Basin (USA). U S Fish and Wildlife Service Fish and Wildlife Technical Report 0(10):1-64.
- Pinto, G. and R.Taddei. 1988. Evaluation of toxic effects of heavy metals on unicellular algae. V - Analysis of the inhibition manifesting itself with an increased lag phase. Boll. Soc. Nat. Napoli, Volume Date 1986, 95:303-17.
- Poppe, T.T., T. Hastein, A. Froslie, N. Koppang and G. Norheim. 1986. Nutritional aspects of hemorrhagic syndrome ("Hitra disease") in farmed Atlantic salmon *Salmo salar*. Dis. Aquat. Organ. 1(3):155-162.
- Poston, H.A., G.G. Combs, Jr. and L. Leibovitz. 1976. Vitamin E and selenium interrelations in the diet of Atlantic salmon (*Salmo salar*). Gross histological and biochemical deficiency signs. J. Nutr. 106:892-904.
- Pratt, J.R. and N.J. Bowers. 1990. Effect of selenium on microbial communities in laboratory microcosms and outdoor streams. Toxicity Assess. 5(3):293-308.
- Presley, B.J. 1997. Trace metal contamination of sediments and organisms from the Swan Lake area of Galveston Bay. Environ. Pollut. 98(2):209-221.
- Presley, B.J., R.J. Taylor and P.N. Boothe. 1990. Trace metals in Gulf of Mexico oysters. Sci. Total Environ. 97-98:551-593.
- Presser, T.S. 1994. "The Kesterson effect". Environ. Manage. 18(3):437-454.

Presser, T.S. and H.M. Ohlendorf. 1987. Biogeochemical cycling of selenium in the San Joaquin Valley, California, USA. Environ. ManagE. 11(6):804-822.

Prevot, P. and M.O. Soyer-Gobillard. 1986. Combined action of cadmium and selenium on two marine dinoflagellates in culture, *Prorocentrum micans* and *Cryptocodinium cohnii*. J. Protozool. 33(1):42-47.

Price, N.M. 1987. Urea and selenium nutrition of marine phytoplankton: a physiological and biochemical study. Avail. NLC From: Diss. Abstr. Int. B 1988, 49(5):1498-9.

Price, N.M. and P.J. Harrison. 1988. Specific selenium-containing macromolecules in the marine diatom *Thalassiosira pseudonana*. Plant Physiol. (Bethesda) 86(1):192-199.

Price, N.M., P.A. Thompson and P.J. Harrison. 1987. Selenium: An essential element for growth of the coastal marine diatom *Thalassiosira pseudonana* (Bacillariophyceae). J. Phycol. 23(1):1-9.

Pritchard, T. 1997. Environmental performance of Sydney's deepwater outfalls. Water (Artarmon, Aust.), 24(2):29-34.

Pyron, M and T.L. Beiting. 1989. Effect of selenium on reproductive behavior and fry of fathead minnows. Bull. Environ. Contam. Toxicol. 42(4):609-13.

Queauviller, P., K. Vercoutere, H. Muntau and B. Griepink. 1993a. The certification of the contents (mass fractions) of arsenic, cadmium, chromium, copper, mercury, manganese, nickel, lead, selenium, vanadium and zinc in plankton. Comm. Eur. Communities, [Rep.] EUR, EUR 14558, 71 pp.

Queauviller, P., E.A. Maier and B. Griepink. 1993b. Projects for the improvement of the quality of chemical speciation analyses in environmental matrixes. Fresenius' J. Anal. Chem. 345(2-4):282-286.

Rady, A.A., N. Saber, H.M. Kotkat, B. Matkovics and A.M. Nour. 1992. Metals effect on fish tissues I: Effects of chronic mercury and selenium treatment on young tilapia tissue enzymes and lipid peroxidation. Acta Universitatis Szegediensis Acta Biologica 38(1-4):3-9.

Ramakrishna, T., K.A. Naidu, S. Vatsala, O. Sreekumar, V.N. Kumar, and K.K. Soudamini. 1988. Selenite neutralizes the toxic effect of cadmium. Indian J. Environ. Health 30(4):355-359.

Ramos, F., M.D.C. Castilho, M.I. Noronha da Silveira. 1992. Determination of selenium level in fish. In: Mol. Biol. Atheroscler., [Ed. Proc. Eur. Atheroscler. Soc. Meet.], Meeting Date 1991. Halpern, M.J. (Ed). Libbey: London, UK. pp. 539-540.

Rani, P. and K. Lalitha. 1996. Evidence for altered structure and impaired mitochondrial electron transport function in selenium deficiency. Biol. Trace Element Res. 51(3):225-234.

Rao, V.R., S.V. Mitz, C.T. Hadden and B.W. Cornaby. 1996. Distribution of contaminants in aquatic organisms from East Fork Poplar Creek. Ecotoxicol. Environ. Saf. 33(1):44-54.

Raptis, S.E., G. Kaiser and G. Tolg. 1983. A survey of selenium in the environment and a critical review of its determination at trace levels. Z. Anal. Chem. 316:105-123.

Rauscher, J.D. 1988. Toxic effects of selenium and copper on the planarian, *Dugesia dorotocephala*. 184 pp. Avail. Univ. Microfilms Int., Order No. DA8827844 From: Diss. Abstr. Int. B 1989, 49(10):4191-2.

Reading, J.T. 1979. Acute and chronic effects of selenium on *Daphnia pulex*. M.S. thesis. Virginia Polytechnic Institute and State University, Blacksburg, VA.

Reading, J.T. and A.L. Buikema, Jr. 1980. Effects of sublethal concentrations of selenium on metabolism and filtering rate of *Daphnia pulex*. Bull. Environ. Contam. Toxicol. 24(6):929-935.

Reading, J.T. and A.L. Buikema, Jr. 1983. Chronic effects of selenium on *Daphnia pulex*. Arch. Environ. Contam. Toxicol. 12:399-404.

Reamer, D.C. and W.H. Zoller. 1980. Selenium biomethylation products from soil and sewage sludge. Science 208:500-502.

Reash, R.J., J.H. Van Hassel and K.V. Wood. 1988. Ecology of a southern Ohio stream receiving fly ash pond discharge: changes from acid mine drainage conditions. Arch. Environ. Contam. Toxicol. 17(4):543-54.

Reash, R.J., T.W. Lohner, K.V. Wood, and V.E. Willet. 1999. Ecotoxicological assessment of bluegill sunfish inhabiting a selenium-enriched fly ash stream. In Environmental Toxicology and Risk Assessment: Standardization of Biomarkers for Endocrine Disruption and Environmental Assessment: Eighth Volume, ASTM STP 1364 (D.S. Henshel, M.C. Black and M.C. Harris Eds.

Regoli, F. 1998. Trace metals and antioxidant enzymes in gills and digestive gland of Mediterranean mussel *Mytilus galloprovincialis*. Arch. Environ. Contam. Toxicol. 34(1):48-63.

Regoli, F. and G. Principato. 1995. Glutathione, glutathione-dependent and antioxidant enzymes in mussel, *Mytilus galloprovincialis*, exposed to metals under field and laboratory conditions: Implications for the use of biochemical biomarkers. Aquat. Toxicol. (Amsterdam) 31(2):143-164.

Regoli, F., G.B. Principato, E. Bertoli, M. Nigro, and E. Orlando. 1997. Biochemical characterization of the antioxidant system in the scallop *Adamussium colbecki*, a sentinel organism for monitoring the Antarctic environment. Polar Biology 17(3):251-258.

Reinfelder, J.R. and N.S. Fisher. 1991. The Assimilation of Elements Ingested by Marine Copepods. Science (Washington DC) 251(4995):794-796.

Reinfelder, J.R. and N.S. Fisher. 1994a. Retention of elements absorbed by juvenile fish (*Menidia Menidia*, *Menidia beryllina*) from zooplankton prey. Limnol. Oceanogr. 39(8):1783-1789.

Reinfelder, J.R. and N.S. Fisher. 1994b. The assimilation of elements ingested by marine planktonic bivalve larvae. Limnol. Oceanogr. 39(1):12-20.

Reinfelder, J.R., N.S. Fisher, S.W. Fowler and J.L. Teyssie. 1993. Release rates of trace elements and protein from decomposing planktonic debris 2. Copepod carcasses and sediment trap particulate matter. J. Mar. Res. 51(2):423-442.

Reinfelder, J.R., W.X. Wang, S.N. Luoma, and N.S. Fisher. 1997. Assimilation efficiencies and turnover rates of trace elements in marine bivalves: A comparison of oysters, clams and mussels. Mar. Biol.(Berlin) 129(3):443-452.

Renzoni A., S. Focardi, C. Fossi, C. Leonzio and J. Mayol. 1986. Comparison between concentrations of mercury and other contaminants in eggs and tissues of Cory's shearwater *Calonectris diomedea* collected on Atlantic and Mediterranean islands. Environ. Pollut. Series A Ecol. Biol. 40(1):17-36.

Rhodes, L. and B. Burke. 1996. Morphology and growth characteristics of *Chrysochromulina* species (Haptophyceae equals Prymnesiophyceae) isolated from New Zealand coastal waters. New Zealand J. Mar. Freshwater Res. 30(1):91-103.

Rhodes, L.L., C.J. O'Kelly and J.A. Hall. 1994. Comparison of growth characteristics of New Zealand isolates of the prymnesiophytes *Chrysochromulina quadrikonta* and *C. camella* with those of the ichthyotoxic species *C. polylepis*. J. Plankton Res. 16(1):69-82.

Ribeyre, F., C. Amiard Triquet, A. Boudou, and J.C. Amiard. 1995. Experimental study of interactions between five trace elements-Cu, Ag, Se, Zn, and Hg-toward their bioaccumulation by fish (*Brachydanio rerio*) from the direct route. Ecotoxicol. Environ. Safety. 32(1):1-11.

Rice, C.A., P.D. Plesha, E. Casillas, D.A. Misitano and J.P. Meador. 1995. Growth and survival of three marine invertebrate species in sediments from the Hudson-Raritan estuary, New York. Environ. Toxicol. Chem. 14(11):1931-1940.

Richter, J.E. 1982. Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. (Memorandum to C.E. Stephan, U.S. EPA, Duluth, MN. June 30.)

Richter, D., and H. Bergmann 1993. Selenium Uptake by Wheat Plants. In: M. Anke (ed.), *Mengen-Spurenelem., 13th Arbeitstag, 1993*. Verlag MTV Hammerschmidt, Gersdorf, Germany.

Riedel, G.F. and J.G. Sanders. 1996. The influence of pH and media composition on the uptake of inorganic selenium by *Chlamydomonas reinhardtii*. Environ. Toxicol. Chem. 15(9):1577-1583.

Riedel, G.F., D.P. Ferrier and J.G. Sanders. 1991. Uptake of selenium by freshwater phytoplankton. Water Air Soil Pollut. 57-58:23-30.

Riget, F., P. Johansen and G. Asmund. 1996. Influence of length on element concentrations in blue mussels (*Mytilus edulis*). Mar. Pollut. Bull. 32(10):745-751.

Riggs, M.R. and G.W. Esch. 1987. The suprapopulation dynamics of *Bothriocephalusacheilognathi* in a North Carolina (USA) reservoir: Abundance, dispersion, and prevalence. J. Parasitol. 73(5):877-892.

Riggs, M.R., A.D. Lemly and G.W. Esch. 1987. The growth, biomass, and fecundity of *Bothriocephalusacheilognathi* in a North Carolina (USA) cooling reservoir. J. Parasitol. 73(5):893-900.

Ringdal, D. and K. Julshamn. 1985. Effect of selenite on the uptake of methylmercury in cod (*Gadus morhua*). Bull. Environ. Contam. Toxicol. 35:335-344.

Risenhoover, K.L. 1989. Composition and quality of moose winter diets in interior Alaska (USA). *J. Wildl. Manage.* 53(3):568-577.

Robberecht, H. and R. Van Grieken. 1982. Selenium in environmental waters: Determination, speciation and concentration levels. *Talanta* 29:823-844.

Robertson, A., B.W. Gotholm, D.D. Turgeon and D.A. Wolfe. 1991. A Comparative Study of Contaminant Levels in Long Island Sound USA. *Estuaries* 14(3):290-298.

Roederer, G. 1986. On the toxic effects of tetraethyllead and its derivatives on the chrysophyte *Poterioochromonas malhamensis*. VII. Protective action of thiol compounds, vitamins, trace elements and other agents. *Ecotoxicol. Environ. Saf.* 11(3):277-94.

Ronald, K., R. J. Frank, J. Dougan, R. Frank and H. E. Braun. 1984. Pollutants in harp seals (*Phoca groenlandica*): 2. Heavy metals and selenium. *Sci. Total Environ.* 38(0):153-166.

Roper, J.M., D.S. Cherry, J.W. Simmers and H.E. Tatem. 1997. Bioaccumulation of toxicants in the zebra mussel, *Dreissena polymorpha*, at the Times Beach Confined Disposal Facility, Buffalo, New York. *Environ. Pollut.*, Volume Date 1996, 94(2):117-129.

Rose, C.D., T.J. Ward and V.E. De Pass. 1985. Ecological assessment for coal ash dumped at deepwater dumpsite-106. *Wastes Ocean* 4:389-422. Ed(s): Duedall, Iver W. Wiley: New York, N. Y.

Rosetta, T.N. and A.W. Knight. 1995. Bioaccumulation of selenate, selenite, and seleno-DL-methionine by the brine fly larvae *Ephydria cinerea* Jones. *Arch. Environ. Contam. Toxicol.* 29(3):351-357.

Rossell, I.M., D.J. Raynal and D.J. Leopold. 1994. The effects of watershed liming on the tissue chemistry of three co-occurring poor fen species. *Can. J. Bot.* 72(12):1825-1834.

Rouleau, C., E. Pelletier and J. Pellerin Massicotte. 1992. Uptake of Organic Mercury and Selenium from Food by Nordic Shrimp *Pandalus borealis*. *Chem. Spec. Bioavail.* 4(2):75-81.

Roux, D.J., J.E. Badenhorst, H.H. DuPrez and G.J. Steyn. 1994. Note on the occurrence of selected trace metals and organic compounds in water, sediment and biota of the Crocodile River, Eastern Transvaal, South Africa. *Water S.A.* (Pretoria) 20(4):333-340.

Roux, D.J., S.H.J. Jooste and H.M. Mackay. 1996. Substance-specific water quality criteria for the protection of South African freshwater ecosystems: Methods for derivation and initial results for some inorganic toxic substances. *S.A. J. Sci.* 92(4):198-206.

Rudd, J.W.M. and M.A. Turner. 1983a. The English-Wabigoon River system: II. Suppression of mercury and selenium bioaccumulation by suspended and bottom sediments. *Can. J. Fish. Aquat. Sci.* 40:2218-2227.

Rudd, J.W.M. and M.A. Turner. 1983b. The English-Wabigoon River system: V. Mercury and selenium bioaccumulation as a function of aquatic primary productivity. *Can. J. Fish. Aquat. Sci.* 40:2251-2259.

- Rudd, J.W.M., M.A. Turner, B.E. Townsend, A. Swick and A. Furutani. 1980. Dynamics of selenium in mercury-contaminated experimental freshwater ecosystems. *Can. J. Fish. Aquat. Sci.* 37:848-857.
- Ruelle, R., K.D. Keenlyne. 1993. Contaminants in Missouri River pallid sturgeon. *Bull. Environ. Contam. Toxicol.* 50(6):898-906.
- Ryther, J., T.M. Losordo, A.K. Furr, T.F. Parkinson, W.H. Gutenman, I.S. Pakkala and D.J. Lisk. 1979. Concentration of elements in marine organisms cultured in seawater flowing through coal-fly ash. *Bull. Environ. Contam. Toxicol.* 23:207-210.
- Sager, D.R. and C.R. Cofield. 1984. Differential accumulation of selenium among axial muscle, reproductive and liver tissues of four warmwater fish species. *Water Resour. Bull.* 20:359-363.
- Saiki, M.K. 1986a. A field example of selenium contamination in an aquatic food chain. In: Proceedings of the first annual environmental symposium: Selenium in the environment. Calif. Agri. Tech. Inst., Fresno, CA. pp. 67-76.
- Saiki, M.K. 1986b. Concentrations of selenium in aquatic food-chain organisms and fish exposed to agricultural tile drainage water. In: Selenium and agriculture drainage: Implications for San Francisco Bay and the California environment. The Bay Institute of San Francisco, Tiburon, CA. pp. 25-33.
- Saiki, M.K. 1987. Relation of length and sex to selenium concentrations in mosquitofish. *Environ. Pollut.* 47(3): 171-186.
- Saiki, M.K. 1990. Elemental concentrations in fishes from the Salton Sea, southeastern California. *Water, Air, Soil Pollut.* 52(1-2):41-56.
- Saiki, M.K. and M.R. Jenings. 1992. Toxicity of Agricultural Subsurface Drainwater from the San Joaquin Valley California to Juvenile Chinook Salmon and Striped Bass. *Trans. Am. Fish. Soc.* 121(1):78-93.
- Saiki, M.K. and T.P. Lowe. 1987. Selenium in aquatic organisms from subsurface agricultural drainage water, San Joaquin Valley, California (USA). *Arch. Environ. Contam. Toxicol.* 16(6):657-670.
- Saiki, M. and T.W. May. 1988. Trace element residues in bluegills and common carp from the lower San Joaquin River, California (USA) and its tributaries. *Sci. Total Environ.* 74(0):199-218.
- Saiki, M.K. and R.S. Ogle. 1995. Evidence of impaired reproduction by western mosquitofish inhabiting seleniferous agricultural drainwater. *Trans. Am. Fish. Soc.* 124(4):578-587.
- Saiki, M.K. and D.U. Palawski. 1990. Selenium and Other Elements in Juvenile Striped Bass from the San Joaquin Valley and San Francisco Estuary California USA. *Arch. Environ. Contam. Toxicol.* 19(5):717-730.
- Saiki M.K., M.R. Jennings and T.W. May. 1992. Selenium and Other Elements in Freshwater Fishes from the Irrigated San Joaquin Valley California. *Sci. Total Environ.* 126(1-2):109-137.

Saiki, M.K., M.R. Jennings and W.G. Brumbaugh. 1993. Boron, Molybdenum and Selenium in Aquatic Food Chains from the Lower San Joaquin River and its Tributaries California. *Arch. Environ. Contam. Toxicol.* 24(3):307-319.

Saleh, M.A.S., A. Mostafa, M.M. Fouda, M.A. Saleh, M.S. Abdel Lattif and B.L. Wilson. 1988. Inorganic pollution of the man-made lakes of Wadi El-Raiyan and its impact on aquaculture and wildlife of the surrounding Egyptian desert. *Arch. Environ. Contam. Toxicol.* 17(3):391-403.

Salki, A., M. Turner, K. Patalas, J. Rudd and D. Findlay. 1985. The influence of fish-zooplankton-phytoplankton interactions on the results of selenium toxicity experiments within large enclosures. *Can. J. Fish. Aquat. Sci.* 42:1132-1143.

Salte, R., T. Asgard, and K. Liestol. 1988. Vitamin E and selenium prophylaxis against "Hitra disease" in farmed Atlantic Salmon: A survival study. *Aquaculture* 75(1-2):45-56.

Sanders, R.W. and C.C. Gilmour. 1994. Accumulation of selenium in a model freshwater microbial food web. *Appl. Environ. Microbiol.* 60(8):2677-2683.

Sandholm, M., H.E. Oksanen and L. Pesonen. 1973. Uptake of selenium by aquatic organisms. *Limnol. Oceanogr.* 18:496-499.

Sarathchandra, S.U. and J.H. Watkinson. 1981. Oxidation of elemental selenium to selenite by *Bacillus megaterium*. *Science* 211:600-601.

Sarma, Y.S.R.K. and S. Jayaraman. 1984. Observations on sulphur-selenium antagonism on the growth of two desmids. *Acta Bot. Indica* 12:57-60.

Sastry, K.V. and V. Shukla. 1994. Influence of protective agents in the toxicity of cadmium to a freshwater fish (*Channa punctatus*). *Bull. Environ. Contam. Toxicol.* 53(5):711-717.

Sato, T., Y. Ose and T. Sakai. 1980. Toxicological effect of selenium on fish. *Environ. Pollut.* 21A:217-224.

Savant, K.B. and G.V. Nilkanth. 1991. On comparative studies of acute toxicity of hexavalent chromium and selenium to *Scylla seratta* (Forskal). *Pollut. Res.* 10(4):239-243.

Scanes, P. 1997. "Oyster watch": monitoring trace metal and organochlorine concentrations in Sydney's coastal waters. *Mar. Pollut. Bull.*, Volume Date 1996, 33(7-12):226-238.

Schantz, M.M., R. Demiralp, R.R. Greenberg, M.J. Hays, R.M. Parris, B.J. Porter, D.L. Poster, L.C. Sander, K.S. Sharpless, S.A. Wise, and S.B. Schiller. 1997. Certification of a frozen mussel tissue standard reference material (SRM 1974a) for trace organic constituents. *Fresenius' J. Anal. Chem.*, 358(3):431-440.

Scheuhammer, A.M., A.H.K. Wong, and D. Bond. 1998. Mercury and selenium accumulation in common loons (*Gavia immer*) and common mergansers (*Mergus merganser*) from eastern Canada. *Environ. Toxicol. Chem.* 17(2):197-201.

Schmitt, C.J. and W.G. Brumbaugh. 1990. National Contaminant Biomonitoring Program Concentrations of Arsenic, Cadmium, Copper, Lead, Mercury, Selenium and Zinc in USA Freshwater Fish 1976-1984. Arch. Environ. Contam. Toxicol. 19(5):731-747.

Schmitt, C.J., M.L. Wildhaber, J.B. Hunn, T. Nash, M.N. Tieger and B.L. Steadman. 1993. Biomonitoring of lead-contaminated Missouri streams with an assay for erythrocyte .delta.-aminolevulinic acid dehydratase activity in fish blood. Arch. Environ. Contam. Toxicol. 25(4):464-475.

Schramel, P. and L. Xu. 1991. Determination of arsenic, antimony, bismuth, selenium and tin in biological and environmental samples by continuous flow hydride generation inductively coupled plasma-atomic emission spectrometry (ICP-AES) without gas-liquid separator. Fresenius. J. Anal. Chem. 340(1):41-47.

Schuler, C.A., R.G. Anthony and H.M. Ohlendorf. 1990. Selenium in wetlands and waterfowl foods at Kesterson Reservoir, California, 1984. Arch. Environ. Contam. Toxicol. 19(6):845-853.

Schultz, R. and R. Hermanutz. 1990. Transfer of toxic concentrations of selenium from parent to progeny in the fathead minnow (*Pimephales promelas*). Bull. Environ. Contam. Toxicol. 45:568-573.

Schultz, T.W., S.R. Freeman and J.N. Dumont. 1980. Uptake, depuration, and distribution of selenium in *Daphnia* and its effects on survival and ultrastructure. Arch. Environ. Contam. Toxicol. 9:23-40.

Scott, K.C. and J.D. Latshaw. 1993. Macro and micro mineral levels in the tissues of menhaden fish. J. Aquat. Food Prod. Technol. 2(2):51-61.

Secor, C.L., E.L. Mills, J. Harshbarger, H.T. Kuntz, W.H. Gutenmann and D.J. Lisk. 1993. Bioaccumulation of Toxicants, Element and Nutrient Composition and Soft Tissue Histology of Zebra Mussels *Dreissena polymorpha* from New York State Waters. Chemosphere 26(8):1559-1575.

Seelye, J.G., R.J. Hesselberg and M.J. Mac. 1982. Accumulation by fish of contaminants released from dredged sediments. Environ. Sci. Technol. 16:459-464.

Segner, H., D. Lenz, W. Hanke and G. Schueuermann. 1994. Cytotoxicity of metals toward rainbow trout R1 cell line. Environ. Toxicol. Water Qual. 9(4):273-279.

Sen, S., S. Mondal, J. Adhikari, D. Sarkar, S. Bose, B. Mukhopadhyay and S. Bhattacharya. 1995. Inhibition of fish brain acetylcholinesterase by cadmium and mercury. Interaction with selenium. In: Enzymes Cholinesterase Fam., [Proc. Int. Meet. Cholinesterases], 5th, Meeting Date 1994. Quinn, D.M. (Ed). Plenum: New York, N.Y. pp.369-374.

Sevareid, R. And G. Ichikawa. 1983. Physiological stress (scope for growth) of mussels in San Francisco bay. Waste Disposal Oceans: Minimizing Impact, Maximizing Benefits, [Pap. - South. Calif. Acad. Sci. Symp., "Ocean Disposal 1980s"], Meeting Date 1982, 152-70. Ed(s): Soule, Dorothy F.; Walsh, Don. Westview: Boulder, Colo. (English) 1983.

Shabana, E.F. and S.A. El-Attar. 1995. Influence of clay minerals on selenium toxicity to algae. Egypt. J. Microbiol., Volume Date 1995, 30(2):275-286.

- Shamberger, R.J. 1983. Biochemistry of selenium. Plenum Press, New York, NY.
- Sharif, A.K.M., M. Alamgir, K.R. Krishnamoorthy and A.I. Mustafa. 1993. Determination of arsenic, chromium, mercury, selenium and zinc in tropical marine fish by neutron activation. J. Radioanal. Nucl. Chem. 170(2):299-307.
- Sharma, D.C. and P.S. Davis. 1980. Behavior of some radioactive compounds of mercury and selenium in aquarium water and their direct uptake by the goldfish *Carassius auratus*. Ind. J. Exp. Biol. 18:69-71.
- Sheline, J. and B. Schmidt-Nielsen. 1977. Methylmercury-selenium: Interaction in the killfish, *Fundulus heteroclitus*. In: Physiological responses of marine biota to pollutants. Vernberg, F.J., A. Calabrese, F.P. Thurberg, and W.B. Vernberg (Eds.). Academic Press, New York, NY. pp. 119-130.
- Shen, L.H., M.H.V. Nieuwenhuizen, and J.B. Luten. 1997. Speciation and in vitro bioavailability of selenium in fishery products. Dev. Food Sci. 38: 653-663.
- Shigeoka, S., T. Takeda, T. Hanaoka, A. Yokota, S. Kitaoka and Y. Iizuka. 1990. Properties of selenium-induced glutathione peroxidase in low-carbon dioxide-grown *Chlamydomonas reinhardtii*. Curr. Res. Photosynth., Proc. Int. Conf. Photosynth., 8th, Meeting Date 1989, Volume 4. Baltscheffsky, M. (Ed). Kluwer: Dordrecht, Neth. pp. 615-618.
- Shigeoka, S., T. Takeda and T. Hanaoka. 1991. Characterization and immunological properties of selenium-containing glutathione peroxidase induced by selenite in *Chlamydomonas reinhardtii*. Biochem. J. 275(3):623-628.
- Shinohara, K., Y. Okura, T. Koyano, H. Murakami, E. H. Kim and H. Omura. 1986. Growth-promoting effects of an extract of a thermophilic blue-green alga, *Synechococcus elongatus* var. on human cell lines. Agric. Biol. Chem. 50(9):2225-2230.
- Shirasaki, T., J. Yoshinaga, M. Morita, T. Okumoto and K. Oishi. 1996. An application of nitrogen microwave-induced plasma mass spectrometry to isotope dilution analysis of selenium in marine organisms. Tohoku J Exp. Med. 178(1):81-90.
- Short, T.M. and C.G. Wilber. 1980. Effects of chronic exposure to sodium selenite on calcium balance in the crayfish *Orconectes immunis*. Am. Zool. 20:801.
- Shrift, A. 1954a. Sulfur-selenium antagonism. I. Antimetabolic action of selenate on the growth of *Chlorella vulgaris*. Am. J. Bot. 41:223-230.
- Shrift, A. 1954b. Sulfur-selenium antagonism. II. Antimetabolic action of seleno-methionine on the growth of *Chlorella vulgaris*. Am. J. Bot. 41:345-352.
- Shrift, A. 1961. Biochemical interrelations between selenium and sulfur in plants and microorganisms. Fed. Proc. 20:695-702.
- Shrift, A. 1964. A selenium cycle in nature. Nature 201:1304-1305.

Shrift, A. 1973. Metabolism of selenium by plants and microorganisms. In: Organic selenium compounds: Their chemistry and biology. Klayman, D.L. and W.H.H. Gunther (Eds.). Wiley-Interscience, New York, NY. pp. 763-814.

Shultz, C.D. and B.M. Ito. 1979. Mercury and selenium in blue marlin, *Mahaira nigricans*, from Hawaiian Islands. Fish. Bull. 76:872-879.

Siebers, D. and U. Ehlers. 1979. Heavy metal action in transintegumentary absorption of glycine in two annelid species. Mar. Biol. (Berl.) 50:175-179.

Siegel, B.Z., S.M. Siegel, T. Correa, C. Dagan, G. Galvez, L. Leeloy, A. Padua and E. Yaeger. 1991. The Protection of Invertebrates Fish and Vascular Plants Against Inorganic Mercury Poisoning by Sulfur and Selenium Derivatives. Arch. Environ. Contam. Toxicol. 20(2):241-246.

Simopoulos, A.P. 1997. Nutritional aspects of fish. Dev. Food Sci. 38: 589-607.

Siwicki, A.K., D.P. Anderson and G.L. Rumsey. 1994. Dietary intake of immunostimulants by rainbow trout affects non-specific immunity and protection against furunculosis. Vet. Immunol. Immunopathol. 41(1-2):125-139.

Skaare, J.U., N.H. Markussen, G. Norheim, S. Haugen and G. Holt. 1990. Levels of Polychlorinated Biphenyls, Organochlorine Pesticides, Mercury, Cadmium, Copper, Selenium, Arsenic and Zinc in the Harbor Seal *Phoca vitulina* in Norwegian Waters. Environ. Pollut. 66(4):309-324.

Skaare, J.U., E. Degre, P.E. Aspholm and K.I. Ugland. 1994. Mercury and selenium in Arctic and coastal seals off the coast of Norway. Environ. Pollut. 85(2):153-160.

Skerfving, S. 1978. Interaction between selenium and methylmercury. Environ. Health Perspect. 25:57-65.

Skinner, W. F. 1985. Trace element concentrations in wastewater treatment basin-reared fishes: results of a pilot study. Proc. Pa. Acad. Sci. 59(2):155-61.

Skorupa, J.P., S.P. Morman and J.S. Sefchick. 1996. Guidelines for interpreting selenium exposures of biota associated with non-marine aquatic habitats. U.S. Department of Interior, Fish and Wildlife Service, Sacramento, Field Office, Sacramento, CA., 74 pp.

Smith, D.R. and A.R. Flegal. 1989. Elemental concentrations of hydrothermal vent organisms from the Galapagos Rift (Ecuador). Mar. Biol. (Berlin) 102(1):127-134.

Smith, I.R., A.F. Johnson, D. MacLennan, H. Manson. 1992. Chemical contaminants, lymphocystis, and dermal sarcoma in walleyes spawning in the Thames River, Ontario. Trans. Am. Fish. Soc. 121(5):608-616.

Smith, L.L., Jr., D.M. Oseid, G.L. Kimball and S.M. El-Kandely. 1976. Toxicity of hydrogen sulfide to various life history stages of bluegill (*Lepomis macrochirus*). Trans. Am. Fish. Soc. 105:442-449.

- Snell, T.W., B.D. Moffat, C. Janssen and G. Persoone. 1991a. Acute toxicity tests using rotifers. III. Effects of temperature, strain, and exposure time on the sensitivity of *Brachionus plicatilis*. Environ. Toxicol. Water Qual. 6(1):63-75.
- Snell, T.W., B.D. Moffat, C. Janssen and G. Persoone. 1991b. Acute toxicity tests using rotifers. IV. Effects of cyst age, temperature, and salinity on the sensitivity of *Brachionus calyciflorus*. Ecotoxicol. Environ. Safety. 21(3):308-317.
- Sokal, R.R. and F.J. Rohlf. 1981. Biometry. W.H. Freeman and Company, New York, NY.
- Somerville, H.J., D. Bennett, J.N. Davenport, M.S. Holt, A. Lynes, A. Mahieu, B. McCourt, J.G. Parker and R.R. Stephenson. 1987. Environmental effect of produced water from North Sea oil operations. Mar. Pollut. Bull. 18(10):549-58.
- Sorensen, E.M.B. 1988. Selenium accumulation, reproductive status, and histopathological changes in environmentally exposed redear sunfish. Arch. Toxicol. 61(4):324-329.
- Sorensen, E.M.B. and T.L. Bauer. 1983. Hematological dyscrasia in teleosts chronically exposed to selenium-laden effluent. Arch. Environ. Contam. Toxicol. 12:135-141.
- Sorensen, E.M.B. and T.L. Bauer. 1984a. Planimetric analysis of redear sunfish (*Lepomis microlophus*) hepatopancreas following selenium exposure. Environ. Toxicol. Chem. 3:159-165.
- Sorensen, E.M.B. and T.L. Bauer. 1984b. A correlation between selenium accumulation in sunfish and changes in condition factor and organ weight. Environ. Pollut. 34A:357-366.
- Sorensen, E.M.B. and P. Bjerregaard. 1991. Interactive accumulation of mercury and selenium in the sea star *Asterias rubens*. Mar. Biol. (Berlin) 108(2):269-276.
- Sorensen, E.M.B., T.L. Bauer, J.S. Bell and C.W. Harlan. 1982. Selenium accumulation and cytotoxicity in teleosts following chronic, environmental exposure. Bull. Environ. Contam. Toxicol. 29:688-696.
- Sorensen, E.M.B., C.W. Harlan, J.S. Bell, T.L. Bauer and A.H. Prodzynski. 1983. Hepatocyte changes following selenium accumulation in a freshwater teleost. Am. J. Forensic. Med. Pathol. 4:25-32.
- Sorensen, E.M.B., P.M. Cumbie, T.L. Bauer, J.S. Bell and C.W. Harlan. 1984. Histopathological, hematological, condition-factor, and organ weight changes associated with selenium accumulation in fish from Belews Lake, North Carolina. Arch. Environ. Contam. Toxicol. 13:153-162.
- Southworth, G. R., M.J. Peterson and R.R. Turner. 1994. Changes in concentrations of selenium and mercury in largemouth bass following elimination of fly ash discharge to a quarry. Chemosphere 29(1):71-79.
- Sparling, D.W. and T.P. Lowe. 1996. Metal concentrations of tadpoles in experimental ponds. Environ. Pollut. 91(2):149-159.

Specht, W.L., D.S. Cherry, R.A. Lechleitner and J. Cairns, Jr. 1984. Structural, functional, and recovery responses of stream invertebrates to fly ash effluent. Can. J. Fish. Aquat. Sci. 41:884-896.

Spehar, R.L. 1986. U.S. EPA, Duluth, MN. (Memorandum to D.J. Call, Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. September 16.)

Speyer, M.R. 1980. Mercury and selenium concentrations in fish, sediments, and water of two northwestern Quebec lakes. Bull. Environ. Contam. Toxicol. 24:427-432.

Srivastava, A.K. and A.K. Srivastava. 1995. Histopathological changes in the liver associated with selenium exposure in the freshwater Indian catfish *Heteropneustes fossilis*. J. Adv. Zool. 16(1):30-33.

Srivastava, D.K. and R.K. Tyagi. 1985. Toxicity of selenium and vanadium to the striped gourami, *Colisa fasciatus*. Acta Hydrobiol. 25-26(3-4):481-486.

Stadtman, T.C. 1974. Selenium biochemistry. Science 183:915-922.

Stanley, T.R. Jr, J.W. Spann, G.J. Smith and R. Rosscoe. 1994. Main and interactive effects of arsenic and selenium on mallard reproduction and duckling growth and survival. Arch. Environ. Contam. Toxicol. 26(4):444-451.

Stanley, T.R. Jr., G.J. Smith, D.J. Hoffman, G.H. Heinz and R. Rosscoe. 1996. Effects of boron and selenium on mallard reproduction and duckling growth and survival. Environ. Toxicol. Chem. 15(7):1124-1132.

Steele, C.W., S. Strickler Shaw and D.H. Taylor. 1992. Attraction of Crayfishes *Procambarus clarkii*, *Orconectes rusticus* and *Cambarus bartoni* to a Feeding Stimulant and its Suppression by a Blend of Metals. Environ. Toxicol. Chem. 11(9):1323-1329.

Steimle, F.W., V.S. Zdanowicz, S.L. Cunneff and R. Terranova. 1994. Trace metal concentrations in common benthic macrofaunal prey from the New York Bight apex. Mar. Pollut. Bull. 28(12):760-765.

Stemmer, B.L., G.A. Burton Jr. and S. Leibfritz-Frederick. 1990. Effect of sediment test variables on selenium toxicity to *Daphnia magna*. Environ. Toxicol. Chem. 9(3):381-390.

Stephan, C.E., D.I. Mount, D.J. Hansen, J.H. Gentile, G.A. Chapman and W.A. Brungs. 1985. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. PB85-227049. National Technical Information Service, Springfield, VA.

Stoeppler, M., F. Backhaus, M. Burow, K. May and C. Mohl. 1988. Comparative investigations on trace metal levels in brown algae and common (blue) mussels at the same location in the Baltic Sea and the North Sea. NBS Spec. Publ. (U. S.), 740 (Prog. Environ. Specimen Banking), 53-6.

Stone, S.T., D.A. Becker, B.J. Koster, P.A. Pella, G. Sleater, M. P.M. Tillekeratne, R. Zeisler and R.W. Sanders. 1988. Inorganic analytic methods and results for marine bivalves and sediments. NBS Spec. Publ. (U.S.), 740 (Prog. Environ. Specimen Banking):62-73.

Stripp, R.A., M. Heit, D.C. Bogen, J. Bidanset and L. Trombetta. 1990. Trace element accumulation in the tissues of fish from lakes with different pH values. *Water Air Soil Pollut.* 51(1-2):75-87.

Stumm, W. and J.J. Morgan. 1982. *Aquatic chemistry*. Wiley, New York, NY. pp.176-177.

Summers, J.K., J.F. Paul and A. Robertson. 1995. Monitoring the ecological condition of estuaries in the United States. *Toxicol. Environ. Chem.* 49(1+2): 93-108.

Sun, L., C.S. Bradford, C. Ghosh, P. Collodi and D.W. Barnes. 1995. ES-like cell cultures derived from early zebrafish embryos. *Molec. Mar. Biol. Biotechnol.* 4(3):193-199.

Sundar Rao, K., J. Tinkerame, C. Kaluwin, K. Singh and T. Matsuoka. 1991. Lipid content, fatty acid, and mineral composition of mud crabs (*Scylla serrata*) from Papua New Guinea. *J. Food Compos. Anal.* 4(3):276-280.

Sundar Rao, K., J. Tinkerame, C. Kaluwin, K. Singh and T. Matsuoka. 1992. Fatty Acid and Mineral Composition of Shellfish *Geloina papua*. *Fish, Technol.* 29(2):144-146.

Svensson, B.G., A. Schutz, A. Nilsson, I. Aakesson, B. Aakesson and S. Skerfving. 1992. Fish as a source of exposure to mercury and selenium. *Sci. Total Environ.* 126(1-2):61-74.

Szilagyi, M., J. Nemcsok, S. Sankari, A. Suri and E. Szabo. 1993. Effects of selenium supplementation on serum biochemical parameters in paraquat poisoned carp. *Mengen Spuren elem. Arbeitstag.* 13th. Anke, M. (Ed). Verlag MTV Hammerschmidt: Gersdorf, Germany. pp. 155-162.

Tabaka, C.S., D.E. Ullrey, J.G. Sikarskie, S.R. Debar, and P.K. Ku. 1996. Diet, cast composition, and energy and nutrient intake of red-tailed hawks (*Buteo jamaicensis*), great horned owls (*Bubo virginianus*), and turkey vultures (*Cathartes aura*). *J. Zoo Wildl. Med.* 27(2):187-196.

Tafro, A and M. Kiskaroly. 1986. The importance of some vitamins in the nutrition of cyprinid fish. *Veterinarski Glasnik* 40(6):463-469.

Takayangi, K. and D. Cossa. 1985. Speciation of dissolved selenium in the upper St. Lawrence estuary. In: *Marine and estuarine geochemistry*. Sigleo, A.C. and A. Hattori (Eds.). Lewis Publishers, Chelsea, MI. pp. 275-284.

Takayangi, K. and G.T.F. Wong. 1984. Total selenium and selenium(IV) in the James River estuary and southern Chesapeake Bay. *Estuarine Coastal Shelf Sci.* 18:113-119.

Takeda, T., S. Shigeoka, O. Hirayama and T. Mitsunaga. 1992a. The presence of enzymes related to glutathione metabolism and oxygen metabolism in *Chlamydomonas reinhardtii*. *Biosci. Biotechnol. Biochem.* 56(10):1662-1663.

Takeda, T., S. Shigeoka and T. Mitsunaga. 1992b. Induction of glutathione peroxidase by selenite and its physiological function in *Chlamydomonas reinhardtii*. *Phosphorus, Sulfur Silicon Relat. Elem.* 67(1-4):439-444.

- Takeda, T., Y. Nakano and S. Shigeoka. 1993. Effects of selenite, CO₂ and illumination on the induction of selenium-dependent glutathione peroxidase in *Chlamydomonas reinhardtii*. Plant Sci. (Limerick) 94(1-2):81-88.
- Takeda, T., T. Ishikawa and S. Shigeoka. 1997. Metabolism of hydrogen peroxide by the scavenging system in *Chlamydomonas reinhardtii*. Physiol. Plant. 99(1):49-55.
- Talbot, V. and W.J. Chang. 1987. Rapid multielement analysis of oyster and cockle tissue using x-ray fluorescence spectrometry, with application to reconnaissance marine pollution investigations. Sci. Total Environ. 66:213-23.
- Tallandini, L., R. Cecchi, S. De Boni, S. Galassini, G. Ghermandi, G. Gialanella, N. Liu, R. Moro, M. Turchetto and Y. Zhang. 1996. Toxic levels of selenium in enzymes and selenium uptake in tissues of a marine fish. Biol. Trace Element Res. 51(1):97-106.
- Tan, Y. and W.D. Marshall. 1997. Enzymic digestion-high-pressure homogenization prior to slurry introduction electrothermal atomic absorption spectrometry for the determination of selenium in plant and animal tissues. Analyst (Cambridge, U. K.) 122(1):13-18.
- Tanizaki, Y., T. Shimokawa, and M. Nakamura. 1992. Physicochemical Speciation of Trace Elements in River Waters by Size Fractionation," *Environmental Science of Technology*. 26:1433-1443.
- Tang, S.M., I. Orlic, K.N. Yu, J.L. Sanchez, P.S.P. Thong, F. Watt, and H.W. Khoo. 1997. Nuclear microscopy study of fish scales. Nucl. Instrum. Meth. Phys. Res., Sect. B, 130(1-4):396-401.
- Tao, H., J.W.H. Lam and J.W. McLaren. 1993. Determination of selenium in marine certified reference materials by hydride generation inductively coupled plasma mass spectrometry. J. Anal. At. Spectrom. 8(8):1067-1073.
- Tao, J., P. Kellar, and W. Warren-Hicks. 1999. Statistical analysis of selenium toxicity data. Report submitted for US EPA, Health and Ecological Criteria Division. The Cadmus Group, Inc., Durnham, NC.
- Teherani, D.K. 1987. Trace elements analysis in rice. J. Radioanal. Nucl. Chem. 117(3):133-144.
- Teigen, S.W., J.U. Skaare, A. Bjorge, E. Degre and G. Sand. 1993. Mercury And Selenium In Harbor Porpoise *Phocoena phocoena* In Norwegian Waters. Environ. Toxicol. Chem. 12(7):1251-1259.
- Thomas, W.H., J.T. Hollibaugh and D.L.R. Siebert. 1980a. Effects of heavy metals on the morphology of some marine phytoplankton. Phycologia 19:202-209.
- Thomas, W.H., J.T. Hollibaugh, D.L.R. Siebert and G.T. Wallace, Jr. 1980b. Toxicity of a mixture of ten metals to phytoplankton. Mar. Ecol. Prog. Ser. 2:213-220.
- Thompson, P.A. and W. Hosja. 1996. Nutrient limitation of phytoplankton in the Upper Swan River Estuary, Western Australia. Mar. Freshwater Res. 47(4):659-667.

Thompson, S.E., C.A. Burton, D.J. Quinn and Y.C. Ng. 1972. Concentration factors of chemical elements in edible aquatic organisms. UCRL-50564. Rev. 1. National Technical Information Service, Springfield, VA.

Thompson-Eagle, E.T. and W.T. Frankenberger Jr. 1990. Volatilization of Selenium from Agricultural Evaporation Pond Water. *J. Environ. Qual.* 19(1):125-131.

Thorarinsson, R., M.L. Landolt, D.G. Elliott, R.J. Pascho, and R.W. Hardy. 1994. Effect of dietary vitamin E and selenium on growth, survival and the prevalence of *Renibacterium salmoninarum* infection in chinook salmon (*Oncorhynchus tshawytscha*). *Aquaculture* 121(4):343-358.

Tian, Y. and F. Liu. 1993. Selenium requirement of shrimp *Penaeus chinensis*. *Chinese J. Oceanol. Limnol.* 11(3):249-253.

Tilbury, K.L., J.E. Stein, J.P. Meador, C.A. Krone and S.L. Chan. 1997. Chemical contaminants in harbor porpoise (*Phocoena phocoena*) from the north Atlantic coast: tissue concentrations and intra- and inter-organ distribution. *Chemosphere* 34(9/10):2195-2181.

Tokunaga, T.K., G.E. Brown, Jr., I.J. Pickering, S.R. Sutton and S. Bajt. 1997. Selenium redox reaction and transport between pondal waters and sediments. *Environ. Sci. Technol.* 31:1419-1425.

Tomasik, P., C.H.D. Magadza, S. Mhizha and A. Chirume. 1995a. The metal-metal interactions in biological systems. Part III. *Daphnia magna*. *Water Air Soil Pollut.* 82(3-4):695-711.

Tomasik, P., C.M. Magadza, S. Mhizha, A. Chirume, M.F. Zaranyika and S. Muchiriri. 1995b. Metal-metal interactions in biological systems. Part IV. Freshwater snail *Bulinus globosus*. *Water Air Soil Pollut.* 83(1-2):123-145.

Topcuoglu, S., N. Erenturk, N. Saygi, D. Kut, N. Esen, A. Bassari and E. Seddigh. 1990. Trace metal levels of fish from the Marmara and Black Sea. *Toxicol. Environ. Chem.* 29(2):95-99.

TranVan, L. and D.K. Teherani. 1988. Accumulation and distribution of elements in rice (seed, bran layer, husk) by neutron activation analysis. *J. Radioanal. Nucl. Chem.* 128(1):35-42.

Traversy, W.J., P.D. Goulden, Y.M. Sheikh and J.R. Leacock. 1975. Levels of arsenic and selenium in the Great Lakes region. Scientific Series No. 58. Environment Canada, Burlington, Ontario, Canada.

Treuthardt, J. 1992. Hematology Antioxidative Trace Elements The Related Enzyme Activities And Vitamin E In Growing Mink On Normal And Anemiogenic Fish Feeding. *Acta Acad. Aboensis Ser B Math. Phys. Matematik Natur. Tek.* 52(4):1-138.

Trieff, N.M., L.A. Romana, A. Esposito, R. Oral, F. Quiniou, M. Iaccarino, N. Alcock, V.M.S. Ramanujam and G. Pagano. 1995. Effluent from bauxite factory induces developmental and reproductive damage in sea urchins. *Arch. Environ. Contam. Toxicol.* 28(2):173-177.

Tripathi, A.K. and S.N. Pandey. 1985. Toxicity of selenium to *Chlorella vulgaris* and *Phormidium foveolarum*. *Natl. Acad. Sci. Lett. (India)* 8(10):307-9.

Trocine, R. P. and J.H. Trefry. 1996. Metal concentrations in sediment, water and clams from the Indian River Lagoon, Florida. Mar. Pollut. Bull. 32(10):754-759.

Tsuji, S., Y. Tonogai, Y. Ito and S. Kanoh. 1986. The influence of rearing temperatures on the toxicity of various environmental pollutants for killifish (*Oryzias latipes*). J. Hyg. Chem. Eisei Kagaku 32(1):46-53.

Turgeon, D.D. and T.P. O'Connor. 1991. Long Island Sound: distributions, trends, and effects of chemical contamination. Estuaries 14(3):279-289.

Turner, M.A. and J.W.M. Rudd. 1983. The English-Wabigoon River system: III. Selenium in lake enclosures: Its geochemistry, bioaccumulation, and ability to reduce mercury bioaccumulation. Can. J. Fish. Aquat. Sci. 40:2228-2240.

Turner, M.A. and A.L. Swick. 1983. The English-Wabigoon River system: IV. Interaction between mercury and selenium accumulated from waterborne and dietary sources by northern pike (*Esox lucius*). Can. J. Fish. Aquat. Sci. 40:2241-2250.

Twerdok, L.E., D.T. Burton, H.S. Gardner, T.R. Shedd and M.J. Wolfe. 1997. The use of nontraditional assays in an integrated environmental assessment of contaminated ground water. Environ. Toxicol. Chem. 16(9):1816-1820.

U.S. EPA. 1976. Quality criteria for water. PB-263943 or EPA-440/9-76-023. National Technical Information Service, Springfield, VA.

U.S. EPA. 1978. In-depth studies on health and environmental impacts of selected water pollutants. (Table of data available from C.E. Stephan, U.S. EPA, Duluth, MN.)

U.S. EPA. 1980a. Ambient water quality criteria for selenium. EPA-440/5-80-070. National Technical Information Service, Springfield, VA.

U.S. EPA. 1980b. Water quality criteria documents. Federal Regist. 45:79318-79379. November 28.

U.S. EPA. 1983a. Methods for chemical analysis of water and wastes. EPA-600/4-79-020 (Revised March 1983). National Technical Information Service, Springfield, VA.

U.S. EPA. 1983b. Water quality standards regulation. Federal Regist. 48:51400-51413. November 8.

U.S. EPA. 1983c. Water quality standards handbook. Office of Water Regulations and Standards, Washington, DC.

U.S. EPA. 1985a. Appendix B - Response to public comments on "Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses." Federal Regist. 50:30793-30796. July 29.

U.S. EPA. 1985b. Water quality criteria. Federal Regist. 50:30784-30792. July 29.

U.S. EPA. 1985c. Technical support document for water quality-based toxics control. EPA-440/4-85-032 or PB86-150067. National Technical Information Service, Springfield, VA.

U.S. EPA. 1986. Chapter I - Stream design flow for steady-state modeling. In: Book VI - Design conditions. In: Technical guidance manual for performing waste load allocation. Office of Water, Washington, DC. August.

U.S. EPA. 1987a. Ambient water quality criteria for selenium. EPA-440/5-87-006. National Technical Information Service.

U.S. EPA. 1987b. Permit writer's guide to water quality-based permitting for toxic pollutants. EPA-440/4-87-005. Office of Water, Washington, DC.

U.S. EPA. 1994. Water quality standards handbook: 2nd ed. EPA-823-B-94-005a,b. Washington, DC.

U.S. EPA. 1995. Ambient Water Quality Criteria for selenium.

U.S. EPA. 1998. Report on the Peer Consultation Workshop on Selenium Aquatic Toxicity and Bioaccumulation. Office of Water. EPA-822-R-98-007.

U.S. EPA. 1999. 1999 Update of Ambient Water Quality Criterion for Ammonia.

Uchida, H., Y. Shimoishi and K. Toei. 1980. Gas chromatographic determination of selenium(-II,O), -(IV), and -(VI) in natural waters. Environ. Sci. Technol. 14:541-544.

Unsal, M. 1987. Evaluation of the synergistic effect of selenium on the acute toxicity of mercury in fish larvae. Rev. Int. Oceanogr. Med. 87-88(0):125-136.

Uthe, J.F. and E.G. Bigh. 1971. Preliminary survey of heavy metal contamination of Canadian freshwater fish. J. Fish. Res. Board Can. 28:786-788.

Van Derveer, W.D. and S.P. Canton. 1997. Selenium sediment toxicity thresholds and derivation of water quality criteria for freshwater biota of western streams. Environ. Toxicol. Chem. 16(6):1260-1268.

Vandermeulen, J.H. and A. Foda. 1988. Cycling of selenite and selenate in marine phytoplankton. Mar. Biol. (Berlin) 98(1):115-23.

Vanderstoep, J., S. Weintraub and K. Barber. 1990. Nutritional Composition of British Columbia Canada Canned Salmon. Can. Inst. Food Sci. Technol. J. 23(2-3):121-124.

Van Metre, P.C. and J.R. Gray. 1992. Effects of Uranium Mining Discharges on Water Quality in the Puerco River Basin Arizona and New Mexico. Hydro. Sci. Sci. Hydrol. 37(5):463-480.

Van Puymbroeck, S.L.C., W.J.J. Stips and O.L.J. Vanderborght. 1982. The antagonism between selenium and cadmium in a freshwater mollusc. Arch. Environ Contam. Toxicol. 11:103-106.

Varanasi, U., J.E. Stein, K.L. Tilbury, J.P. Meador and C.A. Sloan. 1993. Chemical contaminants in gray whales (*Eschrichtius robustus*) stranded in Alaska, Washington, and California, USA. Report,

NOAA-TM-NMFS-NWFSC-11; Order No. PB94-106945, 114 pp. Avail. NTIS From: Gov. Rep. Announce. Index (U. S.) 1994, 94(2), Abstr. No. 405,388.

Varanasi, U., J.E. Stein, K.L. Tilbury, J.P. Meador, C.A. Sloan, R.C. Clark and S.L. Chan. 1994. Chemical contaminants in gray whales (*Eschrichtius robustus*) stranded along the west coast of North America. *Sci. Total Environ.* 145(1-2):29-53.

Vazquez, M.S., A.M. Gutierrez, M.M. Gomez and M.A. Palacios. 1994. In vitro study of selenium, copper and zinc absorptive fractions and selenium speciation in mussels. *Quim. Anal. (Barcelona)*, 13(3):144-147.

Veena, K.B., C.K. Radhakrishnan and J. Chacko. 1997. Heavy metal induced biochemical effects in an estuarine teleost. *Indian J. Mar. Sci.* 26(1):74-78.

Venables WN, Ripley BD. 2002. Modern applied statistics with S. Springer, New York, NY.

Versar. 1975. Preliminary investigation of effects on the environment of boron, indium, nickel, selenium, tin, vanadium and their compounds. Volume IV. Selenium. PB-245987 or EPA-560/2-75-005D. National Technical Information Service, Springfield, VA.

Versar. 2000. Peer review of statistical analysis of selenium toxicity data. Report submitted to U.S. EPA, Office of Water, Washington, DC.

Viso, A.C., F. Boisson, M. Romeo and M. Gnassia-Barelli. 1989. Combined effects of sulfate, selenium (selenate or selenite) and duration of experiment on a coenocytic alga *Bryopsis* sp. *Mar. Environ. Res.* 28(1-4):515-519.

Vitaliano, J.J. and V.S. Zdanowicz. 1992. Trace metals in eggs of winter flounder from Boston Harbor, a contaminated North American estuary. *Mar. Pollut. Bull.* 24(7):364-367.

Vlieg, P. 1990. Selenium concentration of the edible part of 74 New Zealand fish species. *J. Food Compos. Anal.* 3(1):67-72.

Vlieg, P., T. Murray and D.R. Body. 1993. Nutritional data on six oceanic pelagic fish species from New Zealand waters. *J. Food Compos. Anal.* 6(1):45-54.

Vocke, R.W., K.L. Sears, J.J. O'Toole and R.B. Wildman. 1980. Growth responses of selected freshwater algae to trace elements and scrubber ash slurry generated by coal-fired power plants. *Water Res.* 14:141-150.

Vos, G., J.P.C. Hovens and P. Hagel. 1986. Chromium, nickel, copper, zinc, arsenic, selenium, cadmium, mercury and lead in Dutch fishery products 1977-1984. *Sci. Total Environ.* 52(1-2):25-40.

Waddell, B. and T. May. 1995. Selenium concentrations in the razorback sucker (*Xyrauchen texanus*): Substitution of non-lethal muscle plugs for muscle tissue in contaminant assessment. *Arch. Environ. Contam. Toxicol.* 28(3):321-326.

- Wagemann, R. and F.A.J. Armstrong. 1988. Trace metal determination in animal tissues: An interlaboratory comparison. *Talanta* 35(7):545-552.
- Wagemann, R. and R.E.A. Stewart. 1994. Concentrations of heavy metals and selenium in tissues and some foods of walrus (*Odobenus rosmarus*) from the eastern Canadian Arctic and sub-Arctic, and associations between metals, age, and gender. *Can. J. Fish. Aquat. Sci.* 51(2):426-436.
- Wagemann, R., R.E.A. Stewart, W.L. Lockhart, B.E. Stewart, and M. Povoledo. 1988. Trace metals and methyl mercury: Associations and transfer in harp seal (*Phoca groenlandica*) mothers and their pups. *Mar. Mam. Sci.* 4(4):339-355.
- Wagemann, R., S. Innes, and P.R. Richard. 1996. Overview and regional and temporal differences of heavy metals in Arctic whales and ringed seals in the Canadian Arctic. *Sci. Total Environ.* 186(1-2):41-66.
- Wahl, C., S. Benson and G. Santolo. 1994. Temporal and spatial monitoring of soil selenium at Kesterson Reservoir, California. *Water Air Soil Pollut.* 74(3-4):345-361.
- Walsh, D.F., B.L. Berger and J.R. Bean. 1977. Mercury, arsenic, lead, cadmium, and selenium residues in fish, 1971-1977 - National Pesticide Monitoring Program. *Pestic. Monit. J.* 11:5-34.
- Wandan, E.N. and M.J. Zabik. 1996. Assessment of the contamination of surface water and fish from Cote d'Ivoire. *J. Environ. Sci. Health, Part B*, B31(2):225-240.
- Wang, C. and R.T. Lovell. 1997. Organic selenium sources, selenomethionine and selenoyeast, have higher bioavailability than an inorganic selenium source, sodium selenite, in diets for channel catfish (*Ictalurus punctatus*). *Aquaculture* 152(1-4):223-234.
- Wang, C., R.T. Lovell, and P.H. Klesius. 1997. Response to *Edwardsiella ictaloric* challenge by channel catfish fed organic and inorganic sources of selenium. *J. Aquatic Animal Health* 9:172-179.
- Wang, D., G. Alftan, A. Aro, A. Maekela, S. Knuutila and T. Hammar. 1995. The impact of selenium supplemented fertilization on selenium in lake ecosystems in Finland. *Agric. Ecosyst. Environ.* 54(1-2):137-148.
- Wang, S., M. Misra, R.G. Reddy and J.C. Milbourne. 1992. Selenium removal from solutions using iota chips. In: *Residues Effluents: Process. Environ. Consider.*, Proc. Int. Symp. Reddy, R.G., W.P. Imrie and P.B. Queneau (Eds). Miner. Met. Mater. Soc.: Warrendale, Pa. pp.757-773.
- Wang, W. 1986. Toxicity tests of aquatic pollutants by using common duckweed (*Lemna minor*). *Environ. Pollut.* 11B:1-14.
- Wang, W.X. 1996. Accumulation and retention of trace elements in the mussel, *Mytilus edulis* (silver, americium, cadmium, cobalt, chromium, selenium, zinc, San Francisco Bay, California, Long Island Sound, New York). 324 pp. Avail. Univ. Microfilms Int., Order No. DA9713847 From: Diss. Abstr. Int., B 1997, 57(11):6834.

- Wang, W.X. and N.S. Fisher. 1996a. Assimilation of trace elements and carbon by the mussel *Mytilus edulis*: Effects of food composition. Limnol. Oceanogr. 41(2):197-207.
- Wang, W.X. and N.S. Fisher. 1996b. Assimilation of trace elements by the mussel *Mytilus edulis*: effects of diatom chemical composition. Mar. Biol. (Berlin) 125(4):715-724.
- Wang, W.X., N.S. Fisher and S.N. Luoma. 1995. Assimilation of trace elements ingested by the mussel *Mytilus edulis*: Effects of algal food abundance. Mar. Ecol.Prog. Ser. 129(1-3):165-176.
- Wang, W.X., J.R. Reinfelder, B.-G. Lee and N.S. Fisher. 1996a. Assimilation and regeneration of trace elements by marine copepods. Limnol. Oceanogr. 41(1):70-81.
- Wang, W.X., N.S. Fisher and S.N. Luoma. 1996b. Kinetic determinations of trace element bioaccumulation in the mussel *Mytilus edulis*. Mar. Ecol. Prog. Ser. 140(1 to 3):91-113.
- Ward, D.R. and G.J. Flick. 1990. The effects of salinity and temperature on selected elements in oysters (*Crassostrea virginica*). J. Food Compos. Anal. 3(1):96-98.
- Ward, G.S., T.A. Hollister, P.T. Heitmuller and P.R. Parrish. 1981. Acute and chronic toxicity of selenium to estuarine organisms. Northeast Gulf Sci. 4:73-78.
- Warren, R.J., B.M. Wallace and P.B Bush. 1990. Trace Elements in Migrating Blue-winged Teal Seasonal Sex and Age-class Variations. Environ. Toxicol. Chem. 9(4):521-528.
- Watenpaugh, D.E. and T.L. Beiting. 1985a. Absence of selenate avoidance by fathead minnows (*Pimephales promelas*). Water Res. 19:923-926.
- Watenpaugh, D.E. and T.L. Beiting. 1985b. Oxygen consumption in fathead minnows (*Pimephales promelas*) following acute exposure to water-borne selenium. Comp. Biochem. Physiol. 80C:253-256.
- Watenpaugh, D.E. and T.L. Beiting. 1985c. Selenium exposure and temperature tolerance of fathead minnows, *Pimephales promelas*. J. Therm. Biol. 10:83-86.
- Weast, R.C. 1969. *Handbook of Chemistry and Physics, 50th Ed.* Chemical Rubber Company Cleveland, OH.
- Weber, O. 1985. Concentrations of metals in fish from the River Rednitz. Z. Lebensm. Unters. Forsch. 180:463-466.
- Wehr, J.D. and L.M. Brown. 1985. Selenium requirement of a bloom-forming planktonic alga from softwater and acidified lakes. Can. J. Fish. Aquat. Sci. 42:1783-1788.
- Weir, P.A. and C.H. Hine. 1970. Effects of various metals on behavior of conditioned goldfish. Arch. Environ. Health 20:45-51.
- Welsh, D. 1992. Selenium in aquatic habitats at Cibola National Wildlife Refuge. Avail. Univ. Microfilms Int., Order No. DA9309028 From: Diss. Abstr. Int. B 1993, 53(8):5626.

Welsh, D. and O.E. Maughan. 1994. Concentrations of selenium in biota, sediments, and water at Cibola National Wildlife Refuge. *Arch. Environ. Contam. Toxicol.* 26(4):452-458.

Wen, H.Y., R.L. Davis, B. Shi, J.J. Chen, L. Chen, M. Boylan, and J.E. Spallholz. 1997. Bioavailability of selenium from veal, chicken, beef, pork, lamb, flounder, tuna, selenomethionine, and sodium selenite assessed in selenium-deficient rats. *Biol. Trace Elem. Res.* 58:43-53.

Wenzel, C. and G.W. Gabrielsen. 1995. Trace element accumulation in three seabird species from Hornoya, Norway. *Arch. Environ. Contam. Toxicol.* 29(2):198-206.

Weres, O., H.R. Bowman, A. Goldstein, E.C. Smith and L. Tsao. 1990. The Effect of Nitrate and Organic Matter upon Mobility of Selenium in Groundwater and in a Water Treatment Process. *Water Air Soil Pollut.* 49(3-4):251-272.

Westerman, A.G. and W.J. Birge. 1978. Accelerated rate of albinism in channel catfish exposed to metals. *Prog. Fish-Cult.* 40:143-146.

Wheeler, A.E., R.A. Zingaro, K. Irgolic and N.R. Bottino. 1982. The effect of selenate, selenite, and sulfate on the growth of six unicellular marine algae. *J. Exp. Mar. Biol. Ecol.* 57:181-194.

White, D.H. and J.G.H. Geitner. 1996. Environmental contaminants and productivity in an extinct herony at Charleston Harbor, South Carolina, U.S.A. 1984. *Environ. Monitor. Assess.* 40(2):137-141.

Whyte, J.N.C. and J.A. Bouillier. 1991. Concentrations of inorganic elements and fatty acids in geographic populations of the spot prawn *Pandalus platyceros*. *Can. J. Fish. Aquat. Sci.* 48(3):382-390.

Wiemeyer, S.N. and D.J. Hoffman. 1996. Reproduction in eastern screech-owls fed selenium. *J. Wildl. Manage.* 60(2):332-341.

Wiemeyer, S.N., R.M. Jurek and J.F. Moore. 1986. Environmental contaminants in surrogates, foods and feathers of California condors (*Gymnogyps californianus*). *Environ. Monitor. Assess.* 6(1):91-111.

Wilber, C.G. 1980. Toxicology of selenium: A review. *Clin. Toxicol.* 17:171-230.

Wilber, C.G. 1983. Selenium: A potential environmental poison and a necessary food constituent. Charles C. Thomas Publishing Company, Springfield, IL.

Wildhaber, M.L. and C.J. Schmitt. 1996. Hazard ranking of contaminated sediments based on chemical analysis, laboratory toxicity tests, and benthic community composition: prioritizing sites for remedial action. *J. Great Lakes Res.* 22(3):639-652.

Williams, M.J., R.S. Ogle, A.W. Knight and R.G. Burau. 1994. Effects of sulfate on selenate uptake and toxicity in the green alga *Selenastrum capricornutum*. *Arch. Environ. Contam. Toxicol.* 27(4):449-453.

Williams, M.L., R.L. Hothem and H.M. Ohlendorf. 1989. Recruitment Failure in American Avocets and Black-necked Stilts Nesting at Kesterson Reservoir California USA 1984-1985. *Condor* 91(4):797-802.

- Williams, T.P., J.M. Bubb and J.N. Lester. 1994. The occurrence and distribution of trace metals in halophytes. Chemosphere 28(6):1189-1199.
- Wilson, D.S., P. Zhang, R. He, R. Ota and S.T. Omaye. 1996. Comparative distribution of selenoproteins in tissues of female rats and Mallard ducks injected with selenium-75. Toxic Subst. Mech. 15(4):343-354.
- Wilson, D.S., P. Zhang, R. He, R. Ota, and S.T. Omaye. 1997. Kinetics of selenium incorporation into tissues of female mallard ducks. Toxicol. 122:51-60.
- Wilson, E.A., E.N. Powell, T.L. Wade, R.J. Taylor, B.J. Presley and J.M. Brooks. 1992. Spatial and Temporal Distributions of Contaminant Body Burden and Disease in Gulf of Mexico Oyster Populations the Role of Local and Large-scale Climatic Controls. Helgol. Wiss. Meeresunters. 46(2):201-235.
- Wilson, R.D., P.R. Bowser and W.E. Poe. 1984. Dietary vitamin E requirement of fingerling channel catfish. J. Nutr. 114:2053-2058.
- Winger, P.V. and J.K. Andreasen. 1985. Contaminant residues in fish and sediments from lakes in the Atchafalaya River basin (Louisiana). Arch. Environ. Contam. Toxicol. 14:579-586.
- Winger, P.V., C. Sieckman, T.W. May and W.W. Johnson. 1984. Residues of organochlorine insecticides, polychlorinated biphenyls, and heavy metals in biota from Apalachicola River, Florida. 1978. J. Assoc. Off. Anal. Chem. 67:325-333.
- Winger, P.V., D.P. Schultz and W.W. Johnson. 1990. Environmental Contaminant Concentrations in Biota from the Lower Savannah River Georgia and South Carolina USA. Arch. Environ. Contam. Toxicol. 19 (1):101-117.
- Winner, R.W. 1984. Selenium effects on antennal integrity and chronic copper toxicity in *Daphnia pulex* (deGeer). Bull. Environ. Contam. Toxicol. 33:605-611.
- Winner, R.W. 1989. Multigeneration life-span tests of the nutritional adequacy of several diets and culture waters for *Ceriodaphnia dubia*. Environ. Toxicol. Chem. 8(6):513-520.
- Winner, R.W. and T.C. Whitford. 1987. The interactive effects of a cadmium stress, a selenium deficiency and water temperature on the survival and reproduction of *Daphnia magna* Straus. Aquat. Toxicol. (Amsterdam) 10(4):217-224.
- Wise, D.J., J.R. Tomasso, D.M. Gatlin III, S.C. Bai and V.S. Blazer. 1993a. Effects Of Dietary Selenium And Vitamin E On Red Blood Cell Peroxidation Glutathione Peroxidase Activity And Macrophage Superoxide Anion Production In Channel Catfish. J. Aquat. Animal Health 5(3):177-182.
- Wise, S.A., M.M. Schantz, B.J. Koster, R. Demiralp, E.A. Mackey, R.R. Greenberg, M. Burow, P. Ostapczuk and T.I. Lillestolen. 1993b. Development of frozen whale blubber and liver reference materials for the measurement of organic and inorganic contaminants. Fresenius. Anal. Chem. 345(2-4):270-277.
- Wolfe, D.A., E.R. Long and G.B. Thursby. 1996. Sediment toxicity in the Hudson-Raritan estuary: distribution and correlations with chemical contamination. Estuaries 19(4):901-912.

Wolfenberger, V. 1986. Survival of the hermit crab, *Clibanarius vittatus*, exposed to selenium and other environmental factors. Bull. Environ. Contam. Toxicol. 37(3):369-74.

Wolfenberger, V.A. 1987. Influence of environmental factors on oxygen consumption of *Clibanarius vittatus* (striped hermit crab). Texas J. Sci. 39(1):37-48.

Wong, D. and L. Oliveira. 1991a. Effects of selenite and selenate on the growth and motility of seven species of marine microalgae. Can. J. Fish. Aquat. Sci. 48(7):1193-1200.

Wong, D. and L. Oliveira. 1991b. Effects of selenite and selenate toxicity on the ultrastructure and physiology of three species of marine microalgae. Can. J. Fish. Aquat. Sci. 48(7):1201-1211.

Wong, P.T.S. and Y.K. Chau. 1988. Toxicity of metal mixtures to phytoplankton. In: Heavy Met. Hydrol. Cycle. Astruc, M., J.N. Lester (Eds). Selper Ltd.: London, UK. pp. 231-236.

Wong, P.T.S., Y.K. Chau and D. Patel. 1982. Physiological and biochemical responses of several freshwater algae to a mixture of metals. Chemosphere 11:367-376.

Woock, S.E. and P.B. Summers, Jr. 1984. Selenium monitoring in Hyco Reservoir (NC) waters (1977-1981) and biota (1977-1980). In: Workshop proceedings: The effects of trace elements on aquatic ecosystems. EA-3329. Electric Power Research Institute, Palo Alto, CA. pp. 6-1 to 6-27.

Woock, S.E., W.R. Garrett, W.E. Partin, and W.T. Bryson. 1987. Decreased survival and teratogenesis during laboratory selenium exposures to bluegill, *Lepomis macrochirus*. Bull. Environ. Contam. Toxicol. 39(6):998-1005.

Wren, C.D. and H.R. MacCrimmon. 1986. Comparative bioaccumulation of mercury in two adjacent freshwater ecosystems. Water Res. 20(6):763-770.

Wren, C.D., P.M. Stokes and K.L. Fischer. 1987. Mercury levels in Ontario (Canada) mink and otter relative to food levels and environmental acidification. Can. J. Zool. 64(12):2854-2859.

Wrench, J.J. 1978. Selenium metabolism in the marine phytoplankters *Tetraselmis tetrathele* and *Dunaliella minuta*. Mar. Biol. (Berl.) 49:231-236.

Wrench, J.J. 1979. Uptake and metabolism of selenium by oysters. Mar. Sci. Commun. 5:47-59.

Wrench, J.J. and C.I. Measures. 1982. Temporal variations in dissolved selenium in a coastal ecosystem. Nature 299:431-433.

Wu, L. and Z.Z. Huang. 1991. Selenium Accumulation and Selenium Tolerance of Salt Grass from Soils with Elevated Concentrations of Selenium and Salinity. Ecotoxicol. Environ. Safety 22(3):267-282.

Wu, L., A.W. Enberg and X. Guo. 1997. Effects of elevated selenium and salinity concentrations in root zone on selenium and salt secretion in saltgrass (*Distichlis spicata* L.). Ecotoxicol. Environ. Safety 37(3):251-258.

- Yamamoto, T., Y. Otsuka, K. Aoyama, H. Tabata, and K. Okamoto. 1984. The distribution of chemical elements in selected marine organisms: comparative biogeochemical data. Mar. Estuarine Geochem., [Proc. Symp.], Meeting Date 1984, 315-27. Editor(s): Sigleo, Anne C.; Hattori, Akihiko. Lewis Publ., Inc.: Chelsea, Mich.
- Yamaoka, Y., O. Takimura and H. Fuse. 1994. Effects of various elements on arsenic accumulation of the Alga *Dunaliella salina*. Appl. Organomet. Chem. 8(3):229-235.
- Yamaoka, Y., O. Takimura, H. Fuse, K. Kamimura and K. Murakami. 1996. Accumulation of arsenic by Rhaphidophyceae *Chattonella antiqua* (Hada) Ono. Appl. Organom. et. Chem. 10(9):721-726.
- Yamazaki, M., Y. Tanizaki and T. Shimokawa. 1996. Silver and other trace elements in a freshwater fish, *Carassius auratus*, from the Asakawa River in Tokyo, Japan. Environ. Pollut. 94(1):83-90.
- Yan, L., and G.D. Frenkel. Effect of Selenite on Cell Surface Fibronectin Receptor. *Biological Trace Element Research*. 46:79- .
- Yokota, A., S. Shigeoka, T. Onishi, and S. Kitaoka. 1988. Selenium as inducer of glutathione peroxidase in low carbon dioxide grown *Chlamydomonas reinhardtii*. Plant Physiol. (Bethesda) 86(3):649-651.
- Yoshida, M. and K. Yasumoto. 1987. Selenium contents of rice grown at various sites in Japan. J. Food Comp. Anal. 1(1):71-75.
- Yoshii, O., K. Hiraki, Y. Nishikawa, and T. Shigematsu. 1977. Fluorometric determination of selenium(IV) and selenium(VI) in sea water and river water (in Japanese). *Bunseki Kagaku*. 26:91- .
- Yu, R., J.P. Coffman, V. Van Fleet-Stalder and T.G. Chasteen. 1997. Toxicity of oxyanions of selenium and of a proposed bioremediation intermediate, dimethyl selenone. Environ. Toxicol. Chem. 16(2):140-145.
- Yurkowski, M. 1986. Suitability of two rainbow trout (*Salmo gairdneri*) reference diets for Arctic charr (*Salvelinus alpinus*). Can. Tech. Report Fish. Aquat. Sci. 0(1464): I-IV, 1-10.
- Zagatto, P.A., E. Gherardi-Goldstein, E. Bertoletti, C.C. Lombardi, M.H.R.B. Martins and M.L.L.C. Ramos. 1987. Bioassays with aquatic organisms: toxicity of water and sediment from Cubatao River basin. Water Sci. Technol. 19(11, Eff. Contam. Ecol. Syst.):95-106.
- Zaidi, J.H., I.H. Qureshi, M. Arif and I. Fatima. 1995. Trace elements determination in some species of fish commonly consumed in Pakistan. Int. J. Environ. Anal. Chem. 60(1):15-22.
- Zar, J.H. 1984. Biostatistical Analysis. Prentice-Hall, Englewood-Cliffs, New Jersey, USA.
- Zar, J. H. 1999. Biostatistical analysis, Fourth edition. Prentice-Hall, Upper Saddle River, NJ.
- Zatta, P., P. Buso and G. Moschini. 1985. Selenium distribution in the tissues of *Carcinus maenas*. Comp. Biochem. Physiol. 81C:469-470.

Zawislanski, P.T., and A.E. McGrath. 1998. Selenium Cycling in Estuarine Wetlands: Overview and New Results from the San Francisco Bay. In: W.T. Frankeberger and R.A. Engberg (eds.), *Environmental Chemistry of Selenium*. Marcel Dekker, New York. pp. 223-242.

Zeisler, R., S.F. Stone and R.W. Sanders. 1988. Sequential determination of biological and pollutant elements in marine bivalves. *Anal. Chem.* 60(24):2760-5.

Zeisler, R., R. Demiralp, B.J. Koster, P.R. Becker, M. Burow, P. Ostapczuk and S.A. Wise. 1993. Determination of inorganic constituents in marine mammal tissues. *Sci. Total Environ.* 139-140:365-386.

Zhang, Y. and J.N. Moore. 1996. Selenium fractionation and speciation in a wetland system. *Environ. Sci. Technol.* 30:2613-2619.

Zhang, G.H., M.H. Hu, Y.P. Huang and P.J. Harrison. 1990. Selenium uptake and accumulation in marine phytoplankton and transfer of selenium to the clam *Puditapes philippinarum*. *Mar. Environ. Res.* 30(3):179-190.

Zhang, Y. and J.N. Moore. 1997. Environmental conditions controlling selenium volatilization from a wetland system. *Environ. Sci. Tech.* 31(2):511-517.

Zhang, Yuanxun, R. Moro, and G. Gialanella. 1996. Toxic effects of selenium on marine fish. *J. Environ. Sci. (China)* 8(2):151-156.

Zhou, H. and J. Liu. 1997. The simultaneous determination of 15 toxic elements in foods by ICP-MS. *At. Spectrosc.* 18(4):115-118.