RADAR REMOTE SENSING OF GREAT LAKES ICE COVER

G. A. Leshkevich¹ and S. V. Nghiem²

¹Great Lakes Environmental Research Laboratory National Oceanic and Atmospheric Administration Ann Arbor, Michigan 48105

Tel: 734-741-2265, Fax: 734-741-2055 E-mail: leshkevich@glerl.noaa.gov

Remote sensing of Great Lakes ice cover uses various classes of radars including scatterometer, polarimetric Synthetic Aperture Radar (SAR), and interferometric SAR. Applications of radar mapping of Great Lakes ice cover includes marine resource management, lake fisheries and ecosystem studies, natural hazards such as ice jams and flooding, shipping and hydropower industries, and Great Lakes Satellite wide-swath scatterometers climatology. provide large areal coverage with high temporal resolution data to map Great Lakes ice cover. They compliment the high spatial but lower temporal resolution of satellite SAR data. The approach is to use in-situ and ground truth measurements from our 1997 Great Lakes winter experiments (GLAWEX 1997) in conjunction with concurrent satellite SAR data from ERS-2 and RADARSAT-1 and scatterometer data from NSCAT to determine scatterometer backscatter signatures of lake ice. The backscatter signatures are used as a library to develop an ice mapping algorithm using first the NSCAT data acquired during GLAWEX 1997 and then SeaWinds data (currently operational on the QuikSCAT satellite). Verification of the ice mapping results are carried out with in-situ observations from US Coast Guard (USCG) icebreaker vessels operating on the Great Lakes under the jurisdiction of the Ninth Coast Guard District. In addition, we installed a web camera to monitor ice cover over an area in Lake Superior to verify time-series scatterometer results obtained from QuikSCAT data. Moreover, polarimetric radar backscatter measurements from a USCG icebreaker acquired during GLAWEX 1997 reveal that multi-polarization backscatter data for the typical snow-covered snow ice on lake ice in the Great Lakes can be used to map ice and open water without the ambiguity encountered in single polarization data due to variations in wind speed over During our 2002 winter experiment (GLAWEX 2002) NASA AIRSAR C-band and Lband polarimetric and interferometric measurements are collected over Lake Superior, Green Bay and northern Lake Michigan, and the North Channel together with in-situ field observations. Polarimetric C-band SAR data obtained form GLAWEX 1997

²Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91101 Tel: 818-354-2982, Fax: 818-393-3077

E-mail: nghiem@solar.jpl.nasa.gov

(shipborne radar) and GLAWEX 2002 (airborne SAR) are used to develop multi-polarization algorithms in view of ENVISAT and RADARSAT-2 multi-polarization SAR applications to lake ice mapping. Furthermore, interferometric SAR data acquired during GLAWEX 2002 are used to evaluate the utility of interferometric SAR data for threedimensional mapping for lake ice including aerial coverage and thickness. Because lake ice, unlike sea ice, has no salinity content, microwaves can propagate into lake ice unless the surface is wet due GLAWEX 2002 is a large-scale to melting. experiment including in-situ observations by webcam with all azimuth coverage, in-situ measurements from ship, air reconnaissance from helicopter, polarimetric and interferometric SAR from the NASA DC-8 aircraft. satellite scatterometer data QuikSCAT/SeaWinds, and satellite SAR data from RADARSAT.



Welcome

Getting Started

Sessions

Citable Index

TGARS Index

Authors

Search

Remote Sensing Symposium and the 24th Canadian Symposium on Remote Sensing 2002 IEEE International Geoscience and



REMOTE SENSING: Integrating Our View of the Planet



BBB

June 24-28, 2002 Toronto Canada

Copyright

Copyright and Reprint Permission

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limits of U. S. Copyright law for private use of patrons those articles in this volume that carry a code in the code is paid through the Copyright Clearance Center, 222 at the bottom of the first page, provided the per-copy fee indicated Rosewood Drive, Danvers, MA, 01923. For other copying, reprint or republication permission, write to:

IEEE Copyrights Manager, IEEE Operations Center, 445 Hoes Lane, P. O. Box 1331, Piscataway, NJ, 08855-1331

Copyright © 2002 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved

IEEE Catalog Number: 02CH37380

ISBN Softbound: 0-7803-7536-0

ISBN Casebound: 0-7803-7536-4

ISBN Microfiche: 0-7803-7356-2

Library of Congress Number: 2002 105858



Main Menu



Copyright

Additional copies of the Proceedings are available from the following source:

Institute of Electrical and Electronics Engineers, Inc.

Single Copy Sales

445 Hoes Lane

PO Box 1331

Piscataway NJ 08855-1331

1-800-678-IEEE

1-732-981-1393

1-732-981-9667 (FAX)

833-233 (TELEX)

customer.services@ieee.org (EMAIL)



Main Menu

