










**Centers for Disease Control and Prevention** 

Integrated Pest Management:
Conducting Urban Rodent Surveys





# Contents

Introduction	1
IPM Basics	1
Definition and Philosophy	1
Program Components	2
Characteristics of Urban Rodent Surveys	2
Basic Units in the Operational Program	3
Sample Versus Comprehensive Surveys	4
Personnel Requirements	4
Survey Procedures	5
Sample Survey Methodology	5
Survey Crews and Equipment	6
Premises Inspection—Exterior	7
Premises Inspection—Interior	8
Instructions for Completing the Block Record (Exterior Inspection) Form	8
Premises Address	9
Premises Type	9
Premises Details	9
Food	10
Water	12
Harborage	12
Entry and Access	14
Active Signs	14
Remarks	14
Interior Inspection Using a Modified Block Record (Exterior Inspection) Form	14
Premises Type	15
Premises Details	15
Food	15
Water	15
Harborage	15
Entry and Access	15
Active Signs	15
Remarks	15
GIS and Mapping	16
Interior Tolerance Limits	17
Selected References	18
Appendix A—Survey Forms	19

This manual is for classroom use and for field training of program managers, environmental health practitioners, inspectors, outreach workers, and others who work in community-based rodent integrated pest management programs. The manual is also a reference for survey techniques and for the preparation of reports and maps.

## Introduction

For centuries, people have recognized that rats and mice are not only a nuisance but are a public health problem. Rats and mice damage and contaminate food, damage structures, and carry diseases that threaten health and quality of life, and they can cause injury and death. This manual describes techniques to help us protect ourselves from these disease vectors by gathering information (surveillance) about infestations and about the causative conditions of infestation. Accurate recordkeeping by public health officials provides the information needed to manage rodent and other pest problems.

Urban rodent surveys of exterior areas are the primary means for obtaining information on rodent infestations and on premises with environmental health deficiencies that support commensal rodent populations in housing and on premisess. Survey areas should include residential, commercial, and civic buildings; vacant lots; and public areas. The rodent species primarily targeted in surveys are the Norway rat (*Rattus norvegicus*), roof rat (*Rattus rattus*), and house mouse (*Mus musculus*).

Urban rodent surveys, as well as surveys for other pests, fulfill an essential surveillance requirement for every integrated pest management (IPM) program, which is the need for detailed information about conditions in a defined community. IPM is a long-term, effective, and holistic approach to managing pests of all kinds by carefully combining various interventions (e.g., education, code enforcement, rodent proofing, poisoning) in ways that minimize environmental hazards and deficiencies that affect people's health.

The focus of this manual is on how to conduct a survey, although the other IPM components are covered briefly to establish their link to the survey. This manual is for classroom use and for the field training of program managers, environmental health practitioners, outreach workers, inspectors, and others who work in community-based rodent IPM programs.

This manual is also a reference on survey techniques and on the preparation of reports and maps.

#### **IPM Basics**

# **Definition and Philosophy**

IPM requires a shift from the typical pest control efforts that often emphasize poisoning and trapping. With IPM, pests and disease vectors are managed by managing the environment. For IPM to succeed, the behavior and ecology of the target pest, the environment in which the pest is active, and the periodic changes that occur in the environment (including the people who share the environment) must be taken into account. In addition, the safety of the people, the environment, and the nontarget animals such as pets, birds, and livestock must be considered.

IPM is a decision-making process in which all interventions are focused on a pest problem and on the goal of providing the safest and most effective, economical, and sustained remedy. IPM is a comprehensive systems approach.

IPM is based on and should adhere to the sound biologic principles of population dynamics—the study of birth rates, mortality rates, and movement rates. An understanding of population dynamics is important because any successful strategy for the management of rodent populations depends on that understanding and on conducting appropriate interventions based on IPM principles. A 1976 CDC publication on urban rat control states that

"political mechanisms must be able to administer the control procedures that are dictated by the principles [of population dynamics]. ... A corollary of the strategy of working with principles is that research should not continue in clear violation of population principles in expectation that a politically acceptable solution will be found."

Program and political support are essential in obtaining the necessary resources for an IPM program that takes into account the complex interplay of rodents, people, and environmental factors. The overall goals of IPM are to reduce or eliminate human encounters with pests and disease vectors and to reduce pesticide exposure.

## **Program Components**

The four key components of an IPM program are survey, tolerance limit, intervention, and evaluation. If a key component is omitted, success in managing or eliminating pests is reduced.

**Surveys** (inspection and monitoring): A measure of the magnitude of the pest problem and its environmental causes. Survey results determine the need for a rodent IPM program and the direction the program must take to manage the rodent problem. An urban rodent survey has four distinct phases:

- 1. premises inspection (comprehensive or sample) of defined areas (e.g., groups of blocks) to record infestations and their causative conditions;
- 2. preparation of maps, graphs, and tables to summarize survey results (may include photographs of field observations);
- 3. preparation of a report that includes an analysis of block and premises data, and premises prevalence rates for infestation and its causative conditions; and
- 4. recommendations to resolve the rodent infestation problem.

Surveys are especially useful in the development of educational interventions directed to the public (e.g., Web sites, television and radio programs, videos, newspaper articles, brochures, posters, exhibits).

Tolerance limit (action threshold): The level at which a pest causes sufficient damage to warrant public health attention and intervention. Real or perceived damage can be aesthetic and can have economic, psychologic, and medical consequences. In 1972, CDC established tolerance limits for rodent infestation, exposed garbage, and improperly stored refuse. Details of these and other survey-based criteria are discussed later in this manual. The survey establishes the baseline on rodent infestation and on the causative conditions that support the infestation. The goal is to reduce both the infestation and the causative conditions to a level at which they no longer have an adverse effect on the community.

Interventions: Actions taken to prevent, reduce, or eliminate rodent infestations and their destructive effects. Survey data determine when, where, what, and whether interventions are necessary to prevent or eliminate a particular pest problem. Interventions are classified as educational, legal or regulatory, habitat modification, horticultural, biologic, mechanical, and chemical. These intervention categories typically form an IPM strategy. Most commensal rodent IPM programs emphasize educational and legal or regulatory interventions, and habitat modification.

The key to a successful IPM program is the elimination of the causes of infestation (i.e., food, water, and harborage). The judicious and careful use of pesticides (including toxicants) to manage pests is also important for success. A vital IPM "rule" for selecting rodenticides or other pesticides is that the product chosen should be the least toxic product that will be effective on a target pest. The product also must have a highly efficacious and readily available antidote that can be administered in a timely manner for both humans and pets if a rodenticide is inadvertently ingested. Widespread and indiscriminate use of pesticides, a problem Rachel Carson warned about in her 1967 book Silent Spring, has serious consequences for people, animals, and the environment.

**Evaluation:** The evaluation process (composed of periodic surveys) determines whether IPM interventions have been effective or whether they need to be repeated or modified. The initial survey of residential and commercial blocks and the periodic resurveys (monitoring) of a target community provides the basis for the evaluation of a program's progress.

# Characteristics of Urban Rodent Surveys

A health-related government agency or department typically manages a community-based vector control program. For the purpose of this manual, such agencies or organizations will be referred to as the "IPM authority." The responsible adult, whether a homeowner or a renter, who grants permission to inspect a premises or dwelling will be called the "householder."

The initial urban rodent survey is the data gathering phase of IPM program planning. Conducting the survey provides the IPM authority with an opportunity to inform residents about the program and to encourage their support when survey teams inspect their premises. An analysis of survey results will show the extent and severity of rodent infestations and their causative conditions and will delineate IPM program needs as well as the progress made in comparison with previous surveys.

To determine the magnitude of the rodent problem, determine priorities, and evaluate progress, the IPM program must maintain a premises and block records management system. The system should provide for sequentially reporting survey findings using standardized reporting forms.

The urban rodent survey involves an exterior inspection of premises to record significant data such as active rodent signs, rodent entries to buildings, and environmental deficiencies that provide food, water, and harborage. Although the Norway rat and the roof rat generally live outdoors, they do enter buildings that are not rodent proofed. The house mouse can survive outdoors, but it prefers indoor areas in an urban habitat. Whenever rodents find suitable food, water, and harborage, they become established and reproduce rapidly. Interior inspections of dwellings and buildings may be required if signs of infestation are obvious. Gaining access to interiors of premises is, however, generally more difficult, and the problems associated with the management and control of interior infestations are greater. Nevertheless, interior inspection is considered an essential component of an IPM program if clear evidence exists of significant interior infestation.

Two forms are required for an exterior urban rodent survey: a field inspection form and a summary form for office tabulations (Appendix A, Figures 1–4; Figures 1 and 3 are blank forms and Figures 2 and 4 are completed examples). These forms can be modified to serve the special needs of local programs. Although the use of check marks on a form may suffice to indicate the presence of deficiencies on premises, some programs use a coding system (e.g., letters, numbers, colors) to record more detailed information. Examples of such codes are furnished throughout this manual as an alternative to the checkmark system.

The survey forms provide the necessary data to plan and conduct a rodent IPM program. These data identify the need for rodent proofing, code enforcement, refuse management, cleanup of vacant lots, removal of abandoned automobiles and appliances, and other necessary interventions. The IPM approach emphasizes site-specific combinations of interventions to control or eliminate rodent populations.

In a more detailed version of the survey, a third form can be added for interior inspections. This form can be modified from the exterior inspection form to provide detailed data for each area or room within residential or commercial premises. This detailed information is useful in two ways: in determining where rodents may frequent and nest in particular areas of a premises or dwelling and in assessing rodent-related risks such as the potential for bites or food contamination.

# **Basic Units in the Operational Program**

For planning, operating, and reporting purposes, all rodent IPM programs use basic geographic units such as the following:

1. Premises (to record existing conditions). A premises is a plot of land with or without a building. It is the basic unit of a program in which survey items can be observed and recorded (e.g., environmental deficiencies, active rodent signs). Maintenance of a premises is usually the responsibility of a householder (unless multiple dwelling units are on a premises), superintendent, or manager who must maintain the environmental quality of the premises. For survey purposes, all premises are classified as residential, commercial, commercial and residential, or vacant lot. Schools, parks, churches, and parking areas are defined as commercial.

A premises may consist of an individual residence and its surroundings—whether attached (e.g., row house) or detached (e.g., a stand-alone home). A duplex house or a large apartment building and its surroundings are considered a single premises because they are usually under one ownership and are situated on one plot of land. The same criteria apply to a commercial premises with a major building and other structures. For larger aggregations of buildings, such as several apartment buildings under one

or several ownerships, each numbered building and its surroundings are considered to be a separate premises. Reviewing municipal tax parcel maps may be helpful to clarify the physical (e.g., property lines) and administrative (e.g., ownership) data related to a particular property. Where available, use of a geographic information system (GIS) to map properties can be helpful.

2. Block (to classify conditions). The block is a convenient unit for reporting infestations and causative conditions, recording interventions, and determining progress. In a target community, premises information should be aggregated for each block and filed according to assigned block numbers. A block is reported as infested as long as any active rodent signs exist on a single premises.

A block is ordinarily bounded by four streets, but some blocks are bounded by three or fewer, or may be irregular in form. In some cases, imaginary boundaries conforming to prevailing block sizes may be set to define a block.

- **3.** Census Tract (multiple contiguous blocks). The census tract is an excellent unit for large-scale planning and reporting purposes. Some IPM authorities use zones, wards, or elementary school or health districts for reporting purposes.
- **4.** Target Area (entire operational area of an IPM program). Large cities may have several target areas.

# Sample Versus Comprehensive Surveys

The block survey is considered comprehensive if all premises in all blocks in a defined target area are surveyed. In a sample survey, all premises on a block are inspected in a small but statistically valid number of blocks in a defined target area. Comprehensive surveys provide complete information on rodent infestation and sanitary conditions in a defined target area. Sample surveys are appropriate for defining an infestation problem and its causative conditions for a target area, but they are not appropriate for intervention purposes.

The sample survey is quicker to do than a comprehensive survey because all premises are inspected only within a randomly selected sample of the blocks in the proposed or actual target area. This type of survey is typically used to determine the need for a rodent IPM program; to define program needs and requirements for personnel, material, and equipment; and to later evaluate program progress.

Sample surveys are not intended for citywide application, although exceptions exist. Sample surveys are valuable for determining potential target areas. After a sample survey is completed, a comprehensive survey needs to be conducted. Potential target areas often are identified by number and location of rodent complaints, reported rodent bites, deteriorating housing conditions, and other related indicators including causative conditions of infestation.

A comprehensive survey requires significantly more personnel than a sample survey, but it has considerably greater impact on the community because all premises in the target area are inspected. Comprehensive surveys should be conducted concurrently with public education, community outreach, code enforcement, neighborhood cleanup campaigns, and other IPM activities. Two comprehensive surveys are recommended per target area per year. More frequent surveys are desirable, but resource considerations can be a limiting factor.

# **Personnel Requirements**

Ideally, urban rodent surveys should be conducted by two-person teams, with the most qualified person recording the data and making decisions about questionable findings. Safety is also a factor in a team approach.

Survey teams, where possible, should be composed of experienced rodent control specialists, environmental health specialists, or other trained personnel. Knowledge of the area to be surveyed, when practical, can also be helpful, especially if a member of the survey team lives in the area to be surveyed. The survey teams should be guided by the exterior inspection form, which is to be completed during the inspection.

At least 3 to 5 days of classroom and field training are recommended for inspectors to ensure that their observational and recordkeeping skills are satisfactory. To conduct interior inspections, additional classroom and field training is necessary.

IPM surveys are a detail-dependent process. The number of premises inspected per team per day will vary with experience, complexity of the built environment, and other variables. For example, large lots, multiple dwellings on a premises, difficult-to-access alleys, and complex building designs need to be considered in determining the time required to conduct a survey.

In most communities, permission for entry onto premises must be obtained before conducting an inspection. People may resent the intrusion onto their properties unless they understand and accept the purpose of the inspections. Community support should be sought to enhance program success. This support can be gained by meeting with community representatives, church groups, and others in advance of the survey.

# **Survey Procedures**

Conducting an urban rodent survey involves four phases: preparation, public information and education, inspection, and analysis.

- 1. Preparation. Planning the operation and recruiting and training staff. Provision should be made to secure official photo identification cards and distinctive uniforms to identify field staff. Vehicles that are clearly marked with the IPM or department logo will enhance the community's perception of the program. Vehicles are used to transport inspection staff, materials, and supplies for intervention purposes.
- 2. Public Information and Education. Using communication materials to promote the IPM program. Agencies or department officials should use news media, Web sites, exhibits, and brochures and posters as well as visit the target area to inform residents in advance of the survey and explain its importance. There should be outreach to community organizations, parent-teacher associations, churches, building manager associations, trade unions, and other groups to gain support for the program. Contact should also be established with local official agencies (e.g., housing, sanitation, sewer, utilities) and others who may have interest in or responsibilities associated with the program.

- These contacts can be invaluable in the planning and implementation process. In addition, accommodation for residents who work during the day needs to be built into the program's work schedule. This accommodation may sometimes require that those working in public education and outreach activities will have to work in the early evenings or on weekends.
- **3. Inspection**. *Inspecting premises for active rodent* signs (e.g., droppings, rub marks, open burrows) and causative conditions (e.g., improper refuse storage, pet food) in target areas and recording data on the exterior inspection form (Appendix A, Figure 1). Evaluation is an essential component of the survey process. Taking photographs can be helpful in understanding particular infestation problems and can be used for training purposes is part of the evaluation process. Although inspections are generally conducted during daylight hours, we recommend that senior staff occasionally visit the target area at night to view conditions during the rodents' active period. These night inspections will add clarity to the relation between the rodents and their built environment. They will also provide a better understanding of the impact of poor refuse management. Infrared video cameras can be used to document rodent activity at night.
- **4. Analysis**. *Tabulating findings, analyzing data, and comparing achievements*. Analysis of data provides the basis for developing work plans and for preparing reports with recommendations for eliminating infestations. Such reports often are supplemented by tables, graphs, maps, and photographs.

## Sample Survey Methodology

Initiating a sample survey requires maps, survey forms, and complete lists of blocks or premises of the target area. Each premises must be clearly defined and given a number so that it can be unambiguously identified on the map. Because of expected variations in block configurations, decide what constitutes a block for survey purposes. All field personnel must be aware of that definition.

The procedure for selecting the sample number of blocks for a random block survey follows:

- 1. Determine as closely as possible the number of blocks and premises within the target area or areas to be surveyed.
- 2. Determine the number of premises that will have to be inspected to ensure statistical validity (Table 1). Note: Sample sizes must adhere to the minimum standards; the reliability of the survey results depends on adherence to the standards.
- 3. Divide the number of blocks in a target area into the estimated number of premises. The equation below represents the average number of premises per block in the target area.

4. Determine the number of blocks so that a sufficient number of premises (as obtained from Table 1) will be surveyed.

Example: If at least 500 premises need to be inspected, and the target area contains an average of 25 premises per block, then all premises on 20 blocks will need to be surveyed.

5. Select the 20 blocks by using a table of random numbers (Appendix B, Table B-1), with each number representing a specific numbered block.

Note: When using this method, every premises on a selected block should be inspected, even if repeat visits are required.

Another survey method is to randomly select a sample of premises in the target area for inspection. For this method, a complete list of premises is needed, but such a list can be difficult to obtain. This particular method requires assigning every premises a number and identifying each premises on a map.

## Survey Crews and Equipment

Two-person teams are more efficient to conduct block surveys. Each team should carry the following items:

- a supply of field forms (exterior, interior, or both, depending on the needs of the program),
- mechanical lead pencils and lead refills (0.5millimeter leads, HB type),
- clipboards,
- flashlights (rechargeable type is recommended),
- gloves,
- forceps,
- hand lenses (5–10X),
- small plastic vials and zip-close plastic bags for field samples (e.g., dead rodent specimens, fecal droppings),
- black light to detect rodent urine stains,
- dog repellent,
- digital still cameras, and
- mobile phones or pagers (for communication between supervisors and inspection teams and for emergency situations).

Table 1. Minimum Number of Premises Ir	spected to Ensure Statistical Validity*
Number of Premises in Target Area	Minimum Number of Premises to Inspect
10,000 or more	500
3,000-9,999	450
Up to 2,999	435
*Center for Disease Control. Urban rat surveys. Atlanta:	US Department of Health and Human Services; 1974.

Note that a personal digital assistant (PDA) can be used instead of the field forms, lead pencils, and clipboards. Also note that infrared video cameras can be a valuable tool for filming rodents at night.

For indoor inspections, add the following items:

- small and large flashlights (headlamps, if practical),
- extendable inspection mirrors,
- dust masks or respirators,
- hard hats,
- portable vacuum cleaners with high-efficiency particulate air (HEPA) filters, and
- small ladders (4 feet [1.2 meters]).

If a recording code (instead of a check mark) is to be used on the forms for more precise information about specific data categories, a copy of the codes should be taped to the clipboard for easy reference. The inspection forms can be relatively simple or can be greatly detailed depending on the needs of the survey. Inspection forms can be completed using PDAs and other portable computer equipment.

Each team should have a supply of outreach literature on the program to distribute to landlords and householders during the surveys.

## Premises Inspection—Exterior

Supervisors should hand out the block assignments before the teams leave the office. For multiple teams, the supervisor should remain in the immediate area to monitor the work of the teams and to provide support as needed.

A standardized survey process is more effective; for example, begin the survey of each block at the northeast corner and move clockwise. From this corner, the inspectors proceed around the block, inspecting each premises in the order established for the survey. The two-member teams may work together on an inspection, or, if both are experienced, they may inspect alternate primeses and be available to assist each other as needed. Placing a chalk mark on the curb

after a primeses has been inspected can be useful if a supervisor needs to locate the team; however, inspectors may use portable phones to maintain contact.

Each premises should be approached from its main entrance area and should not be entered by crossing yards. The inspector should request permission from a responsible adult to conduct an inspection. A brochure that explains the program can supplement the explanation of the program and the purpose of the inspection. Usually, only a few minutes are required to communicate effectively with householders. Occupants of the premises should be encouraged to join in the survey of the premises. This participation allows inspectors an opportunity to praise occupants for the well-maintained aspects of the primeses, such as a clean yard, and to tactfully call attention to active rodent signs or sanitation deficiencies.

Inspectors should wear clear identification that identifies them as a representative of the rodent IPM program. Wearing distinctive official uniforms also can be helpful in establishing identity with the program.

Before proceeding with the exterior inspection of a premises, write the number of dwelling units on the exterior inspection form (Appendix A, Figure 1, column 7. See the Instructions for Completing the Block Record (Exterior Inspection) Form section on pages FILL). The team should then proceed in a clockwise direction around the premises, inspecting the buildings, yard, and passageway(s) or other spaces, and recording all deficiencies on the survey form. The inspection pattern is as follows:

- front (the facade or surface of the building that contains the main entrance and its associated yard or other spaces),
- left side (left wall surface of building and its associated yard or other spaces),
- back or rear (the rear wall surface of the building and its associated yard or other spaces), and
- right side (the right wall surface of the building and its associated yard or other spaces).

Symbols can be used instead of check marks to record information. These symbols can also be used as a reference in the Remarks section or in the premises

Address column of the form; for example, F: front (with main entrance to building), L: left side, B: back or rear, and R: right side.

Rodent signs should be observed at close range to determine infestation. Inspectors should look for active rodent runs or burrows in the yard, entry routes into buildings, burrows under walls or in ditch banks, rodent damage, fresh fecal droppings along foundations, and other evidence of infestation.

Before leaving a premises, inspectors should check the inspection form to make certain that all items have been completed. Having a supervisor or another field inspector recheck the survey findings on a subsequent day to verify results can be helpful (e.g., taking a 10% sample of the surveyed premises to ensure the recorded information is accurate and complete).

In some instances, householders may refuse permission for IPM staff to inspect their premises or dwelling. These refusals should be noted on the report form and referred to the supervisor. In other instances, no responsible adult may be at home to grant permission for inspection. In such cases, the policy of the IPM authority determines whether to conduct the exterior inspection.

## Premises Inspection—Interior

The term "interior inspection" generally applies to the main buildings on a premises and not to sheds or outbuildings (this delineation can be modified to meet the needs of the local IPM authority). Two-person teams are recommended for interior inspections. The work is detail-oriented, tedious, and often difficult to accomplish because of clutter, furniture, and crowded conditions.

Inspectors should check all rooms in the building for rodent signs and sanitation deficiencies. Kitchens, closets, bathrooms, attics, and basements are especially attractive to commensal rodents. All floor levels of the building should be inspected regardless of the suspected species. Norway rats are usually found in basements and on lower floors; upper floors and attic areas are especially attractive to roof rats; and house mice can be found nearly anywhere, including in cabinet drawers and above drop ceilings. Householders often can be helpful in providing specific information on a rodent infestation.

In some communities, the interior rodent population may be more difficult to manage or control than the exterior population. The exterior inspection form (Appendix A, Figure 1) can be modified for interior inspections. When doing so, information such as level/floor, room type, and number of occupants as well as information on active rodent signs (droppings, holes, gnawed materials, and rub marks) should be included on the modified form. Information about rodent bites should also be collected.

Infestation rates (i.e., percent of apartments in a building with active rodent signs) are useful in comparing conditions or measuring IPM progress over time.

Inspection teams should follow standardized procedures for interior inspections. For example, in a multifamily apartment building, start in the basement, then work upward, inspecting apartments in numerical order, then inspect the attic or crawlspace, and finally the roof (if accessible). Enter each apartment through the front (main) door and inspect the wall that contains the main door as well as everything on or touching that wall for signs of rodents and potential rodent entries. Move clockwise to the next wall and continue until all walls are inspected. Next, inspect the floor area, including anything on or touching the floor. Last, inspect the ceiling area, including anything on or touching the ceiling. Each room should be inspected in the same manner. Closets should be inspected in association with particular walls of a room.

This standardized inspection method provides very specific data on rodent locations for intervention purposes. The data also simplify the tracking of specific changes over time and provide information for other inspectors.

# Instructions for Completing the Block Record (Exterior Inspection) Form

The Block Record—Exterior Rodent Inspection and Sanitation Form (Appendix A, Figure 1) is used to record information on rodent infestation and environmental deficiencies for each premises on a block. The form has space for recording information for 10 premises; additional forms can be used as necessary. Enter the page number in the space provided at the top right corner of the form (i.e., "1 of 2," "2 of 2"). If only one form is required for a block, use the

same notation (i.e., "1 of 1") to clarify that only one page is required. In addition, enter the names of the inspectors at the top of the form in the space provided.

Other items at the top of the form should be completed by the supervisor or team leader before the teams enter entering the field. The location of a block should be indicated by writing the names of the streets that form the block in the block diagram space in the upper left portion of the form.

A copy of the assignment chart should be kept in the inspector's or supervisor's office.

Completed inspection forms (Appendix A, Figure 2) should be checked and initialed by the inspectors. All columns of block data should be totaled and recorded on the appropriate line of the summary form (Appendix A, Figure 4 is a completed example). The summary form should be used to prepare progress reports, identify problems, and target resources.

#### **Premises Address**

 As inspectors proceed clockwise around a block, they should write each street address in the left column. If an indoor inspection has been conducted at a particular address, the line number (1 to 10) in the "No." column should be circled.

#### **Premises Type**

A premises must be classified in one of four categories (columns 1–4): residential, commercial and residential, commercial, or vacant lot. Only one of the first four columns should be checked.

#### Column 1: Residential

Put a check in this column if the unit is a home or dwelling (defined as an enclosed space used for living purposes). A dwelling can be a single-family or multifamily unit. Enter the number of dwelling units in column 7 (No. of Dwelling Units).

#### Column 2: Commercial and Residential

Put a check in this column if a premises is used for both commercial (see column 3 description) and residential purposes.

#### Column 3: Commercial

Put a check in this column if the premises is used only for commercial purposes (including parking lots) or for other nonresidential purposes such as offices, churches, clubhouses, or schools. The type of premises (e.g., school) may also be written in the address column. Some IPM programs may decide to use a code for recording public properties, clubs, churches, or other types of nonresidential properties.

#### Column 4: Vacant Lot

Put a check in this column for a lot with no structure on it. Note that a parking lot should be designated as "commercial."

#### **Premises Details**

Use these four columns of the inspection form to record information that may be helpful in estimating population density and in determining resource needs for intervention purposes.

#### Column 5: Food-Commercial

Put a check in this column if a regular, primary function of the premises is to prepare, sell, serve or dispense, or store food materials, including animal foods. Thus, restaurants, delicatessens, soup kitchens, bakeries, grocery stores, nursing homes and hospitals (where daily meals are served), pet stores, and grain warehouses should be included here. Both this column and column 2 or 3 should be checked.

#### Column 6: Vacant

Put a check in this column if the main building on the premises is not in use, whether temporarily vacant, permanently abandoned, or boarded up and scheduled for demolition. Abandoned buildings generally are not considered habitable because of deterioration (e.g., broken windows, missing doors, vandalism, fire damage). If more precise information is desired, three symbols can be used in this column instead of a check mark: V: vacant and habitable, AO: abandoned and open, and AS: abandoned and sealed.

# Column 7: No. of Dwelling Units

Enter the number of dwelling units here. Determining the number of dwelling units on a premises should be based on the following definition: A dwelling unit is a room or group of rooms located within a building or structure that forms a single habitable unit to be used for living, sleeping, cooking, and eating.

Multiple dwelling units (e.g., apartments) can exist on a premises. The number of mailboxes, meters, or doorbells is an indicator of the number of dwelling units on a premises. Only the number of habitable dwelling units on a premises should be marked; non-inhabitable dwelling units should not be marked.

#### Column 8: Sewers on Premises

Put a check in this column to record the presence of a sewer pipes or storm water drains on the premises. Sewers can provide harborage, and rats often travel between a premises sewer and the exterior portions of the premises. Evidence of harborage includes active burrows near manholes, catch basins, or broken sewer pipes, and fresh rub marks on broken downspouts that empty into sewers. If other sewer deficiencies are found, do not check them; use an asterisk and include a footnote under the Remarks section of the form.

#### **Food**

These columns (numbers 9–12) provide information on food sources that must be eliminated.

Proper storage of refuse (also called municipal solid waste or MSW) requires the use of rodent-proof containers of adequate construction, size, and number. Refuse is defined as a mixture of garbage and rubbish. Garbage consists largely of human food waste (organic, putrescible), but it includes offal, carrion, and animal feces (e.g., dog or horse). Rubbish is considered nonfood solid wastes (combustible and noncombustible, nonputrescible) such as metal, glass, furniture, carpeting, paper, and cardboard. Rubbish also includes wood chips and yard wastes.

In conducting rodent surveys, the following criteria for refuse storage are recommended.

# Approved Refuse Storage

Refuse containers should be water tight
with tight fitting lids that may be hinged;
rust resistant; structurally strong; and easily
filled, emptied, and cleaned. Standard refuse

containers are 20–32 gallons (91–150 liters). Hinged containers with wheels can hold up to 95 gallons (430 liters). Bulk containers such as dumpsters have side handles or bail for manual handling or special attachment hooks and devices for automatic or semiautomatic handling.

- Bulk storage containers are generally acceptable and are often used in multihousing buildings, commercial establishments, and construction sites. Such containers often have a drain hole to facilitate cleaning. These drain holes are often 2–3 inches (5–8 centimeters) in diameter and are fitted with a removable hardware cloth screen or screw-on plug to prevent entry by rodents.
- Galvanized metal or heavy, high-grade plastic containers meet the guidelines under a in the Column 10 section.
- Cardboard boxes used for yard trash (essentially nonfood items) are acceptable.
- Plastic or moisture resistant paper bags used for refuse, properly tied and intact, placed at the curb or alley only on collection day and only during daylight hours are acceptable.

## Plastic Bags

Plastic refuse bags are widely used as liners in standard 20–32 gallon (91–150 liters) and larger refuse containers. These bags are required by many building managers for refuse placed in bulk containers and are used by many residents for yard trash.

To judge whether plastic bags are managed properly:

- Know the scheduled refuse collection days in the block being surveyed.
- Observe whether the storage site contains both acceptable bags and refuse containers or whether plastic bags appear to be the sole containers for storing refuse.

Plastic bags are not considered appropriate for overnight storage outdoors because nocturnally active rodents and other animals (e.g., cats, dogs) can easily gain access to their contents. Plastic bags should be considered acceptable only when placed outside during daylight hours for collection the same day.

# Approved Recyclable Storage

- Outdoor containers for recyclable items (paper, cardboard, plastic, glass, or metal cans) should be water-tight, strong enough to support the weight of items contained, and easy for sanitation crews to handle.
- Containers similar to those for refuse storage are generally acceptable for household recyclables, as are large plastic bags properly tied and intact and placed at the curb or alley only during daylight hours on collection day.
- In all cases, items stored should be free of food particles or other food residue.

To judge whether recyclables are managed properly:

- Know the scheduled recyclable collection days for the block being surveyed.
- Observe whether the recyclable items have been cleaned or rinsed or are otherwise free of food residue and that the plastic bags or other containers holding the recyclables are intact.

# Column 9: Unapproved Refuse Storage

Put a check in this column if garbage, rubbish, other refuse, or recyclable items are not stored in approved containers with tight fitting lids (or are not in tightly tied bags—where acceptable—during daytime only). Approved containers should be of the design described in the Approved Refuse Storage section. When properly placed in plastic or paper bags, securely tied, and regularly collected, yard trash and other inedible materials are approved. Yard trash is acceptable when placed in cardboard boxes or paper bags and regularly collected.

Put a check in this column if any of the following conditions are observed:

- Container that is not rodent and fly tight.
- Screw-on plug or rodent-excluding screen of

- an otherwise approved bulk container is not in place or is missing.
- 55 gallon (250-liter) drum. Such containers are often observed without a tight-fitting cover. When filled, they are too heavy and bulky to handle.
- Nonstandard metal or cardboard containers that are not being used for regularly collected yard trash.
- Bin or stationary receptacle for refuse storage.
- Receptacle too small or too few receptacles for the amount of refuse.
- Overflowing receptacle or one with the cover off.
- Container(s) on a platform on the ground or with a shallow space (<18 inches [46 centimeters] high) that offers harborage for rodents and possibly hides scraps of food spilled from the container.
- Burned refuse.
- Scattered refuse (including garbage, rubbish, or recyclables).

More-precise information can be obtained by using symbols instead of check marks to record specific deficiencies.

## Column 10: Exposed Garbage

Put a check in this column if observed refuse storage practices make garbage available to rodents. In many cases, a premises may be noted for Unapproved Refuse Storage, but no garbage available to rodents is observed. Exposed garbage should be noted on the basis of the following:

- a. Garbage container is not rodent tight (the space between the container and lid is greater than ¼ inch [0.64 centimeters], and the container is used for garbage storage).
- b. Garbage in an open container is available to rodents.

c. Garbage is scattered on the ground. Plastic bags containing garbage are ripped, present after dark, not properly tied, or have obviously not been collected for longer than 1 day. Clean beer cans, soft-drink bottles, and old food cans and jars are not considered a rodent food source. Note: Vegetable and fruit plants are recorded under Other Food and Plants, not as Exposed Garbage. Any premises marked for Exposed Garbage should also be marked for Unapproved Refuse Storage.

#### Column 11: Animal Food

Put a check here if uneaten animal food (e.g., food for pets such as dogs or cats, birds, or livestock) is exposed outdoors or if it is exposed in an outbuilding accessible to rodents. Exposed pet food, other than for immediate feeding, should be recorded. In the case of birdfeeders, check only if uneaten birdseed is observed on the ground and is readily available to rodents. However, some commensal rodents are excellent climbers, so caution should be exercised in assessing birdfeeders. Animal food should not be recorded as exposed garbage.

#### Column 12: Other Food and Plants

Put a check in this column if vegetables, fruit and nut trees, or ornamental shrubs and vines with fruits and berries are accessible to rodents. Put a check in this column if exposed food items in the dwelling's interior are observed but are not easily classified in the other four columns. Items for this column include soiled dishes exposed overnight, food waste on the stove or in the oven, and solid or liquid foods on the floor.

#### Water

Although commensal rodent dependency on water varies with diet and species, water sources should be eliminated. High-protein diets increase a rodent's need for water, but house mice are capable of living with little water. All three species (Norway rat, roof rat, and house mouse), however, are attracted to water when it is available. Natural bodies of water, such as streams, lakes, and ponds, are excluded from the survey. The three survey categories in the Water section (columns 13–15) are observable water resources that need to be managed as part of IPM habitat modification interventions. Only one of the three columns should be checked for water available to rodents.

Water and moisture reduction can also enhance IPM practices to control mosquitoes, cockroaches, and mold (especially indoors).

# Column 13: Standing Water

Put a check in this column if water accumulations that are accessible to rodents are found in containers such as buckets, pans, discarded tires, water bowls for pets, window pits of basements, and clogged rain gutters. For indoor inspections, check for water and other consumable liquids that are available overnight in open containers on tables or desks or in sinks, cooking pans, and buckets.

#### Column 14: Condensate

Put a check in this column if condensate is available to rodents in, for example, collection pans under refrigeration or air conditioning units; from dripping or running water from a pipe onto the ground or pavement (or onto a basement floor indoors); or directly from the surface of, or dripping from, cold water pipes indoors.

#### Column 15: Leaks

Put a check in this column if water is regularly leaking from, for example, a roof, pipe, or outdoor faucet onto the ground, pavement, or floor (indoors). For observed leaks, do not check the Standing Water category even if water has accumulated.

#### Harborage

The seven survey items in this section (columns 16–22) pertain to the providing of harborage for rodents. Put a check in any column only if the inspector judges that a significant rodent harborage condition is evident. For some surveys, quantifying the harborage present is helpful (e.g., using figures to indicate the number of abandoned vehicles and appliances or to estimate the number of cubic yards or cubic meters of large piles of rubbish, lumber, or clutter that is on the ground or on the floor indoors. These figures can be useful in estimating the resources needed for cleanup and for measuring progress in reducing the amount of harborage present.

#### Column 16: Abandoned Vehicles

Put a check in this column if abandoned vehicles are in the yard, street, or alley. A vehicle is considered abandoned if the license tag is not current, if major parts are missing, or if high grass and weeds are growing around it. Abandoned vehicles observed in rodent-accessible garages should also be recorded. The summary line at the bottom of the form should note the number of premises with abandoned vehicles. The total number of vehicles may be entered directly below the column total if vehicles are counted for each premises.

# Column 17: Abandoned Appliances

Put a check in this column if appliances (such as refrigerators, stoves, or washing machines) are stored in the yard, in a dilapidated outbuilding, or at the edge of an adjoining street or alley. Put only one check mark regardless of the number of items observed; however, the number of appliances may be entered in the column instead of a check mark. The survey summary line should show the number of premises with abandoned appliances, not the number of appliances. The total number of appliances may be entered directly below the column total if appliances are counted for each premises.

#### Column 18: Lumber or Clutter on the Ground

Put a check in this column if a significant amount (covering at least 1 square yard or 1 square meter) of lumber, firewood, or clutter is on the ground. These materials provide harborage for rodents. Clutter, either outdoors or indoors, is defined as disorganized storage of usable materials (not rubbish) that is not being used and which impedes inspections for active rodent infestation. A few scattered pieces of lumber or other materials should not be recorded, nor should lumber left on the ground as a result of recent building construction or demolition and is subject to early removal. If the amount is to be quantified, estimate the number of cubic yards (or cubic meters) to the nearest whole number. The number recorded in the Total row at the bottom of the column, however, is always the total number of premises with a deficiency. The total number of cubic yards (or cubic meters) of lumber or clutter may be entered directly below the column total for premises.

## Column 19: Other Large Rubbish

In both exterior and interior inspections, put a check in this column if there are discarded items of rubbish that are too large or otherwise not suitable for storage in approved refuse containers. These items include tires, automobile engines, large cans and drums, tree limbs, rubble, doors, mattresses, furniture, and other large items not listed in other columns. If the amount is to be quantified, estimate the number of cubic yards (or cubic meters) to the nearest whole number and enter the number directly below the column total.

## Column 20: Outbuildings or Privies

Put a check in this column only if the buildings on the premises are dilapidated or otherwise provide significant rodent harborage. A tight, well maintained building or an open, clean shed should not be recorded. Appliances, lumber, clutter, or large rubbish in an open shed should be reported in their respective columns if they furnish harborage. Always check this column when privies or outhouses are found.

## Column 21: Board Fences and Walls

Put a check in this column if dilapidated board fences, walls, or concrete slabs (e.g., patio slabs, broken sidewalks) are found because they can provide harborage for rodents.

#### Column 22: Plant-Related

Put a check in this column if weeds or grass are more than 12 inches (0.3 meters) high and are sufficiently thick to hide refuse and provide harborage for rodents. Bushes and overgrown shrubbery that provide rodent harborage are also deficiencies that should be recorded. Note that roof rats are climbers and prefer to nest in trees, bushes, and attics of dwellings and outbuildings. Put a check mark in this column if dense growth such as ivy, honeysuckle, pyracantha, ground cover, dense shrubbery or vines, or palm trees provide harborage for rodents. Large planters indoors or outdoors may provide harborage for rodents, either in the soil or among dense vegetation. If more precise information is desired, symbols identifying types of dense growth may be used to record such deficiencies.

## **Entry and Access**

The two columns in this section (columns 23–24) are for recording the need for rodent-stoppage work to prevent rodents from entering structures.

A Norway rat can gain access to a structure through a hole the diameter of a U.S. quarter (0.96 inches or 24.3 millimeters in diameter) and a mouse can gain access through a hole the diameter of a U.S. dime (0.71 inches or 17.9 millimeters in diameter). Structural openings should be less than ¾-inch (<19 millimeters) in diameter to exclude adult Norway rats, less than ½-inch (<13 millimeters) in diameter to exclude adult mice. If openings are sealed (totally closed), cockroaches and other insects will also be excluded.

From a running start, a house mouse can jump up to 2 feet (0.6 meters) high, a Norway rat up to 3 feet (0.9 meters) high, and a roof rat up to 4 feet (1.2 meters) high. Therefore, openings up to 5 feet (1.5 meters) from the ground must be sealed or covered with mesh.

# Column 23: Structural Deficiencies

Put a check in this column if an actual or potential rodent entry to a building because of deterioration or structural defects is observed. Common defects include holes in crumbling masonry foundations, deteriorated fascia boards at the edge of roofs, and poorly fitted doors with gaps of sufficient size to permit rodent entry.

# Column 24: Pipe and Wiring Gaps

Check this column to indicate that a gap or hole associated with a wire, pipe, or other conduit penetrates the building exterior (including basement floor or roof) and is sufficiently large to permit rodent entry. For indoor inspections, check this column if openings in interior walls, floors, or ceilings are found.

#### **Active Signs**

Put a check in column 25 if active or fresh rodent signs are observed during exterior or interior inspections. A premises is considered infested with rodents only if active signs are found (e.g., sightings, droppings, runways, rub marks, burrows or openings, gnaw marks,

tracks). The infestation rate is calculated on the basis of the number of premises on a block with active rodent signs divided by the total number of premises on a block times 100.

If additional details are desired, symbols could be placed in or next to the column to distinguish signs attributable to Norway rats, roof rats, or house mice. Active rodent signs usually will be one or more of the signs listed below. More precise information can be recorded by using the following symbols instead of check marks:

- **B.** Burrows: active burrow entrances do not have cobwebs or other blockages.
- **D.** Fecal droppings or urine: fresh feces are dark and soft; old feces are hard or gray and brittle; urine may be wet, glossy, or sticky or may be a dried stain. A black light can help show rodent urine stains.
- **H.** Gnawed holes, gnaw marks, or tooth marks: a freshly gnawed surface is usually light in color.
- **M.** Rub marks: if fresh, they are black, soft, and greasy.
- **R.** Runs: well traveled paths (Note: runs usually lead to food sources, water, and harborage).
- T. Tracks: fresh foot tracks or tail-drag marks.
- **Z.** Rodent hairs: often found on rub marks or at entry holes to buildings.

#### Remarks

This section at the bottom of the form is for additional information.

# Interior Inspection Using a Modified Block Record (Exterior Inspection) Form

Much of the methodology for completing an interior inspection is the same or similar to that for an exterior inspection. A modified interior inspection form focuses exclusively on deficiencies found indoors. An interior form should include space for the premises address and the number of dwelling units at that address. The form's design should depend on the needs of the local

IPM program, but suggested categories are listed in this section. Many of these categories are explained in the Instructions for Completing the Block Record (Exterior Inspection) Form; categories not explained in that section are explained below.

# **Premises Type**

- residential,
- commercial and residential, and
- · commercial.

#### **Premises Details**

- level or floor (where unit is located),
- room type (e.g., bedroom, bathroom, hallway, kitchen),
- · number of occupants in unit, and
- sewer pipes or storm water drains on premises.

#### **Food**

- unapproved refuse storage,
- · exposed garbage,
- animal food,
- unapproved food storage (food material stored in open or unprotected boxes, bags, bins, or other containers or stored under storage conditions that are not rodent proof [e.g., cereal cartons]), and
- other food and plants.

#### Water

- standing water,
- condensate, and
- plumbing leaks.

# Harborage

• clutter or storage on the floor,

- other large rubbish,
- plant-related, and
- other harborage (small accumulations of material that may be viewed as providing harborage [e.g., piles of clothes on the floor]).

## **Entry and Access**

- structural deficiencies and
- pipe and wiring gaps

## **Active Signs**

- fecal droppings, urine;
- holes, gnawings, burrows;
- tracks, runs, rub marks; and
- rodent bites reported (This item is to capture information on whether the occupant has reported being bitten by a rodent within the 6-month period before the inspection. Information should be collected about the demographics of the victim, the biting incident, and the action taken by the health authority. Information about the rodent infestation, bites, circumstances, unsanitary conditions, food and water access, and harborage will be valuable in the effort to eliminate the infestation.

Note: Having the inspection team carry a small portable HEPA-filtering vacuum cleaner to remove rodent signs (e.g., droppings and nesting material) may be beneficial. The vacuum cleaner can also be used to remove potentially allergenic material from the dwelling.

#### Remarks

The modified interior inspection form should also include a Remarks section to record additional information (e.g., heavy rat infestation in an apartment with very young children) that requires immediate attention or referral to another department.

# **GIS** and Mapping

GIS is a highly valued tool, as are maps of the target area or community. Maps help define the infestation problem and its causes as well as measure progress toward eliminating the problem. Maps of the target area are often used by programs to make block inspection assignments, show changing patterns in infestations and their causative conditions, and measure progress in addressing the rodent problem. Table 2 shows examples of the types of major deficiencies and associated map colors on a GIS map.

Maps may be prepared for other causative conditions, including water sources and entry and access routes. These maps can be used as a tool to determine priorities for corrective actions.

The goal of an IPM program should be to reduce rodent populations and their causative conditions to a level that they no longer have an adverse effect on the community. The following set of criteria should be achieved for a block or for the defined target area: 2% or less of the premises
with active exterior rodent signs and either
15% or less of the premises
with exposed garbage,
or
30% or less of the premises with
unapproved refuse storage.

These criteria are based on those used by the federal urban rat control program directed by CDC from 1972 to 1981 throughout the United States. About 80,000 blocks in 65 communities heavily infested with rats applied these criteria in their IPM efforts and attained an essentially rat-free and environmentally improved status. Hence, this set of criteria became widely accepted as the tolerance limit for a block, target area, or community. Local rodent IPM authorities may establish tolerance limits for other deficiency categories as needed. Tolerance limits will provide evaluative feedback to determine the direction to be taken by a rodent IPM program.

Table 2. Types of Major Exte	rior Deficiencies and Associated Colo	rs on a GIS Map
Categories	Premises Deficient (%)*	Color on Map
Rodent Infestation		
Active Rodent Signs	None in block	Blue
	2% or less	Green
	2%-25%	Yellow
	26%–100%	Red
Rodent Food		
Unapproved Refuse Storage	None in block	Blue
	30% or less	Green
	30%–60%	Yellow
	61%–100%	Red
Exposed Garbage	None in block	Blue
	15% or less	Green
	15%-30%	Yellow
	31%-100%	Red

<sup>\*</sup>Percentages have been rounded to the nearest whole number.

Infestation is calculated as the number of premises with active rodent signs divided by the total number of premises on a block times 100.

Comprehensive surveys (i.e., premises-by-premises) to identify active rodent signs and their causative conditions should be conducted, at a minimum, twice yearly for all blocks that have not reached the tolerance limits for active rodent signs, exposed garbage, or unapproved refuse storage. Comprehensive inspections should continue until 80% or more of the blocks in a target area have achieved the established tolerance limit and have maintained that status for at least 1 year. Thereafter, a sample survey procedure may be used two or more times a year to verify the status of the target area blocks that have achieved the tolerance limit; for the other blocks, comprehensive inspections should be conducted at least twice yearly.

If the survey data indicate that conditions have deteriorated and that rates of active rodent signs, exposed garbage, and unapproved refuse storage have risen above the tolerance limit, appropriate IPM interventions will be required based on the analysis of the data.

## **Interior Tolerance Limits**

Interior inspections require visiting every room of every unit or every location of a structure on a premises. These visits provide inspectors with a detailed profile of the infestation and its causative conditions. One difficulty in this aspect of an urban IPM program is that inspectors are not likely to gain entry to all premises, units, or locations.

From the standpoint of good public health practice, the tolerance limit for rats or mice in human living quarters should be zero; that is, rodents should not live with people. To achieve and sustain a zero-tolerance limit for rodent infestation for one or more dwelling units, the same criteria should apply as that for exterior exposed garbage and unapproved refuse storage.

For interior surveys, the following additional broadscale tolerance limit should be established:

15% or less of the premises with rodent entry and access routes within 5 feet (1.5 meters) of grade or other low horizontal surfaces.

This tolerance limit for entry and access routes may not fully address the problem of rodent access to exterior premises, but it greatly increases the likelihood of achieving the zero tolerance limit for rodents in dwelling units, a key quality-of-life issue. This limit also promotes the application of rodent-stoppage interventions that are essential to reducing interior infestation.

••••••

The urban rodent survey is an essential tool in the IPM effort to manage rodent problems. The survey provides precise information about infestations and their causative conditions, and it measures progress toward their elimination.

This manual should serve as a basis for designing and conducting valid surveys to determine the magnitude of infestation problems and their causes, for implementing interventions, and for measuring progress. The survey, however, is only a framework for the many activities of a rodent IPM program. An IPM program cannot succeed without the commitment of the local health authority, other professionals, and the public.

••••••

# **Selected References**

Center for Disease Control. National urban rat control project directors meeting; 1974 Apr 30–May 2; Atlanta, Georgia. Atlanta: US Department of Health, Education, and Welfare; 1974.

Center for Disease Control. Urban rat surveys. Atlanta: US Department of Health, Education, and Welfare; 1974.

Center for Disease Control. Urban rat control program survey methodology. Atlanta: US Department of Health, Education, and Welfare; 1975.

Center for Disease Control. Urban rat control program: interior rat control: definitions and criteria. Atlanta: US Department of Health, Education, and Welfare; 1977.

Center for Disease Control. Urban rat control program: roof rat control: definitions and criteria. Atlanta: US Department of Health, Education, and Welfare; 1977.

Centers for Disease Control. Urban rat surveys. Atlanta: US Department of Health and Human Services; 1980. HHS publication number CDC 80-8344.

Davis DE. In: Houk VN, editor. Focus: urban rat control/environmental health abstracts. Atlanta: US Department of Health, Education, and Welfare; 1976.

Frantz SC. Evaluation of rodent infestations in Nepal: a preliminary report. J Nepal Med Assoc. 1974:12(3–4):17–32.

Frantz SC. The behavioral/ecological milieu of godown bandicoot rats—implications for environmental manipulation. In: Proceedings of the All India Rodent Seminar, Ahmedabad, Rodent Control Project; 1975 Sep 23–26, Sidhpur, Gujarat, India. Sidhpur, Gujarat, India: Rodent Control Project; 1977. p. 95–101.

Frantz SC. Rodent control: a case for integrated pest management program (IPM). In: Preventive Health Services Conference; 1979 May 7–11; Ellenville, New York. Atlanta: US Department of Health, Education, and Welfare; 1979.

Frantz SC. Architecture and commensal vertebrate pest management. In: Kundsin RB, editor. Architectural design and indoor microbial pollution. New York: Oxford University Press; 1988. p. 228–95.

Frantz SC. Integrated pest management in New York State. IPM Practitioner. 1996;18(2):8–10.

Frantz SC, Comings JP. 1976. Evaluation of urban rodent infestations—An approach in Nepal. In: Siebe CC, editor. Proceedings of the Seventh Vertebrate Pest Conference; 1976 Mar 9–11; Monterey, California. Davis, CA: University of California at Davis. p. 279–90.

Frantz SC, Davis DE. Bionomics and integrated pest management of commensal rodents. In: Gorham JR, editor. Ecology and management of food-industry pests. FDA Technical Bulletin 4. Arlington, VA: Association of Official Analytical Chemists. 1991. p. 243–313.

Frantz SC, Gallagher D. IPM implementation in New York State government facilities. In: Seventeenth Vertebrate Pest Conference; 1996 Mar 4–7.Rohnert Park, CA. Davis, CA: University of California at Davis. 1996.

Littig KS, Bjornson BF, Pratt HD, Fehn CF. Urban rat surveys. Washington, DC: US Department of Health, Education, and Welfare; no date. Available at URL: <a href="http://courses.washington.edu/envh442/Readings/Reading03.pdf">http://courses.washington.edu/envh442/Readings/Reading03.pdf</a>.

Centers for Disease Control and Prevention, National Center for Environmental Health. Managing rodents and mosquitoes through integrated pest management [video]. A Public Health Training Network Satellite Broadcast, 2003 Sep 18. Atlanta: US Department of Health and Human Services; 2003.

# Appendix A—Survey Forms

# Figure 1. Block Record—Exterior Rodent Inspection and Sanitation Form (blank) BLOCK RECORD—EXTERIOR RODENT INSPECTION AND SANITATION FORM

City:	Census Tra						Inspe	ctor(s) s:		Additi	onal B	ock Inf	ormatio	on:			Date		m	nm		dd		у	у
County:	Block	Numb	er:														Page		O <sup>1</sup>	f		Pages			
		Premis	es Type	е	Р	remise	s Detai	ls		Fo	od		,	Water				На	rborag	ge			Ent Acc		
No. Premises Address	1. Residential	Residential     Commercial & Residential     Commercial		4. Vacant Lot	5. Food-Commercial	6. Vacant	7. No. of Dwelling Units	8. Sewers on Premises	9. Unapproved Refuse Storage	10. Exposed Garbage	11. Animal Food	12. Other Food & Plants	13. Standing Water	14. Condensate	15. Leaks	16. Abandoned Vehicles	17. Abandoned Appliances	18. Lumber/Clutter on Ground	19. Other Large Rubbish	20. Outbuildings/Privies	21. Board Fences & Walls	22. Plant-Related	23. Structural Deficiencies	24. Pipe/Wiring Gaps	25. Active Signs
							-																		
TOTAL  Remarks (continue on back of form as		2005/																							

Figure 2. Block Record—Exterior Rodent Inspection and Sanitation Form (completed example) BLOCK RECORD—EXTERIOR RODENT INSPECTION AND SANITATION FORM

City:	Metropolis	Cens 54-A	sus Tra	ict:	H. Sn		):		e <b>ctor(s</b> s: HS, <i>i</i>			ional l		nforma	ation:	15 prei	mises	Date	07	7 n	nm	26	dd	C	)5	уу
Coun	ty: Chandler	Bloc 27	k Num	ber:	A. Joi	nes												Page	1		of	2	Page	s		
	King Ave R		Premis	es Typ	е	Р	remise	s Detai	ls		Fo	od			Water				На	rborag	е				try/ cess	
No.	B u s k o N i n S T Chavez Ave	1. Residential     2. Commercial & Residential     3. Commercial			4. Vacant Lot	5. Food-Commercial	6. Vacant	7. No. of Dwelling Units	8. Sewers on Premises	9. Unapproved Refuse Storage	10. Exposed Garbage	11. Animal Food	12. Other Food & Plants	13. Standing Water	14. Condensate	15. Leaks	16. Abandoned Vehicles	17. Abandoned Appliances	18. Lumber/Clutter on Ground	19. Other Large Rubbish	20. Outbuildings/Privies	21. Board Fences & Walls	22. Plant-Related	23. Structural Deficiencies	24. Pipe/Wiring Gaps	25. Active Signs
1	646 Ruskin St.	<b>✓</b>						6	✓	✓	✓					✓					<b>√</b>		✓	✓		✓
2	648 Ruskin St.	<b>✓</b>						4		✓	✓	✓	✓									<b>✓</b>		<b>√</b>		
3	650 Ruskin St.				✓			0										<b>√</b>	<b>✓</b>	<b>√</b>					<b>✓</b>	✓
4	652 Ruskin St.	<b>√</b>						8		<b>√</b>	<b>✓</b>												<b>✓</b>			<b>✓</b>
5	654 Ruskin St.	<b>√</b>						6		✓		✓										<b>✓</b>		<b>√</b>		
6	[Chavez Ave.; data not shown]	-	_	-		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_
7	661 Biko St.	<b>✓</b>						4		<b>√</b>	<b>✓</b>			<b>√</b>		<b>✓</b>					<b>✓</b>					✓
8	663 Biko St.	<b>✓</b>						3		✓	<b>✓</b>		✓	<b>✓</b>										<b>√</b>		
9	[King St.; data not shown]	1-	_	-		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_
10	1243 King St.	<b>√</b>						2		<b>√</b>	<b>✓</b>											<b>✓</b>				<b>✓</b>
	TOTAL	7	0	0	1	0	0	33	1	7	6	2	2	2	0	2	0	1	1	1	2	3	2	4	1	5

**Remarks** (continue on back of form as necessary):

# Figure 3. Summary—Exterior Rodent Inspection and Sanitation Form (blank) SUMMARY—EXTERIOR RODENT INSPECTION AND SANITATION FORM

Number of Premises With Deficiencies

City:		Cens	us Trac	et:	Inspe	ctor(s):		Inspe Initials	ctor(s) s:		Additi	onal In	formati	on:				Date		mı	m		dd		у	у
County:		Block	Numb	er:														Page		of			Pages			
		F	Premise	es Type	Э	Pi	remise	s Detai	ls		Fo	od		,	Water				Har	borag	е			Ent Acc		
Block Number	Number of Premises	1. Residential	2. Commercial & Residential	3. Commercial	4. Vacant Lot	5. Food-Commercial	6. Vacant	7. No of Dwelling Units	8. Sewers on Premises	9. Unapproved Refuse Storage	10. Exposed Garbage	11. Animal Food	12. Other Food & Plants	13. Standing Water	14. Condensate	15. Leaks	16. Abandoned Vehicles	17. Abandoned Appliances	18. Lumber/Clutter on Ground	19. Other Large Rubbish	20. Outbuildings/Privies	21. Board Fences & Walls	22. Plant-Related	23. Structural Deficiencies	24. Pipe/Wiring Gaps	25. Active Signs
																							_			
																									·	
Total																										
Pero																										

**Remarks** (continue on back of form as necessary):

# Figure 4. Summary—Exterior Rodent Inspection and Sanitation Form (completed example) SUMMARY—EXTERIOR RODENT INSPECTION AND SANITATION FORM

#### Number of Premises With Deficiencies

City: Metropolis		Cens 54-A	us Trad	ct:	H. Sn			Initial			Addit	onal In	format	ion:				Date	07	' mn	1	26	dd	0	5 y	уу
County: Chandler		Block 27	Numb	er:	A. Jo	nes		HS, A	.J									Page	1	of		1	Pages			
		F	Premis	es Typ	е	Р	remise	s Deta	ls		Fo	od		,	Water				Ha	rborage				En: Acc	try/ ess	
Block Number	Number of Premises	1. Residential	2. Commercial & Residential	3. Commercial	4. Vacant Lot	5. Food-Commercial	6. Vacant	7. No of Dwelling Units	8. Sewers on Premises	9. Unapproved Refuse Storage	10. Exposed Garbage	11. Animal Food	12. Other Food & Plants	13. Standing Water	14. Condensate	15. Leaks	16. Abandoned Vehicles	17. Abandoned Appliances	18. Lumber/Clutter on Ground	19. Other Large Rubbish	20. Outbuildings/Privies	21. Board Fences & Walls	22. Plant-Related	23. Structural Deficiencies	24. Pipe/Wiring Gaps	25. Active Sions
27	15	10	2	2	1	2	2	38	2	11	8	5	2	3	1	1	2	1	1	4	0	5	5	8	3	6
28	15	6	3	6	0	2	0	20	0	9	7	2	3	3	0	0	1	1	0	4	0	2	4	9	5	4
29	9	9	0	0	0	0	0	36	2	6	6	0	0	0	0	0	2	1	0	3	0	2	2	4	2	3
30	22	22	0	0	2	0	4	30	2	12	8	3	2	4	2	0	1	1	3	6	0	0	6	5	6	7
NOTE: Table o	loes not show	all da	ita																							
																										L
Total	220	195	4	7	14	4	22	264	18	115	85	12	12	21	6	9	8	12	10	38	4	18	30	70	14	Ę
Perc	cent	89	2	3	6	2	10	NA	8	52	39	6	6	10	3	4	4	6	5	17	2	8	14	32	6	2

# Appendix B—Selecting a Random Sample

Suppose there is a finite population from which we wish to draw random sample of N elements. One method of creating a random sample would be to assign a number to each number of the population (e.g., block), put a set of numbered tags corresponding to the elements into a box, shake the box, and draw N tags from it. The numbers on these N tags would correspond to the elements to be selected. This method could be satisfactory, but it would require considerable labor to prepare the tags.

Instead of preparing numbered tags, we can use a table of random numbers. Such a table consists of numbers chosen in a fashion similar to drawing numbered tags out of a box. The table is so created that all numbers 0, 1... 9 appear with approxi¬mately the same frequency. By combining numbers in pairs, we have numbers from 00 to 99; by combining the numbers three at a time we have numbers from 000 to 999. The numbers can be combined as much as necessary.

Table B-1 is a table of random numbers that can be used to select a random sample. The starting point in the table should be selected randomly; one method is to close your eyes and place your finger on a page of the table.

## Example

To select at random 20 blocks from a total population of 427 blocks in the area to be surveyed, assign the numbers 1 through 427 to the 427 blocks. To assign these numbers, use a map of the area so that each block is clearly defined.

Because 427 is a three digit number, combine three columns in the table and read them together. (For a two-digit number, combine and read two columns; for a four-digit number, combine and read four columns.) A column is a single-digit list of vertical numbers. In this table, columns are grouped in pairs.

- Select a starting point on the table randomly.
- If the number at the starting point is 427 or less, select the block having that number.
- If the number of the starting point is greater, continue down the horizontal rows until the number 427 or less is reached, and select that number.

- In either case, continue down the rows and, if necessary, down the columns beginning at the top of the page until 20 numbers of 427 or less have been located.
- This list will be the 20 blocks surveyed.

**NOTES:** Ignore any number over 427 because only 427 blocks exist in the total population to be surveyed. Having the same number 427 or less more than once does not matter. Continue until 20 numbers are selected.

Assuming 20 blocks will be chosen from a total population of 427 blocks, the selection process can be illustrated as follows:

- Suppose the randomly chosen starting point is the number formed by vertical columns 25–27 (remember that each digit is a column) in the 28th horizontal row of the third page of random numbers (page B-4).
- This number is 724, which is more than 427, so continue down the same columns by horizontal row until the number 081 is reached. Block 81 would be the first block chosen.

The other 19 blocks chosen would be **361**, **373**, **61** (ignore 533 because it is over 427), **164**, **224**, **118** (ignore 876 and 948), **300**, **9** (ignore 565 and 613), **140** (ignore 724, 453, and 717), **38** (move to the top of the page, vertical columns 28–30 for the remaining numbers) **401**, **225**, **233**, **328**, **5**, **184**, **117**, **376**, and **114**.

 The last nine blocks chosen (beginning with 401) are found in the numbers formed by combining columns 28–30 in row 1 on the same page.

Tabl	e B-1	1. Rand	om N	lumb	ers Tab	le														
60	06	47	98	21	58	56	49	01	56	73	29	70	96	79	51	75	51	54	10	04
51	81	17	58	66	30	25	87	71	58	60	02	14	93	62	47	90	05	72	42	66
11	18	29	73	19	41	31	89	19	46	89	30	16	01	67	24	05	63	84	66	08
58	88	55	05	34	64	70	94	96	64	64	82	20	70	86	81	05	47	94	85	92
39	67	26	49	19	64	88	49	12	25	36	06	64	90	10	52	82	07	81	00	44
32	28	93	65	47	82	15	40	03	55	25	77	89	24	12	80	25	89	26	72	34
73	07	31	96	78	95	93	63	77	81	19	84	56	57	98	26	49	00	91	25	97
55	38	86	81	02	24	41	55	37	14	04	63	99	10	03	94	94	77	94	91	30
42	93	75	26	51	78	95	91	26	47	84	53	38	77	77	90	05	46	79	57	93
60	01	06	66	01	73	18	11	12	99	17	36	06	48	49	07	62	67	25	36	21
94	86	84	71	72	48	27	15	89	10	58	67	24	18	19	51	67	18	26	94	77
77	89	23	86	79	60	02	64	79	64	81	16	15	88	44	37	50	48	56	48	67
17	85	77	85	82	16	15	19	22	24	25	70	99	19	89	19	93	64	91	12	11
08	40	03	74	16	36	34	81	09	18	69	85	82	20	02	96	71	75	38	76	52
95	92	43	47	99	06	63	94	82	03	94	90	05	84	61	37	18	09	74	10	91
23	56	49	22	28	86	84	56	54	14	78	88	52	74	08	57	96	64	79	61	29
66	26	77	78	85	79	54	10	73	26	40	16	27	20	30	30	00	46	74	13	24
00	04	60	06	59	42	96	77	99	02	90	05	25	69	65	44	31	71	67	06	12
53	35	83	32	40	10	54	24	30	00	52	93	63	99	07	20	12	71	59	36	21
71	61	23	67	26	84	71	58	58	82	25	56	46	77	80	22	34	96	73	29	70
91	24	03	42	79	56	72	35	49	12	89	14	81	04	42	73	07	39	35	77	96
61	19	94	86	88	42	89	17	42	67	20	27	19	75	26	24	31	97	56	43	69
75	44	15	80	32	39	40	10	06	45	19	29	68	34	89	32	21	88	34	45	05
94	92	41	30	09	66	30	13	17	77	81	01	66	19	35	75	48	38	72	45	41
45	36	02	28	97	60	03	86	99	12	13	10	66	24	37	48	39	67	03	95	97
43	77	91	25	85	85	78	87	58	59	21	29	73	19	76	72	50	21	37	53	34
62	75	41	61	15	20	18	15	31	90	01	57	96	75	47	82	16	36	17	62	53
38	93	56	59	49	04	14	41	26	92	37	58	81	12	30	33	30	19	72	42	98
28	78	75	38	75	49	21	88	45	23	62	51	86	87	69	78	87	56	47	73	17
91	19	57	82	14	78	83	27	23	98	22	26	80	36	00	86	81	00	49	01	91
29	59	37	43	62	63	88	38	97	42	90	04	98	38	82	21	85	82	19	89	22
44	30	03	09	34	80	38	95	82	07	45	44	13	61	23	99	06	78	78	90	11
51	82	12	35	93	62	68	40	20	73	04	19	82	14	70	91	25	48	61	33	18
28	91	22	07	75	46	52	87	71	81	09	46	55	17	35	70	88	49	11	63	97
48	37	22	23	69	64	76	70	92	51	55	35	98	25	53	47	78	83	41	42	90
03	62	73	15	92	37	29	74	20	14	17	97	45	25	64	88	50	16	20	78	86
99	11	15	24	38	80	29	50	14	70	96	76	61	26	73	22	17	57	86	78	80
44	13	41	42	91	25	42	79	65	53	36	21	66	22	34	64	72	55	04	00	70
88	36	14	85	76	72	42	80	40	07	49	16	28	81	18	12	24	04	69	65	31
60	15	83	45	32	39	76	76	74	15	63	87	56	57	99	04	68	43	71	78	72
32	61	39	79	57	89	14	70	98	29	20	07	67	03	95	93	72	44	19	79	53
53	66	02	46	62	54	23	81	02	56	74	04	74	23	74	19	83	36	28	85	86
88	47	96	81	16	48	43	81	09	11	67	00	82	20	77	95	99	13	62	45	20
26	83	44	25	39	53	68	35	76	62	58	64	87	65	37	31	87	59	32	40	08
88	41	53	33	08	98	29	19	72	35	86	86	98	23	99	16	47	90	05	64	79
59	23	68	53	43	52	98	34	46	57	93	62	64	74	03	82	12	43	76	68	42
89	17	72	35	47	75	49	09	16	53	64	85	96	68	34	75	43	79	60	04	29
35	82	07	56	68	48	35	68	31	97	58	75	29	34	94	91	24	08	82	12	93

	_			_	
ahle l	R-1	Random	Numb	herc i	Tahle

Idbl	е Б-	ı. Kai	iuoiii r	vuiiib	eis i	able																
87	69	76	54	25	83	30	47	87	6	8	31	63	95	85	81	C	9	02	52	99	18	14
85	86	90	10	02	23	92	43	61	3	3	04	35	58	58	80	2	25	73	16	13	42	99
17	81	10	27	04	24	25	89	23	8	8	49	08	82	10	95	C	9	13	66	21	74	05
			61	28	81	07	46	75	4		32	78	96	74	00		23	84	62	73	19	96
90	05	48																				
76	53	45	31	94	96	69	74	02	4		32	34	63	80	30		22	22	43	58	67	13
09	12	33	32	61	25	93	71	71	7	0	94	81	00	74	24	2	24	15	78	71	58	56
60	~ 1	60	71	71	72	00	05	00	1	7	0.0	52	47	70	70	5	2	57	00	07	60	6.1
68	51	69	71 40	71 02	73 37	09 38	95 84	99 68	1 5		88 33	53 10	47 75	78 40	79 01		i3 i8	57 94	99 85	07 75	62 40	64 16
87	69	61																				
17	54	28	83	50	48	62	68	54	0		40	14	35	53	36		3	10	90	09	33	19
61	12	25	56	64	90	10	55	08	2	0	19	67	04	05	73	C	)5	85	90	02	94	94
91	27	01	70	90	10	07	29	29	6	8	34	77	78	81	18	C	1	52	88	39	55	20
08	68	36	23	79	50	17	49	01	8	5	91	17	86	96	78	9	1	28	75	35	79	49
			2.4	0.1	0.6	2.5		10		4	<i>(</i> 2	0.0	22	0.4	60	0		1.0	2.5	<b>5</b> 0	~ .	2.5
11	01	37	34	81	06	35	55	18	4		63	98	23	84	60		)2	10	25	59	54	25
62	45	43	61	15	58	76	60	07	4		11	73	06	59	48		3	68	42	81	21	99
07	72	52	90	07	74	11	85	83	4	5	18	23	95	85	79	6	8	40	15	49	04	67
09	81	06	78	94	90	08	90	02	5	2	85	84	68	57	96	6	4	64	89	26	57	90
05	28	71	66	12	10	70	93	69	6	5	48	54	09	52	78	9	2	37	63	83	48	58
58	76	74	06	32	38	95	86	92	3		65	45	03	88	34		5	15	48	35	84	65
51	68	40	03	11	63	99	14	87	5	7	98	25	52	74	23	9	7	53	41	28	96	76
70	87	69	76	53	44	03	25	93	6	0	18	16	11	98	25	7	1	63	93	56	42	96
79	51	61	13	09	47	94	78	73	1	0	33	01	49	00	00	8	88	46	50	29	35	78
84	65	49	12	96	64	78	75	40	2		06	88	54	17	87		9	53	36	09	10	36
			17	87	78	88	55	25	8		96	67	21	79	47		8	32	44	15	11	90
29	69	73 <b>7</b> 3																				
00	14	78	76	73	03	48	55	34	9	O	65	40	18	07	37	C	1	23	87	58	70	93
64	80	31	80	40	28	83	47	97	5	7	96	74	06	39	68	3	9	82	27	17	77	80
35	68	50	37	14	65	35	74	20	4		31	94	80	32	32		4	37	55	15	43	78
			41	61	40	25	32	71	6		87	65	36	14	96		13	10	88	50	17	76
87	71	68																				
51	73	16	52	80	29	30	10	72	5		82	20	69	65	33		6	36	01	18	59	24
25	70	88	35	50	19	20	04	60	1	9	51	67	24	25	63	9	1	20	49	11	95	85
90	10	17	84	62	59	54	10	18	1	3	14	90	10	57	91	1	7	47	89	12	92	42
0.2	1.4	<b>7</b> 0	60	47	02	67	27	20	5	6	15	1.4	06	70	92	2	7	16	78	75	35	40
82	14	58	68	47	93	67		39	5		45	14	96				37	46		75 72		49
09	41	40	05	33	19	74	20	09	3		73	09	86	86	88		3	65	47	72	38	96
66	14	86	97	58	78	85	85	98	3	6	31	98	28	83	44	4	-1	61	28	93	58	75
39	36	34	64	87	58	67	12	02	0	1	95	96	77	85	89	2	22	51	75	30	08	87
77	87	75	26	53	59	37	15	99	0	2	81	10	54	16	37	4	-1	27	48	42	90	10
64	92	33	27	40	00	33	12	52	9		93	59	44	41	46		52	60	04	26	33	18
69	79	53	44	24	06	94	83	30	4		87	65	42	80	30		)4	03	52	98	26	59
24	03	07	16	12	85	96	80	27	5	2	97	45	15	73	24	1	4	93	70	89	22	45
38	84	62	59	38	70	90	01	62	6	9	80	30	21	54	28	8	34	61	38	90	10	67
16	14	60	06	47	80	25	68	53	3	5	97	51	62	47	98	3	9	37	34	80	22	07
	53	37	15	16	23	73	14	84	5		26	78	90	01	36		)1	69	84	60	17	32
88											55											
43	42	92	46	63	92	38	89	25	8	/	33	32	19	37	44	C	00	75	26	22	16	29
39	65	54	12	90	01	86	82	07	0	1	92	45	19	74	20	6	0	17	29	24	11	74
22	10	52	93	59	48	33	22	06	9		97	59	40	06	92		1	36	38	85	78	84
			91	16	62	73	19	92	3		23	63	86	97	56		4	00	88	33	01	82
55	08	09																				
08	32	37	57	97	58	73	26	89	1		29	13	24	41	60		0.0	56	58	88	41	56
69	73	13	05	16	08	89	13	00	3		19	54	03	34	96		9	65	56	57	97	48
32	73	13	20	17	94	89	31	90	0	1	84	53	46	88	53	4	6	57	98	23	77	97

Table B-1.	Random	Numbers	Table

Table D	1. Italiu	IOIII IV	uiiib	C13 16	ible															
84 55 27 17 30 53 12 21 96 73 76 66	38 56 36 90 07 10	87 60 31 07 90 40	70 16 81 82 10 07	94 17 08 03 87 95	82 73 81 16 71 89	10 07 06 28 82 18	44 33 76 76 17 16	19 37 53 73 56 23	35 57 66 07 69 77	45 91 07 62 81 87	1 1 1 4 2 5	1 1 4 1 4 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	14 82 68 35 72 48	01 25 41 69 33 42	05 72 56 77 36 97	90 38 59 97 15 56	06 95 49 47 56 48	17 88 07 93 70 29	39 38 25 57 98 16	80 91 44 77 28 55
05 16 30 36 27 05 05 14 25 62 19 60	12 12 29 71 57 10	73 40 12 77 97 44	25 17 27 91 56 34	48 56 32 27 60 65	27 54 50 01 12 47	19 29 28 73 95 68	49 15 99 12 94 44	09 70 05 24 90 20	11 89 88 08 05 70	91 15 42 80 28 88	1 6 9 3 9 4	8 : 5 : 7 : 3 :	83 36 90 28 67 55	28 31 05 90 01 35	58 84 35 08 88 45	65 62 82 54 39 06	33 56 12 12 75 44	08 49 32 17 35 26	58 08 39 55 76 19	59 24 49 36 60 75
33 12 71 62 63 84 21 74 88 35 58 62	13 70 61 01 82 44	69 87 35 30 23 36	65 66 49 44 87 09	32 21 04 28 65 68	41 83 59 90 35 34	23 41 39 05 81 91	86 47 38 92 13 27	95 84 97 54 28 42	89 67 50 25 75 91	15 10 22 50 35 29	8 6 5 5 5 6	5 : 0 : 2 : 0 :	21 36 39 99 37 07	84 30 45 01 57 69	62 07 14 73 98 83	61 68 06 17 26 42	15 37 26 87 51 98	99 54 50 59 67 38	09 04 27 46 24 99	51 07 18 86 18 15
76 69 79 61 06 92 86 96 78 72 10 90	68 39 53 68 45 06	41 79 46 41 15 81	18 51 77 19 68 04	27 70 93 69 52 68	38 93 67 72 94 40	80 66 13 45 96 17	41 08 24 06 73 99	23 44 25 08 09 06	97 02 85 83 49 55	60 08 94 50 20	1 7 3 2 3	7 8 3 3	91 63 94 16 81 64	17 76 93 05 14 63	78 67 68 31 23 87	78 16 47 84 72 60	84 38 90 72 44 07	65 96 08 39 08	61 77 44 38 03 24	11 81 34 96 73 26
93 58 31 78 63 90 47 96 57 92 16 44	71 77 02 70 46 11	67 97 16 91 60 01	19 51 33 19 06 28	82 65 35 79 37 82	23 33 54 65 37 09	72 21 06 49 20 11	51 91 33 02 39 94	85 12 09 89 64 90	80 22 33 19 71 09	30 09 15 28 78 13	2 0 1 7 7 0	9 2 5 2 6 0	86 21 71 49 69	94 92 57 08 63 47	76 37 99 82 99	64 41 16 05 13 18	81 45 51 15 41 12	03 23 81 99 51	10 67 18 14 60 80	01 23 27 29 08 28
60 19 03 48 82 21 28 91 35 68 17 89	88 66 61 20 37 23	45 28 30 11 27 83	17 96 45 03 01 50	76 77 04 34 05 27	52 99 32 94 73 01	98 00 59 85 02 72	38 11 21 85 25 52	96 89 57 74 84 87	63 25 98 24 53 73	98 61 24 04 37 14	3 3 0 5 1 2	7 : 6 : 3 : 6 :	11 30 11 33 41 47	07 21 44 28 29 68	03 54 04 69 28 41	38 19 13 78 74 47	98 22 15 74 08 79	32 54 12 21 09 53	58 17 75 99 35 38	67 85 27 06 89 84
61 40 44 20 10 20 08 86 36 14 26 80	15 21 06 97 78 36	89 47 68 40 74 02	20 79 35 06 17 17	66 48 64 15 99 80	13 64 63 77 16 39	07 71 90 78 21 38	43 78 06 93 74 67	79 83 14 71 01 00	68 28 76 71 55 08	40 86 57 72 14 87	0	7 4 3 0 0 0 0 9	84 67 89 04 96 54	57 23 31 08 73 18	82 88 92 47 23 76	26 51 37 83 56 55	27 86 17 50 69 22	31 85 43 41 83 02	87 87 74 58 38 39	56 60 18 88 91 61
22 27 96 80 44 29 74 08 01 86 08 29	01 34 20 31 95 63	34 42 03 79 83 76	56 87 62 67 38 55	48 60 69 24 65 17	32 03 71 16 36 88	61 99 71 05 08 51	40 16 69 35 24 72	21 25 84 43 17 51	38 55 67 58 67 90	87 08 23 88 26 03	6 1 7 4 7 0	4 (2 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	37 04 42 39 73 86	49 04 97 53 18 83	16 16 46 57 67 49	56 36 54 93 00 17	58 07 23 63 88 92	79 91 60 90 45 45	59 18 02 02 19 37	38 16 71 66 99 63

Table	B-1.	Random	Numbers	Table
Tuble	D 1.	Randoni	Numbers	Tuble

lable	e R-	1. Rand	om N	lumb	ers la	ble														
09 76 00 12 01 64	93 59 95 03 39 87	60 42 97 84 74 56	20 82 52 69 06 62	52 10 94 60 35 65	82 80 86 01 60 43	14 32 79 75 06 69	15 37 49 36 09 82	13 11 09 14 17 06	38 90 30 81 94 87	92 00 49 19 88 67	50 10 10 27 53 08	36 43 72 16 58 90	87 34 24 59	47 65 94 29 38 62	81 33 77 64 70 68	01 02 97 71 90 43	96 52 57 63 09 65	85 94 97 80 53 34	45 82 41 33 61 71	15 12 33 07 26 66
12 92 86 54 58 13	94 45 84 01 81 61	88 35 62 30 12 33	42 52 63 02 61 03	95 93 79 32 27 17	90 74 69 63 40 43	07 07 83 79 19 73	60 35 29 46 89 06	17 89 53 89 30 53	96 13 34 29 36 56	63 20 92 36 43 45	99 34 40 22 87 46	07 98 13 27 60 54	36 21 15 80	19 17 76 85 20 89	62 75 69 90 08 28	56 28 71 08 38 88	50 94 71 48 93 34	50 91 69 57 68 50	38 16 86 96 50 18	95 47 97 79 27 26
93 72 09 70 49 21	74 40 61 94 23 89	19 09 25 79 70 12	47 56 90 61 87 02	91 42 03 43 75 56	13 68 72 54 29 41	43 57 55 12 26 58	49 94 32 95 30 70	05 79 31 92 47 94	87 56 83 50 98 90	71 68 36 50 22 07	83 32 09 27 48 39	45 34 45 02 42 63	87 13 98 77	71 64 27 36 99 69	61 64 41 39 09 85	17 65 53 71 65 96	33 39 59 69 40 67	12 68 39 83 07 21	33 45 40 31 84 67	14 36 05 59 67 25
56 67 76 07 78 38	45 19 76 01 87 83	23 98 77 28 66 38	67 33 79 58 28 68	25 30 71 59 78 34	84 47 83 53 90 49	55 98 33 60 07 03	17 33 39 19 44 34	90 02 40 58 03 73	02 48 07 85 62 18	24 59 73 82 52 22	46 47 05 15 94 25	73 70 91 09 88 68	93 18 02 50	28 70 11 15 52 99	59 99 50 71 94 13	28 09 36 72 91 61	90 26 20 34 21 18	04 68 19 77 79	99 30 43 88 61 47	03 28 67 46 20 49
22 50 51 04 66 40	02 38 84 83 31 08	68 91 53 41 58 17	34 20 55 46 71 85	87 34 34 61 80 88	72 70 49 42 31 33	34 96 05 86 95 01	79 64 23 78 92 63	57 64 92 79 50 78	75 85 45 64 22 80	48 76 07 65 59 38	29 53 83 34 43 76	26 67 34 85 50 56	24 63 97 38	62 21 97 47 66 25	73 73 42 84 27 92	15 22 90 52 47 39	35 52 03 84 96 58	68 84 35 67 73 84	51 64 46 18 07 54	79 62 49 18 11 06
14 66 60 94 33 44	11 06 04 95 16 05	47 95 39 97 28 05	92 84 40 48 79 84	47 57 01 34 52 59	93 93 67 43 99 31	73 67 16 75 08 59	03 05 21 39 34 32	12 68 37 57 43 46	51 44 61 96 56 49	59 27 30 68 75 07	49 36 20 35 41 22	01 04 74 80 51 43	45 22 38 83	86 03 28 65 28 38	91 75 86 60 93 86	13 39 98 16 66 91	03 48 24 02 02 32	64 37 09 08 09	55 94 11 30	11 32 77 80 42
13 51 13 53 54 64	10 87 64 67 00 84	55 62 89 17 28 61	40 62 23 92 87 43	20 49 99 46 58 73	56 22 04 62 70 21	43 42 48 61 97 99	78 84 27 23 51 19	87 64 40 54 81 53	60 68 21 01 18 64	07 38 97 95 27 80	17 98 55 96 33 42	30 24 22 68 10 68	44 60 47 48	22 00 12 95 27 65	15 67 43 98 49 35	59 00 84 36 01 62	26 40 60 00 92 74	73 12 03 66 51 17	09 59 10 11 53 35	12 44 62 53 46 47
83 47 91 96 25 70	37 90 24 64 50 94	33 01 07 66 48 87	08 85 68 03 39 59	57 81 56 55 60 24	89 17 47 20 07 03	22 63 68 36 92 33	01 96 54 16 38 15	38 67 01 47 85 84	77 16 88 90 79 51	83 05 42 01 70 71	45 40 88 76 90 59	39 14 49 75 06 25	74 06 50 85	62 19 98 42 83 76	46 27 38 89 29 53	74 00 93 26 53 46	05 45 68 73 41 86	91 46 51 24 61 99	13 87 80 00 12 05	62 70 38 19 71 52

Table	B-1.	Random	Numbers	Table
Tuble	D 1.	Randoni	Numbers	Tuble

iabl	e B-:	I. Kand	om N	umb	ers la	ble															
95 79 17 70 01 70	97 61 87 97 72 92	43 20 63 53 48 39	49 28 85 41 55 50	15 58 75 43 25 46	65 58 24 47 32 63	41 86 21 68 69 92	28 99 89 47 63 38	73 06 19 90 92 72	5 7 0 5	9 3 11 18 3 4	13 40 80 35 37 13	22 14 40 71 53 36	04 61 09 73 59 19	17 26 50 16 41 95	31 25 39 04 45 84	77 93 79 28 42 67	93 68 55 80 73 06	71 35 10 31 23 09	61 80 90 70 70 21	30 42 03 89 96 69	38 99 09 14 69 59
34 21 30 61 64 73	93 90 25 11 73 13	61 06 96 58 04 52	16 24 63 59 84 98	63 09 94 52 70 22	80 50 94 96 90 19	43 43 96 64 02 88	81 63 79 87 28 49	02 80 59 66 86 18	3 4 0 8	-8 -8 -8 -9 -7 -2	30 15 67 90 75 79	12 53 04 00 36 57	29 34 73 91 16 95	31 92 18 19 32 97	99 41 15 62 47 59	10 60 94 75 76 29	38 02 88 34 64 24	73 38 53 83 78 26	13 97 38 29 93 92	23 51 67 60 73 53	73 83 21 00 05 47
92 15 19 16 06 32	52 78 91 61 30 60	89 96 31 40 02 07	14 78 62 02 96 67	56 84 51 31 74 06	60 52 85 89 07 26	17 99 85 26 60 82	56 18 76 44 09 07	48 29 57 09 79 62	4 9 0 5	2 0 9 1 1 5	30 10 09 94 81 43	31 40 54 92 10 44	63 28 15 50 03 06	77 59 60 17 55 12	77 42 13 72 26 33	90 84 11 55 45 28	09 70 02 35 39 56	84 97 99 65 42 50	69 44 15 34 88 19	69 32 35 68 53 44	81 32 82 33 44 07
99 31 41 96 35 06	11 61 28 65 47 96	07 35 83 44 69	15 73 45 19 66 66	07 13 44 26 15 20	96 60 00 67 87 04	66 09 64 13 61 71	15 86 79 28 21 71	94 94 53 94 36 73	9 3 7 0	1 1 16 16 16 11 18	20 80 31 58 77 55	49 27 65 55 90 10	10 52 45 19 06 18	40 84 23 97 61 51	10 59 82 40 16 55	70 44 08 13 00 32	97 13 57 09 85 20	42 24 94 58 78 53	68 00 90 83 94 62	43 35 00 32 84 66	50 80 28 39 60 17
93 52 40 72 20 73	68 91 16 30 46 17	39 30 08 04 76 63	35 13 75 83 73 95	69 29 45 45 21 98	66 42 04 03 77 22	23 96 70 28 82 03	72 72 90 81 08 07	44 34 09 20 44 80	8 2 1 0	12 14 10 8 16 19	71 56 52 01 50 52	75 50 94 14 47 71	42 39 88 26 86 60	93 71 41 51 96 06	72 67 23 73 80 39	32 21 65 21 38 72	70 50 54 52 92 38	91 25 03 79 35 90	11 56 62 55 99 08	78 74 46 27 12 03	92 11 51 18 07 38
65 15 37 97 64 48	48 91 60 43 87 58	46 29 00 63 78 85	77 59 15 89 88 80	90 32 91 19 54 38	10 19 30 76 00 80	23 95 55 67 83 23	60 83 23 21 35 62	14 29 72 53 82 63	2 5 6 1	6 9 6 1 3	01 14 71 20 53 02	87 89 63 28 49 56	72 24 94 58 07 70	48 08 90 60 76 96	54 61 08 12 67 81	16 32 99 53 16 18	58 32 03 40 04 26	64 70 51 07 06 91	81 96 83 92 80 18	02 76 29 37 24 12	18 65 70 43 50 02
16 47 23 85 15 28	09 89 94 81 13 85	21 10 84 01 03 88	93 56 58 04 45 40	76 65 70 89 40 04	55 35 90 32 30 24	27 93 01 55 42 06	18 66 98 14 79 14	20 06 35 00 47 43	7 5 3 7	13 18 12 11 19	00 72 89 81 57 43	60 51 26 06 76 59	07 74 46 62 73 39	93 03 63 48 17 48	57 01 79 45 80 52	90 55 46 35 21 84	00 39 73 60 65 60	34 35 25 12 35 20	45 92 85 14 56 01	16 36 93 93 55 15	37 08 69 74 24 78
95 81 87 46 29 36	91 12 65 52 68 04	15 10 53 93 41 89	75 61 43 71 41 15	40 21 48 84 52 10	03 67 36 69 70 65	30 16 35 64 86 56	49 10 51 62 97 64	07 34 88 54 51 85	8 4 0 7	12 18 17 17 18 15	93 34 97 95 71 89	57 89 52 97 63 13	75 31 94 42 92 47	48 83 84 93 44 90	53 36 69 63 05 09	59 23 84 80 29	26 96 56 25 72 91	64 72 63 53 39 28	81 38 84 51 47 92	05 70 56 75 92 46	58 85 43 26 48 81

Table B-1. Random Numbers Table 

Table B-1.	Random	Numbers	Table

Idbl	е Б	I. Ka	Huom	Nulli	Jeis	Table														
59	30	34	80	22	39	68	50	45	44	11	15	49	09	54	15	19	25	57	83	29
72	55	35	70	89	13	79	70	90	11	29	20	42	97	45	15	91	25	99	13	20
74	15	71	81		15	84	52	79	54	15	64	74	11	00	38	99	15	17	92	41
50	23	93	75		92	46	62	43	42	96	72	50	51	74	17	67	09	60	11	57
86	84	52	97		64	91	15	69	68	33	06	21	93	58	69	67	18	15	77	96
70	92	34	92	53	59	40	06	71	59	44	22	14	07	02	21	50	21	78	82	19
88	41	24	18	02	88	34	52	86	82	20	12	06	35	94	87	62	49	17	53	55
40	31	97	57	91	17	73	05	52	94	79	66	29	58	80	42	91	23	98	25	98
36	32	71	68		64	89	19	65	42		23	75	48	57	99	16	42	89	14	78
93	73	23	81		32	47	73	11	80		95	84	68	43	79	55	05	33	38	81
01	94	84	52		41	19	90	09	67	18	40	18	65	33	16	48	26	28	81	18
18	28	77	96	71	77	90	00	32	36	00	56	74	09	70	94	95	89	28	87	61
30	35	89	31	92	47	68	36	06	66	18	11	02	37	58	76	51	63	89	33	15
62	49	19	21	36	21	50	36	06	11	26	40	06	52	84	64	79	61	35	59	24
44	01	55	27	32	74	12	83	40	09	08	99	10	47	94	82	24	06	54	28	66
16	19	48	62		10	64	63	80	38	97	47	90	11	09	92	53	43	80	39	36
01	76	52	94		81	05	05	11	34		51	59	50	16	38	98	37	18	16	22
05	33	06	84	63	80	46	53	62	48	50	26	35	78	85	89	22	00	70	98	40
26	85	77	81	17	79	49	03	95	97	54	04	39	53	59	43	77	89	21	90	03
77	90	00	99	01	80	23	92	37	53	33	21	71	71	68	41	42	69	64	90	05
54	00	97	51		25	38	98	35	50		02	13	26	77	87	70	92	42	92	49
13	06	92	51		10	93	65	51	79	63	98	25	97	46	89	17	90	09	50	34
67	25	31	86		80	23	59	40	09	13	52	73	11	75	26	70	92	37	64	77
98	35	50	16	49	22	13	34	84	54	28	98	27	31	90	01	51	91	27	19	24
19	95	89	15	97	47	97	49	14	76	70	95	82	25	64	75	44	32	20	10	59
30	08	47	79	56	72	43	72	47	97	43	58	75	41	63	78	91	20	09	93	58
62	60	12	70	94	94	95	84	69	62	47	72	39	73	08	32	41	62	72	53	59
42	66	03	38		85	88	44	32	38	70	99	01	81	08	44	10	86	98	20	66
21	94	96	73		86	98	23	94	94	82	18	44	19	93	67	20	02	17	69	60
11	85	82	14	91	13	28	86	87	64	87	64	92	34	76	68	43	56	59	50	49
01	62	57	87	75	50	36	35	58	84	58	55	37	34	47	92	44	15	43	53	43
65	44	20	29	32	42	84	59	30	40	25	85	96	70	92	52	79	71	72	31	85
94	96	67	15	65	42	69	79	51	59		77	90	10	59	50	41	33	35	56	64
90	01	07	77		31	94	91	25	53	34	74	16	20	55	11	51	65	35	63	81
00	32	24	06		16	32	73	13	79		89	15	88	41	31	76	70	85	97	55
12	07	45	45	24	19	70	87	68	53	68	33	11	65	57	80	45	41	22	54	08
30	20	04	75	41	20	61	13	50	48	56	60	05	46	50	43	69	69	84	55	28
95	92	44	12	71	78	88	40	02	70	88	50	17	75	31	92	36	08	35	58	61
24	38	99	15	16	32	69	84	53	46	69	66	20	58	86	98	35	86	86	80	27
31	97	57	83		59	52	91	27	14		49	14	82	19	71	64	86	93	57	89
22	18	17	44		20	11	48	52	80		58	77	83	35	62	51	82	10	20	29
38	92	37	59	22	15	56	58	66	16	08	90	10	66	27	11	60	08	94	89	14
75	40	03	57	96	70	89	27	12	80	28	91	20	18	06	21	71	61	34	55	39
37	16	03	01	82	07	28	95	83	47	97	52	82	20	31	88	39	71	62	70	88
43	42	77	79		54	16	04	76	62		16	21	95	98	26	64	87	74	03	62
51	61	12	23		20	52	89	23	92		64	67	11	17	60	00	49	06	74	14
67	26	20	48		12	22	52	85	80		07	96	65	31	81	09	70	86	90	09
93	63	98	33	03	36	13	39	75	33	05	98	35	46	77	85	86	80	22	22	39