New Mexico, 2006

Primary and secondary syphilis

- CASES: New Mexico reported 79 cases in 2006.
- RATES: New Mexico ranked 10 among 50 states, DC, and 3 territories with 4.1 cases per 100,000 population compared to the total rate of 3.3 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In New Mexico, the rate among males was 6.0 per 100,000 population compared to the total male rate of 5.7 per 100,000.
- The rate among females was 2.2 per 100,000 compared to the total female rate of 1.0 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In New Mexico, the race/ethnicity adjusted rates per 100,000 population were 2.3 among whites, 2.5 among blacks, 3.1 among Hispanics, 4.0 among Asian/Pacific Islanders, and 17.4 among American Indians/Alaska Natives.

- The rate among blacks was 1.1 times that of whites.
- The rate among Hispanics was 1.3 times that of whites.
- The rate among Asian/Pacific Islanders was 1.7 times that of whites.
- The rate among American Indians/Alaska Natives was 7.6 times that of whites.

Congenital syphilis

- CASES: New Mexico reported 7 cases in 2006.
- RATES: New Mexico ranked 4 among 26 states, DC, and 1 territory reporting congenital syphilis cases with a rate of 24.7 cases per 100,000 live births compared to the total rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, New Mexico, 1997-2006



Total P&S Syphilis Rates by County, New Mexico, 2006

