

LITERATURE CITED

- Allison, L.J., C.E. Paradzick, J.W. Rourke, and T.D. McCarthy. 2003. A characterization of vegetation in nesting and non-nesting plots for Southwestern Willow Flycatchers in Arizona. Pages 81–90 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Austin, G.T. 1974. Nesting success of the Cactus Wren in relation to nest orientation. *Condor* 76:216–217.
- Austin, G.T. 1976. Behavioral adaptations of the Verdin to the desert. *Auk* 93:245–262.
- Bekoff, M., A.C. Scott, and D.A. Conner. 1987. Nonrandom nest-site selection in Evening Grosbeaks. *Condor* 89:819–829.
- Braden, G.T., and R.L. McKernan. 1998. Observations on nest cycles, vocalization rates, the probability of detection, and survey protocols for the Southwestern Willow Flycatcher. Report to the U.S. Bureau of Reclamation, Boulder City, Nevada. 38 pp.
- Brown, J.L. 1964. The evolution of diversity in avian territorial systems. *Wilson Bulletin* 76:160–169.
- Brown, B.T., S.W. Carothers, and R.R. Johnson. 1987. Grand Canyon birds. The University of Arizona Press, Tucson, Arizona. 302 pp.
- Brownie, C., D.R. Anderson, K.P. Burnham, and D.S. Robson. 1985. Statistical inference from band recovery data – a handbook. U.S. Department of Interior, Fish and Wildlife Service Resource Publication 156. 305 pp.
- Browning, M.R. 1993. Comments on the taxonomy of *Empidonax traillii* (willow flycatcher). *Western Birds* 24:241–257.
- Busch, J.D., M.P. Miller, E.P. Paxton, M.K. Sogge, and P. Keim. 2000. Genetic variation in the endangered Southwestern Willow Flycatcher. *Auk* 117:586–595.
- Calder, W.A. 1973. Microhabitat selection during nesting of hummingbirds in the Rocky Mountains. *Ecology* 54:127–134.
- Cannings, R.J., and W. Threlfall. 1981. Horned Lark breeding biology at Cape St. Mary's, Newfoundland. *Wilson Bulletin* 93:519–530.
- Cody, M.L. 1985. An introduction to habitat selection in birds. Pages 4–56 in M.L. Cody (ed.). Habitat selection in birds. Academic Press, New York, New York.
- Connor, R.N. 1975. Orientation of entrances to woodpecker nest-cavities. *Auk* 92:371–374.

- Davidson, R.F., and L.J. Allison. 2003. Effects of monogamy and polygyny on reproductive success in Southwestern Willow Flycatchers (*Empidonax trailli extimus*) in Arizona. Pages 118–124 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Finch, D.M., and J.F. Kelly. 1999. Status of management of the Southwestern Willow Flycatcher in New Mexico. Pages 197–203 in Finch, D.M., J.C. Whitney, J.F. Kelly and S.R. Loftin (eds.). Rio Grande ecosystems: linking land, water, and people. USDA Forest Service Rocky Mountain Research Station Proceedings, RMRS-P-7.
- Furtek, B., and C.R. Tomlinson. 2003. Breeding status and surveys for the Southwestern Willow Flycatcher and Yellow-billed Cuckoo at sites in southern Nevada. Edited by S. Canning and L.A. Neel. Nevada Department of Wildlife.
- Garrett, K., and J. Dunn. 1981. Birds of Southern California. Los Angeles Audubon Society, Los Angeles, California.
- Gloutney, M.L., and R.G. Clark. 1997. Nest-site selection by Mallards and Blue-winged Teal in relation to microclimate. *Auk* 114:381–395.
- Gill, F.B. 1995. Ornithology, Second Edition. W.H. Freeman and Company, New York.
- Griffith Wildlife Biology (GWB). 1994a. Brown-headed Cowbird trapping protocol. Unpublished document prepared by J.C. Griffith and J.T. Griffith, Griffith Wildlife Biology, Calumet, Michigan.
- Griffith Wildlife Biology (GWB). 1994b. Brown-headed Cowbird removal program on Marine Corps Base Camp Pendleton, CA. Report to US Marine Corps, Camp Pendleton, California.
- Harris, J.H. 1991. Effects of Brown-headed Cowbirds on willow flycatcher nesting success along the Kern River, California. *Western Birds* 22:13–26.
- Hartman, C.A., and L.W. Oring. 2003. Orientation and microclimate of Horned Lark nests: The importance of shade. *Condor* 105:158–163.
- Howell, N.G., and S. Webb. 1995. A guide to the birds of Mexico and northern Central America. Oxford University Press, New York.
- Howlett, J.S., and B.J. Stutchbury. 1996. Nest concealment and predation in Hooded Warblers: experimental removal of nest cover.
- Inouye, D.W. 1976. Nonrandom orientation of entrance holes to woodpecker nests in aspen trees. *Condor* 78:101–102.

- Inouye, R.S., N.J. Huntly, and D.W. Inouye. 1981. Non-random orientation of Gila Woodpecker nest entrances in saguaro cactus. *Condor* 83:88-89.
- James, F.C., and H.H. Shugart, Jr. 1970. A quantitative method of habitat description. *Audubon Field Notes* 24:727-736.
- Johnson, M.J., and M.K. Sogge. 1997. Southwestern Willow Flycatcher surveys along portions of the San Juan River, Utah (Montezuma Creek – Mexican Hat and Clay Hills Crossing), 1997. USGS Colorado Plateau Field Station, Flagstaff, Arizona.
- Kaufmann, J.H. 1983. On the definitions and functions of dominance and territoriality. *Biological Review* 58:1-20.
- Kenwood, K.E., and E.H. Paxton. 2001. Survivorship and movements of Southwestern Willow Flycatchers in Arizona – 2001. U.S. Geological Survey report to the U.S. Bureau of Reclamation, Phoenix, Arizona. 44 pp.
- Kern, M., and C. van Riper. 1984. Altitudinal variations in nests of the Hawaiian Honeycreeper *Hemignathus virens virens*. *Condor* 86(4):443-453.
- Kern, M.D., M.K. Sogge, and C. van Riper III. 1990. Water-vapor pressure in nests of the San Miguel Island Song Sparrow. *Condor* 92:761-767.
- Koronkiewicz, T.J. 2002. Intraspecific territoriality and site fidelity of wintering willow flycatchers (*Empidonax traillii*) in Costa Rica. M.S. Thesis. Northern Arizona University, Flagstaff.
- Koronkiewicz, T.J., S.N. Cardinal, M.K. Sogge, and E.H. Paxton. 2002. Survivorship and movements of Southwestern Willow Flycatchers at Roosevelt Lake, Arizona – 2002. Report to the U.S. Bureau of Reclamation, Phoenix, Arizona. USGS Southwest Science Center, Colorado Plateau Field Station, Flagstaff, Arizona. 43 pp.
- Koronkiewicz, T.J., M.A. McLeod, B.T. Brown, and S.W. Carothers. 2004. Southwestern Willow Flycatcher surveys, demography, and ecology along the lower Colorado River and tributaries, 2003. Annual report submitted to U.S. Bureau of Reclamation, Boulder City, NV, by SWCA Environmental Consultants, Flagstaff, Arizona. 125 pp.
- Lindsey, G.D., K.A. Wilson, and C. Herrmann. 1995. Color change in Hughes's Celluloid Leg Bands. *Journal of Field Ornithology* 66(2):289-295.
- Lowther, P.E. 1993. Brown-headed Cowbird (*Molothrus ater*). In Poole, A., and F. Gill (eds.). *The birds of North America*, No. 47. The Birds of North America, Inc., Philadelphia, Pennsylvania.

- Luff, J.A., E.H. Paxton, K.E. Kenwood, and M.K. Sogge. 2000. Survivorship and movements of Southwestern Willow Flycatchers in Arizona – 2000. USGS Forest and Rangeland Ecosystem Science Center, Colorado Plateau Field Station report to the U.S. Bureau of Reclamation, Phoenix, Arizona. 46 pp.
- Lynn, J.C., T.J. Koronkiewicz, M.J. Whitfield, and M.K. Sogge. 2003. Willow flycatcher winter habitat in El Salvador, Costa Rica, and Panama: characteristics and threats. Pages 41–51 *in* Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Marshall, R.M., and Stoleson S.H. 2000. Threats. Pages 13-24 *in* Status, ecology, and conservation of the Southwestern Willow Flycatcher. USDA Forest Service General Technical Report, RMRS-GTR-60.
- Martin, T.E. 1995. Avian life history evolution in relation to nest sites, nest predation, and food. Ecological Monographs 65:101–127.
- Martin, T.E., C.R. Paine, C.J. Conway, W.M. Hochachka, P. Allen, and W. Jenkins. 1997. BBIRD Field Protocol. Montana Cooperative Wildlife Research Unit, University of Montana, Missoula.
- Mayfield, H. 1961. Nesting success calculated from exposure. Wilson Bulletin 73(3):255–261.
- Mayfield, H. 1975. Suggestions for calculating nest success. Wilson Bulletin 87(4):456–466.
- McArthur, A.J. 1990. Thermal interaction between animal and microclimate: Specification of a
 McArthur, A.J. 1990. Thermal interaction between animal and microclimate: Specification of a “standard environmental temperature” for animals outdoors. Journal of Theoretical Biology 148:331–343.
- McKernan, R.L. 1997. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 1 – 1996. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, [and] the U.S. Fish and Wildlife Service, Carlsbad, California by the San Bernardino County Museum, Redlands, California. 42 pp.
- McKernan, R.L., and G. Braden. 1998. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 2 – 1997. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada [and] the U.S. Fish and Wildlife Service, Carlsbad, California, by the San Bernardino County Museum, Redlands, California. 64 pp.

- McKernan, R.L., and G. Braden. 1999. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 3 – 1998. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada, and the U.S. Bureau of Land Management, Caliente, Nevada, by the San Bernardino County Museum, Redlands, California. 71 pp.
- McKernan, R.L., and G. Braden. 2001a. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the Lower Colorado River: Year 4 – 1999. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada, and the U.S. Bureau of Land Management, Caliente, Nevada, by the San Bernardino County Museum, Redlands, California. 83 pp.
- McKernan, R.L., and G. Braden. 2001b. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 5 – 2000. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada, and the U.S. Bureau of Land Management, Caliente, Nevada, by the San Bernardino County Museum, Redlands, California. 86 pp.
- McKernan, R.L., and G. Braden. 2002. Status, distribution, and habitat affinities of the Southwestern Willow Flycatcher along the lower Colorado River, Year 6 – 2001. Unpublished report submitted to the U.S. Bureau of Reclamation, Boulder City, Nevada, the U.S. Fish and Wildlife Service, Carlsbad, California, and Reno, Nevada by San Bernardino County Museum, Redlands, California. 58 pp.
- National Weather Service. 2004. Online: http://aa.usno.navy.mil/data/docs/RS_OneYear.html.
- Paradzick, C.E., T.D. McCarthy, R.F. Davidson, J.W. Rourke, M.W. Sumner, and A.B. Smith. 2001. Southwestern Willow Flycatcher 2000 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 175. Arizona Game and Fish Department, Phoenix.
- Paxton, E., S. Langridge, and M.K. Sogge. 1997. Banding and population genetics of Southwestern Willow Flycatchers in Arizona - 1997 Summary Report. USGS Colorado Plateau Research Station / Northern Arizona University report. 63 pp.
- Paxton, E.H., S.N. Cardinal, and T.J. Koronkiewicz. 2003. Using radiotelemetry to determine home range size, habitat use, and movement patterns of Willow Flycatchers. Pages 185–189 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Pearson, T. 2002. Polygyny and extra-pair paternity in a population of Southwestern Willow Flycatchers (*Empidonax traillii extimus*). M.S. Thesis, Northern Arizona University, Flagstaff.

- Periman, R.D., and J.F. Kelly. 2000. The dynamic environmental history of Southwest Willow Flycatcher Habitat: A survey of changing riparian conditions through time. Pages 25–42 in Finch, D.M., and S.H. Stoleson (eds.). Status, ecology, and conservation of the Southwestern Willow Flycatcher. General Technical Report, RMRS-GTR-60. U.S. Forest Service, Rocky Mountain Research Station, Ogden, Utah. 131 pages.
- Phillips, A., J. Marshall, and G. Monson. 1964. The birds of Arizona. University of Arizona Press, Tucson. 212 pp.
- Ralph, C.J., G.R. Geupel, P. Pyle, T.E. Martin, and D.F. DeSante. 1993. Handbook of field methods for monitoring landbirds. General Technical Report PSW-GTR-144. U.S. Forest Service Pacific Southwest Research Station, Albany, California. 41 pp.
- Rappole, J.H. 1995. The ecology of migrant birds: a Neotropical perspective. Smithsonian Institution Press, Washington and London.
- Ridgely, R.S., and G. Tudor. 1994. The birds of South America; Volume II: the Suboscine passerines. University of Texas Press, Austin.
- Robinson, S.K. 1992. Population dynamics of breeding Neotropical migrants in Illinois. Pages 408–418. In J.M. Hagan III and D.W. Johnston [eds.]. Ecology and Conservation of Neotropical migrant landbirds. Smithsonian Institution Press, Washington D.C.
- Rotenberry, J.T. 1985. The role of habitat in avian community composition: Physiognomy or floristics? *Oecologia* 67:213-217.
- Rothstein, S.I., B.E. Kus, M.J. Whitfield, and S.J. Sferra. 2003. Recommendations for cowbird management in recovery efforts for the Southwestern Willow Flycatcher. Pages 157–167 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Rourke, J.W., T.D. McCarthy, R.F. Davidson, and A.M. Santaniello. 1999. Southwestern Willow Flycatcher nest monitoring protocol. Nongame and Endangered Wildlife Program Technical Report No. 144. Arizona Game and Fish Department, Phoenix.
- SAS Institute Inc. 2003. SAS OnlineDoc®, Version 9.1. Cary, North Carolina.
- Sedgwick, J.A. 2000. Willow flycatcher (*Empidonax traillii*). In Poole, A., and F. Gill (eds.). The birds of North America, No. 533. The Birds of North America, Inc., Philadelphia, Pennsylvania.
- Sedgwick, J.A., and F.L. Knopf. 1988. A high incidence of Brown-headed Cowbird parasitism of willow flycatchers. *Condor* 90:253–256.
- Sedgwick, J.A., and F.L. Knopf. 1992. Describing willow flycatcher habitats: Scale perspectives and gender differences. *Condor* 94:720–733.

- Smith, A.B., C.E. Paradzick, A.A. Woodward, P.E.T. Dockens, and T.D. McCarthy. 2002. Southwestern Willow Flycatcher 2001 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 191. Arizona Game and Fish Department, Phoenix.
- Smith, A.B., A.A. Woodward, P.E.T. Dockens, J.S. Martin, and T.D. McCarthy. 2003. Southwestern Willow Flycatcher 2002 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 210. Arizona Game and Fish Department, Phoenix.
- Smith, A.B., P.E.T. Dockens, A.A. Tudor, H.C. English, and B.L. Allen. 2004. Southwestern Willow Flycatcher 2003 survey and nest monitoring report. Nongame and Endangered Wildlife Program Technical Report 210. Arizona Game and Fish Department, Phoenix.
- Sogge, M.K., and R.M. Marshall. 2000. A survey of current breeding habitats. Pages 43–56 in Finch, D.M., and S.H. Stoleson (eds.). Status, ecology, and conservation of the Southwestern Willow Flycatcher. General Technical Report, RMRS-GTR-60. U.S. Forest Service, Rocky Mountain Research Station, Ogden, Utah. 131 pages.
- Sogge, M.K., R.M. Marshall, S.J. Sferra, and T.J. Tibbits. 1997. A Southwestern Willow Flycatcher natural history summary and survey protocol. National Park Service Technical Report USGS/NAUCPRS/NRTR-97/12.
- Sogge, M.K., J.C. Owen, E.H. Paxton, S.M. Langridge, and T.J. Koronkiewicz. 2001. A targeted mist net capture technique for the willow flycatcher. *Western Birds* 32:167–172.
- Sogge, M.K., S.J. Sferra, T.D. McCarthy, S.O. Williams, and B.E. Kus. 2003. Distribution and characteristics of Southwestern Willow Flycatcher breeding sites and territories: 1993–2001. Pages 5–11 in Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. *Studies in Avian Biology* No. 26. Cooper Ornithological Society.
- Stafford, M.D. 1986. Supernumerary adults feeding willow flycatcher fledglings. *Wilson Bulletin* 98(2).
- StataCorp LP. 2004. Stata for Windows®, Version 8.1. College Station, Texas.
- Stiles, F.G., and A.F. Skutch. 1989. A guide to the birds of Costa Rica. Cornell University Press, New York.
- Sumner, M.E. (ed.). 2000. Handbook of soil science. CRC Press, Boca Raton, Florida.
- Unitt, P. 1987. *Empidonax traillii extimus*: an endangered subspecies. *Western Birds* 18:137–162.

- Unitt, P. 1997. Winter range of *Empidonax traillii extimus* as documented by existing museum collections. San Diego Natural History Museum report to U.S. Bureau of Reclamation, Phoenix, Arizona.
- U.S. Fish and Wildlife Service. 1995. Final rule determining endangered status for the Southwestern Willow Flycatcher. Federal Register 60:10694–10715.
- U.S. Fish and Wildlife Service. 2002. Final recovery plan Southwestern Willow Flycatcher (*Empidonax traillii extimus*). Prepared by Southwestern Willow Flycatcher Recovery Team Technical Subgroup, August 2002.
- van Riper III, C., M.D. Kern, and M.K. Sogge. 1993. Changing nest placement of Hawaiian Common Amakihi during the breeding cycle. Wilson Bulletin 105:436–447.
- Walsberg, G.E. 1981. Nest-site selection and the radiative environment of the Warbling Vireo. Condor 83:86–88.
- Walsberg, G.E. 1985. Physiological consequences of microhabitat selection. Pages 389–413 in M.L. Cody (ed.). Habitat selection in birds. Academic Press, Orlando, Florida.
- Warkentin, I.G., and N.H. West. 1990. Ecological energetics of wintering Merlins *Falco columbarius*. Physiological Zoology 63:308–333.
- Webb, D.R., and J.R. King. 1983. An analysis of the heat budgets of the eggs and nest of the White-crowned Sparrow, *Zonotrichia leucophrys*, in relation to parental attentiveness. Physiological Zoology 56:493–505.
- White, G.C. 1996. Population estimation from mark-resighting surveys. Wildlife Society Bulletin 24:50–52.
- Whitfield, M.J. 1990. Willow flycatcher reproductive response to Brown-headed Cowbird parasitism. M.S. Thesis, California State University, Chico, California. 25 pp.
- Whitfield, M.J. 2003. Southwestern Willow Flycatcher monitoring and removal of Brown-headed Cowbirds on the South Fork Kern River in 2002. Final report prepared for the U.S. Army Corps of Engineers, Sacramento District, Purchase Order DACW05-02-P-0111), Sacramento, California.
- Whitfield, M.J., and M.K. Sogge. 1999. Range-wide impacts of Brown-headed Cowbird parasitism on the Southwestern Willow Flycatcher (*Empidonax traillii extimus*). Studies in Avian Biology 18:182–190.
- Whitfield, M.J., K.M. Enos, and S.P. Rowe. 1998. Reproductive response of the Southwestern Willow Flycatcher (*Empidonax traillii extimus*) to removal of Brown-headed Cowbirds in 1998. Final report to the U.S. Army Corps Engineers (P.O. No. DACW05-97-P-0670) and State of California – The resources Agency (Contract No. FG6151-1WM). Kern River Research Center, Weldon, California.

- Whitfield, M.J., M.K. Sogge, S.J. Sferra, and B.E. Kus. 2003. Ecology and behavior – Introduction. Pages 53–55 *in* Sogge, M.K., B.E. Kus, S.J. Sferra and M.J. Whitfield (eds.). Ecology and conservation of the willow flycatcher. Studies in Avian Biology No. 26. Cooper Ornithological Society.
- Wiens, J.A. 1989a. The ecology of bird communities. Volume 1: Foundations and patterns. Cambridge University Press, New York.
- Wiens, J.A. 1989b. The ecology of bird communities. Volume 2: Processes and variations. Cambridge University Press, New York.
- With, K.A., and D.R. Webb. 1993. Microclimate of ground nests: The relative importance of radiative cover and wind breaks for three grassland species. *Condor* 95:401–413.
- Woodward, H.D., and S.H. Stoleson. 2002. *The Southwestern Naturalist*. Vol. 47 No. 4:626–628.
- Yong, W., and D.M. Finch. 1997. Migration of the willow flycatcher along the Middle Rio Grande. *Wilson Bulletin* 109:253–268.